

Wear-Resistant Pipe Elbows

Pipe elbows with a treated, wear-resistant surface for applications where dimensions or requirements prevent the use of glass. Custom elbows, silo elbows and assemblies can also be supplied in a wear-resistant version.

Wear-Resistant Pipe Elbow



- + Significantly longer service life compared to stainless steel 1.4301
- + Mountable with standard pipe connectors
- + Further dimensions on request

Pipe size: outside diameter x wall thickness, both in mm.

Article No.	Angle [°]	Radius [mm]	SV1 [mm]	SV2 [mm]	Pipe size [mm]
RBV-038015-90100-1010	90	100	100	100	38.0 x 1.5
RBV-038015-45100-1010	45	100	100	100	38.0 x 1.5
RBV-038015-90250-1010	90	250	100	100	38.0 x 1.5
RBV-038015-45250-1010	45	250	100	100	38.0 x 1.5
RBV-038015-90500-2020	90	500	200	200	38.0 x 1.5
RBV-038015-45500-2020	45	500	200	200	38.0 x 1.5
RBV-038015-90800-2020	90	800	200	200	38.0 x 1.5
RBV-038015-45800-2020	45	800	200	200	38.0 x 1.5
RBV-040015-90075-1010	90	75	100	100	40.0 x 1.5
RBV-040015-45075-1010	45	75	100	100	40.0 x 1.5
RBV-040015-90100-1010	90	100	100	100	40.0 x 1.5
RBV-040015-45100-1010	45	100	100	100	40.0 x 1.5
RBV-040015-90250-1010	90	250	100	100	40.0 x 1.5
RBV-040015-45250-1010	45	250	100	100	40.0 x 1.5
RBV-040015-90500-2020	90	500	200	200	40.0 x 1.5
RBV-040015-45500-2020	45	500	200	200	40.0 x 1.5
RBV-040015-90800-2020	90	800	200	200	40.0 x 1.5

Open product page

en.michel-tube.com/verschleissfester-rohrbogen



Wear-Resistant Pipe Elbows

Article No.	Angle [°]	Radius [mm]	SV1 [mm]	SV2 [mm]	Pipe size [mm]
RBV-040015-45800-2020	45	800	200	200	40.0 x 1.5
RBV-045015-90100-1010	90	100	100	100	45.0 x 1.5
RBV-045015-45100-1010	45	100	100	100	45.0 x 1.5
RBV-045015-90300-2020	90	300	200	200	45.0 x 1.5
RBV-045015-45300-2020	45	300	200	200	45.0 x 1.5
RBV-045015-90500-2020	90	500	200	200	45.0 x 1.5
RBV-045015-45500-2020	45	500	200	200	45.0 x 1.5
RBV-045015-90800-2020	90	800	200	200	45.0 x 1.5
RBV-045015-45800-2020	45	800	200	200	45.0 x 1.5
RBV-050015-90075-1010	90	75	100	100	50.0 x 1.5
RBV-050015-90075-1010	45	75	100	100	50.0 x 1.5
RBV-050015-90100-1010	90	100	100	100	50.0 x 1.5
RBV-050015-45100-1010	45	100	100	100	50.0 x 1.5
RBV-050015-90250-1010	90	250	100	100	50.0 x 1.5
RBV-050015-45250-1010	45	250	100	100	50.0 x 1.5
RBV-050015-90300-2020	90	300	200	200	50.0 x 1.5
RBV-050015-45300-2020	45	300	200	200	50.0 x 1.5
RBV-050015-90500-2020	90	500	200	200	50.0 x 1.5
RBV-050015-45500-2020	45	500	200	200	50.0 x 1.5
RBV-050015-90800-2020	90	800	200	200	50.0 x 1.5
RBV-050015-45800-2020	45	800	200	200	50.0 x 1.5
RBV-054020-90120-1010	90	120	100	100	54.0 x 2.0
RBV-054020-45120-1010	45	120	100	100	54.0 x 2.0
RBV-054020-90250-2020	90	250	100	100	54.0 x 2.0
RBV-054020-45250-2020	45	250	100	100	54.0 x 2.0
RBV-054020-90500-2020	90	500	200	200	54.0 x 2.0

Open product page

en.michel-tube.com/verschleissfester-rohrbogen



Wear-Resistant Pipe Elbows

Article No.	Angle [°]	Radius [mm]	SV1 [mm]	SV2 [mm]	Pipe size [mm]
RBV-054020-45500-2020	45	500	200	200	54.0 x 2.0
RBV-054020-90800-2020	90	800	200	200	54.0 x 2.0
RBV-054020-45800-2020	45	800	200	200	54.0 x 2.0
RBV-060315-90120-1515	90	120	150	150	60.3 x 1.5
RBV-060315-45120-1515	45	120	150	150	60.3 x 1.5
RBV-060315-90250-2020	90	250	200	200	60.3 x 1.5
RBV-060315-45250-2020	45	250	200	200	60.3 x 1.5
RBV-060315-90300-2020	90	300	200	200	60.3 x 1.5
RBV-060315-45300-2020	45	300	200	200	60.3 x 1.5
RBV-060315-90500-2020	90	500	200	200	60.3 x 1.5
RBV-060315-45500-2020	45	500	200	200	60.3 x 1.5
RBV-060315-90800-2020	90	800	200	200	60.3 x 1.5
RBV-060315-45800-2020	45	800	200	200	60.3 x 1.5
RBV-065020-90120-1515	90	120	150	150	65.0 x 2.0
RBV-065020-45120-1515	45	120	150	150	65.0 x 2.0
RBV-065020-90250-2020	90	250	200	200	65.0 x 2.0
RBV-065020-45250-2020	45	250	200	200	65.0 x 2.0
RBV-065020-90500-2020	90	500	200	200	65.0 x 2.0
RBV-065020-45500-2020	45	500	200	200	65.0 x 2.0
RBV-065020-90800-2020	90	800	200	200	65.0 x 2.0
RBV-065020-45800-2020	45	800	200	200	65.0 x 2.0
RBV-070020-90150-1515	90	150	150	150	70.0 x 2.0
RBV-070020-45150-1515	45	150	150	150	70.0 x 2.0
RBV-070020-90250-2020	90	250	200	200	70.0 x 2.0
RBV-070020-45250-2020	45	250	200	200	70.0 x 2.0
RBV-070020-90500-2020	90	500	200	200	70.0 x 2.0

Open product page

en.michel-tube.com/verschleissfester-rohrbogen



Wear-Resistant Pipe Elbows

Article No.	Angle [°]	Radius [mm]	SV1 [mm]	SV2 [mm]	Pipe size [mm]
RBV-070020-45500-2020	45	500	200	200	70.0 x 2.0
RBV-070020-90800-2020	90	800	200	200	70.0 x 2.0
RBV-070020-45800-2020	45	800	200	200	70.0 x 2.0
RBV-076120-90150-2020	90	150	200	200	76.1 x 2.0
RBV-076120-45150-2020	45	150	200	200	76.1 x 2.0
RBV-076120-90250-2020	90	250	200	200	76.1 x 2.0
RBV-076120-45250-2020	45	250	200	200	76.1 x 2.0
RBV-076120-90500-2020	90	500	200	200	76.1 x 2.0
RBV-076120-45500-2020	45	500	200	200	76.1 x 2.0
RBV-076120-90800-2020	90	800	200	200	76.1 x 2.0
RBV-076120-45800-2020	45	800	200	200	76.1 x 2.0
RBV-080020-90150-2020	90	150	200	200	80.0 x 2.0
RBV-080020-45150-2020	45	150	200	200	80.0 x 2.0
RBV-080020-90250-2020	90	250	200	200	80.0 x 2.0
RBV-080020-45250-2020	45	250	200	200	80.0 x 2.0
RBV-080020-90500-2020	90	500	200	200	80.0 x 2.0
RBV-080020-45500-2020	50	500	200	200	80.0 x 2.0
RBV-080020-90800-2020	90	800	200	200	80.0 x 2.0
RBV-080020-45800-2020	45	800	200	200	80.0 x 2.0
RBV-084020-90500-2020	90	500	200	200	84.0 x 2.0
RBV-084020-45500-2020	45	500	200	200	84.0 x 2.0
RBV-084020-90800-2020	90	800	200	200	84.0 x 2.0
RBV-084020-45800-2020	45	800	200	200	84.0 x 2.0
RBV-0888920-90150-2020	90	150	200	200	88.9 x 2.0
RBV-0888920-45150-2020	45	150	200	200	88.9 x 2.0
RBV-0888920-90250-2020	90	250	200	200	88.9 x 2.0

Open product page

en.michel-tube.com/verschleissfester-rohrbogen



Wear-Resistant Pipe Elbows

Article No.	Angle [°]	Radius [mm]	SV1 [mm]	SV2 [mm]	Pipe size [mm]
RBV-0888920-45250-2020	45	250	200	200	88.9 x 2.0
RBV-0888920-90500-2020	90	500	200	200	88.9 x 2.0
RBV-0888920-45500-2020	45	500	200	200	88.9 x 2.0
RBV-0888920-90800-2020	90	800	200	200	88.9 x 2.0
RBV-0888920-45800-2020	45	800	200	200	88.9 x 2.0
RBV-101620-90500-2020	90	500	200	200	101.6 x 2.0
RBV-101620-45500-2020	45	500	200	200	101.6 x 2.0
RBV-101620-90800-2020	90	800	200	200	101.6 x 2.0
RBV-101620-45800-2020	45	800	200	200	101.6 x 2.0
RBV-104020-90500-2020	90	500	200	200	104.0 x 2.0
RBV-104020-45500-2020	45	500	200	200	104.0 x 2.0
RBV-104020-90800-2020	90	800	200	200	104.0 x 2.0
RBV-104020-45800-2020	45	800	200	200	104.0 x 2.0
RBV-108020-90500-2020	90	500	200	200	108.0 x 2.0
RBV-104020-45500-2020	45	500	200	200	108.0 x 2.0
RBV-104020-90800-2020	90	800	200	200	108.0 x 2.0
RBV-104020-45800-2020	45	800	200	200	108.0 x 2.0
RBV-114320-90500-2020	90	500	200	200	114.3 x 2.0
RBV-114320-45500-2020	45	500	200	200	114.3 x 2.0
RBV-114320-90800-2020	90	800	200	200	114.3 x 2.0
RBV-114320-45800-2020	45	800	200	200	114.3 x 2.0
RBV-129020-90500-2020	90	500	200	200	129.0 x 2.0
RBV-129020-45500-2020	45	500	200	200	129.0 x 2.0
RBV-129020-90800-2020	90	800	200	200	129.0 x 2.0
RBV-129020-45800-2020	45	800	200	200	129.0 x 2.0
RBV-129020-901000-2020	90	1000	200	200	129.0 x 2.0

Open product page

en.michel-tube.com/verschleissfester-rohrbogen



Wear-Resistant Pipe Elbows

Article No.	Angle [°]	Radius [mm]	SV1 [mm]	SV2 [mm]	Pipe size [mm]
RBV-129020-451000-2020	45	1000	200	200	129.0 x 2.0
RBV-133030-90500-2020	90	500	200	200	133.0 x 3.0
RBV-133030-45500-2020	45	500	200	200	133.0 x 3.0
RBV-133030-90800-2020	90	800	200	200	133.0 x 3.0
RBV-133030-45800-2020	45	800	200	200	133.0 x 3.0
RBV-133030-901000-2020	90	1000	200	200	133.0 x 3.0
RBV-133030-451000-2020	45	1000	200	200	133.0 x 3.0
RBV-139720-90500-2020	90	500	200	200	139.7 x 2.0
RBV-139720-45500-2020	45	500	200	200	139.7 x 2.0
RBV-139720-90800-2020	90	800	200	200	139.7 x 2.0
RBV-139720-45800-2020	45	800	200	200	139.7 x 2.0
RBV-139720-901000-2020	90	1000	200	200	139.7 x 2.0
RBV-139720-451000-2020	45	1000	200	200	139.7 x 2.0
RBV-154020-90500-2020	90	500	200	200	154.0 x 2.0
RBV-154020-45500-2020	45	500	200	200	154.0 x 2.0
RBV-154020-90800-2020	90	800	200	200	154.0 x 2.0
RBV-154020-45800-2020	45	800	200	200	154.0 x 2.0
RBV-154020-901000-2020	90	1000	200	200	154.0 x 2.0
RBV-154020-451000-2020	45	1000	200	200	154.0 x 2.0
RBV-159020-90500-2020	90	500	200	200	159.0 x 2.0
RBV-159020-45500-2020	45	500	200	200	159.0 x 2.0
RBV-159020-90800-2020	90	800	200	200	159.0 x 2.0
RBV-159020-45800-2020	45	800	200	200	159.0 x 2.0
RBV-159020-901000-2020	90	1000	200	200	159.0 x 2.0
RBV-159020-451000-2020	45	1000	200	200	159.0 x 2.0
RBV-168320-90500-2020	90	500	200	200	168.3 x 2.0

Open product page

en.michel-tube.com/verschleissfester-rohrbogen



Wear-Resistant Pipe Elbows

Article No.	Angle [°]	Radius [mm]	SV1 [mm]	SV2 [mm]	Pipe size [mm]
RBV-168320-45500-2020	45	500	200	200	168.3 x 2.0
RBV-168320-90800-2020	90	800	200	200	168.3 x 2.0
RBV-168320-45800-2020	45	800	200	200	168.3 x 2.0
RBV-168320-901000-2020	90	1000	200	200	168.3 x 2.0
RBV-168320-451000-2020	45	1000	200	200	168.3 x 2.0

Open product page

en.michel-tube.com/verschleissfester-rohrbogen

