

Switch&Lock[®] 360 Push-In Coupling

A push-in coupling with audible and visible locking for material supply systems. The parts can be coupled in any rotational position and aligned while connected. Product-contact parts are made of stainless steel; mechanical color coding can be retrofitted.

Switch&Lock[®] 360 | Overview



- + One- or two-handed operation in confined spaces
- + Audible locking, visible at the red bolt marking
- + Coupling without fully gripping the hose coupling
- + Rotatable and alignable even when coupled
- + Product-contact components made of stainless steel
- + Two guides facilitate coupling
- + Codeable with the Switch&Lock[®] Poka Yoke System
- + Versions and materials can be combined per diameter
- + Patent pending

Options on request: an all-stainless-steel version, special dimensions and customer-specific engraving of the indexing plunger.

Open product page

en.michel-tube.com/steckkupplung



Switch&Lock® 360 Push-In Coupling

Male Part | Pipe Connection



- + Material: stainless steel
- + Type: male pipe connection

Article No.	Ø [mm]	Type	Material
MVRE-0400	40	Male pipe connection	Stainless steel
MVRE-0450	45	Male pipe connection	Stainless steel
MVRE-0500	50	Male pipe connection	Stainless steel
MVRE-0540	54	Male pipe connection	Stainless steel
MVRE-0600	60	Male pipe connection	Stainless steel
MVRE-0650	65	Male pipe connection	Stainless steel

Female Part | Cover Cap



- + Material: plastic
- + Type: female cover cap

Article No.	Ø [mm]	Type	Material
MMKK-0400	40	Female cover cap	Plastic
MMKK-0450	45	Female cover cap	Plastic
MMKK-0500	50	Female cover cap	Plastic
MMKK-0540	54	Female cover cap	Plastic
MMKK-0600	60	Female cover cap	Plastic
MMKK-0650	65	Female cover cap	Plastic

Open product page

en.michel-tube.com/steckkupplung



Switch&Lock® 360 Push-In Coupling

Female Part | Hose Connection, Plastic / Stainless Steel



+ Material: plastic / stainless steel

Article No.	Ø [mm]	Type	Material
MMSKE-0400	40	Female hose connection	Plastic-stainless steel
MMSKE-0450	45	Female hose connection	Plastic-stainless steel
MMSKE-0500	50	Female hose connection	Plastic-stainless steel
MMSKE-0540	54	Female hose connection	Plastic-stainless steel
MMSKE-0600	60	Female hose connection	Plastic-stainless steel
MMSKE-0650	65	Female hose connection	Plastic-stainless steel

* available on request

Open product page

en.michel-tube.com/steckkupplung



Switch&Lock® 360 Push-In Coupling

Female Part | Hose Connection, Stainless Steel



+ Material: stainless steel / stainless steel

Article No.	Ø [mm]	Type	Material
MMSEE-0400*	40	Female hose connection	Stainless steel-stainless steel
MMSEE-0450*	45	Female hose connection	Stainless steel-stainless steel
MMSEE-0500*	50	Female hose connection	Stainless steel-stainless steel
MMSEE-0540*	54	Female hose connection	Stainless steel-stainless steel
MMSEE-0600*	60	Female hose connection	Stainless steel-stainless steel
MMSEE-0650*	65	Female hose connection	Stainless steel-stainless steel

* available on request

Switch&Lock® 360 | Coding



- + Color / mechanical coding according to the Poka Yoke system
- + Tool-free attachment and replacement on the hose coupling
- + Up to 55 possible combinations per diameter
- + Prevents unintentional, incorrect coupling
- + Can be retrofitted at any time, cost-effective

Article No.	Ø [mm]
MSK-MCODE-0500-A1	50
MSK-MCODE-0500-A2	50

Open product page

en.michel-tube.com/steckkupplung



Switch&Lock® 360 Push-In Coupling

Article No.	Ø [mm]
MSK-MCODE-0500-B1	50
MSK-MCODE-0500-B2	50
MSK-MCODE-0500-C1	50
MSK-MCODE-0500-C2	50
MSK-MCODE-0500-D1	50
MSK-MCODE-0500-D2	50
MSK-MCODE-0500-E1	50
MSK-MCODE-0500-E2	50
MSK-MCODE-0500-F1	50
MSK-MCODE-0500-F2	50
MSK-MCODE-0500-G1	50
MSK-MCODE-0500-G2	50
MSK-MCODE-0500-H1	50
MSK-MCODE-0500-H2	50
MSK-MCODE-0500-I1	50
MSK-MCODE-0500-I2	50
MSK-MCODE-0500-J1	50
MSK-MCODE-0500-J2	50

Further diameters on request.

Open product page

en.michel-tube.com/steckkupplung

