

Switch&Lock® 360

Push-In Coupling

A push-in coupling with audible and visible locking for material supply systems. The parts can be coupled in any rotational position and aligned while connected. Product-contact components are made of stainless steel.



- + One-hand operation in confined spaces
- + Audible and visible locking
- + Space-saving - ideal for hard-to-reach areas
- + No need to grip fully around the hose coupling
- + Rotatable / alignable even when coupled
- + Product-contact parts made of stainless steel
- + Double guidance for easier insertion / coupling
- + Colored marking on the bolt indicates locking
- + One- or two-hand operation possible
- + Ready for coding with the Switch&Lock® Poka Yoke system
- + All versions / materials can be combined within the same diameter
- + Patent pending

Options on request

- + All-stainless-steel production possible
- + Special dimensions on request
- + Customer-specific engraving on the indexing plunger

Coding: Up to 55 mechanical patterns are possible. Color / mechanical coding can be retrofitted; the system is also compatible with RFID coding.

Open product page

en.michel-tube.com/steckkupplung



Switch&Lock® 360

Push-In Coupling

Male part | Pipe connection

Article No.	Ø [mm]	Material
MVRE-0400	40	Stainless steel
MVRE-0450	45	Stainless steel
MVRE-0500	50	Stainless steel
MVRE-0540	54	Stainless steel
MVRE-0600	60	Stainless steel
MVRE-0650	65	Stainless steel



Female part | Protective cap

Article No.	Ø [mm]	Material
MMKK-0400	40	Plastic
MMKK-0450	45	Plastic
MMKK-0500	50	Plastic
MMKK-0540	54	Plastic
MMKK-0600	60	Plastic
MMKK-0650	65	Plastic



Male part | Plug

Article No.	Ø [mm]	Material
MVKE-0400	40	Stainless steel
MVKE-0450	45	Stainless steel
MVKE-0500	50	Stainless steel
MVKE-0540	54	Stainless steel
MVKE-0600	60	Stainless steel
MVKE-0650	60	Stainless steel



MVKE-0650: diameter as listed on the current product page: 60 mm.

Open product page

en.michel-tube.com/steckkupplung



Switch&Lock® 360

Push-In Coupling

Female part | Hose connection

Plastic / Stainless steel



Article No.	Ø [mm]
MMSKE-0400	40
MMSKE-0450	45
MMSKE-0500	50
MMSKE-0540	54
MMSKE-0600	60
MMSKE-0650	65

Female part | Hose connection

Stainless steel / Stainless steel



Article No.	Ø [mm]
MMSEE-0400*	40
MMSEE-0450*	45
MMSEE-0500*	50
MMSEE-0540*	54
MMSEE-0600*	60
MMSEE-0650*	65

* available on request

Open product page

en.michel-tube.com/steckkupplung

