

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



(818) 979-9474
http://www.caligreenlaboratory.com

Dr. Norms | Sleep Well | 1g | Vape Cartridge 0019

METRC Sample: 1A406030005BD25000000944; METRC Batch: 1A406030005C365000000087

Sample ID: 2502CGL0635.1509

Produced: 02/25/2025

Distributor

Producer

Strain: Sleep Well

Collected: 02/25/2025

Solex Distribution

Solex Distribution Group, Inc.

Matrix: Concentrates & Extracts

Received: 02/25/2025

Lic. # C11-0001833-LIC

Lic. # CDPH-10004893

Type: Vape

Completed: 02/28/2025

3301 S. Harbor Blvd #106


Not Published

Sample Size: 20 units; Batch: 3,435 units

Batch#: DNMS-SW-0019

Santa Ana, CA 92704

Cannabinoids Lab Results



Summary - Safety & Quality Tests

Test	Date Tested	Result
Batch	02/25/2025	Pass



Test	Date Tested	Result
Cannabinoids	02/27/2025	Complete
Terpenes	02/26/2025	Complete
Residual Solvents	02/26/2025	Pass
Microbials	02/27/2025	Pass
Mycotoxins	02/26/2025	Pass
Pesticides	02/26/2025	Pass
Heavy Metals	02/26/2025	Pass
Foreign Matter	02/25/2025	Pass

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.01	0.03	ND	ND	ND	ND
Δ9-THC	0.02	0.03	50.528	505.28	505.275	505.275
Δ8-THC	0.02	0.03	ND	ND	ND	ND
THCV	0.02	0.03	0.747	7.47	7.469	7.469
CBDa	0.01	0.03	ND	ND	ND	ND
CBD	0.02	0.03	10.157	101.57	101.565	101.565
CBDV	0.02	0.03	ND	ND	ND	ND
CBN	0.01	0.03	19.810	198.10	198.102	198.102
CBGa	0.02	0.03	ND	ND	ND	ND
CBG	0.01	0.03	10.534	105.34	105.340	105.340
CBC	0.01	0.03	0.627	6.27	6.268	6.268
Total THC			50.528	505.275	505.275	505.275
Total CBD			10.157	101.565	101.565	101.565
Total			92.402	924.019	924.019	924.019

Terpenes Lab Results

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	mg/g	%
3-Carene	0.02	0.06	0.25	0.025
α-Bisabolol	0.02	0.06	1.40	0.140
α-Humulene	0.02	0.06	0.26	0.026
α-Phellandrene	0.02	0.06	0.50	0.050
α-Pinene	0.02	0.06	1.57	0.157
α-Terpinene	0.02	0.06	0.16	0.016
α-Terpineol	0.02	0.06	1.00	0.100
β-Caryophyllene	0.02	0.06	7.56	0.756
β-Myrcene	0.02	0.06	6.35	0.635
β-Pinene	0.02	0.06	3.09	0.309
Camphene	0.02	0.06	0.27	0.027
Camphor	0.02	0.06	0.14	0.014
Caryophyllene Oxide	0.02	0.06	0.38	0.038
cis-Ocimene	0.00	0.02	0.02	0.002
Citral	0.01	0.04	0.09	0.009
δ-Limonene	0.02	0.06	10.81	1.081
Fenchol	0.02	0.06	1.16	0.116
γ-Terpinene	0.02	0.06	0.10	0.010
Geraniol	0.02	0.06	0.20	0.020
Geranyl Acetate	0.02	0.06	0.12	0.012
Isoborneol	0.02	0.06	0.09	0.009
Linalool	0.02	0.06	2.61	0.261
Menthol	0.02	0.06	0.11	0.011
Nerol	0.02	0.06	0.13	0.013
p-Cymene	0.02	0.06	0.10	0.010
Terpinolene	0.02	0.06	4.05	0.405
trans-Ocimene	0.01	0.04	0.16	0.016
Total			42.69	4.269

Primary Aromas



1 Unit = 1 VAPE, 1g, 1 unit(s) per serving, 1 serving(s) per container.

Cannabinoids Date Tested: 02/27/2025

Cannabinoids Footnotes: Potency by UHPLC: CGL-P-720-009-B

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Terpenes Date Tested: 02/26/2025

Terpenes Footnotes: Terpenes by HSGC-MS: CGL-P-720-011-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Marianna Lummer
Marianna Lummer - Vice President
02/28/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



CALIGREEN
LABORATORY

(818) 979-9474
<http://www.caligreenlaboratory.com>

Dr. Norms | Sleep Well | 1g | Vape Cartridge 0019

METRC Sample: 1A406030005BD25000000944; METRC Batch: 1A406030005C365000000087

Sample ID: 2502CGL0635.1509

Produced: 02/25/2025

Distributor

Producer

Strain: Sleep Well

Collected: 02/25/2025

Solex Distribution

Solex Distribution Group, Inc.

Matrix: Concentrates & Extracts

Received: 02/25/2025

Lic. # C11-0001833-LIC

Lic. # CDPH-10004893

Type: Vape

Completed: 02/28/2025

3301 S. Harbor Blvd #106

Not Published

Sample Size: 20 units; Batch: 3,435 units

Batch#: DNMS-SW-0019

Santa Ana, CA 92704

Microbials Lab Results

Pass

Analyte	Result	Analyte	Result
Aspergillus flavus	Not Detected in 1g	Aspergillus terreus	Not Detected in 1g
Aspergillus fumigatus	Not Detected in 1g	Shiga toxin-producing E. Coli	Not Detected in 1g
Aspergillus niger	Not Detected in 1g	Salmonella SPP	Not Detected in 1g

Date Tested: 02/27/2025

Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

Mycotoxins Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg			µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.25	5		ND	Tested	G2	2.5	5		ND	Tested
B2	1.25	5		ND	Tested	Ochratoxin A	6.6	16.6	20	ND	Pass
G1	1.25	5		ND	Tested	Total Aflatoxins			20	ND	Pass

Date Tested: 02/26/2025

Mycotoxins by LC-MS/MS: CGL-P-720-007-B

LOQ = Limit of Quantitation

Heavy Metals Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Arsenic	0.025	0.05	0.2	ND	Pass	Lead	0.025	0.05	0.5	ND	Pass
Cadmium	0.025	0.05	0.2	ND	Pass	Mercury	0.025	0.05	0.1	ND	Pass

Date Tested: 02/26/2025

Heavy Metals by ICP-MS: CGL-P-720-012-B

LOQ = Limit of Quantitation

Residual Solvents Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.2344	0.4688	1	ND	Pass	Isopropanol	23.438	187.5	5000	<LOQ	Pass
Acetone	23.438	187.5	5000	ND	Pass	m+p Xylene	23.438	187.5		ND	Tested
Acetonitrile	23.438	187.5	410	ND	Pass	Methanol	93.75	187.5	3000	ND	Pass
Benzene	0.2344	0.4688	1	ND	Pass	Methylene-Chloride	0.2344	0.4688	1	ND	Pass
Butane	23.438	93.75	5000	ND	Pass	n-Hexane	23.438	187.5	290	ND	Pass
Chloroform	0.2344	0.4688	1	ND	Pass	o-Xylene	23.438	187.5		ND	Tested
Ethanol	23.438	187.5	5000	ND	Pass	Pentane	23.438	187.5	5000	ND	Pass
Ethyl-Acetate	23.438	187.5	5000	ND	Pass	Propane	23.438	93.75	5000	ND	Pass
Ethyl-Ether	23.438	187.5	5000	ND	Pass	Toluene	23.438	187.5	890	<LOQ	Pass
Ethylene Oxide	0.2344	0.4688	1	ND	Pass	Trichloroethene	0.2344	0.4688	1	ND	Pass
Heptane	23.438	187.5	5000	<LOQ	Pass	Xylenes	23.438	187.5	2170	ND	Pass

Date Tested: 02/26/2025

Solvents by HSGC-MS Method: SOP CGL-P-720-010-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Marianna Lummer

Marianna Lummer - Vice President
02/28/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LOQ samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



CALIGREEN
LABORATORY

(818) 979-9474
<http://www.caligreenlaboratory.com>

Dr. Norms | Sleep Well | 1g | Vape Cartridge 0019

METRC Sample: 1A406030005BD25000000944; METRC Batch: 1A406030005C365000000087

Sample ID: 2502CGL0635.1509

Produced: 02/25/2025

Distributor

Producer

Strain: Sleep Well

Collected: 02/25/2025

Solex Distribution

Solex Distribution Group, Inc.

Matrix: Concentrates & Extracts

Received: 02/25/2025

Lic. # C11-0001833-LIC

Lic. # CDPH-10004893

Type: Vape

Completed: 02/28/2025

3301 S. Harbor Blvd #106

Not Published

Sample Size: 20 units; Batch: 3,435 units

Batch#: DNMS-SW-0019

Santa Ana, CA 92704

Pesticides Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0375	0.075	0.1	ND	Pass	Fludioxonil	0.01875	0.075	0.1	ND	Pass
Acephate	0.01875	0.075	0.1	ND	Pass	Hexythiazox	0.01875	0.075	0.1	ND	Pass
Acequinocyl	0.075	0.1	0.1	ND	Pass	Imazalil	0.01875	0.075	0.01875	ND	Pass
Acetamiprid	0.01875	0.075	0.1	ND	Pass	Imidacloprid	0.01875	0.075	5	ND	Pass
Aldicarb	0.01875	0.075	0.01875	ND	Pass	Kresoxim Methyl	0.01875	0.075	0.1	ND	Pass
Azoxystrobin	0.01875	0.075	0.1	ND	Pass	Malathion	0.01875	0.1	0.5	ND	Pass
Bifenazate	0.01875	0.075	0.1	ND	Pass	Metalaxyl	0.01875	0.1	2	ND	Pass
Bifenthrin	0.01875	0.1	3	ND	Pass	Methiocarb	0.01875	0.075	0.01875	ND	Pass
Boscalid	0.01875	0.075	0.1	ND	Pass	Methomyl	0.01875	0.075	1	ND	Pass
Captan	0.025	0.3	0.7	ND	Pass	Mevinphos	0.01875	0.075	0.01875	ND	Pass
Carbaryl	0.01875	0.1	0.5	ND	Pass	Myclobutanil	0.01875	0.075	0.1	ND	Pass
Carbofuran	0.01875	0.075	0.01875	ND	Pass	Naled	0.01875	0.075	0.1	ND	Pass
Chlorantraniliprole	0.01875	0.1	10	ND	Pass	Oxamyl	0.01875	0.075	0.5	ND	Pass
Chlordane	0.025	0.1	0.025	ND	Pass	Paclobutrazol	0.01875	0.075	0.01875	ND	Pass
Chlorfenapyr	0.025	0.1	0.025	ND	Pass	Parathion Methyl	0.025	0.1	0.025	ND	Pass
Chlorpyrifos	0.01875	0.075	0.01875	ND	Pass	Pentachloronitrobenzene	0.025	0.1	0.1	ND	Pass
Clofentezine	0.01875	0.075	0.1	ND	Pass	Permethrin	0.01875	0.1	0.5	ND	Pass
Coumaphos	0.01875	0.075	0.01875	ND	Pass	Phosmet	0.01875	0.075	0.1	ND	Pass
Cyfluthrin	0.3	0.3	2	ND	Pass	Piperonyl Butoxide	0.01875	0.1	3	ND	Pass
Cypermethrin	0.3	0.3	1	ND	Pass	Prallethrin	0.01875	0.075	0.1	ND	Pass
Daminozide	0.01875	0.075	0.01875	ND	Pass	Propiconazole	0.01875	0.075	0.1	ND	Pass
Diazinon	0.01875	0.075	0.1	ND	Pass	Propoxur	0.01875	0.075	0.01875	ND	Pass
Dichlorvos	0.01875	0.075	0.01875	ND	Pass	Pyrethrins	0.0375	0.1	0.5	ND	Pass
Dimethoate	0.01875	0.075	0.01875	ND	Pass	Pyridaben	0.01875	0.075	0.1	ND	Pass
Dimethomorph	0.01875	0.1	2	ND	Pass	Spinetoram	0.01875	0.075	0.1	ND	Pass
Ethoprophos	0.01875	0.075	0.01875	ND	Pass	Spinosad	0.01875	0.075	0.1	ND	Pass
Etofenprox	0.0375	0.075	0.0375	ND	Pass	Spiromesifen	0.01875	0.075	0.1	ND	Pass
Etoxazole	0.01875	0.075	0.1	ND	Pass	Spirotetramat	0.01875	0.075	0.1	ND	Pass
Fenhexamid	0.0375	0.075	0.1	ND	Pass	Spiroxamine	0.01875	0.075	0.01875	ND	Pass
Fenoxycarb	0.01875	0.075	0.01875	ND	Pass	Tebuconazole	0.01875	0.075	0.1	ND	Pass
Fenpyroximate	0.05625	0.075	0.1	ND	Pass	Thiacloprid	0.01875	0.075	0.01875	ND	Pass
Fipronil	0.01875	0.075	0.01875	ND	Pass	Thiamethoxam	0.01875	0.075	5	ND	Pass
Flonicamid	0.0375	0.075	0.1	ND	Pass	Trifloxystrobin	0.01875	0.075	0.1	ND	Pass

Date Tested: 02/26/2025

Pesticides by LC-MSMS: CGL-P-720-007-B; Pesticides by GC-MSMS: CGL-P-720-008-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Marianna Lummer

Marianna Lummer - Vice President
02/28/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.