



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

1 of 4

Dr Norms Sleep Tablets 600mg

METRC Sample: 1A406030001A902000008259; METRC Batch: 1A406030001B32D000000518

Sample ID: 2504LLI0428.1147
Strain: Dr Norms Sleep Tablets
Matrix: Concentrates & Extracts
Type: Capsule
Sample Size: 20 units; Batch: 4,500 units

Produced: 03/21/2025
Collected: 04/10/2025
Received: 04/10/2025
Completed: 04/15/2025
Batch#: DRNORM-SLEEPTAB-002

Distributor
Last Minute Ventures/Inanna MFG
Lic. # C11-0001229-LIC
3411 San Pedro St
Los Angeles, CA 90011

Producer
Last Minute Ventures/Inanna MFG
Lic. # CDPH-10004256
3411 San Pedro St Los Angeles, CA 90011



Summary

Test

Batch

Cannabinoids

Residual Solvents

Microbials

Mycotoxins

Pesticides

Heavy Metals

Foreign Matter

Date Tested

04/11/2025

04/14/2025

04/10/2025

04/10/2025

04/10/2025

04/11/2025

04/10/2025

Result

Pass

Pass

Pass

Pass

Pass

Pass

Pass

Cannabinoids

Pass

9.444 mg/serving

Total THC

4.628 mg/serving

Total CBD

28.643 mg/serving

Total Cannabinoids (Neutral)

28.643 mg/serving

Sum of Cannabinoids

Analyte	LOQ mg/g	LOD mg/g	Results mg/serving	Results mg/g	Results mg/serving	Results mg/container
THCa	0.000089	0.000028	ND	ND	ND	ND
Δ9-THC	0.000303	0.000095	9.444	37.774	9.444	188.870
Δ8-THC	0.000332	0.000104	ND	ND	ND	ND
THCV	0.000262	0.000082	ND	ND	ND	ND
CBDa	0.000442	0.000139	ND	ND	ND	ND
CBD	0.000724	0.000228	4.628	18.513	4.628	92.565
CBDV	0.000432	0.000136	ND	ND	ND	ND
CBN	0.000273	0.000086	10.019	40.076	10.019	200.380
CBGa	0.000083	0.000026	ND	ND	ND	ND
CBG	0.000974	0.000228	4.552	18.207	4.552	91.035
CBC	0.000365	0.000115	ND	ND	ND	ND
Total THC			9.444	37.774	9.444	188.870
Total CBD			4.628	18.513	4.628	92.565
Total			28.642	114.570	28.642	572.850

Date Tested: 04/11/2025

20 serving(s) per container.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) * 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001-1 & SOP-012. Instrument: HPLC-PDA.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
04/15/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

2 of 4

Dr Norms Sleep Tablets 600mg

METRC Sample: 1A406030001A902000008259; METRC Batch: 1A406030001B32D000000518

Sample ID: 2504LLI0428.1147

Produced: 03/21/2025

Distributor

Producer

Strain: Dr Norms Sleep Tablets

Collected: 04/10/2025

Last Minute Ventures/Inanna MFG

Last Minute Ventures/Inanna MFG

Matrix: Concentrates & Extracts

Received: 04/10/2025

Lic. # C11-0001229-LIC

Lic. # CDPH-10004256

Type: Capsule

Completed: 04/15/2025

3411 San Pedro St

3411 San Pedro St Los Angeles, CA 90011

Sample Size: 20 units; Batch: 4,500 units

Batch#: DRNORM-SLEEPTAB-002

Los Angeles, CA 90011

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.02	0.0608	0.1	ND	Pass	Fludioxonil	0.0063	0.0191	0.1	ND	Pass
Acephate	0.0032	0.0096	0.1	ND	Pass	Hexythiazox	0.0051	0.0155	0.1	ND	Pass
Acequinocyl	0.0048	0.0144	0.1	ND	Pass	Imazalil	0.0052	0.0156	0.0052	ND	Pass
Acetamiprid	0.0042	0.0127	0.1	ND	Pass	Imidacloprid	0.0053	0.016	5	ND	Pass
Aldicarb	0.0077	0.0232	0.0077	ND	Pass	Kresoxim Methyl	0.0035	0.0106	0.1	ND	Pass
Azoxystrobin	0.0038	0.0114	0.1	ND	Pass	Malathion	0.0053	0.0161	0.5	ND	Pass
Bifenazate	0.0056	0.017	0.1	ND	Pass	Metalaxyl	0.0045	0.0137	2	ND	Pass
Bifenthrin	0.0045	0.0136	3	0.0131	Pass	Methiocarb	0.0049	0.0148	0.0049	ND	Pass
Boscalid	0.0066	0.0199	0.1	ND	Pass	Methomyl	0.0048	0.0145	1	ND	Pass
Captan	0.0235	0.0712	0.7	ND	Pass	Mevinphos	0.0039	0.0118	0.0039	ND	Pass
Carbaryl	0.0042	0.0127	0.5	ND	Pass	Myclobutanil	0.006	0.0182	0.1	ND	Pass
Carbofuran	0.0051	0.0155	0.0051	ND	Pass	Naled	0.0021	0.0064	0.1	ND	Pass
Chlorantraniliprole	0.0062	0.0188	10	ND	Pass	Oxamyl	0.0069	0.0209	0.5	ND	Pass
Chlordane	0.0204	0.0619	0.0204	ND	Pass	Paclobutrazol	0.0059	0.0179	0.0059	ND	Pass
Chlorfenapyr	0.0217	0.0657	0.0217	ND	Pass	Methyl Parathion	0.0168	0.051	0.0168	ND	Pass
Chlorpyrifos	0.01	0.0303	0.01	ND	Pass	Pentachloronitrobenzene	0.0055	0.0168	0.1	ND	Pass
Clofentezine	0.0036	0.011	0.1	ND	Pass	Permethrin	0.0063	0.019	0.5	ND	Pass
Coumaphos	0.0068	0.0205	0.0068	ND	Pass	Phosmet	0.0043	0.0131	0.1	ND	Pass
Cyfluthrin	0.0217	0.0657	2	ND	Pass	Piperonyl Butoxide	0.006	0.0181	3	ND	Pass
Cypermethrin	0.0066	0.0199	1	ND	Pass	Prallethrin	0.0046	0.0139	0.1	ND	Pass
Daminozide	0.0058	0.0176	0.0058	ND	Pass	Propiconazole	0.0085	0.0258	0.1	ND	Pass
Diazinon	0.0074	0.0224	0.1	ND	Pass	Propoxur	0.0068	0.0206	0.0068	ND	Pass
Dichlorvos	0.0041	0.0123	0.0041	ND	Pass	Pyrethrins	0.0041	0.0125	0.5	ND	Pass
Dimethoate	0.0036	0.0108	0.0036	ND	Pass	Pyridaben	0.0061	0.0186	0.1	ND	Pass
Dimethomorph	0.0072	0.0217	2	ND	Pass	Spinetoram	0.005	0.015	0.1	ND	Pass
Ethoprophos	0.0041	0.0123	0.0041	ND	Pass	Spinosad	0.0052	0.0157	0.1	ND	Pass
Etofenprox	0.0044	0.0133	0.0044	ND	Pass	Spiromesifen	0.0061	0.0184	0.1	ND	Pass
Etoazole	0.0055	0.0167	0.1	ND	Pass	Spirotetramat	0.0042	0.0127	0.1	ND	Pass
Fenhexamid	0.0049	0.0147	0.1	ND	Pass	Spiroxamine	0.0048	0.0145	0.0048	ND	Pass
Fenoxycarb	0.0047	0.0142	0.0047	ND	Pass	Tebuconazole	0.006	0.0182	0.1	ND	Pass
Fenpyroximate	0.0055	0.0168	0.1	ND	Pass	Thiacloprid	0.0056	0.0169	0.0056	ND	Pass
Fipronil	0.0075	0.0227	0.0075	ND	Pass	Thiamethoxam	0.0047	0.0142	5	ND	Pass
Flonicamid	0.004	0.0122	0.1	ND	Pass	Trifloxystrobin	0.0023	0.007	0.1	ND	Pass

Date Tested: 04/10/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.

Instrument: LC-MSMS.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
04/15/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
<http://www.landaulabs.com>
Lic# C8-0000016-LIC



Regulatory Compliance Testing
Certificate of Analysis

3 of 4

Dr Norms Sleep Tablets 600mg

METRC Sample: 1A406030001A902000008259; METRC Batch: 1A406030001B32D000000518

Sample ID: 2504LLI0428.1147
Strain: Dr Norms Sleep Tablets
Matrix: Concentrates & Extracts
Type: Capsule
Sample Size: 20 units; Batch: 4,500 units

Produced: 03/21/2025
Collected: 04/10/2025
Received: 04/10/2025
Completed: 04/15/2025
Batch#: DRNORM-SLEEPTAB-002

Distributor
Last Minute Ventures/Inanna MFG
Lic. # C11-0001229-LIC
3411 San Pedro St
Los Angeles, CA 90011

Producer
Last Minute Ventures/Inanna MFG
Lic. # CDPH-10004256
3411 San Pedro St Los Angeles, CA 90011

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.01	0.36	1	ND	Pass
Acetone	2.16	54.00	5000	ND	Pass
Acetonitrile	0.04	4.32	410	ND	Pass
Benzene	0.07	0.18	1	ND	Pass
Butane	2.30	11.52	5000	ND	Pass
Chloroform	0.06	0.36	1	ND	Pass
Ethanol	2.88	14.40	5000	ND	Pass
Ethyl-Acetate	1.15	28.80	5000	ND	Pass
Ethyl-Ether	1.44	36.00	5000	ND	Pass
Ethylene Oxide	0.37	0.94	1	ND	Pass
Heptane	1.44	36.00	5000	ND	Pass
Isopropanol	0.18	36.00	5000	ND	Pass
Methanol	0.72	18.00	3000	ND	Pass
Methylene-Chloride	0.02	0.36	1	ND	Pass
n-Hexane	0.14	3.60	290	ND	Pass
Pentane	2.22	10.80	5000	ND	Pass
Propane	12.50	25.00	5000	ND	Pass
Toluene	0.43	2.16	890	ND	Pass
Trichloroethylene	0.07	0.36	1	ND	Pass
m+p Xylene	0.86	4.32			
o-Xylene	0.43	2.16			
Total Xylenes			2170	ND	Pass

Date Tested: 04/14/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004
Instrument: HS-GC/MS



Hripsime Aleksanyan - Quality Assurance Supervisor
04/15/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
<http://www.landaulabs.com>
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

4 of 4

Dr Norms Sleep Tablets 600mg

METRC Sample: 1A406030001A902000008259; METRC Batch: 1A406030001B32D000000518

Sample ID: 2504LLI0428.1147
Strain: Dr Norms Sleep Tablets
Matrix: Concentrates & Extracts
Type: Capsule
Sample Size: 20 units; Batch: 4,500 units

Produced: 03/21/2025
Collected: 04/10/2025
Received: 04/10/2025
Completed: 04/15/2025
Batch#: DRNORM-SLEEPTAB-002

Distributor
Last Minute Ventures/Inanna MFG
Lic. # C11-0001229-LIC
3411 San Pedro St
Los Angeles, CA 90011

Producer
Last Minute Ventures/Inanna MFG
Lic. # CDPH-10004256
3411 San Pedro St Los Angeles, CA 90011

Microbials

Pass

Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 04/10/2025

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.5	4.7		ND	Tested
Aflatoxin B2	1.4	4.3		ND	Tested
Aflatoxin G1	1	3		ND	Tested
Aflatoxin G2	1.3	3.9		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	2.6	8	20	ND	Pass

Date Tested: 04/10/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0161	0.05	0.2	<LOQ	Pass
Cadmium	0.0155	0.05	0.2	0.0662	Pass
Lead	0.0144	0.05	0.5	<LOQ	Pass
Mercury	0.0012	0.005	0.1	<LOQ	Pass

Date Tested: 04/11/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



Hripsime Aleksanyan - Quality Assurance Supervisor
04/15/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.