



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-0000016-LIC



## Regulatory Compliance Testing Certificate of Analysis

1 of 4

### Dr Norms Elderberry Sleep Gummies 100mg


METRC Sample: 1A406030001A902000008350; METRC Batch: 1A406030001B32D000000570

Sample ID: 2506LLI0885.2346  
Strain: Elderberry Sleep Gummies 100mg  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 13 units; Batch: 3,092 units

Produced: 06/04/2025  
Collected: 06/06/2025  
Received: 06/06/2025  
Completed: 06/11/2025  
Batch#: DRNORM-SLP-025

Distributor  
Last Minute Ventures/Inanna MFG  
Lic. # C11-0001229-LIC  
3411 San Pedro St  
Los Angeles, CA 90011

Producer  
Inanna MFG/ Last Minute Ventures  
Lic. # DCC-10004256  
3411 S San Pedro St Los Angeles, CA  
90011



### Summary

Test  
Batch

Date Tested

Result

|                   |            |                |
|-------------------|------------|----------------|
| Cannabinoids      | 06/07/2025 | Pass           |
| Water Activity    | 06/10/2025 | Pass           |
| Residual Solvents | 06/09/2025 | 0.59 aw - Pass |
| Microbials        | 06/07/2025 | Pass           |
| Mycotoxins        | 06/07/2025 | Pass           |
| Pesticides        | 06/07/2025 | Pass           |
| Heavy Metals      | 06/09/2025 | Pass           |
| Foreign Matter    | 06/06/2025 | Pass           |

### Cannabinoids

Pass

| 10.485 mg/serving |             | ND          |                       | 15.350 mg/serving            |                       | 15.350 mg/serving       |  |
|-------------------|-------------|-------------|-----------------------|------------------------------|-----------------------|-------------------------|--|
| Total THC         |             | Total CBD   |                       | Total Cannabinoids (Neutral) |                       | Sum of Cannabinoids     |  |
| Analyte           | LOQ<br>mg/g | LOD<br>mg/g | Results<br>mg/serving | Results<br>mg/g              | Results<br>mg/serving | Results<br>mg/container |  |
| THCa              | 0.0050000   | 0.0000013   | ND                    | ND                           | ND                    | ND                      |  |
| Δ9-THC            | 0.0050000   | 0.0000013   | 10.485                | 2.097                        | 10.485                | 104.850                 |  |
| Δ8-THC            | 0.0050000   | 0.0000014   | ND                    | ND                           | ND                    | ND                      |  |
| THCV              | 0.0050000   | 0.0000028   | ND                    | ND                           | ND                    | ND                      |  |
| CBDa              | 0.0050000   | 0.0000003   | ND                    | ND                           | ND                    | ND                      |  |
| CBD               | 0.0050000   | 0.0000038   | ND                    | ND                           | ND                    | ND                      |  |
| CBDV              | 0.0050000   | 0.0000017   | ND                    | ND                           | ND                    | ND                      |  |
| CBN               | 0.0050000   | 0.0000012   | 4.865                 | 0.973                        | 4.865                 | 48.650                  |  |
| CBGa              | 0.0050000   | 0.0000011   | ND                    | ND                           | ND                    | ND                      |  |
| CBG               | 0.0050000   | 0.0000017   | ND                    | ND                           | ND                    | ND                      |  |
| CBC               | 0.0050000   | 0.0000003   | ND                    | ND                           | ND                    | ND                      |  |
| Total THC         |             |             | 10.485                | 2.097                        | 10.485                | 104.850                 |  |
| Total CBD         |             |             | ND                    | ND                           | ND                    | ND                      |  |
| Total             |             |             | 15.350                | 3.070                        | 15.350                | 153.500                 |  |

Date Tested: 06/07/2025

10 serving(s) per container.

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) \* 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001-1 & SOP-012. Instrument: HPLC-PDA.



*Hripsime Aleksanyan*

Hripsime Aleksanyan - Quality Assurance Supervisor  
06/11/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-000016-LIC



## Regulatory Compliance Testing Certificate of Analysis

2 of 4

### Dr Norms Elderberry Sleep Gummies 100mg

METRC Sample: 1A406030001A902000008350; METRC Batch: 1A406030001B32D000000570

Sample ID: 2506LLI0885.2346

Produced: 06/04/2025

Distributor

Producer

Strain: Elderberry Sleep Gummies 100mg

Collected: 06/06/2025

Last Minute Ventures/Inanna MFG

Inanna MFG/ Last Minute Ventures

Matrix: Ingestible

Received: 06/06/2025

Lic. # C11-0001229-LIC

Lic. # DCC-10004256

Type: Soft Chew

Completed: 06/11/2025

3411 San Pedro St

3411 S San Pedro St Los Angeles, CA

Sample Size: 13 units; Batch: 3,092 units

Batch#: DRNORM-SLP-025

Los Angeles, CA 90011

90011

### Pesticides

Pass

| Analyte             | LOD    | LOQ    | Limit  | Results | Status | Analyte                 | LOD    | LOQ    | Limit  | Results | Status |
|---------------------|--------|--------|--------|---------|--------|-------------------------|--------|--------|--------|---------|--------|
|                     | µg/g   | µg/g   | µg/g   | µg/g    |        |                         | µg/g   | µg/g   | µg/g   | µg/g    |        |
| Abamectin           | 0.0275 | 0.0835 | 0.3    | ND      | Pass   | Fludioxonil             | 0.0124 | 0.0374 | 30     | ND      | Pass   |
| Acephate            | 0.0054 | 0.0165 | 5      | ND      | Pass   | Hexythiazox             | 0.0092 | 0.028  | 2      | ND      | Pass   |
| Acequinocyl         | 0.0051 | 0.0154 | 4      | ND      | Pass   | Imazalil                | 0.0116 | 0.0351 | 0.0116 | ND      | Pass   |
| Acetamiprid         | 0.0061 | 0.0185 | 5      | ND      | Pass   | Imidacloprid            | 0.0149 | 0.045  | 3      | ND      | Pass   |
| Aldicarb            | 0.0084 | 0.0255 | 0.0084 | ND      | Pass   | Kresoxim Methyl         | 0.0124 | 0.0377 | 1      | ND      | Pass   |
| Azoxystrobin        | 0.009  | 0.0274 | 40     | ND      | Pass   | Malathion               | 0.008  | 0.0242 | 5      | ND      | Pass   |
| Bifenazate          | 0.0107 | 0.0326 | 5      | ND      | Pass   | Metalaxyl               | 0.0061 | 0.0186 | 15     | ND      | Pass   |
| Bifenthrin          | 0.0098 | 0.0297 | 0.5    | ND      | Pass   | Methiocarb              | 0.0089 | 0.0271 | 0.0089 | ND      | Pass   |
| Boscalid            | 0.0129 | 0.039  | 10     | ND      | Pass   | Methomyl                | 0.0086 | 0.0262 | 0.1    | ND      | Pass   |
| Captan              | 0.2067 | 0.6264 | 5      | ND      | Pass   | Mevinphos               | 0.0071 | 0.0216 | 0.0071 | ND      | Pass   |
| Carbaryl            | 0.009  | 0.0271 | 0.5    | ND      | Pass   | Myclobutanil            | 0.0107 | 0.0323 | 9      | ND      | Pass   |
| Carbofuran          | 0.0077 | 0.0235 | 0.0077 | ND      | Pass   | Naled                   | 0.0075 | 0.0228 | 0.5    | ND      | Pass   |
| Chlorantraniliprole | 0.0084 | 0.0253 | 40     | ND      | Pass   | Oxamyl                  | 0.0034 | 0.0103 | 0.2    | ND      | Pass   |
| Chlordane           | 0.0282 | 0.0856 | 0.0282 | ND      | Pass   | Paclobutrazol           | 0.0114 | 0.0344 | 0.0114 | ND      | Pass   |
| Chlorfenapyr        | 0.0171 | 0.0519 | 0.0171 | ND      | Pass   | Methyl Parathion        | 0.0122 | 0.037  | 0.0122 | ND      | Pass   |
| Chlorpyrifos        | 0.0178 | 0.054  | 0.0178 | ND      | Pass   | Pentachloronitrobenzene | 0.0076 | 0.0231 | 0.2    | ND      | Pass   |
| Clofentezine        | 0.0058 | 0.0176 | 0.5    | ND      | Pass   | Permethrin              | 0.009  | 0.0274 | 20     | ND      | Pass   |
| Coumaphos           | 0.0045 | 0.0137 | 0.0045 | ND      | Pass   | Phosmet                 | 0.0106 | 0.032  | 0.2    | ND      | Pass   |
| Cyfluthrin          | 0.1387 | 0.4204 | 1      | ND      | Pass   | Piperonyl Butoxide      | 0.0063 | 0.0191 | 8      | ND      | Pass   |
| Cypermethrin        | 0.0116 | 0.0352 | 1      | ND      | Pass   | Prallethrin             | 0.0144 | 0.0437 | 0.4    | ND      | Pass   |
| Daminozide          | 0.0141 | 0.0427 | 0.0141 | ND      | Pass   | Propiconazole           | 0.0049 | 0.0148 | 20     | ND      | Pass   |
| Diazinon            | 0.0063 | 0.019  | 0.2    | ND      | Pass   | Propoxur                | 0.0082 | 0.0247 | 0.0082 | ND      | Pass   |
| Dichlorvos          | 0.0093 | 0.0281 | 0.0093 | ND      | Pass   | Pyrethrins              | 0.0381 | 0.1156 | 1      | ND      | Pass   |
| Dimethoate          | 0.0056 | 0.0169 | 0.0056 | ND      | Pass   | Pyridaben               | 0.0087 | 0.0263 | 3      | ND      | Pass   |
| Dimethomorph        | 0.0071 | 0.0216 | 20     | ND      | Pass   | Spinetoram              | 0.0074 | 0.0223 | 3      | ND      | Pass   |
| Ethoprophos         | 0.0082 | 0.0249 | 0.0082 | ND      | Pass   | Spinosad                | 0.008  | 0.0243 | 3      | ND      | Pass   |
| Etofenprox          | 0.007  | 0.0212 | 0.007  | ND      | Pass   | Spiromesifen            | 0.0067 | 0.0203 | 12     | ND      | Pass   |
| Etoxazole           | 0.0045 | 0.0137 | 1.5    | ND      | Pass   | Spirotetramat           | 0.0101 | 0.0308 | 13     | ND      | Pass   |
| Fenhexamid          | 0.0079 | 0.024  | 10     | ND      | Pass   | Spiroxamine             | 0.004  | 0.0122 | 0.004  | ND      | Pass   |
| Fenoxycarb          | 0.0062 | 0.0188 | 0.0062 | ND      | Pass   | Tebuconazole            | 0.012  | 0.0364 | 2      | ND      | Pass   |
| Fenpyroximate       | 0.0056 | 0.017  | 2      | ND      | Pass   | Thiacloprid             | 0.0059 | 0.0179 | 0.0059 | ND      | Pass   |
| Fipronil            | 0.0079 | 0.0239 | 0.0079 | ND      | Pass   | Thiamethoxam            | 0.0082 | 0.0248 | 4.5    | ND      | Pass   |
| Flonicamid          | 0.0065 | 0.0198 | 2      | ND      | Pass   | Trifloxystrobin         | 0.0074 | 0.0225 | 30     | ND      | Pass   |

Date Tested: 06/07/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.

Instrument: LC-MSMS.



*Hripsime Aleksanyan*

Hripsime Aleksanyan - Quality Assurance Supervisor  
06/11/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
<http://www.landaulabs.com>  
Lic# C8-0000016-LIC



Regulatory Compliance Testing  
Certificate of Analysis

3 of 4

## Dr Norms Elderberry Sleep Gummies 100mg

METRC Sample: 1A406030001A902000008350; METRC Batch: 1A406030001B32D000000570

Sample ID: 2506LLI0885.2346  
Strain: Elderberry Sleep Gummies 100mg  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 13 units; Batch: 3,092 units

Produced: 06/04/2025  
Collected: 06/06/2025  
Received: 06/06/2025  
Completed: 06/11/2025  
Batch#: DRNORM-SLP-025

Distributor  
Last Minute Ventures/Inanna MFG  
Lic. # C11-0001229-LIC  
3411 San Pedro St  
Los Angeles, CA 90011

Producer  
Inanna MFG/ Last Minute Ventures  
Lic. # DCC-10004256  
3411 S San Pedro St Los Angeles, CA  
90011

## Residual Solvents

Pass

| Analyte             | LOD   | LOQ   | Limit | Results | Status |
|---------------------|-------|-------|-------|---------|--------|
|                     | µg/g  | µg/g  | µg/g  | µg/g    |        |
| 1,2-Dichloro-Ethane | 0.01  | 0.36  | 1     | ND      | Pass   |
| Acetone             | 2.16  | 54.00 | 5000  | ND      | Pass   |
| Acetonitrile        | 0.04  | 4.32  | 410   | 26.90   | Pass   |
| Benzene             | 0.07  | 0.18  | 1     | ND      | Pass   |
| Butane              | 2.30  | 11.52 | 5000  | ND      | Pass   |
| Chloroform          | 0.06  | 0.36  | 1     | ND      | Pass   |
| Ethanol             | 2.88  | 14.40 | 5000  | <LOQ    | Pass   |
| Ethyl-Acetate       | 1.15  | 28.80 | 5000  | ND      | Pass   |
| Ethyl-Ether         | 1.44  | 36.00 | 5000  | ND      | Pass   |
| Ethylene Oxide      | 0.37  | 0.94  | 1     | ND      | Pass   |
| Heptane             | 1.44  | 36.00 | 5000  | ND      | Pass   |
| Isopropanol         | 0.18  | 36.00 | 5000  | ND      | Pass   |
| Methanol            | 0.72  | 18.00 | 3000  | 46.32   | Pass   |
| Methylene-Chloride  | 0.02  | 0.36  | 1     | ND      | Pass   |
| n-Hexane            | 0.14  | 3.60  | 290   | ND      | Pass   |
| Pentane             | 2.22  | 10.80 | 5000  | ND      | Pass   |
| Propane             | 12.50 | 25.00 | 5000  | ND      | Pass   |
| Toluene             | 0.43  | 2.16  | 890   | ND      | Pass   |
| Trichloroethylene   | 0.07  | 0.36  | 1     | ND      | Pass   |
| m+p Xylene          | 0.86  | 4.32  |       |         |        |
| o-Xylene            | 0.43  | 2.16  |       |         |        |
| Total Xylenes       |       |       | 2170  | ND      | Pass   |

Date Tested: 06/09/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004  
Instrument: HS-GC/MS



Hripsime Aleksanyan - Quality Assurance Supervisor  
06/11/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
<http://www.landaulabs.com>  
Lic# C8-000016-LIC



## Regulatory Compliance Testing Certificate of Analysis

4 of 4

### Dr Norms Elderberry Sleep Gummies 100mg

METRC Sample: 1A406030001A902000008350; METRC Batch: 1A406030001B32D000000570

|                                           |                        |                                 |                                     |
|-------------------------------------------|------------------------|---------------------------------|-------------------------------------|
| Sample ID: 2506LLI0885.2346               | Produced: 06/04/2025   | Distributor                     | Producer                            |
| Strain: Elderberry Sleep Gummies 100mg    | Collected: 06/06/2025  | Last Minute Ventures/Inanna MFG | Inanna MFG/ Last Minute Ventures    |
| Matrix: Ingestible                        | Received: 06/06/2025   | Lic. # C11-0001229-LIC          | Lic. # DCC-10004256                 |
| Type: Soft Chew                           | Completed: 06/11/2025  | 3411 San Pedro St               | 3411 S San Pedro St Los Angeles, CA |
| Sample Size: 13 units; Batch: 3,092 units | Batch#: DRNORM-SLP-025 | Los Angeles, CA 90011           | 90011                               |

### Microbials

Pass

| Analyte                       | Results            | Status |
|-------------------------------|--------------------|--------|
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass   |
| Salmonella SPP                | Not Detected in 1g | Pass   |

Date Tested: 06/07/2025

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

### Mycotoxins

Pass

| Analyte          | LOD    | LOQ     | Limit | Results | Status |
|------------------|--------|---------|-------|---------|--------|
|                  | µg/kg  | µg/kg   | µg/kg | µg/kg   |        |
| Aflatoxin B1     | 1.4645 | 4.4378  |       | ND      | Tested |
| Aflatoxin B2     | 1.6864 | 5.1103  |       | ND      | Tested |
| Aflatoxin G1     | 1.6979 | 5.1453  |       | ND      | Tested |
| Aflatoxin G2     | 1.409  | 4.2697  |       | ND      | Tested |
| Total Aflatoxins |        |         | 20    | ND      | Pass   |
| Ochratoxin A     | 4.5809 | 13.8815 | 20    | ND      | Pass   |

Date Tested: 06/07/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

### Heavy Metals

Pass

| Analyte | LOD    | LOQ   | Limit | Results | Status |
|---------|--------|-------|-------|---------|--------|
|         | µg/g   | µg/g  | µg/g  | µg/g    |        |
| Arsenic | 0.0161 | 0.05  | 1.5   | ND      | Pass   |
| Cadmium | 0.0155 | 0.05  | 0.5   | ND      | Pass   |
| Lead    | 0.0144 | 0.05  | 0.5   | ND      | Pass   |
| Mercury | 0.0012 | 0.005 | 3     | ND      | Pass   |

Date Tested: 06/09/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



Hripsime Aleksanyan - Quality Assurance Supervisor  
06/11/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.