

13340 Saticoy Street Unit H  
North Hollywood, CA 91605  
Lic# C8-0000104-LIC



**CALIGREEN**  
LABORATORY

(818) 979-9474  
<http://www.caligreenlaboratory.com>

## Dr. Norm's - 100mg Fiery Hot Crunch Bar

METRC Sample: 1A4060300044C65000249834; METRC Batch: 1A4060300005D6A000004474

Sample ID: 2411CGL3588.9837

Strain: Fiery Hot

Matrix: Ingestible

Type: Baked Goods

Sample Size: 13 units; Batch: 2,480 units

Produced: 11/22/2024

Collected: 11/25/2024

Received: 11/25/2024

Completed: 11/27/2024

Batch#: RKT-FIERYHOT-002

Distributor

Punch Edibles

Lic. # C11-0001516-LIC

21525 Parthenia St

Canoga Park, CA 91304

Producer


Punch Edibles & Extracts

Lic. # CDPH-10003615

21525 Parthenia Street Canoga Park, CA

91304

### Cannabinoids Lab Results



### Summary - Safety & Quality Tests

Test	Date Tested	Result
Batch	11/25/2024	Pass



Test	Date Tested	Result
Cannabinoids	11/26/2024	Complete
Water Activity	11/26/2024	0.39 aw - Pass
Residual Solvents	11/26/2024	Pass
Microbials	11/27/2024	Pass
Mycotoxins	11/26/2024	Pass
Pesticides	11/26/2024	Pass
Heavy Metals	11/26/2024	Pass
Foreign Matter	11/25/2024	Pass

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.01	0.03	ND	ND	ND	ND
Δ9-THC	0.02	0.03	0.165	1.65	10.618	106.184
Δ8-THC	0.02	0.03	ND	ND	ND	ND
THCV	0.02	0.03	ND	ND	ND	ND
CBDa	0.01	0.03	ND	ND	ND	ND
CBD	0.02	0.03	ND	ND	ND	ND
CBDV	0.02	0.03	ND	ND	ND	ND
CBN	0.01	0.03	ND	ND	ND	ND
CBGa	0.02	0.03	ND	ND	ND	ND
CBG	0.01	0.03	ND	ND	ND	ND
CBC	0.01	0.03	ND	ND	ND	ND
<b>Total THC</b>			<b>0.165</b>	<b>1.651</b>	<b>10.618</b>	<b>106.184</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>0.165</b>	<b>1.651</b>	<b>10.618</b>	<b>106.184</b>

1 Unit = 1 Crunch Bar, 64.2954g, 0.1 unit(s) per serving, 10 serving(s) per container.

Cannabinoids Date Tested: 11/26/2024

Cannabinoids Footnotes: Potency by UHPLC: CGL-P-720-009-B

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Marianna Lummer*

Marianna Lummer - Vice President  
11/27/2024

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H  
North Hollywood, CA 91605  
Lic# C8-0000104-LIC



**CALIGREEN**  
LABORATORY

(818) 979-9474  
<http://www.caligreenlaboratory.com>

## Dr. Norm's - 100mg Fiery Hot Crunch Bar

METRC Sample: 1A4060300044C65000249834; METRC Batch: 1A4060300005D6A000004474

Sample ID: 2411CGL3588.9837

Produced: 11/22/2024

Distributor

Producer

Strain: Fiery Hot

Collected: 11/25/2024

Punch Edibles

Punch Edibles & Extracts

Matrix: Ingestible

Received: 11/25/2024

Lic. # C11-0001516-LIC

Lic. # CDPH-10003615

Type: Baked Goods

Completed: 11/27/2024

21525 Parthenia St

21525 Parthenia Street Canoga Park, CA

Sample Size: 13 units; Batch: 2,480 units

Batch#: RKT-FIERYHOT-002

Canoga Park, CA 91304

91304

### Microbials Lab Results

Pass

Analyte	Result	Analyte	Result
Shiga toxin-producing E. Coli	Not Detected in 1g	Salmonella SPP	Not Detected in 1g

Date Tested: 11/27/2024

Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

### Mycotoxins Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg			µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.25	5		ND	Tested	G2	2.5	5		ND	Tested
B2	1.25	5		ND	Tested	Ochratoxin A			20	ND	Pass
G1	1.25	5		ND	Tested	Total Aflatoxins	6.6	16.6	20	ND	Pass

Date Tested: 11/26/2024

Mycotoxins by LC-MS/MS: CGL-P-720-007-B

LOQ = Limit of Quantitation

### Heavy Metals Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Arsenic	0.025	0.05	0.2	ND	Pass	Lead	0.025	0.05	0.5	ND	Pass
Cadmium	0.025	0.05	0.2	ND	Pass	Mercury	0.025	0.05	0.1	ND	Pass

Date Tested: 11/26/2024

Heavy Metals by ICP-MS: CGL-P-720-012-B

LOQ = Limit of Quantitation

### Residual Solvents Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.2344	0.4688	1	ND	Pass	Isopropanol	23.438	187.5	5000	ND	Pass
Acetone	23.438	187.5	5000	ND	Pass	m+p Xylene	23.438	187.5		ND	Tested
Acetonitrile	23.438	187.5	410	ND	Pass	Methanol	93.75	187.5	3000	ND	Pass
Benzene	0.2344	0.4688	1	ND	Pass	Methylene-Chloride	0.2344	0.4688	1	ND	Pass
Butane	23.438	93.75	5000	ND	Pass	n-Hexane	23.438	187.5	290	ND	Pass
Chloroform	0.2344	0.4688	1	ND	Pass	o-Xylene	23.438	187.5		ND	Tested
Ethanol	23.438	187.5	5000	ND	Pass	Pentane	23.438	187.5	5000	ND	Pass
Ethyl-Acetate	23.438	187.5	5000	ND	Pass	Propane	23.438	93.75	5000	ND	Pass
Ethyl-Ether	23.438	187.5	5000	ND	Pass	Toluene	23.438	187.5	890	ND	Pass
Ethylene Oxide	0.2344	0.4688	1	ND	Pass	Trichloroethene	0.2344	0.4688	1	ND	Pass
Heptane	23.438	187.5	5000	ND	Pass	Xylenes	23.438	187.5	2170	ND	Pass

Date Tested: 11/26/2024

Solvents by HSGC-MS Method: SOP CGL-P-720-010-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Marianna Lummer*

Marianna Lummer - Vice President  
11/27/2024

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H  
North Hollywood, CA 91605  
Lic# C8-0000104-LIC



**CALIGREEN**  
LABORATORY

(818) 979-9474  
<http://www.caligreenlaboratory.com>

## Dr. Norm's - 100mg Fiery Hot Crunch Bar

METRC Sample: 1A4060300044C65000249834; METRC Batch: 1A4060300005D6A000004474

Sample ID: 2411CGL3588.9837

Produced: 11/22/2024

Distributor

Producer

Strain: Fiery Hot

Collected: 11/25/2024

Punch Edibles

Punch Edibles & Extracts

Matrix: Ingestible

Received: 11/25/2024

Lic. # C11-0001516-LIC

Lic. # CDPH-10003615

Type: Baked Goods

Completed: 11/27/2024

21525 Parthenia St

21525 Parthenia Street Canoga Park, CA

Sample Size: 13 units; Batch: 2,480 units

Batch#: RKT-FIERYHOT-002

Canoga Park, CA 91304

91304

### Pesticides Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0375	0.075	0.3	ND	Pass	Fludioxonil	0.01875	0.075	30	ND	Pass
Acephate	0.01875	0.075	5	ND	Pass	Hexythiazox	0.01875	0.075	2	ND	Pass
Acequinocyl	0.075	0.1	4	ND	Pass	Imazalil	0.01875	0.075	0.01875	ND	Pass
Acetamiprid	0.01875	0.075	5	ND	Pass	Imidacloprid	0.01875	0.075	3	ND	Pass
Aldicarb	0.01875	0.075	0.01875	ND	Pass	Kresoxim Methyl	0.01875	0.075	1	ND	Pass
Azoxystrobin	0.01875	0.075	40	ND	Pass	Malathion	0.01875	0.1	5	ND	Pass
Bifenazate	0.01875	0.075	5	ND	Pass	Metalaxyl	0.01875	0.1	15	ND	Pass
Bifenthrin	0.01875	0.1	0.5	ND	Pass	Methiocarb	0.01875	0.075	0.01875	ND	Pass
Boscalid	0.01875	0.075	10	ND	Pass	Methomyl	0.01875	0.075	0.1	ND	Pass
Captan	0.025	0.3	5	ND	Pass	Mevinphos	0.01875	0.075	0.01875	ND	Pass
Carbaryl	0.01875	0.1	0.5	ND	Pass	Myclobutanil	0.01875	0.075	9	ND	Pass
Carbofuran	0.01875	0.075	0.01875	ND	Pass	Naled	0.01875	0.075	0.5	ND	Pass
Chlorantraniliprole	0.01875	0.1	40	ND	Pass	Oxamyl	0.01875	0.075	0.2	ND	Pass
Chlordane	0.025	0.1	0.025	ND	Pass	Paclobutrazol	0.01875	0.075	0.01875	ND	Pass
Chlorfenapyr	0.025	0.1	0.025	ND	Pass	Parathion Methyl	0.025	0.1	0.025	ND	Pass
Chlorpyrifos	0.01875	0.075	0.01875	ND	Pass	Pentachloronitrobenzene	0.025	0.1	0.2	ND	Pass
Clofentezine	0.01875	0.075	0.5	ND	Pass	Permethrin	0.01875	0.1	20	ND	Pass
Coumaphos	0.01875	0.075	0.01875	ND	Pass	Phosmet	0.01875	0.075	0.2	ND	Pass
Cyfluthrin	0.3	0.3	1	ND	Pass	Piperonyl Butoxide	0.01875	0.1	8	ND	Pass
Cypermethrin	0.3	0.3	1	ND	Pass	Prallethrin	0.01875	0.075	0.4	ND	Pass
Daminozide	0.01875	0.075	0.01875	ND	Pass	Propiconazole	0.01875	0.075	20	ND	Pass
Diazinon	0.01875	0.075	0.2	ND	Pass	Propoxur	0.01875	0.075	0.01875	ND	Pass
Dichlorvos	0.01875	0.075	0.01875	ND	Pass	Pyrethrins	0.0375	0.1	1	ND	Pass
Dimethoate	0.01875	0.075	0.01875	ND	Pass	Pyridaben	0.01875	0.075	3	ND	Pass
Dimethomorph	0.01875	0.1	20	ND	Pass	Spinetoram	0.01875	0.075	3	ND	Pass
Ethoprophos	0.01875	0.075	0.01875	ND	Pass	Spinosad	0.01875	0.075	3	ND	Pass
Etofenprox	0.0375	0.075	0.0375	ND	Pass	Spiromesifen	0.01875	0.075	12	ND	Pass
Etoxazole	0.01875	0.075	1.5	ND	Pass	Spirotetramat	0.01875	0.075	13	ND	Pass
Fenhexamid	0.0375	0.075	10	ND	Pass	Spiroxamine	0.01875	0.075	0.01875	ND	Pass
Fenoxycarb	0.01875	0.075	0.01875	ND	Pass	Tebuconazole	0.01875	0.075	2	ND	Pass
Fenpyroximate	0.05625	0.075	2	ND	Pass	Thiacloprid	0.01875	0.075	0.01875	ND	Pass
Fipronil	0.01875	0.075	0.01875	ND	Pass	Thiamethoxam	0.01875	0.075	4.5	ND	Pass
Flonicamid	0.0375	0.075	2	ND	Pass	Trifloxystrobin	0.01875	0.075	30	ND	Pass

Date Tested: 11/26/2024

Pesticides by LC-MS/MS: CGL-P-720-007-B; Pesticides by GC-MS/MS: CGL-P-720-008-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Marianna Lummer*

Marianna Lummer - Vice President  
11/27/2024

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.