



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-0000016-LIC



## Regulatory Compliance Testing Certificate of Analysis

1 of 4

### Dr Norms -Wicked Watermelon - 100mg


METRC Sample: 1A406030001A902000008349; METRC Batch: 1A406030001B32D000000547

Sample ID: 2506LLI0861.2271  
Strain: Wicked Watermelon - 100mg  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 20 units; Batch: 9,787  
packages

Produced: 05/27/2025  
Collected: 06/03/2025  
Received: 06/03/2025  
Completed: 06/06/2025  
Batch#: DRNORM-WW-014

Distributor  
Last Minute Ventures/Inanna MFG  
Lic. # C11-0001229-LIC  
3411 San Pedro St  
Los Angeles, CA 90011

Producer  
Inanna MFG/ Last Minute Ventures  
Lic. # DCC-10004256  
3411 San Pedro St Los Angeles, CA 90011



### Summary

#### Test Batch

Cannabinoids  
Water Activity  
Residual Solvents  
Microbials  
Mycotoxins  
Pesticides  
Heavy Metals  
Foreign Matter

#### Date Tested

06/05/2025  
06/05/2025  
06/03/2025  
06/03/2025  
06/03/2025  
06/03/2025  
06/04/2025  
06/03/2025

#### Result

Pass  
Pass  
0.52 aw - Pass  
Pass  
Pass  
Pass  
Pass  
Pass  
Pass

### Cannabinoids

Pass

10.103 mg/serving				ND				10.717 mg/serving				10.717 mg/serving			
Total THC				Total CBD				Total Cannabinoids (Neutral)				Sum of Cannabinoids			
Analyte	LOQ	LOD	Results	Results	Results	Results	Results	Results	Results	Results	Results	Results	Results	Results	Results
THCa	0.0050000	0.0000013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Δ9-THC	0.0050000	0.0000013	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103
Δ8-THC	0.0050000	0.0000014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
THCV	0.0050000	0.0000028	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CBDa	0.0050000	0.0000003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CBD	0.0050000	0.0000038	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CBDV	0.0050000	0.0000017	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CBN	0.0050000	0.0000012	0.080	0.080	0.080	0.080	0.080	0.080	0.080	0.080	0.080	0.080	0.080	0.080	0.080
CBGa	0.0050000	0.0000011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CBG	0.0050000	0.0000017	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455
CBC	0.0050000	0.0000003	0.079	0.079	0.079	0.079	0.079	0.079	0.079	0.079	0.079	0.079	0.079	0.079	0.079
Total THC			10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103	10.103
Total CBD			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total			10.717	10.717	10.717	10.717	10.717	10.717	10.717	10.717	10.717	10.717	10.717	10.717	10.717

Date Tested: 06/05/2025

10 serving(s) per container.

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) \* 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001-1 & SOP-012. Instrument: HPLC-PDA.



*Hripsime Aleksanyan*

Hripsime Aleksanyan - Quality Assurance Supervisor  
06/06/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-000016-LIC



## Regulatory Compliance Testing Certificate of Analysis

2 of 4

### Dr Norms -Wicked Watermelon - 100mg

METRC Sample: 1A406030001A902000008349; METRC Batch: 1A406030001B32D000000547

Sample ID: 2506LLI0861.2271  
Strain: Wicked Watermelon - 100mg  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 20 units; Batch: 9,787  
packages

Produced: 05/27/2025  
Collected: 06/03/2025  
Received: 06/03/2025  
Completed: 06/06/2025  
Batch#: DRNORM-WW-014

Distributor  
Last Minute Ventures/Inanna MFG  
Lic. # C11-0001229-LIC  
3411 San Pedro St  
Los Angeles, CA 90011

Producer  
Inanna MFG/ Last Minute Ventures  
Lic. # DCC-10004256  
3411 San Pedro St Los Angeles, CA 90011

### Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0275	0.0835	0.3	ND	Pass	Fludioxonil	0.0124	0.0374	30	ND	Pass
Acephate	0.0054	0.0165	5	ND	Pass	Hexythiazox	0.0092	0.028	2	ND	Pass
Acequinocyl	0.0051	0.0154	4	ND	Pass	Imazalil	0.0116	0.0351	0.0116	ND	Pass
Acetamiprid	0.0061	0.0185	5	ND	Pass	Imidacloprid	0.0149	0.045	3	ND	Pass
Aldicarb	0.0084	0.0255	0.0084	ND	Pass	Kresoxim Methyl	0.0124	0.0377	1	ND	Pass
Azoxystrobin	0.009	0.0274	40	ND	Pass	Malathion	0.008	0.0242	5	ND	Pass
Bifenazate	0.0107	0.0326	5	ND	Pass	Metalaxyl	0.0061	0.0186	15	ND	Pass
Bifenthrin	0.0098	0.0297	0.5	ND	Pass	Methiocarb	0.0089	0.0271	0.0089	ND	Pass
Boscalid	0.0129	0.039	10	ND	Pass	Methomyl	0.0086	0.0262	0.1	ND	Pass
Captan	0.2067	0.6264	5	ND	Pass	Mevinphos	0.0071	0.0216	0.0071	ND	Pass
Carbaryl	0.009	0.0271	0.5	ND	Pass	Myclobutanil	0.0107	0.0323	9	ND	Pass
Carbofuran	0.0077	0.0235	0.0077	ND	Pass	Naled	0.0075	0.0228	0.5	ND	Pass
Chlorantraniliprole	0.0084	0.0253	40	ND	Pass	Oxamyl	0.0034	0.0103	0.2	ND	Pass
Chlordane	0.0282	0.0856	0.0282	ND	Pass	Paclobutrazol	0.0114	0.0344	0.0114	ND	Pass
Chlorfenapyr	0.0171	0.0519	0.0171	ND	Pass	Methyl Parathion	0.0122	0.037	0.0122	ND	Pass
Chlorpyrifos	0.0178	0.054	0.0178	ND	Pass	Pentachloronitrobenzene	0.0076	0.0231	0.2	ND	Pass
Clofentezine	0.0058	0.0176	0.5	ND	Pass	Permethrin	0.009	0.0274	20	ND	Pass
Coumaphos	0.0045	0.0137	0.0045	ND	Pass	Phosmet	0.0106	0.032	0.2	ND	Pass
Cyfluthrin	0.1387	0.4204	1	ND	Pass	Piperonyl Butoxide	0.0063	0.0191	8	ND	Pass
Cypermethrin	0.0116	0.0352	1	ND	Pass	Prallethrin	0.0144	0.0437	0.4	ND	Pass
Daminozide	0.0141	0.0427	0.0141	ND	Pass	Propiconazole	0.0049	0.0148	20	ND	Pass
Diazinon	0.0063	0.019	0.2	ND	Pass	Propoxur	0.0082	0.0247	0.0082	ND	Pass
Dichlorvos	0.0093	0.0281	0.0093	ND	Pass	Pyrethrins	0.0381	0.1156	1	ND	Pass
Dimethoate	0.0056	0.0169	0.0056	ND	Pass	Pyridaben	0.0087	0.0263	3	ND	Pass
Dimethomorph	0.0071	0.0216	20	ND	Pass	Spinetoram	0.0074	0.0223	3	ND	Pass
Ethoprophos	0.0082	0.0249	0.0082	ND	Pass	Spinosad	0.008	0.0243	3	ND	Pass
Etofenprox	0.007	0.0212	0.007	ND	Pass	Spiromesifen	0.0067	0.0203	12	ND	Pass
Etoazole	0.0045	0.0137	1.5	ND	Pass	Spirotetramat	0.0101	0.0308	13	ND	Pass
Fenhexamid	0.0079	0.024	10	ND	Pass	Spiroxamine	0.004	0.0122	0.004	ND	Pass
Fenoxycarb	0.0062	0.0188	0.0062	ND	Pass	Tebuconazole	0.012	0.0364	2	ND	Pass
Fenpyroximate	0.0056	0.017	2	ND	Pass	Thiacloprid	0.0059	0.0179	0.0059	ND	Pass
Fipronil	0.0079	0.0239	0.0079	ND	Pass	Thiamethoxam	0.0082	0.0248	4.5	ND	Pass
Flonicamid	0.0065	0.0198	2	ND	Pass	Trifloxystrobin	0.0074	0.0225	30	ND	Pass

Date Tested: 06/03/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.  
Instrument: LC-MSMS.



*Hripsime Aleksanyan*

Hripsime Aleksanyan - Quality Assurance Supervisor  
06/06/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
<http://www.landaulabs.com>  
Lic# C8-0000016-LIC



Regulatory Compliance Testing  
Certificate of Analysis

3 of 4

## Dr Norms -Wicked Watermelon - 100mg

METRC Sample: 1A406030001A902000008349; METRC Batch: 1A406030001B32D000000547

Sample ID: 2506LLI0861.2271  
Strain: Wicked Watermelon - 100mg  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 20 units; Batch: 9,787  
packages

Produced: 05/27/2025  
Collected: 06/03/2025  
Received: 06/03/2025  
Completed: 06/06/2025  
Batch#: DRNORM-WW-014

Distributor  
Last Minute Ventures/Inanna MFG  
Lic. # C11-0001229-LIC  
3411 San Pedro St  
Los Angeles, CA 90011

Producer  
Inanna MFG/ Last Minute Ventures  
Lic. # DCC-10004256  
3411 San Pedro St Los Angeles, CA 90011

## Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.01	0.36	1	ND	Pass
Acetone	2.16	54.00	5000	ND	Pass
Acetonitrile	0.04	4.32	410	12.91	Pass
Benzene	0.07	0.18	1	ND	Pass
Butane	2.30	11.52	5000	ND	Pass
Chloroform	0.06	0.36	1	ND	Pass
Ethanol	2.88	14.40	5000	106.05	Pass
Ethyl-Acetate	1.15	28.80	5000	31.03	Pass
Ethyl-Ether	1.44	36.00	5000	ND	Pass
Ethylene Oxide	0.37	0.94	1	ND	Pass
Heptane	1.44	36.00	5000	ND	Pass
Isopropanol	0.18	36.00	5000	<LOQ	Pass
Methanol	0.72	18.00	3000	<LOQ	Pass
Methylene-Chloride	0.02	0.36	1	ND	Pass
n-Hexane	0.14	3.60	290	ND	Pass
Pentane	2.22	10.80	5000	ND	Pass
Propane	12.50	25.00	5000	ND	Pass
Toluene	0.43	2.16	890	ND	Pass
Trichloroethylene	0.07	0.36	1	ND	Pass
m+p Xylene	0.86	4.32			
o-Xylene	0.43	2.16			
Total Xylenes			2170	ND	Pass

Date Tested: 06/03/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004  
Instrument: HS-GC/MS



Hripsime Aleksanyan - Quality Assurance Supervisor  
06/06/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-000016-LIC



## Regulatory Compliance Testing Certificate of Analysis

4 of 4

### Dr Norms -Wicked Watermelon - 100mg

METRC Sample: 1A406030001A902000008349; METRC Batch: 1A406030001B32D000000547

<b>Sample ID:</b> 2506LLI0861.2271	<b>Produced:</b> 05/27/2025	<b>Distributor</b>	<b>Producer</b>
<b>Strain:</b> Wicked Watermelon - 100mg	<b>Collected:</b> 06/03/2025	<b>Last Minute Ventures/Inanna MFG</b>	<b>Inanna MFG/ Last Minute Ventures</b>
<b>Matrix:</b> Ingestible	<b>Received:</b> 06/03/2025	<b>Lic. # C11-0001229-LIC</b>	<b>Lic. # DCC-10004256</b>
<b>Type:</b> Soft Chew	<b>Completed:</b> 06/06/2025	<b>3411 San Pedro St</b>	<b>3411 San Pedro St Los Angeles, CA 90011</b>
<b>Sample Size:</b> 20 units; Batch: 9,787 packages	<b>Batch#:</b> DRNORM-WW-014	<b>Los Angeles, CA 90011</b>	

### Microbials

Pass

Analyte	Results	Status
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 06/03/2025

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

### Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.4645	4.4378		ND	Tested
Aflatoxin B2	1.6864	5.1103		ND	Tested
Aflatoxin G1	1.6979	5.1453		ND	Tested
Aflatoxin G2	1.409	4.2697		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	4.5809	13.8815	20	ND	Pass

Date Tested: 06/03/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

### Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0161	0.05	1.5	ND	Pass
Cadmium	0.0155	0.05	0.5	ND	Pass
Lead	0.0144	0.05	0.5	ND	Pass
Mercury	0.0012	0.005	3	ND	Pass

Date Tested: 06/04/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



Hripsime Aleksanyan - Quality Assurance Supervisor  
06/06/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.