



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

1 of 4

Dr. Norm's - 100mg RKT Very Berry Crunch

METRC Sample: 1A4060300044C65000356477; METRC Batch: ABC060300005D6A000005581

Sample ID: 2508LLI1365.3563
Strain: Very Berry Crunch
Matrix: Ingestible
Type: Baked Goods
Sample Size: 20 units; Batch: 3,980 units

Produced: 08/13/2025
Collected: 08/18/2025
Received: 08/18/2025
Completed: 08/20/2025
Batch#: RKT-BERRY-019

Distributor
Punch Media, LLC
Lic. # C11-0001516-LIC
21525 Parthenia St
Canoga Park, CA 91304

Producer
Punch Media, LLC
Lic. # DCC-10003615
8724 Remmet Ave Canoga Park CA 91304



Summary

Test Batch

Cannabinoids
Water Activity
Residual Solvents
Microbials
Mycotoxins
Pesticides
Heavy Metals
Foreign Matter

Date Tested

08/19/2025
08/18/2025
08/19/2025
08/19/2025
08/19/2025
08/19/2025
08/19/2025
08/18/2025

Result

Pass
Pass
0.53 aw - Pass
Pass
Pass
Pass
Pass
Pass
Pass

Cannabinoids

Pass

9.456 mg/serving	0.872 mg/serving	12.512 mg/serving	12.512 mg/serving
Total THC	Total CBD	Total Cannabinoids (Neutral)	Sum of Cannabinoids

Analyte	LOQ mg/g	LOD mg/g	Results mg/serving	Results mg/g	Results mg/serving	Results mg/container
THCa	0.0050000	0.0000013	ND	ND	ND	ND
Δ9-THC	0.0050000	0.0000013	9.456	1.182	9.456	94.560
Δ8-THC	0.0050000	0.0000014	ND	ND	ND	ND
THCV	0.0050000	0.0000028	ND	ND	ND	ND
CBDa	0.0050000	0.0000003	ND	ND	ND	ND
CBD	0.0050000	0.0000038	0.872	0.109	0.872	8.720
CBDV	0.0050000	0.0000017	ND	ND	ND	ND
CBN	0.0050000	0.0000012	ND	ND	ND	ND
CBGa	0.0050000	0.0000011	ND	ND	ND	ND
CBG	0.0050000	0.0000017	2.184	0.273	2.184	21.840
CBC	0.0050000	0.0000003	ND	ND	ND	ND
Total THC			9.456	1.182	9.456	94.560
Total CBD			0.872	0.109	0.872	8.720
Total			12.512	1.564	12.512	125.120

Date Tested: 08/19/2025

10 serving(s) per container.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) * 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001-1 & SOP-012. Instrument: HPLC-PDA.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
08/20/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

2 of 4

Dr. Norm's - 100mg RKT Very Berry Crunch

METRC Sample: 1A4060300044C65000356477; METRC Batch: ABC060300005D6A000005581

Sample ID: 2508LLI1365.3563

Produced: 08/13/2025

Distributor

Producer

Strain: Very Berry Crunch

Collected: 08/18/2025

Punch Media, LLC

Punch Media, LLC

Matrix: Ingestible

Received: 08/18/2025

Lic. # C11-0001516-LIC

Lic. # DCC-10003615

Type: Baked Goods

Completed: 08/20/2025

21525 Parthenia St

8724 Remmet Ave Canoga Park CA 91304

Sample Size: 20 units; Batch: 3,980 units

Batch#: RKT-BERRY-019

Canoga Park, CA 91304

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0275	0.0835	0.3	ND	Pass	Fludioxonil	0.0124	0.0374	30	ND	Pass
Acephate	0.0054	0.0165	5	ND	Pass	Hexythiazox	0.0092	0.028	2	ND	Pass
Acequinocyl	0.0051	0.0154	4	ND	Pass	Imazalil	0.0116	0.0351	0.0116	ND	Pass
Acetamiprid	0.0061	0.0185	5	ND	Pass	Imidacloprid	0.0149	0.045	3	ND	Pass
Aldicarb	0.0084	0.0255	0.0084	ND	Pass	Kresoxim Methyl	0.0124	0.0377	1	ND	Pass
Azoxystrobin	0.009	0.0274	40	ND	Pass	Malathion	0.008	0.0242	5	ND	Pass
Bifenazate	0.0107	0.0326	5	ND	Pass	Metalaxyl	0.0061	0.0186	15	ND	Pass
Bifenthrin	0.0098	0.0297	0.5	ND	Pass	Methiocarb	0.0089	0.0271	0.0089	ND	Pass
Boscalid	0.0129	0.039	10	ND	Pass	Methomyl	0.0086	0.0262	0.1	ND	Pass
Captan	0.2067	0.6264	5	ND	Pass	Mevinphos	0.0071	0.0216	0.0071	ND	Pass
Carbaryl	0.009	0.0271	0.5	ND	Pass	Myclobutanil	0.0107	0.0323	9	ND	Pass
Carbofuran	0.0077	0.0235	0.0077	ND	Pass	Naled	0.0075	0.0228	0.5	ND	Pass
Chlorantraniliprole	0.0084	0.0253	40	ND	Pass	Oxamyl	0.0034	0.0103	0.2	ND	Pass
Chlordane	0.0282	0.0856	0.0282	ND	Pass	Paclobutrazol	0.0114	0.0344	0.0114	ND	Pass
Chlorfenapyr	0.0171	0.0519	0.0171	ND	Pass	Methyl Parathion	0.0122	0.037	0.0122	ND	Pass
Chlorpyrifos	0.0178	0.054	0.0178	ND	Pass	Pentachloronitrobenzene	0.0076	0.0231	0.2	ND	Pass
Clofentezine	0.0058	0.0176	0.5	ND	Pass	Permethrin	0.009	0.0274	20	ND	Pass
Coumaphos	0.0045	0.0137	0.0045	ND	Pass	Phosmet	0.0106	0.032	0.2	ND	Pass
Cyfluthrin	0.1387	0.4204	1	ND	Pass	Piperonyl Butoxide	0.0063	0.0191	8	ND	Pass
Cypermethrin	0.0116	0.0352	1	ND	Pass	Prallethrin	0.0144	0.0437	0.4	ND	Pass
Daminozide	0.0141	0.0427	0.0141	ND	Pass	Propiconazole	0.0049	0.0148	20	ND	Pass
Diazinon	0.0063	0.019	0.2	ND	Pass	Propoxur	0.0082	0.0247	0.0082	ND	Pass
Dichlorvos	0.0093	0.0281	0.0093	ND	Pass	Pyrethrins	0.0381	0.1156	1	ND	Pass
Dimethoate	0.0056	0.0169	0.0056	ND	Pass	Pyridaben	0.0087	0.0263	3	ND	Pass
Dimethomorph	0.0071	0.0216	20	ND	Pass	Spinetoram	0.0074	0.0223	3	ND	Pass
Ethoprophos	0.0082	0.0249	0.0082	ND	Pass	Spinosad	0.008	0.0243	3	ND	Pass
Etofenprox	0.007	0.0212	0.007	ND	Pass	Spiromesifen	0.0067	0.0203	12	ND	Pass
Etoxazole	0.0045	0.0137	1.5	ND	Pass	Spirotetramat	0.0101	0.0308	13	ND	Pass
Fenhexamid	0.0079	0.024	10	ND	Pass	Spiroxamine	0.004	0.0122	0.004	ND	Pass
Fenoxycarb	0.0062	0.0188	0.0062	ND	Pass	Tebuconazole	0.012	0.0364	2	ND	Pass
Fenpyroximate	0.0056	0.017	2	ND	Pass	Thiacloprid	0.0059	0.0179	0.0059	ND	Pass
Fipronil	0.0079	0.0239	0.0079	ND	Pass	Thiamethoxam	0.0082	0.0248	4.5	ND	Pass
Flonicamid	0.0065	0.0198	2	ND	Pass	Trifloxystrobin	0.0074	0.0225	30	ND	Pass

Date Tested: 08/19/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.

Instrument: LC-MSMS.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
08/20/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
<http://www.landaulabs.com>
Lic# C8-0000016-LIC



Regulatory Compliance Testing
Certificate of Analysis

3 of 4

Dr. Norm's - 100mg RKT Very Berry Crunch

METRC Sample: 1A4060300044C65000356477; METRC Batch: ABC060300005D6A000005581

Sample ID: 2508LLI1365.3563

Produced: 08/13/2025

Distributor

Producer

Strain: Very Berry Crunch

Collected: 08/18/2025

Punch Media, LLC

Punch Media, LLC

Matrix: Ingestible

Received: 08/18/2025

Lic. # C11-0001516-LIC

Lic. # DCC-10003615

Type: Baked Goods

Completed: 08/20/2025

21525 Parthenia St

8724 Remmet Ave Canoga Park CA 91304

Sample Size: 20 units; Batch: 3,980 units

Batch#: RKT-BERRY-019

Canoga Park, CA 91304

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.01	0.36	1	ND	Pass
Acetone	2.16	54.00	5000	ND	Pass
Acetonitrile	0.04	4.32	410	ND	Pass
Benzene	0.07	0.18	1	ND	Pass
Butane	2.30	11.52	5000	ND	Pass
Chloroform	0.06	0.36	1	ND	Pass
Ethanol	2.88	14.40	5000	ND	Pass
Ethyl-Acetate	1.15	28.80	5000	ND	Pass
Ethyl-Ether	1.44	36.00	5000	ND	Pass
Ethylene Oxide	0.37	0.94	1	ND	Pass
Heptane	1.44	36.00	5000	ND	Pass
Isopropanol	0.18	36.00	5000	ND	Pass
Methanol	0.72	18.00	3000	ND	Pass
Methylene-Chloride	0.02	0.36	1	ND	Pass
n-Hexane	0.14	3.60	290	ND	Pass
Pentane	2.22	10.80	5000	ND	Pass
Propane	12.50	25.00	5000	ND	Pass
Toluene	0.43	2.16	890	ND	Pass
Trichloroethylene	0.07	0.36	1	ND	Pass
m+p Xylene	0.86	4.32			
o-Xylene	0.43	2.16			
Total Xylenes			2170	ND	Pass

Date Tested: 08/19/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004
Instrument: HS-GC/MS



Hripsime Aleksanyan - Quality Assurance Supervisor
08/20/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-000016-LIC



Regulatory Compliance Testing Certificate of Analysis

4 of 4

Dr. Norm's - 100mg RKT Very Berry Crunch

METRC Sample: 1A4060300044C65000356477; METRC Batch: ABC060300005D6A000005581

Sample ID: 2508LLI1365.3563
Strain: Very Berry Crunch
Matrix: Ingestible
Type: Baked Goods
Sample Size: 20 units; Batch: 3,980 units

Produced: 08/13/2025
Collected: 08/18/2025
Received: 08/18/2025
Completed: 08/20/2025
Batch#: RKT-BERRY-019

Distributor
Punch Media, LLC
Lic. # C11-0001516-LIC
21525 Parthenia St
Canoga Park, CA 91304

Producer
Punch Media, LLC
Lic. # DCC-10003615
8724 Remmet Ave Canoga Park CA 91304

Microbials

Pass

Analyte	Results	Status
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 08/19/2025

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.4645	4.4378		ND	Tested
Aflatoxin B2	1.6864	5.1103		ND	Tested
Aflatoxin G1	1.6979	5.1453		ND	Tested
Aflatoxin G2	1.409	4.2697		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	4.5809	13.8815	20	ND	Pass

Date Tested: 08/19/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0161	0.05	1.5	ND	Pass
Cadmium	0.0155	0.05	0.5	ND	Pass
Lead	0.0144	0.05	0.5	ND	Pass
Mercury	0.0012	0.005	3	ND	Pass

Date Tested: 08/19/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



Hripsime Aleksanyan - Quality Assurance Supervisor
08/20/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.