



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
<http://www.landaulabs.com>  
Lic# C8-0000016-LIC



# Regulatory Compliance Testing Certificate of Analysis

1 of 4

## Dr Norms Pain Relief Tablets

METRC Sample: 1A406030001A902000010302; METRC Batch: 1A406030001B32D000001036

Sample ID: 2604LLI0687.2124

Produced: 03/22/2026

Distributor

Producer

Strain: Pain Relief Tablets

Collected: 04/17/2026

Last Minute Ventures

Last Minute Ventures

Matrix: Concentrates & Extracts

Received: 04/17/2026

Lic. # C11-0001229-LIC

Lic. # DCC-10004256

Type: Capsules

Completed: 04/22/2026

3411 San Pedro St

3411 San Pedro St Los Angeles, CA 90011

Sample Size: 13 units; Batch: 1,675 units

Batch#: DRNORMS-PAINTAB-009

Los Angeles, CA 90011



## Summary

### Test

Batch

Cannabinoids

Residual Solvents

Microbials

Mycotoxins

Pesticides

Heavy Metals

Foreign Matter

### Date Tested

04/21/2026

04/20/2026

04/20/2026

04/17/2026

04/17/2026

04/21/2026

04/16/2026

### Result

Pass

Pass

Pass

Pass

Pass

Pass

Pass

Pass

## Cannabinoids

Pass

6.677 mg/serving

Total THC

43.248 mg/serving

Total CBD

57.139 mg/serving

Total Cannabinoids (Neutral)

57.702 mg/serving

Sum of Cannabinoids

| Analyte   | LOQ<br>mg/g | LOD<br>mg/g | Results<br>mg/serving | Results<br>mg/g | Results<br>% | Results<br>mg/container |
|-----------|-------------|-------------|-----------------------|-----------------|--------------|-------------------------|
| THCa      | 0.500000    | 0.000050    | 2.295                 | 9.178           | 0.918        | 45.890                  |
| Δ9-THC    | 0.500000    | 0.000052    | 4.664                 | 18.657          | 1.866        | 93.285                  |
| Δ8-THC    | 0.500000    | 0.000057    | ND                    | ND              | ND           | ND                      |
| THCV      | 0.500000    | 0.000114    | 2.345                 | 9.379           | 0.938        | 46.895                  |
| CBDa      | 0.500000    | 0.000013    | 2.278                 | 9.110           | 0.911        | 45.550                  |
| CBD       | 0.500000    | 0.000153    | 41.251                | 165.002         | 16.500       | 825.010                 |
| CBDV      | 0.500000    | 0.000068    | ND                    | ND              | ND           | ND                      |
| CBN       | 0.500000    | 0.000048    | ND                    | ND              | ND           | ND                      |
| CBGa      | 0.500000    | 0.000043    | ND                    | ND              | ND           | ND                      |
| CBG       | 0.500000    | 0.000069    | 4.870                 | 19.480          | 1.948        | 97.400                  |
| CBC       | 0.500000    | 0.000014    | ND                    | ND              | ND           | ND                      |
| Total THC |             |             | 6.677                 | 26.706          | 2.671        | 133.531                 |
| Total CBD |             |             | 43.248                | 172.991         | 17.299       | 864.957                 |
| Total     |             |             | 57.139                | 228.557         | 22.856       | 1142.783                |

Date Tested: 04/21/2026

20 serving(s) per container.

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) \* 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001-1 & SOP-012. Instrument: HPLC-PDA.



*Hripsime Aleksanyan*

Hripsime Aleksanyan - Quality Assurance Supervisor  
04/22/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-0000016-LIC



# Regulatory Compliance Testing Certificate of Analysis

2 of 4

## Dr Norms Pain Relief Tablets

METRC Sample: 1A406030001A902000010302; METRC Batch: 1A406030001B32D000001036

Sample ID: 2604LLI0687.2124

Produced: 03/22/2026

Distributor

Producer

Strain: Pain Relief Tablets

Collected: 04/17/2026

Last Minute Ventures

Last Minute Ventures

Matrix: Concentrates & Extracts

Received: 04/17/2026

Lic. # C11-0001229-LIC

Lic. # DCC-10004256

Type: Capsules

Completed: 04/22/2026

3411 San Pedro St

3411 San Pedro St Los Angeles, CA 90011

Sample Size: 13 units; Batch: 1,675 units

Batch#: DRNORMS-PAINTAB-009

Los Angeles, CA 90011

## Pesticides

Pass

| Analyte             | LOD    | LOQ    | Limit  | Results | Status | Analyte                 | LOD    | LOQ    | Limit  | Results | Status |
|---------------------|--------|--------|--------|---------|--------|-------------------------|--------|--------|--------|---------|--------|
|                     | µg/g   | µg/g   | µg/g   | µg/g    |        |                         | µg/g   | µg/g   | µg/g   | µg/g    |        |
| Abamectin           | 0.0275 | 0.0835 | 0.1    | ND      | Pass   | Fludioxonil             | 0.0124 | 0.0374 | 0.1    | ND      | Pass   |
| Acephate            | 0.0054 | 0.0165 | 0.1    | ND      | Pass   | Hexythiazox             | 0.0092 | 0.028  | 0.1    | ND      | Pass   |
| Acequinocyl         | 0.0051 | 0.0154 | 0.1    | ND      | Pass   | Imazalil                | 0.0116 | 0.0351 | 0.0116 | ND      | Pass   |
| Acetamiprid         | 0.0061 | 0.0185 | 0.1    | ND      | Pass   | Imidacloprid            | 0.0149 | 0.045  | 5      | ND      | Pass   |
| Aldicarb            | 0.0084 | 0.0255 | 0.0084 | ND      | Pass   | Kresoxim Methyl         | 0.0124 | 0.0377 | 0.1    | ND      | Pass   |
| Azoxystrobin        | 0.009  | 0.0274 | 0.1    | ND      | Pass   | Malathion               | 0.008  | 0.0242 | 0.5    | ND      | Pass   |
| Bifenazate          | 0.0107 | 0.0326 | 0.1    | ND      | Pass   | Metalaxyl               | 0.0061 | 0.0186 | 2      | ND      | Pass   |
| Bifenthrin          | 0.0098 | 0.0297 | 3      | ND      | Pass   | Methiocarb              | 0.0089 | 0.0271 | 0.0089 | ND      | Pass   |
| Boscalid            | 0.0129 | 0.039  | 0.1    | ND      | Pass   | Methomyl                | 0.0086 | 0.0262 | 1      | ND      | Pass   |
| Captan              | 0.2067 | 0.6264 | 0.7    | ND      | Pass   | Mevinphos               | 0.0071 | 0.0216 | 0.0071 | ND      | Pass   |
| Carbaryl            | 0.009  | 0.0271 | 0.5    | ND      | Pass   | Myclobutanil            | 0.0107 | 0.0323 | 0.1    | ND      | Pass   |
| Carbofuran          | 0.0077 | 0.0235 | 0.0077 | ND      | Pass   | Naled                   | 0.0075 | 0.0228 | 0.1    | ND      | Pass   |
| Chlorantraniliprole | 0.0084 | 0.0253 | 10     | ND      | Pass   | Oxamyl                  | 0.0034 | 0.0103 | 0.5    | ND      | Pass   |
| Chlordane           | 0.0282 | 0.0856 | 0.0282 | ND      | Pass   | Paclobutrazol           | 0.0114 | 0.0344 | 0.0114 | ND      | Pass   |
| Chlorfenapyr        | 0.0171 | 0.0519 | 0.0171 | ND      | Pass   | Methyl Parathion        | 0.0122 | 0.037  | 0.0122 | ND      | Pass   |
| Chlorpyrifos        | 0.0178 | 0.054  | 0.0178 | ND      | Pass   | Pentachloronitrobenzene | 0.0076 | 0.0231 | 0.1    | ND      | Pass   |
| Clofentezine        | 0.0058 | 0.0176 | 0.1    | ND      | Pass   | Permethrin              | 0.009  | 0.0274 | 0.5    | ND      | Pass   |
| Coumaphos           | 0.0045 | 0.0137 | 0.0045 | ND      | Pass   | Phosmet                 | 0.0106 | 0.032  | 0.1    | ND      | Pass   |
| Cyfluthrin          | 0.1387 | 0.4204 | 2      | ND      | Pass   | Piperonyl Butoxide      | 0.0063 | 0.0191 | 3      | ND      | Pass   |
| Cypermethrin        | 0.0116 | 0.0352 | 1      | ND      | Pass   | Prallethrin             | 0.0144 | 0.0437 | 0.1    | ND      | Pass   |
| Daminozide          | 0.0141 | 0.0427 | 0.0141 | ND      | Pass   | Propiconazole           | 0.0049 | 0.0148 | 0.1    | ND      | Pass   |
| Diazinon            | 0.0063 | 0.019  | 0.1    | ND      | Pass   | Propoxur                | 0.0082 | 0.0247 | 0.0082 | ND      | Pass   |
| Dichlorvos          | 0.0093 | 0.0281 | 0.0093 | ND      | Pass   | Pyrethrins              | 0.0381 | 0.1156 | 0.5    | ND      | Pass   |
| Dimethoate          | 0.0056 | 0.0169 | 0.0056 | ND      | Pass   | Pyridaben               | 0.0087 | 0.0263 | 0.1    | ND      | Pass   |
| Dimethomorph        | 0.0071 | 0.0216 | 2      | ND      | Pass   | Spinetoram              | 0.0074 | 0.0223 | 0.1    | ND      | Pass   |
| Ethoprophos         | 0.0082 | 0.0249 | 0.0082 | ND      | Pass   | Spinosad                | 0.008  | 0.0243 | 0.1    | ND      | Pass   |
| Etofenprox          | 0.007  | 0.0212 | 0.007  | ND      | Pass   | Spiromesifen            | 0.0067 | 0.0203 | 0.1    | ND      | Pass   |
| Etoazole            | 0.0045 | 0.0137 | 0.1    | ND      | Pass   | Spirotetramat           | 0.0101 | 0.0308 | 0.1    | ND      | Pass   |
| Fenhexamid          | 0.0079 | 0.024  | 0.1    | ND      | Pass   | Spiroxamine             | 0.004  | 0.0122 | 0.004  | ND      | Pass   |
| Fenoxycarb          | 0.0062 | 0.0188 | 0.0062 | ND      | Pass   | Tebuconazole            | 0.012  | 0.0364 | 0.1    | ND      | Pass   |
| Fenpyroximate       | 0.0056 | 0.017  | 0.1    | ND      | Pass   | Thiacloprid             | 0.0059 | 0.0179 | 0.0059 | ND      | Pass   |
| Fipronil            | 0.0079 | 0.0239 | 0.0079 | ND      | Pass   | Thiamethoxam            | 0.0082 | 0.0248 | 5      | ND      | Pass   |
| Flonicamid          | 0.0065 | 0.0198 | 0.1    | ND      | Pass   | Trifloxystrobin         | 0.0074 | 0.0225 | 0.1    | ND      | Pass   |

Date Tested: 04/17/2026

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.

Instrument: LC-MSMS.



*Hripsime Aleksanyan*

Hripsime Aleksanyan - Quality Assurance Supervisor  
04/22/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
<http://www.landaulabs.com>  
Lic# C8-0000016-LIC



# Regulatory Compliance Testing Certificate of Analysis

3 of 4

## Dr Norms Pain Relief Tablets

METRC Sample: 1A406030001A902000010302; METRC Batch: 1A406030001B32D000001036

Sample ID: 2604LLI0687.2124  
Strain: Pain Relief Tablets  
Matrix: Concentrates & Extracts  
Type: Capsules  
Sample Size: 13 units; Batch: 1,675 units

Produced: 03/22/2026  
Collected: 04/17/2026  
Received: 04/17/2026  
Completed: 04/22/2026  
Batch#: DRNORMS-PAINTAB-009

Distributor  
Last Minute Ventures  
Lic. # C11-0001229-LIC  
3411 San Pedro St  
Los Angeles, CA 90011

Producer  
Last Minute Ventures  
Lic. # DCC-10004256  
3411 San Pedro St Los Angeles, CA 90011

## Residual Solvents

Pass

| Analyte             | LOD   | LOQ   | Limit | Results | Status |
|---------------------|-------|-------|-------|---------|--------|
|                     | µg/g  | µg/g  | µg/g  | µg/g    |        |
| 1,2-Dichloro-Ethane | 0.01  | 0.36  | 1     | ND      | Pass   |
| Acetone             | 2.16  | 54.00 | 5000  | ND      | Pass   |
| Acetonitrile        | 0.04  | 4.32  | 410   | ND      | Pass   |
| Benzene             | 0.07  | 0.18  | 1     | ND      | Pass   |
| Butane              | 2.30  | 11.52 | 5000  | ND      | Pass   |
| Chloroform          | 0.06  | 0.36  | 1     | ND      | Pass   |
| Ethanol             | 2.88  | 14.40 | 5000  | ND      | Pass   |
| Ethyl-Acetate       | 1.15  | 28.80 | 5000  | ND      | Pass   |
| Ethyl-Ether         | 1.44  | 36.00 | 5000  | ND      | Pass   |
| Ethylene Oxide      | 0.37  | 0.94  | 1     | ND      | Pass   |
| Heptane             | 1.44  | 36.00 | 5000  | <LOQ    | Pass   |
| Isopropanol         | 0.18  | 36.00 | 5000  | <LOQ    | Pass   |
| Methanol            | 0.72  | 18.00 | 3000  | ND      | Pass   |
| Methylene-Chloride  | 0.02  | 0.36  | 1     | ND      | Pass   |
| n-Hexane            | 0.14  | 3.60  | 290   | ND      | Pass   |
| Pentane             | 2.22  | 10.80 | 5000  | ND      | Pass   |
| Propane             | 12.50 | 25.00 | 5000  | ND      | Pass   |
| Toluene             | 0.43  | 2.16  | 890   | ND      | Pass   |
| Trichloroethylene   | 0.07  | 0.36  | 1     | ND      | Pass   |
| m+p Xylene          | 0.86  | 4.32  |       |         |        |
| o-Xylene            | 0.43  | 2.16  |       |         |        |
| Total Xylenes       |       |       | 2170  | ND      | Pass   |

Date Tested: 04/20/2026

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004  
Instrument: HS-GC/MS



Hripsime Aleksanyan - Quality Assurance Supervisor  
04/22/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-0000016-LIC



# Regulatory Compliance Testing Certificate of Analysis

4 of 4

## Dr Norms Pain Relief Tablets

METRC Sample: 1A406030001A902000010302; METRC Batch: 1A406030001B32D000001036

|                                                  |                                    |                               |                                                |
|--------------------------------------------------|------------------------------------|-------------------------------|------------------------------------------------|
| <b>Sample ID:</b> 2604LLI0687.2124               | <b>Produced:</b> 03/22/2026        | <b>Distributor</b>            | <b>Producer</b>                                |
| <b>Strain:</b> Pain Relief Tablets               | <b>Collected:</b> 04/17/2026       | <b>Last Minute Ventures</b>   | <b>Last Minute Ventures</b>                    |
| <b>Matrix:</b> Concentrates & Extracts           | <b>Received:</b> 04/17/2026        | <b>Lic. # C11-0001229-LIC</b> | <b>Lic. # DCC-10004256</b>                     |
| <b>Type:</b> Capsules                            | <b>Completed:</b> 04/22/2026       | <b>3411 San Pedro St</b>      | <b>3411 San Pedro St Los Angeles, CA 90011</b> |
| <b>Sample Size:</b> 13 units; Batch: 1,675 units | <b>Batch#:</b> DRNORMS-PAINTAB-009 | <b>Los Angeles, CA 90011</b>  |                                                |

## Microbials

Pass

| Analyte                       | Results            | Status |
|-------------------------------|--------------------|--------|
| Aspergillus flavus            | Not Detected in 1g | Pass   |
| Aspergillus fumigatus         | Not Detected in 1g | Pass   |
| Aspergillus niger             | Not Detected in 1g | Pass   |
| Aspergillus terreus           | Not Detected in 1g | Pass   |
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass   |
| Salmonella SPP                | Not Detected in 1g | Pass   |

Date Tested: 04/20/2026

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

## Mycotoxins

Pass

| Analyte          | LOD    | LOQ     | Limit | Results | Status |
|------------------|--------|---------|-------|---------|--------|
|                  | µg/kg  | µg/kg   | µg/kg | µg/kg   |        |
| Aflatoxin B1     | 1.4645 | 4.4378  |       | ND      | Tested |
| Aflatoxin B2     | 1.6864 | 5.1103  |       | ND      | Tested |
| Aflatoxin G1     | 1.6979 | 5.1453  |       | ND      | Tested |
| Aflatoxin G2     | 1.409  | 4.2697  |       | ND      | Tested |
| Total Aflatoxins |        |         | 20    | ND      | Pass   |
| Ochratoxin A     | 4.5809 | 13.8815 | 20    | ND      | Pass   |

Date Tested: 04/17/2026

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

## Heavy Metals

Pass

| Analyte | LOD    | LOQ   | Limit | Results | Status |
|---------|--------|-------|-------|---------|--------|
|         | µg/g   | µg/g  | µg/g  | µg/g    |        |
| Arsenic | 0.0161 | 0.05  | 0.2   | ND      | Pass   |
| Cadmium | 0.0155 | 0.05  | 0.2   | 0.0971  | Pass   |
| Lead    | 0.0144 | 0.05  | 0.5   | <LOQ    | Pass   |
| Mercury | 0.0012 | 0.005 | 0.1   | <LOQ    | Pass   |

Date Tested: 04/21/2026

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



*Hripsime Aleksanyan*

Hripsime Aleksanyan - Quality Assurance Supervisor  
04/22/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.