



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
<http://www.landaulabs.com>
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

1 of 4

Dr Norms THC Max Tabs - Sativa

METRC Sample: 1A406030001A90200009240; METRC Batch: 1A406030001B32D000000859

Sample ID: 2512LLI2160.5717
Strain: THC Max Tabs - Sativa
Matrix: Concentrates & Extracts
Type: Capsules
Sample Size: 13 units; Batch: 2,928 units

Produced: 12/24/2025
Collected: 12/30/2025
Received: 12/30/2025
Completed: 01/03/2026
Batch#: DRNORMS-MST-005

Distributor
Last Minute Ventures/Inanna MFG
Lic. # C11-0001229-LIC
3411 San Pedro St
Los Angeles, CA 90011

Producer
Inanna MFG/Last Minute Ventures
Lic. # DCC-10004256
3411 San Pedro St Los Angeles, CA 90011



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	01/03/2026	Pass
Residual Solvents	12/30/2025	Pass
Microbials	12/30/2025	Pass
Mycotoxins	12/30/2025	Pass
Pesticides	12/30/2025	Pass
Heavy Metals	12/30/2025	Pass
Foreign Matter	12/30/2025	Pass

Cannabinoids

Pass

45.242 mg/serving	<LOQ	49.885 mg/serving	49.905 mg/serving
Total THC	Total CBD	Total Cannabinoids (Neutral)	Sum of Cannabinoids

Analyte	LOQ mg/g	LOD mg/g	Results mg/serving	Results mg/g	Results mg/serving	Results mg/container
THCa	0.500000	0.000050	ND	ND	ND	ND
Δ9-THC	0.500000	0.000052	45.242	180.969	45.242	904.845
Δ8-THC	0.500000	0.000057	ND	ND	ND	ND
THCV	0.500000	0.000114	0.234	0.934	0.234	4.670
CBDa	0.500000	0.000013	ND	ND	ND	ND
CBD	0.500000	0.000153	<LOQ	<LOQ	<LOQ	<LOQ
CBDV	0.500000	0.000068	ND	ND	ND	ND
CBN	0.500000	0.000048	2.450	9.798	2.450	48.990
CBGa	0.500000	0.000043	0.167	0.666	0.167	3.330
CBG	0.500000	0.000069	1.814	7.254	1.814	36.270
CBC	0.500000	0.000014	ND	ND	ND	ND
Total THC			45.242	180.969	45.242	904.845
Total CBD			<LOQ	<LOQ	<LOQ	<LOQ
Total			49.885	199.539	49.885	997.695

Date Tested: 01/03/2026
20 serving(s) per container.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) * 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001-1 & SOP-012. Instrument: HPLC-PDA.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
01/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

2 of 4

Dr Norms THC Max Tabs - Sativa

METRC Sample: 1A406030001A902000009240; METRC Batch: 1A406030001B32D000000859

Sample ID: 2512LLI2160.5717

Produced: 12/24/2025

Distributor

Producer

Strain: THC Max Tabs - Sativa

Collected: 12/30/2025

Last Minute Ventures/Inanna MFG

Inanna MFG/Last Minute Ventures

Matrix: Concentrates & Extracts

Received: 12/30/2025

Lic. # C11-0001229-LIC

Lic. # DCC-10004256

Type: Capsules

Completed: 01/03/2026

3411 San Pedro St

3411 San Pedro St Los Angeles, CA 90011

Sample Size: 13 units; Batch: 2,928 units

Batch#: DRNORMS-MST-005

Los Angeles, CA 90011

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0275	0.0835	0.1	ND	Pass	Fludioxonil	0.0124	0.0374	0.1	ND	Pass
Acephate	0.0054	0.0165	0.1	ND	Pass	Hexythiazox	0.0092	0.028	0.1	ND	Pass
Acequinocyl	0.0051	0.0154	0.1	ND	Pass	Imazalil	0.0116	0.0351	0.0116	ND	Pass
Acetamiprid	0.0061	0.0185	0.1	ND	Pass	Imidacloprid	0.0149	0.045	5	ND	Pass
Aldicarb	0.0084	0.0255	0.0084	ND	Pass	Kresoxim Methyl	0.0124	0.0377	0.1	ND	Pass
Azoxystrobin	0.009	0.0274	0.1	ND	Pass	Malathion	0.008	0.0242	0.5	ND	Pass
Bifenazate	0.0107	0.0326	0.1	ND	Pass	Metalaxyl	0.0061	0.0186	2	ND	Pass
Bifenthrin	0.0098	0.0297	3	ND	Pass	Methiocarb	0.0089	0.0271	0.0089	ND	Pass
Boscalid	0.0129	0.039	0.1	ND	Pass	Methomyl	0.0086	0.0262	1	ND	Pass
Captan	0.2067	0.6264	0.7	ND	Pass	Mevinphos	0.0071	0.0216	0.0071	ND	Pass
Carbaryl	0.009	0.0271	0.5	ND	Pass	Myclobutanil	0.0107	0.0323	0.1	ND	Pass
Carbofuran	0.0077	0.0235	0.0077	ND	Pass	Naled	0.0075	0.0228	0.1	ND	Pass
Chlorantraniliprole	0.0084	0.0253	10	ND	Pass	Oxamyl	0.0034	0.0103	0.5	ND	Pass
Chlordane	0.0282	0.0856	0.0282	ND	Pass	Paclobutrazol	0.0114	0.0344	0.0114	ND	Pass
Chlorfenapyr	0.0171	0.0519	0.0171	ND	Pass	Methyl Parathion	0.0122	0.037	0.0122	ND	Pass
Chlorpyrifos	0.0178	0.054	0.0178	ND	Pass	Pentachloronitrobenzene	0.0076	0.0231	0.1	ND	Pass
Clofentezine	0.0058	0.0176	0.1	ND	Pass	Permethrin	0.009	0.0274	0.5	ND	Pass
Coumaphos	0.0045	0.0137	0.0045	ND	Pass	Phosmet	0.0106	0.032	0.1	ND	Pass
Cyfluthrin	0.1387	0.4204	2	ND	Pass	Piperonyl Butoxide	0.0063	0.0191	3	ND	Pass
Cypermethrin	0.0116	0.0352	1	ND	Pass	Prallethrin	0.0144	0.0437	0.1	ND	Pass
Daminozide	0.0141	0.0427	0.0141	ND	Pass	Propiconazole	0.0049	0.0148	0.1	ND	Pass
Diazinon	0.0063	0.019	0.1	ND	Pass	Propoxur	0.0082	0.0247	0.0082	ND	Pass
Dichlorvos	0.0093	0.0281	0.0093	ND	Pass	Pyrethrins	0.0381	0.1156	0.5	ND	Pass
Dimethoate	0.0056	0.0169	0.0056	ND	Pass	Pyridaben	0.0087	0.0263	0.1	ND	Pass
Dimethomorph	0.0071	0.0216	2	ND	Pass	Spinetoram	0.0074	0.0223	0.1	ND	Pass
Ethoprophos	0.0082	0.0249	0.0082	ND	Pass	Spinosad	0.008	0.0243	0.1	ND	Pass
Etofenprox	0.007	0.0212	0.007	ND	Pass	Spiromesifen	0.0067	0.0203	0.1	ND	Pass
Etoxazole	0.0045	0.0137	0.1	ND	Pass	Spirotetramat	0.0101	0.0308	0.1	ND	Pass
Fenhexamid	0.0079	0.024	0.1	ND	Pass	Spiroxamine	0.004	0.0122	0.004	ND	Pass
Fenoxycarb	0.0062	0.0188	0.0062	ND	Pass	Tebuconazole	0.012	0.0364	0.1	ND	Pass
Fenpyroximate	0.0056	0.017	0.1	ND	Pass	Thiacloprid	0.0059	0.0179	0.0059	ND	Pass
Fipronil	0.0079	0.0239	0.0079	ND	Pass	Thiamethoxam	0.0082	0.0248	5	ND	Pass
Flonicamid	0.0065	0.0198	0.1	ND	Pass	Trifloxystrobin	0.0074	0.0225	0.1	ND	Pass

Date Tested: 12/30/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.

Instrument: LC-MSMS.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
01/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
<http://www.landaulabs.com>
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

3 of 4

Dr Norms THC Max Tabs - Sativa

METRC Sample: 1A406030001A902000009240; METRC Batch: 1A406030001B32D000000859

Sample ID: 2512LLI2160.5717
Strain: THC Max Tabs - Sativa
Matrix: Concentrates & Extracts
Type: Capsules
Sample Size: 13 units; Batch: 2,928 units

Produced: 12/24/2025
Collected: 12/30/2025
Received: 12/30/2025
Completed: 01/03/2026
Batch#: DRNORMS-MST-005

Distributor
Last Minute Ventures/Inanna MFG
Lic. # C11-0001229-LIC
3411 San Pedro St
Los Angeles, CA 90011

Producer
Inanna MFG/Last Minute Ventures
Lic. # DCC-10004256
3411 San Pedro St Los Angeles, CA 90011

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.01	0.36	1	ND	Pass
Acetone	2.16	54.00	5000	ND	Pass
Acetonitrile	0.04	4.32	410	ND	Pass
Benzene	0.07	0.18	1	ND	Pass
Butane	2.30	11.52	5000	ND	Pass
Chloroform	0.06	0.36	1	ND	Pass
Ethanol	2.88	14.40	5000	ND	Pass
Ethyl-Acetate	1.15	28.80	5000	ND	Pass
Ethyl-Ether	1.44	36.00	5000	ND	Pass
Ethylene Oxide	0.37	0.94	1	ND	Pass
Heptane	1.44	36.00	5000	ND	Pass
Isopropanol	0.18	36.00	5000	<LOQ	Pass
Methanol	0.72	18.00	3000	19.12	Pass
Methylene-Chloride	0.02	0.36	1	ND	Pass
n-Hexane	0.14	3.60	290	ND	Pass
Pentane	2.22	10.80	5000	ND	Pass
Propane	12.50	25.00	5000	ND	Pass
Toluene	0.43	2.16	890	ND	Pass
Trichloroethylene	0.07	0.36	1	ND	Pass
m+p Xylene	0.86	4.32			
o-Xylene	0.43	2.16			
Total Xylenes			2170	ND	Pass

Date Tested: 12/30/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004
Instrument: HS-GC/MS



Hripsime Aleksanyan - Quality Assurance Supervisor
01/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
<http://www.landaulabs.com>
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

4 of 4

Dr Norms THC Max Tabs - Sativa

METRC Sample: 1A406030001A902000009240; METRC Batch: 1A406030001B32D000000859

Sample ID: 2512LLI2160.5717
Strain: THC Max Tabs - Sativa
Matrix: Concentrates & Extracts
Type: Capsules
Sample Size: 13 units; Batch: 2,928 units

Produced: 12/24/2025
Collected: 12/30/2025
Received: 12/30/2025
Completed: 01/03/2026
Batch#: DRNORMS-MST-005

Distributor
Last Minute Ventures/Inanna MFG
Lic. # C11-0001229-LIC
3411 San Pedro St
Los Angeles, CA 90011

Producer
Inanna MFG/Last Minute Ventures
Lic. # DCC-10004256
3411 San Pedro St Los Angeles, CA 90011

Microbials

Pass

Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 12/30/2025

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.4645	4.4378		ND	Tested
Aflatoxin B2	1.6864	5.1103		ND	Tested
Aflatoxin G1	1.6979	5.1453		ND	Tested
Aflatoxin G2	1.409	4.2697		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	4.5809	13.8815	20	ND	Pass

Date Tested: 12/30/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0161	0.05	0.2	ND	Pass
Cadmium	0.0155	0.05	0.2	ND	Pass
Lead	0.0144	0.05	0.5	<LOQ	Pass
Mercury	0.0012	0.005	0.1	ND	Pass

Date Tested: 12/30/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



Hripsime Aleksanyan - Quality Assurance Supervisor
01/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.