

English

Phyco Rise

Gazette Notification Number and Date: S.O. 3922(E).—12-9-2024

Title of Biostimulant: (4) Sargassum tenerrimum 10% (Liquid)

Composition of Biostimulant: Seaweed Extract of Sargassum tenerrimum 10.0% w/w, Emulsifying agent 0.1% w/w, Alginic Acid per cent by weight minimum 2.0% w/w, pH (1:2 aqueous solution) 8.0-10.0 w/w, Organic matter (dry mass basis) percent by weight minimum 20.0% w/w, Aqua Base Q.S.

Crops: Paddy and Tomato

Dosage: 250 ml/acre, Foliar application



Hindi

Phyco Rise

Gazette Notification Number and Date: S.O. 3922(E).—
12-9-2024

Title of Biostimulant: Sargassum tenerrimum 10% (Liquid)

Composition of Biostimulant: Seaweed Extract of Sargassum tenerrimum 10.0% w/w, Emulsifying agent 0.1% w/w, Alginic Acid per cent by weight minimum 2.0% w/w, pH (1:2 aqueous solution) 8.0-10.0 w/w, Organic matter (dry mass basis) percent by weight minimum 20.0% w/w, Aqua Base Q.S.

Crops: Paddy and Tomato

Dosage: 250 ml/acre, Foliar application



Gujarati

Phyco Rise

Gazette Notification Number and Date: S.O. 3922(E).—
12-9-2024

Title of Biostimulant: Sargassum tenerrimum 10% (Liquid)

Composition of Biostimulant: Seaweed Extract of Sargassum tenerrimum 10.0% w/w, Emulsifying agent 0.1% w/w, Alginic Acid per cent by weight minimum 2.0% w/w, pH (1:2 aqueous solution) 8.0-10.0 w/w, Organic matter (dry mass basis) percent by weight minimum 20.0% w/w, Aqua Base Q.S.

Crops: Paddy and Tomato

Dosage: 250 ml/acre, Foliar application



Marathi

Phyco Rise

Gazette Notification Number and Date: S.O. 3922(E).—
12-9-2024

Title of Biostimulant: Sargassum tenerrimum 10% (Liquid)

Composition of Biostimulant: Seaweed Extract of Sargassum tenerrimum 10.0% w/w, Emulsifying agent 0.1% w/w, Alginic Acid per cent by weight minimum 2.0% w/w, pH (1:2 aqueous solution) 8.0-10.0 w/w, Organic matter (dry mass basis) percent by weight minimum 20.0% w/w, Aqua Base Q.S.

Crops: Paddy and Tomato

Dosage: 250 ml/acre, Foliar application



Telugu

Phyco Rise

Gazette Notification Number and Date: S.O. 3922(E).—
12-9-2024

Title of Biostimulant: Sargassum tenerrimum 10% (Liquid)

Composition of Biostimulant: Seaweed Extract of Sargassum tenerrimum 10.0% w/w, Emulsifying agent 0.1% w/w, Alginic Acid per cent by weight minimum 2.0% w/w, pH (1:2 aqueous solution) 8.0-10.0 w/w, Organic matter (dry mass basis) percent by weight minimum 20.0% w/w, Aqua Base Q.S.

Crops: Paddy and Tomato

Dosage: 250 ml/acre, Foliar application



Kannada

Phyco Rise

Gazette Notification Number and Date: S.O. 3922(E).—
12-9-2024

Title of Biostimulant: Sargassum tenerrimum 10% (Liquid)

Composition of Biostimulant: Seaweed Extract of Sargassum tenerrimum 10.0% w/w, Emulsifying agent 0.1% w/w, Alginic Acid per cent by weight minimum 2.0% w/w, pH (1:2 aqueous solution) 8.0-10.0 w/w, Organic matter (dry mass basis) percent by weight minimum 20.0% w/w, Aqua Base Q.S.

Crops: Paddy and Tomato

Dosage: 250 ml/acre, Foliar application



Bengali

Phyco Rise

Gazette Notification Number and Date: S.O. 3922(E).—
12-9-2024

Title of Biostimulant: Sargassum tenerrimum 10% (Liquid)

Composition of Biostimulant: Seaweed Extract of Sargassum tenerrimum 10.0% w/w, Emulsifying agent 0.1% w/w, Alginic Acid per cent by weight minimum 2.0% w/w, pH (1:2 aqueous solution) 8.0-10.0 w/w, Organic matter (dry mass basis) percent by weight minimum 20.0% w/w, Aqua Base Q.S.

Crops: Paddy and Tomato

Dosage: 250 ml/acre, Foliar application



Punjabi

Phyco Rise

Gazette Notification Number and Date: S.O. 3922(E).—
12-9-2024

Title of Biostimulant: Sargassum tenerrimum 10% (Liquid)

Composition of Biostimulant: Seaweed Extract of Sargassum tenerrimum 10.0% w/w, Emulsifying agent 0.1% w/w, Alginic Acid per cent by weight minimum 2.0% w/w, pH (1:2 aqueous solution) 8.0-10.0 w/w, Organic matter (dry mass basis) percent by weight minimum 20.0% w/w, Aqua Base Q.S.

Crops: Paddy and Tomato

Dosage: 250 ml/acre, Foliar application



English

Humizen Ultra

Gazette Notification Number and Date: S.O. 3922(E).—12-9-2024

Title of Biostimulant: Potassium Humate 49% (Powder)

Composition of Biostimulant: Humic Acid per cent. by weight minimum 21% w/w and pH (1 % aq solution) 6.0 – 8.0 w/w

Crops: Paddy and Tomato

Dosage: 400 gm/acre of powder

Single soil application by broadcast method.
It can be also mixed and broadcasted with organic and inorganic fertilisers during application with suitable soil moisture conditions . **Do not apply with bactericides.**
Give sufficient intervals between the applications.



Hindi

Humizen Ultra

Gazette Notification Number and Date: S.O. 3922(E).—12-9-2024

Title of Biostimulant: Potassium Humate 49% (Powder)

Composition of Biostimulant: Humic Acid per cent. by weight minimum 21% w/w and pH (1 % aq solution) 6.0 – 8.0 w/w

Crops: Paddy and Tomato

Dosage: 400 gm/acre of powder

Single soil application by broadcast method.
It can be also mixed and broadcasted with organic and inorganic fertilisers during application with suitable soil moisture conditions . **Do not apply with bactericides.**
Give sufficient intervals between the applications.



Gujarati

Humizen Ultra

Gazette Notification Number and Date: S.O. 3922(E).—12-9-2024

Title of Biostimulant: Potassium Humate 49% (Powder)

Composition of Biostimulant: Humic Acid per cent. by weight minimum 21% w/w and pH (1 % aq solution) 6.0 – 8.0 w/w

Crops: Paddy and Tomato

Dosage: 400 gm/acre of powder

Single soil application by broadcast method.
It can be also mixed and broadcasted with organic and inorganic fertilisers during application with suitable soil moisture conditions . **Do not apply with bactericides.**
Give sufficient intervals between the applications.



Marathi

Humizen Ultra

Gazette Notification Number and Date: S.O. 3922(E).—12-9-2024

Title of Biostimulant: Potassium Humate 49% (Powder)

Composition of Biostimulant: Humic Acid per cent. by weight minimum 21% w/w and pH (1 % aq solution) 6.0 – 8.0 w/w

Crops: Paddy and Tomato

Dosage: 400 gm/acre of powder

Single soil application by broadcast method.
It can be also mixed and broadcasted with organic and inorganic fertilisers during application with suitable soil moisture conditions . **Do not apply with bactericides.**
Give sufficient intervals between the applications.



Telugu

Humizen Ultra

Gazette Notification Number and Date: S.O. 3922(E).—12-9-2024

Title of Biostimulant: Potassium Humate 49% (Powder)

Composition of Biostimulant: Humic Acid per cent. by weight minimum 21% w/w and pH (1 % aq solution) 6.0 – 8.0 w/w

Crops: Paddy and Tomato

Dosage: 400 gm/acre of powder

Single soil application by broadcast method.
It can be also mixed and broadcasted with organic and inorganic fertilisers during application with suitable soil moisture conditions . **Do not apply with bactericides.**
Give sufficient intervals between the applications.



Kannada

Humizen Ultra

Gazette Notification Number and Date: S.O. 3922(E).—12-9-2024

Title of Biostimulant: Potassium Humate 49% (Powder)

Composition of Biostimulant: Humic Acid per cent. by weight minimum 21% w/w and pH (1 % aq solution) 6.0 – 8.0 w/w

Crops: Paddy and Tomato

Dosage: 400 gm/acre of powder

Single soil application by broadcast method.
It can be also mixed and broadcasted with organic and inorganic fertilisers during application with suitable soil moisture conditions . **Do not apply with bactericides.**
Give sufficient intervals between the applications.



Bengali

Humizen Ultra

Gazette Notification Number and Date: S.O. 3922(E).—12-9-2024

Title of Biostimulant: Potassium Humate 49% (Powder)

Composition of Biostimulant: Humic Acid per cent. by weight minimum 21% w/w and pH (1 % aq solution) 6.0 – 8.0 w/w

Crops: Paddy and Tomato

Dosage: 400 gm/acre of powder

Single soil application by broadcast method.
It can be also mixed and broadcasted with organic and inorganic fertilisers during application with suitable soil moisture conditions . **Do not apply with bactericides.**
Give sufficient intervals between the applications.



Punjabi

Humizen Ultra

Gazette Notification Number and Date: S.O. 3922(E).—12-9-2024

Title of Biostimulant: Potassium Humate 49% (Powder)

Composition of Biostimulant: Humic Acid per cent. by weight minimum 21% w/w and pH (1 % aq solution) 6.0 – 8.0 w/w

Crops: Paddy and Tomato

Dosage: 400 gm/acre of powder

Single soil application by broadcast method.
It can be also mixed and broadcasted with organic and inorganic fertilisers during application with suitable soil moisture conditions . **Do not apply with bactericides.**
Give sufficient intervals between the applications.

