



**REAL SIMPLE SAFETY**

**[WWW.C2VPPE.COM](http://WWW.C2VPPE.COM)**

**[SALES@C2VPPE.COM](mailto:SALES@C2VPPE.COM)**





The name C2V incorporates our initiative to maintain a Customer Centric Vision. We prioritize customers and restore personal connections in the safety industry, countering consolidated players and a lack of customer care.

C2V carries another significance as it reunites Craft and Varma, inspired by their shared passion to tackle the industry's impersonal nature. Our second venture aims to create a company dedicated to restoring a personal touch in customer interactions

## CORE VALUES

### Accountability

We take ownership of our responsibilities and deliver results that instill confidence in our customers and team members, creating a culture of reliability and trust.

### Innovation

We continuously seek creative, forward-thinking solutions that enhance our products and services for the benefit of our customers.

### Collaboration

C2V flourishes through open communication & teamwork. We collaborate closely with customers and employees to co-create solutions that meet unique needs, exceed expectations and achieve mutual success.

### Empathy

Empathy drives our day-to-day operations, ensuring that we prioritize understanding the needs and perspectives of both our customers and team members.

### Excellence






We set high standards, continuously improve our offerings, and go above and beyond to provide exceptional products and services to our valued customers.



## C2V CUT RESISTANT GLOVES - NO IMPACT, PALM COATED

IMAGE	STYLE #	CUT	ABRASION	PUNCTURE	GAUGE	PALM
	<b>1100G</b> X-SLASH	ANSI/ISEA 105 <b>A2</b>	ANSI/ISEA 105 <b>4</b>	ANSI/ISEA 105 <b>3</b>	<b>18</b>	POLYURETHANE
	<b>1101G</b> X-SLASH	ANSI/ISEA 105 <b>A2</b>	ANSI/ISEA 105 <b>4</b>	ANSI/ISEA 105 <b>3</b>	<b>18</b>	POLYURETHANE
	<b>1110G</b> X-SLASH	ANSI/ISEA 105 <b>A2</b>	ANSI/ISEA 105 <b>4</b>	ANSI/ISEA 105 <b>3</b>	<b>13</b>	POLYURETHANE
	<b>1111G</b> X-SLASH	ANSI/ISEA 105 <b>A2</b>	ANSI/ISEA 105 <b>4</b>	ANSI/ISEA 105 <b>3</b>	<b>13</b>	POLYURETHANE
	<b>1112G</b> X-SLASH	ANSI/ISEA 105 <b>A2</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>3</b>	<b>13</b>	FOAM NITRILE
	<b>1125G</b> X-SLASH	ANSI/ISEA 105 <b>A5</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>4</b>	<b>13</b>	POLYURETHANE
	<b>1132G</b> OMNI X	ANSI/ISEA 105 <b>A5</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>3</b>	<b>18</b>	SANDY FOAM NITRILE
	<b>1133G</b> OMNI X	ANSI/ISEA 105 <b>A5</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>3</b>	<b>18</b>	POLYURETHANE
	<b>1134G</b> OMNI X	ANSI/ISEA 105 <b>A5</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>3</b>	<b>18</b>	WATER FLASH MICRO-FOAM NITRILE
	<b>1140G</b> X-SLASH	ANSI/ISEA 105 <b>A5</b>	ANSI/ISEA 105 <b>4</b>	ANSI/ISEA 105 <b>4</b>	<b>10</b>	CRINKLE FINISH LATEX
	<b>1120G</b> X-SLASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>4</b>	<b>13</b>	POLYURETHANE
	<b>1121G</b> X-SLASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>4</b>	<b>13</b>	FOAM NITRILE

## C2V CUT RESISTANT GLOVES - NO IMPACT, PALM COATED

IMAGE	STYLE #	CUT	ABRASION	PUNCTURE	GAUGE	PALM
	<b>1122G</b> X-SLASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>4</b>	13	SANDY NITRILE OVER FLAT NITRILE
	<b>1124G</b> X-SLASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>4</b>	13	SANDY FOAM NITRILE
	<b>1138G</b> OMNI XRT	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>3</b>	18	SANDY FOAM NITRILE
	<b>1135G</b> OMNI XTREME	ANSI/ISEA 105 <b>A9</b>	ANSI/ISEA 105 <b>6</b>	ANSI/ISEA 105 <b>4</b>	18	SANDY FOAM NITRILE
	<b>1136G</b> OMNI XTREME	ANSI/ISEA 105 <b>A9</b>	ANSI/ISEA 105 <b>4</b>	ANSI/ISEA 105 <b>4</b>	18	POLYURETHANE

## ANSI / ISEA 105

ANSI/ISEA 105-2023  
Icon Design

### ANSI/ISEA 105



C.A.P. if you read  
it counter clockwise

#### ANSI/ISEA 105-2016 Taber Abrasion

ASTM D3389-10, ASTM D3884-09

Abrasion Level	Gram Load	Abrasion Cycles to Fail	Protection Level
0	500	<100	Very Low
1	500	≥100	Very Low
2	500	≥500	Low
3	500	≥1,000	Moderate
4	1000	≥3,000	High
5	1000	≥10,000	High
6	1000	≥20,000	Extreme

#### ANSI/ISEA 105-2016 Puncture Resistance

EN388 Clause 6.4

Level	Newtons
0	<10
1	>10
2	>20
3	>60
4	>100
5	>150

#### ANSI/ISEA 105-2016 Cut Resistance

ASTM F2992-15 (TDM)

-  200-499g
-  500-999g
-  1,000-1,499g
-  1,500-2,199g
-  2,200-2,999g
-  3,000-3,999g
-  4,000-4,999g
-  5,000-5,999g
-  6,000g +

# PROTECTIVE SLEEVES

## X-EDGE CUT RESISTANT SLEEVES

### X-EDGE 4307S18L



**COMING Q3!**



ANSI/ISEA 105



- Gauge - 13 ; Length- 18 Inches
- ANSI/ISEA 105 - CUT A6
- Composition - Engineered HPPE
- Hook & Loop at Bicep
- Thumb Slot
- Color - Hi-Viz Yellow
- Sizes Available - Large

### X-EDGE PRO 4308S18L



**COMING Q3!**



ANSI/ISEA 105



- Gauge - 18; Length - 18 Inches
- ANSI/ISEA 105 - CUT A6
- Composition - Engineered HPPE
- Hook & Loop at Bicep
- Thumb Slot
- Color - Hi-Viz Orange
- Sizes Available - Large

### X-EDGE ELITE 4309S18L



**COMING Q3!**



ANSI/ISEA 105



- Gauge - 21; Length - 18 Inches
- ANSI/ISEA 105 - CUT A6
- Composition - Engineered HPPE
- Elastic at Bicep
- Thumb Slot
- Color - Hi-Viz Green
- Sizes Available - Large

### High Tenacity Nylon/Cotton Sleeves



ITEM #	COLOR	GUSSET	THUMB SLOT	ANSI CUT LEVEL	LENGTH
4300S	Black	2"	No	A2	18"
4301S	Natural	2"	No	A2	18"
4302S	Black	4"	No	A2	18"
4303S	Natural	4"	No	A2	18"
4304S	Natural	2"	Yes	A2	18"
4305S	Black	2"	Yes	A2	18"
4306S	Black	4"	Yes	A2	18"



## X-SLASH CUT RESISTANT GLOVES

### X-SLASH 1100G & 1101G



- Shell Gauge - 18
- ANSI/ISEA 105 - CUT A2, ABRASION 4. PUNCTURE 3
- Shell Composition - High Performance Polyethylene
- Palm Coating - Polyurethane
- Palm Color - White or Gray
- Sizes Available - X-Small Through 2X-Large

### X-SLASH 1110G



- Shell Gauge - 13
- ANSI/ISEA 105 - CUT A2, ABRASION 4. PUNCTURE 3
- Shell Composition - High Performance Polyethylene
- Palm Coating - Polyurethane
- Palm Color - Gray
- Sizes Available - X-Small Through 2X-Large

### X-SLASH 1111G



- Shell Gauge - 13
- ANSI/ISEA 105 - CUT A2, ABRASION 4. PUNCTURE 3
- Shell Composition - High Performance Polyethylene
- Palm Coating - Polyurethane
- Palm Color - Gray
- Sizes Available - X-Small Through 2X-Large

### X-SLASH 1112G **NEW**



- Shell Gauge - 13
- ANSI/ISEA 105 - CUT A2, ABRASION 5 PUNCTURE 3
- Shell Composition - High Performance Polyethylene
- Palm Coating - Foam Nitrile
- Palm Color - Black
- Sizes Available - X-Small Through 2X-Large

# HAND PROTECTION

## X-SLASH CUT RESISTANT GLOVES

C2V's X-Slash gloves are made from 10 or 13 gauge, engineered high performance polyethylene (HPPE) or engineered aramid yarns, these gloves provide ANSI A2 to A6 cut resistance and come in multiple palm coatings.



### X-SLASH 1120G

ANSI/ISEA 105



- Shell Gauge - 13
- ANSI/ISEA 105 - CUT A6, ABRASION 5. PUNCTURE 4
- Shell Composition - Engineered HPPE
- Palm Coating - Polyurethane
- Touchscreen and Sanitized®
- Palm Color - Gray
- Sizes Available - X-Small Through 2X-Large

### X-SLASH 1121G

ANSI/ISEA 105



- Shell Gauge - 13
- ANSI/ISEA 105 - CUT A6, ABRASION 5. PUNCTURE 4
- Shell Composition - Engineered HPPE
- Palm Coating - Foam Nitrile
- Palm Color - Black
- Touchscreen and Sanitized®
- Sizes Available - X-Small Through 2X-Large

## X-SLASH CUT RESISTANT GLOVES

### X-SLASH 1125G



- Shell Gauge - 13
- ANSI/ISEA 105 - CUT A5, ABRASION 5. PUNCTURE 4
- Shell Composition - Engineered HPPE
- Palm Coating - Polyurethane
- Touchscreen
- Palm Color - Gray
- Sizes Available - X-Small Through 2X-Large

### X-SLASH 1122G



- Shell Gauge - 13
- ANSI/ISEA 105 - CUT A5, ABRASION 6. PUNCTURE 4
- Shell Composition - Engineered HPPE
- Palm Coating - Flat Nitrile Covered with Sandy Nitrile
- Palm Color - Black
- Touchscreen and Sanitized®
- Sizes Available - X-Small Through 2X-Large

### X-SLASH 1124G



- Shell Gauge - 13
- ANSI/ISEA 105 - CUT A6, ABRASION 5. PUNCTURE 4
- Shell Composition - Engineered HPPE
- Palm Coating - Sandy Foam Nitrile
- Palm Color - Black
- Touchscreen and Sanitized®
- Sizes Available - Small Through 2X-Large

### X-SLASH 1140G



- Shell Gauge - 10
- ANSI/ISEA 105 - CUT A5, ABRASION 4. PUNCTURE 4
- Shell Composition - Engineered Aramid
- Palm Coating - Crinkle Finished Latex
- Palm Color - Blue
- Sizes Available - Small Through X-Large

CE/EN 407:3030, 6.3 & EN ISO 12127-1:2016 Contact Level 2 Heat Resistance (482° for 15 seconds)

## OMNI X 1132G

C2V's OMNI X 1132G premium cut resistant gloves. 18 gauge high performance C-TRON shell contains no glass or steel. Sandy Foam Nitrile palm for superior grip. ANSI A5 cut resistance, ANSI Abrasion level 5 resistance, ANSI Puncture level 3.



ANSI/ISEA 105



### DESCRIPTION

- The OMNI-X 1132G combines cut resistance, and dexterity in one glove. The 18-gauge C-TRON shell provides ANSI A5 cut resistance without the use of steel or glass. The black nitrile palm coating has a sandy finish to give your hands maximum abrasion and puncture resistance, all while helping to secure your grip in harsh, oily, or wet environments. These gloves are great for working with sharp or jagged materials. And, if the protective qualities aren't enough, we've also given the 1132G touchscreen capabilities and an anti-microbial finish. ANSI Abrasion level 5 resistance, ANSI Puncture level 3 resistance.

### APPLICATIONS

- Sharp Parts Handling
- Glass Cutting
- Sheet Metal Handling
- Loading/Unloading
- Press Injection Molding

### INDUSTRIES

- Construction
- Automotive
- Metal Fabrication
- Machinery/Equipment
- General Purpose

### FEATURES/BENEFITS

- ANSI/ISEA-105 A5 Cut Resistance
- ANSI/ISEA 105 Abrasion 5
- ANSI /ISEA 105 Puncture 3
- Lightweight, highly dexterous and comfortable for all day wear.
- Touchscreen Fingertips
- Sanitized®
- Unit of Sale - 1 Pair
- Case Pack - 144 Pair
- Sizes Available - S - 3XL



## OMNI X 1133G

C2V's OMNI X premium cut resistant gloves Made from 18 gauge engineered HPPE shell contains no glass or steel. Polyurethane palm for superior grip. ANSI A5 cut resistance, ANSI Abrasion level 5 resistance, ANSI Puncture Level 3.



ANSI/ISEA 105



### DESCRIPTION

- The OMNI X 1133G by C2V is made from a premium ANSI /ISEA 105 A5 Cut Resistant, C-TRON yarn that requires no glass/steel to create the most amazing and protective product you will put on your hands. Look nowhere else for a cool, comfortable wear with cut protection. The form fitting Polyurethane Palm Coating will maximize dexterity while providing the feel of “not wearing a glove.

### APPLICATIONS

- Sharp Parts Handling
- Glass Cutting
- Sheet Metal Handling
- Loading/Unloading
- Press Injection Molding

### INDUSTRIES

- Construction
- Automotive
- Metal Fabrication
- Machinery/Equipment
- Hardcore Work!

### FEATURES/BENEFITS

- ANSI/ISEA-105 A5 Cut Resistance
- ANSI/ISEA 105 Abrasion 5
- ANSI /ISEA 105 Puncture 3
- Hi cut, abrasion and puncture while offering a comfortable all-day wear.
- Touchscreen
- Sanitized®
- Unit of Sale - 1 Pair
- Case Pack - 144 Pair
- Sizes Available - S - 2XL

# OMNI X

# HAND PROTECTION

## OMNI X 1134G

C2V's OMNI X 1134G premium cut resistant gloves. 18 gauge high performance C-TRON shell contains no glass or steel. Water Flash, Micro-Foam Nitrile palm for superior grip. ANSI A5 cut resistance, ANSI Abrasion level 5 resistance, ANSI Puncture level 3.



ANSI/ISEA 105



### DESCRIPTION

- The OMNI-X 1134G combines cut resistance, and dexterity in one glove. The 18-gauge C-TRON shell provides ANSI A5 cut resistance without the use of steel or glass. The black nitrile micro foam palm coating provides maximum abrasion and puncture resistance, all while helping to secure your grip in harsh, oily, or wet environments. These gloves are great for working with sharp or jagged materials. And, if the protective qualities aren't enough, we've also given the 1134G touchscreen capabilities and an anti-microbial treatment. ANSI Abrasion level 5 resistance, ANSI Puncture level 3 resistance

### APPLICATIONS

- Waste Handling/Recycling
- Material Handling
- Glass Handling
- Woodworking
- Sharp Parts Handling

### INDUSTRIES

- Construction
- Automotive
- Metal Fabrication
- Machinery/Equipment
- General Purpose

### FEATURES/BENEFITS

- ANSI/ISEA-105 A5 Cut Resistance
- ANSI/ISEA 105 Abrasion 5
- ANSI /ISEA 105 Puncture 3
- Lightweight, highly dexterous and comfortable for all day wear.
- Touchscreen Fingertips
- Sanitized®
- Unit of Sale - 1Pair
- Case Pack - 144 Pair
- Sizes Available - S - 2XL

# OMNI X

## OMNI XRT 1138G COMING Q3 2026

The New OMNI-XRT 1138G delivers refined, mid-premium cut protection built for real industrial work. 18 -Gauge Engineered HPPE-based shell contain no glass or steel, providing smooth comfort with elevated durability. Sandy Foam Nitrile Palm Coated. ANSI A6 cut protection, ANSI Abrasion level 5 and Puncture 3. Convenient Touchscreen fingertips.



ANSI/ISEA 105



### DESCRIPTION

- The OMNI-XRT™ 1138G Cut-Resistant Glove delivers premium performance with enhanced grip for demanding industrial environments. Built with an engineered HPPE shell containing no glass and no steel, OMNI-XRT™ provides ANSI Cut Level A6 protection while maintaining excellent comfort and dexterity. The black sandy foam nitrile palm offers superior grip in dry, oily, and wet conditions, supported by ANSI Abrasion Level 5 and ANSI Puncture Level 3 durability. Touchscreen-ready fingertips keep workers connected, and the reinforced thumb saddle extends glove life in high-wear zones. The OMNI-XRT™ 1138G is ideal where precision and protection must work together.

### APPLICATIONS

- Waste Handling/Recycling
- Material Handling
- Glass Handling
- Woodworking

### INDUSTRIES

- Construction
- Sanitation
- Fishing Industries
- Recycling

### FEATURES/BENEFITS

- ANSI/ISEA-105 A6 Cut Resistance
- ANSI/ISEA 105 Abrasion 5
- ANSI /ISEA 105 Puncture 3
- Touchscreen Fingertips
- Unit of Sale - 1 Pair
- Case Pack - 144 Pair
- Sizes Available - S - 2XL

# OMNI X RT

# HAND PROTECTION

## OMNI Xtreme 1135G

C2V's OMNI Xtreme, premium cut resistant gloves Made from 18 gauge engineered HPPE shell contains no glass or steel. Sandy Foam Nitrile palm for superior grip. ANSI A9 cut resistance, ANSI Abrasion level 6 resistance, ANSI Puncture Level 4.



ANSI/ISEA 105



### DESCRIPTION

- The Omni-Xtreme 1135G combines top level cut protection, dexterity and affordability to create the ultimate in hand protection. The 18-gauge Engineered HPPE shell provides ANSI A9 cut resistance. The black sandy nitrile palm coating helps you secure your grip in dry or wet/oily environments. These gloves are great for working with sharp or jagged materials. If the protective qualities aren't enough, we've also given the 1135G touchscreen capabilities. ANSI Abrasion level 5 resistance, ANSI Puncture level 4 resistance. Like the name implies, this glove covers it all.

### APPLICATIONS

- Sharp Parts Handling
- Glass Cutting
- Sheet Metal Handling
- Loading/Unloading
- Press Injection Molding

### INDUSTRIES

- Construction
- Automotive
- Metal Fabrication
- Machinery/Equipment
- Hardcore Work!

### FEATURES/BENEFITS

- ANSI/ISEA-105 A9 Cut Resistance
- ANSI/ISEA 105 Abrasion 6
- ANSI /ISEA 105 Puncture 4
- Hi cut, abrasion and puncture while offering a comfortable all-day wear.
- Touchscreen
- Unit of Sale - 1 Pair
- Case Pack - 144 Pair
- Sizes Available - S - 2XL

**OMNI**Xtreme

## OMNI Xtreme 1136G

C2V's OMNI Xtreme, premium cut resistant gloves Made from 18 gauge engineered HPPE shell contains no glass or steel. Polyurethane palm for superior grip. ANSI A9 cut resistance, ANSI Abrasion level 4 resistance, ANSI Puncture Level 4.



ANSI/ISEA 105



### DESCRIPTION

- The Omni-Xtreme 1136G combines top level cut protection, dexterity and affordability to create the ultimate in hand protection. The 18-gauge Engineered HPPE shell provides ANSI A9 cut resistance. The gray polyurethane palm coating provides superior dry grip. These gloves are great for working with sharp or jagged materials. If the protective qualities aren't enough, we've also given the 1136G touchscreen capabilities. ANSI Abrasion level 4 resistance, ANSI Puncture level 4 resistance. Like the name implies, this glove covers it all.

### APPLICATIONS

- Sharp Parts Handling
- Glass Cutting
- Sheet Metal Handling
- Loading/Unloading
- Press Injection Molding

### INDUSTRIES

- Construction
- Automotive
- Metal Fabrication
- Machinery/Equipment
- Hardcore Work!

### FEATURES/BENEFITS

- ANSI/ISEA-105 A9 Cut Resistance
- ANSI/ISEA 105 Abrasion 4
- ANSI /ISEA 105 Puncture 4
- Hi cut, abrasion and puncture while offering a comfortable all-day wear.
- Touchscreen
- Unit of Sale - 1 Pair
- Case Pack - 144 Pair
- Sizes Available - S - 2XL

# OMNI Xtreme

# HAND PROTECTION

## X-SLASH PREMIUM GOATSKIN DRIVERS-NON IMPACT

C2V's Premium X-SLASH Goatskin Drivers are offered with Engineered HPPE, Engineered Para-Aramid and Engineered HPPE with Thinsulate Liner. All versions come with Keystone Thumb These gloves are made for hardcore



IMAGE	STYLE #	CUT	ABRASION	PUNCTURE	LINER
	<b>3306G</b> X-SLASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>3</b>	ANSI/ISEA 105 <b>4</b>	CUT & SEWN ENGINEERED HPPE
	<b>3309G</b> X-SLASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>3</b>	ANSI/ISEA 105 <b>4</b>	CUT & SEWN ENGINEERED PARA-ARAMID
	<b>3310G</b> X-SLASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>3</b>	ANSI/ISEA 105 <b>4</b>	ENGINEERED HPPE & C100 THINSULATE LINED
	<b>3308G</b> X-SLASH	ANSI/ISEA 105 <b>A7</b>	ANSI/ISEA 105 <b>4</b>	ANSI/ISEA 105 <b>4</b>	CUT & SEWN ENGINEERED HPPE

## X-SLASH PREMIUM GOATSKIN DRIVERS-NON IMPACT

### X-SLASH 3306G



- ANSI/ISEA-105 A6 Cut Resistance
- ANSI/ISEA 105 Abrasion 3
- ANSI /ISEA 105 Puncture 4
- Keystone Thumb
- Unit of Sale - 1 Pair
- Case Pack - 72 Pair
- Sizes Available - S - 2XL

ANSI/ISEA 105



### X-SLASH 3308G



- ANSI/ISEA-105 A7 Cut Resistance
- ANSI/ISEA 105 Abrasion 4
- ANSI /ISEA 105 Puncture 4
- Keystone Thumb
- Unit of Sale - 1 Pair
- Case Pack - 72 Pair
- Sizes Available - S - 2XL

ANSI/ISEA 105



### X-SLASH 3309G



- ANSI/ISEA-105 A6 Cut Resistance
- ANSI/ISEA 105 Abrasion 3
- ANSI /ISEA 105 Puncture 4
- Keystone Thumb
- Unit of Sale - 1 Pair
- Case Pack - 72 Pair
- Sizes Available - S - 2XL

ANSI/ISEA 105



### X-SLASH 3310G COMING Q4



- ANSI/ISEA-105 A6 Cut Resistance
- ANSI/ISEA 105 Abrasion 3
- ANSI /ISEA 105 Puncture 4
- C100 Thinsulate® Lined
- Unit of Sale - 1 Pair
- Case Pack - 72 Pair
- Sizes Available - S - 2XL

ANSI/ISEA 105






# HAND PROTECTION

## X-SLASH & SMASH CUT & IMPACT RESISTANT GLOVES

IMAGE	STYLE #	CUT	ABRASION	PUNCTURE	GAUGE	NOTABLES
	<b>3200G</b> X-SLASH & SMASH	ANSI/ISEA 105 <b>A2</b>	ANSI/ISEA 105 <b>4</b>	ANSI/ISEA 105 <b>2</b>	<b>13</b>	SANDY FOAM NITRILE PALM W/PADDING
	<b>3202G</b> X-SLASH & SMASH	ANSI/ISEA 105 <b>A2</b>	ANSI/ISEA 105 <b>2</b>	ANSI/ISEA 105 <b>2</b>	<b>N/A</b>	CORDED CANVAS PALM
	<b>3312G</b> OMNI-X+	ANSI/ISEA 105 <b>A5</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>3</b>	<b>18</b>	SANDY FOAM NITRILE PALM
	<b>3313G</b> OMNI-X+	ANSI/ISEA 105 <b>A5</b>	ANSI/ISEA 105 <b>5</b>	ANSI/ISEA 105 <b>3</b>	<b>18</b>	SANDY FOAM NITRILE PALM
	<b>3301G</b> X-SLASH & SMASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>6</b>	ANSI/ISEA 105 <b>4</b>	<b>13</b>	SANDY FOAM NITRILE PALM
	<b>3302G</b> X-SLASH & SMASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>6</b>	ANSI/ISEA 105 <b>4</b>	<b>13</b>	SANDY FOAM NITRILE PALM
	<b>3305G</b> X-SLASH & SMASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>3</b>	ANSI/ISEA 105 <b>4</b>	<b>N/A</b>	CUT & SEWN ENGINEERED HPPE LINER
	<b>3307G</b> X-SLASH & SMASH	ANSI/ISEA 105 <b>A7</b>	ANSI/ISEA 105 <b>4</b>	ANSI/ISEA 105 <b>4</b>	<b>N/A</b>	CUT & SEWN ENGINEERED HPPE LINER
	<b>3311G</b> X-SLASH & SMASH	ANSI/ISEA 105 <b>A6</b>	ANSI/ISEA 105 <b>3</b>	ANSI/ISEA 105 <b>4</b>	<b>N/A</b>	ENGINEERED HPPE & C100 THINSULATE LINED
	<b>3314G</b> OMNI XTREME +	ANSI/ISEA 105 <b>A9</b>	ANSI/ISEA 105 <b>6</b>	ANSI/ISEA 105 <b>4</b>	<b>18</b>	SANDY FOAM NITRILE PALM



ANSI/ISEA 138-2019 Impact Resistance		
Performance Level	Mean (kN)	All Impact (kN)
 <b>1</b>	≤ 9	< 11.3
 <b>2</b>	≤ 6.5	≤ 8.1
 <b>3</b>	≤ 4	≤ 5

## X-SLASH & SMASH CUT & IMPACT RESISTANT GLOVES

### OMNI XTREME+ 3314G **NEW**

C2V's OMNI-Xtreme+ 3314G delivers high-visibility, 18-gauge performance with an engineered HPPE shell and black sandy-nitrile palm, built to protect against severe cut hazards and back-of-hand impacts. This series features ANSI Cut A9 and Level 2 Impact protection for demanding industrial environments.



ANSI/ISEA 105



ANSI / ISEA 138



### DESCRIPTION

The OMNI-XTREME+™ is engineered for workers who face the toughest cut, impact, and abrasion hazards on the floor. Built with an 18-gauge engineered HPPE shell, this glove delivers exceptional dexterity while achieving ANSI Cut Level A9, the highest level of cut protection. The sandy foam nitrile palm provides superior grip in dry, oily, and wet conditions, and the Impact Level 2 protection shields knuckles from impact risks. A reinforced thumb saddle boosts durability in the glove's highest-wear zone, while touchscreen fingertips keep workers connected without removing their gloves.

### APPLICATIONS

- Sharp Parts Handling
- Sheet Metal Handling
- Loading/Unloading
- Press Injection Molding

### INDUSTRIES

- Oil & Gas
- Utilities
- Manufacturing
- Telecom & Power

### FEATURES/BENEFITS

- ANSI/ISEA-105 A9 Cut Resistance
- ANSI/ISEA 105 Abrasion 6
- ANSI / ISEA 105 Puncture 4
- ANSI/ISEA 138 Impact 2
- Built for durability and heavy duty work.
- Knitwrist.
- Touchscreen Fingertips
- Sanitized®
- Unit of Sale - 1 Pair
- Case Pack - 72 Pair
- Sizes Available - S - 3XL



## X-SLASH & SMASH 3301G

C2V's X-SLASH & SMASH 3301G X-SLASH & SMASH, Salt/Pepper 13 Gauge Engineered HPPE Shell, Black Sandy Foam Nitrile Palm, Velcro Closure, ANSI Cut Level A6, Impact Level 2.



ANSI/ISEA 105



ANSI / ISEA 138



### DESCRIPTION

- The X-Slash & Smash 3301G combines impact protection with cut resistance and a lightweight, secure fit. Our 13-gauge alloy HPPE knit provides ANSI A6 cut protection while maintaining breathability. Additional TPR layers provide ANSI 2 impact protection where it matters most, while the black sandy nitrile palm coating protects your hands against abrasions, snags, and punctures. A reinforced thumb saddle and hook-and-loop closure at the wrist ensure a durable, secure fit. The 3301G also has touch-capable fingertips, so you can swipe right without taking them off.

### APPLICATIONS

- Unloading/Stacking Pipe
- General Pumping Work
- Scaffolding
- Running Tools into Wellbore
- Most Rugged Environments

### INDUSTRIES

- Oil & Gas
- Construction
- Mining
- Manufacturing
- Automotive

### FEATURES/BENEFITS

- ANSI/ISEA-105 A6 Cut Resistance
- ANSI/ISEA 105 Abrasion 6
- ANSI / ISEA 105 Puncture 4
- ANSI/ISEA 138 Impact 2
- Built for durability and heavy duty work.
- Velcro Closure at the wrist.
- Touchscreen Fingertips
- Sanitized®
- Unit of Sale - 1 Pair
- Case Pack - 48 Pair
- Sizes Available - S - 3XL



## X-SLASH & SMASH 3302G

C2V's X-SLASH & SMASH 3302G X-SLASH & SMASH, Salt/Pepper 13 Gauge Engineered HPPE Shell, Red Sandy Foam Nitrile Palm, Knitwrist, ANSI Cut Level A6, Impact Level 2.



ANSI/ISEA 105



ANSI / ISEA 138



### DESCRIPTION

- The X-Slash & Smash 3302G combines impact protection with cut resistance and a lightweight, secure fit. Our 13-gauge alloy HPPE knit provides ANSI A6 cut protection while maintaining breathability. Additional TPR layers provide ANSI 2 impact protection where it matters most, while the red sandy nitrile palm coating adds an extra layer of visibility while protecting your hands against abrasions, snags, and punctures. A reinforced thumb saddle and elastic knit wrist ensure durability and easy removal. But you won't need to take these off to answer the phone – the 3302G also has touch-capable fingertips.

### APPLICATIONS

- Unloading/Stacking Pipe
- General Pumping Work
- Scaffolding
- Running Tools into Wellbore
- Most Rugged Environments

### INDUSTRIES

- Oil & Gas
- Construction
- Mining
- Manufacturing
- Automotive

### FEATURES/BENEFITS

- ANSI/ISEA-105 A6 Cut Resistance
- ANSI/ISEA 105 Abrasion 6
- ANSI /ISEA 105 Puncture 4
- ANSI/ISEA 138 Impact 2
- Built for durability and heavy duty work.
- Knitwrist
- Touchscreen Fingertips
- Sanitized®
- Unit of Sale - 1 Pair
- Case Pack - 48 Pair
- Sizes Available - S - 3XL



## OMNI X+ 3312G

OMNI-X+ 3312G. Premium 18-gauge C-TRON Shell, No Glass & No Steel, Black Sandy Foam Nitrile Palm, Nitrile Thumb Reinforcement, Knitwrist, ANSI Cut A5, ANSI Level 2 Impact



ANSI/ISEA 105



ANSI / ISEA 138



### DESCRIPTION

- The OMNI-X+ 3312G combines impact protection with cut resistance and a lightweight, secure fit. Our 18-gauge C-TRON shell contains no glass or steel while offering ANSI A5 cut protection. The back of hand pattern offers maximum coverage without compromising dexterity or comfort and provides ANSI 2 impact protection. The form fitting, black sandy nitrile palm coating with a nitrile reinforced thumb, protects your hands against abrasions, snags, and punctures. The 3312G also has touch-capable fingertips, so you can swipe right without taking them off. Knitwrist cuff keeps debris out and provides a comfortable, secure fit. Sanitized®

### APPLICATIONS

- Machine Maintenance
- Small Parts Handling
- Framing/Demolition
- Material Handling
- Hot/Intense Work Conditions

### INDUSTRIES

- Oil & Gas
- Construction
- Manufacturing
- Mining
- Automotive

### FEATURES/BENEFITS

- ANSI/ISEA-105 A5 Cut Resistance
- ANSI/ISEA 105 Abrasion 5
- ANSI / ISEA 105 Puncture 3
- ANSI/ISEA 138 Impact 2
- Most comfortable, dexterous cut and impact resistant glove on the market.
- Knitwrist.
- Touchscreen
- Sanitized®
- Unit of Sale - 1 Pair
- Case Pack - 72 Pair
- Sizes Available - S - 3XL

# OMNI X+

## OMNI X+ 3313G

OMNI-X+ 3313G. Premium 18-gauge C-TRON Shell, No Glass & No Steel, Red Sandy Foam Nitrile Palm, Nitrile Reinforced Thumb, Velcro Closure at the wrist, ANSI Cut A5, ANSI Level 2 Impact



ANSI/ISEA 105



ANSI / ISEA 138



### DESCRIPTION

- The OMNI-X 3313G provides a secure, comfortable, lightweight all-day wear. Made from our 18-gauge C-TRON shell contains no glass or steel and provides ANSI A5 protection. The back of hand pattern offers maximum coverage without compromising dexterity or comfort and provides ANSI 2 impact protection. The flexible red sandy foam nitrile palm with reinforced thumb saddle provides durability and visibility in the field. The 3313G also has touchscreen fingertips so you can swip right without taking them off. It also features a velcro closure at the wrist for a secure, no slip wear. Sanitized®.

### APPLICATIONS

- Machine Maintenance
- Small Parts Handling
- Framing/Demolition
- Material Handling
- Hot/Intense Work Conditions

### INDUSTRIES

- Oil & Gas
- Construction
- Manufacturing
- Mining
- Automotive

### FEATURES/BENEFITS

- ANSI/ISEA-105 A5 Cut Resistance
- ANSI/ISEA 105 Abrasion 5
- ANSI /ISEA 105 Puncture 3
- ANSI/ISEA 138 Impact 2
- Most comfortable, dexterous cut and impact resistant glove on the market.
- Velcro Closure at the Wrist
- Touchscreen
- Sanitized®
- Unit of Sale - 1 Pair
- Case Pack - 72 Pair
- Sizes Available - S - 3XL

# OMNI X+

## X-SLASH & SMASH PREMIUM GOATSKIN

X-SLASH & SMASH, Premium Goatskin Drivers are offered with Engineered HPPE, and Engineered HPPE with Thinsulate Liner. All versions come with Keystone Thumb and ANSI Level 2 Impact Protection.



### DESCRIPTION

- The X-Slash & Smash Premium Goatskin line are the ultimate work-horse gloves. With ANSI A6 and A7 cut protection options, ANSI Level 2 impact protection, and a comfortable goatskin construction, these gloves are perfect for demanding tasks. The goatskin leather provides excellent tactile sensitivity, dexterity and comfort. The ergonomic keystone thumb reduces fatigue, promoting better performance.

### APPLICATIONS

- Rodbusting
- Steel Work
- Machine Operation
- Ironworker
- Masonry

### INDUSTRIES

- Oil & Gas
- Construction
- Railroad
- Mining
- Hardcore Work!



## X-SLASH & SMASH PREMIUM GOATSKIN

### 3305G

ANSI CUT **A6**,  
ENGINEERED HPPE

ANSI/ISEA 105    ANSI / ISEA 138



- ANSI/ISEA-105 A6 Cut Resistance
- ANSI/ISEA 105 Abrasion 3
- ANSI / ISEA 105 Puncture 4
- ANSI/ISEA 138 Impact 2
- Keystone Thumb
- Unit of Sale - 1 Pair
- Case Pack - 72 Pair
- Sizes Available - S - 3XL

### 3307G

ANSI CUT **A7**,  
ENGINEERED HPPE

ANSI/ISEA 105    ANSI / ISEA 138



- ANSI/ISEA-105 A7 Cut Resistance
- ANSI/ISEA 105 Abrasion 4
- ANSI / ISEA 105 Puncture 4
- ANSI/ISEA 138 Impact 2
- Keystone Thumb
- Unit of Sale - 1 Pair
- Case Pack - 72 Pair
- Sizes Available - S - 2XL

### 3311G

ANSI CUT **A6**,  
HPPE WITH THINSULATE

ANSI/ISEA 105    ANSI / ISEA 138



- ANSI/ISEA-105 A6 Cut Resistance
- ANSI/ISEA 105 Abrasion 3
- ANSI / ISEA 105 Puncture 4
- ANSI/ISEA 138 Impact 2
- Keystone Thumb
- Unit of Sale - 1 Pair
- Case Pack - 72 Pair
- Sizes Available - S - 2XL



# HAND PROTECTION

## IMPACT RESISTANT GLOVES

### X-SMASH 3200G



X-SMASH, Hi Viz Lime, 13-Gauge, Polyester Shell, ANSI Level 2 TPR Back of Hand Protection, Interior Foam Palm Padding, Reinforced Thumb, Black Sandy Nitrile Palm Coating, ANSI CUT A2

ANSI/ISEA 105



ANSI / ISEA 138



### X-SMASH 3201G



X-SMASH, Hi Viz Orange, 13-Gauge, Polyester Shell, ANSI Level 2 TPR Back of Hand Protection, Reinforced Thumb, Black Sandy Nitrile Palm Coating

ANSI/ISEA 105



ANSI / ISEA 138



### X-SMASH 3202G



X-SMASH, Hi-Viz Lime Spandex Back, ANSI Impact Level 2 TPR, Natural Color Corded Canvas Palm, Reinforced Thumb Crotch, Neoprene Cuff with TPR Pull Tab

ANSI/ISEA 105



ANSI / ISEA 138



# REAL SIMPLE SAFETY

### C2V 3203G



X-SMASH, Hi Viz Lime, 13-Gauge, Polyester Shell, ANSI Level 2 TPR Back of Hand Protection, Interior Foam Palm Padding, Reinforced Thumb, Black Sandy Nitrile Palm Coating, ANSI CUT A2

ANSI/ISEA 105



### C2V 3000G



Hi-Viz Green, Corded Canvas Double Palm, ANSI Level 2 Impact Protection, Green Knit Wrist

ANSI / ISEA 138



### C2V 3001G



Hi-Viz Orange, Corded Canvas Double Palm, ANSI Level 2 Impact Protection, Green Knit Wrist

ANSI / ISEA 138



## GENERAL PURPOSE GLOVES - PALM COATED

### X-STRESS 2000G



Gray, Gray / Black, Black Nylon Shell, PU Palm Coated. Sizes XS-2XL.

Also available in Polyester Shell. 2300G & 2301G

### X-STRESS 2106G



White Nylon Shell, Gray Flat Nitrile Palm Coated. Sizes SM-XL.

Also available in Polyester Shell. 2400G

### X-STRESS 2107G



Gray Nylon Shell, Gray Foam Nitrile Palm Coated. Sizes XS-XL.

### X-STRESS 2140G



COMING Q3  
2026

Gray, 15-Gauge Nylon/Spandex Shell, Black MicroFoam Nitrile Palm Coated. Touchscreen Fingertips. Sizes SM-XL.

### X-STRESS 2141G



COMING Q3  
2026

Gray, 15-Gauge Nylon/Spandex Shell, MicroFoam Nitrile Palm with Nitrile Dots. Touchscreen Fingertips. Sizes SM-XL.

### X-STRESS 2402G



Black Poly/Spandex Shell, Black Foam Nitrile Palm Coated. Touchscreen, ANSI ESD Anti-Static. Sizes XS-2XL.

### X-STRESS 2404G



Gray Poly Shell, Flat Nitrile under Black Sandy Nitrile 3/4 Coated. Sizes XS-2XL.

Also Available in Palm Coated - 2403G & Fully Coated. 2405G

### X-STRESS 2500G



Red Polyester Shell, Gray Crinkle Finish Latex Palm Coated. Sizes XS-2XL.

### X-STRESS 2501G



Hi-Viz Green High Tenacity Nylon Shell, Black Foam Latex Palm Coated. Sizes SM-XL.

## GENERAL PURPOSE GLOVES - OMNI FLX

### OMNI FLX

Premium Nylon/Spandex, Form Fitting 15 Gauge Shell.  
Durable Micro-Foam Palm Coating.



### DESCRIPTION

The C2V Omni FLX series features a Premium 15-gauge, gray, nylon/spandex shell with multiple Black, Micro-Foam Nitrile coating options that can withstand oil, abrasion and snags. These gloves are highly dexterous and provide a high level of tactile sensitivity. If you are looking for amazing fit and grip, check out the Omni FLX series from C2V.

### INDUSTRIES/APPLICATIONS

- Manufacturing
- Distribution
- Automotive
- Construction
- General Purpose
- Small Parts Sorting
- Box Handling
- Finishing /Parts Inspection
- Assembly
- Materials Handling

**OMNI FLX**  
WE'VE GOT YOUR FLEX!

## GENERAL PURPOSE GLOVES - OMNI FLX



### 2150G PALM COATED

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm Coated.

2150GS	SMALL
2150GM	MEDIUM
2150GL	LARGE
2150GXL	X-LARGE
2150G2XL	2X-LARGE



### 2150GV PALM COATED VEND PACKED

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm Coated, Vend Packed.

2150GVS	SMALL
2150GVM	MEDIUM
2150GVL	LARGE
2150GVXL	X-LARGE
2150GV2XL	2X-LARGE



### 2151G PALM COATED NITRILE DOTTED

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm , Nitrile Dots.

2151GS	SMALL
2151GM	MEDIUM
2151GL	LARGE
2151GXL	X-LARGE
2151G2XL	2X-LARGE



### 2152G PALM COATED 3/4 BACK COATED

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm , 3/4 Back Coated.

2152GS	SMALL
2152GM	MEDIUM
2152GL	LARGE
2152GXL	X-LARGE
2152G2XL	2X-LARGE



### 2152GV PALM COATED 3/4 BACK COATED VEND PACKED

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm , 3/4 Back Coated, Vend

2152GVS	SMALL
2152GVM	MEDIUM
2152GVL	LARGE
2152GVXL	X-LARGE
2152GV2XL	2X-LARGE



### 2153G PALM COATED 3/4 BACK COATED NITRILE DOTTED

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm , 3/4 Back Coated, Nitrile

2153GS	SMALL
2153GM	MEDIUM
2153GL	LARGE
2153GXL	X-LARGE
2153G2XL	2X-LARGE



### 2154G FULLY COATED

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm , Fully Coated.

2154GS	SMALL
2154GM	MEDIUM
2154GL	LARGE
2154GXL	X-LARGE
2154G2XL	2X-LARGE

## THE OMNI FLX ADVANTAGE

- Its lightweight 15-Gauge Nylon/ Spandex shell provides best in class comfort, breathability while not sacrificing durability for all day wear.
- Micro-Foam Nitrile coating provides superior grip, durability, dexterity and tactile sensitivity.
- Silicone Free.
- Offered in multiple configurations (Palm Coated, Vend Packed, Nitrile Dots, 3/4 back Coated, Fully Coated)
- Convenient Touchscreen fingertips.
- Sanitized® - Anti-Microbial treatment keeps the gloves cleaner before, during, and after use.
- Oeko Tex Standard 100 Certified- globally recognized label for textiles that have been tested for harmful substances. This certification ensures that every component of the product, has been tested and found free from harmful levels of over 1,000 substances.
- If a product is OEKO-TEX® Standard 100 certified, it means it is safe for human use and meets high safety standards, making it a reliable choice for consumers concerned about product safety and environmental impact.

**OMNI FLX**  
WE'VE GOT YOUR FLEX!

# HAND PROTECTION

## GENERAL PURPOSE GLOVES - PALM COATED

### X-STRESS 4202G



X-Stress, Standard Gray , 10-Gauge Spun Polyester Shell, Gray Crinkle Finish Latex Palm Coating. Sizes SM - XL

### X-STRESS 4203G



X-Stress, Premium Gray , 10-Gauge Spun Polyester Shell, Blue Crinkle Finish Latex Palm Coating. Sizes SM - XL



### 4200G



Natural Color, 10-Gauge Spun Polyester Shell, Smooth Blue, Latex Palm Coating. Sizes SM - XL

### 4201G



Gray, 10-Gauge Recycled Fiber Shell, Black Crinkle Finish Latex Palm Coating. Sizes SM - XL

### 4204G



Gray, 10-Gauge Spun Polyester Shell, Blue Crinkle Finish Latex Palm Coating. Sizes SM - XL.

## GENERAL PURPOSE GLOVES

### 4000G



Brown Jersey, Standard Weight, Clute Cut, Knitwrist

### 4001G



Natural Color, Standard Weight, Cotton Canvas, Knitwrist.

### 4003G



Natural Color, Canvas Double Palm, Nap In, Red Knitwrist.

### 4004G



Natural Color, Canvas Double Palm, Nap In, Knitwrist.

### 4005G



Natural Color, Regular Weight Hotmill, 100% Cotton, Band Top.

### 4006G



Natural Color, Heavy Weight, Cotton Canvas, Knitwrist.

### 4007G



Natural Color, Corded Canvas Double Palm, Nap In, Knitwrist.

### 4008G



Natural Color, 8 oz Cotton Canvas, Wing Thumb, Knitwrist.

### 4009G



Premium Cotton Canvas, Orange PVC Dots, Orange Knitwrist.

Also Available with Black Dots-4002G

## GENERAL PURPOSE GLOVES

### 4100G



Gray, 7-Gauge, Heavy Weight Polyester / Cotton Machine Knit. Sizes SM & LG

### 4101G



Natural Color, 7-Gauge, Standard Weight, Poly/Cotton Machine Knit. Sizes SM & LG

### 4102G



Gray, 7-Gauge, Standard Weight, Polyester/Cotton Machine Knit. Sizes SM & LG.

### 4103G



White, 13-Gauge, 100% Polyester Machine Knit. Sizes SM, MD, LG.

### 4104G



Bleached White, 7 Gauge, Standard Weight, Poly/Cotton Machine Knit. Sizes SM, MD, LG.

### 4105G



Natural Color, 7-Gauge, Standard Poly/Cotton Machine Knit, PVC Dots on 1 Side. Sizes SM & LG.

### 4106G



Natural Color, 7-Gauge, Standard Weight, Poly/Cotton Machine Knit, PVC Dots on 2 Sides. Sizes SM & LG.

### 4107G



Natural Color, 24- oz, Loop-Out Terry. Knitwrist. Sizes SM & LG.

### 4108G



Gray Color, 24- oz, Loop-Out Terry. Knitwrist. Sizes SM, LG & XL.

## LEATHER GLOVES - NON CUT RESISTANT

### 4500G



Cowhide, Regular Shoulder, Split Leather, Reinforced Palm, Knitwrist.

### 4501G



Cowhide, Regular Shoulder, Split Leather Palm, Knitwrist.

### 4502G



Cowhide, Shoulder Split Leather Palm, 2 1/2" Rubberized Safety Cuff. Sizes SM - 3XL.

### 4503G



Cowhide, Split Shoulder Leather Patch Palm, Striped, Starched Safety Cuff.

### 4504G



Cowhide, Standard Split Shoulder, Leather Double Palm, 2 1/2" Rubberized Safety Cuff. Sizes SM - 2XL.

### 4505G



Cowhide, Standard Grain Leather Driver, Orange (Sewn On) FR Fingertips. **Available w/ non FR Fingertips - 4515G.**

### 4507G



Cowhide, Standard Grain Leather Driver, Unlined, Keystone Thumb. **Available in Industry Grade - 4506G.**

### 4510G



Goatskin, Premium Grain Leather Driver, Unlined, Keystone Thumb. **Available in Industry Grade - 4509G.**

### 4513G



Cowhide, Select Shoulder Grain Leather Driver, Brown Split Back. **Available in Gray Split Back - 4508G.**

## WELDING GLOVES

### 4512G



4512G is a shoulder split cowhide leather glove, which provides durability, abrasion resistance, long-lasting performance, and breathability. The one-piece back design is fully welted which protects seams from abrasions and allows for extended life by minimizing the risk of seam failure.

### 4514G



4514G is a shoulder split cowhide leather glove, which provides durability, abrasion resistance, and long-lasting performance. 4514G is aramid sewn for durability and longevity. The one-piece back design is fully welted which protects seams from abrasions and allows for extended life by minimizing the risk of seam failure.

### X-SPARK 4516G



The X-SPARK 4516G is made from premium cowhide leather offering a combination of durability, traditional comfort and dexterity. The aramid sewn seams provide resistance to sparks and burns providing additional glove life when welding. A 4" Split Cow Leather Cuff. Sizes SM - 2XL

### 4517G



The 4517G is made from grain cowhide leather offering a combination of durability, traditional comfort and dexterity. A 4" Split Cow Leather Cuff covers the wrist and lower forearm to further enhance protection in a variety of applications. Sizes SM - XL

## DISPOSABLE GLOVES

### X-SPLASH 4400G



- 4 Mil Blue Nitrile Single Use
- Powder-Free
- Textured Grip
- Industry Grade - Not for Medical use. Safe for Food Handling. Sizes SM - XL.

### X-SPLASH 4401G



- 4 Mil Black Nitrile Single Use
- Powder-Free
- Textured Grip
- Industry Grade - Not for Medical use. Safe for Food Handling. Sizes SM - XL.

### X-SPLASH 4402G



- 8 Mil Black Nitrile, Single Use
- Powder-Free
- Diamond Embossed Grip
- Industry Grade - Not for Medical use. Safe for Food Handling. Sizes SM - 2XL.

### X-SPLASH 4403G



- 8 Mil Orange Nitrile, Single Use
- Powder-Free
- Diamond Embossed Grip
- Industry Grade - Not for Medical use. Safe for Food Handling. Sizes SM - 2XL.

## WINTER GLOVES

### X-FREEZE 1900G



ANSI/ISEA 105



- Natural rubber latex gloves offer exceptional gripping power and outstanding protection against punctures and abrasion.
- Thermal, 10-Gauge, Hi-Viz Green Terry shell with a brushed polyester interior provides cold weather protection.
- Seamless Construction offers increased breathability and comfort.
- Sizes SM - 2XL

### X-FREEZE 1903G



**NEW  
CUT A9  
Q4**

ANSI/ISEA 105



- Thermal Engineered HPPE Shell offers ANSI Cut Level A9 protection.
- Sandy Foam Nitrile palm coating offers excellent puncture, tear and abrasion resistance while maximizing breathability, durability, and grip
- Seamless Construction offers increased breathability and comfort.
- Sizes SM - 2XL

### X-FREEZE 1901G



ANSI/ISEA 105



- Engineered HPPE Shell offers ANSI Cut Level A6 protection without giving up much needed dexterity.
- Heavy duty, Engineered HPPE Shell offering level 5 abrasion and level 4 puncture resistance.
- Sandy Foam Nitrile palm coating offers excellent puncture, tear and abrasion resistance while maximizing breathability, durability, and grip
- Sizes SM - 2XL

### X-FREEZE 3402G



ANSI/ISEA 105



ANSI/ISEA 138



- ANSI A6 Cut Resistance for working with sharp or jagged materials.
- Insulated with a comfortable Acrylic Liner to provide protection from the cold.
- Sandy Nitrile palm coating offers maximum abrasion resistance, for longer lasting wear in harsh, oily and/or wet conditions.
- ANSI Level 2 Impact/Back of Hand Protection
- Sizes MD - 2XL



### X-FREEZE 2600G



- Natural rubber latex gloves offer exceptional gripping power and protection against punctures and abrasion.
- Thermal, 7-Gauge, Hi-Vis Green Terry shell with a brushed polyester interior provides cold weather protection.
- Crinkle Finish Latex provides grip in wet and dry conditions.
- Sizes SM - 2XL

### X-FREEZE 2601G



ANSI/ISEA 105



- Natural rubber latex gloves offer exceptional gripping power and outstanding protection against punctures and abrasion.
- Fully Coated, ANSI Cut Level A2 Shell provides splash protection and additional warmth in cold, wet environments.
- Sandy Latex provides grip in wet and dry conditions.
- Sizes SM - 2XL

### X-FREEZE 2602G



ANSI/ISEA 105



- Natural rubber latex gloves offer exceptional gripping power and protection against punctures and abrasion.
- Thermal, 7-Gauge, Hi-Vis Green Terry shell with a brushed polyester interior provides cold weather protection.
- Foam Latex provides grip in wet and dry conditions.
- Sizes SM - 2XL

## WINTER GLOVES

### X-FREEZE 3311G | X-FREEZE 3310G



ANSI/ISEA 105



- C100 Thinsulate® liner also makes it warm on those cold winter days.
- Cut Resistant - Engineered HPPE liner provides dexterity and comfort along with ANSI A6 Cut Resistance for working with sharp or jagged materials.
- ANSI Impact Level 2 protection for back of hands.
- Ergonomic keystone thumb reduces hand fatigue and promotes a wider range of function.
- Sizes MD - 2XL

ANSI / ISEA 138



**NEW  
Q4**

ANSI/ISEA 105



- C100 Thinsulate® liner also makes it warm on those cold winter days.
- Cut Resistant - Engineered HPPE liner provides dexterity and comfort along with ANSI A6 Cut Resistance for working with sharp or jagged materials.
- Ergonomic keystone thumb reduces hand fatigue and promotes a wider range of function.
- Sizes MD - 2XL

# XFREEZE

### X-FREEZE 4801G | X-FREEZE 4802G



- As a traditional favorite, Grain Cowhide provides comfort, durability, abrasion resistance & breathability.
- Thinsulate® lined to keep you warm in cool weather.
- Ergonomic keystone thumb reduces hand fatigue and promotes a wider range of function.
- Sizes SM - 2XL



- Grain Goatskin is comfortable, abrasion resistant and provides the best tactile sensitivity of the leather family
- Thinsulate® lined to keep you warm in cool weather.
- Ergonomic keystone thumb reduces hand fatigue and promotes a wider range of function.
- Sizes SM - 2XL

### X-FREEZE 4111G



- Acrylic/Spandex Construction Makes for a Fantastic Winter Liner.
- One of the most comfortable gloves we offer.
- Elastic Knit Wrist helps prevent dirt and debris from entering the glove.
- Seamless knit shell is comfortable and flexible.
- Universally sized to fit almost any hand.

### X-FREEZE 4800G



- Economical Split Cowhide Leather provides comfort and durability at a reasonable price.
- Red Fleece lined to keep you warm in cool weather.
- Ergonomic keystone thumb reduces hand fatigue and promotes a wider range of function.
- Shirred elastic back for safety and comfort
- Sizes SM - XL

### X-FREEZE 4803G



- Goatskin is comfortable, abrasion resistant and provides the best tactile sensitivity of the leather family
- White Fleece lined to keep you warm in cool weather.
- Ergonomic keystone thumb reduces hand fatigue and promotes a wider range of function.
- Shirred elastic back for safety and comfort
- Sizes SM - 2XL

## I TYPE R, CLASS 2 T-SHIRTS

### I X-CRASH 8T13 SERIES



**8T13G2H**  
**SIZES SM - 5XL**



**8T13O2H**  
**SIZES SM - 5XL**

X-CRASH 8T13 is a high-performance and breathable Birdseye mesh shirt, designed to keep wearers cool and comfortable even in hot weather. 100% durable and moisture-wicking fabric is built to withstand rigorous activities, while ensuring optimal airflow. It is an ANSI/ISEA 107-2020, Type R, Class 2 rated shirt, providing enhanced visibility and safety. Features two vertical 2" heat-transferred, stretchable reflective stripes and a 360° 2" horizontal stripe, ensuring maximum visibility from all angles. A convenient left chest pocket keeps small essentials within reach. Front side Black Bottom Panel for dirty environments. Customization of the left chest pocket and back center of the shirt is available.

### I X-CRASH 8T11 SERIES



**8T11G2H**  
**SIZES SM - 5XL**



**8T11O2H**  
**SIZES SM - 5XL**

X-CRASH 8T11 is a high-performance and breathable Birdseye mesh shirt, designed to keep wearers cool and comfortable even in hot weather. 100% durable and moisture-wicking fabric is built to withstand rigorous activities, while ensuring optimal airflow. It is an ANSI/ISEA 107-2020, Type R, Class 2 rated shirt. Features two vertical 2" heat-transferred, stretchable reflective stripes and a 360° 2" horizontal stripe, ensuring maximum visibility from all angles. A convenient left chest pocket keeps small essentials within reach. Customization of the left chest pocket and back center of the shirt is available.



### I X-CRASH 8T12G2H



**SIZES SM - 5XL**



X-CRASH 8T12 is a premium Birdseye mesh shirt made from 100% breathable, durable, and moisture-wicking fabric to keep wearers dry and cool in all environments. ANSI/ISEA 107-2020, Type R, Class 2 rated and features segmented tape, allowing for more comfortable movement and wear, ensuring unrestricted mobility. Two vertical 2" heat-transferred, stretchable reflective stripes and a 360° 2" horizontal stripe, enhancing visibility from all angles. A convenient left chest pocket keeps essential items in reach.

TYPE R, CLASS 3 T-SHIRTS

X-CRASH 8T52 SERIES



**X**CRASH

**8T52G3H**  
SIZES SM - 5XL



**8T52O3H**  
SIZES SM - 5XL

X-CRASH 8T52 is a high-performance, short-sleeved Birdseye mesh shirt crafted from 100% breathable, durable, and moisture-wicking fabric. ANSI/ISEA 107-2020, Type R, Class 3 rated. Features two vertical 2" heat-transferred, stretchable reflective stripes, two 360° 2" horizontal stripes, and one 2" tape stripe on each sleeve, ensuring visibility from all angles. Convenient left chest pocket keeps essentials within reach. Customization of the left chest pocket and the back center of the shirt is available.

X-CRASH 8T51 SERIES



**8T51G3H**  
SIZES SM - 5XL



**8T51O3H**  
SIZES SM - 5XL

X-CRASH 8T51 is a high-performance, long-sleeved Birdseye mesh shirt crafted from 100% breathable, durable, and moisture-wicking fabric. ANSI/ISEA 107-2020, Type R, Class 3 rated. Features two vertical 2" heat-transferred, stretchable reflective stripes, one 360° 2" horizontal stripe, and two 2" tape stripes on each sleeve, ensuring visibility from all angles. Convenient left chest pocket keeps essentials within reach. Customization of the left chest pocket and the back center of the shirt is available.

X-CRASH 8T53 SERIES



**8T53G3H**  
SIZES SM - 5XL



**8T53O3H**  
SIZES SM - 5XL

X-CRASH 8T53 is a high-performance, long-sleeved Birdseye mesh shirt crafted from 100% breathable, durable, and moisture-wicking fabric. ANSI/ISEA 107-2020, Type R, Class 3 rated. Features two vertical 2" heat-transferred, stretchable reflective stripes, one 360° 2" horizontal stripe, and two 2" tape stripes on each sleeve, ensuring visibility from all angles. It also provides a Black Bottom Front Panel and Black Forearms for work in dirty environments. Convenient left chest pocket keeps essentials within reach. Customization of the left chest pocket and the back center of the shirt is available.

## ANSI/ISEA 107-2020 TYPE R, CLASS 2 VESTS

### X-CRASH 8V11G2H



SIZES SM - 5XL



### X-CRASH 8V11O2H



SIZES SM - 5XL



### X-CRASH 8V12G2H



SIZES SM - 5XL



### X-CRASH 8V12O2H



SIZES SM - 5XL



### X-CRASH 8V13G2H



SIZES SM - 5XL



### X-CRASH 8V13O2H



SIZES SM - 5XL



### X-CRASH 8V15G2H



SIZES SM - 5XL



### X-CRASH 8V24G2H



SIZES SM - 5XL



### X-CRASH 8V24O2H



SIZES SM - 5XL



**ANSI/ISEA 107-2020 TYPE R, CLASS 2 SELF-EXTINGUISHING VESTS**

**X-CRASH 8V19 SERIES**



8V19G2H  
SIZES SM - 5XL

POCKETS **2**

360° MESH

ZIPPER

SELF-EXTINGUISHING **SE**

8V19O2H  
SIZES MD - 5XL

X-CRASH 8V19 is an ANSI/ISEA, Type R, Class 2 rated vest made with self-extinguishing (SE) mesh material which offers additional protection by minimizing the risk of fire-related incidents. It features two vertical 2" reflective stripes and one 360° 2" horizontal stripe, enhancing visibility from all angles. It is equipped with one upper left pocket and one lower right inside pocket that offer storage options for essentials. Customization of the left chest pocket and the back center of the vest is available.

**X-CRASH 8V26 SERIES**



8V26G2H  
SIZES SM - 5XL

POCKETS **2**

360° MESH

ZIPPER

SELF-EXTINGUISHING **SE**

8V26O2H  
SIZES SM - 5XL

X-CRASH 8V26 is an ANSI/ISEA, Type R, Class 2 rated vest made with self-extinguishing (SE) mesh material as defined by ASTM D6413. It features two vertical 2", 2-Tone reflective stripes and one 360° 2", 2-Tone horizontal stripe, enhancing visibility from all angles. It is equipped with one upper left pocket and one lower right inside pocket that offer storage options for essentials. Customization of the left chest pocket and the back center of the vest is available.

**ANSI/ISEA 107-2020 TYPE R, CLASS 2 BREAKAWAY VESTS**

**X-CRASH 8V14 SERIES**



8V14G2H  
SIZES SM - 5XL

POCKETS **3**

360° MESH

HOOK & LOOP

5 PT BREAKAWAY

8V14O2H  
SIZES SM - 5XL

X-CRASH 8V14 is an ANSI/ISEA 107-2020, Type R, Class 2 rated vest with a 5-point breakaway system at the shoulders, sides, and front closure, ensuring quick and safe removal in case of an emergency. Equipped with two vertical 2" stripes and one 360° 2" horizontal stripe, offering enhanced visibility from all angles. Includes upper left chest, lower right inside, and lower left inside pockets for convenient storage. Customization of the back center of the vest is available.

**X-CRASH 8V23G2H**



8V23G2H  
SIZES SM - 5XL

POCKETS **8**

SOLID FRONT/ MESH BACK

ADJUSTABLE BUTTON FRONT

5 PT BREAKAWAY

X-CRASH 8V23G is an ANSI/ISEA 107-2020, Type R, Class 2 rated Breakaway vest that features a solid front and mesh back, providing durability, breathability, and dual sizing options. It has two 2" vertical reflective stripes and one 360° 2" horizontal stripe that enhance visibility from all angles. It features one outside chest pocket, one outside split chest pocket, one outside upper phone pocket, two outside lower pockets, two inside large pockets, and one inside flashlight pocket that provide ample storage space.

## ANSI/ISEA 107-2020 TYPE R, CLASS 2 SURVEYOR VESTS

### X-CRASH 8V16G2H



SIZES SM - 5XL



### X-CRASH 8V16O2H



SIZES SM - 5XL



### X-CRASH 8V17G2H



SIZES SM - 5XL



### X-CRASH 8V17O2H



SIZES SM - 5XL



### X-CRASH 8V18G2H



SIZES SM - 5XL



### X-CRASH 8V18O2H



SIZES SM - 5XL



### X-CRASH 8V21G2H



SIZES SM - 5XL



### X-CRASH 8V22G2H



SIZES SM - 5XL



### X-CRASH 8V22O2H



SIZES SM - 5XL



ANSI/ISEA 107-2020 TYPE R, CLASS 2 SURVEYOR VESTS

X-CRASH 8V25 SERIES



8V25G2H  
SIZES SM - 5XL



8V25O2H  
SIZES SM - 5XL



X-CRASH 8V27 SERIES



8V27G2H  
SIZES SM - 5XL



8V27O2H  
SIZES SM - 5XL



X-CRASH 8V28 SERIES



8V28G2H  
SIZES SM - 5XL



**ANSI/ISEA 107-2020 TYPE R, CLASS 3 VESTS**

**X-CRASH 8V72 SERIES**



**8V72G3H**  
SIZES SM - 5XL



**8V72O3H**  
SIZES SM - 5XL

X-CRASH 8V72 is an ANSI/ISEA 107-2020, Type R, Class 3 rated vest designed for maximum visibility and protection in various work environments. Features a zipper closure, two vertical 2" reflective stripes, one 360° 2" horizontal stripe, and reflective tape stripes on each sleeve. 1 mic tab on left shoulder, one outside left chest pocket, one outside right chest clear badge holder, two lower front outside pockets, and two lower inside pockets. It can be customized on the back center of the vest.

**X-CRASH 8V73 SERIES**



**8V73G3H**  
SIZES SM - 5XL



**8V73O3H**  
SIZES SM - 5XL

X-CRASH 8V73 is an ANSI/ISEA 107-2020, Type R, Class 3 rated vest that ensures easy wear and maximum visibility. Combines a durable solid front with a breathable mesh back and sleeves to stay cool in hot weather conditions. Has a zipper closure, two 2" vertical two-tone reflective stripes on the front, one 2" stripe on each sleeve, and a 360° 2" horizontal two-tone stripe, ensuring visibility in all light. It includes 2 mic tabs, one outside right chest credentials pocket with a clear panel, one outside left chest pocket, two lower front outside pockets, two lower inside pockets, and one lower inside flashlight pocket, offering plentiful storage solutions.

**X-CRASH 8V74G**



**8V74G3H**  
SIZES MD - 5XL

X-CRASH 8V74G is an ANSI/ISEA 107-2020, Type R, Class 3 rated vest designed for optimal performance in complex work environments. It has a zipper closure that ensures easy wear. Equipped with two vertical 2" reflective stripes on the front, one 360° 2" horizontal stripe, and one 2" reflective tape stripe on each sleeve, ensuring maximum visibility. Includes two outside chest pockets, two upper inside pockets, and two lower inside pockets, providing storage options. Customization of the left chest pocket and back center of the vest is available. Offers enhanced night-time visibility.




NON-RATED VESTS

8V01G1H



Non-Rated, Hi-Viz Green, No Reflective Tape, Hook and Loop Closure.

8V01O1H



Non-Rated, Hi-Viz Orange, No Reflective Tape, Hook and Loop Closure.

8V03G1H



Non-Rated, Hi-Viz Green, 1" White Reflective Tape, Hook and Loop Closure.

8V02O1H



Non-Rated, Hi-Viz Orange, 1" Yellow Reflective Tape, Hook and Loop Closure.

HI-VIZ RAINWEAR

X-CRASH 8R30G3J



- POCKETS **3**
- PU COATED OXFORD POLYESTER
- TYPE **R**
- CLASS **3**

X-CRASH 8R03G3J is a high-performance and lightweight 150 Denier PU Coated Hi-Vis Oxford, Rain Jacket. Designed to keep wearers comfortable in rainy conditions. Cape Vented back allows air circulation for a cooler wear. Elastic Wrists inside the cuffs make for a snug fit while keeping water out. The snap button, storm flap closure makes it easy to don and doff while offering maximum rain protection. It is an ANSI/ISEA 107-2020, Type R, Class 3 rated rain jacket, providing enhanced visibility and safety. Features two vertical 2" heat-transferred, stretchable reflective stripes, a 360° 2" horizontal stripe, and 2ea 2" stripes on both arms ensuring maximum visibility from all angles. A badge holding, clear pocket is on the left chest and it comes with 2 lower, outside pockets for additional dry storage.

X-CRASH 8R10GEP



- POCKETS **3**
- PU COATED OXFORD POLYESTER
- TYPE **R**
- CLASS **E**

X-CRASH 8R10GEP is a high-performance and lightweight 150 Denier PU Coated Hi-Vis Oxford, Rain Pant. Designed to keep wearers comfortable in rainy conditions. It is an ANSI/ISEA 107-2020, Class E rated rain pant, providing enhanced visibility and safety. Features two 2" heat-transferred, stretchable reflective stripes on both legs.

Sizes MD - 5XL

FR COVERALLS

X-FLASH 100% FR COTTON COVERALLS



- 7oz, 100% Cotton
- NFPA 2112 Compliant
- NFPA 70E CAT 2
- Leaf Collar
- 2 Chest Patch Pockets
- 2 Hip Patch Pockets with Pass through openings and Snap Closures
- Pencil Pocket on Left Sleeve
- Sleeve Cuffs with Snaps
- One Piece Back Bi-Swing Action Back
- Waistband with Spot Elastic in Back
- 2 Pant Patch Pockets on Back with Hidden Snaps

	<b>9000FG(SIZE)</b>	
	Color:	Gray
	Regular Sizes Available:	SM - 8XL
	Tall Sizes Available:	MD - 7XL
	<b>9001FK(SIZE)</b>	
	Color:	Khaki
	Regular Sizes Available:	SM - 8XL
	Tall Sizes Available:	MD - 7XL
	<b>9002FN(SIZE)</b>	
	Color:	Navy Blue
	Regular Sizes Available:	SM - 8XL
	Tall Sizes Available:	MD - 7XL



REAL SIMPLE SAFETY™



FR SHIRTS

X-FLASH 100% FR COTTON SHIRTS



- 7oz, 100% Cotton
- NFPA 2112 Compliant
- NFPA 70E CAT 2
- Button Down Shirt Collar, Button Front
- Chest Patch Pockets with Flap and Button Closure. Pencil Bartack on Left Flap.
- Back Yoke with Back Ease Pleat
- Adjustable Sleeve Cuffs with Button Pocket.

	<b>9123FG(SIZE)</b>	
	Color:	Gray
	Regular Sizes Available:	SM - 7XL
	Tall Sizes Available:	MD - 6XL
	<b>9124FK(SIZE)</b>	
	Color:	Khaki
	Regular Sizes Available:	SM - 7XL
	Tall Sizes Available:	MD - 6XL
	<b>9125FN(SIZE)</b>	
	Color:	Navy Blue
	Regular Sizes Available:	SM - 7XL
	Tall Sizes Available:	MD - 6XL

X-FLASH 100% FR COTTON HENLEY'S

- 6oz, 100% Cotton
- NFPA 2112 Compliant
- NFPA 70E CAT 2
- Button Down Collar
- Seamless Chest Pockets with Velcro Closure.



	<b>9400FG(SIZE)</b>	
	Color:	Light Gray
	Regular Sizes Available:	SM - 4XL
	Tall Sizes Available:	MD - 3XL
	<b>9401FK(SIZE)</b>	
	Color:	Light Tan
	Regular Sizes Available:	SM - 4XL
	Tall Sizes Available:	MD - 3XL
	<b>9402FN(SIZE)</b>	
	Color:	Navy Blue
	Regular Sizes Available:	SM - 4XL
	Tall Sizes Available:	MD - 3XL



## X-SPLASH MICROPOROUS

7003D



X-SPLASH microporous, disposable coveralls are made of durable, composite fabric that combines breathable microporous film and soft non-woven polyolefin. It offers an effective barrier against particulates, aerosols, and liquids while maintaining comfort. It is suitable for work environments where hazardous and non-hazardous liquid and dry particulate contaminants may be present.

### ■ CORE FEATURES

- Breathable, Durable, Comfortable and Affordable Microporous Coveralls.
- Provides all day protection from particulates, some liquids and aerosols.
- Multiple Configurations
- Easy to Don and Doff, Zipper Closure, Surged Seams
- Safe for food contact

PART #	CONFIGURATION	SIZES AVAILABLE
7000D(SIZE)	OPEN WRISTS & ANKLES, NO HOOD/NO BOOTS	MEDIUM - 5X LARGE
7001D(SIZE)	ELASTIC WRISTS & ANKLES, NO HOOD/NO BOOTS	SMALL - 5X LARGE
7002D(SIZE)	ELASTIC WRISTS & ANKLES, HOODED/ NO BOOTS	MEDIUM - 5X LARGE
7003D(SIZE)	ELASTIC WRISTS, HOOD AND BOOTS ATTACHED	MEDIUM - 5X LARGE
7400D	18" SLEEVES, ELASTIC AT BOTH ENDS.	18" Long

7000D



7001D



7002D



7400D



# X SPLASH



## DISPOSABLE CLOTHING

### BOUFFANT CAPS (REGULAR & PLEATED)



ITEM #	SIZE	ITEM #	SIZE
7200D	19"	7203D	PLEATED 19"
7201D	21"	7204D	PLEATED 21"
7202D	24"	7205D	PLEATED 24"

### 7600D



Polypropylene Beard Covers.

### SHOE COVERS



ITEM #	SIZE
7300DL	19"
7300DXL	21"
7300D2XL	24"

## SE COVERALLS



### 7031D

X-SPLASH, FR BLUE- Self Extinguishing SMS Coverall with Elastic on Wrists, Ankles & Back, 25 EA/CS

- Durable, Breathable and Affordable SMS Coveralls
- Self-Extinguishing, Fire Retardant
- No Hood, No Boots, Elastic at the Wrists and Ankles
- Easy to Don and Doff, Zipper Closure
- Available sizes SM-5XL

## WATER RESISTANT BAGS



100% Polyester/PVC Mesh, 30"x12"x12", All Purpose, Water Resistant Duffle Bag, Detachable Shoulder Strap, Optional Internal Dividers, 2 Exterior Pockets

### 6000BD



### 6001ND

- Water Resistant
- Durable, Polyester/PVC Mesh construction
- 2 Large Outside Pockets
- Internal Dividers to keep your gear organized.
- Removeable Shoulder Strap
- Grab Handles at both ends
- Reinforced dual carry straps

## COOLING PRODUCTS



X-SCORCH, Cooling Bands, Dot Embossed, Super Absorbent & Evaporative PVA Material, One Per Polybag

Item #	Color	Size
5000CB	Blue	29.5" X 4"
5000CL	Lime Green	29.5" X 4"



X-SCORCH, Blue Cooling Towel, Dot Embossed, Super Absorbent & Evaporative PVA Material. One Per Polybag

Item #	Color	Size
5001CB	Blue	33.5" X 13"
5001CL	Lime Green	33.5" X 13"

# PRODUCT INDEX

## I PRODUCT INDEX

8R10GEP	45	8V7203H	44	3301G	18, 20	4400G	35
8R30G3J	45	8V73G3H	44	3302G	18, 21	4401G	35
8T11G2H	38	8V7303H	44	3305G	18, 25	4402G	35
8T1102H	38	8V74G3H	44	3306G	16, 17	4403G	35
8T12G2H	38	1100G	4, 7	3307G	18, 25	4500G	33
8T13G2H	38	1101G	4, 7	3308G	16, 17	4501G	33
8T1302H	38	1110G	4, 7	3309G	16, 17	4502G	33
8T51G3H	39	1111G	4, 7	3310G	37	4503G	33
8T5103H	39	1112G	4, 7	3311G	18, 25, 37	4504G	33
8T52G3H	39	1120G	4, 8	3312G	18, 22	4505G	33
8T5203H	39	1121G	4, 8	3313G	18, 23	4507G	33
8T53G3H	39	1122G	4, 9	3314G	18, 19	4510G	33
8T5303H	39	1124G	5, 9	3402G	36	4512G	34
8V01G1H	45	1125G	4, 9	4000G	31	4513G	33
8V0101H	45	1132G	4, 10	4001G	31	4514G	34
8V0201H	45	1133G	4, 11	4003G	31	4516G	34
8V03G1H	45	1134G	4, 12	4004G	31	4517G	34
8V11G2H	40	1135G	5, 14	4005G	31	4800G	37
8V1102H	40	1136G	5, 15	4006G	31	4801G	37
8V12G2H	40	1138G	5, 13	4007G	31	4802G	37
8V1202H	40	1140G	4, 9	4008G	31	4803G	37
8V13G2H	40	1901G	36	4009G	31	5000CB	49
8V1302H	40	1903G	36	4100G	32	5000CL	49
8V14G2H	41	2000G	27	4101G	32	5001CB	49
8V1402H	41	2001G	27	4102G	32	5001CL	49
8V15G2H	40	2106G	27	4103G	32	7000D	48
8V16G2H	42	2107G	27	4104G	32	7001D	48
8V1602H	42	2140G	27	4105G	32	7002D	48
8V17G2H	42	2141G	27	4106G	32	7003D	48
8V1702H	42	2150G	29	4107G	32	7031D	49
8V18G2H	42	2150GV	29	4108G	32	7200D	49
8V1802H	42	2151G	29	4111G	37		
8V19G2H	41	2152G	29	4200G	30		
8V1902H	41	2153G	29	4201G	30		
8V21G2H	42	2154G	29	4202G	30		
8V22G2H	42	2402G	27	4203G	30		
8V2202H	42	2403G	27	4204G	30		
8V23G2H	41	2404G	27	4300S	49		
8V24G2H	40	2500G	27	4301S	49		
8V2402H	40	2501G	27	4302S	49		
8V25G2H	43	2600G	36	4303S	49		
8V2502H	43	2601G	36	4304S	49		
8V26G2H	41	2602G	36	4305S	49		
8V2602H	41	3200G	18, 19	4306S	49		
8V27G2H	43	3201G	26	4307S18L	6		
8V2702H	43	3202G	18, 19	4308S18L	6		
8V72G3H	44	3203G	26	4309S18L	6		



**I BRAND INDEX**

<u>OMNI FLX</u>	28, 29
<u>OMNI X</u>	4, 10, 11, 12, 14, 15, 22
<u>OMNI X+</u>	22, 23
<u>OMNIXTREME</u>	5, 14, 15
OMNIXTREME+	18, 19
<u>X-CRASH</u>	36, 37, 38, 39, 40, 41, 42, 43, 44, 45
<u>X-FREEZE</u>	36, 37
<u>X-SCORCH</u>	49
<u>X-SLASH</u>	4, 7, 8, 9, 13, 15, 16, 17, 18, 19, 20, 21, 23, 24, 25, 37
<u>X-SLASH &amp; SMASH</u>	18, 19, 20, 21, 23, 24, 25, 37
<u>X-SMASH</u>	26
<u>X-SPARK</u>	34
<u>X-SPLASH</u>	35, 48
<u>X-STRESS</u>	27, 30





**REAL SIMPLE SAFETY**

**[WWW.C2VPPE.COM](http://WWW.C2VPPE.COM)**

**[SALES@C2VPPE.COM](mailto:SALES@C2VPPE.COM)**