

**OMNI****X**

**BY**



**REAL SIMPLE SAFETY™**



# OMNI Xtreme C2V

LET'S DO IT ALL...OMNI!

REAL SIMPLE SAFETY™

## C2V OMNI Xtreme 1135G

Premium 18 Gauge Engineered HPPE Shell – Sandy Foam Nitrile Palm Coated. ANSI Cut Level A9, Touchscreen Fingertips, Reinforced Thumb Saddle, Knit Wrist.



ANSI/ISEA 105



### ■ Description:

The Omni Xtreme 1135G combines top level cut protection, dexterity and affordability to create the ultimate in hand protection. The 18-gauge Engineered HPPE shell provides ANSI A9 cut resistance. The black sandy nitrile palm coating helps you secure your grip in dry or wet/oily environments. These gloves are great for working with sharp or jagged materials. If the protective qualities aren't enough, we've also given the 1135G touchscreen capabilities. ANSI Abrasion level 6 resistance, ANSI Puncture level 4 resistance. You might not want to miss this one.

### ■ Industries/Applications:

- Oil & Gas
- Construction
- Petrochemical
- Automotive
- Manufacturing
- Sharp Parts Handling
- Press Injection Molding
- Glass Cutting
- Sheet Metal Handling
- Loading/Unloading

### ■ Features:

- C2V's 18 Gauge Engineered HPPE Shell Offers Superior Dexterity and Cut Resistance
- Sandy Foam Nitrile palm coating offers maximum abrasion resistance, for longer lasting wear in harsh, oily and/or wet conditions.
- ANSI 6 Abrasion, ANSI 4 Puncture.
- Convenient Touchscreen Fingertips and Knitwrist
- Reinforced Thumb Saddle.



Warning: Cancer and Reproductive harm.  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# OMNI Xtreme



# OMNI

# X

# C2V

LET'S DO IT ALL...OMNI!

REAL SIMPLE SAFETY™

## C2V OMNI-X

Premium 18 Gauge C-TRON Yarn Shell – No Glass/No Steel. Black Sandy Foam & Water Flash Micro Foam Nitrile Palm Coated. ANSI Cut Level A5, Touchscreen Fingertips, Reinforced Thumb Saddle, Sanitized®, Knit Wrist.



## 1132G Features:

- Cut Resistant - ANSI A5 C-TRON (no glass/no steel) for all day protection and comfort.
- Sandy Foam Nitrile form fitting palm also provides ANSI Abrasion 5 resistance.
- ANSI 3 Puncture.
- Convenient Touchscreen Fingertips and Reinforced Thumb Saddle.
- Knitwrist
- Sanitized®
- Sizes Available: Small - 3X-Large

## Industries/ Applications:

- Construction
- Automotive
- Manufacturing
- Petrochemical
- Oil & Gas
- Sharp Parts Handling
- Press Injection Molding
- Glass Cutting
- Sheet Metal Handling
- Loading/Unloading

## 1134G Features:

- Cut Resistant - ANSI A5 C-TRON (no glass/no steel) for all day protection and comfort.
- Water Flash, Micro Foam Nitrile form fitting palm also provides ANSI Abrasion 5 resistance.
- ANSI 3 Puncture.
- Convenient Touchscreen Fingertips and Reinforced Thumb Saddle.
- Knitwrist
- Sanitized®
- Sizes Available: Small - 2X-Large

# OMNI

# X



Warning: Cancer and Reproductive harm.  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# OMNI

# X



LET'S DO IT ALL...OMNI!

REAL SIMPLE SAFETY™

## | C2V OMNI-X 1133G

Premium 18 Gauge C-TRON Yarn Shell – No Glass/No Steel. Gray Polyurethane Palm Coated. ANSI Cut Level A5, Touchscreen Fingertips, Reinforced Thumb Saddle, Sanitized®, Knit Wrist.



ANSI/ISEA 105



### ■ Description:

The Omni-X 1133G combines top level cut protection, dexterity and affordability to create the ultimate in hand protection. Featuring our C-TRON (no glass/no steel) 18-gauge shell provides ANSI A5 cut resistance. The gray polyurethane palm coating helps you secure your grip in dry work environments. These gloves are great for working with sharp or jagged materials. If the protective qualities aren't enough, we've also made the 1133G touchscreen capable and Sanitized®. ANSI Abrasion level 5 resistance, ANSI Puncture level 3 resistance. You might not want to miss this one.

### ■ Industries/Applications:

- |                 |                           |
|-----------------|---------------------------|
| • Oil & Gas     | • Sharp Parts Handling    |
| • Construction  | • Press Injection Molding |
| • Petrochemical | • Glass Cutting           |
| • Automotive    | • Sheet Metal Handling    |
| • Manufacturing | • Loading/Unloading       |

### ■ Features:

- C2V's 18 Gauge C-TRON Shell Offers Superior Dexterity and Cut Resistance
- Polyurethane palm coating makes it ideal for applications requiring dexterity for precise handling.
- ANSI 5 Abrasion, ANSI 3 Puncture.
- Convenient Touchscreen Fingertips.
- Sanitized®.
- Knitwrist.
- Reinforced Thumb Saddle.

# OMNI



Warning: Cancer and Reproductive harm.  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# OMNI X+

**C2V**  
REAL SIMPLE SAFETY™

LET'S DO IT ALL...OMNI!

## C2V OMNI-X+

Premium 18 Gauge C-TRON Yarn Shell – No Glass/No Steel. Black Sandy Foam Nitrile Palm Coated. ANSI Cut Level A5, ANSI Impact Level 2, Touchscreen Fingertips, Reinforced Thumb Saddle, Sanitized®. Available with Knitwrist (3312G) and with Velcro at Wrist (3313G).



### 3312G Features:

- Cut Resistant - ANSI A5 C-TRON (no glass/no steel) for all day protection and comfort.
- Sandy Foam Nitrile form fitting palm also provides ANSI Abrasion 5 resistance.
- ANSI Level 2 Impact/ Back of Hand Protection. ANSI 3 Puncture.
- Convenient Touchscreen Fingertips and Reinforced Thumb Saddle.
- Knitwrist
- Sanitized®
- Sizes Available: Small - 2X-Large

### Industries/ Applications:

- Construction
- Oil & Gas
- Automotive
- Manufacturing
- Petrochemical
- Machine Maintenance
- Small Parts Handling
- Framing, Demolition
- Material Handling
- Hot/Intense Work Conditions

### 3313G Features:

- Cut Resistant - ANSI A5 C-TRON (no glass/no steel) for all day protection and comfort.
- Sandy Foam Nitrile form fitting palm also provides ANSI Abrasion 5 resistance.
- ANSI Level 2 Impact/ Back of Hand Protection. ANSI 3 Puncture.
- Convenient Touchscreen Fingertips and Reinforced Thumb Saddle.
- Velcro Closure at the Wrist
- Sanitized®
- Sizes Available: Small - 2X-Large

# OMNI X+



Warning: Cancer and Reproductive harm.  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# OMNI FLX

WE'VE GOT YOUR FLEX!

# C2V

REAL SIMPLE SAFETY™

## C2V OMNI FLX

Premium Nylon/Spandex, Form Fitting 15 Gauge Shell. Durable Micro-Foam Palm Coating.



## Description:

The C2V Omni FLX series features a Premium 15-gauge, gray, nylon/spandex shell with multiple Black, Micro-Foam Nitrile coating options that can withstand oil, abrasion and snags. These gloves are highly dexterous and provide a high level of tactile sensitivity. If you are looking for amazing fit and grip, check out the Omni FLX series from C2V.

## Industries/Applications:

- Manufacturing
- Distribution
- Automotive
- Construction
- General Purpose
- Small Parts Sorting
- Box Handling
- Finishing /Parts Inspection
- Assembly
- Materials Handling



Warning: Cancer and Reproductive harm.  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# OMNI FLX



**WE'VE GOT YOUR FLEX!**



## **2150G PALM COATED**

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm Coated.

<b>2150GS</b>	<b>SMALL</b>
<b>2150GM</b>	<b>MEDIUM</b>
<b>2150GL</b>	<b>LARGE</b>
<b>2150GXL</b>	<b>X-LARGE</b>
<b>2150G2XL</b>	<b>2X-LARGE</b>



## **2150GV PALM COATED VEND PACKED**

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm Coated, Vend Packed.

<b>2150GVS</b>	<b>SMALL</b>
<b>2150GVM</b>	<b>MEDIUM</b>
<b>2150GVL</b>	<b>LARGE</b>
<b>2150GVXL</b>	<b>X-LARGE</b>
<b>2150GV2XL</b>	<b>2X-LARGE</b>



## **2151G PALM COATED NITRILE DOTTED**

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm, Nitrile Dots.

<b>2151GS</b>	<b>SMALL</b>
<b>2151GM</b>	<b>MEDIUM</b>
<b>2151GL</b>	<b>LARGE</b>
<b>2151GXL</b>	<b>X-LARGE</b>
<b>2151G2XL</b>	<b>2X-LARGE</b>



## **2152G PALM COATED 3/4 BACK COATED**

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm, 3/4 Back Coated.

<b>2152GS</b>	<b>SMALL</b>
<b>2152GM</b>	<b>MEDIUM</b>
<b>2152GL</b>	<b>LARGE</b>
<b>2152GXL</b>	<b>X-LARGE</b>
<b>2152G2XL</b>	<b>2X-LARGE</b>



## **2152GV PALM COATED 3/4 BACK COATED VEND PACKED**

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm, 3/4 Back Coated, Vend Packed.

<b>2152GVS</b>	<b>SMALL</b>
<b>2152GVM</b>	<b>MEDIUM</b>
<b>2152GVL</b>	<b>LARGE</b>
<b>2152GVXL</b>	<b>X-LARGE</b>
<b>2152GV2XL</b>	<b>2X-LARGE</b>



## **2153G PALM COATED 3/4 BACK COATED NITRILE DOTTED**

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm, 3/4 Back Coated, Nitrile Dotted.

<b>2153GS</b>	<b>SMALL</b>
<b>2153GM</b>	<b>MEDIUM</b>
<b>2153GL</b>	<b>LARGE</b>
<b>2153GXL</b>	<b>X-LARGE</b>
<b>2153G2XL</b>	<b>2X-LARGE</b>



## **2154G FULLY COATED**

OMNI FLX Gray, 15-Gauge Nylon/  
Spandex Shell, Black Micro-Foam  
Palm, Fully Coated.

<b>2154GS</b>	<b>SMALL</b>
<b>2154GM</b>	<b>MEDIUM</b>
<b>2154GL</b>	<b>LARGE</b>
<b>2154GXL</b>	<b>X-LARGE</b>
<b>2154G2XL</b>	<b>2X-LARGE</b>

## **THE OMNI FLX ADVANTAGE**

- Its lightweight 15-Gauge Nylon/ Spandex shell provides best in class comfort, breathability while not sacrificing durability for all day wear.
- Micro-Foam Nitrile coating provides superior grip, durability, dexterity and tactile sensitivity.
- Silicone Free.
- Offered in multiple configurations (Palm Coated, Vend Packed, Nitrile Dots, 3/4 back Coated, Fully Coated)
- Convenient Touchscreen fingertips.
- Sanitized® - Anti-Microbial treatment keeps the gloves cleaner before, during, and after use.
- Oeko Tex Standard 100 Certified- globally recognized label for textiles that have been tested for harmful substances. This certification ensures that every component of the product, has been tested and found free from harmful levels of over 1,000 substances.
- If a product is OEKO-TEX® Standard 100 certified, it means it is safe for human use and meets high safety standards, making it a reliable choice for consumers concerned about product safety and environmental

# OMNI FLX



# OMNIX

BY



**REAL SIMPLE SAFETY™**

**WWW.C2VPPE.COM**