

DON'T SMASH YOUR HANDS! - IMPACT PROTECTION





WWW.C2VPPE.COM

IMAGE	STYLE #	ANS CUT LEVEL	ANSI IMPACT LEVEL	KEY INFORMATION
	3307G X-SLASH & SMASH	ANSI/ISEA 105	ANSI/ISEA 138 2	Premium Grain Goatskin Driver, Engineered HPPE Liner.
	3301G X-SLASH & SMASH	ANSI/ISEA 105	ANSI/ISEA 138 2	Engineered HPPE Shell, Black Sandy Nitrile Palm, Velcro Closure
	3302G X-SLASH & SMASH	ANSI/ISEA 105	ANSI/ISEA 138 2	Engineered HPPE Shell, Red Sandy Foam Nitrile Palm, Knitwrist
	3305G X-SLASH & SMASH	ANSI/ISEA 105	ANSI/ISEA 138 2	Premium Grain Goatskin Driver, Engineered HPPE Liner
	3311G X-SLASH & SMASH	ANSI/ISEA 105	ANSI/ISEA 138 2	Premium Grain Goatskin Driver, C100 Thinsulate Lined
	<mark>3312G</mark> OMNI-X+	ANSI/ISEA 105	ANSI/ISEA 138 2	No Glass, No Steel, 18- Gauge, Black Sandy Nitrile Palm, Knit Wrist
	3313G OMNI-X+	ANSI/ISEA 105	ANSI/ISEA 138 2	No Glass, No Steel, 18- Gauge, Red Sandy Ni- trile Palm, Velcro Wrist
	3200G X-SMASH	ANSI/ISEA 105	ANSI/ISEA 138 2	Hi Visibility Lime Green, Sandy Nitrile Palm, Padded Palm Knitwrist
	3202G X-SMASH	ANSI/ISEA 105	ANSI/ISEA 138 2	Hi Visibility Lime Green, Corded Canvas Palm, Neoprene Cuff
	<mark>3201G</mark> X-SMASH	ANSI/ISEA 105 Not Currently Rated	ANSI/ISEA 138 2	Hi Visibility Orange, Sandy Nitrile Palm, Knitwrist



3940 Delp St. Memphis, TN 38118 Sales@C2VPPE.com





WWW.C2VPPE.COM

C2V X-SLASH & SMASH 3307G

X-SLASH & SMASH, Premium Goatskin Driver lined with an HPPE Engineered Shell provides ANSI Cut A7 protection. Unique and highly protective ANSI Level 2 TPR Dorsal Impact Protection. Slip-on cuff, Shirred Elastic Back, Keystone Thumb.

ITEM #	SIZE
3307GS	SMALL
3307GM	MEDIUM
3307GL	LARGE
3307GXL	X-LARGE
3307G2X	2X-LARGE





Description:

The X-SLASH & SMASH Premium Goatskin Drivers are Lined with an ANSI/ISEA 105 Cut A7 HPPE Engineered knit shell to provide maximum protection without giving up much needed dexterity and functionality. The Hi-Viz ANSI/ISEA 138 Level 2 Impact protection is uniqutely designed to absorb those unwanted strikes that might otherwise result in serious injury. This glove has all you need for hardcore work environments.

Industries/Applications:

Rodbusting

Steel Work

Scaffolding

- Oil & Gas
- Construction
- Mining
- Railroad
- Hardcore Work
 - Most Rugged Work Environments

SLASH SN



Machine Operation

Features:

- Cut Resistant ANSI A7 Cut Resistance for working with sharp or jagged materials.
- Premium Grain Goatskin Driver offers durability and dexterity for longer lasting wear in harsh conditions.
- Best in Class ANSI Level 2 Impact/ Back of Hand Protection.





WWW.C2VPPE.COM

C2V X-SLASH & SMASH 3301G

X-SLASH & SMASH, Salt & Pepper, 13 Gauge Engineered HPPE Shell, Black Sandy Nitrile Foam Palm Coating, ANSI Level 2 TPR Dorsal Impact Protection, ANSI Cut Level A6, Touchscreen Fingertips, Reinforced Thumb Saddle, Knitwrist.

ITEM #	SIZE
3301GS	SMALL
3301GM	MEDIUM
3301GL	LARGE
3301GXL	X-LARGE
3301G2X	2X-LARGE
3301G3X	3X-LARGE



Description:

The X-SLASH & SMASH 3301G is made from ANSI / ISEA 106 Level A6 Cut Resistant, Salt & Pepper Engineered HPPE yarn with a Black Sandy Nitrile Palm Coating to maximize durability and gripping power. It features a contrasting Hi Viz ANSI Impact Level 2 TPR back of hand to absorb those unwanted strikes that would have caused extreme pain and potentially injury. With the added benefit of Touchscreen Fingertips, this glove has all you need for hardcore work environments.

Industries/Applications:

- Manufacturing
- Construction
- Metal Fab
- Automotive
- Various Other

Press Injection Molding Press Shop Operators

Glass Cutting

SMASH

Sharp Parts Handling

Sheet Metal Handling

Features:

- Cut Resistant ANSI A6 Cut Resistance for working with sharp or jagged materials.
- Sandy Nitrile palm coating offers maximum abrasion resistance -ANSI Level 6 for longer lasting wear in harsh, oily and/or wet conditions
- ANSI Impact Impact Level 2 back of hand protection.
- ANSI Puncture Level 4
- Convenient Touchscreen Fingertips
- Velcro Closure at the Wrist





WWW.C2VPPE.COM

C2V X-SLASH & SMASH 3302G

X-SLASH & SMASH, Salt & Pepper, 13 Gauge Engineered HPPE Shell, Red Sandy Nitrile Foam Palm Coating, ANSI Level 2 TPR Dorsal Impact Protection, ANSI Cut Level A6, Touchscreen Fingertips, Reinforced Thumb Saddle, Velcro Closure at the wrist.

ITEM #	SIZE
3302GS	SMALL
3302GM	MEDIUM
3302GL	LARGE
3302GXL	X-LARGE
3302G2X	2X-LARGE
3302G3X	3X-LARGE



Description:

The X-SLASH & SMASH 3301G is made from ANSI / ISEA 106 Level A6 Cut Resistant, Salt & Pepper Engineered HPPE yarn with a Red Sandy Nitrile Palm Coating to maximize durability and gripping power. It features a contrasting Hi Viz ANSI Impact Level 2 TPR back of hand to absorb those unwanted strikes that would have caused extreme pain and potentially injury. With the added benefit of Touchscreen Fingertips, this glove has all you need for hardcore work environments.

Sharp Parts Handling

Sheet Metal Handling

Industries/Applications:

- Manufacturing
- Construction
- Metal Fab
- Automotive
- Various Other

Press Injection Molding Press Shop Operators

Glass Cutting



Features:

- Cut Resistant ANSI A6 Cut Resistance for working with sharp or jagged materials.
- Sandy Nitrile palm coating offers maximum abrasion resistance -ANSI Level 6 for longer lasting wear in harsh, oily and/or wet conditions
- ANSI Impact Impact Level 2 back of hand protection.
- ANSI Puncture Level 4
- Convenient Touchscreen Fingertips
- Velcro Closure at the Wrist





WWW.C2VPPE.COM

C2V X-SLASH & SMASH 3305G

X-SLASH & SMASH, Premium Goatskin Driver lined with an Engineered HPPE Shell provides ANSI Cut A6 protection. Unique and highly protective ANSI Level 2 TPR Dorsal Impact Protection. Slip-on cuff, Shirred Elastic Back, Keystone Thumb.



Description:

The X-SLASH & SMASH Premium Goatskin Drivers are Lined with an ANSI/ISEA 105 Cut A6 Engineered HPPE knit shell to provide maximum protection without giving up much needed dexterity and functionality. The Hi-Viz ANSI/ISEA 138 Level 2 Impact protection is uniqutely designed to absorb those unwanted strikes that might othwerwise result in serious injury. This glove has all you need for hardcore work environments.

Industries/Applications:

- Oil & Gas
- Construction
- Mining
- Railroad
- Hardcore Work •
- Rodbusting
 - Steel Work
 - **Machine Operation**
- Scaffolding
 - Most Rugged Work Environments





Features:

- Cut Resistant - ANSI A6 Cut Resistance for working with sharp or jagged materials.
- ANSI Abrasion Level 3 and ANSI Puncture • Level 4
- Premium Grain Goatskin Driver offers • durability and dexterity for longer lasting wear in harsh conditions.
- Best in Class ANSI Level 2 Impact/ Back of Hand Protection.





WWW.C2VPPE.COM

C2V X-SLASH & SMASH 3311G

X-SLASH & SMASH,Premium Goatskin Driver lined with an Engineered HPPE Shell provides ANSI Cut A6 protection. Unique and highly protective ANSI Level 2 TPR Dorsal Impact Protection. Slip-on cuff, Shirred Elastic Back, Keystone Thumb. 3M C100 Thinsulate Lined.

ITEM #	SIZE
3311GS	SMALL
3311GM	MEDIUM
3311GL	LARGE
3311GXL	X-LARGE
3311G2X	2X-LARGE





Description:

The X-SLASH & SMASH Premium Goatskin Drivers are Lined with an ANSI/ISEA 105 Cut A6 Engineered HPPE knit shell blended 3M C100 Thinsulate to provide maximum protection and warmth without giving up much needed dexterity and functionality. The Hi-Viz ANSI/ISEA 138 Level 2 Impact protection is uniqutely designed to absorb those unwanted strikes that might otherwise result in serious injury. This glove has all you need for hardcore work environments.

Industries/Applications:

Rodbusting

Steel Work

Scaffolding

- Oil & Gas
- Construction
- Mining
- Railroad
- Hardcore Work •



Machine Operation

Cold Weather Environments

Features:

- Cut Resistant ANSI A6 Cut Resistance for working with sharp or jagged materials.
- Premium Grain Goatskin Driver offers durability and dexterity for longer lasting wear in harsh conditions.
- ANSI Abrasion 3 and ANSI Puncture 4.
- Best in Class ANSI Level 2 Impact/ Back of Hand Protection.
- 3M C100 Thinsulate lined.





C2V OMNI X+ 3312G

Premium 18 Gauge C-TRON Yarn Shell - No Glass/No Steel. Black Sandy Foam Nitrile Palm Coated. ANSI Impact Level 2, ANSI Cut Level A5, Touchscreen Fingertips, Reinforced Thumb Saddle, Sanitized®, Knit Wrist.

PART #	SIZE
3312GS	SMALL
3312GM	MEDIUM
3312GL	LARGE
3312GXL	X-LARGE
3312G2X	2X-LARGE



Description:

The OMNI X+ 3312G by C2V is made from a premium ANSI / ISEA 105 A5 Cut Resistant, C-TRON yarn that requires no glass/steel to create the most amazing and protective product you will put on your hands. Look nowhere else for a cool, comfortable wear with cut and impact protection. The form fitting Black Sandy Foam Nitrile Palm Coating will maximize dexterity while providing the feel of "not wearing a glove" you've been asking the market to make. You really should put a pair on and try them out!

Industries/Applications:

- Oil & Gas
- Construction
- Petrochemical
- Automotive
- Manufacturing
- Machine Maintenance
- Small Parts Handling .
 - Framing, Demolition
- Material Handling
 - Hot/Intense Work Conditions

3940 Delp St. Memphis, TN 38118 Sales@C2VPPE.com WWW.C2VPPE.COM

Features:

- Cut Resistant ANSI A5 Cut Resistance for working with sharp or jagged materials.
- Sandy Foam Nitrile form fitting palm also provides ANSI Abrasion 5 resistance.
- ANSI Level 2 Impact/ Back of Hand Protection. ANSI 3 Puncture.
- **Convenient Touchscreen Fingertips and** Reinforced Thumb Saddle.
- Knitwrist
- Sanitized®





C2V OMNI X+ 3313G

Premium 18 Gauge C-TRON Yarn Shell – No Glass/No Steel. Red Sandy Foam Nitrile Palm Coated. ANSI Impact Level 2, ANSI Cut Level A5, Touchscreen Fingertips, Reinforced Thumb Saddle, Sanitized®, Velcro Closure at the wrist.



Description:

The OMNI X+ 3313G by C2V is made from a premium ANSI / ISEA 105 A5 Cut Resistant, C-TRON yarn that requires no glass/steel to create the most amazing and protective product you will put on your hands. Look nowhere else for a cool, comfortable wear with cut and impact protection. The form fitting Red Sandy Foam Nitrile Palm Coating will maximize dexterity while providing the feel of "not wearing a glove" you've been asking the market to make. You really should put a pair on and try them out!

Industries/Applications:

- Oil & Gas
- Construction
- Petrochemical
- Automotive
- Manufacturing



- Machine Maintenance Small Parts Handling
- Framing, Demolition
- Material Handling
- Hot/Intense Work Conditions

3940 Delp St. Memphis, TN 38118 Sales@C2VPPE.com WWW.C2VPPE.COM

Features:

- Cut Resistant ANSI A5 Cut Resistance for working with sharp or jagged materials.
- Sandy Foam Nitrile form fitting palm also provides ANSI Abrasion 5 resistance.
- ANSI Level 2 Impact/ Back of Hand Protection. ANSI 3 Puncture.
- Convenient Touchscreen Fingertips.
- Reinforced Thumb Saddle.
- Velcro Closure at the Wrist
- Sanitized®





WWW.C2VPPE.COM

C2V X-SMASH 3200G

X-SMASH Hi Visibility Lime Green, 13 Gauge Shell, Black Sandy Nitrile Palm with vibration reducing palm pad, ANSI Level 2 TPR Dorsal Impact Protection, ANSI Cut Level A2, Reinforced Thumb Saddle. Knit Wrist.

ITEM #	SIZE
3200GS	SMALL
3200GM	MEDIUM
3200GL	LARGE
3200GXL	X-LARGE
3200G2X	2X-LARGE
3200G3X	3X-LARGE



Description:

The X-SMASH 3200G is made from ANSI /ISEA 105 Level A2 Cut Resistant, Hi Visibility Polyester yarn with a Black Sandy Nitrile Palm Coating to maximize durability and gripping power. It features a contrasting Hi Viz ANSI Impact Level 2 TPR back of hand to absorb those unwanted strikes that would have caused extreme pain and potentially injury. With the added benefit of a palm pad to absorb vibration and palm strike, this glove has all you need for hardcore work environments.

Turning Wrenches

Loading/Handling

General Purpose

Maintenance & Repair

Working in Tight Spaces

Industries/Applications:

- Oil & Gas
- Construction
- Equipment
 Operations
- Automotive



3940 Delp St. Memphis, TN 38118 Sales@C2VPPE.com

Features:

- Cut Resistant ANSI A2 Cut Resistance.
- Comfortable palm pad.
- Sandy Nitrile palm coating offers ANSI 4 abrasion resistance, for longer lasting wear in harsh, oily and/or wet conditions.
- ANSI Level 2 Impact/ Back of Hand Protection.
- ANSI 2 Puncture
- Knitwrist





WWW.C2VPPE.COM

C2V X-SMASH 3202G

X-SMASH Hi Visibility Lime Green Spandex Back, Premium Corded Canvas Palm, ANSI Cut Level A2, ANSI Level 2 TPR Dorsal Impact Protection, Reinforced Thumb Saddle. Neoprene Cuff.

				ANSI/ISEA 105
ITEM #	SIZE			
3202GS	SMALL			3 X
3202GM	MEDIUM			~
3202GL	LARGE		JAMAL	ANSI / ISEA 138
3202GXL	X-LARGE	Comme Comme Comme		×~ 5
3202G2X	2X-LARGE		ATT	
3203G3X	3X-LARGE		HALL	
			CERTIFICATION OF THE STATE	EN 388
		PULL		

Description:

The X-SMASH 3202G is made from Hi Visibility Lime Green Spandex back and a Premium grade Corded Canvas Palm to maximize gripping power espcially in oily environments. It features a contrasting Hi Viz ANSI Impact Level 2 TPR back of hand to absorb those unwanted strikes that would have caused extreme pain and potentially injury. Excellent choice for a protective general purpose glove.

Materials Hanlding

Oily Environments

Framing, Demolition

Masonry Work

General Purpose

Industries/Applications:

- Oil & Gas
- Construction
- Mining
- Automotive
- Petrochemical



3940 Delp St. Memphis, TN 38118 Sales@C2VPPE.com

Features:

- Hi Visibility Lime Green Spandex back
- Premium grade Corded Canvas palm for the traditional feel when handling oily materials.
- ANSI Level 2 Impact/ Back of Hand Protection.
- ANSI A2 Cut Resistant
- Neoprene Cuff





WWW.C2VPPE.COM

C2V X-SMASH 3201G

X-SMASH Hi Visibility Orange, 13 Gauge Shell, Black Sandy Nitrile Palm, ANSI Level 2 TPR Dorsal Impact Protection, Reinforced Thumb Saddle. Knit Wrist.

ITEM #	SIZE
3201GS	SMALL
3201GM	MEDIUM
3201GL	LARGE
3201GXL	X-LARGE
3201G2X	2X-LARGE



Description:

The X-SMASH 3201G is made from Hi Visibility Orange Polyester yarn with a Black Sandy Nitrile Palm Coating to maximize durability and gripping power. It features a contrasting Hi Viz ANSI Impact Level 2 TPR back of hand to absorb those unwanted strikes that would have caused extreme pain and potentially injury. Excellent choice for a protective general purpose glove.

Industries/Applications:

- Oil & Gas
- Construction
- Equipment Operations
- Automotive



- Turning Wrenches
- Loading/Handling
- Maintenance & Repair
- Working in Tight Spaces
- General Purpose

3940 Delp St. Memphis, TN 38118 Sales@C2VPPE.com

Features:

- Hi Visibility Orange Shell
- Sandy Nitrile palm coating offers ANSI 4 abrasion resistance, for longer lasting wear in harsh, oily and/or wet conditions.
- ANSI Level 2 Impact/ Back of Hand Protection.
- ANSI 2 Puncture
- Knitwrist













WWW.C2VPPE.COM SALES@C2VPPE.COM