

「 TOGETHER STRONGER 」



「 WARRIOR  
BRAND  
CATALOGUE 」

📍 Address: Villa Ningjing - Shiguang, Qingdao, China  
☎ Tel: +86 53267788717 (Headquarter)  
+92 3320828939 (Pakistan)  
+97 1567055241 (UAE)  
✉ E-mail: [info@aquilatyre.com](mailto:info@aquilatyre.com)  
🌐 Website: [www.warriortyre-cn.com](http://www.warriortyre-cn.com)



RLB450 Drive Axle



WD209 Drive Axle



WD216 Drive Axle



WD217 Drive Axle



WD218 Drive Axle



WD266 Drive Axle

Pattern	Size	PR	L.I. /S.R.	O.D. (mm)	T.D. (mm)	RIM
RLB450	12.00R20	18PR*	154/151 J	1130	19	8.5
	12.00R20	20PR	156/153 J	1130	19	8.5
WD209	295/75R22.5	14PR	144/141 L	1047	24	9.00
WD216	295/80R22.5	18PR	152/149 M	1049	19	9.00
	315/80R22.5	20PR	157/154 L	1084	19	9.00
WD217	13R22.5	18PR*	154/151 J	1121	19	9.75
	9.5R17.5	16PR	133/131 L	848	17	6.75
	295/80R22.5	18PR	152/149 M	1062	23	9.00
WD218	295/80R22.5	18PR	152/149 L	1059	21	9.00
WD266	11R22.5	16PR	148/145 L	1063	22.5	8.25
	11R24.5	16PR	149/146 L	1108	22.5	8.25



**WD406** Drive Axle |||



**WD408** Drive Axle |||



**WD595** All Position |||



**WS102** Steer-Trailer |||



**WD409** Drive Axle |||



**WD418** Drive Axle |||



**WS202** All Position |||



**WS206** Steer-Trailer |||

Pattern	Size	PR	L.I. /S.R.	O.D. (mm)	T.D. (mm)	RIM
WD406	7.50R16LT	14PR	122/118 J	812	14	6.00G
	8.25R16LT	16PR	128/124 J	867	15	6.50H
	8.25R20	14PR	136/134 J	975	15	6.5
	10.00R20	18PR	149/146 J	1055	17.5	7.5
	11.00R20	18PR	152/149 J	1091	18.5	8.0
	11R22.5	16PR	148/145 M	1057	21	8.25
	12R22.5	18PR	152/149 K	1093	18.5	9.00
	WD408	6.50R16LT	12PR*	110/105 K	750	14
WD408	7.00R16LT	14PR	118/114 K	775	14	5.50F
	7.50R16LT	14PR	122/118 J	811	14	6.00G
	8.25R16LT	16PR	128/124 J	871	17	6.50H
WD409	9.00R20	16PR	144/142 L	1031	20.5	7.0
WD418	13R22.5	18PR*	154/151 K	1123	20	9.75
	13R22.5	20PR*	156/153 K	1123	20	9.75

Pattern	Size	PR	L.I. /S.R.	O.D. (mm)	T.D. (mm)	RIM
WD595	8.25R16LT	18PR	132/128 J	870	17	6.50H
WS102	6.50R16LT	12PR*	110/105 L	746	12	5.50F
	7.00R16LT	14PR	118/114 L	771	12	5.50F
	7.50R20	14PR	130/128 L	937	14.5	6.0
	8.25R20	14PR	136/134 L	975	14.5	6.5
	11R22.5	16PR	148/145 M	1053	16.5	8.25
	12R22.5	18PR	152/149 M	1080	16.5	9.00
	13R22.5	18PR	154/151 K	1117	16.5	9.75
	295/60R22.5	18PR	150/147 L	921	16.5	9.00
WS202	295/80R22.5	18PR	152/149 M	1055	16.5	9.00
	315/80R22.5	18PR	156/152 M	1085	16.5	9.00
	215/75R17.5	16PR	135/133 J	771	13	6.00
	235/75R17.5	18PR	143/141 J	789	14	6.75
WS206	255/70R22.5	16PR	140/137 N	932	13	7.50
	215/75R17.5	16PR	127/124 M	772	13	6.00
	235/75R17.5	16PR*	132/130 M	802	13	6.75
WS206	245/70R19.5	16PR	136/134 M	844	14.5	7.50



**WS208** Trailer Axle



**WS210** Steer-Trailer



**WS256** All Position



**WS260** All Position



**WS230** All Position



**WS233** All Position



**WS270** All Position



**WS288** All Position

Pattern	Size	PR	L.I. /S.R.	O.D. (mm)	T.D. (mm)	RIM
WS208	425/65R22.5	20PR	165 K	1129	16	13.00
WS210	11R22.5	16PR	148/145 L	1048	14.5	8.25
	11R24.5	16PR	149/146 L	1091	14.5	8.25
	12R22.5	18PR	152/149 L	1082	15.5	9.00
	265/70R19.5	16PR	143/141 K	873	14.5	7.50
WS230	11.00R20	18PR*	152/149 K	1084	15.5	8.0
	12.00R20	18PR*	154/151 L	1123	15.5	8.5
WS233	10.00R20	18PR	149/146 J	1056	16	7.5
	11.00R20	18PR*	152/149 K	1085	17.5	8.0
	12.00R20	18PR*	154/151 K	1127	17.5	8.5
	11R22.5	16PR	148/145 L	1055	17.5	8.25
	12R22.5	18PR	152/149 L	1091	17.5	9.00
	13R22.5	18PR*	154/151 K	1126	17.5	9.75
	295/80R22.5	18PR	152/149 M	1058	17.5	9.00
	315/80R22.5	20PR	157/154 L	1084	15	9.00



**WS320** Trailer Axle



**WS401** All Position

Pattern	Size	PR	L.I. /S.R.	O.D. (mm)	T.D. (mm)	RIM
WS256	7.50R16LT	14PR	122/118 L	805	12.5	6.00G
	8.25R16LT	18PR	132/128 L	864	14	6.50H
WS260	11.00R20	18PR	152/149 J	1081	14	8.0
WS270	315/80R22.5	18PR	156/152 L	1083	16.5	9.00
WS288	11R22.5	16PR	148/145 M	1051	16.5	8.25
	12R22.5	18PR	152/149 L	1081	17	9.00
	275/80R22.5	18PR	149/146 M	1030	16.5	8.25
	295/60R22.5	18PR	150/147 L	921	16.5	9.00
WS320	7.50R16LT	14PR	122/118 J	808	12.5	6.00G
	8.25R15TR	18PR	143/141 J	844	13	6.5
	9.5R17.5	18PR	143/141 J	840	13	6.75
	245/70R17.5	18PR	143/141 J	790	14	7.50
	275/70R22.5	16PR	144/141 M	960	13	8.25
WS401	9.00R20	16PR	144/142 K	1021	16.5	7.0
	10.00R20	18PR	149/146 J	1055	16.5	7.5
	11.00R20	18PR	152/149 K	1090	17.5	8.0
	12.00R20	18PR	154/151 K	1130	17.5	8.5



**WS403** All Position



**WS405** All Position



**WD407** Drive-Trailer



**WD419** Drive-Trailer



**WT100** Trailer Axle



**WT730** All Position



**WD466** Drive-Trailer



**WD468** Drive Axle

Pattern	Size	PR	L.I. /S.R.	O.D. (mm)	T.D. (mm)	RIM
WS403	7.00R16LT	14PR	118/114 L	775	12	5.50F
	7.50R16LT	14PR	122/118 L	811	13	6.00G
	8.25R16LT	16PR	128/124 J	867	15	6.50H
	8.25R20	14PR	136/134 K	975	15	6.5
WS405	7.50R16LT	14PR	122/118 L	809	14.5	6.00G
	8.25R16LT	18PR	132/128 L	866	15	6.50H
WT100	295/75R22.5	14PR	144/141 M	1016	10	9.00
	245/75R17.5	18PR	143/141 J	802	13.5	6.75
WT730	245/70R17.5	18PR	143/141 J	798	13.5	7.50
	245/70R19.5	18PR	141/140 J	844	14.5	7.50



**WD477** Drive-Trailer



**WD477H** Drive-Trailer

Pattern	Size	PR	L.I. /S.R.	O.D. (mm)	T.D. (mm)	RIM
WD407	9.00R20	16PR	144/142 J	1026	17	7.0
	11.00R20	18PR*	152/149 J	1092	19	8.0
	12.00R20	18PR*	154/151 J	1130	19	8.5
WD419	10.00R20	18PR*	149/146 J	1062	19	7.5
	11.00R20	18PR*	152/149 J	1092	19	8.0
	12.00R20	18PR*	154/151 J	1130	19	8.5
WD466	11.00R20	18PR*	152/149 J	1087	20.5	8.0
	12.00R20	18PR*	154/151 J	1125	20.5	8.5
WD468	12.00R20	18PR*	154/151 J	1125	18.5	8.5
WD477	12.00R20	18PR*	154/151 J	1128	19.5	8.5
WD477H	12.00R20	20PR*	156/153 J	1128	19.5	8.5



**WD506** All Position



**WD510** All Position



**WS237** All Position



**WS200** All Position



**WD596** All Position



**WD605** Drive-Trailer



**WS201** Steer-Trailer



**WS301** All Position



**WD615** Drive-Trailer



**WD999** Drive-Trailer



**WS300** All Position



**WS303** All Position



**WS309A** All Position



**WS306** All Position

Pattern	Size	PR	L.I. /S.R.	O.D. (mm)	T.D. (mm)	RIM
WD506	11.00R20	18PR*	152/149 J	1100	23	8.0
	11R22.5	16PR	148/145 G	1065	23	8.25
WD510	8.25R20	16PR	139/137 J	974	16.5	6.5
WD596	7.50R16LT	14PR	122/118 J	822	21	6.00G
	8.25R16LT	18PR	132/128 F	878	21	6.50H
	12R22.5	18PR	152/149 F	1095	24.5	9.00
WD605	9.00R20	16PR	144/142 J	1024	18.5	7.0
	10.00R20	18PR*	149/146 J	1058	19	7.5
WD615	11.00R20	18PR*	152/149 J	1092	19.5	8.0
	12.00R20	20PR*	156/153 J	1122	19.5	8.5
	12R22.5	18PR	152/149 J	1087	20.5	9.00
WD999	11.00R20	18PR*	152/149 D	1104	24.5	8.0
	12.00R20	20PR*	156/153 D	1141	24.5	8.5

Pattern	Size	PR	L.I. /S.R.	O.D. (mm)	T.D. (mm)	RIM
WS237	12.00R20	20PR*	156/153 K	1124	17	8.5
WS200	11.00R20	18PR	152/149 L	1088	16.5	8.0
WS201	11R22.5	16PR	148/145 M	1051	15	8.25
WS301	8R22.5	14PR	130/128 L	936	12.5	6.00
WS300	9R22.5	14PR	136/134 L	974	13.5	6.75
WS303	10R22.5	14PR	141/139 M	1022	15	7.50
WS309A	7.00R16LT	14PR	118/114 L	775	14	5.50F
	9R22.5	14PR	136/134 K	974	14.5	6.75
	10R22.5	16PR	144/142 L	1023	16	7.50
WS306	11R22.5	16PR	148/145 J	1054	19	8.25
	275/70R22.5	18PR	152/148 J	972	19	8.25
	295/80R22.5	18PR	152/149 L	1056	19	9.00



WSS02(winter) All Position



WD979 All Position



WD989 All Position



WD989H All Position



WD993 All Position



WD998 All Position

# OTR TYRES



Pattern	Size	PR	L.I. /S.R.	O.D. (mm)	T.D. (mm)	RIM
WSS02 (winter)	8.25R16LT	16PR	128/124 J	865	14	6.50H
WD979	12.00R20	20PR*	156/153 D	1134	25	8.5
WD989	10.00R20	18PR*	149/146 D	1067	22	7.5
	11.00R20	18PR*	152/149 D	1098	23	8.0
	12.00R20	20PR*	156/153 D	1137	23	8.5
WD989H	12.00R20	20PR*	156/153 D	1137	23	8.5
WD993	12.00R20	20PR*	156/153 F	1131	24.5	8.5
WD998	12.00R20	22PR*	156/153 B	1135	26.5	8.5



REM1



REM2N



REM4



REM5



REM2



REM3



REM6S



REM6

Pattern	Size	L.S.	SPEED	O.D.	T.D.	L.I.
			KM/H			
REM1	13.00R24	*	40/A8	1296	30	146
	14.00R24	*	40/A8	1365	30	153
REM2N	23.5R25	**	50/B	1617	30	185
			10/A2			201
REM2	17.5R25	*	50/B	1340	27	157
			10/A2			176
	17.5R25	**	50/B	1340	27	167
			10/A2			182
	20.5R25	*	50/B	1480	31	168
			10/A2			186
	20.5R25	**	50/B	1480	31	177
			10/A2			193
	23.5R25	*	50/B	1617	36	176
			10/A2			195
	23.5R25	**	50/B	1617	36	185
			10/A2			201
	26.5R25	*	50/B	1748	37.5	184
			10/A2			202
	26.5R25	**	50/B	1748	37.5	193
			10/A2			209
	29.5R25	**	50/B	1860	40	200
			10/A2			216
	750/65R25	**	50/B	1606	43	190
			10/A2			209
	775/65R29	**	50/B	1750	46	195
			10/A2			213
	875/65R29	**	50/B	1875	48	203
			10/A2			221
REM3	10R16.5	---	25/A5	773	18.5	128
	12R16.5	---	25/A5	832	23	141

Pattern	Size	L.S.	SPEED	O.D.	T.D.	L.I.
			KM/H			
REM4	225/65R15	---	35/A7	686	14	149
REM5	23.5R25	*	50/B	1626	39	176
		10/A2	195			
	23.5R25	**	50/B	1626	39	185
		10/A2	201			
	23.5R25	***	10/-	1626	39	-
		5/-				
	26.5R25	**	50/B	1754	40.5	193
		10/A2	209			
	26.5R25	***	10/-	1754	40.5	-
		5/-				
	29.5R25	**	50/B	1868	44	200
		10/A2	216			
	29.5R25	***	10/-	1868	44	-
		5/-				
REM6S	12.00R24	---	25/A5	1265	58	175
REM6	5.00R8	---	25/A5	468	24.5	111
	6.00R9	---	25/A5	540	25	121
	6.50R10	---	25/A5	585	27	128
	7.00R12	---	25/A5	670	28	136
	7.00R15	---	25/A5	736	28	143
	7.50R15	---	25/A5	770	30	146
	8.25R15	---	25/A5	838	32	153
	10.00R20	---	25/A5	1062	35	166
	12.00R20	---	25/A5	1136	41	176
	12.00R24	---	25/A5	1232	39	178
	14.00R24	---	25/A5	1416	64	193
18.00R25	---	25/A5	1656	63.5	207	
225/75R15	---	25/A5	706	25	149	
250/70R15	---	25/A5	736	26.5	153	
315/70R15	---	25/A5	835	36	165	



REM7



REM8



REM12



REM15



REM9



REM10



REM17



REM18

Pattern	Size	L.S.	SPEED KM/H SPEED SYMBOL	O.D. (mm)	T.D. (mm)	L.I.
REM7	33.25R29	**	50/B	2060	45	209
REM8	14.00R24	***	70/E	1364	25	170
	14.00R25	***	70/E	1364	25	170
	16.00R25	**	80/F	1488	26	174
	16.00R25	***	70/E	1488	26	177
	20.5R25	**	70/E	1490	31	179
	385/95R25	**	80/F	1364	25	170
	385/95R25	—	90/G	1364	25	170
	445/95R25	—	100/J	1488	26	170
	525/80R25	**	80/F	1490	31	176
REM9	26.5R25	**	50/B 10/A2	1782	55	193 209
	29.5R25	**	50/B 10/A2	1905	60	200 216
	16.00R25	***	50/B 10/A2	1526	43	180 198
	18.00R33	**	50/B 10/A2	1865	53	191 209
	21.00R33	**	50/B 10/A2	1964	55	200 218
	24.00R35	**	50/B 10/A2	2160	69	209 227
REM10	17.00R29	***	10/A2	1625	36	200
	26.5R25	**	50/B 10/A2	1754	40.5	193 209
	29.5R25	**	50/B 10/A2	1868	44	200 216



REM19



REM21

Pattern	Size	L.S.	SPEED KM/H SPEED SYMBOL	O.D. (mm)	T.D. (mm)	L.I.
REM12	17.5R25	* **	6/A2	1400	66.5	174 182
	26.5R25	* **	10/A2	1800	92	202 209
	29.5R25	* **	10/A2	1905	100	208 216
REM15	17.5R25	* **	10/A2	1340	29	176 182
REM17	16.00R25	—	25/A5	1495	56	200
REM18	35/65R33	* **	10/A2	2056	98	217 223
REM19	20.5R25	* **	10/A2	1530	72	186 193
	23.5R25	* **	10/A2	1662	78	195 201
	26.5R25	* **	10/A2	1800	92	202 209
	29.5R25	* **	10/A2	1905	100	208 216
REM21	14.00R24	***	50/B 10/A2	1366	28	169 188
	16.00R25	***	10/A2	1495	30	197

# AGRICULTURAL TYRES



REM21+



REM26



REM28S



DT301



DT302



Pattern	Size	L.S.	SPEED KM/H SPEED SYMBOL	O.D. (mm)	T.D. (mm)	L.I.
REM21+	14.00R25	***	50/B	1366	28	169
			10/A2			188
REM26	7.00R15	--	25/A5	728	22	143
	12.00R20	--	25/A5	1122	36	176
	180/70R8	--	25/A5	456	20	125
	225/75R10	--	--	586	21	142
	315/70R15	--	25/A5	828	31	165
REM28S	17.5R25	**	50/B	1340	27	167
		**	10/A2			182
	20.5R25	**	50/B	1484	31	177
		**	10/A2			193
	23.5R25	**	50/B	1617	36	185
	**	10/A2	201			
385/95R24	**	50/B	1360	25	168	
	**	70/E	1360	25	170	
DT301	14.00R25	***	50/B	1366	28.5	169
			10/A2			188
DT302	16.00R25	***	10/A2	1490	32	180
			50/B			188
			10/A2	1490	32	198

「Coming Soon...」



KT176



KT178



KT179

Pattern	Size	O.D. (mm)	T.D. (mm)	S.W. (mm)	RIM	L.I.
KT176	420/85R28(16.9R28)	1425	45	418	W13	139
	420/85R30(16.9R30)	1476	46	418	W13	140
	520/85R42(20.8R42)	1951	54	516	DW16L	157
KT178	380/85R28(14.9R28)	1357	46	380	W12	133
	420/85R28(16.9R28)	1425	45	418	W13	139
	420/85R30(16.9R30)	1476	46	418	W13	140
	460/85R38(18.4R38)	1747	48	455	W14L	149
	520/85R38(20.8R38)	1849	51	516	DW16L	155
	IF520/85R42(20.8R42)	1951	54	526	DW18L	169
	IF580/80R34	1792	53	576	DW20B	177
	440/80R28	1415	45	441	W14L	156
	480/80R38	1733	50	479	W15L	149
	620/75R34	1794	51	625	DW20B	170
KT179	420/90R30	1518	45	418	DW13	147
	580/70R42	1879	52	577	DW18L	158
	600/70R30	1602	51	591	DW18L	158
	710/70R38	1959	51	716	DW23A	171
	IF710/70R42	2061	52	705	DW23B	179
	540/65R28	1441	48	578	W18L	142
	650/65R42	1913	50	645	DW220A	165
	520/85R42(20.8R42)	1951	53	526	DW18L	169
	480/70R28	1421	41	479	W15L	140
	540/65R30	1464	50	550	W18L	143
	650/65R38	1811	51	645	DW20A	157



Size

• 11R22.5  
16PR 148/145 J



Size

• 12.00R24  
20PR 160/157 K



Size

• 12.00R24  
20PR 160/157 K



Size

• 295/60R22.5  
18PR 150/147 L  
• 315/60R22.5  
16PR 152/148 L



Size

• 315/60R22.5  
16PR 152/148 L  
• 315/60R22.5  
20PR 154/148 L  
• 315/70R22.5  
20PR\* 156/150 L  
• 315/80R22.5  
20PR 157/154 L



Size

- 315/70R22.5  
18PR 154/150 L
- 315/80R22.5  
20PR 157/154 L



Size

- 315/70R22.5  
18PR 154/150 L



Size

- 355/50R22.5  
18PR 154K(152L)



Size

- 385/55R22.5  
20PR 160 K
- 385/65R22.5  
24PR 164 K
- 435/50R19.5  
20PR 160 J
- 445/45R19.5  
20PR 160 J



Size

- 385/65R22.5  
24PR 164 K



Size

- 385/65R22.5  
20PR 160 K
- 435/50R19.5  
20PR 160 J
- 445/45R19.5  
20PR 160 J