



SAF




Taconite/Labyrinth Seal for SAF




TER



TER - OS



PER



LER - Split



SDAF



SAF

The bearing housing type SAF3000/3100/3200 is designed for the use of 230K, 231K, 232K series. The standard material for these housings is grey cast iron. The bearing seat inside the housing is precision-machined to the G7 tolerance class. The sealing is achieved through TS labyrinth seals. Upon customer request, these bearing housings can also be adapted for cylindrical bearings and supplied in a different material.

SAF
SDAF







15kg - 2054kg







2-15/16 in. - 19-1/2 in.







4m/s - 20m/s







Article	d in.	D mm	a in.	b in.	c in.	h in.	h1 in.	L in.	w in.	m max. in.	m min. in.	n in.	S Bolt in.	in lbs	Bearing	Seal	Locating Ring	Qty	Sleeve	End cover
SAF517	2-15/16"	150	13"	3-1/2"	1-1/4"	3-3/4"	1-3/8"	4-13/16"	7-5/16"	11	9-7/8"	2-1/8"	3/4"	35	22217K	LER53	SR-17-14	1	SNW17	EPR10
SAF518	3-3/16"	160	13-3/4"	3-7/8"	1-5/16"	4"	1-1/2"	5-1/2"	7-3/4"	11-5/8"	10-3/8"	2-1/8"	3/4"	44	22218K	LER188	SR-18-15	1	SNW18	EPR11
SAF520	3-7/16"	180	15-1/4"	4-3/8"	1-3/4"	4-1/2"	1-21/32"	5-13/16"	8-3/4"	13-1/8"	11-5/8"	2-3/8"	7/8"	74	22220K	LER102	SR-20-17	1	SNW20	EPR12







Article	d in.	D mm	a in.	b in.	c in.	h in.	h1 in.	L in.	w in.	m max. in.	m min. in.	n in.	S Bolt in.	in lbs	Bearing	Seal	Locating Ring	Qty	Sleeve	End cover
FSAF517	2-15/16"	150	13"	3-1/2"	1-1/4"	3-3/4"	1-3/8"	4-13/16"	7-5/16"	11	9-7/8"	2-1/8"	5/8"	35	22217K	LER53	SR-17-14	1	SNW17	EPR10
FSAF518	3-3/16"	160	13-3/4"	3-7/8"	1-5/16"	4"	1-1/2"	5-1/2"	7-3/4"	11-5/8"	10-3/8"	2-1/8"	5/8"	44	22218K	LER188	SR-18-15	1	SNW18	EPR11
FSAF520	3-7/16"	180	15-1/4"	4-3/8"	1-3/4"	4-1/2"	1-21/32"	5-13/16"	8-3/4"	13-1/8"	11-5/8"	2-3/8"	3/4"	74	22220K	LER102	SR-20-17	1	SNW20	EPR12
SAF522	3-15/16"	200	16-1/2"	4-3/4"	2"	4-15/16"	1-25/32"	6-7/16"	9-5/8"	14-1/2"	12-5/8"	2-3/4"	3/4"	97	22222K	LER109	SR-22-19	1	SNW22	EPR13
SAF524	4-3/16"	215	16-1/2"	4-3/4"	2-1/8"	5-1/4"	1-27/32"	7-1/8"	10-1/4"	14-1/2"	13-1/4"	2-3/4"	3/4"	121	22224K	LER113	SR-24-20	1	SNW24	EPR14
SAF526	4-7/16"	230	18-3/8"	5-1/8"	2-3/8"	6"	2-11/32"	7-3/4"	11-1/2"	16"	14-5/8"	3-1/4"	7/8"	161	22226K	LER117	SR-26-0	1	SNW26	EPR15
SAF528	4-15/16"	250	20-1/8"	5-7/8"	2-3/8"	6"	2-1/32"	7-3/8"	11-3/4"	17-1/8"	16"	3-3/8"	1"	174	22228K	LER122	SR-28-0	1	SNW28	EPR27
SAF530	5-3/16"	270	21-1/4"	6-1/4"	2-1/2"	6-5/16"	2"	8-1/8"	12-1/2"	18-1/4"	17"	3-3/4"	1"	221	22230K	LER125	SR-30-0	1	SNW30	EPR28
SAF532	5-7/16"	290	22"	6-1/4"	2-5/8"	6-11/16"	2-1/16"	8-1/2"	13-5/16"	19-1/4"	17-3/8"	3-3/4"	1"	246	22232K	LER130	SR-32-0	1	SNW32	EPR16
SAF534	5-15/16"	310	24-3/4"	6-3/4"	2-3/4"	7-1/16"	2-5/32"	9-1/4"	14-3/16"	21-5/8"	19-3/8"	4-1/4"	1"	310	22234K	LER140	SR-34-0	1	SNW34	EPR18
SAF536	6-7/16"	320	26-3/4"	7-1/8"	3"	7-1/2"	2-3/8"	9-5/8"	14-7/8"	23-5/8"	20-7/8"	4-5/8"	1"	345	22236K	LER148	SR-36-30	1	SNW36	EPR19
SAF538	6-15/16"	340	28"	7-1/2"	3-1/8"	7-7/8"	2-7/16"	10-1/2"	15-11/16"	24-3/8"	21-5/8"	4-1/2"	1-1/4"	400	22238K	LER155	SR-38-32	1	SNW38	EPR20
SAF540	7-3/16"	360	29-1/2"	8"	3-3/8"	8-1/4"	2-15/32"	11"	16-1/2"	25"	22-1/2"	5"	1-1/4"	492	22240K	LER159	SR-40-34	1	SNW40	EPR21
SAF544	7-15/16"	400	32-3/4"	8-3/4"	3-3/4"	9-1/2"	3-1/8"	11-3/4"	18-5/8"	27-7/8"	24-3/4"	5-1/4"	1-1/2"	672	22244K	LER167	SR-44-38	1	SNW44	EPR33







Article	d in.	D mm	a in.	b in.	c in.	h in.	h1 in.	L1 in.	w in.	g mm	m max. in.	m min. in.	n in.	S Bolt in.	Bearing lbs	Sleeve	Seal	Locating Ring	Qty	End cover	
SAF517-TER	2-15/16"	150	13"	3-1/2"	1-1/4"	3-3/4"	1-3/8"	7-3/8"	7-5/16"	46	11	9-7/8"	2-1/8"	3/4"	35	22217K	SNW17	TER53	FR150x10	1	EPR-10
SAF518-TER	3-3/16"	160	13-3/4"	3-7/8"	1-5/16"	4"	1-1/2"	7-3/4"	7-3/4"	50	11-5/8"	10-3/8"	2-1/8"	3/4"	44	22218K	SNW18	TER188	FR160x10	1	EPR-11
SAF520-TER	3-7/16"	180	15-1/4"	4-3/8"	1-3/4"	4-1/2"	1-21/32"	8-3/4"	8-3/4"	56	13-1/8"	11-5/8"	2-3/8"	7/8"	74	22220K	SNW20	TER102	FR180x10	1	EPR-12







Article	d1 in.	D mm	a in.	b in.	c in.	h in.	h1 in.	L1 in.	w in.	g mm	m max. in.	m min. in.	n in	S Bolt in lbs	Bearing	Sleeve	Seal	Locating Ring	Qty	End cover	
FSAF517-TER	2-15/16"	150	13"	3-1/2"	1-1/4"	3-3/4"	1-3/8"	7-3/8"	7-5/16"	46	11"	9-7/8"	2-1/8"	5/8"	35	22217K	SNW17	TER53	FR150x10	1	EPR-10
FSAF518-TER	3-3/16"	160	13-3/4"	3-7/8"	1-5/16"	4"	1-1/2"	7-3/4"	7-3/4"	50	11-5/8"	10-3/8"	2-1/8"	5/8"	44	22218K	SNW18	TER188	FR160x10	1	EPR-11
FSAF520-TER	3-7/16"	180	15-1/4"	4-3/8"	1-3/4"	4-1/2"	1-21/32"	8-3/4"	8-3/4"	56	13-1/8"	11-5/8"	2-3/8"	3/4"	74	22220K	SNW20	TER102	FR180x10	1	EPR-12
SAF522-TER	3-15/16"	200	16-1/2"	4-3/4"	2"	4-15/16"	1-25/32"	9-1/8"	9-5/8"	63	14-1/2"	12-5/8"	2-3/4"	3/4"	97	22222K	SNW22	TER109	FR200x10	1	EPR-13
SAF524-TER	4-3/16"	215	16-1/2"	4-3/4"	2-1/8"	5-1/4"	1-27/32"	9-13/16"	10-1/4"	68	14-1/2"	13-1/4"	2-3/4"	3/4"	121	22224K	SNW24	TER113	FR215x10	1	EPR-14
SAF526-TER	4-7/16"	230	18-3/8"	5-1/8"	2-3/8"	6"	2-11/32"	10-7/16"	11-1/2"	74	16"	14-5/8"	3-1/4"	7/8"	161	22226K	SNW26	TER117	FR230x10	1	EPR-15
SAF528-TER	4-15/16"	250	20-1/8"	5-7/8"	2-3/8"	6"	2-1/32"	10-1/16"	11-3/4"	78	17-1/8"	16"	3-3/8"	1"	174	22228K	SNW28	TER122	FR250x10	1	EPR-27
SAF530-TER	5-3/16"	270	21-1/4"	6-1/4"	2-1/2"	6-5/16"	2"	10-13/16"	12-1/2"	83	18-1/4"	17"	3-3/4"	1"	221	22230K	SNW30	TER125	FR270x10	1	EPR-28
SAF532-TER	5-7/16"	290	22"	6-1/4"	2-5/8"	6-11/16"	2-1/16"	11-3/16"	13-5/16"	90	19-1/4"	17-3/8"	3-3/4"	1"	246	22232K	SNW32	TER130	FR290x10	1	EPR-16
SAF534-TER	5-15/16"	310	24-3/4"	6-3/4"	2-3/4"	7-1/16"	2-5/32"	11-15/16"	14-3/16"	96	21-5/8"	19-3/8"	4-1/4"	1"	310	22234K	SNW34	TER140	FR310x10	1	EPR-18
SAF536-TER	6-7/16"	320	26-3/4"	7-1/8"	3"	7-1/2"	2-3/8"	12-5/16"	14-7/8"	96	23-5/8"	20-7/8"	4-5/8"	1"	345	22236K	SNW36	TER148	FR320x10	1	EPR-19
SAF538-TER	6-15/16"	340	28"	7-1/2"	3-1/8"	7-7/8"	2-7/16"	13-3/16"	15-11/16"	102	24-3/8"	21-5/8"	4-1/2"	1-1/4"	400	22238K	SNW38	TER155	FR340x10	1	EPR-20
SAF540-TER	7-3/16"	360	29-1/2"	8"	3-3/8"	8-1/4"	2-15/32"	13-11/16"	16-1/2"	108	25"	22-1/2"	5"	1-1/4"	492	22240K	SNW40	TER159	FR360x10	1	EPR-21
SAF544-TER	7-15/16"	400	32-3/4"	8-3/4"	3-3/4"	9-1/2"	3-1/8"	14-7/16"	18-5/8"	118	27-7/8"	24-3/4"	5-1/4"	1-1/2"	672	22244K	SNW44	TER167	FR400x10	1	EPR-23







Article	d1 in.	D mm in.	m max. in.	m min. in.	L in.	L1 in.	g mm in.	b in.	W in.	h in.	a in.	c in.	n in.	S Bolt	Bearing	Sleeve	FR	QTY.	kg	LER	TER	EPR No.
SDAF060-K	10-15/16	460	33-1/2	32-3/4	15-1/8	18-7/8	128	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23060-K	HA3060/10-15/16	FR460x10	1	465	858	858	5217-9
SDAF060-K	11	460	33-1/2	32-3/4	15-1/8	18-7/8	128	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23060-K	HA3060/11	FR460x10	1	465	825	825	5217-9
SDAF3064-K	11-7/16	480	33-1/2	32-3/4	15-1/8	18-7/8	131	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23064-K	HA3064/11-7/16	FR480x10	1	504	861	861	5217-3
SDAF3064-K	11-1/2	480	33-1/2	32-3/4	15-1/8	18-7/8	131	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23064-K	HA3064/11-1/2	FR480x10	1	504	832	832	5217-3
SDAF3064-K	11-15/16	480	33-1/2	32-3/4	15-1/8	18-7/8	131	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23064-K	HA3064/11-15/16	FR480x10	1	504	859	859	5217-3
SDAF3064-K	12	480	33-1/2	32-3/4	15-1/8	18-7/8	131	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23064-K	HA3064/12	FR480x10	1	504	818	818	5217-3
SDAF3068-K	12-7/16	520	33-1/2	32	15-3/4	20-1/4	143	15-1/4	24	12	39	4-3/16	10	1-7/8	23068-K	HA3068/12-7/16	FR520x10	1	607	865	865	5217-29
SDAF3068-K	12-1/2	520	33-1/2	32	15-3/4	20-1/4	143	15-1/4	24	12	39	4-3/16	10	1-7/8	23068-K	HA3068/12-1/2	FR520x10	1	607	866	866	5217-29
SDAF3072-K	12-15/16	540	36-1/2	35	15-7/8	20-3/8	144	15-3/4	25-3/4	12-13/16	41-3/4	4-1/2	10-1/2	2	23072-K	HA3072/12-15/16	FR540x10	1	636	869	869	5217-27
SDAF3072-K	13	540	36-1/2	35	15-7/8	20-3/8	144	15-3/4	25-3/4	12-13/16	41-3/4	4-1/2	10-1/2	2	23072-K	HA3072/13	FR540x10	1	636	846	846	5217-27
SDAF3072-K	13-7/16	540	36-1/2	35	15-7/8	20-3/8	144	15-3/4	25-3/4	12-13/16	41-3/4	4-1/2	10-1/2	2	23072-K	HA3072/13-7/16	FR540x10	1	636	872	872	5217-28
SDAF3072-K	13-1/2	540	36-1/2	35	15-7/8	20-3/8	144	15-3/4	25-3/4	12-13/16	41-3/4	4-1/2	10-1/2	2	23072-K	HA3072/13-1/2	FR540x10	1	636	823	823	5217-28
SDAF3076-K	13-15/16	560	36-1/2	35	15-7/8	20-1/2	145	15-3/4	25-3/4	12-13/16	41-3/4	4-1/2	10-1/2	2	23076-K	HA3076/13-15/16	FR560x10	1	657	875	875	5217-12
SDAF3076-K	14	560	36-1/2	35	15-7/8	20-1/2	145	15-3/4	25-3/4	12-13/16	41-3/4	4-1/2	10-1/2	2-1/4	23076-K	HA3076/14	FR560x10	1	657	876	876	5217-12



Article	d1 in.	D mm in.	m max. in.	m min. in.	L in.	L1 in.	g mm in.	b in.	W in.	h in.	a in.	c in.	n in.	S Bolt in.	Bearing	Sleeve	FR	QTY.	kg	LER	TER	EPR	No.
SDAF3080-K	14-15/16	600	40-3/4	39-1/4	17-1/4	21-7/8	158	17-1/8	28-7/8	14-1/2	46	5-1/4	11	2-1/4	23080-K	HA3080/14-15/16	FR600x10	1	903	882	882	5217-21	
SDAF3080-K	15	600	40-3/4	39-1/4	17-1/4	21-7/8	158	17-1/8	28-7/8	14-1/2	46	5-1/4	11	2-1/4	23080-K	HA3080/15	FR600x10	1	903	847	847	5217-21	
SDAF3084-K	15-3/4	620	40-3/4	39-1/4	17-1/4	21-7/8	160	17-1/8	28-7/8	14-1/2	46	5-1/4	11	2-1/4	23084-K	HA3084/15-3/4	FR620x10	1	891	969	969	5217-23	
SDAF3088-K	16-1/2	650	43-1/2	41-3/4	19-1/4	23-7/8	177	18-3/4	30-1/2	15-1/2	48-3/4	5-1/2	12-1/4	2-1/4	23088-K	HA3088/16-1/2	FR650x10	1	982	958	958	5217-23	
SDAF3092-K	17	680	43-1/2	41-3/4	19-1/4	23-7/8	183	18-3/4	30-1/2	15-1/2	48-3/4	5-1/2	12-1/4	2-1/4	23092-K	HA3092/17	FR680x10	1	1091	838	838		
SDAF3096-K	18	700	46-1/8	44-3/8	21-3/4	26-3/8	185	21	33-3/4	17	53	5-1/2	14-1/2	2-1/4	23096-K	HA3096/18	FR700x10	1	1717	888	888		
SDAF30/500-K	18-1/2	720	46-1/8	44-3/8	21-3/4	26-3/8	187	21	33-3/4	17	53	5-1/2	14-1/2	2-1/4	230/500-K	HA30/500/18-1/2	FR720x10	1	1752	978	978	978	
SDAF30/530-K	19-1/2	780	48-7/8	47-1/8	22-3/4		205	21-5/8	35-3/4	18	54-1/4	5-3/4	15	2-1/2	230/530-K	HA30/530/19-1/2	FR780x10	1	2054	926	926		



Article	d1 in.	D mm	m max. in.	m min. in.	L in.	L1 in.	g mm	b in.	W in.	h in.	a in.	c in.	n in.	S Bolt in.	Bearing Sleeve	FR	QTY.	kg	LER	TER	EPR	No.
SDAF3152-K	9-7/16	440	30-1/2	29	14	14 7/8	164	13-1/8	20-3/4	10-1/4	35	3-3/4	8-3/4	1-5/8	23152-K HA3152/97/16	FR440x10	1	386	533	533	5217-2	
SDAF3152-K	9-1/2	440	30-1/2	29	14	14 7/8	164	13-1/8	20-3/4	10-1/4	35	3-3/4	8-3/4	1-5/8	23152-K HA3152/91/2	FR440x10	1	386	178	178	5217-2	
SDAF3156-K	9-5/16	460	33-1/2	32-3/4	15-1/8	17 1/2	166	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23156-K HA3156/95/16	FR460x10	1	469	751	751	5217-1	
SDAF3156-K	10	460	33-1/2	32-3/4	15-1/8	17 1/2	166	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23156-K HA3156/10	FR460x10	1	469	705	705	5217-1	
SDAF3156-K	10-7/16	460	33-1/2	32-3/4	15-1/8	17 1/2	166	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23156-K HA3156/107/16	FR460x10	1	469	745	745	5217-1	
SDAF3156-K	10-1/2	460	33-1/2	32-3/4	15-1/8	17 1/2	166	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23156-K HA3156/101/2	FR460x10	1	469	710	710	5217-1	
SDAF3160-K	10-15/16	500	33-1/2	32-3/4	15-1/8	18 7/8	180	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23160-K HA3160/1015/16	FR500x10	1	488	858	858	5217-9	
SDAF3160-K	11	500	33-1/2	32-3/4	15-1/8	18 7/8	180	14-3/4	23-7/16	12	38-1/4	3-3/8	9	1-5/8	23160-K HA3160/11	FR500x10	1	488	825	825	5217-9	
SDAF3164-K	11-7/16	540	36-1/2	35	15-7/8	19 5/8	196	15-3/4	25-3/4	12-13/16	41-3/4	4-1/2	10-1/2	1-7/8	23164-K HA3164/117/16	FR540x10	1	674	861	861	5217-3	
SDAF3164-K	11-1/2	540	36-1/2	35	15-7/8	19 5/8	196	15-3/4	25-3/4	12-13/16	41-3/4	4-1/2	10-1/2	1-7/8	23164-K HA3164/111/2	FR540x10	1	674	832	832	5217-3	
SDAF3164-K	11-15/16	540	36-1/2	35	15-7/8	19 5/8	196	15-3/4	25-3/4	12-13/16	41-3/4	4-1/2	10-1/2	1-7/8	23164-K HA3164/1115/16	FR540x10	1	674	859	859	5217-3	
SDAF3164-K	12	540	36-1/2	35	15-7/8	19 5/8	196	15-3/4	25-3/4	12-13/16	41-3/4	4-1/2	10-1/2	1-7/8	23164-K HA3164/12	FR540x10	1	674	818	818	5217-3	
SDAF3168-K	12-7/16	580	38-1/4	36-3/4	18-3/16	22 11/16	210	17-3/4	27-3/4	14	43-3/4	5	10-3/4	2	23168-K HA3168/127/16	FR580x10	1	900	865	865	5217-29	
SDAF3168-K	12-1/2	580	38-1/4	36-3/4	18-3/16	22 11/16	210	17-3/4	27-3/4	14	43-3/4	5	103/4	2	23168-K HA3168/121/2	FR580x10	1	900	866	866	5217-29	



Article	d1 in.	D mm	max. in.	min. in.	L in.	L1 in.	g mm	b in.	W in.	h in.	a in.	c in.	n in.	S Bolt in.	Bearing	Sleeve	FR	QTY.	kg	LER	TER	EPR No.
SDAF3172-K	12-15/16	600	40-3/4	39-1/4	17-1/4	21 7/8	212	17-1/8	28-7/8	14-1/2	46	5-1/4	11	2	23172-K	HA3172/1215/16	FR600x10	1	914	869	869	5217-27
SDAF3172-K	13	600	40-3/4	39-1/4	17-1/4	21 7/8	212	17-1/8	28-7/8	14-1/2	46	5-1/4	11	2	23172-K	HA3172/13	FR600x10	1	914	846	846	5217-27
SDAF3172-K	13-7/16	600	40-3/4	39-1/4	17-1/4	21 7/8	212	17-1/8	28-7/8	14-1/2	46	5-1/4	11	2	23172-K	HA3172/137/16	FR600x10	1	914	872	872	5217-28
SDAF3172-K	13-1/2	600	40-3/4	39-1/4	17-1/4	21 7/8	212	17-1/8	28-7/8	14-1/2	46	5-1/4	11	2	23172-K	HA3172/131/2	FR600x10	1	914	823	823	5217-28
SDAF3176-K	13-15/16	620	40-3/4	39-1/4	17-1/4	21 7/8	214	17-1/8	28-7/8	14-1/2	46	5-1/4	11	2	23176-K	HA3176/1315/16	FR620x10	1	905	875	875	5217-12
SDAF3176-K	14	620	40-3/4	39-1/4	17-1/4	21 7/8	214	17-1/8	28-7/8	14-1/2	46	5-1/4	11	2	23176-K	HA3176/14	FR620x10	1	905	876	876	5217-12
SDAF3180-K	14-15/16	650	43-1/2	41-3/4	19-1/4	24	220	18-3/4	30-1/2	15-1/2	48-3/4	5-1/2	12-1/4	2-1/4	23180-K	HA3180/1415/16	FR650x10	1	1005	882	882	5217-21
SDAF3180-K	15	650	43-1/2	41-3/4	19-1/4	24	220	18-3/4	30-1/2	15-1/2	48-3/4	5-1/2	12-1/4	2-1/4	23180-K	HA3180/15	FR650x10	1	1005	847	847	5217-21
SDAF3184-K	15-3/4	700	46-1/8	44-3/8	21-3/4	26 1/2	244	21	33-3/4	17	53	5-1/2	14-1/2	2-1/4	23184-K	HA3184/153/4	FR700x10	1	1601	969	969	5217-23
SDAF3188-K	16-1/2	720	46-1/8	44-3/8	21-3/4	25 1/4	246	21	33-3/4	17	53	5-1/2	14-1/2	2-1/4	23188-K	HA3188/161/2	FR720x10	1	1590	958	958	5217-23
SDAF3192-K	17	760	48-7/8	47-1/8	22-3/4	26 1/4	260	21-5/8	35-3/4	18	54-1/4	5-3/4	15	2-1/2	23192-K	HA3192/17	FR760x10	1	1828	838	838	
SDAF3196-K	18	790	48-7/8	47-1/8	22-3/4	27 1/4	268	21-5/8	35-3/4	18	54-1/4	5-3/4	15	2-1/2	23196-K	HA3196/18	FR790x10	1	1928	888	888	
SDAF31/500-K	18-1/2	830	48-7/8	47-1/8	22-3/4	27 1/4	284	21-5/8	35-3/4	18	54-1/4	5-3/4	15	2-1/2	231/500-K	HA31/500/181/2	FR830x10	1		978	978	978



THIS IS HOW YOU REACH US

GLH GMBH

Heinrich-Hertz-Straße 4
22941 Bargteheide, Germany
Tel. +49 - 4532-280-753-0
www.glh24.de

WHAT WE OFFER

SHIPPING UNTIL 17:00 UHR

Daily Forwarding shipment,
parcel shipment with **UPS, DHL,**
FEDEX, NIGHT STAR
Roller bearings, Plummer Blocks,
Flanged Bearings, Plain Bearings,
Adapter and withdrawal Sleeves, Seals