


SSNG500



Seal Arrangements



-  Ideally suited
-  Suitable
-  Less suitable
-  Unsuitable



TSNG
SSNG
SNGH
FCMG
SFCM
SOSPG

TSNC
SSNG
SNGH
FCMG
SFCM
SOSPG

TSNA
SSNG
SNGH
FCMG
SFCM
SOSPG

TSU
SSNG
SNGH
FSCM
SD/SN

TAU
SSNG
SNGH
FSCM
SD/SN

FS
722500
FCM/SN

°C
m/s

..-40..+100°C
..<8m/s
..0.5..1°

..-40..+100°C
..<15m/s
..<0.5°

..-40..+100°C
..<7m/s
..<..1...1.5°

..-40..+200°C
..<15m/s
..<0.3°

..-40..+100°C
..<10m/s
..<0.5°

..-40..+100°C
..<15m/s
..<0.5°

Max grade

Relubricateable



Friction



Axial displacement



Vertical installation



Spray water



Fine dust



Dust



Rough particle




Sharp particle



UV resistance




Breaking load




In general for compensation of the housing breaking load value a safety factor of 6 is recommended
*use 70% of this value

	Housing size SSNG		Breaking load						Connecting screw	Max load capacity			Bolt	Max thightening	Grey cast iron: GG20
			0°	55°	90°	120°	150°	180°							
	505	205	218	174	104	70	61	80	M10x40	60	35	30	M12	87	
	506	206 305 605	242	185	110	80	68	85	M10x40	60	35	30	M12	87	
	507	207 306 606	271	207	133	85	82	95	M10x45	60	35	30	M12	87	
	508	208 307 607	321	240	145	95	87	115	M12x50	80	45	40	M12	87	
	509	209	339	256	154	100	92	120	M12x55	80	45	40	M12	87	
	510	210 308 608	381	289	176	121	112	140	M16x60	80	45	40	M12	87	
	511	211 309 609	430	305	187	125	120	145	M16x60	180	100	90	M16	210	
	512	212 310 610	430	327	198	132	128	160	M16x70	180	100	90	M16	210	
	513	213 311 611	484	376	231	150	135	170	M16x70	180	100	90	M16	210	
		214	545	392	242	160	148	185	M16x70	180	100	90	M16	210	
	515	215 312 612	575	448	275	185	163	215	M16x80	180	100	90	M16	210	
	516	216 313 613	605	469	291	190	179	220	M16x80	180	100	90	M20	410	
	517	217 314	678	523	318	205	195	250	M20x90	180	100	90	M20	410	
	518	218 315 615	811	600	373	250	224	285	M20x100	260	150	130	M20	410	
	519	219 316 616	859	632	390	265	235	300	M24x100	260	150	130	M20	410	
	520	220 317 617	908	687	412	280	255	320	M24x100	360	210	180	M24	710	
		318 618	968	730	439	315	286	340	M24x110	360	210	180	M24	710	
	522	222 319 619	1150	872	494	355	326	400	M24x130	360	210	180	M24	710	
	524	224 320 620	1150	872	522	355	326	420	M24x130	360	210	180	M24	710	
	526	226	1283	954	593	410	367	450	M24x130	360	210	180	M24	710	
	528	228	1513	1155	692	475	439	530	M24x140	360	210	180	M30	1430	
	530	230	1694	1308	802	540	490	600	M24x150	360	210	180	M30	1430	
	532	232	2057	1581	944	640	581	730	M30x160	730	430	360	M30	1430	


Bolt bore




- Material GGG40
- Solid base



Basic



T/MS1




F/MS2

Reference	m	Basic			Bolts S	T/MS1		Bolts S	m1	F/MS2			Bolts S
		u	v			m	n			n1	v1		
SSNG508-607-D	170	15	20		M12	170	15	M12	160	34	11		M10
SSNG509-D	170	15	20		M12	170	15	M12	160	34	11		M10
SSNG510-608-D	170	15	20		M12	170	15	M12	160	34	11		M10
SSNG511-609-D	210	18	23		M16	210	18	M16	200	40	14		M12
SSNG512-610-D	210	18	23		M16	210	18	M16	200	40	14		M12
SSNG513-611-D	230	18	23		M16	230	18	M16	220	48	14		M12
SSNG515-612-D	230	18	23		M16	230	18	M16	220	48	14		M12
SSNG516-613-D	260	22	27		M20	260	22	M20	252	52	18		M16
SSNG517-D	260	22	27		M20	260	22	M20	252	52	18		M16
SSNG518-615-D	290	22	27		M20	290	22	M20	280	58	18		M16
SSNG519-616-D	290	22	27		M20	290	22	M20	280	58	18		M16
SSNG520-617-D	320	26	36		M24	320	26	M24	300	66	18		M16
SSNG522-619-D	350	26	36		M24	350	26	M24	320	74	18		M16
SSNG524-620-D	350	26	36		M24	350	26	M24	330	74	18		M16
SSNG526-D	380	28	36		M24	280	28	M24	370	80	22		M20
SSNG528-D	420	33	42		M30	420	35	M30	400	92	26		M24
SSNG530-D	450	33	42		M30	450	35	M30	430	100	26		M24
SSNG532-D	470	33	42		M30	470	35	M30	450	100	26		M24

Seal groove



Reference	Dimensions					
	A ₃	A ₄	A ₅	A ₆	D _b	D _c
SSNG208-307	61	5	8	11	62	70,5
SSNG508-607	62	5	8	11	51,5	59,5
SSNG209	59	5	5	12	67	75,5
SSNG509	60	5	9	12	56,5	64,5
SSNG210	64	5	9	12	72	80,5
SSNG510-608	65	5	9	12	62	70,5
SSNG211	69	5	9	12	77	85,5
SSNG511-609	70	5	9	12	67	75,5
SSNG212	79	5	9	12	87	95,5
SSNG512-610	80	5	9	13	72	80,5
SSNG213	82	5	9	13	92,5	101
SSNG513-611	83	5	9	13	77	85,5
SSNG215	87	5	9	13	102,5	111
SSNG515-612	88	5	9	13	87	95,5
SSNG216	92	5	9	13	108	116,5
SSNG516-613	93	5	9	13	92,5	101
SSNG217	97	5	9	13	112	120,5
SSNG517	98	5	9	13	97,5	106
SSNG218	112	5	9	13	120	128,5
SSNG518-615	113	5	9	13	102,5	111
SSNG519-616	116	6	10	14	131	141
SSNG520-617	131	6	10	14	137,5	147,5
SSNG522-619	143	6	10	14	147,5	157,5
SSNG524-620	151	6	11	15	157,5	167,5
SSNG526	156	6	11	15	167,5	177,5
SSNG528	171	6	11	15	177,5	187,5
SSNG530	189	6	11	15	192,5	202,5
SSNG532	201	6	11	15	202,5	212,5





SSNG200



SSNG300



SSNG600

The SSNG pillow block housings are completely interchangeable with the series SN, SNE, SNA, SNH, SNL, SNU, and SNV. The main dimensions conform to the DIN 736-739 standard. These housings are designed for use with self-aligning roller bearings, which can be mounted either on an adapter sleeve or directly on a stepped shaft. The bearing seat is manufactured to the G7 tolerance class and serves as a floating bearing. To achieve a fixed bearing arrangement, a locating ring of type FR can be added on both sides.

SSNG500
SSNG600
SSNG200
SSNG300




2,8kg - 55kg




30mm - 160mm




4m/s - 30m/s




Article	d	D	a	L	b	w	h	c	g	kg	Bearing	Sleeve	Locating-Ring	TSNG	TSU	TSNA	TAU	TSNC	ASNA	L3	L2
SSNG508-D	35	80	205	85	60	106	60	25	39	2,8	1208-K	H208	2xFR80x10.5	TSNG508	TSU508	TSNA508	TAU508	TSNC508	ASNA508	139,6	112,3
											2208-K	H308	2xFR80x8								
											22208-K	H308	2xFR80x8								
SSNG509-D	40	85	205	85	60	109	60	25	30	3	1209-K	H209	2xFR85x5.5	TSNG509	TSU509	TSNA509	TAU509	TSNC509	ASNA509	139,6	112,3
											2209-K	H309	2xFR85x7								
											22209-K	H309	2xFR85x7								
SSNG510-D	45	90	205	90	60	112	60	25	41	3,1	1210-K	H210	2xFR90x10.5	TSNG510	TSU510	TSNA510	TAU510	TSNC510	ASNA510	144,6	117,3
											2210-K	H310	2xFR90x9								
											22210-K	H310	2xFR90x9								
SSNG511-D	50	100	255	95	70	127	70	28	44	4,5	1211-K	H211	2xFR100x11.5	TSNG511	TSU511	TSNA511	TAU511	TSNC511	ASNA511	149,6	122,3
											2211-K	H311	2xFR100x9.5								
											22211-K	H311	2xFR100x9.5								
SSNG512-D	55	110	255	105	70	133	70	30	48	5	1212-K	H212	2xFR110x13	TSNG512	TSU512	TSNA512	TAU512	TSNC512	ASNA512	159,6	132,3
											2212-K	H312	2xFR110x10								
											22212-K	H312	2xFR110x10								
SSNG513-D	60	120	275	110	80	148	80	30	51	6,1	1213-K	H213	2xFR120x14	TSNG513	TSU513	TSNA513	TAU513	TSNC513	ASNA513	164,6	137,3
											2213-K	H313	2xFR120x10								
											22213-K	H313	2xFR120x10								




Article	d	D	a	L	b	w	h	c	g	kg	Bearing	Sleeve	Locating-Ring	TSNG	TSU	TSNA	TAU	TSNC	ASNA	L3	L2
SSNG515-D	65	130	280	115	80	154	80	30	56	6,5	1215-K	H215	2xFR130x15.5	TSNG515	TSU515	TSNA515	TAU515	TSNC515	ASNA515	173,6	144,3
											2215-K	H315	2xFR130x12.5								
											22215-K	H315	2xFR130x12.5								
SSNG516-D	70	140	315	120	90	175	95	32	58	9	1216-K	H216	2xFR140x16	TSNG516	TSU516	TSNA516	TAU516	TSNC516	ASNA516	178,6	149,3
											2216-K	H316	2xFR140x12.5								
											22216-K	H316	2xFR140x12.5								
SSNG517-D	75	150	320	125	90	181	95	32	61	10,2	1217-K	H217	2xFR150x16.5	TSNG517	TSU517	TSNA517	TAU517	TSNC517	ASNA517	189,6	157,3
											2217-K	H317	2xFR150x12.5								
											22217-K	H317	2xFR150x12.5								
SSNG518-D	80	160	345	140	100	192	100	35	65	12,4	1218-K	H218	2xFR160x17.5	TSNG518	TSU518	TSNA518	TAU518	TSNC518	ASNA518	204,6	172,3
											2218-K	H318	2xFR160x12.5								
											22218-K	H318	2xFR160x12.5								
											23218K	H2318	2xFR160x6.3								
SSNG519-D	85	170	345	145	100	209	112	35	68	13,5	1219-K	H219	2xFR170x18	TSNG519	TSU519	TSNA519	TAU519	TSNC519	ASNA519	197,6	169,3
											2219-K	H319	2xFR170x12,5								
											22219-K	H319	2xFR170x12,5								
SSNG520-D	90	180	380	160	110	215	112	40	70	17,5	1220-K	H220	2xFR180x18	TSNG520	TSU520	TSNA520	TAU520	TSNC520	ASNA520	216,6	188,3
											2220-K	H320	2xFR180x12								
											22220-K	H320	2xFR180x12								
											23220K	H2320	2xFR180x4.85								




Article	d	D	a	L	b	w	h	c	g	kg	Bearing	Sleeve	Locating-Ring	TSNG	TSU	TSNA	TAU	TSNC	ASNA	L3	L2
SSNG522-D	100	200	410	175	120	239	125	45	80	20,5	1222-K	H222	2xFR200x21	TSNG522	TSU522	TSNA522	TAU522	TSNC522	ASNA522	231,6	203,3
											2222-K	H322	2xFR200x13.5								
											22222-K	H322	2xFR200x13.5								
											23222K	H2322	2xFR200x5.1								
SSNG524-D	110	215	410	185	120	271	140	45	86	25,5	1224K	H3124	2xFR215x22	TSNG524	TSU524	TSNA524	TAU524	TSNC524	ASNA524	241,6	213,3
											22224K	H3124	2xFR215x14								
											23224K	H2324	2xFR215x5								
SSNG526-D	115	230	445	190	130	290	150	50	90	33	22226K	H3126	2xFR230x13	TSNG526	TSU526	TSNA526	TAU526	TSNC526	ASNA526	249,6	219,8
											23226K	H2326	2xFR230x5								
SSNG528-D	125	250	500	205	150	302	150	50	98	42	22228K	H3128	2xFR250x15	TSNG528	TSU528	TSNA528	TAU528	TSNC528	ASNA528	264,6	234,8
											23228K	H2328	2xFR250x5								
SSNG530-D	135	270	530	220	160	323	160	60	106	53	22230K	H3130	2xFR270x16.5	TSNG530	TSU530	TSNA530	TAU530	TSNC530	ASNA530	282,6	251,3
											23230K	H2330	2xFR270x5								
SSNG532-D	140	290	550	235	160	344	170	60	114	55	22232K	H3132	2xFR290x17	TSNG532	TSU532	TSNA532	TAU530	TSNC532	ASNA532	297,6	266,3
											23232K	H2332	2xFR290x5								




Article	d	D	a	ms-1	L	b	w	h	c	g	v1	S Bolt	kg	Bearing	Sleeve	Locating-Ring	TSNG	TSU	TSNA	TAU	TSNC	ASNA	L3	L2
SSNG508-D-MS1	35	80	205	170	85	60	106	60	25	39	15	M12	2,8	1208-K	H208	2xFR80x10.5	TSNG508	TSU508	TSNA508	TAU508	TSNC508	ASNA508	139,6	112,3
														2208-K	H308	2xFR80x8								
														22208-K	H308	2xFR80x8								
SSNG509-D-MS1	40	85	205	170	85	60	109	60	25	30	15	M12	3	1209-K	H209	2xFR85x5.5	TSNG509	TSU509	TSNA509	TAU509	TSNC509	ASNA509	139,6	112,3
														2209-K	H309	2xFR85x7								
														22209-K	H309	2xFR85x7								
SSNG510-D-MS1	45	90	205	170	90	60	112	60	25	41	15	M12	3,1	1210-K	H210	2xFR90x10.5	TSNG510	TSU510	TSNA510	TAU510	TSNC510	ASNA510	144,6	117,3
														2210-K	H310	2xFR90x9								
														22210-K	H310	2xFR90x9								
SSNG511-D-MS1	50	100	255	210	95	70	127	70	28	44	18	M16	4,5	1211-K	H211	2xFR100x11.5	TSNG511	TSU511	TSNA511	TAU511	TSNC511	ASNA511	149,6	122,3
														2211-K	H311	2xFR100x9.5								
														22211-K	H311	2xFR100x9.5								
SSNG512-D-MS1	55	110	255	210	105	70	133	70	30	48	18	M16	5	1212-K	H212	2xFR110x13	TSNG512	TSU512	TSNA512	TAU512	TSNC512	ASNA512	159,6	132,3
														2212-K	H312	2xFR110x10								
														22212-K	H312	2xFR110x10								
SSNG513-D-MS1	60	120	275	230	110	80	148	80	30	51	18	M16	6,1	1213-K	H213	2xFR120x14	TSNG513	TSU513	TSNA513	TAU513	TSNC513	ASNA513	164,6	137,3
														2213-K	H313	2xFR120x10								
														22213-K	H313	2xFR120x10								




Article	d	D	a	ms-1	L	b	w	h	c	g	v1	S Bolt	kg	Bearing	Sleeve	Locating-Ring	TSNG	TSU	TSNA	TAU	TSNC	ASNA	L3	L2
SSNG515-D-MS1	65	130	280	230	115	80	154	80	30	56	18	M16	6,5	1215-K	H215	2xFR130x15.5	TSNG515	TSU515	TSNA515	TAU515	TSNC515	ASNA515	173,6	144,3
														2215-K	H315	2xFR130x12.5								
														22215-K	H315	2xFR130x12.5								
SSNG516-D-MS1	70	140	315	260	120	90	175	95	32	58	22	M20	9	1216-K	H216	2xFR140x16	TSNG516	TSU516	TSNA516	TAU516	TSNC516	ASNA516	178,6	149,3
														2216-K	H316	2xFR140x12.5								
														22216-K	H316	2xFR140x12.5								
SSNG517-D-MS1	75	150	320	260	125	90	181	95	32	61	22	M20	10,2	1217-K	H217	2xFR150x16.5	TSNG517	TSU517	TSNA517	TAU517	TSNC517	ASNA517	189,6	157,3
														2217-K	H317	2xFR150x12.5								
														22217-K	H317	2xFR150x12.5								
SSNG518-D-MS1	80	160	345	290	140	100	192	100	35	65	22	M20	12,4	1218-K	H218	2xFR160x17.5	TSNG518	TSU518	TSNA518	TAU518	TSNC518	ASNA518	204,6	172,3
														2218-K	H318	2xFR160x12.5								
														22218-K	H318	2xFR160x12.5								
														23218K	H2318	2xFR160x6.3								
SSNG519-D-MS1	85	170	345	290	145	100	209	112	35	68	22	M20	13,5	1219-K	H219	2xFR170x18	TSNG519	TSU519	TSNA519	TAU519	TSNC519	ASNA519	197,6	169,3
														2219-K	H319	2xFR170x12.5								
														22219-K	H319	2xFR170x12,5								




Article	d	D	a	ms-1	L	b	w	h	c	g	v1	S Bolt	kg	Bearing	Sleeve	Locating-Ring	TSNG	TSU	TSNA	TAU	TSNC	ASNA	L3	L2
SSNG520-D-MS1	90	180	380	320	1160	110	215	112	40	70	26	M24	17,5	1220-K	H220	2xFR180x18	TSNG520	TSU520	TSNA520	TAU520	TSNC520	ASNA520	216,6	188,3
														2220-K	H320	2xFR180x12								
														22220-K	H320	2xFR180x12								
														23220K	H2320	2xFR180x4.85								
SSNG522-D-MS1	100	200	410	350	175	120	239	125	45	80	26	M24	20,5	1222-K	H222	2xFR200x21	TSNG522	TSU522	TSNA522	TAU522	TSNC522	ASNA522	231,6	203,3
														2222-K	H322	2xFR200x13.5								
														22222-K	H322	2xFR200x13.5								
														23222K	H2322	2xFR200x5.1								
SSNG524-D-MS1	110	215	410	350	185	120	271	140	45	86	26	M24	25,5	1224K	H3124	2xFR215x22	TSNG524	TSU524	TSNA524	TAU524	TSNC524	ASNA524	241,6	213,3
														22224K	H3124	2xFR215x14								
														23224K	H2324	2xFR215x5								
SSNG526-D-MS1	115	230	445	380	190	130	290	150	50	90	28	M24	33	22226K	H3126	2xFR230x13	TSNG526	TSU526	TSNA526	TAU526	TSNC526	ASNA526	249,6	219,8
														23226K	H2326	2xFR230x5								
SSNG528-D-MS1	125	250	500	450	205	150	302	150	50	98	35	M30	42	22228K	H3128	2xFR250x15	TSNG528	TSU528	TSNA528	TAU528	TSNC528	ASNA528	264,6	234,8
														23228K	H2328	2xFR250x5								
SSNG530-D-MS1	135	270	530	450	220	160	323	160	60	106	35	M30	53	22230K	H3130	2xFR270x16.5	TSNG530	TSU530	TSNA530	TAU530	TSNC530	ASNA530	282,6	251,3
														23230K	H2330	2xFR270x5								
SSNG532-D-MS1	140	290	550	470	235	160	344	170	60	114	35	M30	55	22232K	H3132	2xFR290x17	TSNG532	TSU532	TSNA532	TAU530	TSNC532	ASNA532	297,6	266,3
														23232K	H2332	2xFR290x5								



Article	d	D	a	ms-2	L	b	w	h	c	g	v2	S Bolt	kg	Bearing	Sleeve	Locating-Ring	TSNG	TSU	TSNA	TAU	TSNC	ASNA	n	L3	L2
SSNG508-D-MS2	35	80	205	160	85	60	106	60	25	39	11	M10	2,8	1208-K	H208	2xFR80x10.5	TSNG508	TSU508	TSNA508	TAU508	TSNC508	ASNA508	34	139,6	112,3
														2208-K	H308	2xFR80x8									
														22208-K	H308	2xFR80x8									
SSNG509-D-MS2	40	85	205	160	85	60	109	60	25	30	11	M10	3	1209-K	H209	2xFR85x5.5	TSNG509	TSU509	TSNA509	TAU509	TSNC509	ASNA509	34	139,6	112,3
														2209-K	H309	2xFR85x7									
														22209-K	H309	2xFR85x7									
SSNG510-D-MS2	45	90	205	160	90	60	112	60	25	41	11	M10	3,1	1210-K	H210	2xFR90x10.5	TSNG510	TSU510	TSNA510	TAU510	TSNC510	ASNA510	34	144,6	117,3
														2210-K	H310	2xFR90x9									
														22210-K	H310	2xFR90x9									
SSNG511-D-MS2	50	100	255	200	95	70	127	70	28	44	14	M12	4,5	1211-K	H211	2xFR100x11.5	TSNG511	TSU511	TSNA511	TAU511	TSNC511	ASNA511	40	149,6	122,3
														2211-K	H311	2xFR100x9.5									
														22211-K	H311	2xFR100x9.5									
SSNG512-D-MS2	55	110	255	200	105	70	133	70	30	48	14	M12	5	1212-K	H212	2xFR110x13	TSNG512	TSU512	TSNA512	TAU512	TSNC512	ASNA512	40	159,6	132,3
														2212-K	H312	2xFR110x10									
														22212-K	H312	2xFR110x10									
SSNG513-D-MS2	60	120	275	220	110	80	148	80	30	51	14	M12	6,1	1213-K	H213	2xFR120x14	TSNG513	TSU513	TSNA513	TAU513	TSNC513	ASNA513	48	164,6	137,3
														2213-K	H313	2xFR120x10									
														22213-K	H313	2xFR120x10									



Article	d	D	a	ms-2	L	b	w	h	c	g	v2	S Bolt	kg	Bearing	Sleeve	Locating-Ring	TSNG	TSU	TSNA	TAU	TSNC	ASNA	n	L3	L2
SSNG515-D-MS2	65	130	280	220	115	80	154	80	30	56	14	M16	6,5	1215-K	H215	2xFR130x15.5	TSNG515	TSU515	TSNA515	TAU515	TSNC515	ASNA515	48	173,6	144,3
														2215-K	H315	2xFR130x12.5									
														22215-K	H315	2xFR130x12.5									
SSNG516-D-MS2	70	140	315	252	120	90	175	95	32	58	18	M16	9	1216-K	H216	2xFR140x16	TSNG516	TSU516	TSNA516	TAU516	TSNC516	ASNA516	52	178,6	149,3
														2216-K	H316	2xFR140x12.5									
														22216-K	H316	2xFR140x12.5									
SSNG517-D-MS2	75	150	320	252	125	90	181	95	32	61	18	M16	10,2	1217-K	H217	2xFR150x16.5	TSNG517	TSU517	TSNA517	TAU517	TSNC517	ASNA517	52	189,6	157,3
														2217-K	H317	2xFR150x12.5									
														22217-K	H317	2xFR150x12.5									
SSNG518-D-MS2	80	160	345	280	140	100	192	100	35	65	18	M16	12,4	1218-K	H218	2xFR160x17.5	TSNG518	TSU518	TSNA518	TAU518	TSNC518	ASNA518	58	204,6	172,3
														2218-K	H318	2xFR160x12.5									
														22218-K	H318	2xFR160x12.5									
														23218K	H2318	2xFR160x6.3									
SSNG519-D-MS2	85	170	345	280	145	100	209	112	35	68	18	M16	13,5	1219-K	H219	2xFR170x18	TSNG519	TSU519	TSNA519	TAU519	TSNC519	ASNA519	58	197,6	169,3
														2219-K	H319	2xFR170x12,5									
														22219-K	H319	2xFR170x12,5									
SSNG520-D-MS2	90	180	380	300	160	110	215	112	40	70	18	M16	17,5	1220-K	H220	2xFR180x18	TSNG520	TSU520	TSNA520	TAU520	TSNC520	ASNA520	66	216,6	188,3
														2220-K	H320	2xFR180x12									
														22220-K	H320	2xFR180x12									
														23220KK	H2320	2xFR180x4.85									



Article	d	D	a	ms-2	L	b	w	h	c	g	v2	S Bolt	kg	Bearing	Sleeve	Locating-Ring	TSNG	TSU	TSNA	TAU	TSNC	ASNA	n	L3	L2
SSNG515-D-MS2	65	130	280	220	115	80	154	80	30	56	14	M16	6,5	1215-K	H215	2xFR130x15.5	TSNG515	TSU515	TSNA515	TAU515	TSNC515	ASNA515	48	173,6	144,3
														2215-K	H315	2xFR130x12.5									
														22215-K	H315	2xFR130x12.5									
SSNG516-D-MS2	70	140	315	252	120	90	175	95	32	58	18	M16	9	1216-K	H216	2xFR140x16	TSNG516	TSU516	TSNA516	TAU516	TSNC516	ASNA516	52	178,6	149,3
														2216-K	H316	2xFR140x12.5									
														22216-K	H316	2xFR140x12.5									
SSNG517-D-MS2	75	150	320	252	125	90	181	95	32	61	18	M16	10,2	1217-K	H217	2xFR150x16.5	TSNG517	TSU517	TSNA517	TAU517	TSNC517	ASNA517	52	189,6	157,3
														2217-K	H317	2xFR150x12.5									
														22217-K	H317	2xFR150x12.5									
SSNG518-D-MS2	80	160	345	280	140	100	192	100	35	65	18	M16	12,4	1218-K	H218	2xFR160x17.5	TSNG518	TSU518	TSNA518	TAU518	TSNC518	ASNA518	58	204,6	172,3
														2218-K	H318	2xFR160x12.5									
														22218-K	H318	2xFR160x12.5									
														23218K	H2318	2xFR160x6.3									
SSNG519-D-MS2	85	170	345	280	145	100	209	112	35	68	18	M16	13,5	1219-K	H219	2xFR170x18	TSNG519	TSU519	TSNA519	TAU519	TSNC519	ASNA519	58	197,6	169,3
														2219-K	H319	2xFR170x12,5									
														22219-K	H319	2xFR170x12,5									
SSNG520-D-MS2	90	180	380	300	160	110	215	112	40	70	18	M16	17,5	1220-K	H220	2xFR180x18	TSNG520	TSU520	TSNA520	TAU520	TSNC520	ASNA520	66	216,6	188,3
														2220-K	H320	2xFR180x12									
														22220-K	H320	2xFR180x12									
														23220KK	H2320	2xFR180x4.85									



THIS IS HOW YOU REACH US

GLH GMBH

Heinrich-Hertz-Straße 4
22941 Bargteheide, Germany
Tel. +49 - 4532-280-753-0
www.glh24.de

WHAT WE OFFER

SHIPPING UNTIL 17:00 UHR

Daily Forwarding shipment,
parcel shipment with **UPS, DHL,**
FEDEX, NIGHT STAR

Roller bearings, Plummer Blocks,
Flanged Bearings, Plain Bearings,
Adapter and withdrawal Sleeves, Seals