

Name	Provider	Purpose	Maximum Storage Duration	Type
__cfuid	bamboohr.com	This cookie is a part of the services provided by Cloudflare - Including load-balancing, deliveranc	Session	HTTP Cookie
awc.taskSessions	cdn.loom.com	This cookie is necessary for the login function on the website.	Session	HTML Local Storage
awc.taskSessionsInit	cdn.loom.com	This cookie is necessary for the login function on the website.	Session	HTML Local Storage
__cfuid	cdn.webflow.com	This cookie is a part of the services provided by Cloudflare - Including load-balancing, deliveranc	Session	HTTP Cookie
test_cookie	doubleclick.net	Used to check if the user's browser supports cookies.	1 day	HTTP Cookie
__cf_bm	g2.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	g2crowd.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
_GRECAPTCHA	google.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	180 days	HTTP Cookie
rc::a	gstatic.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	Persistent	HTML Local Storage
rc::b	gstatic.com	This cookie is used to distinguish between humans and bots.	Session	HTML Local Storage
rc::c	gstatic.com	This cookie is used to distinguish between humans and bots.	Session	HTML Local Storage
rc::f	gstatic.com	This cookie is used to distinguish between humans and bots.	Persistent	HTML Local Storage
__cf_bm	hsadspixel.net	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	hs-analytics.net	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	hsappstatic.net	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	hs-banner.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	hscollectedform.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	hsforms.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cfuid	hsforms.com	This cookie is a part of the services provided by Cloudflare - Including load-balancing, deliveranc	Session	HTTP Cookie
__cf_bm	hsforms.net	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	hsleadflows.net	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	hs-scripts.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	hs-sites.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	hubapi.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cf_bm	hubspot.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
__cfuid	hubspot.com	This cookie is a part of the services provided by Cloudflare - Including load-balancing, deliveranc	Session	HTTP Cookie
__cf_bm	hubspotusercontent.com	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in	1 day	HTTP Cookie
bcookie	linkedin.com	Used in order to detect spam and improve the website's security.	1 year	HTTP Cookie
li_gc	linkedin.com	Stores the user's cookie consent state for the current domain	180 days	HTTP Cookie
__awc_tld_test__	loom.com	Necessary for the general functionality of the website.	Session	HTTP Cookie
OptanonConsent	metarouter.io	Determines whether the visitor has accepted the cookie consent box. This ensures that the cook	Session	HTTP Cookie
__cfuid	streamyard.com	This cookie is a part of the services provided by Cloudflare - Including load-balancing, deliveranc	Session	HTTP Cookie
csrfToken	streamyard.com	Helps prevent Cross-Site Request Forgery (CSRF) attacks.	1 month	HTTP Cookie
__awc_tld_test__	www.loom.com	Necessary for the general functionality of the website.	Session	HTTP Cookie
CookieConsent	www.metarouter.io	Stores the user's cookie consent state for the current domain	1 year	HTTP Cookie
lfdc	linkedin.com	Registers which server-cluster is serving the visitor. This is used in context with load balancing, i	1 day	HTTP Cookie
loom_anon_comment	loom.com	This cookie stores information for the widget settings on the website.	400 days	HTTP Cookie
currency	streamyard.com	Saves the visitor's currency preferences.	Session	HTML Local Storage
sentryReplaySession	browser.sentry-cdn.com	Registers data on visitors' website-behaviour. This is used for internal analysis and website optir	Session	HTML Local Storage
viewer_session_data	cdn.loom.com	Used in connection with End User Experience Monitoring (EUEM). The cookie collects informatio	Persistent	HTML Local Storage
ajs_anonymous_id	loom.com	This cookie is used to identify a specific visitor - this information is used to identify the number c	400 days	HTTP Cookie
__hssc	metarouter.io	Identifies if the cookie data needs to be updated in the visitor's browser.	1 day	HTTP Cookie
__hssrc	metarouter.io	Used to recognise the visitor's browser upon reentry on the website.	Session	HTTP Cookie
__hstc	metarouter.io	Sets a unique ID for the session. This allows the website to obtain data on visitor behaviour for s	180 days	HTTP Cookie
ajs_anonymous_id	metarouter.io	This cookie is used to identify a specific visitor - this information is used to identify the number c	1 year	HTTP Cookie
hubspotutk	metarouter.io	Sets a unique ID for the session. This allows the website to obtain data on visitor behaviour for s	180 days	HTTP Cookie
ajs_anonymous_id	stream.metarouter.io	This cookie is used to count how many times a website has been visited by different visitors - thi	Persistent	HTML Local Storage

ajs_anonymous_id	streamyard.com	This cookie is used to identify a specific visitor - this information is used to identify the number of visitors on the website. This information is used to identify the number of visitors on the website.	1 year	HTTP Cookie
g2tracking	tracking.g2crowd.com	Used to track user's interaction with embedded content.	Persistent	HTML Local Storage
__Host-psifi.analyticsTrace	www.loom.com	Registers statistical data on users' behaviour on the website. Used for internal analytics by the website.	1 day	HTTP Cookie
__Host-psifi.analyticsTraceV2	www.loom.com	Registers statistical data on users' behaviour on the website. Used for internal analytics by the website.	1 day	HTTP Cookie
ajs_anonymous_id	www.loom.com	This cookie is used to identify a specific visitor - this information is used to identify the number of visitors on the website. This information is used to identify the number of visitors on the website.	1 year	HTTP Cookie
dd_cookie_test_#	www.loom.com	Registers data on visitors' website-behaviour. This is used for internal analysis and website optimization.	1 day	HTTP Cookie
isPersonalISDK	api.personali.ai	Indicates whether the Personal SDK is being used within a session, facilitating the integration of the Personal SDK.	Persistent	HTML Local Storage
magicLink	api.personali.ai	Stores a unique link for user authentication, enabling easier login or access to specific features via the Personal SDK.	Persistent	HTML Local Storage
personali_last_modifications	api.personali.ai	Tracks any recent changes made by the user within the application, helping to manage state and session.	Session	HTML Local Storage
personali_last_state	api.personali.ai	Maintains the last known state of the user's session or application, allowing for a seamless user experience.	Session	HTML Local Storage
awc.last.screen.event	cdn.loom.com	Stores information about the user's last screen or event interaction within the application to enhance user experience.	Session	HTML Local Storage
awc.session.expiry	cdn.loom.com	Tracks the expiration time of the user session, helping manage session duration and automatic login.	Persistent	HTML Local Storage
awc.session.id	cdn.loom.com	Maintains a unique identifier for the user's current session, allowing for state persistence and cookie management.	Persistent	HTML Local Storage
awc.tab.id	cdn.loom.com	Identifies the current tab being used in the application, enabling proper management of user interface.	Session	HTML Local Storage
colorTheme	cdn.loom.com	Stores the user's preferred color theme or interface style, allowing for a personalized experience.	Persistent	HTML Local Storage
IDE	doubleclick.net	Used by Google DoubleClick to register and report the website user's actions after viewing or clicking on an advertisement.	400 days	HTTP Cookie
giphyPingbackId	giphy.com	Used to track the visitor's usage of GIFs - This serves for analytical and marketing purposes.	Session	HTML Local Storage
NID	google.com	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.	6 months	HTTP Cookie
pagead/1p-conversion/#/	google.com	Tracks the conversion rate between the user and the advertisement banners on the website - This is used for targeted ads.	Session	Pixel Tracker
pagead/1p-user-list/#	google.com	Tracks if the user has shown interest in specific products or events across multiple websites and devices.	Session	Pixel Tracker
__ptq.gif	hubspot.com	Sends data to the marketing platform Hubspot about the visitor's device and behaviour. Tracks the visitor's device and behaviour.	Session	Pixel Tracker
_li_duid	liadm.com	Collects information on user behaviour on multiple websites. This information is used in order to present relevant advertisement based on user behaviour.	Persistent	HTML Local Storage
_li_ss	liadm.com	Used to manage user session data, ensuring a seamless experience and consistent interactions across multiple websites.	Persistent	HTML Local Storage
_li_ss	liadm.com	Sets a unique ID for the visitor, that allows third party advertisers to target the visitor with relevant advertisements.	30 days	HTTP Cookie
liidid	liadm.com	Collects data on visitors' behaviour and interaction - This is used to make advertisement on the website.	400 days	HTTP Cookie
__tld__	loom.com	Used to track visitors on multiple websites, in order to present relevant advertisement based on user behaviour.	Session	HTTP Cookie
__tld__	metarouter.io	Used to track visitors on multiple websites, in order to present relevant advertisement based on user behaviour.	Session	HTTP Cookie
_ga	metarouter.io	Used to send data to Google Analytics about the visitor's device and behavior. Tracks the visitor's device and behavior.	2 years	HTTP Cookie
ga#	metarouter.io	Used to send data to Google Analytics about the visitor's device and behavior. Tracks the visitor's device and behavior.	2 years	HTTP Cookie
_gcl_aud	metarouter.io	Used by Google AdSense for experimenting with advertisement efficiency across websites using cookies.	3 months	HTTP Cookie
_lc2_fpi	metarouter.io	Registers user behaviour and navigation on the website, and any interaction with active campaigns.	2 years	HTTP Cookie
_lc2_fpi_js	metarouter.io	Track user interactions and manage user sessions for analytics purposes, facilitating the optimization of user experience.	Session	HTTP Cookie
_li_dcdm_c	metarouter.io	Registers user behaviour and navigation on the website, and any interaction with active campaigns.	Session	HTTP Cookie
_li_ss	metarouter.io	Collects visitor data related to the user's visits to the website, such as the number of visits, average time spent on the website, etc.	2 years	HTTP Cookie
ajs_user_id	metarouter.io	This cookie is used to collect data on the visitor's behavior on the website - this information can be used for targeted advertising.	Session	HTTP Cookie
A/N{39}	opps-api.getwargames.org	Used for session management and identifying user interactions, ensuring continuity and a tailored experience.	1 year	HTTP Cookie
ClientSessionStore	opps-widget.getwargames.org	Stores session data related to the client's interactions, enabling continuity and state management across sessions.	Persistent	HTML Local Storage
MediaStore-client	opps-widget.getwargames.org	Tracks media interactions or preferences of the user, assisting in delivering personalized content.	Persistent	HTML Local Storage
warmly_fingerprint	opps-widget.getwargames.org	Creates a unique identifier for the user's device or session, allowing the platform to recognize returning users.	Persistent	HTML Local Storage
WidgetStore	opps-widget.getwargames.org	Manages data related to widgets used by the user, ensuring proper functionality and settings for various widgets.	Persistent	HTML Local Storage
ajs_user_id	streamyard.com	Collects data on visitors' preferences and behaviour on the website - This information is used to personalize the user experience.	Persistent	HTML Local Storage
ajs_user_traits	streamyard.com	Collects data on visitors. This information is used to assign visitors into segments, making website personalization.	Persistent	HTML Local Storage
__tld__	streamyard.com	Used to track visitors on multiple websites, in order to present relevant advertisement based on user behaviour.	Session	HTTP Cookie
ajs_user_id	streamyard.com	This cookie is used to collect data on the visitor's behavior on the website - this information can be used for targeted advertising.	Session	HTTP Cookie
COOKIE_ID_PICOX_ID	streamyard.com	Identifies the user or session uniquely to maintain state during interactions with the Streamyard website.	1 year	HTTP Cookie
firstSessionTimestamp	streamyard.com	Records the timestamp of the user's first session to analyze user engagement and session duration.	Persistent	HTML Local Storage
isFirstSession	streamyard.com	Indicates whether the current session is the user's first, helping tailor onboarding experiences.	Session	HTML Local Storage
isUserInBroadcast	streamyard.com	Tracks if the user is actively participating in a live broadcast, enabling related functionalities.	Session	HTML Local Storage
jwt	streamyard.com	Stores the JSON Web Token for user authentication and session management, ensuring secure access to the website.	1 month	HTTP Cookie

jwtOnAir	streamyard.com	Similar to the main JWT, but specifically for users currently live broadcasting, maintaining secure 1 month		HTTP Cookie
LOCAL_STORAGE_ID_pico_lsId	streamyard.com	Holds a unique identifier in local storage for persistent user sessions across browser sessions.	Persistent	HTML Local Storage
LOCAL_STORAGE_ID_PICOX_ID	streamyard.com	Stores a unique user/session ID in local storage, enhancing the user experience by recognizing r	Persistent	HTML Local Storage
orion	streamyard.com	Used for performance monitoring and diagnostics within the Streamyard platform.	Persistent	HTML Local Storage
pico#events	streamyard.com	Tracks events occurring within the application to facilitate analytics and improve user experience	Persistent	IndexedDB
pico#keyval	streamyard.com	Stores key-value pairs relevant to the user's session for efficient state management.	Persistent	IndexedDB
PICOX_PING	streamyard.com	Used to maintain an active connection between the client and server, ensuring real-time data up	Session	HTML Local Storage
SESSION_STORAGE_ID_pico_ssId	streamyard.com	Manages session-specific identifiers stored temporarily in session storage for tracking active ses	Session	HTML Local Storage
SESSION_STORAGE_ID_PICOX_ID	streamyard.com	Stores a unique session ID in session storage, aiding in session management and continuity.	Session	HTML Local Storage
SESSION_STORAGE_ID_PICOX_SESSION_ID	streamyard.com	Keeps track of the current session ID for user activities within a specific interaction session.	Session	HTML Local Storage
SESSION_STORAGE_ID_streamyard_web	streamyard.com	Manages web session data for the user, enabling seamless interaction with the platform.	Session	HTML Local Storage
spidersense#event	streamyard.com	Logs user activity events for analytics and improving the platform's features.	Persistent	IndexedDB
spidersense#setup_response	streamyard.com	Tracks responses during the initial setup or configuration process for better service customizati	Persistent	IndexedDB
spidersense#user_info	streamyard.com	Stores user information necessary for personalization and targeted features.	Persistent	IndexedDB
spidersense:user_id:v1_streamyard_web	streamyard.com	Tracks unique user IDs for identification and session management across the platform.	Persistent	HTML Local Storage
sy-cloud-logger	streamyard.com	Used for logging data and errors from the platform to assist with debugging and performance mc	Session	HTML Local Storage
USERINFO_dashboard_activeTeamId	streamyard.com	Stores the ID of the active team in the user's dashboard for team-related functionalities.	Session	HTML Local Storage
USERINFO_dashboard_activeTeamOwnerId	streamyard.com	Holds the ID of the active team owner, enabling management features specific to team ownershi	Session	HTML Local Storage
USERINFO_dashboard_activeTeamPlan	streamyard.com	Tracks the current subscription plan for the active team, assisting in resource allocation and feat	Session	HTML Local Storage
USERINFO_dashboard_activeTeamPlanInterval	streamyard.com	Records the billing interval for the active team plan, helping manage subscription renewals.	Session	HTML Local Storage
utmParameters	streamyard.com	Stores UTM (Urchin Tracking Module) parameters for tracking marketing campaigns and user acr	Session	HTML Local Storage
_gcl_ls	www.googletag	Tracks the conversion rate between the user and the advertisement banners on the website - Th	Persistent	HTML Local Storage
__tld__	www.loom.com	Used to track visitors on multiple websites, in order to present relevant advertisement based on	Session	HTTP Cookie
ajs_user_id	www.loom.com	This cookie is used to collect data on the visitor's behavior on the website - this information can	Session	HTTP Cookie
analytics-web-client#analytics-resilience	www.loom.com	Used to enhance the reliability of analytics data collection by ensuring that analytics-related eve	Persistent	IndexedDB
loom_referral_video	www.loom.com	Used to detect referrals in relation to website's embedded video-player.	Session	HTTP Cookie
_fbp	www.metaroute	Used by Facebook to deliver a series of advertisement products such as real time bidding from tl	3 months	HTTP Cookie
6491a12bfb3a410da6a9bc2#pages	www.metaroute	This cookie is used to track page view data for a specific user session, enabling the platform to a	Persistent	IndexedDB
meta_firstpage	www.metaroute	Records the first page the user visits during their session, helping to establish a context for user	Session	HTTP Cookie
metarouter#syncs	www.metaroute	Manages synchronization of data between the client and server, ensuring that user interactions	Persistent	IndexedDB
#-#	youtube.com	Used to track user's interaction with embedded content.	Session	HTML Local Storage
__Secure-ROLLOUT_TOKEN	youtube.com	Used to manage feature rollouts and A/B testing, enabling the platform to control the availability	180 days	HTTP Cookie
iU5q-!O9@\$	youtube.com	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	Session	HTML Local Storage
LAST_RESULT_ENTRY_KEY	youtube.com	Used to track user's interaction with embedded content.	Session	HTTP Cookie
LogsDatabaseV2:V# LogsRequestsStore	youtube.com	Used to track user's interaction with embedded content.	Persistent	IndexedDB
remote_sid	youtube.com	Necessary for the implementation and functionality of YouTube video-content on the website.	Session	HTTP Cookie
ServiceWorkerLogsDatabase#SWHealthLog	youtube.com	Necessary for the implementation and functionality of YouTube video-content on the website.	Persistent	IndexedDB
TESTCOOKIEENABLED	youtube.com	Used to track user's interaction with embedded content.	1 day	HTTP Cookie
VISITOR_INFO1_LIVE	youtube.com	Tries to estimate the users' bandwidth on pages with integrated YouTube videos.	180 days	HTTP Cookie
YSC	youtube.com	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	Session	HTTP Cookie
ytidb::LAST_RESULT_ENTRY_KEY	youtube.com	Used to track user's interaction with embedded content.	Persistent	HTML Local Storage
YtidbMeta#databases	youtube.com	Used to track user's interaction with embedded content.	Persistent	IndexedDB
yt-remote-cast-available	youtube.com	Stores the user's video player preferences using embedded YouTube video	Session	HTML Local Storage
yt-remote-cast-installed	youtube.com	Stores the user's video player preferences using embedded YouTube video	Session	HTML Local Storage
yt-remote-connected-devices	youtube.com	Stores the user's video player preferences using embedded YouTube video	Persistent	HTML Local Storage
yt-remote-device-id	youtube.com	Stores the user's video player preferences using embedded YouTube video	Persistent	HTML Local Storage
yt-remote-fast-check-period	youtube.com	Stores the user's video player preferences using embedded YouTube video	Session	HTML Local Storage
yt-remote-session-app	youtube.com	Stores the user's video player preferences using embedded YouTube video	Session	HTML Local Storage
yt-remote-session-name	youtube.com	Stores the user's video player preferences using embedded YouTube video	Session	HTML Local Storage