

Accora

Rental guide





Niall Swan

Accora's Rental
Product Specialist

T: +353 (0) 87 495 5733

niall.swan@accora.care



Nicky Phillips

Clinical Specialist
Occupational Therapist

T: +353 (0) 86 204 3265

nicky.phillips@accora.care

Available for assessments and queries

Bulk order pricing available.
Same-day and next-day delivery available.

ConfiguraComfort 2

A revolution in geriatric care and patient transfer

Designed for the unique challenges of geriatric care, the Comfort 2 supports safe, efficient, and comfortable transfers of patients with reduced mobility or those recovering from surgery.



Joystick option



Tilt-in-space



Backrest recline



Adjustable seat depth



Adjustable seat width

Chair size	Part number	Seat depth	Seat height	Seat width	Weight capacity
Small	Duratek: CHAIR-0-CM6-140	450 mm (18")	375 mm (15")	350 mm (14")	25 stone (160 kg)
			400 mm (16")	400mm (16")	
			425 mm (17")	450mm (18")	
	Vinyl: CHAIR-0-CM6-130VN	500 mm (20")	450 mm (18")	500 mm (20")	
			475 mm (19")	500 mm (20")	
Medium	Duratek: CHAIR-0-CM6-240	450 mm (18")	425 mm (17")	400 mm (16")	25 stone (160 kg)
			450 mm (18")	450 mm (18")	
			475 mm (19")	500 mm (20")	
	Vinyl: CHAIR-0-CM6-230VN	500 mm (20")	500 mm (20")	500 mm (20")	
			525 mm (21")	550 mm (22")	

ConfiguraAdvance®

A highly configurable specialist chair for higher dependency users

The Advance meets many needs in its standard configuration, and can be easily configured to accommodate more complex postural requirements by upgrading the backrest. Additional integrated size adjustments in every dimension, as well as an optional electric upgrade make this a highly configurable and easily recyclable chair.



Key features:



Tilt-in-space



Adjustable footplate



Adjustable seat depth



Adjustable seat width



Optional drop-down armrests

Part number	Adjustment	Range	Weight capacity
CHAIR-0-SC1-030	Depth	400 mm (16") – 550 mm (22")	40 stone
	Height	330 mm (13") – 530 mm (21")	
	Width	350 mm (14") – 550 mm (22")	

ConfiguraSolus®

Adjustable chair for changing user needs

The Solus can be used as a riser recliner and a porter chair. It can be upgraded as a user's needs change to ensure the chair is always suitable for the user. The adjustability also means it can be easily reused by another user.



Key features:



Tilt-in-space



Adjustable footplate



Adjustable seat depth



Adjustable seat width

Part number	Adjustment	Range	Weight capacity
CHAIR-0-CM3-280	Depth	400 mm (16") – 550 mm (22")	25 stone
	Height	400 mm (16") – 550 mm (22")	
	Width	400 mm (16") – 550 mm (22")	

Configura®Bariatric

The riser recliner for plus-size users

The Bariatric is a tilt-in-space, independent legrest chair for larger service users. The chair has a weight capacity of 40 stone and a legrest capacity of 20 stone. Non tilt-in-space 50 stone version available.



Key features:



Tilt-in-space*



Legrest elevation



Flat rise*



Standard rise

* Only available on TIS version

Chair size	Part number	Seat depth	Seat height	Seat width	Weight capacity
40 stone dual-motor tilt-in-space (with independent legrest)	CHAIR-0-CFBTIS	450 mm (18") °	400 mm (16")	700 mm (28")	40 stone
		500 mm (20") °	450 mm (18")	650 mm (26")	
		550 mm (22")	500 mm (20")	600 mm (24")	
50 stone dual-motor	CHAIR-0-CFBSUP	450 mm (18") °	450 mm (18")	850 mm (34")	50 stone
		500 mm (20") °		800 mm (32")	
		550 mm (22")		750 mm (30")	

FloorBed®2

Combining floor level functionality with increased height for care giving

The **FloorBed 2** lowers to 71 mm, and has an increased maximum height of 800 mm, offering a safer working height for taller carers. The low head and footboard enable easier access for care tasks and repositioning.



Overall dimensions	935 x 2285 mm (36.8" x 90.0")
Mattress size	900 x 2000 mm (35.4" x 78.7")
Safe working load	185 kg (29 st, 408 lbs)
Patient weight	150 kg (24 st, 330 lbs)
Lifting range	71 – 800 mm (2.8" – 31.5") (excl. mattress)
Profiling functions	Backrest with Auto-regression, Kneebreak, Anti-Trendelenburg, Trendelenburg
Min. height of service user	1460 mm (57.5")
Part number	NSB-0-FL2-200

Presto®

Designed for the community equipment pathway

The **Presto** is the result of our efforts to innovate to meet the evolving needs of the healthcare market. It's the only bed on the market designed around the entire equipment pathway – from prescription and delivery to installation, maintenance, and long-term use.



Overall dimensions	900 mm width x 2260 mm length
Mattress size standard width Mattress size with length extension	900 mm width x 2000 mm length x 150 mm depth 900 mm width x 2200 mm length x 150 mm depth
Safe working load	250 kg
Patient weight	215 kg
Mattress platform height	150 – 800 mm
Profiling functions	Backrest, Legrest, Chair position, Trendelenburg (optional), Reverse Trendelenburg (optional)
Part number	NSB-0-CB2-000

Proxima®

Advanced falls management for acute care

The **Proxima** is not only an invaluable part of your risk management toolkit when safeguarding against falls, it also helps facilitate safe transfers and reduces patient handling. The **Proxima** features smooth, easy-clean surfaces that inhibit the ingress of fluids, and integrated wiring that supports infection control and prevention.




Overall dimensions	1015 x 2090 mm (40" x 82.3")
Mattress size standard width Mattress size with length extension	900 mm width x 2000 mm length (36" x 80") 2200 mm length (88")
Safe working load	275 kg (43 st)
Patient weight	210 kg (33 st)
Mattress platform height	115 – 815 mm (4.5" – 32")
Profiling functions	BodyMove™ technology
Part number	NSB-0-FL7-000

Allevia®Cushionair

Recommended for users who have developed pressure damage

The **Cushionair** cushion is a dynamic pressure-relieving cushion which is normally recommended for users who have developed pressure damage. The principle is that the cells of the cushion inflate and deflate alternately. This provides pressure redistribution via cyclic changes in loading and unloading.




Battery and mains powered pumps

Part number	KITCA-0-CM1-100 (mains powered)	KITCA-0-SC1-000 (battery powered)
Dimensions (pump only)	280 x 130 x 100 mm (11" x 5" x 4")	160 x 105 x 50 mm (6" x 4" x 2")
Cycle time	12 minutes continuous	5 or 10 minutes continuous
Weight capacity	160 kg (25 st)	
Warranty	2 years	
Cover	n/a	
Waterproof	n/a	

FloorBed® 2 JuniorKit

The accessory kit that makes Accora beds suitable for children

These accessory kits are a simple, safe, and cost-effective solution that are compliant with BS EN 50637:2017 children's bed standard. They comprise of head and footboard bumpers, which reduce impact, and a safety sleeve, reducing the risk of entrapment.








Optional fabric side rails

With easy lock and lower mechanism. Fabric mesh allows visibility from within and outside the bed.

Part number	JUNKIT-0-FL2-000
Comprises	Padded head and footboard bumpers, safety sleeve, protector plate

Note: A JuniorBed can only meet the new children's standard when installation of the full JuniorKit is complete, as specified here.

In addition to our products, you can also rent our range of accessories, including cushions, side rails, and mattresses.



Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Accora

IE: Charlotte House, Charlotte Street, Newbridge Co. Kildare W12 CY98
T: +353 (0)1 695 0614 **E:** contact@accora.care **W:** www.accora.care

* and ™ are trademarks of Accora Limited.

As our policy is one of continuous improvement, we reserve the right to modify designs without prior notice.

All information is correct at time of printing and is subject to change.