BEAM 800 | SCONCE

SYMBOLS & ELECTRICAL REFERENCE

ENTRELACS

DESIGN BY YVES MACHERET


ELETRICAL DANGER



COMPONENT INSIDE




REMOTE COMPONENT



DIGITAL ADDRESSABLE LIGHTING INTERFACE



NUMBER OF PEOPLE REQUIERED


DISPOSAL OTHER THAN URBAN WASTE




COLOR RENDERING INDEX



COLOR




INGRESS PROTECTION CODE



LED PRESENCE


INTERIOR FIXTURE



0.10 V DIMMING


EUROPE NORM


CLASS 2 EU


GROUND / CLASS 1 EU



Warrantly and care instructions

You have just acquired an Entrelacs lighting fixture and we thank you.

All of our achievements are based on a exceptional know-how for more than 40 years. Made from cast bronze and alabaster, your fixture is designed to last a lifetime. The integrated electrical components were chosen for their manufacturing quality and their remarkable colors rendering.

Dismantling the luminaire is strictly prohibited to avoid the risk of electrocution and loss of warranty. The light source contained in this luminaire must be replaced by us, or a similarly qualified person. For installation, please follow the installation instructions. If your luminaire has a flexible external cable or cord and it becomes damaged, it must be replaced by us or a person with similar qualifications. Alabaster is a fragile material and in the event of a crack or even breakage you must contact us to have it replaced.

All our lighting fixtures are guaranteed for 2 years.


Bronze does not require any special maintenance. However, in order to guarantee the protection of the patina, your lighting fixture is protected by a protective varnish. we invite you to follow some tips.

- cut off the power supply before any maintenance or cleaning operation
- do not use hydroalcoholic products such as glass surface cleaning products or others
- we do not recommend using liquid to clean it
- avoid direct exposure to the rays of the sun and the moon
- remove dust using a soft cloth

General safety instructions

Read the instruction manual thoroughly before using the appliance.
WARNING: When using electrical appliance, basic safety precautions should always be followed to reduce the risk of fire, electrical shock and personnal injury. The power supply must be desactivated prior to assembly, maintenance, exchanging the light source or cleaning process.
ELECTRICAL SAFETY: the lighting should be installed by authorized electrician only.

ELECTRIC SHOCK RISK




Screws provided are not applicable to all surfaces and ceilings.
In the case of a specific way of fixing the product please use suitable screws at your disposal.

Compliance

This product complies with the requirements of Annex 1 DBT (decree 2015 - 1083 of August 27, 2015 relating to the making available on the market of electrical equipment intended to be used within certain voltage limits)

Electrical products must not be thrown out with domestic waste.
They must be taken to a communal collecting point for environmentally friendly disposal in accordance with the local regulations. Contact your local authorities or stockist for advice on recycling.



CE

Déclaration de conformité UE

Nous attestons que le matériel énoncé ci-dessous, présente les satisfactions et les exigences des Directives en vigueur ainsi que la conformité des normes harmonisées.

Informations générale :

Société : FONDERIE D'ART MACHERET
Marque : ENTRELACS
Adresse : Z.A La Pécardière, 72450 Montfort le Gesnois
Nom produit : BEAM
Référence produit : WLBM800CY
Type : applique murale
Classe : 2
Degré de protection : IP65
Tension alimentation : 120 - 277V, 50/60 Hz
watts : 8W
Sources : LED COB

SATISFAIT AUX DIRECTIVES ET NORMES SUIVANTES

DIRECTIVES :

- Directive Basse Tension : 2014/35/EU
- Compatibilité électromagnétique : 2014/30/EU
- ROHS : 2011/65/CE
- Labelling : 2017/1369/UE
- DEEE : 2012/19/UE
- Ecodesign : 2009/125/UE

NORMES :


- NF EN 60598 - 1 2015
- NF EN 60598 - 1 - A1 : 2018
- NF EN 60598 - 2 - 1 : 1989
- NF EN 62493 : 2015
- EN 55015 : 2019 / A11: 2020
- NF EN 61000 3-2 : 2014
- NF EN 61000 3-3 : 2014
- NF EN 61547 : 2009
- NF EN 63000 : 2018

Montfort le Gesnois Le
21/03/2024

Macheret Yves
Co-Gérant


DS12W700C1018MB1UD

MANUFACTURER	LTF TECHNOLOGY
MODEL NUMBER	DS12W700C1018MB1UD
AC INPUT	120-277 VAC - 0.12A - 50/60Hz
DC OUTPUT	10-18V (CONSTANT CURRENT)
WATTS	12W
EFFICIENCY	>85%
POWER FACTOR	>0.95
CASE TC	90°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-30°C / +90°C
HUMIDITY	95% RH MAX
IP RATING	IP 67
PROTECTION CLASS	Class 2 Power Supply
DIMMING	ELV, TRIAC, 0-10V




SL0360S3

MANUFACTURER	eldoLED
MODEL NUMBER	SL0360S3
AC INPUT	120-277 VAC - 0.35A - 50/60Hz
DC OUTPUT	2V-55V (CONSTANT CURRENT)
	0.15A - 1.4A
WATTS	30W
EFFICIENCY	>85%
POWER FACTOR	>0.90
CASE TC	80°C MAX
PROTECTION	INPUT / OUTPUT
STORAGE	-20°C / +50°C
HUMIDITY	85% RH MAX
IP RATING	N.A
PROTECTION CLASS	ClassII for EU
DIMMING	Dali 2



Length (L)	typical: 130 mm / 5.12 in
Width (W)	typical: 72 mm / 2.83 in
Height (H)	typical: 28 mm / 1.1 in






HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY

ANY HELP ?

support@entrelacs-creation.fr


WHATSAPP




1x LAMP KIT



1x ALLEN KEY 1.5




1x PAIR OF GLOVES



4x WOOD SCREW Ø4x40




4x NYLON WASHER FOR Ø4 SCREW



4x FIXING PIN Ø8x40





In the case of inappropriate ceilling/wall type screws shown on this notice are for reference only. USE YOUR OWN


HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY

ANY HELP ?


support@entrelacs-creation.fr

WHATSAPP



ENTRELACS






THE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :


WLBM600CY
WLBM800CY
WLBM1100CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP






HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY


ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP







In the case of inappropriate ceilling/wall type screws shown on this notice are for reference only. USE YOUR OWN


HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :


WLBM600CY
WLBM800CY
WLBM1100CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP






HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY


ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP








HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :


WLBM600CY
WLBM800CY
WLBM1100CY



ANY HELP ?


support@entrelacs-creation.fr


WHATSAPP



HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY






ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP


ENTRELACS





HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY




ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP






In the case of inappropriate ceilling/wall type screws shown on this notice are for reference only. USE YOUR OWN

HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY




ANY HELP ?

support@entrelacs-creation.fr


WHATSAPP





HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY




ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP






In the case of inappropriate ceilling/wall type screws shown on this notice are for reference only. USE YOUR OWN

HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :


WLBM600CY
WLBM800CY
WLBM1100CY



ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP




HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY


ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP








HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :


WLBM600CY
WLBM800CY
WLBM1100CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP






HE VISUALS SHOULD BE USED FOR THE FOLLOWING REFERENCES :

WLBM600CY
WLBM800CY
WLBM1100CY

ANY HELP ?

support@entrelacs-creation.fr

WHATSAPP



ENTRELACS

HAND-MADE IN FRANCE

ENTRELACS is a registered trademark

of FONDERIE D'ART MACHERET
31 ZA la Pécardière - 72450 Montfort le Gesnois - FRANCE
tel. +33 (0)2 43 54 84 84 - contact@entrelacs-creation.fr