



Status Report

PHENOM 100

S/N 50000203 N390SJ

OWNER: SOLJETS
ADDRESS: 4376 N FORESTDALE DRIVE #7
PARK CITY UT 84098
OFFICE: 847-920-7000
FAX:

OPERATOR: SOLJETS
ADDRESS: 4376 N FORESTDALE DRIVE #7
PARK CITY UT 84098
OFFICE: 847-920-7000
FAX:

OPERATOR: SOLJETS
ADDRESS: 1120 SOUTH MILWAUKEE AVENUE
WHEELING IL 60090
OFFICE:
FAX:

ANALYST: ANDREY KORSUKOV
EMAIL: AKORSUKOV@CAMPSYSTEMS.COM

+1-514-636-2016 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL / REGNO: 50000203/N390SJ	MODEL: PHENOM 100	MANUFACTURER: EMBRAER
CERTIFICATION DATE: 22-SEP-2010		LAST ACTUALS: 1793.7 A/C HRS as of 30-SEP-2025 1679 AFL as of 30-SEP-2025	
ENGINE NO. 1	SERIAL / PART: PCE-LC0390/35C3100-01	MODEL: PW617F-E	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 04-AUG-2010		LAST ACTUALS:	
0	ENG. HRS 0 A/C HRS	1793.7	ENG. HRS as of 30-SEP-2025
0	ENC	1518	ENC as of 30-SEP-2025
ENGINE NO. 2	SERIAL / PART: PCE-LC0391/35C3100-01	MODEL: PW617F-E	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 05-AUG-2010		LAST ACTUALS:	
0	ENG. HRS 0 A/C HRS	1793.7	ENG. HRS as of 30-SEP-2025
0	ENC	1518	ENC as of 30-SEP-2025



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E617-051614	NO. 1 ENGINE - REVIEW PW617F-E LMM REV 12.0							Service ATA:00
	MOS/MSC	14-Jul-10	-					
	HRS	0						
	ENC	0						
E617-051614	NO. 2 ENGINE - REVIEW PW617F-E LMM REV 12.0							Service ATA:00
	MOS/MSC	15-Jul-10	-					
	HRS	0						
	ENC	0						
EM50-141121	REVIEW EMBRAER PHENOM 100 AMM 2432 CHAPTER 05 REV 35 DATED 21 NOV 2014-CAMP CHANGE FORM							Service ATA:00
	MOS/MSC		-					
	HRS							
	AFL							
PROC. REF: RCF EM50PROC. REF: RCF EM50								
EM50-141211	REVIEW EMBRAER PHENOM 100 AMM 2432 CHAPTER 05 REV 36 AR DATED 11 DEC 2014-CAMP CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM-50PROC. REF: RCF EM-50								
EM50-150212	REVIEW EMBRAER PHENOM 100 AMM 2432 CHAPTER 05 REV 36 DATED 12 FEB 2015-CAMP CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50PROC. REF: RCF EM50								
EM50-150212A	REVIEW EMBRAER PHENOM 100 AMM 2432 CHAPTER 04 REV 13 DATED 12 FEB 2015- CAMP CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PROC. REF: RCF EM50PROC. REF: RCF EM50								
EM50-150521	REVIEW EMBRAER PHENOM 100 AMM 2432 CHAPTER 05 REV 37 DATED 21 MAY 2015-CAMP CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50PROC. REF: RCF EM50								
EM50-150820	REVIEW EMBRAER PHENOM 100 AMM 2432 CHAPTER 05 REV 39 AND AMM 2432 CHAPTER 4 REV 15 DATED 20 AUGUST 2015 -CAMP CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50PROC. REF: RCF EM50								
EM50-151112	REVIEW EMBRAER PHENOM 100 AMM 2432 CHAPTER 05 REV 40 DATED 12 NOV. 2015-CAMP CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50PROC. REF: RCF EM50								
EM50-160219	REVIEW EMBRAER PHENOM 100 AMM 2432 TLMC (CHAPTER 5) REV 41 DATED 19-FEB-2016							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50PROC. REF: RCF EM50								
EM50-160520	REVIEW EMBRAER PHENOM 100 AMM 2432 TIME LIMITS / MAINTENANCE CHECKS (TLMC) CHAPTER 5 REVISION 42 DATED MAY 20/16							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50-160520PROC. REF: RCF EM50-160520								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EM50-160822	REVIEW EMBRAER PHENOM 100 (EM50) TIME LIMTIS/MAINTENANCE CHECKS (TLMC) CHAPTER -5, REVISION 43 DATED 22 AUGUST 2016 REQUIREMENT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50-160822PROC. REF: RCF EM50-160822								
EM50-161022	REVIEW EMBRAER PHENOM 100 (EM50) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 44 DATED OCT 22/2016 REQUIREMENT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50-161022PROC. REF: RCF EM50-161022								
EM50-161122	REVIEW EMBRAER PHENOM 100 (EM50) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 46 DATED NOV 22/2016							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50-161122PROC. REF: RCF EM50-161122								
EM50-161202	REVIEW EMBRAER PHENOM 100 (EM50) TIME LIMITS/MAINTENANCE CHECK (CHAPTER-5) ADVANCE REVISION DATED DEC 02/2016 REQUIREMENT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50-161202PROC. REF: RCF EM50-161202								
EM50-161216	REVIEW EMBRAER PHENOM 100 (EM50) TIME LIMITS/ MAINTENANCE CHECKS/CHAPTER-5 REVISION 47 DATED DEC 16/2016 REQUIREMENT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF EM50-161216PROC. REF: RCF EM50-161216								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EM50-200626	REVIEW EMBRAER PHENOM 100 - AMM 2432, SMR REV. 03, DATED JUNE 26TH, 2020							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
EM50-210507-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR PHENOM 100, DATED MAY 07, 2021							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
EM50-211103-SMR	REVIEW EMBRAER PHENOM 100 - AMM 2432, SMR REV. 04, DATED NOV 3, 2021							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
EM50-220812-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED AUG 12/2022 FOR MODEL EMB-500 - PHENOM 100							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
EM50-221017-AWL	REVIEW EMB-500 - PHENOM 100 AIRWORTHINESS LIMITATIONS REV 01 DATED OCT 17, 2022							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EM50-221103-SMR	REVIEW EMB-500 - PHENOM 100 SCHEDULED MAINTENANCE REQUIREMENTS REV 05, DATED NOV 03, 2022							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
EM50-230103-CAMP ADJUSTMENT	REVIEW EMB-500 - PHENOM 100 - AUDIT OF ITEM CODES 30-11-04 AND 30-11-04-001, DATED JAN 03, 2023							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
EM50-230112-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FOR EMB-500 - PHENOM 100 - AUDIT OF TASK CODE 32-43-11-002							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
EM50-230124-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR EMB-500 - PHENOM 100 - AUDIT OF PN TASK 35-31-01							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-30-01	800 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	15-Sep-18						
	HRS	1257.3	800 (+30/-30)		2057.3	2087.3	263.6 (+30)	
	AFL	1179						
PROC. REF: SMR 05-30-01PROC. REF: SMR 05-30-01								
								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-30-10	1600 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	15-Sep-18						
	HRS	1257.3	1600 (+30/-30)		2857.3	2887.3	1063.6 (+30)	
	AFL	1179						
PROC. REF: SMR 05-30-10PROC. REF: SMR 05-30-10								PKG:10
05-30-20	2400 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	22-Sep-10						
	HRS	0	2400 (+30/-30)		2400	2430	606.3 (+30)	
	AFL	0						
PROC. REF: SMR 05-30-20PROC. REF: SMR 05-30-20								PKG:20
05-30-40	3200 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	22-Sep-10						
	HRS	0	3200 (+30/-30)		3200	3230	1406.3 (+30)	
	AFL	0						
PROC. REF: SMR 05-30-40PROC. REF: SMR 05-30-40								PKG:40
05-30-42	3200 FH/60 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4	3200 (+30/-30)		4973.4	5003.4	3179.7 (+30)	
	AFL	1625						
PROC. REF: SMR 05-30-42PROC. REF: SMR 05-30-42								PKG:42
05-30-50	5600 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	22-Sep-10						
	HRS	0	5600 (+30/-30)		5600	5630	3806.3 (+30)	
	AFL	0						
PROC. REF: SMR 05-30-50PROC. REF: SMR 05-30-50								PKG:50

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-30-60	6400 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	EFF						
	HRS	EFF	6400 (+30/-30)		6400 *	6430	4606.3 (+30)	
	AFL							
PROC. REF: SMR 05-30-60PROC. REF: SMR 05-30-60								PKG:60
05-30-80	12 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	28-May-25	12 (+1m/-1m)		28-May-26	28-Jun-26	218 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: SMR 05-30-80PROC. REF: SMR 05-30-80								PKG:80
05-30-81	24 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	28-May-25	24 (+1m/-1m)		28-May-27	28-Jun-27	583 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: SMR 05-30-81PROC. REF: SMR 05-30-81								PKG:81
05-30-82	36 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	17-Nov-23	36 (+1m/-1m)	Adj -15d	02-Nov-26	02-Dec-26	376 d (+30)	
	HRS	1638.4						
	AFL	1539						
PROC. REF: SMR 05-30-82PROC. REF: SMR 05-30-82								PKG:82
05-30-83	48 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	20-Oct-22	48 (+1m/-1m)	Adj -23d	27-Sep-26	27-Oct-26	340 d (+30)	
	HRS	1564.2						
	AFL	1486						
PROC. REF: SMR 05-30-83PROC. REF: SMR 05-30-83								PKG:83

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-30-84	60 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: SMR 05-30-84PROC. REF: SMR 05-30-84								PKG:84
05-30-87	120 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	
	HRS	1462.5						
	AFL	1403						
PROC. REF: SMR 05-30-87PROC. REF: SMR 05-30-87								PKG:87
05-30-90	120 MO THRESHOLD/ 60 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: SMR 05-30-90PROC. REF: SMR 05-30-90								PKG:90
05-50-00-210-805	NO. 1 ENGINE - TROUBLESHOOT - FOREIGN OBJECT DAMAGE							Service ATA:05
	MOS/MSC	14-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-805	NO. 2 ENGINE - TROUBLESHOOT - FOREIGN OBJECT DAMAGE							Service ATA:05
	MOS/MSC	15-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
051254	NO. 1 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package ATA:05
	MOS	28-May-25	12 (+30d)		28-May-26	27-Jun-26	218 d (+30)	
	HRS	1773.4	800 (+10%)		(2573.4) 2573.4	2653.4	779.7 (+80)	
	ENC	1468						
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00								PKG:1
051254	NO. 2 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package ATA:05
	MOS	28-May-25	12 (+30d)		28-May-26	27-Jun-26	218 d (+30)	
	HRS	1773.4	800 (+10%)		(2573.4) 2573.4	2653.4	779.7 (+80)	
	ENC	1468						
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00								PKG:1
H242-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE REAR CENTER FUSELAGE							Service ATA:05
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:87
H340-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF PITCH TRIM ACTUATOR ELECTRICAL BONDING							Service ATA:05
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								PKG:87
H430-001	INTERNAL DETAILED INSPECTION OF ENGINE/PYLON INTERFACE CONNECTORS AND BONDING JUMPERS							Service ATA:05
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
H700-001	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS							Service ATA:05
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								PKG:84
H700-002	EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS							Service ATA:05
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								PKG:84
ATA 21 - AIR CONDITIONING								
21-00-00	ELECTROMECHANICAL LINEAR ACTUATOR							Component ATA:21
PN:100000-77	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:25038	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-23-03, AMM 21-23-03PROC. REF: AMM 21-23-03, AMM 21-23-03								
21-01-01	PRESSURIZATION AND AIR CONDITIONING CONTROL PANEL							Component ATA:21
PN:441-40931-002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0221	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-01-01, AMM 21-01-01PROC. REF: AMM 21-01-01, AMM 21-01-01								
21-20-02-900-801-01	COCKPIT - CONDITIONED AIR DUCT							Component ATA:21
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-02, AMM 21-20-02PROC. REF: AMM 21-20-02, AMM 21-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-20-02-900-801-02		PAX CABIN - CONDITIONED AIR DUCT					Component	ATA:21
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-02, AMM 21-20-02PROC. REF: AMM 21-20-02, AMM 21-20-02								
21-20-02-900-801-03		AFT CABIN - CONDITIONED AIR DUCT					Component	ATA:21
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-02, AMM 21-20-02PROC. REF: AMM 21-20-02, AMM 21-20-02								
21-21-01		LEFT REAR FUS FLOW CONTROL SHUT OFF VALVE ASSEMBLY					Component	ATA:21
PN:1300230-15	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:399	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-21-01, AMM 21-21-01PROC. REF: AMM 21-21-01, AMM 21-21-01								
21-21-01		RIGHT REAR FUS FLOW CONTROL SHUT OFF VALVE ASSEMBLY					Component	ATA:21
PN:1300230-25	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:369	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-21-01, AMM 21-21-01PROC. REF: AMM 21-21-01, AMM 21-21-01								
21-21-02		LH AFT INLET AIR CHECK VALVE					Component	ATA:21
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-21-02, AMM 21-21-02PROC. REF: AMM 21-21-02, AMM 21-21-02								
21-21-02		RH AFT INLET AIR CHECK VALVE					Component	ATA:21
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-21-02, AMM 21-21-02PROC. REF: AMM 21-21-02, AMM 21-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-21-02-001 ^S		OPERATIONAL CHECK LH AFT INLET AIR CHECK VALVE						Service ATA:21
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-21-02PROC. REF: AMM 21-21-02								PKG:60
21-21-02-001 ^S		OPERATIONAL CHECK RH AFT INLET AIR CHECK VALVE						Service ATA:21
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-21-02PROC. REF: AMM 21-21-02								PKG:60
21-23-03		RAM AIR VALVE						Component ATA:21
PN:500-17690-407	MOS/MSC	24-Jan-17	O/C	TSR 0				
SN:0000542182	HRS	1075.3		TSR 0				
	AFL	965		TSR 0				
PROC. REF: AMM 21-23-03, AMM 21-23-03PROC. REF: AMM 21-23-03, AMM 21-23-03								
21-23-03-002 ^S		OPERATIONAL CHECK OF RAM AIR VALVE POSITION						Service ATA:21
PN:500-17690-407	MOS							
SN:0000542182	HRS		6400 (+30/-30)					
	AFL							
PROC. REF: AMM 21-23-03PROC. REF: AMM 21-23-03								PKG:60
21-23-03-003 ^S		OPERATIONAL CHECK OF RAM AIR VALVE ACTUATION						Service ATA:21
PN:500-17690-407	MOS	15-Sep-18						
SN:0000542182	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 21-23-03PROC. REF: AMM 21-23-03								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-23-04	LH AFT FUSELAGE RAM AIR CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-23-04, AMM 21-23-04PROC. REF: AMM 21-23-04, AMM 21-23-04								
21-23-04	LH CENTER FUSELAGE RAM AIR CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-23-04, AMM 21-23-04PROC. REF: AMM 21-23-04, AMM 21-23-04								
21-23-04	RH AFT FUSELAGE RAM AIR CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-23-04, AMM 21-23-04PROC. REF: AMM 21-23-04, AMM 21-23-04								
21-23-04-001 ^S	OPERATIONAL CHECK LH AFT FUSELAGE RAM AIR CHECK VALVE							Service ATA:21
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	5600 (+30/-30)					
	AFL	0						
								PKG:50
PROC. REF: AMM 21-23-04PROC. REF: AMM 21-23-04								
21-23-04-001 ^S	OPERATIONAL CHECK LH CENTER FUSELAGE RAM AIR CHECK VALVE							Service ATA:21
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	5600 (+30/-30)					
	AFL	0						
								PKG:50
PROC. REF: AMM 21-23-04PROC. REF: AMM 21-23-04								
21-23-04-001 ^S	OPERATIONAL CHECK RH AFT FUSELAGE RAM AIR CHECK VALVE							Service ATA:21
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	5600 (+30/-30)					
	AFL	0						
								PKG:50

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-23-04PROC. REF: AMM 21-23-04								
21-23-05	TAIL CONE GROUND BLOWER (COOLING FAN) ASSEMBLY							Component ATA:21
PN:1133710-5	MOS/MSC	14-May-11	O/C					
SN:229	HRS	66.6						
	AFL							
PROC. REF: AMM 21-23-05, AMM 21-23-05PROC. REF: AMM 21-23-05, AMM 21-23-05								
21-23-05-001 ^S	GENERAL VISUAL INSPECTION TAIL CONE GROUND BLOWER (COOLING FAN) ASSEMBLY							Service ATA:21
PN:1133710-5	MOS	15-Sep-18						
SN:229	HRS	1257.3	1600 (+30/-30)					
	AFL	1179						
								PKG:10
PROC. REF: AMM 21-23-05PROC. REF: AMM 21-23-05								
21-31-00-002 ^S	OPERATIONAL CHECK AFT BULKHEAD OUTFLOW (OFV) VALVE MANUAL PRESSURIZATION CONTROL MODE							Service ATA:21
PN:103920-1	MOS	02-Nov-20						
SN:103920-00203	HRS	1462.5	800 (+30/-30)					
	AFL	1403						
								PKG:1
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								
21-31-00-003 ^S	OPERATIONAL CHECK OF EMERGENCY CABIN DECOMPRESSION (AUTO MODE)							Service ATA:21
	MOS	02-Nov-20						
	HRS	1462.5	800 (+30/-30)					
	AFL	1403						
								PKG:1
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								
21-31-00-004 ^S	OPERATIONAL CHECK OF ECMU-TO-AVIONICS DIGITAL AND DISCRETE SIGNALS							Service ATA:21
	MOS	22-Sep-10						
	HRS	0	5600 (+30/-30)					
	AFL	0						
								PKG:50
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-31-00-005 ^S		OPERATIONAL CHECK OF ECMU-TO-AVIONICS ANALOG SIGNAL						Service ATA:21
	MOS	22-Sep-10						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:50
21-31-01		ELECTRONIC CONTROL AND MONITORING UNIT						Component ATA:21
PN:2119286-5	MOS/MSC	08-Oct-11	O/C	TSN 3				
SN:2119286-00400	HRS	97.08		TSN 0				
	AFL	59		TSN 0				
PROC. REF: AMM 21-31-01, AMM 21-31-01PROC. REF: AMM 21-31-01, AMM 21-31-01								
21-31-01-001		RESTORATION (REPAIR) OF ELECTRONIC CONTROL AND MONITORING UNIT (ECMU)						Service ATA:21
PN:2119286-5	MOS	08-Oct-11						
SN:2119286-00400	HRS	97.08	5600 (+30/-30)		5697.08	5727.08	3903.4 (+30)	
	AFL	59						
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								
21-31-02		AFT BULKHEAD OUTFLOW (OFV) VALVE						Component ATA:21
PN:103920-1	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:103920-00203	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-02, AMM 21-31-02PROC. REF: AMM 21-31-02, AMM 21-31-02								
21-31-02-001		RESTORATION (REPAIR) OF AFT BULKHEAD OUTFLOW VALVE						Service ATA:21
PN:103920-1	MOS	22-Sep-10						
SN:103920-00203	HRS	0	7200 (+30/-30)		7200	7230	5406.3 (+30)	
	AFL	0						
PROC. REF: AMM 21-31-02PROC. REF: AMM 21-31-02								
21-31-03		NEGATIVE PRESSURE RELIEF VALVE						Component ATA:21
PN:130664-2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:34163-0242	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-03, AMM 21-31-03PROC. REF: AMM 21-31-03, AMM 21-31-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-31-03-001 ^S		OPERATIONAL CHECK NEGATIVE PRESSURE RELIEF VALVE						Service ATA:21
PN:130664-2	MOS	22-Sep-10						
SN:34163-0242	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-03PROC. REF: AMM 21-31-03								PKG:50
21-31-04		AFT BULKHEAD PRESSURE RELIEF (PRV) VALVE						Component ATA:21
PN:103916-2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:103916-00205	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-04, AMM 21-31-04PROC. REF: AMM 21-31-04, AMM 21-31-04								
21-31-04-001 ^S		FUNCTIONAL CHECK AFT BULKHEAD PRESSURE RELIEF (PRV) VALVE						Service ATA:21
PN:103916-2	MOS	22-Sep-10						
SN:103916-00205	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-04PROC. REF: AMM 21-31-04								PKG:50
21-52-01-001		DETAILED VISUAL INSPECTION VCS COMPRESSOR DRIVE MODULE OF VCS COMPRESSOR MOTOR DRIVE						Service ATA:21
PN:1133630-12	MOS/MSC	15-Sep-18	O/C					
SN:231	HRS	1257.3						
	AFL	1179						
PROC. REF: AMM 21-52-01PROC. REF: AMM 21-52-01								
21-52-01-002		DISCARD OF COMPRESSOR DRIVE MODULE BELT						Service ATA:21
	MOS	15-Sep-18						
	HRS	1257.3	2000 (+30/-30)		3257.3	3287.3	1463.6 (+30)	
	AFL	1179						
PROC. REF: AMM 21-52-01PROC. REF: AMM 21-52-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-52-01-003 ^S	FUNCTIONAL CHECK OF COMPRESSOR BELT TENSION							Service ATA:21
	MOS	15-Sep-18						
	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 21-52-01PROC. REF: AMM 21-52-01								PKG:1
21-52-01-004	RESTORATION (OVERHAUL) VCS COMPRESSOR DRIVE MODULE							Service ATA:21
	MOS	22-Sep-10						
	HRS	0	2000 (+30/-30)		2000	2030	206.3 (+30)	
	AFL	0						
PROC. REF: AMM 21-52-01PROC. REF: AMM 21-52-01								
21-52-02	HEAT EXCHANGER PACK							Component ATA:21
PN:1133750-3	MOS/MSC	24-Jan-17	O/C	TSR 0				
SN:107	HRS	1075.3		TSR 0				
	AFL	965		TSR 0				
PROC. REF: AMM 21-52-02, AMM 21-52-02PROC. REF: AMM 21-52-02, AMM 21-52-02								
21-52-02-001 ^S	GENERAL VISUAL INSPECTION HEAT EXCHANGER PACK							Service ATA:21
PN:1133750-3	MOS	15-Sep-18						
SN:107	HRS	1257.3	1600 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 21-52-02PROC. REF: AMM 21-52-02								PKG:10
21-52-03-001 ^S	GENERAL VISUAL INSPECTION OF EVAPORATOR MODULES							Service ATA:21
	MOS	15-Sep-18						
	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 21-52-03PROC. REF: AMM 21-52-03								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-52-04	FWD FUS VCS SYSTEM FWD EVAPORATOR BLOWER							Component ATA:21
PN:1133850-104	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:368	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-52-04, AMM 21-52-04PROC. REF: AMM 21-52-04, AMM 21-52-04								
21-52-06-001 ^S	SERVICING OF VCS REFRIGERANT FLUID							Service ATA:21
	MOS	28-May-25	12 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 12-17-00PROC. REF: AMM 12-17-00								
21-61-00-001 ^S	OPERATIONAL CHECK OF MANUAL TEMPERATURE CONTROL SYSTEM							Service ATA:21
	MOS	15-Sep-18						
	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 21-61-00PROC. REF: AMM 21-61-00								
21-61-01	REAR FUS ECS TEMPERATURE CONTROLLER							Component ATA:21
PN:1300650-10	MOS/MSC	27-Oct-12	O/C	TSO 0				
SN:173	HRS	269.6		TSO 0				
	AFL	220		TSO 0				
PROC. REF: AMM 21-61-01, AMM 21-61-01PROC. REF: AMM 21-61-01, AMM 21-61-01								
21-61-03	COCKPIT DUCT TEMPERATURE SENSOR SWITCH							Component ATA:21
PN:1300450-10	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1135	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03PROC. REF: AMM 21-61-03, AMM 21-61-03								
21-61-03	LH REAR DUCT TEMPERATURE SENSOR SWITCH							Component ATA:21
PN:1300450-10	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1098	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03PROC. REF: AMM 21-61-03, AMM 21-61-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-61-03	PAX DUCT TEMPERATURE SENSOR SWITCH							Component ATA:21
PN:1300450-10	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1097	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03PROC. REF: AMM 21-61-03, AMM 21-61-03								
21-61-03	RH REAR DUCT TEMPERATURE SENSOR SWITCH							Component ATA:21
PN:1300450-10	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1106	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03PROC. REF: AMM 21-61-03, AMM 21-61-03								
21-61-06-001 ^S	OPERATIONAL CHECK OF E-BAY OVERTEMPERATURE SENSOR							Service ATA:21
	MOS	22-Sep-10						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-61-06PROC. REF: AMM 21-61-06								PKG:60
215201-0101	VCS COMPRESSOR DRIVE MODULE							Component ATA:21
PN:1133630-12	MOS/MSC	24-Jan-17	O/C	TSO 0				
SN:231	HRS	1075.3		TSO 0				
	AFL	965		TSO 0				
PROC. REF: AMM 21-52-01, AMM 21-52-01, AMM 21-52-01, AMM 21-52-01PROC. REF: AMM 21-52-01, AMM 21-52-01, AMM 21-52-01, AMM 21-52-01								
215201-0102	CDM COMPRESSOR MODULE							Component ATA:21
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-52-01, AMM 21-52-01PROC. REF: AMM 21-52-01, AMM 21-52-01								
215201-0201	COMPRESSOR DRIVE MODULE BELT							Component ATA:21
PN:PN	MOS/MSC	22-Sep-10	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-52-01, AMM 21-52-01PROC. REF: AMM 21-52-01, AMM 21-52-01								
Z500-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE WINGS							Service ATA:21
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								
Z500-002	INTERNAL GENERAL VISUAL INSPECTION OF THE WINGS							Service ATA:21
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								
ATA 22 - AUTO FLIGHT								
22-11-00-001	FUNCTIONAL CHECK OF AILERON SERVO							Service ATA:22
PN:011-01436-01	MOS	28-May-25	12 (+30d/-30d)		28-May-26	27-Jun-26	218 d (+30)	AIRWORTHINESS
SN:22305634	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								
22-11-00-001	FUNCTIONAL CHECK OF ELEVATOR SERVO							Service ATA:22
PN:011-01436-01	MOS	28-May-25	12 (+30d/-30d)		28-May-26	27-Jun-26	218 d (+30)	AIRWORTHINESS
SN:22305673	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								
22-11-00-001	FUNCTIONAL CHECK OF RUDDER SERVO							Service ATA:22
PN:011-01436-01	MOS	28-May-25	12 (+30d/-30d)		28-May-26	27-Jun-26	218 d (+30)	AIRWORTHINESS
SN:22305214	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-11-00-002 ^S		LUBRICATION OF SERVO ACTUATORS					Service	ATA:22
	MOS	28-May-25	12 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								PKG:80
22-11-00-003 ^S		DETAILED VISUAL INSPECTION OF AUTOPILOT SERVO CABLE					Service	ATA:22
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4	3200 (+30/-30)					
	AFL	1625						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								PKG:42
22-11-01		GMC 715 GUIDANCE PANEL					Component	ATA:22
PN:011-01430-00	MOS/MSC	24-Jan-17	O/C	TSO 0				
SN:15900872	HRS	1075.3		TSO 0				
	AFL	965		TSO 0				
PROC. REF: AMM 22-11-01, AMM 22-11-01PROC. REF: AMM 22-11-01, AMM 22-11-01								
22-11-02		AILERON GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR					Component	ATA:22
PN:011-00878-20	MOS/MSC	15-Oct-21	O/C	TSN 57				
SN:1A1015750	HRS	1514		TSN 438.7				
	AFL	1446		TSN 481				
PROC. REF: AMM 22-11-02, AMM 22-11-02PROC. REF: AMM 22-11-02, AMM 22-11-02								
22-11-03		AILERON GSM 85A MED TORQUE SERVO MOUNT					Component	ATA:22
PN:011-01436-01	MOS/MSC	28-May-25	O/C	TSN 176				
SN:22305634	HRS	1773.4		TSN 1773.4				
	AFL	1625		TSN 1625				
PROC. REF: AMM 22-11-03, AMM 22-11-03PROC. REF: AMM 22-11-03, AMM 22-11-03								
22-11-05		ELEVATOR GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR					Component	ATA:22
PN:011-00878-20	MOS/MSC	15-Oct-21	O/C	TSR 57				
SN:1A1007360	HRS	1514		TSR 438.7				
	AFL	1446		TSR 481				
PROC. REF: AMM 22-11-05, AMM 22-11-05PROC. REF: AMM 22-11-05, AMM 22-11-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-11-06	ELEVATOR GSM 85A MED TORQUE SERVO MOUNT							Component ATA:22
PN:011-01436-01	MOS/MSC	24-Jan-17	O/C	TSR 0				
SN:22305673	HRS	1075.3		TSR 0				
	AFL	965		TSR 0				
PROC. REF: AMM 22-11-06, AMM 22-11-06PROC. REF: AMM 22-11-06, AMM 22-11-06								
22-11-08	RUDDER GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR							Component ATA:22
PN:011-00878-20	MOS/MSC	15-Oct-21	O/C	TSO 57				
SN:1A1013319	HRS	1514		TSO 438.7				
	AFL	1446		TSO 481				
PROC. REF: AMM 22-11-08, AMM 22-11-08PROC. REF: AMM 22-11-08, AMM 22-11-08								
22-11-09	RUDDER GSM 85A MED TORQUE SERVO MOUNT							Component ATA:22
PN:011-01436-01	MOS/MSC	24-Jan-17	O/C	TSR 0				
SN:22305214	HRS	1075.3		TSR 0				
	AFL	965		TSR 0				
PROC. REF: AMM 22-11-09, AMM 22-11-09PROC. REF: AMM 22-11-09, AMM 22-11-09								
ATA 23 - COMMUNICATIONS								
23-12-02	BOTTOM VHF ANTENNA							Component ATA:23
PN:S65-8280-41	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:322-2395	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-02, AMM 23-12-02PROC. REF: AMM 23-12-02, AMM 23-12-02								
23-12-02	TOP VHF ANTENNA							Component ATA:23
PN:S65-8280-41	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:322-2392	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-02, AMM 23-12-02PROC. REF: AMM 23-12-02, AMM 23-12-02								
23-15-01	IRIDIUM TRANSCEIVER							Component ATA:23
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PROC. REF: AMM 23-15-01, AMM 23-15-01PROC. REF: AMM 23-15-01, AMM 23-15-01								
23-15-03	IRIDIUM ANTENNA							Component ATA:23
PN:S67-1575-109	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:9875	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-15-03, AMM 23-15-03PROC. REF: AMM 23-15-03, AMM 23-15-03								
23-23-01	GD59 DATALINK MANAGEMENT UNIT							Component ATA:23
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-23-01, AMM 23-23-01PROC. REF: AMM 23-23-01, AMM 23-23-01								
23-23-03	WIFI - DATALINK ANTENNA							Component ATA:23
PN:S65-5366-71S	MOS/MSC	02-Nov-20	O/C	TSN 1				
SN:258-6744	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 23-23-03, AMM 23-23-03PROC. REF: AMM 23-23-03, AMM 23-23-03								
23-51-00-001 ^S	OPERATIONAL CHECK OF AIRBORNE AUDIO SYSTEM FAIL-SAFE MODE							Service ATA:23
	MOS	22-Sep-10						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 23-51-00PROC. REF: AMM 23-51-00								
23-51-01	COPILOT GMA 1347D AUDIO PANEL							Component ATA:23
PN:011-01257-20	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:17106137	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-01, AMM 23-51-01PROC. REF: AMM 23-51-01, AMM 23-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-51-01		PILOT GMA 1347D AUDIO PANEL						Component ATA:23
PN:011-01257-20	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:17106145	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-01, AMM 23-51-01PROC. REF: AMM 23-51-01, AMM 23-51-01								
23-51-01-701 ^U		VISUAL INSPECTION COPILOT GMA 1347D AUDIO PANEL						Service ATA:23
PN:011-01257-20	MOS	28-May-25	60		28-May-30		1679 d	
SN:17106137	HRS	1773.4	3000		4773.4		2979.7	
	AFL	1625						
23-51-01-701 ^U		VISUAL INSPECTION PILOT GMA 1347D AUDIO PANEL						Service ATA:23
PN:011-01257-20	MOS	28-May-25	60		28-May-30		1679 d	
SN:17106145	HRS	1773.4	3000		4773.4		2979.7	
	AFL	1625						
23-51-05		LH AUDIO JACK CONTROL PANEL						Component ATA:23
PN:441-40943-002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0120	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-05, AMM 23-51-05PROC. REF: AMM 23-51-05, AMM 23-51-05								
23-51-05		RH AUDIO JACK CONTROL PANEL						Component ATA:23
PN:441-40943-002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0489	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-05, AMM 23-51-05PROC. REF: AMM 23-51-05, AMM 23-51-05								
23-51-09		LH MODEL HME 25-KA-2 HEADSET						Component ATA:23
PN:25-250-015	MOS/MSC	12-Feb-12	O/C					
SN:003116	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-51-09	RH MODEL HME 25-KA-2 HEADSET							Component ATA:23
PN:026-55-999-0131	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:00200182	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
23-51-11	COCKPIT ELECTRODYNAMIC MICROPHONE							Component ATA:23
PN:85-03-12369-04	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:225439	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
23-61-00-001 ^S	FUNCTIONAL CHECK OF STATIC DISCHARGERS							Service ATA:23
	MOS	20-Oct-22	48 (+1m/-1m)					
	HRS	1564.2						
	AFL	1486						
PROC. REF: AMM 23-61-00PROC. REF: AMM 23-61-00								
PKG:83								
ATA 24 - ELECTRICAL POWER								
24-00-07	RELAY ASSEMBLY							Component ATA:24
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
24-01-01	ELECTRICAL CONTROL PANEL							Component ATA:24
PN:441-40929-002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0244	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-01-01, AMM 24-01-01PROC. REF: AMM 24-01-01, AMM 24-01-01								
24-31-01	NO.1 ENGINE STARTER-GENERATOR							Component ATA:24
PN:MG94F-2	MOS/MSC	12-Aug-19	O/C	TSO 0				
SN:1045	HRS	1389.8		TSO 0				
	AFL	1293		TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-31-01, AMM 24-31-01PROC. REF: AMM 24-31-01, AMM 24-31-01								
24-31-01	NO.2 ENGINE STARTER-GENERATOR							Component ATA:24
PN:MG94F-2	MOS/MSC	02-Nov-20	O/C	TSO 56				
SN:0042	HRS	1462.5		TSO 0				
	AFL	1403		TSO 0				
PROC. REF: AMM 24-31-01, AMM 24-31-01PROC. REF: AMM 24-31-01, AMM 24-31-01								
24-31-01-001	NO. 1 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 500 ACFT WITH STARTER GENERATOR PN MG94F-2 OR PN 400SG180Q SERIES OR POST-MOD SB 500-24-0007							Service ATA:24
PN:MG94F-2	MOS	12-Aug-19						
SN:1045	HRS	1389.8	800 (+30/-30)		2189.8	2219.8	396.1 (+30)	
	AFL	1293						
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
24-31-01-001	NO. 2 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 500 ACFT WITH STARTER GENERATOR PN MG94F-2 OR PN 400SG180Q SERIES OR POST-MOD SB 500-24-0007							Service ATA:24
PN:MG94F-2	MOS	02-Nov-20						
SN:0042	HRS	1462.5	800 (+30/-30)		2262.5	2292.5	468.8 (+30)	
	AFL	1403						
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
24-31-01-003	RESTORATION (OVERHAUL) OF NO.1 ENGINE STARTER-GENERATOR (P/N MG94F-1)							Service ATA:24
PN:MG94F-2	MOS/MSC		N/A					
SN:1045	HRS							
	AFL							
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
24-31-01-003	RESTORATION (OVERHAUL) OF NO.2 ENGINE STARTER-GENERATOR (P/N MG94F-1)							Service ATA:24
PN:MG94F-2	MOS/MSC		N/A					
SN:0042	HRS							
	AFL							
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-02	NO.1 GENERATOR - DC, 28V CONTROL UNIT							Component ATA:24
PN:CG301A-11	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:262	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-31-02, AMM 24-31-02PROC. REF: AMM 24-31-02, AMM 24-31-02								
24-31-02	NO.2 GENERATOR - DC, 28V CONTROL UNIT							Component ATA:24
PN:CG301A-11	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:283	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-31-02, AMM 24-31-02PROC. REF: AMM 24-31-02, AMM 24-31-02								
24-31-07-001 ^S	RESTORATION (CLEANING) OF LH SHUNT GENERATOR							Service ATA:24
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 24-31-07PROC. REF: AMM 24-31-07								
24-31-07-001 ^S	RESTORATION (CLEANING) OF RH SHUNT GENERATOR							Service ATA:24
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 24-31-07PROC. REF: AMM 24-31-07								
24-36-01	NO.1 MAIN BATTERY							Component ATA:24
PN:7639-30LT	MOS/MSC	21-Nov-24	O/C	TSN 9				
SN:G03220866	HRS	1736		TSN 0				
	AFL	1627		TSN 0				
PROC. REF: AMM 24-36-01, AMM 24-36-01, AMM 24-36-01PROC. REF: AMM 24-36-01, AMM 24-36-01, AMM 24-36-01								
24-36-01	NO.2 MAIN BATTERY							Component ATA:24
PN:7639-30LT	MOS/MSC	21-Nov-24	O/C	TSN 9				
SN:G03220867	HRS	1736		TSN 0				
	AFL	1627		TSN 0				
PROC. REF: AMM 24-36-01, AMM 24-36-01, AMM 24-36-01PROC. REF: AMM 24-36-01, AMM 24-36-01, AMM 24-36-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-36-01-003	DISCARD NO.1 MAIN BATTERY							Service ATA:24
PN:7639-30LT	MOS	21-Nov-24	24 (+1m/-1m)		21-Nov-26	21-Dec-26	395 d (+30)	
SN:G03220866	HRS	1736						
	AFL	1627	600 (+30/-30)		2227	2257	548 (+30)	
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-003	DISCARD NO.2 MAIN BATTERY							Service ATA:24
PN:7639-30LT	MOS	21-Nov-24	24 (+1m/-1m)		21-Nov-26	21-Dec-26	395 d (+30)	
SN:G03220867	HRS	1736						
	AFL	1627	600 (+30/-30)		2227	2257	548 (+30)	
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-004	FUNCTIONAL CHECK NO.1 MAIN BATTERY OF - (PRE-MOD SB 500-24-0014)							Service ATA:24
PN:7639-30LT	MOS/MSC		N/A					
SN:G03220866	HRS							
	AFL							
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-004	FUNCTIONAL CHECK NO.2 MAIN BATTERY OF - (PRE-MOD SB 500-24-0014)							Service ATA:24
PN:7639-30LT	MOS/MSC		N/A					
SN:G03220867	HRS							
	AFL							
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-005	FUNCTIONAL CHECK OF NO.1 MAIN BATTERY - (POST-MOD SB 500-24-0014)							Service ATA:24
PN:7639-30LT	MOS	28-May-25	6 (+1m/-1m)		28-Nov-25	28-Dec-25	37 d (+30)	
SN:G03220866	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-005	FUNCTIONAL CHECK OF NO.2 MAIN BATTERY - (POST-MOD SB 500-24-0014)							Service ATA:24
PN:7639-30LT	MOS	28-May-25	6 (+1m/-1m)		28-Nov-25	28-Dec-25	37 d (+30)	
SN:G03220867	HRS	1773.4						
	AFL	1625						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-02	BATTERY CURRENT (HB2) SENSOR							Component ATA:24
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-36-02, AMM 24-36-02PROC. REF: AMM 24-36-02, AMM 24-36-02								
24-36-02-001 ^S	OPERATIONAL CHECK BATTERY CURRENT (HB2) SENSOR							Service ATA:24
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 24-36-02PROC. REF: AMM 24-36-02								
PKG:60								
24-54-05	28 VDC / 115 VAC STATIC INVERTER							Component ATA:24
PN:AS-24-0026-001	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0252	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-54-05, AMM 24-54-05PROC. REF: AMM 24-54-05, AMM 24-54-05								
24-65-00	CABLE W109 LPDU/RPDU FEEDER							Component ATA:24
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-65-01, AMM 24-65-01, AMM 24-65-02, AMM 24-65-02PROC. REF: AMM 24-65-01, AMM 24-65-01, AMM 24-65-02, AMM 24-65-02								
24-65-01	LEFT POWER DISTRIBUTION UNIT ASSEMBLY							Component ATA:24
PN: SX7EG16-1	MOS/MSC	09-Dec-13	O/C					
SN:0021	HRS	603.5						
	AFL							
PROC. REF: AMM 24-65-01, AMM 24-65-01PROC. REF: AMM 24-65-01, AMM 24-65-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-65-02	RIGHT POWER DISTRIBUTION UNIT ASSEMBLY							Component ATA:24
PN: SX7EG17-1	MOS/MSC	09-Dec-13	O/C					
SN: 0120	HRS	603.5						
	AFL							
PROC. REF: AMM 24-65-02, AMM 24-65-02PROC. REF: AMM 24-65-02, AMM 24-65-02								
24-65-03	CENTER POWER DISTRIBUTION UNIT ASSEMBLY							Component ATA:24
PN: SX7EG18-1	MOS/MSC	09-Dec-13	O/C					
SN: 0185	HRS	603.5						
	AFL							
PROC. REF: AMM 24-65-03, AMM 24-65-03PROC. REF: AMM 24-65-03, AMM 24-65-03								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-11-01	COPILOT CITRINE FINISH GOODRICH SEAT							Component ATA:25
PN: 1429-621AG	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN: 1258-1429	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-11-01, AMM 25-11-01PROC. REF: AMM 25-11-01, AMM 25-11-01								
25-11-01	PILOT CITRINE FINISH GOODRICH SEAT							Component ATA:25
PN: 1429-521AG	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN: 1259-1429	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-11-01, AMM 25-11-01PROC. REF: AMM 25-11-01, AMM 25-11-01								
25-11-01-001 ^S	DETAILED VISUAL INSPECTION COPILOT CITRINE FINISH GOODRICH SEAT							Service ATA:25
PN: 1429-621AG	MOS	29-Sep-14						
SN: 1258-1429	HRS	801.17	2400 (+30/-30)					
	AFL	710						
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								
PKG:20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-11-01-001 ^S	DETAILED VISUAL INSPECTION PILOT CITRINE FINISH GOODRICH SEAT							Service ATA:25
PN:1429-521AG	MOS	29-Sep-14						
SN:1259-1429	HRS	801.17	2400 (+30/-30)					
	AFL	710						
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								PKG:20
25-11-01-002 ^S	DETAILED VISUAL INSPECTION OF COCKPIT SEAT BELTS							Service ATA:25
	MOS	29-Sep-14						
	HRS	801.17	2400 (+30/-30)					
	AFL	710						
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								PKG:20
25-21-01	LH AFT PAX SEAT							Component ATA:25
PN:403176-3AE	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:46076	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-00, AMM 25-21-00, AMM 25-21-01, AMM 25-21-01PROC. REF: AMM 25-21-00, AMM 25-21-00, AMM 25-21-01, AMM 25-21-01								
25-21-01	LH FWD PAX SEAT							Component ATA:25
PN:403176-1AE	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:48310	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-00, AMM 25-21-00, AMM 25-21-01, AMM 25-21-01PROC. REF: AMM 25-21-00, AMM 25-21-00, AMM 25-21-01, AMM 25-21-01								
25-21-01	RH AFT PAX SEAT							Component ATA:25
PN:403176-4AE	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:48313	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-00, AMM 25-21-00, AMM 25-21-01, AMM 25-21-01PROC. REF: AMM 25-21-00, AMM 25-21-00, AMM 25-21-01, AMM 25-21-01								
25-21-01	RH FWD PAX SEAT							Component ATA:25
PN:403176-2AE	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:48311	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-00, AMM 25-21-00, AMM 25-21-01, AMM 25-21-01PROC. REF: AMM 25-21-00, AMM 25-21-00, AMM 25-21-01, AMM 25-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-01-001 ^S	DETAILED VISUAL INSPECTION LH AFT PAX SEAT							Service ATA:25
PN:403176-3AE	MOS	29-Sep-14						
SN:46076	HRS	801.17	2400 (+30/-30)					
	AFL	710						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:20
25-21-01-001 ^S	DETAILED VISUAL INSPECTION LH FWD PAX SEAT							Service ATA:25
PN:403176-1AE	MOS	29-Sep-14						
SN:48310	HRS	801.17	2400 (+30/-30)					
	AFL	710						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:20
25-21-01-001 ^S	DETAILED VISUAL INSPECTION RH AFT PAX SEAT							Service ATA:25
PN:403176-4AE	MOS	29-Sep-14						
SN:48313	HRS	801.17	2400 (+30/-30)					
	AFL	710						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:20
25-21-01-001 ^S	DETAILED VISUAL INSPECTION RH FWD PAX SEAT							Service ATA:25
PN:403176-2AE	MOS	29-Sep-14						
SN:48311	HRS	801.17	2400 (+30/-30)					
	AFL	710						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:20
25-21-01-002 ^S	DETAILED VISUAL INSPECTION OF PASSENGER SEAT BELTS							Service ATA:25
	MOS	29-Sep-14						
	HRS	801.17	2400 (+30/-30)					
	AFL	710						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-03-001	^S	DETAILED INSPECTION OF FIFTH SEAT						Service ATA:25
	MOS	22-Sep-10						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-21-03PROC. REF: AMM 25-21-03								PKG:20
25-21-03-002	^S	DETAILED INSPECTION OF THE FIFTH SEAT BELT						Service ATA:25
	MOS	22-Sep-10						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-21-03PROC. REF: AMM 25-21-03								PKG:20
25-43-01-001	^S	DETAILED VISUAL INSPECTION OF BELTED TOILET UNIT						Service ATA:25
	MOS	29-Sep-14						
	HRS	801.17	3200 (+30/-30)					
	AFL	710						
PROC. REF: AMM 25-43-02PROC. REF: AMM 25-43-02								PKG:40
25-43-01-002	^S	DETAILED VISUAL INSPECTION OF BELTED TOILET SEAT BELT						Service ATA:25
	MOS	29-Sep-14						
	HRS	801.17	3200 (+30/-30)					
	AFL	710						
PROC. REF: AMM 25-43-02PROC. REF: AMM 25-43-02								PKG:40
25-61-00-001		OPERATIONAL CHECK EMERGENCY LOCATOR TRANSMITTER SYSTEM						Service ATA:25
PN:S1821502-02	MOS	28-May-25	12		28-May-26		218 d	
SN:2622156-0099	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 25-61-00PROC. REF: AMM 25-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-61-00-002	GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER							Service ATA:25
PN:S1821502-02	MOS	28-May-25	12		28-May-26		218 d	
SN:2622156-0099	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 25-61-00PROC. REF: AMM 25-61-00								
25-61-01	EMERGENCY LOCATOR TRANSMITTER							Component ATA:25
PN:S1821502-02	MOS/MSC	15-Oct-21	O/C	TSN 133				
SN:2622156-0099	HRS	1514		TSN 1514				
	AFL	1446		TSN 1446				
PROC. REF: AMM 25-61-01, AMM 25-61-01PROC. REF: AMM 25-61-01, AMM 25-61-01								
25-61-02	EMERGENCY LOCATOR TRANSMITTER BATTERY							Component ATA:25
PN:S1820506-01	MOS/MSC	15-Oct-21	H/T	TSN 0				
SN:21010698	HRS	1514		TSN 0				
	AFL	1446		TSN 0				
PROC. REF: AMM 25-61-04PROC. REF: AMM 25-61-04								
25-61-03	ELT ANTENNA							Component ATA:25
PN:S65-8282-406	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:401-1695	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-03, AMM 25-61-03PROC. REF: AMM 25-61-03, AMM 25-61-03								
25-61-04-001	DISCARD EMERGENCY LOCATOR TRANSMITTER BATTERY							Service ATA:25
PN:S1820506-01	MOS/MSC	15-Oct-21	DUE		01-Sep-27 (M)		679 d	
SN:21010698	HRS	1514						
	AFL	1446						
PROC. REF: AMM 25-61-04PROC. REF: AMM 25-61-04								
25-61-05-001	RESTORATION (REPAIR) OF ELT/NAV INTERFACE MODULE							Service ATA:25
PN:S1825502-02	MOS	02-Nov-20	120		02-Nov-30		1837 d	
SN:TM0000175912	HRS	1462.5	16000		17462.5		15668.8	
	AFL	1403						
PROC. REF: AMM 25-61-07PROC. REF: AMM 25-61-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-61-05-01	ELT/NAV INTERFACE - CS144-A MODULE							Component ATA:25
PN:S1825502-02	MOS/MSC	02-Nov-20	O/C	TSN 15				
SN:TM0000175912	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 25-61-05, AMM 25-61-05PROC. REF: AMM 25-61-05, AMM 25-61-05								
25-61-05-02	INTERCONNECTION CABLE							Component ATA:25
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-62-01	FIRST AID KIT							Component ATA:25
PN:019708-0005L	MOS/MSC	21-Nov-24	H/T	TSN 1				
SN:UNKNOWN	HRS	1736		TSN 0				
	AFL	1627		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-62-01-001	VISUAL CHECK FIRST AID KIT							Service ATA:25
PN:019708-0005L	MOS/MSC	21-Nov-24	DUE		30-Jun-26 (M)		251 d	
SN:UNKNOWN	HRS	1736						
	AFL	1627						
Expiry Date: : 30-Jun-26								
PROC. REF: AMM 25-62-01PROC. REF: AMM 25-62-01								
25-62-02	COPILOT CREW LIFE VEST							Component ATA:25
PN:66601-505	MOS/MSC	02-Nov-20	H/T	TSN 13				
SN:L4899716	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO.1 PAX LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	02-Nov-20	H/T	TSN 12				
SN:L4795412	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02	NO.2 PAX LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	02-Nov-20	H/T	TSN 12				
SN:L4795413	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO.3 PAX LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	02-Nov-20	H/T	TSN 12				
SN:L4801532	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO.4 PAX LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	02-Nov-20	H/T	TSN 12				
SN:L4795414	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	PILOT CREW LIFE VEST							Component ATA:25
PN:66601-505	MOS/MSC	02-Nov-20	H/T	TSN 13				
SN:L4899717	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	TOILET PAX LIFE VEST							Component ATA:25
PN:PN	MOS/MSC	22-Sep-10	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF COPILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS	30-Oct-19	120		15-Oct-29 (M)		1454 d	OVERHAUL
SN:L4899716	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 1 LIFE VEST							Service ATA:25
PN:66601-105	MOS	12-Nov-19	120		15-Jul-29 (M)		1362 d	OVERHAUL
SN:L4795412	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 2 LIFE VEST							Service ATA:25
PN:66601-105	MOS	12-Nov-19	120		15-Jul-29 (M)		1362 d	OVERHAUL
SN:L4795413	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 3 LIFE VEST							Service ATA:25
PN:66601-105	MOS	12-Nov-19	120		15-Jul-29 (M)		1362 d	OVERHAUL
SN:L4801532	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 4 LIFE VEST							Service ATA:25
PN:66601-105	MOS	12-Nov-19	120		15-Jul-29 (M)		1362 d	OVERHAUL
SN:L4795414	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS	30-Oct-19	120		15-Oct-29 (M)		1454 d	OVERHAUL
SN:L4899717	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-003	DISCARD OF BELTED TOILET SEAT - PAX LIFE VEST							Service ATA:25
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-04	LAV WATER BARRIER							Component ATA:25
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-62-04-001 ^S	DETAILED DIMENSIONAL INSPECTION LAV WATER BARRIER							Service ATA:25
PN:PN	MOS	28-May-25	24 (+1m/-1m)					
SN:UNKNOWN	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 25-62-04PROC. REF: AMM 25-62-04								
PKG:81								
Z700-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE MAIN LANDING GEAR BAY							Service ATA:25
	MOS	28-May-25	60 (+1m/-1m)	28-May-30	28-Jun-30	1679 d (+31)		
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								
PKG:84								
ATA 26 - FIRE PROTECTION								
26-11-01	LH ENGINE FIRE DETECTOR							Component ATA:26
PN:3951-49-565/211C-3.7M	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:42749	HRS	0		TSN 0				
	AFL	0		TSN 0				
Special Properties: TRACKED ITEM								
PROC. REF: AMM 26-11-01, AMM 26-11-01PROC. REF: AMM 26-11-01, AMM 26-11-01								
26-11-01	RH ENGINE FIRE DETECTOR							Component ATA:26
PN:3951-49-565/211C-3.7M	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:42755	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-01, AMM 26-11-01PROC. REF: AMM 26-11-01, AMM 26-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-11-01-001 ^S	DETAILED VISUAL INSPECTION LH ENGINE FIRE DETECTOR							Service ATA:26
PN:3951-49-565/211C-3.7M	MOS	15-Sep-18						
SN:42749	HRS	1257.3	1600 (+30/-30)					
	AFL	1179						
								PKG:10
PROC. REF: AMM 26-11-01PROC. REF: AMM 26-11-01								
26-11-01-001 ^S	DETAILED VISUAL INSPECTION RH ENGINE FIRE DETECTOR							Service ATA:26
PN:3951-49-565/211C-3.7M	MOS	15-Sep-18						
SN:42755	HRS	1257.3	1600 (+30/-30)					
	AFL	1179						
								PKG:10
PROC. REF: AMM 26-11-01PROC. REF: AMM 26-11-01								
26-11-01-002	OPERATIONAL CHECK LH ENGINE FIRE DETECTOR							Service ATA:26
PN:3951-49-565/211C-3.7M	MOS	15-Sep-18						AIRWORTHINESS
SN:42749	HRS	1257.3	1600 (+30/-30)		2857.3	2887.3	1063.6 (+30)	
	AFL	1179						
PROC. REF: AMM 26-11-01PROC. REF: AMM 26-11-01								
26-11-01-002	OPERATIONAL CHECK RH ENGINE FIRE DETECTOR							Service ATA:26
PN:3951-49-565/211C-3.7M	MOS	15-Sep-18						AIRWORTHINESS
SN:42755	HRS	1257.3	1600 (+30/-30)		2857.3	2887.3	1063.6 (+30)	
	AFL	1179						
PROC. REF: AMM 26-11-01PROC. REF: AMM 26-11-01								
26-21-01	FIRE/ENGINE START STOP/IGNITION/TRIM CONTROL PANEL							Component ATA:26
PN:441-42702-002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0266	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-21-01, AMM 26-21-01, AMM 26-21-02, AMM 26-21-02PROC. REF: AMM 26-21-01, AMM 26-21-01, AMM 26-21-02, AMM 26-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-01-001	FUNCTIONAL CHECK FIRE/ENGINE START STOP/IGNITION/TRIM CONTROL PANEL FIREX PANEL/SYSTEM							Service ATA:26
PN:441-42702-002	MOS	22-Sep-10						AIRWORTHINESS
SN:0266	HRS	0	2400 (+30/-30)		2400	2430	606.3 (+30)	
	AFL	0						
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
26-21-03	ENGINE FIRE EXTINGUISHING BOTTLE							Component ATA:26
PN:33000073-4	MOS/MSC	15-Oct-21	O/C	TSN 111, TSO 0				
SN:63078A1	HRS	1514		TSN 438.7, TSO 0				
	AFL	1446		TSN 481, TSO 0				
PROC. REF: AMM 26-21-03, AMM 26-21-03PROC. REF: AMM 26-21-03, AMM 26-21-03								
26-21-03-001	HYDROSTATIC TEST ENGINE FIRE EXTINGUISHING BOTTLE							Service ATA:26
PN:33000073-4	MOS	12-Oct-21	120		12-Oct-31		2181 d	AIRWORTHINESS
SN:63078A1	HRS							
	AFL							
HydroCheck Date: : 12-Oct-21								
PROC. REF: AMM 26-21-03PROC. REF: AMM 26-21-03								
26-21-05-001	OPERATIONAL CHECK OF TEMPERATURE COMPENSATED PRESSURE SWITCH (TCPS)							Service ATA:26
	MOS	22-Sep-10						AIRWORTHINESS
	HRS	0	2400 (+30/-30)		2400	2430	606.3 (+30)	
	AFL	0						
PROC. REF: AMM 26-21-05PROC. REF: AMM 26-21-05								
26-21-07	LEFT ENG FIREX CARTRIDGE							Component ATA:26
PN:M30903962-1	MOS/MSC	15-Oct-21	O/C	TSN 10				
SN:00250	HRS	1514		TSN 0				
	AFL	1446		TSN 0				
PROC. REF: AMM 26-21-07, AMM 26-21-07PROC. REF: AMM 26-21-07, AMM 26-21-07								
26-21-07	RIGHT ENG FIREX CARTRIDGE							Component ATA:26
PN:M30903963-1	MOS/MSC	15-Oct-21	O/C	TSN 9				
SN:00231	HRS	1514		TSN 0				
	AFL	1446		TSN 0				
PROC. REF: AMM 26-21-07, AMM 26-21-07PROC. REF: AMM 26-21-07, AMM 26-21-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-07-001	DISCARD LEFT ENG FIREX CARTRIDGE							Service ATA:26
PN:M30903962-1	MOS	01-Dec-20	120		01-Dec-30		1866 d	LIFE LIMIT
SN:00250	HRS							
	AFL							
Manufacture Date:: 01-Dec-20								
PROC. REF: AMM 26-21-07PROC. REF: AMM 26-21-07								
26-21-07-001	DISCARD RIGHT ENG FIREX CARTRIDGE							Service ATA:26
PN:M30903963-1	MOS	01-Jan-21	120		01-Jan-31		1897 d	LIFE LIMIT
SN:00231	HRS							
	AFL							
Manufacture Date:: 01-Jan-21								
PROC. REF: AMM 26-21-07PROC. REF: AMM 26-21-07								
26-21-09-001 ^S	DETAILED VISUAL INSPECTION OF ENGINE FIRE EXTINGUISHING DISCHARGE PIPING							Service ATA:26
	MOS	22-Sep-10						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PKG:20								
PROC. REF: AMM 26-21-09PROC. REF: AMM 26-21-09								
26-24-01	CABIN PORTABLE EXTINGUISHER							Component ATA:26
PN:PN	MOS/MSC	22-Sep-10	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-24-01, AMM 26-24-01PROC. REF: AMM 26-24-01, AMM 26-24-01								
26-24-01	COCKPIT PORTABLE EXTINGUISHER							Component ATA:26
PN:RT-A1200	MOS/MSC	24-Jan-17	H/T	TSN 0				
SN:Y-500728	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 26-24-01, AMM 26-24-01PROC. REF: AMM 26-24-01, AMM 26-24-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-24-01-001	WEIGHT CHECK CABIN PORTABLE EXTINGUISHER							Service ATA:26
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-001	WEIGHT CHECK COCKPIT PORTABLE EXTINGUISHER							Service ATA:26
PN:RT-A1200	MOS	28-May-25	12		28-May-26		218 d	
SN:Y-500728	HRS	1773.4						
	AFL	1625						
WeightCheck Date : : 28-May-25								
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-002	DISCARD CABIN PORTABLE EXTINGUISHER							Service ATA:26
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-002	DISCARD COCKPIT PORTABLE EXTINGUISHER							Service ATA:26
PN:RT-A1200	MOS		144		01-Jun-28 (M)		953 d	
SN:Y-500728	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-003	DISCARD CABIN PORTABLE EXTINGUISHER							Service ATA:26
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-004	WEIGHT CHECK CABIN PORTABLE EXTINGUISHER							Service ATA:26
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-24-01-004	WEIGHT CHECK COCKPIT PORTABLE EXTINGUISHER							Service ATA:26
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
ATA 27 - FLIGHT CONTROLS								
27-001	LEFT FLAP ACTUATOR							Component ATA:27
PN:6094A0001-05	MOS	16-Jan-14						LIFE LIMIT
SN:0430	HRS	626.33	21000	TSN 623	21003.33		19209.6	
	AFL							
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-001	RIGHT FLAP ACTUATOR							Component ATA:27
PN:6094A0001-05	MOS	16-Jan-14						LIFE LIMIT
SN:0461	HRS	626.33	21000	TSN 489	21137.33		19343.6	
	AFL							
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-002	ROLL TRIM ACTUATOR							Component ATA:27
PN:452900-1007	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:0247	HRS	0	35000	TSN 0	35000		33206.3	
	AFL	0		TSN 0				
PROC. REF: AMM 27-14-02, AMM 27-14-02PROC. REF: AMM 27-14-02, AMM 27-14-02								
27-003	YAW TRIM ACTUATOR							Component ATA:27
PN:453000-1007	MOS	24-Jan-17		TSR 0				LIFE LIMIT
SN:0061	HRS	1075.3	35000	TSN 1292, TSR 0	34783.3		32989.6	
	AFL	965		TSN 1287, TSR 0				
PROC. REF: AMM 27-24-02, AMM 27-24-02PROC. REF: AMM 27-24-02, AMM 27-24-02								
27-004	LEFT PITCH TRIM ACTUATOR							Component ATA:27
PN:453100-1009	MOS	02-Jul-14		TSN 0				LIFE LIMIT
SN:0674	HRS	751.67	3200	TSN 0	3951.67		2158	
	AFL	654		TSN 0				
PROC. REF: AMM 27-34-02, AMM 27-34-02PROC. REF: AMM 27-34-02, AMM 27-34-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-004	RIGHT PITCH TRIM ACTUATOR							Component ATA:27
PN:453100-1009	MOS	18-Mar-14		TSN 0				LIFE LIMIT
SN:0622	HRS	667.67	3200	TSN 0	3867.67		2074	
	AFL	570		TSN 0				
PROC. REF: AMM 27-34-02, AMM 27-34-02PROC. REF: AMM 27-34-02, AMM 27-34-02								
27-005	RH WING GROUND SPOILER ACTUATOR							Component ATA:27
PN:PN	MOS/MSC	22-Sep-10	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-62-01, AMM 27-62-01PROC. REF: AMM 27-62-01, AMM 27-62-01								
27-01-01	LEFT CONTROL YOKE							Component ATA:27
PN:83912139	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:00442	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-01-01, AMM 27-01-01PROC. REF: AMM 27-01-01, AMM 27-01-01								
27-01-01	RIGHT CONTROL YOKE							Component ATA:27
PN:83912140	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:00432	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-01-01, AMM 27-01-01PROC. REF: AMM 27-01-01, AMM 27-01-01								
27-01-02	LH PEDAL ASSEMBLY							Component ATA:27
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-01-02, AMM 27-01-02PROC. REF: AMM 27-01-02, AMM 27-01-02								
27-01-02	RH PEDAL ASSEMBLY							Component ATA:27
PN:500-15010-417	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000557584	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-01-02, AMM 27-01-02PROC. REF: AMM 27-01-02, AMM 27-01-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-01-03-001	^S	LUBRICATION OF ROTARY BALL SPLINE						Service ATA:27
	MOS	28-May-25	24 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								PKG:81
27-04-01		NO.1 TRIM ACTUATOR CONTROLLER						Component ATA:27
PN:461600-1007	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-04-01, AMM 27-04-01PROC. REF: AMM 27-04-01, AMM 27-04-01								
27-04-01		NO.2 TRIM ACTUATOR CONTROLLER						Component ATA:27
PN:461600-1007	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0528	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-04-01, AMM 27-04-01PROC. REF: AMM 27-04-01, AMM 27-04-01								
27-04-01-001	^S	FUNCTIONAL CHECK OF TRIM ACTUATION TIME LIMITER						Service ATA:27
	MOS	22-Sep-10						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-04-01PROC. REF: AMM 27-04-01								PKG:50
27-04-01-002	^S	FUNCTIONAL CHECK OF TRIM TABS ELECTRICAL STOP						Service ATA:27
	MOS	22-Sep-10						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-04-01PROC. REF: AMM 27-04-01								PKG:50

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-04-01-003	^S	OPERATIONAL CHECK OF TRIM TAB JAM MONITORING FUNCTION						Service ATA:27
	MOS	22-Sep-10						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-04-01PROC. REF: AMM 27-04-01								PKG:50
27-11-00-001	^S	GENERAL VISUAL INSPECTION OF AILERON ACTUATING SYSTEM MECHANICAL COMPONENTS						Service ATA:27
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4	3200 (+30/-30)					
	AFL	1625						
PROC. REF: AMM 27-11-00PROC. REF: AMM 27-11-00								PKG:42
27-11-01		LH AILERON BALANCED ASSEMBLY						Component ATA:27
PN:500-14650-411	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000526758	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-11-01, AMM 27-11-01PROC. REF: AMM 27-11-01, AMM 27-11-01								
27-11-01		RH AILERON BALANCED ASSEMBLY						Component ATA:27
PN:500-14651-405	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000619536	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-11-01, AMM 27-11-01PROC. REF: AMM 27-11-01, AMM 27-11-01								
27-11-02		AILERON CABLES ASSY.						Component ATA:27
PN:500-15033-401	MOS/MSC	28-May-25	O/C	TSN 0				
SN:F042011288	HRS	1773.4		TSN 0				
	AFL	1625		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-11-02-001		FUNCTION CHECK OF AILERON CONTROL CABLES TENSION						Service ATA:27
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4	3200 (+30/-30)		4973.4	5003.4	3179.7 (+30)	
	AFL	1625						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-11-02PROC. REF: AMM 27-11-02								
27-11-02-001(INITIAL)		FUNCTION CHECK OF AILERON CONTROL CABLES TENSION - INITIAL 12 MOS CHECK						Service ATA:27
	MOS	28-May-25	T:12 (+1m/-1m)		28-May-26		218 d	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 27-11-02PROC. REF: AMM 27-11-02								
27-11-02-002 ^S		DETAILED VISUAL INSPECTION OF AILERON CONTROL CABLES						Service ATA:27
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4	3200 (+30/-30)					
	AFL	1625						
PKG:42								
PROC. REF: AMM 27-11-02PROC. REF: AMM 27-11-02								
27-14-02-001		FUNCTIONAL CHECK ROLL TRIM ACTUATOR AILERON TRIM BACKLASH/ INTEGRITY						Service ATA:27
PN:452900-1007	MOS	22-Sep-10						AIRWORTHINESS
SN:0247	HRS	0	6000 (+30/-30)		6000	6030	4206.3 (+30)	
	AFL	0						
PROC. REF: AMM 27-14-03PROC. REF: AMM 27-14-03								
27-14-03		LEFT AILERON TRIM TAB						Component ATA:27
PN:500-14630-405	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000525525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-14-03, AMM 27-14-03PROC. REF: AMM 27-14-03, AMM 27-14-03								
27-21-00-001 ^S		GENERAL VISUAL INSPECTION OF RUDDER ACTUATING SYSTEM MECHANICAL COMPONENTS						Service ATA:27
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4	3200 (+30/-30)					
	AFL	1625						
PKG:42								
PROC. REF: AMM 27-21-00PROC. REF: AMM 27-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-21-01	RUDDER BALANCED ASSEMBLY							Component ATA:27
PN:500-10520-411	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000620915	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-21-01, AMM 27-21-01PROC. REF: AMM 27-21-01, AMM 27-21-01								
27-21-02-001	FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION							Service ATA:27
	MOS	17-Nov-23	60 (+1m/-1m)	Adj -51d	27-Sep-28	27-Oct-28	1071 d (+30)	
	HRS	1638.4	3200 (+30/-30)		4838.4	4868.4	3044.7 (+30)	
	AFL	1539						
PROC. REF: AMM 27-21-02PROC. REF: AMM 27-21-02								
27-21-02-001(INITIAL)	FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION - INITIAL 12 MOS CHECK							Service ATA:27
	MOS/MSC	22-Sep-10	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 27-21-02PROC. REF: AMM 27-21-02								
27-21-02-002 S	DETAILED VISUAL INSPECTION OF RUDDER CONTROL CABLES							Service ATA:27
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4	3200 (+30/-30)					
	AFL	1625						
PROC. REF: AMM 27-21-02PROC. REF: AMM 27-21-02								
27-24-02-001	FUNCTIONAL CHECK YAW TRIM ACTUATOR RUDDER TRIM BACKLASH INTEGRITY							Service ATA:27
PN:453000-1007	MOS	22-Sep-10						AIRWORTHINESS
SN:0061	HRS	0	6000 (+30/-30)		6000	6030	4206.3 (+30)	
	AFL							
PROC. REF: AMM 27-24-03PROC. REF: AMM 27-24-03								
27-24-03	TAB RUDDER							Component ATA:27
PN:500-10420-407	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000618963	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-24-03, AMM 27-24-03PROC. REF: AMM 27-24-03, AMM 27-24-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-31-00-001	^S	GENERAL VISUAL INSPECTION OF ELEVATOR ACTUATING SYSTEM MECHANICAL COMPONENTS						Service ATA:27
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4	3200 (+30/-30)					
	AFL	1625						
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00								PKG:42
27-31-01		LEFT ELEVATOR						Component ATA:27
PN:500-11035-4001	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000620483	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01, AMM 27-31-01PROC. REF: AMM 27-31-01, AMM 27-31-01								
27-31-01		RIGHT ELEVATOR						Component ATA:27
PN:500-11035-4002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000620474	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01, AMM 27-31-01PROC. REF: AMM 27-31-01, AMM 27-31-01								
27-31-02-001		FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION						Service ATA:27
	MOS	17-Nov-23	60 (+1m/-1m)	Adj -51d	27-Sep-28	27-Oct-28	1071 d (+30)	
	HRS	1638.4	3200 (+30/-30)		4838.4	4868.4	3044.7 (+30)	
	AFL	1539						
PROC. REF: AMM 27-31-02PROC. REF: AMM 27-31-02								
27-31-02-001(INITIAL)		FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION - INITIAL 12 MOS CHECK						Service ATA:27
	MOS/MSC	22-Sep-10	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 27-31-02PROC. REF: AMM 27-31-02								
27-31-02-002	^S	DETAILED VISUAL INSPECTION OF ELEVATOR CONTROL CABLES						Service ATA:27
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4	3200 (+30/-30)					
	AFL	1625						
								PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-31-02PROC. REF: AMM 27-31-02								
27-34-02-001	FUNCTIONAL CHECK OF PITCH TRIM BACKLASH/ INTEGRITY							Service ATA:27
	MOS	22-Sep-10						AIRWORTHINESS
	HRS	0	6000 (+30/-30)		6000	6030	4206.3 (+30)	
	AFL	0						
PROC. REF: AMM 27-34-05PROC. REF: AMM 27-34-05								
27-34-04	PITCH TRIM INTERCONNECTION ACTUATOR							Component ATA:27
PN:453110-1001	MOS/MSC	28-Feb-14	O/C					
SN:0142	HRS	626.17						
	AFL	566						
PROC. REF: AMM 27-34-04, AMM 27-34-04PROC. REF: AMM 27-34-04, AMM 27-34-04								
27-34-05	LEFT ELEVATOR TRIM TAB							Component ATA:27
PN:500-11021-4001	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000549662	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-34-05, AMM 27-34-05PROC. REF: AMM 27-34-05, AMM 27-34-05								
27-34-05	RIGHT ELEVATOR TRIM TAB							Component ATA:27
PN:500-11021-4002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000618988	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-34-05, AMM 27-34-05PROC. REF: AMM 27-34-05, AMM 27-34-05								
27-36-01	LEFT ANGLE-OF-ATTACK SENSOR							Component ATA:27
PN:C-100117-4	MOS/MSC	29-Sep-14	O/C					
SN:239	HRS	801.17						
	AFL							
PROC. REF: AMM 27-36-01, AMM 27-36-01PROC. REF: AMM 27-36-01, AMM 27-36-01								
27-36-01	RIGHT ANGLE-OF-ATTACK SENSOR							Component ATA:27
PN:C-100117-4	MOS/MSC	29-Sep-14	O/C					
SN:142879-08	HRS	801.17						
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-36-01, AMM 27-36-01PROC. REF: AMM 27-36-01, AMM 27-36-01								
27-36-01-001	^S	OPERATIONAL CHECK OF ANGLE-OF-ATTACK (AOA) SENSOR						Service ATA:27
	MOS	28-Sep-19						
	HRS	1391.8	800 (+30/-30)					
	AFL	1294						
								PKG:1
PROC. REF: AMM 27-36-01PROC. REF: AMM 27-36-01								
27-36-02		STICK PUSHER LINEAR ACTUATOR						Component ATA:27
PN:260926258-0101	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:334	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-36-02, AMM 27-36-02PROC. REF: AMM 27-36-02, AMM 27-36-02								
27-36-03-001	^S	OPERATIONAL CHECK OF SPWS CUTOUT SWITCH						Service ATA:27
	MOS	28-Sep-19						
	HRS	1391.8	1600 (+30/-30)					
	AFL	1294						
								PKG:10
PROC. REF: AMM 27-36-03PROC. REF: AMM 27-36-03								
27-36-04		STALL WARNING AND PROTECTION COMPUTER						Component ATA:27
PN:C-100106-2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:138514-06	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-36-04, AMM 27-36-04PROC. REF: AMM 27-36-04, AMM 27-36-04								
27-51-01-001	^S	LUBRICATION OF FLAP ACTUATORS BALL SCREWS						Service ATA:27
	MOS	28-May-25	12 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
								PKG:80
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-01-002 ^S		DETAILED VISUAL INSPECTION LEFT FLAP ACTUATOR						Service ATA:27
PN:6094A0001-05	MOS	16-Jan-14						
SN:0430	HRS	626.33	6400 (+30/-30)					
	AFL							
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								PKG:60
27-51-01-002 ^S		DETAILED VISUAL INSPECTION RIGHT FLAP ACTUATOR						Service ATA:27
PN:6094A0001-05	MOS	16-Jan-14						
SN:0461	HRS	626.33	6400 (+30/-30)					
	AFL							
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								PKG:60
27-51-01-003		RESTORE (OVERHAUL) LEFT FLAP ACTUATOR						Service ATA:27
PN:6094A0001-05	MOS	16-Jan-14						
SN:0430	HRS	626.33	4000 (+30/-30)		4626.33	4656.33	2832.6 (+30)	
	AFL							
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01								
27-51-01-003		RESTORE (OVERHAUL) RIGHT FLAP ACTUATOR						Service ATA:27
PN:6094A0001-05	MOS	16-Jan-14						
SN:0461	HRS	626.33	4000 (+30/-30)		4626.33	4656.33	2832.6 (+30)	
	AFL							
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01								
27-51-03		LH WING FLAP						Component ATA:27
PN:500-14301-403	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000621767	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-03, AMM 27-51-03PROC. REF: AMM 27-51-03, AMM 27-51-03								
27-51-03		RH WING FLAP						Component ATA:27
PN:500-14301-404	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000621771	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-51-03, AMM 27-51-03PROC. REF: AMM 27-51-03, AMM 27-51-03								
27-53-01	FLAP SELECTOR LEVER							Component ATA:27
PN:780501-9	MOS/MSC	24-Jan-17	O/C	TSR 0				
SN:1427	HRS	1075.3		TSR 0				
	AFL	965		TSR 0				
PROC. REF: AMM 27-53-01, AMM 27-53-01PROC. REF: AMM 27-53-01, AMM 27-53-01								
27-53-02	FLAP SYSTEM CONTROL UNIT							Component ATA:27
PN:8025A0001-08	MOS/MSC	04-Aug-11	O/C					
SN:0214	HRS	72.7						
	AFL	38						
PROC. REF: AMM 27-53-02, AMM 27-53-02PROC. REF: AMM 27-53-02, AMM 27-53-02								
27-53-03	LH WING FLAP POSITION SENSOR UNIT							Component ATA:27
PN:7906A0001-01	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:KA1666	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-03, AMM 27-53-03PROC. REF: AMM 27-53-03, AMM 27-53-03								
27-53-03	RH WING FLAP POSITION SENSOR UNIT							Component ATA:27
PN:7906A0001-01	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:KA1671	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-03, AMM 27-53-03PROC. REF: AMM 27-53-03, AMM 27-53-03								
27-60-00-001	OPERATIONAL CHECK OF GROUND SPOILER SYSTEM							Service ATA:27
	MOS/MSC	22-Sep-10	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								
ATA 28 - FUEL								
28-11-00-001 ^S	FUNCTIONAL CHECK OF FUEL TANKS FOR MICRO-ORGANISMS							Service ATA:28
	MOS	28-May-25	12 (+1m/-1m)					
	HRS	1773.4						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
	AFL	1625						PKG:80
PROC. REF: AMM 28-11-00PROC. REF: AMM 28-11-00								
28-11-05	LH WING WATER DRAIN VALVE							Component ATA:28
PN:L83A13-628	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E30966	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-05, AMM 28-11-05PROC. REF: AMM 28-11-05, AMM 28-11-05								
28-11-05	RH WING WATER DRAIN VALVE							Component ATA:28
PN:L83A13-628	MOS/MSC	02-Nov-20	O/C	TSN 3				
SN:M42515	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 28-11-05, AMM 28-11-05PROC. REF: AMM 28-11-05, AMM 28-11-05								
28-11-07	LH WING DUMP VALVE							Component ATA:28
PN:V98A32-001	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E39423	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-07, AMM 28-11-07PROC. REF: AMM 28-11-07, AMM 28-11-07								
28-11-07	RH WING DUMP VALVE							Component ATA:28
PN:V98A32-001	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E39436	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-07, AMM 28-11-07PROC. REF: AMM 28-11-07, AMM 28-11-07								
28-12-01-001	SPECIAL DETAILED INSPECTION OF FUEL VENT NACA							Service ATA:28
	MOS	02-Nov-20						
	HRS	1462.5	800 (+30/-30)		2262.5	2292.5	468.8 (+30)	
	AFL	1403						PKG:1
PROC. REF: AMM 28-12-01PROC. REF: AMM 28-12-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-12-03	LH WING FUEL TANK FLOAT VENT VALVE							Component ATA:28
PN:L87-19-001P2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E41145	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-03, AMM 28-12-03, AMM 28-12-07, AMM 28-12-07PROC. REF: AMM 28-12-03, AMM 28-12-03, AMM 28-12-07, AMM 28-12-07								
28-12-03	RH WING FUEL TANK FLOAT VENT VALVE							Component ATA:28
PN:L87-19-001P2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E41129	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-03, AMM 28-12-03, AMM 28-12-07, AMM 28-12-07PROC. REF: AMM 28-12-03, AMM 28-12-03, AMM 28-12-07, AMM 28-12-07								
28-12-03-001 ^S	OPERATIONAL CHECK LH WING FUEL TANK FLOAT VENT VALVE							Service ATA:28
PN:L87-19-001P2	MOS	22-Sep-10						
SN:E41145	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 28-12-03PROC. REF: AMM 28-12-03								
28-12-03-001 ^S	OPERATIONAL CHECK RH WING FUEL TANK FLOAT VENT VALVE							Service ATA:28
PN:L87-19-001P2	MOS	22-Sep-10						
SN:E41129	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 28-12-03PROC. REF: AMM 28-12-03								
28-12-05	LH WING DRAIN CHECK VALVE							Component ATA:28
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-05, AMM 28-11-05PROC. REF: AMM 28-11-05, AMM 28-11-05								
28-12-05	RH WING DRAIN CHECK VALVE							Component ATA:28
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-05, AMM 28-11-05PROC. REF: AMM 28-11-05, AMM 28-11-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-00	NO.1 3/4 IN CHECK VALVE							Component ATA:28
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01PROC. REF: AMM 28-21-01, AMM 28-21-01								
28-21-00	NO.2 3/4 IN CHECK VALVE							Component ATA:28
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01PROC. REF: AMM 28-21-01, AMM 28-21-01								
28-21-00	NO.3 3/4 IN CHECK VALVE							Component ATA:28
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01PROC. REF: AMM 28-21-01, AMM 28-21-01								
28-21-00	NO.4 3/4 IN CHECK VALVE							Component ATA:28
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01PROC. REF: AMM 28-21-01, AMM 28-21-01								
28-21-03	LH WING DC AUXILIARY CANISTER BOOST PUMP							Component ATA:28
PN:C93R19-601	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E38478	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								
28-21-03	RH WING DC AUXILIARY CANISTER BOOST PUMP							Component ATA:28
PN:C93R19-601	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E38472	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-04	LH WING DC AUXILIARY CARTRIDGE BOOST PUMP							Component ATA:28
PN:P99C19-601	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E49018	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								
28-21-04	RH WING DC AUXILIARY CARTRIDGE BOOST PUMP							Component ATA:28
PN:P99C19-602	MOS/MSC	15-Oct-21	O/C					
SN:L47145	HRS	1514						
	AFL	1446						
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								
28-21-05	LH WING MAIN EJECTOR PUMP							Component ATA:28
PN:T99A19-601	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E51834	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-05, AMM 28-21-05PROC. REF: AMM 28-21-05, AMM 28-21-05								
28-21-05	RH WING MAIN EJECTOR PUMP							Component ATA:28
PN:T99A19-601	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E51836	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-05, AMM 28-21-05PROC. REF: AMM 28-21-05, AMM 28-21-05								
28-21-07-001	OPERATIONAL CHECK LEFT WING 0.75 IN SHUTOFF VALVE							Service ATA:28
PN:B97-15-601	MOS	15-Sep-18						AIRWORTHINESS
SN:E39459	HRS	1257.3	1200 (+30/-30)		2457.3	2487.3	663.6 (+30)	
	AFL	1179						
PROC. REF: AMM 28-21-07PROC. REF: AMM 28-21-07								
28-21-07-001	OPERATIONAL CHECK RIGHT WING 0.75 IN SHUTOFF VALVE							Service ATA:28
PN:B97-15-601	MOS	15-Sep-18						AIRWORTHINESS
SN:E39465	HRS	1257.3	1200 (+30/-30)		2457.3	2487.3	663.6 (+30)	
	AFL	1179						
PROC. REF: AMM 28-21-07PROC. REF: AMM 28-21-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-07-01	LEFT WING 0.75 IN SHUTOFF VALVE							Component ATA:28
PN:B97-15-601	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E39459	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-07-01	RIGHT WING 0.75 IN SHUTOFF VALVE							Component ATA:28
PN:B97-15-601	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E39465	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-07-02	LH WING 28-V DC ENGINE SHUTOFF VALVE ACTUATOR ASSEMBLY							Component ATA:28
PN:D97C00-644P2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:C70110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-07-02	RH WING 28-V DC ENGINE SHUTOFF VALVE ACTUATOR ASSEMBLY							Component ATA:28
PN:D97C00-644P2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:C70117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-08-001 ^S	OPERATIONAL CHECK OF FUEL TRANSFER VALVE							Service ATA:28
PN:B97-38-603P2	MOS	28-Sep-19						
SN:E38427	HRS	1391.8	1600 (+30/-30)					
	AFL	1294						
PROC. REF: AMM 28-21-08PROC. REF: AMM 28-21-08								PKG:10
28-21-08-01	1.5 IN FUEL SYSTEM SHUTOFF VALVE							Component ATA:28
PN:B97-38-603P2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E38427	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-08, AMM 28-21-08PROC. REF: AMM 28-21-08, AMM 28-21-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-08-02	ENGINE 28-V DC TRANSFER VALVE ACTUATOR ASSEMBLY							Component ATA:28
PN:D97C00-644P2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:C70764	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-08, AMM 28-21-08PROC. REF: AMM 28-21-08, AMM 28-21-08								
28-21-11	LH WING MOTIVE FLOW 3/8 IN CHECK VALVE							Component ATA:28
PN:L96-09-001P4	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E46759	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-11, AMM 28-21-11PROC. REF: AMM 28-21-11, AMM 28-21-11								
28-21-11	RH WING MOTIVE FLOW 3/8 IN CHECK VALVE							Component ATA:28
PN:L96-09-001P4	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:E46766	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-11, AMM 28-21-11PROC. REF: AMM 28-21-11, AMM 28-21-11								
28-21-13	FUEL CONTROL PANEL							Component ATA:28
PN:441-42854-002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0225	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-13, AMM 28-21-13PROC. REF: AMM 28-21-13, AMM 28-21-13								
28-41-01	NO. 1 LEFT WING FUEL QUANTITY PROBE							Component ATA:28
PN:765551-1-0	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:765551IN00310	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 1 RIGHT WING FUEL QUANTITY PROBE							Component ATA:28
PN:765826-1-0	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:765826IN00315	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-41-01	NO. 2 LEFT WING FUEL QUANTITY PROBE							Component ATA:28
PN:765548-1-0	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:765548IN00323	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 2 RIGHT WING FUEL QUANTITY PROBE							Component ATA:28
PN:765827-1-0	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:765827IN00313	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 3 LEFT WING FUEL QUANTITY PROBE							Component ATA:28
PN:765549-1-0	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:765549IN00531	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 3 RIGHT WING FUEL QUANTITY PROBE							Component ATA:28
PN:765549-1-0	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:765549IN00526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 4 LEFT WING FUEL QUANTITY PROBE							Component ATA:28
PN:765550-1-0	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:765550IN00571	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 4 RIGHT WING FUEL QUANTITY PROBE							Component ATA:28
PN:765550-1-0	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:765550IN00500	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-41-05	ELECTRONIC FUEL CONTROL UNIT							Component ATA:28
PN:738742-1-4	MOS/MSC	24-Jan-17	O/C					
SN:738790IN00901	HRS	1075.3						
	AFL	965						
PROC. REF: AMM 28-41-05, AMM 28-41-05PROC. REF: AMM 28-41-05, AMM 28-41-05								
28-43-01	FUEL TEMPERATURE SENSOR							Component ATA:28
PN:798840-1-0	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:02074	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-43-01, AMM 28-43-01PROC. REF: AMM 28-43-01, AMM 28-43-01								
28-43-01-001 ^S	FUNCTIONAL CHECK FUEL TEMPERATURE SENSOR							Service ATA:28
PN:798840-1-0	MOS	22-Sep-10						
SN:02074	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 28-43-01PROC. REF: AMM 28-43-01								
PKG:60								
28-45-01	NO.1 FUEL LOW PRESSURE SWITCH							Component ATA:28
PN:D98C07-611	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0364	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-45-01, AMM 28-45-01PROC. REF: AMM 28-45-01, AMM 28-45-01								
28-45-01	NO.2 FUEL LOW PRESSURE SWITCH							Component ATA:28
PN:D98C07-611	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0438	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-45-01, AMM 28-45-01PROC. REF: AMM 28-45-01, AMM 28-45-01								
ATA 29 - HYDRAULIC POWER								
29-00-00-001 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM FILTER DIFFERENTIAL PRESSURE INDICATOR (DPI)							Service ATA:29
PN:PN	MOS	28-May-25	12 (+1m/-1m)					
SN:UNKNOWN	HRS	1773.4						
	AFL	1625						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: AMM 29-31-02PROC. REF: AMM 29-31-02								
PKG:80								
29-11-01	HYDRAULIC POWERPACK							Component ATA:29
PN:3032683-105	MOS/MSC	20-Oct-22	O/C	TSO 7				
SN:MX727083	HRS	1564.2		TSN 3517, TSO 0				
	AFL	1486		TSN 3545, TSO 0				
PROC. REF: AMM 29-11-01, AMM 29-11-01PROC. REF: AMM 29-11-01, AMM 29-11-01								
29-11-01-001	RESTORATION (OVERHAUL) OF THE HYDRAULIC POWERPACK							Service ATA:29
PN:3032683-105	MOS/MSC		N/A					
SN:MX727083	HRS							
	AFL							
PROC. REF: AMM 29-11-01PROC. REF: AMM 29-11-01								
29-11-01-002	RESTORATION (OVERHAUL) OF THE HYDRAULIC POWERPACK							Service ATA:29
PN:3032683-105	MOS	20-Oct-22		TAC 7				OVERHAUL
SN:MX727083	HRS	1564.2	1600 (+30/-30)	TAC 0	3164.2	3194.2	1370.5 (+30)	
	AFL	1486		TAC 0				
PROC. REF: AMM 29-11-01PROC. REF: AMM 29-11-01								
29-11-09	HYDRAULIC POWERPACK TEMPERATURE SWITCH							Component ATA:29
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-09, AMM 29-11-09PROC. REF: AMM 29-11-09, AMM 29-11-09								
29-11-09-001 ^S	FUNCTIONAL CHECK OF TEMPERATURE SWITCH							Service ATA:29
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	6400 (+30/-30)					
	AFL	0						
PKG:60								
PROC. REF: AMM 29-11-09PROC. REF: AMM 29-11-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-15-03	HYDRAULIC ACCUMULATOR							Component ATA:29
PN:MS28797-3	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:8423-12642	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-03, AMM 29-15-03PROC. REF: AMM 29-15-03, AMM 29-15-03								
29-15-03-001	DISCARD OF HYDRAULIC ACCUMULATOR							Service ATA:29
	MOS	22-Sep-10						DISCARD
	HRS	0						
	AFL	0	28000		28000		26321	
PROC. REF: AMM 29-15-03PROC. REF: AMM 29-15-03								
29-20-01	POWERPACK VENTILATION FAN							Component ATA:29
PN:SF9202D00	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:L00311	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-20-01, AMM 29-20-01PROC. REF: AMM 29-20-01, AMM 29-20-01								
29-20-01-001 ^S	OPERATIONAL CHECK OF POWERPACK VENTILATION FAN							Service ATA:29
PN:SF9202D00	MOS	15-Sep-18						
SN:L00311	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 29-20-01PROC. REF: AMM 29-20-01								
PKG:1								
29-31-02	HYDRAULIC SYSTEM FILTER DIFFERENTIAL PRESSURE INDICATOR							Component ATA:29
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-31-02, AMM 29-31-02PROC. REF: AMM 29-31-02, AMM 29-31-02								
ATA 30 - ICE AND RAIN PROTECTION								
30-01-01	ICE PROTECTION/HEATING SYSTEM CONTROL PANEL							Component ATA:30
PN:441-43199-001	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0204	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PROC. REF: AMM 30-01-01, AMM 30-01-01PROC. REF: AMM 30-01-01, AMM 30-01-01								
30-10-00-001	^S	OPERATIONAL CHECK OF PNEUMATIC DE-ICING SYSTEM						Service ATA:30
	MOS	28-Sep-19						
	HRS	1391.8	800 (+30/-30)					
	AFL	1294						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								
30-11-01		DE-ICING SYSTEM CONTROLLER						Component ATA:30
PN:4D2037-24	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:U0262	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-01, AMM 30-11-01PROC. REF: AMM 30-11-01, AMM 30-11-01								
30-11-02		NO.1 REAR FUSELAGE CHECK VALVE						Component ATA:30
PN:3D3555-01	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:N100140	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-02, AMM 30-11-02PROC. REF: AMM 30-11-02, AMM 30-11-02								
30-11-02		NO.2 REAR FUSELAGE CHECK VALVE						Component ATA:30
PN:3D3555-01	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:N100137	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-02, AMM 30-11-02PROC. REF: AMM 30-11-02, AMM 30-11-02								
30-11-03		REAR FUS PRESSURE REGULATOR/RELIEVER VALVE						Component ATA:30
PN:4D2095-2011	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:N101228	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03, AMM 30-11-03PROC. REF: AMM 30-11-03, AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-11-03-001 ^S CLEANING REAR FUS PRESSURE REGULATOR/RELIEVER VALVE								Service ATA:30
PN:4D2095-2011	MOS	22-Sep-10						
SN:N101228	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								PKG:50
30-11-04 AFT WATER SEPARATOR								Component ATA:30
PN:44E13-5A	MOS/MSC	27-Nov-14	O/C					
SN:N114067	HRS	849.33						
	AFL							
PROC. REF: AMM 30-11-04, AMM 30-11-04PROC. REF: AMM 30-11-04, AMM 30-11-04								
30-11-04 FORWARD WATER SEPARATOR								Component ATA:30
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-04, AMM 30-11-04PROC. REF: AMM 30-11-04, AMM 30-11-04								
30-11-04-001 RESTORATION (CLEANING) OF THE AFT WATER SEPARATOR								Service ATA:30
PN:44E13-5A	MOS/MSC	27-Nov-14	O/C					
SN:N114067	HRS	849.33						
	AFL							
PROC. REF: AMM 30-11-04PROC. REF: AMM 30-11-04								
30-11-04-001 RESTORATION (CLEANING) OF THE FORWARD WATER SEPARATOR								Service ATA:30
PN:PN	MOS/MSC	22-Sep-10	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 30-11-04PROC. REF: AMM 30-11-04								
30-11-05 REAR FUS LOW PRESSURE SWITCH								Component ATA:30
PN:3D3552-02	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0203	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-05, AMM 30-11-05PROC. REF: AMM 30-11-05, AMM 30-11-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-11-05-001 ^S FUNCTIONAL CHECK OF DE-ICING LOW PRESSURESWITCH (REAR FUS)								Service ATA:30
PN:3D3552-02	MOS	22-Sep-10						
SN:0203	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-11-05PROC. REF: AMM 30-11-05								PKG:50
30-13-01 INBOARD WING FLOW CONTROL VALVE								Component ATA:30
PN:3D2376-07	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:N100422	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-01, AMM 30-13-01PROC. REF: AMM 30-13-01, AMM 30-13-01								
30-13-01 OUTBOARD WING FLOW CONTROL VALVE								Component ATA:30
PN:3D2376-07	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:N100424	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-01, AMM 30-13-01PROC. REF: AMM 30-13-01, AMM 30-13-01								
30-13-02 NO.1 L/H WING DE ICE PRESSURE SWITCH								Component ATA:30
PN:3D3533-04	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1003	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-02, AMM 30-13-02PROC. REF: AMM 30-13-02, AMM 30-13-02								
30-13-02 NO.1 R/H WING DE ICE PRESSURE SWITCH								Component ATA:30
PN:3D3533-04	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-02, AMM 30-13-02PROC. REF: AMM 30-13-02, AMM 30-13-02								
30-13-02 NO.2 L/H WING DE ICE PRESSURE SWITCH								Component ATA:30
PN:3D3533-04	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1053	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-02, AMM 30-13-02PROC. REF: AMM 30-13-02, AMM 30-13-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-13-02 NO.2 R/H WING DE ICE PRESSURE SWITCH								Component ATA:30
PN:3D3533-04	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1058	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-02, AMM 30-13-02PROC. REF: AMM 30-13-02, AMM 30-13-02								
30-13-02-001 ^S FUNCTIONAL CHECK NO.1 L/H WING DE ICE PRESSURE SWITCH								Service ATA:30
PN:3D3533-04	MOS	22-Sep-10						
SN:1003	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-13-02PROC. REF: AMM 30-13-02								
30-13-02-001 ^S FUNCTIONAL CHECK NO.1 R/H WING DE ICE PRESSURE SWITCH								Service ATA:30
PN:3D3533-04	MOS	22-Sep-10						
SN:1005	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-13-02PROC. REF: AMM 30-13-02								
30-13-02-001 ^S FUNCTIONAL CHECK NO.2 L/H WING DE ICE PRESSURE SWITCH								Service ATA:30
PN:3D3533-04	MOS	22-Sep-10						
SN:1053	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-13-02PROC. REF: AMM 30-13-02								
30-13-02-001 ^S FUNCTIONAL CHECK NO.2 R/H WING DE ICE PRESSURE SWITCH								Service ATA:30
PN:3D3533-04	MOS	22-Sep-10						
SN:1058	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-13-02PROC. REF: AMM 30-13-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-13-03	LH WING DE-ICER BOOT							Component ATA:30
PN:PS29S4D5321-23	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:MCLQ580	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-03, AMM 30-13-03PROC. REF: AMM 30-13-03, AMM 30-13-03								
30-13-03	RH WING DE-ICER BOOT							Component ATA:30
PN:PS29S4D5321-24	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:MCNZ190	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-03, AMM 30-13-03PROC. REF: AMM 30-13-03, AMM 30-13-03								
30-13-03-001 ^S	GENERAL VISUAL INSPECTION LH WING DE-ICER BOOT							Service ATA:30
PN:PS29S4D5321-23	MOS	28-May-25	12 (+1m/-1m)					
SN:MCLQ580	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 30-13-03PROC. REF: AMM 30-13-03								PKG:80
30-13-03-001 ^S	GENERAL VISUAL INSPECTION RH WING DE-ICER BOOT							Service ATA:30
PN:PS29S4D5321-24	MOS	28-May-25	12 (+1m/-1m)					
SN:MCNZ190	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 30-13-03PROC. REF: AMM 30-13-03								PKG:80
30-15-01	REAR FUS FLOW CONTROL VALVE							Component ATA:30
PN:3D2376-07	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:N100429	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-15-01, AMM 30-15-01PROC. REF: AMM 30-15-01, AMM 30-15-01								
30-15-02	REAR FUS DE ICE PRESSURE SWITCH							Component ATA:30
PN:3D3533-04	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1033	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-15-02, AMM 30-15-02PROC. REF: AMM 30-15-02, AMM 30-15-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-15-02-001 ^S	FUNCTIONAL CHECK OF HORIZONTAL STABILIZER DE-ICER PRESSURE SWITCH (REAR FUS)							Service ATA:30
PN:3D3533-04	MOS	22-Sep-10						
SN:1033	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-15-02PROC. REF: AMM 30-15-02								PKG:50
30-15-03	LH TAIL DE-ICER BOOT							Component ATA:30
PN:PS29S4D5321-21	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:MCLX950	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-15-03, AMM 30-15-03PROC. REF: AMM 30-15-03, AMM 30-15-03								
30-15-03	RH TAIL DE-ICER BOOT							Component ATA:30
PN:PS29S4D5321-22	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:MCFG140	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-15-03, AMM 30-15-03PROC. REF: AMM 30-15-03, AMM 30-15-03								
30-15-03-001 ^S	GENERAL VISUAL INSPECTION OF LH TAIL DE-ICER BOOT							Service ATA:30
PN:PS29S4D5321-21	MOS	28-May-25	12 (+1m/-1m)					
SN:MCLX950	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 30-15-03PROC. REF: AMM 30-15-03								PKG:80
30-15-03-001 ^S	GENERAL VISUAL INSPECTION OF RH TAIL DE-ICER BOOT							Service ATA:30
PN:PS29S4D5321-22	MOS	28-May-25	12 (+1m/-1m)					
SN:MCFG140	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 30-15-03PROC. REF: AMM 30-15-03								PKG:80

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-21-00-900-801-01		LH ENGINE ANTI ICING DUCT					Component	ATA:30
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-00, AMM 30-21-00PROC. REF: AMM 30-21-00, AMM 30-21-00								
30-21-00-900-801-02		RH ENGINE ANTI ICING DUCT					Component	ATA:30
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-00, AMM 30-21-00PROC. REF: AMM 30-21-00, AMM 30-21-00								
30-21-01		LEFT ENGINE ANTI-ICE SYSTEM SHUTOFF VALVE					Component	ATA:30
PN:5727-00-5	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0445A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-01, AMM 30-21-01PROC. REF: AMM 30-21-01, AMM 30-21-01								
30-21-01		RIGHT ENGINE ANTI-ICE SYSTEM SHUTOFF VALVE					Component	ATA:30
PN:5727-00-5	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0442A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-01, AMM 30-21-01PROC. REF: AMM 30-21-01, AMM 30-21-01								
30-21-02		LH ENG ANTI-ICE PRESSURE TRANSDUCER					Component	ATA:30
PN:APTE-473A-1000-50G	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:7612-4-286	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-02, AMM 30-21-02PROC. REF: AMM 30-21-02, AMM 30-21-02								
30-21-02		RH ENG ANTI-ICE PRESSURE TRANSDUCER					Component	ATA:30
PN:APTE-473A-1000-50G	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:7612-4-355	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-02, AMM 30-21-02PROC. REF: AMM 30-21-02, AMM 30-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-21-02-001	FUNCTIONAL CHECK OF LH ENG ANTI-ICE PRESSURE TRANSDUCER							Service ATA:30
PN:APTE-473A-1000-50G	MOS	22-Sep-10						
SN:7612-4-286	HRS	0	12000 (+30/-30)		12000	12030	10206.3 (+30)	
	AFL	0						
PROC. REF: AMM 30-21-02PROC. REF: AMM 30-21-02								
30-21-02-001	FUNCTIONAL CHECK OF RH ENG ANTI-ICE PRESSURE TRANSDUCER							Service ATA:30
PN:APTE-473A-1000-50G	MOS	22-Sep-10						
SN:7612-4-355	HRS	0	12000 (+30/-30)		12000	12030	10206.3 (+30)	
	AFL	0						
PROC. REF: AMM 30-21-02PROC. REF: AMM 30-21-02								
30-21-03-001 ^S	BORESCOPE INSPECTION OF PICCOLO TUBE							Service ATA:30
	MOS	22-Sep-10						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-21-03PROC. REF: AMM 30-21-03								
30-21-04-001 ^S	DETAILED VISUAL INSPECTION OF ENGINE ANTI-ICE DUCTS							Service ATA:30
	MOS	22-Sep-10						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-21-00PROC. REF: AMM 30-21-00								
30-31-00-001 ^S	OPERATIONAL CHECK OF PITOT, STATIC, AOA AND P-STATIC HEATING							Service ATA:30
	MOS	28-May-25	24 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 30-30-00PROC. REF: AMM 30-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-31-01	AIR DATA PROBES HEATER CURRENT MONITOR-							Component ATA:30
PN:C-100131-1	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:313	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-31-01, AMM 30-31-01PROC. REF: AMM 30-31-01, AMM 30-31-01								
30-41-01-001	FUNCTIONAL CHECK OF WINDSHIELD RAIN REPELLENT COATING							Service ATA:30
	MOS/MSC	15-Sep-18	O/C					
	HRS	1257.3						
	AFL	1179						
PROC. REF: AMM 30-41-01PROC. REF: AMM 30-41-01								
30-41-01-002 ^S	DISCARD OF WINDSHIELD RAIN REPELLENT COATING							Service ATA:30
	MOS	21-Nov-24	12 (+1m/-1m)					DISCARD
	HRS	1736						
	AFL	1627						
PROC. REF: AMM 30-41-01PROC. REF: AMM 30-41-01								
30-41-01-003	FUNCTIONAL CHECK OF RAIN REPELLENT COATING (RRC) LAYER ON WINDSHIELD SURFACE							Service ATA:30
	MOS	28-May-25	12 (+1m/-1m)	28-May-26	28-Jun-26	218 d (+31)		
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 30-41-01PROC. REF: AMM 30-41-01								
30-42-00-001 ^S	OPERATIONAL CHECK OF WINDSHIELD HEATING SYSTEM							Service ATA:30
	MOS	15-Sep-18						
	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 30-42-00PROC. REF: AMM 30-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-42-01	LH WINDSHIELD HEATER CONTROL UNIT							Component ATA:30
PN:EPM-112-2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:00847	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-42-01, AMM 30-42-01PROC. REF: AMM 30-42-01, AMM 30-42-01								
30-42-01	RH WINDSHIELD HEATER CONTROL UNIT							Component ATA:30
PN:EPM-112-2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:00857	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-42-01, AMM 30-42-01PROC. REF: AMM 30-42-01, AMM 30-42-01								
30-81-01	CREW CABIN LIGHT ICING INDICATOR							Component ATA:30
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-81-02, AMM 30-81-02PROC. REF: AMM 30-81-02, AMM 30-81-02								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-31-00-002 ^S	OPERATIONAL CHECK OF COCKPIT VOICE AND DATA RECORDER SYSTEM							Service ATA:31
PN:2100-3083-50	MOS	28-May-25	12 (+1m/-1m)					
SN:000658509	HRS	1773.4						
	AFL	1625						
PKG:80								
PROC. REF: AMM 31-31-00PROC. REF: AMM 31-31-00								
31-31-01	CVDR - COCKPIT VOICE AND DATA RECORDER							Component ATA:31
PN:2100-3083-50	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:000658509	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-01, AMM 31-31-01PROC. REF: AMM 31-31-01, AMM 31-31-01								
31-31-03	CVDR/ULB UNDERWATER LOCATOR BEACON BATTERY							Component ATA:31
PN:DK120	MOS/MSC	20-Oct-22	A/R	TSO 1				
SN:DU46189	HRS	1564.2		TSO 0				
	AFL	1486		TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-31-03, AMM 31-31-03PROC. REF: AMM 31-31-03, AMM 31-31-03								
31-31-03-001	DISCARD CVDR/ULB UNDERWATER LOCATOR BEACON BATTERY							Service ATA:31
PN:DK120	MOS/MSC	20-Oct-22	DUE		01-May-28 (M)		922 d	DISCARD
SN:DU46189	HRS	1564.2						
	AFL	1486						
PROC. REF: AMM 31-31-03PROC. REF: AMM 31-31-03								
31-31-04	IMPACT SWITCH							Component ATA:31
PN:5930-4-000	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:4681	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-04, AMM 31-31-04PROC. REF: AMM 31-31-04, AMM 31-31-04								
31-31-09	CVDR INSC ILLUM PANEL							Component ATA:31
PN:441-42635-003	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0141	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-09, AMM 31-31-09PROC. REF: AMM 31-31-09, AMM 31-31-09								
31-31-13	CVDR/UNDERWATER LOCATOR BEACON							Component ATA:31
PN:PN	MOS/MSC	22-Sep-10	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-03, AMM 31-31-03PROC. REF: AMM 31-31-03, AMM 31-31-03								
31-41-01	GSD 41 DATA CONCENTRATOR UNIT							Component ATA:31
PN:011-01457-00	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:16905246	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-01, AMM 31-41-01PROC. REF: AMM 31-41-01, AMM 31-41-01								
31-41-03	NO.1 ENGINE/AIRFRAME INTERFACE UNIT							Component ATA:31
PN:011-00831-00	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:46711889	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-41-03, AMM 31-41-03PROC. REF: AMM 31-41-03, AMM 31-41-03								
31-41-03	NO.2 ENGINE/AIRFRAME INTERFACE UNIT							Component ATA:31
PN:011-00831-00	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:46711892	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-03, AMM 31-41-03PROC. REF: AMM 31-41-03, AMM 31-41-03								
31-41-03	NO.3 ENGINE/AIRFRAME INTERFACE UNIT							Component ATA:31
PN:011-00831-00	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:46711898	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-03, AMM 31-41-03PROC. REF: AMM 31-41-03, AMM 31-41-03								
31-41-05	NO.1 GIA63W INTEGRATED AVIONICS UNIT							Component ATA:31
PN:011-01105-01	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:15W011959	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-05, AMM 31-41-05PROC. REF: AMM 31-41-05, AMM 31-41-05								
31-41-05	NO.2 GIA63W INTEGRATED AVIONICS UNIT							Component ATA:31
PN:011-01105-01	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:15W012006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-05, AMM 31-41-05PROC. REF: AMM 31-41-05, AMM 31-41-05								
31-42-00-001 ^S	OPERATIONAL CHECK OF HSDB SWITCH REVERSION							Service ATA:31
	MOS	22-Sep-10						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 31-42-00PROC. REF: AMM 31-42-00								

PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-42-01	MAINTENANCE CONTROL PANEL							Component ATA:31
PN:441-40947-001	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0212	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-42-01, AMM 31-42-01PROC. REF: AMM 31-42-01, AMM 31-42-01								
31-61-00-001 ^S	OPERATIONAL CHECK MFD FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service ATA:31
	MOS	22-Sep-10						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 31-61-00PROC. REF: AMM 31-61-00								
31-61-00-001 ^S	OPERATIONAL CHECK PFD 1 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service ATA:31
	MOS	22-Sep-10						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 31-61-00PROC. REF: AMM 31-61-00								
31-61-00-001 ^S	OPERATIONAL CHECK PFD 2 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service ATA:31
	MOS	22-Sep-10						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 31-61-00PROC. REF: AMM 31-61-00								
31-61-01	MFD (MULTI-FUNCTION FLIGHT DISPLAY)							Component ATA:31
PN:011-03471-00	MOS/MSC	28-May-25	O/C	TSN 0				
SN:495002670	HRS	1773.4		TSN 0				
	AFL	1625		TSN 0				
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01								
31-61-01	PFD 1 (PRIMARY FLIGHT DISPLAY)							Component ATA:31
PN:011-03471-00	MOS/MSC	28-May-25	O/C	TSN 1				
SN:495002660	HRS	1773.4		TSN 0				
	AFL	1625		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01								
31-61-01	PFD 2 (PRIMARY FLIGHT DISPLAY)							Component ATA:31
PN:011-03471-00	MOS/MSC	28-May-25	O/C	TSN 0				
SN:495002672	HRS	1773.4		TSN 0				
	AFL	1625		TSN 0				
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01								
31-61-01-701 ^U	VISUAL INSPECTION MFD							Service ATA:31
PN:011-03471-00	MOS	28-May-25	60		28-May-30		1679 d	
SN:495002670	HRS	1773.4	3000		4773.4		2979.7	
	AFL	1625						
31-61-01-701 ^U	VISUAL INSPECTION PFD 1							Service ATA:31
PN:011-03471-00	MOS	28-May-25	60		28-May-30		1679 d	
SN:495002660	HRS	1773.4	3000		4773.4		2979.7	
	AFL	1625						
31-61-01-701 ^U	VISUAL INSPECTION PFD 2							Service ATA:31
PN:011-03471-00	MOS	28-May-25	60		28-May-30		1679 d	
SN:495002672	HRS	1773.4	3000		4773.4		2979.7	
	AFL	1625						
ATA 32 - LANDING GEAR								
32-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF LANDING GEAR POLYURETHANE FILMS							Service ATA:32
	MOS	15-Sep-18						
	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 32-00-20PROC. REF: AMM 32-00-20								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-000	LEFT MAIN GEAR ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-000	RIGHT MAIN GEAR ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-001	LEFT MAIN GEAR SHOCK STRUT - MAIN FITTING							Component ATA:32
PN:2310-2206-501	MOS	02-Nov-20		TSN 122, TSR 0				LIFE LIMIT
SN:1343053/001	HRS	1462.5		TSN 1462.5, TSR 0				
	AFL	1403	3500	TSN 1403, TSR 0	3500		1821	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-002	RIGHT MAIN GEAR SHOCK STRUT - MAIN FITTING							Component ATA:32
PN:2310-2206-502	MOS	02-Nov-20		TSN 122				LIFE LIMIT
SN:1345970/001	HRS	1462.5		TSN 1462.5				
	AFL	1403	3500	TSN 1403	3500		1821	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-005	NO.1 LEFT MAIN GEAR PINTLE PIN							Component ATA:32
PN:2310-2107-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1329287/005	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-005	NO.1 RIGHT MAIN GEAR PINTLE PIN							Component ATA:32
PN:2310-2107-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1336972/009	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-005	NO.2 LEFT MAIN GEAR PINTLE PIN							Component ATA:32
PN:2310-2107-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1329287/006	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-005	NO.2 RIGHT MAIN GEAR PINTLE PIN							Component ATA:32
PN:2310-2107-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1336972/012	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-006	LEFT MAIN GEAR UPPER AXLE							Component ATA:32
PN:2310-2104-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1331625/010	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-006	RIGHT MAIN GEAR UPPER AXLE							Component ATA:32
PN:2310-2104-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1336970/004	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-007	LEFT MAIN GEAR LOWER AXLE							Component ATA:32
PN:2310-2108-003	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1308798/017	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-007	RIGHT MAIN GEAR LOWER AXLE							Component ATA:32
PN:2310-2108-003	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1312113/008	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-008	LEFT MAIN GEAR JACKING PIN							Component ATA:32
PN:2310-2109-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1328682/010	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-008	RIGHT MAIN GEAR JACKING PIN							Component ATA:32
PN:2310-2109-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1336973/018	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-009	LEFT MAIN GEAR PIN							Component ATA:32
PN:2310-2103-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1304610/003	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-009	RIGHT MAIN GEAR PIN							Component ATA:32
PN:2310-2103-001	MOS	02-Nov-20		TSN 0				LIFE LIMIT
SN:1638189/008	HRS	1462.5		TSN 0				
	AFL	1403	3500	TSN 0	4903		3224	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-010	LEFT MAIN GEAR PIN							Component ATA:32
PN:2310-2113-003	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1327395/002	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-010	RIGHT MAIN GEAR PIN							Component ATA:32
PN:2310-2113-003	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1327395/007	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-100	LEFT MAIN GEAR TRAILING ARM ASSEMBLY							Component ATA:32
PN:2310-3000-401	MOS/MSC	02-Nov-20	O/C	TSN 122				
SN:00207	HRS	1462.5		TSN 1462.5, TSO 0				
	AFL	1403		TSN 1403, TSO 0				
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-100	RIGHT MAIN GEAR TRAILING ARM ASSEMBLY							Component ATA:32
PN:2310-3000-402	MOS/MSC	02-Nov-20	O/C	TSN 122				
SN:00207	HRS	1462.5		TSN 1462.5, TSO 0				
	AFL	1403		TSN 1403, TSO 0				
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-101	LEFT MAIN GEAR TRAILING ARM AXLE							Component ATA:32
PN:2310-2102-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1306947/008	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-101	RIGHT MAIN GEAR TRAILING ARM AXLE							Component ATA:32
PN:2310-2102-003	MOS	02-Nov-20		TSN 0				LIFE LIMIT
SN:1653826/009	HRS	1462.5		TSN 0				
	AFL	1403	3500	TSN 0	4903		3224	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-102	LEFT MAIN GEAR TRAILING ARM							Component ATA:32
PN:2310-3002-501	MOS	02-Nov-20		TSN 122				LIFE LIMIT
SN:1329832/001	HRS	1462.5		TSN 1462.5				
	AFL	1403	3500	TSN 1403	3500		1821	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-103	RIGHT MAIN GEAR TRAILING ARM							Component ATA:32
PN:2310-3002-502	MOS	02-Nov-20		TSN 122				LIFE LIMIT
SN:1337626/001	HRS	1462.5		TSN 1462.5				
	AFL	1403	3500	TSN 1403	3500		1821	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-106	LEFT MAIN GEAR TRAILING ARM WHEEL AXLE							Component ATA:32
PN:2310-3010-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1328888/002	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-106	RIGHT MAIN GEAR TRAILING ARM WHEEL AXLE							Component ATA:32
PN:2310-3010-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1335102/004	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-11-00-001 ^S	GENERAL VISUAL INSPECTION LEFT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS	28-May-25	12 (+1m/-1m)					
SN:UNKNOWN	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
PKG:80								
32-11-00-001 ^S	GENERAL VISUAL INSPECTION RIGHT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS	28-May-25	12 (+1m/-1m)					
SN:UNKNOWN	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
PKG:80								
32-11-00-002	RESTORE (OVERHAUL) LEFT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-00-002	RESTORE (OVERHAUL) RIGHT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-00-003	LUBRICATION OF LEFT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS	28-May-25	12 (+1m/-1m)		28-May-26	28-Jun-26	218 d (+31)	
SN:UNKNOWN	HRS	1773.4						
	AFL	1625	650 (+30/-30)		2275	2305	596 (+30)	
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								
32-11-00-003	LUBRICATION OF RIGHT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS	28-May-25	12 (+1m/-1m)		28-May-26	28-Jun-26	218 d (+31)	
SN:UNKNOWN	HRS	1773.4						
	AFL	1625	650 (+30/-30)		2275	2305	596 (+30)	
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								
32-11-01	LEFT MAIN GEAR SHOCK STRUT							Component ATA:32
PN:2310-2000-601	MOS/MSC	02-Nov-20	O/C	TSO 1				
SN:00204	HRS	1462.5		TSN 1462.5, TSO 0				
	AFL	1403		TSN 1403, TSO 0				
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-11-01	RIGHT MAIN GEAR SHOCK STRUT							Component ATA:32
PN:2310-2000-602	MOS/MSC	02-Nov-20	O/C	TSO 1				
SN:00201	HRS	1462.5		TSN 1462.5, TSO 0				
	AFL	1403		TSN 1403, TSO 0				
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-11-01-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (LH)							Service ATA:32
PN:2310-2000-601	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00204	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-01-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (RH)						Service ATA:32
PN:2310-2000-602	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00201	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-02-001		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (LH)						Service ATA:32
PN:2136-1000-405	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00306	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-02-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (RH)						Service ATA:32
PN:2136-1000-405	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00371	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-03-001		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (LH)						Service ATA:32
PN:2310-4000-407	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00662	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-03-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (RH)						Service ATA:32
PN:2310-4000-407	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00532	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-03-004		SERVICING LEFT MAIN GEAR SHOCK ABSORBER ASSEMBLY						Service ATA:32
PN:2310-4000-407	MOS	28-May-25	12 (+1m/-1m)		28-May-26	28-Jun-26	218 d (+31)	
SN:00662	HRS	1773.4						
	AFL	1625	650 (+30/-30)		2275	2305	596 (+30)	
PROC. REF: AMM 12-14-02PROC. REF: AMM 12-14-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-03-004	SERVICING RIGHT MAIN GEAR SHOCK ABSORBER ASSEMBLY							Service ATA:32
PN:2310-4000-407	MOS	28-May-25	12 (+1m/-1m)		28-May-26	28-Jun-26	218 d (+31)	
SN:00532	HRS	1773.4						
	AFL	1625	650 (+30/-30)		2275	2305	596 (+30)	
PROC. REF: AMM 12-14-02PROC. REF: AMM 12-14-02								
32-11-04-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (LH)							Service ATA:32
PN:2310-3000-401	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00207	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-04-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (RH)							Service ATA:32
PN:2310-3000-402	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00207	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-200	LEFT MAIN GEAR SHOCK ABSORBER ASSEMBLY							Component ATA:32
PN:2310-4000-407	MOS/MSC	02-Nov-20	O/C	TSO 1				
SN:00662	HRS	1462.5		TSN 1462.5, TSO 0				
	AFL	1403		TSN 1403, TSO 0				
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-200	RIGHT MAIN GEAR SHOCK ABSORBER ASSEMBLY							Component ATA:32
PN:2310-4000-407	MOS/MSC	02-Nov-20	O/C	TSO 1				
SN:00532	HRS	1462.5		TSN 1462.5, TSO 0				
	AFL	1403		TSN 1403, TSO 0				
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-201	LEFT MAIN GEAR SHOCK ABSORBER CYLINDER							Component ATA:32
PN:2310-4102-501	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1249662/003	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-201	RIGHT MAIN GEAR SHOCK ABSORBER CYLINDER							Component ATA:32
PN:2310-4102-501	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1307217/001	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-204	LEFT MAIN GEAR SHOCK ABSORBER SLIDING TUBE							Component ATA:32
PN:2310-4201-003	MOS	02-Nov-20		TSN 122, TSR 0				LIFE LIMIT
SN:1247360/006	HRS	1462.5		TSN 1462.5, TSR 0				
	AFL	1403	3500	TSN 1403, TSR 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-204	RIGHT MAIN GEAR SHOCK ABSORBER SLIDING TUBE							Component ATA:32
PN:2310-4201-003	MOS	02-Nov-20		TSN 122, TSR 0				LIFE LIMIT
SN:1294229/006	HRS	1462.5		TSN 1462.5, TSR 0				
	AFL	1403	3500	TSN 1403, TSR 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-206	LEFT MAIN GEAR SHOCK ABSORBER BEARING							Component ATA:32
PN:2310-4006-007	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1312109/008	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-206	RIGHT MAIN GEAR SHOCK ABSORBER BEARING							Component ATA:32
PN:2310-4006-007	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1310235/015	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-207	LEFT MAIN GEAR SHOCK ABSORBER BEARING CAP							Component ATA:32
PN:2310-4014-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1244628/005	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-207	RIGHT MAIN GEAR SHOCK ABSORBER BEARING CAP							Component ATA:32
PN:2310-4014-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1310157/007	HRS	0		TSN 0				
	AFL	0	3500	TSN 0	3500		1821	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-21-00-001 ^S	GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS	28-May-25	12 (+1m/-1m)					
SN:UNKNOWN	HRS	1773.4						
	AFL	1625						
PKG:80								
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-21-00-002	RESTORE (OVERHAUL) NOSE LANDING GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-21-00-003	LUBRICATION OF NOSE LANDING GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS	28-May-25	12 (+1m/-1m)		28-May-26	28-Jun-26	218 d (+31)	
SN:UNKNOWN	HRS	1773.4						
	AFL	1625	650 (+30/-30)		2275	2305	596 (+30)	
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								
32-21-01	NOSE LANDING GEAR SHOCK STRUT							Component ATA:32
PN:2310-1000-403	MOS/MSC	02-Nov-20	O/C	TSN 122, TSO 1				
SN:00211	HRS	1462.5		TSN 1462.5, TSO 0				
	AFL	1403		TSN 1403, TSO 0				
PROC. REF: AMM 32-21-01, AMM 32-21-01PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-21-01-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - STRUT ASSY							Service ATA:32
PN:2310-1000-403	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00211	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-02	NOSE LANDING GEAR RETRACT ACTUATOR ASSEMBLY							Component ATA:32
PN:2135-1000-403	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:00225	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-02, AMM 32-21-02PROC. REF: AMM 32-21-02, AMM 32-21-02								
32-21-03	NOSE LANDING GEAR DOWNLOCK RELEASE ACTUATOR ASSEMBLY							Component ATA:32
PN:2137-1000-401	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:00210	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-03, AMM 32-21-03PROC. REF: AMM 32-21-03, AMM 32-21-03								
32-21-04-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - LOCKING STAY							Service ATA:32
PN:2310-1700-403	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00207	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-21-05-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - SHOCK ABSORBER							Service ATA:32
PN:2310-1100-403	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00210	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-21-05-004	SERVICING NOSE LANDING GEAR (ALUM STRUT) SHOCK ABSORBER							Service ATA:32
PN:2310-1100-403	MOS	28-May-25	12 (+1m/-1m)		28-May-26	28-Jun-26	218 d (+31)	
SN:00210	HRS	1773.4						
	AFL	1625	650 (+30/-30)		2275	2305	596 (+30)	
PROC. REF: AMM 12-14-03PROC. REF: AMM 12-14-03								
32-21-06-005 ^S	VISUAL CHECK OF NOSE LANDING GEAR SHIMMY DAMPER							Service ATA:32
PN:2310-1500-403	MOS	28-May-25	12 (+1m/-1m)					
SN:00222	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 32-21-06PROC. REF: AMM 32-21-06								

PKG:80

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-09-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRAG BRACE ASSY							Service ATA:32
PN:2310-1400-403	MOS	02-Nov-20	120 (+1m/-1m)		02-Nov-30	02-Dec-30	1837 d (+30)	OVERHAUL
SN:00202	HRS	1462.5						
	AFL	1403	12000 (+30/-30)		13403	13433	11724 (+30)	
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-300	LEFT MAIN GEAR LOCKING ACTUATOR ASSEMBLY							Component ATA:32
PN:2136-1000-405	MOS/MSC	02-Nov-20	O/C	TSO 1				
SN:00306	HRS	1462.5		TSN 1020.2, TSO 0, TSR 387.2				
	AFL	1403		TSN 909, TSO 0, TSR 438				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-300	RIGHT MAIN GEAR LOCKING ACTUATOR ASSEMBLY							Component ATA:32
PN:2136-1000-405	MOS/MSC	02-Nov-20	O/C	TSO 0, TSR 46				
SN:00371	HRS	1462.5		TSN 4786.1, TSO 0, TSR 387.2				
	AFL	1403		TSN 5933, TSO 0, TSR 438				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-301	LEFT MAIN GEAR LOCKING ACTUATOR CYLINDER							Component ATA:32
PN:2136-1013-501	MOS	02-Nov-20						LIFE LIMIT
SN:13012055/006	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-301	RIGHT MAIN GEAR LOCKING ACTUATOR CYLINDER							Component ATA:32
PN:2136-1013-503	MOS	02-Nov-20						LIFE LIMIT
SN:1308958/004	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-304	LEFT MAIN GEAR LOCKING ACTUATOR PISTON							Component ATA:32
PN:2136-1035-003	MOS	02-Nov-20						LIFE LIMIT
SN:1298525/010	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-304	RIGHT MAIN GEAR LOCKING ACTUATOR PISTON							Component ATA:32
PN:2136-1035-003	MOS	02-Nov-20						LIFE LIMIT
SN:1307995/005	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-305	LEFT MAIN GEAR LOCKING ACTUATOR FINGER							Component ATA:32
PN:2136-1050-003	MOS	02-Nov-20						LIFE LIMIT
SN:1305311/003	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-305	RIGHT MAIN GEAR LOCKING ACTUATOR FINGER							Component ATA:32
PN:2136-1050-003	MOS	02-Nov-20						LIFE LIMIT
SN:1308002/006	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-306	LEFT MAIN GEAR LOCKING ACTUATOR ROD							Component ATA:32
PN:2136-1020-001	MOS	02-Dec-16						LIFE LIMIT
SN:1508578/001	HRS	965		TSN 0				
	AFL	471	21000	TSN 0	21471		19792	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-306	RIGHT MAIN GEAR LOCKING ACTUATOR ROD							Component ATA:32
PN:2136-1020-001	MOS	02-Nov-20						LIFE LIMIT
SN:1312190/004	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-307	LEFT MAIN GEAR LOCKING ACTUATOR LOCKING PISTON							Component ATA:32
PN:2136-1046-009	MOS	02-Dec-16						LIFE LIMIT
SN:1482494/001	HRS	965		TSN 0				
	AFL	471	19500	TSN 0	19971		18292	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-307	RIGHT MAIN GEAR LOCKING ACTUATOR LOCKING PISTON							Component ATA:32
PN:2136-1046-009	MOS	02-Nov-20						LIFE LIMIT
SN:1310259/002	HRS	1462.5		TSN 0				
	AFL	1403	19500	TSN 0	20903		19224	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-309	LEFT MAIN GEAR LOCKING ACTUATOR PIN							Component ATA:32
PN:2136-1049-001	MOS	02-Nov-20						LIFE LIMIT
SN:1293056/007	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-309	RIGHT MAIN GEAR LOCKING ACTUATOR PIN							Component ATA:32
PN:2136-1049-001	MOS	02-Nov-20						LIFE LIMIT
SN:1307545/010	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-31-01	LANDING GEAR CONTROL LEVER PANEL							Component ATA:32
PN:827101-5	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1220	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01, AMM 32-31-01PROC. REF: AMM 32-31-01, AMM 32-31-01								
32-31-02	LANDING GEAR HYDRAULIC SYSTEM (MANIFOLD) ASSEMBLY							Component ATA:32
PN:72375-1	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0220	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-02, AMM 32-31-02PROC. REF: AMM 32-31-02, AMM 32-31-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-310	LEFT MAIN GEAR LOCKING ACTUATOR LOCKING SLEEVE							Component ATA:32
PN:2136-1036-003	MOS	02-Nov-20						LIFE LIMIT
SN:1305285/005	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-310	RIGHT MAIN GEAR LOCKING ACTUATOR LOCKING SLEEVE							Component ATA:32
PN:2136-1036-003	MOS	02-Nov-20						LIFE LIMIT
SN:1327694/003	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-311	LEFT MAIN GEAR LOCKING ACTUATOR CAP BEARING							Component ATA:32
PN:2136-1005-003	MOS	02-Nov-20						LIFE LIMIT
SN:1301494/012	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-311	RIGHT MAIN GEAR LOCKING ACTUATOR CAP BEARING							Component ATA:32
PN:2136-1005-003	MOS	02-Nov-20						LIFE LIMIT
SN:1807033/003	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-312	LEFT MAIN GEAR LOCKING ACTUATOR NUT							Component ATA:32
PN:2136-1042-003	MOS	02-Nov-20						LIFE LIMIT
SN:1293055/002	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-312	RIGHT MAIN GEAR LOCKING ACTUATOR NUT							Component ATA:32
PN:2136-1042-003	MOS	02-Nov-20						LIFE LIMIT
SN:1306692/001	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-313	LEFT MAIN GEAR LOCKING ACTUATOR STOP							Component ATA:32
PN:2136-1008-003	MOS	02-Nov-20						LIFE LIMIT
SN:1290048/012	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-313	RIGHT MAIN GEAR LOCKING ACTUATOR STOP							Component ATA:32
PN:2136-1008-003	MOS	02-Nov-20						LIFE LIMIT
SN:1310188/014	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-314	LEFT MAIN GEAR LOCKING ACTUATOR ROD END							Component ATA:32
PN:MEK12EL	MOS	02-Nov-20		TSN 1				LIFE LIMIT
SN:01045	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-314	RIGHT MAIN GEAR LOCKING ACTUATOR ROD END							Component ATA:32
PN:MEK12EL	MOS	02-Nov-20						LIFE LIMIT
SN:01033	HRS	1462.5		TSN 0				
	AFL	1403	21000	TSN 0	22403		20724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-35-00-001 ^S	FUNCTIONAL CHECK OF LANDING GEAR EMERGENCY EXTENSION SYSTEM							Service ATA:32
	MOS	28-May-25	24 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 32-35-00PROC. REF: AMM 32-35-00								PKG:81
32-35-00-002	GENERAL VISUAL INSPECTION OF EMERGENCY EXTENSION SYSTEM LINKAGES							Service ATA:32
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
								PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-35-00PROC. REF: AMM 32-35-00								
32-400	NOSE LANDING GEAR ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-401	LEFT SIDE NLG SIDE PINTLE PIN							Component ATA:32
PN:2310-1137-003	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1328688/002	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-401	RIGHT SIDE NLG SIDE PINTLE PIN							Component ATA:32
PN:2310-1137-003	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1328688/007	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-402	NOSE LANDING GEAR MAIN FITTING							Component ATA:32
PN:2310-1204-501	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1335132/001	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-404 (1)	NOSE LANDING GEAR TORQUE LINK							Component ATA:32
PN:2310-1124-501	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1342596/010	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: AMM 32-21-07, AMM 32-21-07PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-404 (2)	NOSE LANDING GEAR TORQUE LINK							Component ATA:32
PN:2310-1124-501	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1340787/003	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-21-07, AMM 32-21-07PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-406		NOSE LANDING GEAR SHOCK STRUT PIN					Component	ATA:32
PN:2310-1407-001	MOS	22-Sep-10		TSN 0			LIFE LIMIT	
SN:1328339/003	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: AMM 32-21-01, AMM 32-21-01PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-407		NOSE LANDING GEAR AXLE					Component	ATA:32
PN:2310-1165-001	MOS	22-Sep-10		TSN 0			LIFE LIMIT	
SN:1325452/002	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-408		NOSE LANDING GEAR STEERING BELLCRANK					Component	ATA:32
PN:2310-1131-001	MOS	22-Sep-10		TSN 0			LIFE LIMIT	
SN:1336956/001	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-409		NOSE LANDING GEAR SHIMMY DAMPER					Component	ATA:32
PN:2310-1500-403	MOS/MSC	15-Oct-21	O/C	TSN 133, TSO 11				
SN:00222	HRS	1514		TSN 1514, TSO 51.5				
	AFL	1446		TSN 1446, TSO 43				
PROC. REF: AMM 32-21-06, AMM 32-21-06PROC. REF: AMM 32-21-06, AMM 32-21-06								
32-41-01		DIGITAL BRAKE CONTROL UNIT					Component	ATA:32
PN:90005034-7	MOS/MSC	28-Sep-19	O/C					
SN:MAR09-0079	HRS	1391.8						
	AFL	1294						
PROC. REF: AMM 32-41-01, AMM 32-41-01PROC. REF: AMM 32-41-01, AMM 32-41-01								
32-41-02		LH BRAKE PEDAL TRANSDUCER					Component	ATA:32
PN:Q3008	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:856144	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-41-02, AMM 32-41-02PROC. REF: AMM 32-41-02, AMM 32-41-02								
32-41-02	RH BRAKE PEDAL TRANSDUCER							Component ATA:32
PN:Q3008	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:855218	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-02, AMM 32-41-02PROC. REF: AMM 32-41-02, AMM 32-41-02								
32-41-02-001 ^S	OPERATIONAL CHECK LH BRAKE PEDAL TRANSDUCER							Service ATA:32
PN:Q3008	MOS	27-Sep-18						
SN:856144	HRS	1257.3	6400 (+30/-30)					
	AFL	1179						
								PKG:60
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
32-41-02-001 ^S	OPERATIONAL CHECK RH BRAKE PEDAL TRANSDUCER							Service ATA:32
PN:Q3008	MOS	27-Sep-18						
SN:855218	HRS	1257.3	6400 (+30/-30)					
	AFL	1179						
								PKG:60
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
32-41-02-002 ^S	FUNCTIONAL CHECK LH BRAKE PEDAL TRANSDUCER							Service ATA:32
PN:Q3008	MOS	28-Sep-19						
SN:856144	HRS	1391.8	1600 (+30/-30)					
	AFL	1294						
								PKG:10
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
32-41-02-002 ^S	FUNCTIONAL CHECK RH BRAKE PEDAL TRANSDUCER							Service ATA:32
PN:Q3008	MOS	28-Sep-19						
SN:855218	HRS	1391.8	1600 (+30/-30)					
	AFL	1294						
								PKG:10
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-03	MAIN BRAKE SHUT-OFF VALVE							Component ATA:32
PN:90005027	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:MAR10-0268	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-03, AMM 32-41-03PROC. REF: AMM 32-41-03, AMM 32-41-03								
32-41-04	LH BRAKE CONTROL VALVE							Component ATA:32
PN:90005035-2	MOS/MSC	12-Oct-11	O/C					
SN:08-10-0165	HRS	97.1						
	AFL	59						
PROC. REF: AMM 32-41-04, AMM 32-41-04PROC. REF: AMM 32-41-04, AMM 32-41-04								
32-41-04	RH BRAKE CONTROL VALVE							Component ATA:32
PN:90005035-2	MOS/MSC	12-Oct-11	O/C					
SN:08-06-0019	HRS	97.1						
	AFL	59						
PROC. REF: AMM 32-41-04, AMM 32-41-04PROC. REF: AMM 32-41-04, AMM 32-41-04								
32-41-05	LH MAIN BRAKE SYSTEM PRESSURE TRANSDUCER							Component ATA:32
PN:90005191-1	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:JAN10-0430	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-05, AMM 32-41-05PROC. REF: AMM 32-41-05, AMM 32-41-05								
32-41-05	RH MAIN BRAKE SYSTEM PRESSURE TRANSDUCER							Component ATA:32
PN:90005191-1	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:JAN10-0435	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-05, AMM 32-41-05PROC. REF: AMM 32-41-05, AMM 32-41-05								
32-41-06	LEFT MAIN GEAR WHEEL SPEED TRANSDUCER							Component ATA:32
PN:90005036	MOS/MSC	02-Nov-20	O/C	TSN 122				
SN:NOV09-0487	HRS	1462.5		TSN 1462.5				
	AFL	1403		TSN 1403				
PROC. REF: AMM 32-41-06, AMM 32-41-06PROC. REF: AMM 32-41-06, AMM 32-41-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-06	RIGHT MAIN GEAR WHEEL SPEED TRANSDUCER							Component ATA:32
PN:90005036	MOS/MSC	02-Nov-20	O/C	TSN 122				
SN:NOV09-0451	HRS	1462.5		TSN 1462.5				
	AFL	1403		TSN 1403				
PROC. REF: AMM 32-41-06, AMM 32-41-06PROC. REF: AMM 32-41-06, AMM 32-41-06								
32-41-11-001 ^S	FUNCTIONAL CHECK OF BRAKE HYDRAULIC ACCUMULATOR							Service ATA:32
	MOS	22-Sep-10						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 32-41-11PROC. REF: AMM 32-41-11								
PKG:50								
32-410	NOSE LANDING GEAR WHEEL AXLE							Component ATA:32
PN:2317-5101-001	MOS	10-Oct-17		TSN 0				LIFE LIMIT
SN:1609390/008	HRS	1166.8		TSN 0				
	AFL	1033	35000	TSN 0	36033		34354	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-411	NOSE LANDING GEAR LOCK PIN							Component ATA:32
PN:57675-1	MOS	02-Nov-20		TSN 0				LIFE LIMIT
SN:01271	HRS	1462.5		TSN 0				
	AFL	1403	35000	TSN 0	36403		34724	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-412	NOSE LANDING GEAR AXLE BOLT							Component ATA:32
PN:2310-1144-005	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1332572/002	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-413	NOSE LANDING GEAR BOLT							Component ATA:32
PN:2310-1172-003	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1335036/003	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-414	NOSE LANDING GEAR PIN							Component ATA:32
PN:2310-1173-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1325701/008	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-415	NOSE LANDING GEAR BOLT							Component ATA:32
PN:2310-1183-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1325461/009	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-43-00-001	FUNCTIONAL CHECK OF EMERGENCY/PARKING BRAKE SYSTEM							Service ATA:32
	MOS	02-Nov-20						
	HRS	1462.5	800 (+30/-30)		2262.5	2292.5	468.8 (+30)	
	AFL	1403						
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00								PKG:1
32-43-01-001	GENERAL VISUAL INSPECTION OF EMERGENCY/PARKING BRAKE SYSTEM							Service ATA:32
	MOS	02-Nov-20						
	HRS	1462.5	800 (+30/-30)		2262.5	2292.5	468.8 (+30)	
	AFL	1403						
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00								PKG:1
32-43-02	EMERGENCY/PARKING BRAKE VALVE							Component ATA:32
PN:11056-5	MOS/MSC	12-Oct-11	O/C	TSN 0				
SN:0358	HRS	97.1		TSN 0				
	AFL	59		TSN 0				
PROC. REF: AMM 32-43-02, AMM 32-43-02PROC. REF: AMM 32-43-02, AMM 32-43-02								
32-43-04	EMERGENCY/PARKING BRAKE ACCUMULATOR							Component ATA:32
PN:0860231003	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:60231-2255	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-43-04, AMM 32-43-04PROC. REF: AMM 32-43-04, AMM 32-43-04								
32-43-05 EMERGENCY/PARKING BRAKE PRESSURE SWITCH								Component ATA:32
PN:15H0126PH	MOS/MSC	01-Feb-17	O/C	TSN 0				
SN:0370	HRS	1076.8		TSN 0				
	AFL	967		TSN 0				
PROC. REF: AMM 32-43-05, AMM 32-43-05PROC. REF: AMM 32-43-05, AMM 32-43-05								
32-43-06 EMERGENCY/PARKING BRAKE PRESSURE- TRANSDUCER								Component ATA:32
PN:APT-218A-1000-3000AMOS/MSC		22-Sep-10	O/C	TSN 0				
SN:7635-10-133	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-43-06, AMM 32-43-06PROC. REF: AMM 32-43-06, AMM 32-43-06								
32-43-11 EMERGENCY/PARKING BRAKE SHUT OFF VALVE								Component ATA:32
PN:2216-0001-401	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:00232	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-43-11, AMM 32-43-11PROC. REF: AMM 32-43-11, AMM 32-43-11								
32-43-11-001 OPERATIONAL CHECK OF EMERGENCY/PARKING BRAKE HYDRAULIC LINE SHUT-OFF VALVE								Service ATA:32
PN:2216-0001-401	MOS	28-May-25	12 (+30d/-30d)		28-May-26	27-Jun-26	218 d (+30)	AIRWORTHINESS
SN:00232	HRS	1773.4	800 (+30/-30)		2573.4	2603.4	779.7 (+30)	
	AFL	1625						
PROC. REF: AMM 32-43-11PROC. REF: AMM 32-43-11								
32-43-11-002 OPERATIONAL CHECK OF EMERGENCY/PARKING BRAKE HYDRAULIC LINE SHUT-OFF VALVE								Service ATA:32
PN:2216-0001-401	MOS/MSC	22-Sep-10	N/A					
SN:00232	HRS	0						
	AFL	0						
PROC. REF: AMM 32-43-11PROC. REF: AMM 32-43-11								
32-45-01 LH MLG 21X6.5-10 12PR TIRE								Component ATA:32
PN:215K26-2	MOS/MSC	02-Nov-20	O/C	TSN 0				
SN:80212188	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-45-02, AMM 32-45-02PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-01	RH MLG 21X6.5-10 12PR TIRE							Component ATA:32
PN:215K26-2	MOS/MSC	02-Nov-20	O/C	TSN 0				
SN:92832277	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 32-45-02, AMM 32-45-02PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-01-001	RESTORATION (OVERHAUL) OF LH MLG WHEEL ASSEMBLY							Service ATA:32
PN:500-19026-605	MOS/MSC	02-Nov-20	T/C					
SN:MAR11-0827	HRS	1462.5						
	AFL	1403	1500 (+30/-30)		2903	2933	1224 (+30)	
PROC. REF: SMR 500-32-0012, AMM 32-45-00PROC. REF: SMR 500-32-0012, AMM 32-45-00								
32-45-01-001	RESTORATION (OVERHAUL) OF RH MLG WHEEL ASSEMBLY							Service ATA:32
PN:500-19026-605	MOS/MSC	02-Nov-20	T/C					
SN:SEP09-0438	HRS	1462.5						
	AFL	1403	1500 (+30/-30)		2903	2933	1224 (+30)	
PROC. REF: SMR 500-32-0012, AMM 32-45-00PROC. REF: SMR 500-32-0012, AMM 32-45-00								
32-45-01-002	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF LH MLG WHEEL ASSEMBLY							Service ATA:32
PN:500-19026-605	MOS/MSC	02-Nov-20	O/C					
SN:MAR11-0827	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								
32-45-01-002	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RH MLG WHEEL ASSEMBLY							Service ATA:32
PN:500-19026-605	MOS/MSC	02-Nov-20	O/C					
SN:SEP09-0438	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								
32-45-02	LH MLG 21X6.5-10, AL WHEEL							Component ATA:32
PN:90005024	MOS/MSC	02-Nov-20	O/C	TSO 0				
SN:MAR11-0827	HRS	1462.5		TSO 0				
	AFL	1403		TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-45-02, AMM 32-45-02PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-02	RH MLG 21X6.5-10, AL WHEEL							Component ATA:32
PN:90005024	MOS/MSC	02-Nov-20	O/C	TSO 7				
SN:SEP09-0438	HRS	1462.5		TSO 0				
	AFL	1403		TSO 0				
PROC. REF: AMM 32-45-02, AMM 32-45-02PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-03	LH MLG WHEEL ASSEMBLY							Component ATA:32
PN:500-19026-605	MOS/MSC	02-Nov-20	O/C	TSO 0				
SN:MAR11-0827	HRS	1462.5		TSO 0				
	AFL	1403		TSO 0				
PROC. REF: AMM 32-45-01, AMM 32-45-01PROC. REF: AMM 32-45-01, AMM 32-45-01								
32-45-03	RH MLG WHEEL ASSEMBLY							Component ATA:32
PN:500-19026-605	MOS/MSC	02-Nov-20	O/C	TSO 7				
SN:SEP09-0438	HRS	1462.5		TSO 0				
	AFL	1403		TSO 0				
PROC. REF: AMM 32-45-01, AMM 32-45-01PROC. REF: AMM 32-45-01, AMM 32-45-01								
32-45-10	NLG 15X6.0-6 10PR TIRE							Component ATA:32
PN:156K06B1	MOS/MSC	02-Nov-20	O/C	TSN 0				
SN:80642208	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 32-45-11, AMM 32-45-11PROC. REF: AMM 32-45-11, AMM 32-45-11								
32-45-11	NLG WHEEL ASSEMBLY							Component ATA:32
PN:500-19001-601	MOS/MSC	02-Nov-20	O/C	TSO 6				
SN:FEB09-0148	HRS	1462.5		TSO 0				
	AFL	1403		TSO 0				
PROC. REF: AMM 32-45-11, AMM 32-45-11PROC. REF: AMM 32-45-11, AMM 32-45-11								
32-45-11-001	RESTORATION (OVERHAUL) OF NLG WHEEL ASSEMBLY							Service ATA:32
PN:500-19001-601	MOS/MSC	02-Nov-20	T/C					
SN:FEB09-0148	HRS	1462.5						
	AFL	1403	1500 (+30/-30)		2903	2933	1224 (+30)	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: SMR 500-32-0012, AMM 32-45-00PROC. REF: SMR 500-32-0012, AMM 32-45-00								
32-45-11-002 SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF NLG WHEEL ASSEMBLY								Service ATA:32
PN:500-19001-601	MOS/MSC	02-Nov-20	O/C					
SN:FEB09-0148	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								
32-45-12 NLG 15X6.0-6, AL WHEEL								Component ATA:32
PN:90005023-1	MOS/MSC	02-Nov-20	O/C	TSO 6				
SN:FEB09-0148	HRS	1462.5		TSO 0				
	AFL	1403		TSO 0				
PROC. REF: AMM 32-45-11, AMM 32-45-11PROC. REF: AMM 32-45-11, AMM 32-45-11								
32-45-21 LH MLG STEEL BRAKE ASSEMBLY								Component ATA:32
PN:90005025-3	MOS/MSC	02-Nov-20	O/C	TSO 14				
SN:APR11-0684	HRS	1462.5		TSO 70.7				
	AFL	1403		TSO 109				
PROC. REF: AMM 32-45-21, AMM 32-45-21PROC. REF: AMM 32-45-21, AMM 32-45-21								
32-45-21 RH MLG STEEL BRAKE ASSEMBLY								Component ATA:32
PN:90005025-3	MOS/MSC	02-Nov-20	O/C	TSO 14				
SN:DEC09-0448	HRS	1462.5		TSO 70.7				
	AFL	1403		TSO 109				
PROC. REF: AMM 32-45-21, AMM 32-45-21PROC. REF: AMM 32-45-21, AMM 32-45-21								
32-45-21-20 LH MLG SHUTTLE VALVE								Component ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-45-21-20 RH MLG SHUTTLE VALVE								Component ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-500	NOSE LANDING GEAR (ALUM STRUT) SHOCK ABSORBER							Component	ATA:32
PN:2310-1100-403	MOS/MSC	02-Nov-20	O/C	TSN 122, TSO 0					
SN:00210	HRS	1462.5		TSN 1462.5, TSO 0					
	AFL	1403		TSN 1403, TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-501	NOSE LANDING GEAR SHOCK ABSORBER PISTON TUBE							Component	ATA:32
PN:2310-1225-003	MOS	02-Nov-20		LIFE LIMIT					
SN:1341979/001	HRS	1462.5							
	AFL	1403	35000	TSN 1535	34868		33189		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-502	NOSE LANDING GEAR SHOCK ABSORBER BEARING							Component	ATA:32
PN:2310-1221-009	MOS	02-Nov-20		LIFE LIMIT					
SN:1800346/011	HRS	1462.5		TSN 0					
	AFL	1403	35000	TSN 0	36403		34724		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-504	NOSE LANDING GEAR SHOCK ABSORBER TURNING CYLINDER							Component	ATA:32
PN:2310-1241-501	MOS	02-Nov-20		LIFE LIMIT					
SN:1311059/002	HRS	1462.5							
	AFL	1403	35000	TSN 854	35549		33870		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-506	NOSE LANDING GEAR SHOCK ABSORBER FORK							Component	ATA:32
PN:2310-1308-501	MOS	02-Nov-20		LIFE LIMIT					
SN:1338105/001	HRS	1462.5		TSN 1462.5, TSR 0					
	AFL	1403	35000	TSN 1403, TSR 0	35000		33321		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-600	NLG DRAG BRACE ASSEMBLY							Component	ATA:32
PN:2310-1400-403	MOS/MSC	02-Nov-20	O/C	TSN 122, TSO 1					
SN:00202	HRS	1462.5		TSN 1462.5, TSO 0					
	AFL	1403		TSN 1403, TSO 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-601	NOSE LANDING GEAR UPPER DRAG BRACE							Component ATA:32
PN:2310-1424-501	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1335137/001	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-603	NOSE LANDING GEAR LOWER DRAG BRACE							Component ATA:32
PN:2310-1451-005	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1294209/008	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-605	LEFT SIDE NLG DRAG BRACE PINTLE PIN							Component ATA:32
PN:2310-1415-003	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1304707/004	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-605	RIGHT SIDE NLG DRAG BRACE PINTLE PIN							Component ATA:32
PN:2310-1415-003	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1304707/009	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-606	NOSE LANDING GEAR DRAG BRACE PIN							Component ATA:32
PN:2310-1407-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1317835/008	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-61-01	LH MLG PROXIMITY SWITCH							Component ATA:32
PN:80-057-01	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:24613	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-61-01	NO. 1 NLG PROXIMITY SWITCH							Component ATA:32
PN:80-057-01	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:24344	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-61-01	NO. 2 NLG PROXIMITY SWITCH							Component ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-61-01	RH MLG PROXIMITY SWITCH							Component ATA:32
PN:80-057-01	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:24618	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-61-02	LH MLG PROXIMITY SWITCH							Component ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-61-02	RH MLG PROXIMITY SWITCH							Component ATA:32
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-700	NLG LOCKING STAY ASSEMBLY							Component ATA:32
PN:2310-1700-403	MOS/MSC	02-Nov-20	O/C	TSN 122, TSO 1				
SN:00207	HRS	1462.5		TSN 1462.5, TSO 0				
	AFL	1403		TSN 1403, TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-21-04, AMM 32-21-04PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-701	LOWER NLG LOCKING STAY							Component ATA:32
PN:2310-1712-501	MOS	02-Nov-20		TSN 0				LIFE LIMIT
SN:1687388/004	HRS	1462.5		TSN 0				
	AFL	1403	35000	TSN 0	36403		34724	
PROC. REF: AMM 32-21-04, AMM 32-21-04PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-703	UPPER NLG LOCKING STAY							Component ATA:32
PN:2310-1722-501	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1337029/001	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: AMM 32-21-04, AMM 32-21-04PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-706	LOWER NLG LOCKING STAY BOLT							Component ATA:32
PN:2310-1734-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1335875/007	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: AMM 32-21-04, AMM 32-21-04PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-706	UPPER NLG LOCKING STAY BOLT							Component ATA:32
PN:2310-1734-001	MOS	22-Sep-10		TSN 0				LIFE LIMIT
SN:1335875/006	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33321	
PROC. REF: AMM 32-21-04, AMM 32-21-04PROC. REF: AMM 32-21-04, AMM 32-21-04								
ATA 33 - LIGHTS								
33-01-01	UPPER COCKPIT LIGHTING SYSTEM CONTROL PANEL							Component ATA:33
PN:441-40941-002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0214	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-01-01, AMM 33-01-01PROC. REF: AMM 33-01-01, AMM 33-01-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-12-01	FORWARD FUSELAGE BOTTOM DIMMER							Component ATA:33
PN:81-01760-002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0266	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-12-01, AMM 33-12-01PROC. REF: AMM 33-12-01, AMM 33-12-01								
33-12-02	MAIN TEST ANUNCIATOR/FIRE PANEL ASSEMBLY							Component ATA:33
PN:441-43213-001	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-12-02, AMM 33-12-02PROC. REF: AMM 33-12-02, AMM 33-12-02								
33-21-05	PASSENGER-CABIN LED LIGHT DIMMER							Component ATA:33
PN:AS-33-0038-001	MOS/MSC	02-Nov-20	O/C	TSN 59				
SN:0253	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 33-21-05, AMM 33-21-05PROC. REF: AMM 33-21-05, AMM 33-21-05								
33-31-02	W001 ELECTRICAL NOSE HARNESS							Component ATA:33
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-41-01	LEFT LANDING/TAXI LIGHT							Component ATA:33
PN:82007-1	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:002516	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 33-41-01, AMM 33-41-01PROC. REF: AMM 33-41-01, AMM 33-41-01								
33-41-01	RIGHT LANDING/TAXI LIGHT							Component ATA:33
PN:82007-1	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:001153	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 33-41-01, AMM 33-41-01PROC. REF: AMM 33-41-01, AMM 33-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-43-01	LH WING NAVIGATION/STROBE LIGHTS							Component ATA:33
PN:84016-1	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:000221	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-43-01, AMM 33-43-01PROC. REF: AMM 33-43-01, AMM 33-43-01								
33-43-01	RH WING NAVIGATION/STROBE LIGHTS							Component ATA:33
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-43-01, AMM 33-43-01PROC. REF: AMM 33-43-01, AMM 33-43-01								
33-43-01-001	DISCARD LH WING NAVIGATION/STROBE LIGHTS							Service ATA:33
PN:84016-1	MOS	22-Sep-10						
SN:000221	HRS	0	8000 (+30/-30)		8000	8030	6206.3 (+30)	
	AFL	0						
PROC. REF: AMM 33-43-01PROC. REF: AMM 33-43-01								
33-43-01-001	DISCARD RH WING NAVIGATION/STROBE LIGHTS							Service ATA:33
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	8000 (+30/-30)		8000	8030	6206.3 (+30)	
	AFL	0						
PROC. REF: AMM 33-43-01PROC. REF: AMM 33-43-01								
33-43-01-002 ^S	GENERAL VISUAL INSPECTION OF LH WING NAVIGATION/STROBE LIGHTS							Service ATA:33
PN:84016-1	MOS	22-Sep-10						
SN:000221	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 33-43-01PROC. REF: AMM 33-43-01								PKG:20
33-43-01-002 ^S	GENERAL VISUAL INSPECTION OF RH WING NAVIGATION/STROBE LIGHTS							Service ATA:33
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	2400 (+30/-30)					
	AFL	0						
								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM 33-43-01PROC. REF: AMM 33-43-01								
ATA 34 - NAVIGATION								
34-11-00-001	FUNCTIONAL CHECK INTEGRATED ELECTRONIC STANDBY INSTRUMENT UNIT							Service ATA:34
PN:C16221ANA01	MOS	28-May-25	24 (+1m/-1m)		28-May-27	28-Jun-27	583 d (+31)	
SN:C16221013311	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00								
34-11-01	INTEGRATED ELECTRONIC STANDBY INSTRUMENT UNIT							Component ATA:34
PN:C16221ANA01	MOS/MSC	24-Jan-17	O/C	TSR 0				
SN:C16221013311	HRS	1075.3		TSR 0				
	AFL	965		TSR 0				
PROC. REF: AMM 34-11-01, AMM 34-11-01PROC. REF: AMM 34-11-01, AMM 34-11-01								
34-11-02	PITOT-STATIC PROBE							Component ATA:34
PN:101469-4-003	MOS/MSC	17-Nov-23	O/C	TSN 148				
SN:870930	HRS	1638.4		TSN 1541.3				
	AFL	1539						
PROC. REF: AMM 34-11-02, AMM 34-11-02PROC. REF: AMM 34-11-02, AMM 34-11-02								
34-11-02-001	RESTORATION PITOT-STATIC PROBE (CLEANING)							Service ATA:34
PN:101469-4-003	MOS	28-May-25	24 (+1m/-1m)		28-May-27	28-Jun-27	583 d (+31)	
SN:870930	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 34-11-02PROC. REF: AMM 34-11-02								
34-15-00-001	FUNCTIONAL CHECK (CALIBRATION) OF AIR DATA SYSTEM							Service ATA:34
	MOS	28-May-25	24 (+1m/-1m)		28-May-27	28-Jun-27	583 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 34-15-00PROC. REF: AMM 34-15-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-15-00-002 ^S		SPECIAL DETAILED INSPECTION OF RVSM CRITICAL REGION (SKIN) FOR WAVINESS						Service ATA:34
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 34-15-00PROC. REF: AMM 34-15-00								PKG:84
34-15-00-003		SPECIAL DETAILED INSPECTION OF STATIC PORT SURROUNDING PLATE FOR FLUSHNESS						Service ATA:34
	MOS	28-May-25	24 (+1m/-1m)		28-May-27	28-Jun-27	583 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 34-15-00PROC. REF: AMM 34-15-00								PKG:81
34-15-01		NO. 1 GDC 74B AIR DATA COMPUTER UNIT						Component ATA:34
PN:011-01110-00	MOS/MSC	13-Sep-12	O/C	TSN 0				
SN:43805890	HRS	262.8		TSN 0				
	AFL	215		TSN 0				
PROC. REF: AMM 34-15-01, AMM 34-15-01PROC. REF: AMM 34-15-01, AMM 34-15-01								
34-15-01		NO. 2 GDC 74B AIR DATA COMPUTER UNIT						Component ATA:34
PN:011-01110-00	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:43806116	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-15-01, AMM 34-15-01PROC. REF: AMM 34-15-01, AMM 34-15-01								
34-15-03		LH FWD PITOT TUBE						Component ATA:34
PN:0851LW	MOS/MSC	25-Feb-14	O/C					
SN:306809	HRS	626.17						
	AFL	566						
PROC. REF: AMM 34-15-03, AMM 34-15-03PROC. REF: AMM 34-15-03, AMM 34-15-03								
34-15-03		RH FWD PITOT TUBE						Component ATA:34
PN:0851LW	MOS/MSC	25-Feb-14	O/C					
SN:306806	HRS	626.17						
	AFL	566						
PROC. REF: AMM 34-15-03, AMM 34-15-03PROC. REF: AMM 34-15-03, AMM 34-15-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-15-03-001	S	RESTORATION OF PITOT PROBE (CLEANING)						Service ATA:34
	MOS	28-May-25	24 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
								PKG:81
PROC. REF: AMM 34-15-03PROC. REF: AMM 34-15-03								
34-15-05		LH FWD DUAL STATIC PORT						Component ATA:34
PN:100442-106	MOS/MSC	25-Oct-11	O/C					
SN:873993	HRS	101.4						
	AFL	64						
PROC. REF: AMM 34-15-05, AMM 34-15-05PROC. REF: AMM 34-15-05, AMM 34-15-05								
34-15-05		RH FWD DUAL STATIC PORT						Component ATA:34
PN:100442-107	MOS/MSC	25-Oct-11	O/C					
SN:873967	HRS	101.4						
	AFL	64						
PROC. REF: AMM 34-15-05, AMM 34-15-05PROC. REF: AMM 34-15-05, AMM 34-15-05								
34-21-00-001	S	FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE LH WING MAGNETOMETER						Service ATA:34
PN:011-00870-10	MOS	17-Nov-23	36 (+1m/-1m)					
SN:1CM006241	HRS	1638.4						
	AFL	1539						
								PKG:82
PROC. REF: AMM 34-21-02PROC. REF: AMM 34-21-02								
34-21-00-001	S	FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE RH WING MAGNETOMETER						Service ATA:34
PN:011-00870-10	MOS	17-Nov-23	36 (+1m/-1m)					
SN:1CM014985	HRS	1638.4						
	AFL	1539						
								PKG:82
PROC. REF: AMM 34-21-02PROC. REF: AMM 34-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-21-01	LH ATTITUDE AND HEADING REFERENCE UNIT							Component ATA:34
PN:011-00868-10	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:42014671	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01, AMM 34-21-01PROC. REF: AMM 34-21-01, AMM 34-21-01								
34-21-01	RH ATTITUDE AND HEADING REFERENCE UNIT							Component ATA:34
PN:011-00868-10	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:42014680	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01, AMM 34-21-01PROC. REF: AMM 34-21-01, AMM 34-21-01								
34-21-02	LH WING MAGNETOMETER							Component ATA:34
PN:011-00870-10	MOS/MSC	28-Sep-19	O/C	TSO 0				
SN:1CM006241	HRS	1391.8		TSO 0				
	AFL	1294		TSO 0				
PROC. REF: AMM 34-21-02, AMM 34-21-02PROC. REF: AMM 34-21-02, AMM 34-21-02								
34-21-02	RH WING MAGNETOMETER							Component ATA:34
PN:011-00870-10	MOS/MSC	20-Oct-22	O/C	TSO 1				
SN:1CM014985	HRS	1564.2		TSO 0				
	AFL	1486		TSO 0				
PROC. REF: AMM 34-21-02, AMM 34-21-02PROC. REF: AMM 34-21-02, AMM 34-21-02								
34-23-00-001 ^S	FUNCTIONAL CHECK OF STANDBY COMPASS							Service ATA:34
PN:KCA0120W	MOS	17-Nov-23	36 (+1m/-1m)					
SN:BD8291109	HRS	1638.4						
	AFL	1539						
PROC. REF: AMM 34-23-00PROC. REF: AMM 34-23-00								PKG:82
34-23-01	MAGNETIC COMPASS							Component ATA:34
PN:KCA0120W	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:BD8291109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-23-01, AMM 34-23-01PROC. REF: AMM 34-23-01, AMM 34-23-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-31-01 KRA RADAR ALTIMETER								Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01, AMM 34-31-01PROC. REF: AMM 34-31-01, AMM 34-31-01								
34-31-02 NO. 1 RADIO ALTIMETER ANTENNA								Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-31-02, AMM 34-31-02PROC. REF: AMM 34-31-02, AMM 34-31-02								
34-31-02 NO. 2 RADIO ALTIMETER ANTENNA								Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-31-02, AMM 34-31-02PROC. REF: AMM 34-31-02, AMM 34-31-02								
34-32-01 TAIL PHASING COUPLER								Component ATA:34
PN:SSPD-113-10	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:6508	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-01, AMM 34-32-01PROC. REF: AMM 34-32-01, AMM 34-32-01								
34-32-03 LEFT VOR/LOC 2&3 ANTENNA BLADE								Component ATA:34
PN:S65-247170	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:173-5277	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 34-32-03, AMM 34-32-03PROC. REF: AMM 34-32-03, AMM 34-32-03								
34-32-03 RIGHT VOR/LOC 2&3 ANTENNA BLADE								Component ATA:34
PN:S65-247170	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:173-5294	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 34-32-03, AMM 34-32-03PROC. REF: AMM 34-32-03, AMM 34-32-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-32-04	LW FWR MARKER BEACON ANTENNA							Component ATA:34
PN:S35-1000-2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:102-8476	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-04, AMM 34-32-04PROC. REF: AMM 34-32-04, AMM 34-32-04								
34-42-01	WEATHER RADAR ANTENNA							Component ATA:34
PN:011-00883-20	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:47203266	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-42-01, AMM 34-42-01PROC. REF: AMM 34-42-01, AMM 34-42-01								
34-43-00	BAGGAGE COMPARTMENT GTS 850 TRAFFIC PROCESSOR UNIT							Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-43-01	TCAS II UNIT							Component ATA:34
PN:9003500-55905	MOS/MSC	15-Jun-16	O/C	TSR 2				
SN:TSE00619	HRS	1039.53		TSR 2439				
	AFL	946		TSR 1648				
PROC. REF: AMM 34-43-01, AMM 34-43-01PROC. REF: AMM 34-43-01, AMM 34-43-01								
34-43-02	TRC899 TRANSMITTER RECEIVER COMPUTER							Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-43-05	LOWER DIRECTIONAL ANTENNA							Component ATA:34
PN:7514060-902	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:ANE34441	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-05, AMM 34-43-05PROC. REF: AMM 34-43-05, AMM 34-43-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-43-05	UPPER DIRECTIONAL ANTENNA							Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-05, AMM 34-43-05PROC. REF: AMM 34-43-05, AMM 34-43-05								
34-43-08	LOW NOISE (TCAS) POWER AMPLIFIER							Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-08, AMM 34-43-08PROC. REF: AMM 34-43-08, AMM 34-43-08								
34-50-01-701 ^U	VISUAL INSPECTION OF G1000 WIRING HARNESSSES							Service ATA:34
	MOS	28-May-25	96		28-May-33		2775 d	
	HRS	1773.4	6000		7773.4		5979.7	
	AFL	1625						
34-50-01-702 ^U	ELECTRICAL BONDING RESISTANCE CHECK OF G1000 EQUIPMENT							Service ATA:34
	MOS	28-May-25	96		28-May-33		2775 d	
	HRS	1773.4	6000		7773.4		5979.7	
	AFL	1625						
34-51-01	NO.1 CENTER DISTANCE MEASURING EQUIP UNIT							Component ATA:34
PN:066-01070-0001	MOS/MSC	06-Jun-11	O/C					
SN:34186	HRS	71.7						
	AFL							
PROC. REF: AMM 34-51-01, AMM 34-51-01PROC. REF: AMM 34-51-01, AMM 34-51-01								
34-51-01	NO.2 CENTER DISTANCE MEASURING EQUIP UNIT							Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-01, AMM 34-51-01PROC. REF: AMM 34-51-01, AMM 34-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-51-02	NO. 1 DME L BAND ANTENNA							Component ATA:34
PN:S64-5366-7L	MOS/MSC	02-Nov-20	O/C	TSN 1				
SN:261-132256	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 34-51-02, AMM 34-51-02PROC. REF: AMM 34-51-02, AMM 34-51-02								
34-51-02	NO. 2 DME L BAND ANTENNA							Component ATA:34
PN:S65-5366-7L	MOS/MSC	01-Feb-17	O/C	TSN 0				
SN:261-123345	HRS	1076.8		TSN 0				
	AFL	967		TSN 0				
PROC. REF: AMM 34-51-02, AMM 34-51-02PROC. REF: AMM 34-51-02, AMM 34-51-02								
34-52-00-001	FUNCTIONAL CHECK LH TRANSPONDER MODULE TRANSPONDER SYSTEM							Service ATA:34
PN:9006000-55000	MOS	28-May-25	24		28-May-27		583 d	
SN:NXE13535	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								
34-52-01	LH TRANSPONDER MODULE							Component ATA:34
PN:9006000-55000	MOS/MSC	17-Nov-23	O/C					
SN:NXE13535	HRS	1638.4						
	AFL	1539						
PROC. REF: AMM 34-52-01, AMM 34-52-01PROC. REF: AMM 34-52-01, AMM 34-52-01								
34-52-01	RH TRANSPONDER MODULE							Component ATA:34
PN:9006000-55000	MOS/MSC	28-Sep-19	O/C	TSN 0				
SN:NXE13535	HRS	1391.8		TSN 0				
	AFL	1294		TSN 0				
PROC. REF: AMM 34-52-01, AMM 34-52-01PROC. REF: AMM 34-52-01, AMM 34-52-01								
34-52-01-701 ^U	VISUAL INSPECTION LH TRANSPONDER MODULE							Service ATA:34
PN:9006000-55000	MOS	28-May-25	96		28-May-33		2775 d	
SN:NXE13535	HRS	1773.4	6000		7773.4		5979.7	
	AFL	1625						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-52-01-701 ^U		VISUAL INSPECTION RH TRANSPONDER MODULE						Service ATA:34
PN:9006000-55000	MOS	28-May-25	96		28-May-33		2775 d	
SN:NXE13535	HRS	1773.4	6000		7773.4		5979.7	
	AFL	1625						
PROC. REF: AMM 34-52-02, AMM 34-52-02PROC. REF: AMM 34-52-02, AMM 34-52-02								
34-52-02		BOTTOM TRANSPONDOR 1 L BAND ANTENNA						Component ATA:34
PN:S65-5366-7L	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:261-100759	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-02, AMM 34-52-02PROC. REF: AMM 34-52-02, AMM 34-52-02								
34-52-02		TOP TRANSPONDOR 2 L BAND ANTENNA						Component ATA:34
PN:S65-5366-7L	MOS/MSC	02-Nov-20	O/C	TSN 18				
SN:261-132902	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 34-52-02, AMM 34-52-02PROC. REF: AMM 34-52-02, AMM 34-52-02								
34-52-04		COAXIAL SWITCH						Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-04, AMM 34-52-04PROC. REF: AMM 34-52-04, AMM 34-52-04								
34-53-01-01		UMT 12 ADF MOUNTING TRAY						Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01, AMM 34-53-01PROC. REF: AMM 34-53-01, AMM 34-53-01								
34-53-01-02		RADIO						Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-53-02	ANT-462A ADF ANTENNA							Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-53-02, AMM 34-53-02PROC. REF: AMM 34-53-02, AMM 34-53-02								
34-56-02	LH TOP CENTER GPS WAAS - GA 36 ANTENNA							Component ATA:34
PN:013-00245-00	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:6960	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-56-02, AMM 34-56-02PROC. REF: AMM 34-56-02, AMM 34-56-02								
34-56-02	RH TOP CENTER WAAS & SATELLITE WEATHER AND RADAR ANTENNA							Component ATA:34
PN:013-00245-00	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:7101	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-56-02, AMM 34-56-02PROC. REF: AMM 34-56-02, AMM 34-56-02								
34-57-01	SATELLITE WEATHER AND RADIO RECIEVER							Component ATA:34
PN:011-00987-00	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:47763138	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-57-01, AMM 34-57-01PROC. REF: AMM 34-57-01, AMM 34-57-01								
34-57-01-701 ^U	VISUAL INSPECTION SATELLITE WEATHER AND RADIO RECIEVER							Service ATA:34
PN:011-00987-00	MOS	28-May-25	96		28-May-33		2775 d	
SN:47763138	HRS	1773.4	6000		7773.4		5979.7	
	AFL	1625						
34-57-02	WEATHER RADAR R/T - GWX70 ASSY							Component ATA:34
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-57-02-701 ^U	VISUAL INSPECTION WEATHER RADAR R/T - GWX70 ASSY							Service ATA:34
PN:PN	MOS	28-May-25	96		28-May-33		2775 d	
SN:UNKNOWN	HRS	1773.4	6000		7773.4		5979.7	
	AFL	1625						
PROC. REF: AMM 34-61-01, AMM 34-61-01PROC. REF: AMM 34-61-01, AMM 34-61-01								
34-61-01	FLIGHT MANAGEMENT SYSTEM PANEL							Component ATA:34
PN:011-04475-00	MOS/MSC	28-May-25	O/C	TSN 1				
SN:48V001549	HRS	1773.4		TSN 0				
	AFL	1625		TSN 0				
PROC. REF: AMM 34-61-01, AMM 34-61-01PROC. REF: AMM 34-61-01, AMM 34-61-01								
34-61-01-701 ^U	VISUAL INSPECTION FLIGHT MANAGEMENT SYSTEM PANEL							Service ATA:34
PN:011-04475-00	MOS	28-May-25	96		28-May-33		2775 d	
SN:48V001549	HRS	1773.4	6000		7773.4		5979.7	
	AFL	1625						
ATA 35 - OXYGEN								
35-00-00-001	FUNCTIONAL CHECK OF OXYGEN SYSTEM PRESSURE LINES FOR LEAKAGE							Service ATA:35
	MOS	28-May-25	36 (+30d/-30d)		28-May-28	27-Jun-28	949 d (+30)	AIRWORTHINESS
	HRS	1773.4	1800 (+30/-30)		3573.4	3603.4	1779.7 (+30)	
	AFL	1625						
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								
35-01-00-001	FUNCTIONAL CHECK OF CREW OXYGEN PRESSURE INDICATION							Service ATA:35
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 35-01-02PROC. REF: AMM 35-01-02								
35-01-02	OXYGEN CYLINDER PRESSURE AND TEMPERATURE TRANSDUCER							Component ATA:35
PN:4441125-000	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:7708-8-215	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-01-02, AMM 35-01-02PROC. REF: AMM 35-01-02, AMM 35-01-02								
35-01-05 OXYGEN SYSTEM LOW PRESSURE SWITCH								Component ATA:35
PN:4421134-000	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0266	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-05, AMM 35-01-05PROC. REF: AMM 35-01-05, AMM 35-01-05								
35-01-06 LH CSL OXYGEN SYSTEM CONTROL PANEL								Component ATA:35
PN:441-40945-002	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0243	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-06, AMM 35-01-06PROC. REF: AMM 35-01-06, AMM 35-01-06								
35-01-07 OXYGEN SYSTEM CABIN ALTITUDE SWITCH								Component ATA:35
PN:4421133-000	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0931242	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-07, AMM 35-01-07PROC. REF: AMM 35-01-07, AMM 35-01-07								
35-01-09 CENTER FUSELAGE ALTITUDE COMPENSATING REGULATOR								Component ATA:35
PN:4421135-001	MOS/MSC	11-Oct-11	O/C	TSN 2				
SN:00227	HRS	97.1		TSN 0				
	AFL	59		TSN 0				
PROC. REF: AMM 35-01-09, AMM 35-01-09PROC. REF: AMM 35-01-09, AMM 35-01-09								
35-01-10 OXYGEN LOW PRESSURE 3 POSITION VALVE								Component ATA:35
PN:4421132-109	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:00226	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-10, AMM 35-01-10PROC. REF: AMM 35-01-10, AMM 35-01-10								
35-02-01 50 CU.FT OXYGEN CYLINDER								Component ATA:35
PN:4441122-050	MOS/MSC	17-Nov-23	O/C	TSR 0				
SN:585815604	HRS	1638.4		TSR 0				
	AFL	1539		TSR 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-02-01, AMM 35-02-01PROC. REF: AMM 35-02-01, AMM 35-02-01								
35-02-01-001	FUNCTIONAL CHECK OF OXYGEN CYLINDER REGULATOR							Service ATA:35
PN:4441122-050	MOS	04-Nov-23	60		04-Nov-28		1109 d	
SN:585815604	HRS							
	AFL							
HydroCheck Date: : 04-Nov-23								
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01								
35-02-01-003	DISCARD 50 CU.FT OXYGEN CYLINDER							Service ATA:35
PN:4441122-050	MOS		180		01-Aug-28 (M)		1014 d	
SN:585815604	HRS							
	AFL							
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01								
35-02-01-004	RESTORATION (HYDROSTATIC TEST) OF OXYGEN CYLINDER							Service ATA:35
	MOS	04-Nov-23	60		04-Nov-28		1109 d	
	HRS							
	AFL							
HydroCheck Date: : 04-Nov-23								
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01								
35-02-05	OXYGEN PRESSURE REGULATOR							Component ATA:35
PN:172421-14	MOS/MSC	17-Nov-23	O/C	TSR 0				
SN:0625	HRS	1638.4		TSR 0				
	AFL	1539		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-11-00-001	OPERATIONAL CHECK OF LH CREW OXYGEN MASK AND STOWAGE BOX							Service ATA:35
	MOS	21-Nov-24	24 (+1m/-1m)	Adj -19d	02-Nov-26	02-Dec-26	376 d (+30)	
	HRS	1736						
	AFL	1627						
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-11-00-001	OPERATIONAL CHECK OF RH CREW OXYGEN MASK AND STOWAGE BOX							Service ATA:35
	MOS	21-Nov-24	24 (+1m/-1m)	Adj -19d	02-Nov-26	02-Dec-26	376 d (+30)	
	HRS	1736						
	AFL	1627						
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								
35-11-01	LH CREW OXYGEN-MASK STOWAGE BOX							Component ATA:35
PN:1186F6-23	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:00612	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 35-11-01, AMM 35-11-01PROC. REF: AMM 35-11-01, AMM 35-11-01								
35-11-01	RH CREW OXYGEN-MASK STOWAGE BOX							Component ATA:35
PN:1186F6-23	MOS/MSC	24-Jan-17	O/C	TSR 0				
SN:00353	HRS	1075.3		TSR 0				
	AFL	965		TSR 0				
PROC. REF: AMM 35-11-01, AMM 35-11-01PROC. REF: AMM 35-11-01, AMM 35-11-01								
35-11-02	LH CREW OXYGEN MASK							Component ATA:35
PN:174232-93	MOS/MSC	28-May-25	O/C	TSN 194, TSO 3				
SN:26450	HRS	1773.4		TSO 0				
	AFL	1625		TSO 0				
PROC. REF: AMM 35-11-02, AMM 35-11-02PROC. REF: AMM 35-11-02, AMM 35-11-02								
35-11-02	RH CREW OXYGEN MASK							Component ATA:35
PN:174232-93	MOS/MSC	21-Nov-24	O/C	TSO 0				
SN:29222	HRS	1736		TSO 0				
	AFL	1627		TSO 0				
PROC. REF: AMM 35-11-02, AMM 35-11-02PROC. REF: AMM 35-11-02, AMM 35-11-02								
35-11-02-001	DETAILED VISUAL INSPECTION OF LH CREW OXYGEN MASK							Service ATA:35
PN:174232-93	MOS	28-May-25	24 (+1m/-1m)		28-May-27	28-Jun-27	583 d (+31)	
SN:26450	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-11-02-001	DETAILED VISUAL INSPECTION OF RH CREW OXYGEN MASK							Service ATA:35
PN:174232-93	MOS	21-Nov-24	24 (+1m/-1m)		21-Nov-26	21-Dec-26	395 d (+30)	
SN:29222	HRS	1736						
	AFL	1627						
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								
35-11-02-002	RESTORATION (OVERHAUL) OF LH CREW OXYGEN MASK							Service ATA:35
PN:174232-93	MOS	28-May-25	72 (+1m/-1m)		12-Feb-31	12-Mar-31	1939 d (+28)	
SN:26450	HRS	1773.4	3600 (+30/-30)		5373.4	5403.4	3579.7 (+30)	
	AFL	1625						
Restoration Date:: 12-Feb-25								
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								
35-11-02-002	RESTORATION (OVERHAUL) OF RH CREW OXYGEN MASK							Service ATA:35
PN:174232-93	MOS	21-Nov-24	72 (+1m/-1m)		08-Oct-30	08-Nov-30	1812 d (+31)	
SN:29222	HRS	1736	3600 (+30/-30)		5336	5366	3542.3 (+30)	
	AFL	1627						
Restoration Date:: 08-Oct-24								
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								
35-11-04-001 ^S	DETAILED VISUAL INSPECTION OF CREW GOGGLES							Service ATA:35
	MOS	17-Nov-23	36 (+1m/-1m)					
	HRS	1638.4						
	AFL	1539						
PKG:82								
PROC. REF: AMM 35-11-04PROC. REF: AMM 35-11-04								
35-21-00-001	FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN AUTO MODE							Service ATA:35
	MOS	28-May-25	36 (+30d/-30d)		28-May-28	27-Jun-28	949 d (+30)	AIRWORTHINESS
	HRS	1773.4	1800 (+30/-30)		3573.4	3603.4	1779.7 (+30)	
	AFL	1625						
PROC. REF: AMM 35-21-00PROC. REF: AMM 35-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-21-00-002	OPERATIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN MANUAL MODE							Service ATA:35
	MOS	28-May-25	36 (+30d/-30d)		28-May-28	27-Jun-28	949 d (+30)	AIRWORTHINESS
	HRS	1773.4	1800 (+30/-30)		3573.4	3603.4	1779.7 (+30)	
	AFL	1625						
PROC. REF: AMM 35-21-00PROC. REF: AMM 35-21-00								
35-21-01	PAX 1 OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								
35-21-01	PAX 2 OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								
35-21-01	PAX 3 OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								
35-21-01	PAX 4 OXYGEN MASK							Component ATA:35
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								
35-21-01-001 ^S	DETAILED INSPECTION OF PASSENGER OXYGEN-MASKS ASSEMBLY							Service ATA:35
	MOS	17-Nov-23	36 (+1m/-1m)					
	HRS	1638.4						
	AFL	1539						
PROC. REF: AMM 35-21-01PROC. REF: AMM 35-21-01								
								PKG:82

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-21-02	CABIN OXYGEN THREE MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:4411073-111	MOS/MSC	28-Sep-19	O/C	TSN 0				
SN:4411073-111-00101	HRS	1391.8		TSN 0				
	AFL	1294		TSN 0				
PROC. REF: AMM 35-21-02, AMM 35-21-02PROC. REF: AMM 35-21-02, AMM 35-21-02								
35-21-02	LH OXYGEN TWO MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:4411072-111	MOS/MSC	28-Sep-19	O/C	TSN 0				
SN:4411072-111-00242	HRS	1391.8		TSN 0				
	AFL	1294		TSN 0				
PROC. REF: AMM 35-21-02, AMM 35-21-02PROC. REF: AMM 35-21-02, AMM 35-21-02								
35-21-02	OXYGEN ONE MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-02, AMM 35-21-02PROC. REF: AMM 35-21-02, AMM 35-21-02								
35-21-02	RH OXYGEN TWO MASK DEPLOYMENT CONTAINER							Component ATA:35
PN:4411072-111	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:4411072-111-00092	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 35-21-02, AMM 35-21-02PROC. REF: AMM 35-21-02, AMM 35-21-02								
35-31-01	PROTECTIVE BREATHING EQUIPMENT (PBE)							Component ATA:35
PN:MR10022NEMB	MOS/MSC	02-Nov-20	H/T	TSN 4				
SN:E2001783	HRS	1462.5		TSN 0				
	AFL	1403		TSN 0				
PROC. REF: AMM 35-31-01, AMM 35-31-01PROC. REF: AMM 35-31-01, AMM 35-31-01								
35-31-01-001	DISCARD PROTECTIVE BREATHING EQUIPMENT (PBE)							Service ATA:35
PN:MR10022NEMB	MOS	02-Nov-20	126 (+1m/-1m)		01-Nov-30 (M)	01-Dec-30	1836 d (+30)	
SN:E2001783	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 35-31-01PROC. REF: AMM 35-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-00-001	S	OPERATIONAL CHECK LH BLEED SHUT-OFF FUNCTION						Service ATA:36
PN:1330310-5	MOS	15-Sep-18						
SN:0242	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								PKG:1
36-11-00-001	S	OPERATIONAL CHECK RH BLEED SHUT-OFF FUNCTION						Service ATA:36
PN:1330310-5	MOS	15-Sep-18						
SN:0379	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								PKG:1
36-11-01		LH PYLON PRESSURE REGULATING SHUTOFF VALVE						Component ATA:36
PN:1330310-5	MOS/MSC	24-Jan-17	O/C					
SN:0242	HRS	1075.3						
	AFL	965						
PROC. REF: AMM 36-11-01, AMM 36-11-01PROC. REF: AMM 36-11-01, AMM 36-11-01								
36-11-01		RH PYLON PRESSURE REGULATING SHUTOFF VALVE						Component ATA:36
PN:1330310-5	MOS/MSC	24-Jan-17	O/C					
SN:0379	HRS	1075.3						
	AFL	965						
PROC. REF: AMM 36-11-01, AMM 36-11-01PROC. REF: AMM 36-11-01, AMM 36-11-01								
36-11-02-001	S	DETAILED INSPECT OF BLEED LINE WATER DRAINS						Service ATA:36
	MOS	28-May-25	24 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 36-11-02PROC. REF: AMM 36-11-02								PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-21-01-001	OPERATIONAL CHECK OF BLEED LEAKAGE SENSORS							Service ATA:36
	MOS	22-Sep-10						AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	4606.3 (+30)	
	AFL	0						
PROC. REF: AMM 36-21-01PROC. REF: AMM 36-21-01								
ATA 44 - CABIN SYSTEMS								
24-21-03	DC CONVERTER							Component ATA:44
PN:35-192-00	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:164	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-21-03, AMM 44-21-03PROC. REF: AMM 44-21-03, AMM 44-21-03								
44-21-09	IFE, ASSY INSC ILLUM PANEL							Component ATA:44
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-21-09, AMM 44-21-09PROC. REF: AMM 44-21-09, AMM 44-21-09								
ATA 52 - DOORS								
52-10-00	OPTIONAL DOOR EQUIPPED STEP ASSEMBLY							Component ATA:52
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-10-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN PAX DOOR ASSEMBLY STRUCTURE							Service ATA:52
PN:500-09910-449	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
SN:0000621784	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								
PKG:84								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-01-002 ^S	INTERNAL GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY STRUCTURE							Service ATA:52
PN:500-09910-449	MOS	28-May-25	60 (+1m/-1m)					
SN:0000621784	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								PKG:90
52-10-01-01-901	INTERNAL DETAILED VISUAL INSPECTION MAIN DOOR STRUCTURE UPPER EXTERNAL FRAME, UPPER HORIZONTAL STRINGER, EXTERNAL VERTICAL FRAME, AND LOWER HORIZONTAL FRAME.							Service ATA:52
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								
52-10-01-01-902	EXTERNAL DETAILED VISUAL INSPECTION MAIN DOOR STRUCTURE DOOR SKIN, VENT FLAP SKIN AND SKIN/VENT FLAP SKIN FASTENER.							Service ATA:52
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								
52-10-02-01-901	INTERNAL DETAILED VISUAL INSPECTION MAIN DOOR LATCH MECHANISM LATCH PINS.							Service ATA:52
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 52-10-00PROC. REF: NDT 52-10-00								
52-10-20-001 ^S	GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY RUBBER SEAL							Service ATA:52
PN:500-09910-449	MOS	28-May-25	12 (+1m/-1m)					
SN:0000621784	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 52-10-20PROC. REF: AMM 52-10-20								PKG:80

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-11-00	MAIN PAX DOOR ASSEMBLY							Component ATA:52
PN:500-09910-449	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000621784	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-00, AMM 52-10-00PROC. REF: AMM 52-10-00, AMM 52-10-00								
52-11-00-001 ^S	GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY LOCKING AND ACTUATING MECHANISM							Service ATA:52
PN:500-09910-449	MOS	20-Oct-22	48 (+1m/-1m)					
SN:0000621784	HRS	1564.2						
	AFL	1486						
PROC. REF: AMM 52-11-00PROC. REF: AMM 52-11-00								
52-11-00-002 ^S	LUBRICATION OF MAIN DOOR LATCH PINS							Service ATA:52
	MOS	28-May-25	12 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 52-11-21PROC. REF: AMM 52-11-21								
52-11-01	DOOR KEY LOCK KIT							Component ATA:52
PN:500-38958-901	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:550109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-13-00	MAIN DOOR BALANCE ASSEMBLY							Component ATA:52
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-13-00, AMM 52-13-00PROC. REF: AMM 52-13-00, AMM 52-13-00								
52-13-01	MAIN DOOR BALANCE ASSY GEAR SECTOR							Component ATA:52
PN:PN	MOS/MSC	22-Sep-10	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-13-21, AMM 52-13-21PROC. REF: AMM 52-13-21, AMM 52-13-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-13-02	MAIN DOOR BALANCE ASSY PINION SHAFT							Component ATA:52
PN:PN	MOS/MSC	22-Sep-10	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-13-23, AMM 52-13-23PROC. REF: AMM 52-13-23, AMM 52-13-23								
52-13-21-001 ^S	DISCARD GEAR GEAR SECTOR							Service ATA:52
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 52-13-21PROC. REF: AMM 52-13-21								PKG:60
52-13-22-002 ^S	DISCARD MAIN DOOR BALANCE ASSEMBLY MECHANISM CABLE							Service ATA:52
PN:PN	MOS	02-Nov-20						
SN:UNKNOWN	HRS	1462.5	800 (+30/-30)					
	AFL	1403						
PROC. REF: AMM 52-13-22PROC. REF: AMM 52-13-22								PKG:1
52-13-22-004	DETAILED VISUAL INSPECTION OF MAIN DOOR BALANCING MECHANISM CABLES							Service ATA:52
PN:PN	MOS/MSC	22-Sep-10	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 52-13-22PROC. REF: AMM 52-13-22								
52-13-23-001 ^S	DISCARD SHAFT PINION SHAFT							Service ATA:52
PN:PN	MOS	22-Sep-10						
SN:UNKNOWN	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 52-13-23PROC. REF: AMM 52-13-23								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-20-01-01-901	INTERNAL DETAILED VISUAL INSPECTION EMERGENCY DOOR STRUCTURE SPAR AND FRAMES.							Service ATA:52
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00								
52-20-01-01-902	EXTERNAL - DETAILED INSPECTION EMERGENCY DOOR STRUCTURE DOOR SKIN, VENT FLAP SKIN AND SKIN/VENT FLAP SKIN FASTENER.							Service ATA:52
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 52-20-00PROC. REF: NDT 52-20-00								
52-20-20-001 ^S	GENERAL VISUAL INSPECTION CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY LOCKING AND ACTUATING MECHANISM							Service ATA:52
PN:500-09700-431	MOS	20-Oct-22	48 (+1m/-1m)					
SN:0000622247	HRS	1564.2						
	AFL	1486						
PROC. REF: AMM 52-20-20PROC. REF: AMM 52-20-20								PKG:83
52-20-21	CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY							Component ATA:52
PN:500-09700-431	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000622247	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-20-21-001 ^S	GENERAL VISUAL INSPECTION CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY RUBBER SEAL							Service ATA:52
PN:500-09700-431	MOS	28-May-25	24 (+1m/-1m)					
SN:0000622247	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 52-20-21PROC. REF: AMM 52-20-21								PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-31-20-001	^S	GENERAL VISUAL INSPECTION OF FORWARD BAGGAGE DOOR LOCKING AND ACTUATING MECHANISM						Service ATA:52
	MOS	20-Oct-22	48 (+1m/-1m)					
	HRS	1564.2						
	AFL	1486						
PROC. REF: AMM 52-31-20PROC. REF: AMM 52-31-20								PKG:83
52-32-20-001	^S	GENERAL VISUAL INSPECTION OF AFT BAGGAGE DOOR LOCKING ACTUATING MECHANISM						Service ATA:52
	MOS	20-Oct-22	48 (+1m/-1m)					
	HRS	1564.2						
	AFL	1486						
PROC. REF: AMM 52-32-20PROC. REF: AMM 52-32-20								PKG:83
52-71-20		LOWER DOOR MICRO SWITCH						Component ATA:52
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-71-20, AMM 52-71-20PROC. REF: AMM 52-71-20, AMM 52-71-20								
52-71-20		UPPER DOOR MICRO SWITCH						Component ATA:52
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-71-20, AMM 52-71-20PROC. REF: AMM 52-71-20, AMM 52-71-20								
ATA 53 - FUSELAGE								
53-00-00-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF FUSELAGE POLYURETHANE FILMS						Service ATA:53
	MOS	15-Sep-18						
	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 53-00-20PROC. REF: AMM 53-00-20								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-05-00-001	DETAILED VISUAL INSPECTION OF FUSELAGE DRAINS							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 53-05-00PROC. REF: AMM 53-05-00								PKG:84
53-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE LOWER SKIN PANEL AND COCKPIT FLOOR STRUCTURES							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:90
53-10-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE SKIN PANELS, SKIN SPLICES AND WINDSHIELD CUTOUT STRUCTURE							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:90
53-10-01	REAR PRESSURE BULKHEAD ASSY							Component ATA:53
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-10-01-01-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE MACHINE FR07, BEAMS, POSTS, GUSSET (SPLICES)							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:6300		6300		4621	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-01-01-902	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE MACHINE FR07, BEAMS, POSTS, GUSSET (SPLICES)							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:14000		14000		12321	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-01-01-903	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE SKIN PANEL AND FASTENERS.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-02-01-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS FRAMES AND SPLICES.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-02-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS SKIN-TO-FRAMES AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-02-02-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS STRINGERS.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-02-02-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS SKIN-TO-STRINGERS AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-03-01-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LOWER SKIN PANEL FRAMES AND STRINGERS.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-03-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LOWER SKIN PANEL SKIN-TO-FRAME/STRINGERS AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-04-01-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES LONGITUDINAL SPLICE							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-04-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUNFERENTIAL SKIN SPLICES - SKIN-TO-LONGITUDINAL SPLICE AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-04-02-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUNFERENTIAL SKIN SPLICES CIRCUMFERENTIAL SPLICE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-04-02-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUNFERENTIAL SKIN SPLICES SKIN-TO-CIRCUMFERENTIAL-SPLICE AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-05-001 ^S EXTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE PRESSURE BULKHEAD Service ATA:53								
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:90
53-10-05-002 ^S INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE PRESSURE BULKHEAD Service ATA:53								
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:90
53-10-05-01-901 INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE PRESSURE BULKHEAD. Service ATA:53								
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-06-002 ^S INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE FORWARD SKIN PANELS Service ATA:53								
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-07-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF NOSE LANDING GEAR WHEELWELL METALLIC STRUCTURE						Service ATA:53
	MOS	28-May-25	24 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								PKG:81
53-10-07-01-901		EXTERNAL SPECIAL DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE (EDDY CURRENT) TRUNION.						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-07-02-901		EXTERNAL - DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE.						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-07-02-902		EXTERNAL SPECIAL DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE (EDDY CURRENT) DRAG LOCKING STRUTS.						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-08-002		INTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR WHEELWELL COMPOSITE STRUCTURE						Service ATA:53
	MOS/MSC	02-Nov-20	O/C					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-10-08-01-901		EXTERNAL - DETAILED INSPECTION NOSE LANDING GEAR WEEL COMPOSITESTRUCTURE UPPER PANEL AND SIDE SKIN.						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: NDT 53-10-00PROC. REF: NDT 53-10-00								
53-14-00	NOSE RADOME							Component ATA:53
PN:5190-102-1	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:088	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-14-00, AMM 53-14-00PROC. REF: AMM 53-14-00, AMM 53-14-00								
53-20-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE SKIN PANELS AND SKIN SPLICES							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								PKG:90
53-20-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE SKIN PANELS, SKIN SPLICES, AND FLOOR STRUCTURE							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								PKG:90
53-20-00-003 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE-TO-WING LATERAL AND CENTER LINKS							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								PKG:90
53-20-01-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 1R TO 6L) FRAMES.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-01-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 1R TO 6L) SKIN TO FRAMES AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-01-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM STRINGER 1R TO 6L AND FROM FRAME 8 TO 19) STRINGERS.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-01-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM STRINGER 1R TO 6L AND FROM FRAME 8 TO 19) SKIN TO STRINGERS AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-02-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 2R TO 11R) FRAMES.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-02-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 2R TO 11R) SKIN TO FRAMES AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-02-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM STRINGER 2R TO 11R AND FROM FRAME 8 TO 19) STRINGERS.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-02-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM STRINGER 2R TO 11R AND FROM FRAME 8 TO 19) SKIN TO STRINGERS AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-03-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) CUT-OUT REINFORCEMENT (SKIN DOUBLER).							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-03-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) SKIN TO CUT-OUT AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-03-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) FRAMES AND STRINGERS.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-03-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) SKIN TO FRAMES AND STRINGERS AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-04-01-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE LONGITUDINAL LAP JOINT SKIN SPLICE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-04-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE LONGITUDINAL LAP JOINT SKIN SPLICE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-04-02-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE CIRCUNFERENTIAL SKIN SPLICE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-04-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICESKIN AT CIRCUMFERENTIAL SKIN SPLICE AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-05-002	S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND END FITTINGS						Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								PKG:90
53-20-05-01-901		INTERNAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGECIRCUMFERENTIAL SKIN SPLICES ANDEND FITTINGS SKIN (FROM STRINGER 12L TO 12R).						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-05-01-902		EXTERNAL SPECIAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGECIRCUMFERENTIAL SKIN SPLICES ANDEND FITTINGS (EDDY CURRENT) SPLICE (1ST AND 3RD ROWS) (FROM STRINGER 01R TO 01L, FROM STINGER 04R TO 07R AND FROM STRINGER 04L TO 07L).						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-05-01-903		EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGECIRCUMFERENTIAL SKIN SPLICES ANDEND FITTINGS SKIN (FROM STRINGER 01R TO 01L, FROM STRINGER 04R TO 07R AND FROM STRINGER 04L TO 07L).						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-05-01-904		INTERNAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES END FITTINGS						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-06-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF MAIN DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								PKG:84
53-20-06-002	INTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								PKG:90
53-20-06-01-901	EXTERNAL SPECIAL DETAILED INSPECTION (EDDY CURRENT) THE DOUBLER 1 AT CORNERS OF MAIN DOOR CUTOUT STRUCTURE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-06-01-902	EXTERNAL SPECIAL DETAILED INSPECTION (EDDY CURRENT) THE SKIN AT CORNERS OF THE MAIN DOOR CUTOUT STRUCTURE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-06-01-903	EXTERNAL - DETAILED INSPECTION THE MAIN DOOR CUTOUT STRUCTURE SKIN TO DOOR CUTOUT STRUCTURE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-06-01-904	INTERNAL GENERAL VISUAL INSPECTION THE MAIN DOOR CUT-OUT STRUCTURE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-06-01-905	INTERNAL DETAILED INSPECTION MAIN DOOR CUTOUT STRUCTURE MACHINED FRAME AT LATCH PIN BOX AREA .							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-07-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF EMERGENCY DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PKG:84								
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-07-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PKG:90								
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-07-01-901	INTERNAL GENERAL VISUAL INSPECTION EMERGENCY DOOR CUTOUT STRUCTURE (FROM STRINGER 3R TO 7R AND FROM FRAME 14 TO 16)							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-07-01-902	EXTERNAL - DETAILED INSPECTION THE SKIN TO EMERGENCY DOOR CUTOUT STRUCTURE (FROM STRINGER 3R TO 7R AND FROM FRAME 14 TO 16)							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-08-002	S	INTERNAL GENERAL VISUAL INSPECTION OF PASSENGER WINDOW CUT-OUT STRUCTURE						Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								PKG:90
53-20-08-01-901		INTERNAL GENERAL VISUAL INSPECTION PASSENGER WINDOW CUTOUT STRUCTURE PASSENGER WINDOW FRAME (FROM STRINGER 4L TO 6L AND STRINGER 4R TO 6R AND FROM FRAME 10 TO 18)						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-08-01-902		EXTERNAL - DETAILED INSPECTION PASSENGER WINDOW CUTOUT STRUCTURE PASSENGER (FROM STRINGER 4L TO 6L AND STRINGER 4R TO 6R AND FROM FRAME 10 TO 18) SKIN AT WINDOW AREA.						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-10-01-901		INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING LATERAL LINKS.						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-10-01-902		INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING LATERAL LINKSMACHINED FRAME (FRAME 14 AND FRAME 18) AND FASTENERS						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-11-01-901	INTERNAL SPECIAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING CONNECTION LINK(EDDY CURRENT) CONNECTION LINK FITTING (LUG AND INNER CAP).							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-11-01-902	INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING CONNECTION LINK FITTING.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-20-12-01-901	INTERNAL DETAILED INSPECTION AFT PRESSURE BULKHEAD.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-20-00PROC. REF: NDT 53-20-00								
53-30-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SKINS AND ATTACHMENTS							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90
53-30-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE UPPER SKIN, JUNCTIONS AND ATTACHMENTS							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-00-003	^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SIDE SKIN, CUTOUTS AND ATTACHMENTS						Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:90
53-30-01-01-901		INTERNAL DETAILED INSPECTION AFT FUSELAGE UPPER SKIN PANELBEDPLATE AND ITS ATTACHMENTS, BEDPLATES TO STRINGER ATTACHMENTS AND SKIN TO BEDPLATE AREA.						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-01-01-902		EXTERNAL - DETAILED INSPECTION AFT FUSELAGE UPPER SKIN PANEL SKIN TO BEDPLATE AREA.						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-02-01-901		INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE SIDE SKIN PANEL FORWARD MACHINED FRAME (FRAME 22 AND FRAME 23)						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-02-01-902		EXTERNAL - DETAILED INSPECTION AFT FUSELAGE SIDE SKIN PANEL SKIN TO FRAME AREA						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-02-02-901		INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE SIDE SKIN PANEL AFT MACHINED FRAME (FRAME 25 AND FR25A)						Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-02-02-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE SIDE SKIN PANEL - SKIN TO FRAME AREA							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-04-01-901	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES AFT FUSELAGE SKIN TO LONGITUDINAL SPLICE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-04-01-902	INTERNAL DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES LONGITUDINAL SPLICE							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-04-02-901	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES TO CIRCUMFERENTIAL SPLICE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-04-02-902	INTERNAL DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES TO CIRCUMFERENTIAL SPLICE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-05-001	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:84
53-30-05-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-05-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE BAGGAGE DOOR CUTOUTSTRUCTUREAFT FUSELAGE THE SKIN TO BAGGAGE DOOR CUTOUT STRUCTURE.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-06-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE CUTOUT STRUCTURES -INTERNALFRAMES, STRINGER, REINFORCEMENT, AND DOUBLER OF AFT FUSELAGE CUTOUT STRUCTURES.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-07-001	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE UPPER FRAMES 29 TO 32							Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-07-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) MACHINED FRAMES.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-07-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) SKIN TO FRAME AREA.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-07-02-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) BEDPLATES AND FASTENERS.							Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								
53-30-08-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE MACHINED FRAME 32							Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 53-30-00PROC. REF: NDT 53-30-00								PKG:87
Z210-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE FORWARD FUSELAGE NOSE SECTION							Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
Z210-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE NOSE SECTION						Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:87
Z220-001		EXTERNAL GENERAL VISUAL INSPECTION OF OF THE FORWARD FUSELAGE COCKPIT SECTION						Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:84
Z220-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE COCKPIT SECTION						Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:87
Z230-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE CENTER FUSELAGE FRONT SECTION						Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:87
Z230-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE FRONT SECTION						Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
Z240-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE CENTER FUSELAGE REAR SECTION						Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:87
Z240-002		INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE REAR SECTION						Service ATA:53
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:84
Z310-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE AFT FUSELAGE FRONT SECTION						Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:87
Z310-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE FRONT SECTION						Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:87
Z320-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE AFT FUSELAGE REAR SECTION						Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
Z320-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE REAR SECTION						Service ATA:53
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:87
ATA 54 - NACELLES/PYLONS								
54-00-00-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON POLYURETHANE FILMS						Service ATA:54
	MOS	15-Sep-18						
	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 54-51-20PROC. REF: AMM 54-51-20								PKG:1
54-50-00-001	^S	INTERNAL DETAILED VISUAL INSPECTION OF PYLON MAIN BOX						Service ATA:54
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								PKG:90
54-50-00-002	^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD BEAM						Service ATA:54
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								PKG:90
54-50-01-01-901		INTERNAL DETAILED INSPECTION PYLON FORWARD BEAM PYLON SPARS 1 AND 2, UPPER AND LOWER SKIN AND FASTENERS.						Service ATA:54
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-02-01-901	INTERNAL DETAILED INSPECTION PYLON AFT BEAMPYLON SPARS 3 AND 4 AND FASTENERS.							Service ATA:54
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								
54-50-03-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON MAIN BOX							Service ATA:54
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PKG:90								
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								
54-50-03-01-901	EXTERNAL GENERAL VISUAL INSPECTION OF PYLON MAIN BOX MAIN BOX SKIN AND FASTENERS.							Service ATA:54
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								
54-50-04-01-901	INTERNAL DETAILED INSPECTION PYLON-TO-FUSELAGE CONNECTIONS OF BOLTS.							Service ATA:54
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								
54-50-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF PYLON YOKES							Service ATA:54
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PKG:87								
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								
54-50-05-01-901	INTERNAL DETAILED INSPECTION PYLON YOKESLUG HOLES AT YOKES, YOKES, GUSSETS AND SHIELD.							Service ATA:54
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								
54-50-06-001	INTERNAL DETAILED VISUAL INSPECTION OF AFT MOUNT FITTINGS							Service ATA:54
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								PKG:84
54-50-06-01-901	INTERNAL DETAILED INSPECTION PYLON AFT FITTINGAFT MOUNT FITTING AND FASTENERS.							Service ATA:54
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 54-50-00PROC. REF: NDT 54-50-00								
Z410-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE PYLON							Service ATA:54
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:87
Z410-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE PYLON							Service ATA:54
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:87
Z430-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE NACELLE							Service ATA:54
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
Z430-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE NACELLE						Service ATA:54
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:87
ATA 55 - STABILIZERS								
55-00-00-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF STABILIZER POLYURETHANE FILMS						Service ATA:55
	MOS	15-Sep-18						
	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 55-00-20PROC. REF: AMM 55-00-20								PKG:1
55-10-00		HORIZONTAL STABILIZER						Component ATA:55
PN:500-10700-409	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000555638	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-10-00-001	^S	EXTERNAL - DETAILED INSPECTION OF HORIZONTAL-STABILIZER SPARS						Service ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								PKG:87
55-10-00-002		SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF HORIZONTAL-STABILIZER MAIN BOX						Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)	28-May-30	28-Jun-30	1679 d (+31)		
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-01-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF VERTICAL-TO-HORIZONTAL STABILIZER ATTACHMENTS						Service ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								PKG:87
55-10-01-01-901		INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS IN HORIZONTAL STABILIZER AND FASTENERS.						Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-02-01-901		INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER FRONT SPAR (BORESCOPIC) FRONT SPAR AND FASTENERS.						Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-02-01-902		EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER FRONT SPAR FRONT SPAR AND FASTENERS.						Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-03-01-901		INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER REAR SPAR(BORESCOPIC) REAR SPAR.						Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-03-01-902		EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER REAR SPAR				REAR SPAR AND FASTENERS.		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-04-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX UPPER SKIN					(BORESCOPIC) STRINGERS.		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-04-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX UPPER SKIN FASTENERS.					UPPER SKIN AND		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-05-01-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX LOWER SKIN - LOWER SKIN.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-05-01-902	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX LOWER SKIN HORIZONTAL STABILIZER LINK AREA AND STRINGERS, INCLUDING FASTENERS.					LOWER SKIN AT FIN TO		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-06-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER COMPOSITE RIBS AND FASTENERS.					(BORESCOPIC) COMPOSITE RIBS		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-07-001	^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) ON HORIZONTAL-STABILIZER TIP RIBS						Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								PKG:90
55-10-07-01-901		INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER METALLIC RIBS INCLUDING FASTENERS.				ROOT AND TIP METALLIC RIBS,		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-08-001	^S	EXTERNAL - DETAILED INSPECTION ON HORIZONTAL STABILIZER ROOT RIBS						Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								PKG:90
55-10-08-01-901		INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER LEADING EDGE HORIZONTAL STABILIZER LEADING EDGE SKIN AND SPAR.				(BORESCOPIC)		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-08-01-902		EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER LEADING EDGE EDGE SKIN AND FASTENERS.				HORIZONTAL STABILIZER LEADING		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-09-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF HORIZONTAL STABILIZER LEADING EDGE							Service ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								PKG:87
55-10-09-01-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING					HINGE FITTINGS, AND FASTENERS.		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-09-02-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING (EDDY CURRENT) LUGS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-09-03-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING TORQUE BOX AND FASTENERS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-10-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF HORIZONTAL-STABILIZER HINGE FITTINGS							Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-10-01-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER TRIM TAB ACTUATOR SUPPORT FITTINGS TAB SUPPORTING FITTING AND FASTENERS.						TRIM	Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-10-02-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER TRIM TAB ACTUATOR SUPPORT FITTINGS TAB LINK SUPPORT FITTING AND FASTENERS.						TRIM	Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								
55-10-11-002	INTERNAL DETAILED VISUAL INSPECTION OF TRIM-TAB SUPPORT FITTINGS							Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-10-00PROC. REF: NDT 55-10-00								PKG:84
55-20-00-001	EXTERNAL - DETAILED INSPECTION OF ELEVATOR FITTINGS AND TORQUE-TUBE ATTACHMENTS							Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-20-00PROC. REF: NDT 55-20-00								PKG:84
55-20-01-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF ELEVATOR MAIN BOX							Service ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-20-00PROC. REF: NDT 55-20-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) SKIN, SPARS, RIBS AND FASTENERS.					(BORESCOPIC)		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-20-00PROC. REF: NDT 55-20-00								
55-20-01-01-902	EXTERNAL - DETAILED INSPECTION ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) INCLUDING MAIN BOX, TRAILING EDGE, LEADING EDGE AND HORN.					SKIN AND FASTENERS,		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-20-00PROC. REF: NDT 55-20-00								
55-20-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS (DYE PENETRANT) ELEVATOR HINGE PINS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-20-00PROC. REF: NDT 55-20-00								
55-20-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS (EDDY CURRENT) ELEVATOR HINGE FITTINGS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-20-00PROC. REF: NDT 55-20-00								
55-20-02-02-902	INTERNAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS ELEVATOR HINGE FITTINGS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-20-00PROC. REF: NDT 55-20-00								
55-20-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR TORQUE TUBE ASSY (EDDY CURRENT) ELEVATOR TORQUE TUBE FLANGE.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: NDT 55-20-00PROC. REF: NDT 55-20-00								
55-20-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR TORQUE TUBE ASSY (DYE PENETRANT) ELEVATOR TORQUE TUBE.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-20-00PROC. REF: NDT 55-20-00								
55-22-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF ELEVATOR TAB PIANO HINGE							Service ATA:55
	MOS/MSC	02-Nov-20	O/C					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-22-00PROC. REF: NDT 55-22-00								
55-22-02-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF ELEVATOR TAB BOX							Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-22-00PROC. REF: NDT 55-22-00								PKG:90
55-30-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF VERTICAL STABILIZER TO AFT FUSELAGE CONNECTIONS AT VERTICAL STABILIZER							Service ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								PKG:87
55-30-01-002	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF FIN-TO-REAR FUSELAGE CONNECTIONS AT VERTICAL STABILIZER							Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER FITTING, PINS AND SPARS ATTACHMENTS (UPPER PART OF CONNECTIONS).					(BORESCOPIC)		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-01-01-902	INTERNAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER SPAR ATTACHMENTS (LOWER PART OF CONNECTIONS), NUT, SEAL AND FASTENERS.					FITTING, PINS AND		Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-01-02-901	INTERNAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER L SHAPE, RIB AND FASTENERS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-02-002	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER							Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								PKG:84
55-30-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (BORESCOPIC) DOUBLER AND TIP RIB.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-02-01-902	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (EDDY CURRENT) DOUBLER AND TIP RIB AT FRONT AND REAR FITTING AREA.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-02-02-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER L SHAPE AND FASTENERS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-02-02-902	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (BORESCOPIC) L SHAPE AND FASTENERS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-02-03-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER FITTINGS AND FASTENERS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-02-04-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER COMPOSITE PLATES AND FASTENERS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-03-001	^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF VERTICAL STABILIZER MAIN BOX						Service ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								PKG:87
55-30-03-01-901	EXTERNAL - DETAILED INSPECTION VERTICAL STABILIZER MAIN BOX (SKIN AND SPARS) SKIN AND SPAR.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-03-01-902	INTERNAL SPECIAL DETAILED INSPECTION VERTICAL STABILIZER MAIN BOX (SKIN AND SPARS) (BORESCOPIC) SPAR.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-05-001	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-RUDDER FITTING							Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)	28-May-30	28-Jun-30	1679 d (+31)		
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								PKG:84
55-30-05-01-901	EXTERNAL - DETAILED INSPECTION RUDDER HINGE FITTINGS HINGE FITTING 1 AND FASTENERS.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-05-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS (EDDY CURRENT) HINGE FITTING 2 FLANGES.							Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-05-03-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS				(EDDY CURRENT) RUDDER LUG HINGE FITTINGS 1 AND 2.		Service	ATA:55
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-30-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TAB ACTUATOR FITTING AND SUPPORT FITTINGS						Service	ATA:55
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								PKG:90
55-30-06-01-901	EXTERNAL - DETAILED INSPECTION VERTICAL STABILIZER TAB ACTUATOR AND SUPPORT FITTINGS FITTINGS, LUGS AND FASTENERS.						Service	ATA:55
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-30-00PROC. REF: NDT 55-30-00								
55-33-00	VERTICAL STABILIZER						Component	ATA:55
PN:500-10100-417	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0000619572	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-40-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF RUDDER ASSEMBLY						Service	ATA:55
	MOS/MSC	02-Nov-20	O/C					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40-01-002	^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF RUDDER ASSEMBLY						Service ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								PKG:87
55-40-01-01-901		INTERNAL SPECIAL DETAILED INSPECTION RUDDER MAIN BOX (BORESCOPIC) SKIN, SPARS, RIBS AND FASTENERS.						Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								
55-40-01-01-902		EXTERNAL - DETAILED INSPECTION RUDDER MAIN BOX MAIN BOX, TRAILING EDGE AND LEADING EDGE SKINS, INCLUDING FASTENERS.						Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								
55-40-02-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF RUDDER HINGE FITTINGS						Service ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								PKG:87
55-40-02-01-901		INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS (DYE PENETRANT) RUDDER HINGE FITTINGS PINS.						Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS (EDDY CURRENT) RUDDER HINGE FITTINGS.						Service	ATA:55
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								
55-40-02-02-902	INTERNAL DETAILED INSPECTION RUDDER HINGE FITTINGS RUDDER HINGE FITTINGS.						Service	ATA:55
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								
55-40-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TORQUE-TUBE ASSEMBLY						Service	ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								PKG:87
55-40-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER TORQUE TUBE ASSEMBLY TUBE FLANGE.				(EDDY CURRENT) RUDDER TORQUE		Service	ATA:55
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								
55-40-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER TORQUE TUBE ASSEMBLY TUBE.				(DYE PENETRANT) RUDDER TORQUE		Service	ATA:55
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 55-40-00PROC. REF: NDT 55-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-41-00	RUDDER ASSEMBLY							Component ATA:55
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-42-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TAB PIANO HINGE							Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PKG:90								
PROC. REF: NDT 55-42-00PROC. REF: NDT 55-42-00								
Z330-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE VERTICAL STABILIZER							Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)	28-May-30	28-Jun-30	1679 d (+31)		
	HRS	1773.4						
	AFL	1625						
PKG:84								
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								
Z330-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER							Service ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PKG:87								
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								
Z340-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE HORIZONTAL STABILIZER							Service ATA:55
	MOS	28-May-25	60 (+1m/-1m)	28-May-30	28-Jun-30	1679 d (+31)		
	HRS	1773.4						
	AFL	1625						
PKG:84								
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
Z340-002 ^S		INTERNAL GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER						Service ATA:55
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								PKG:87
ATA 56 - WINDOWS								
56-10-01-001		EXTERNAL GENERAL VISUAL INSPECTION OF COCKPIT SIDE-WINDOWS PANE (BOTH SIDES)						Service ATA:56
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 56-10-00PROC. REF: NDT 56-10-00								PKG:84
56-10-01-002		FUNCTIONAL CHECK (TORQUE) OF COPILOT SIDE WINDOW ATTACHING BOLTS						Service ATA:56
PN:NP-195302-4	MOS	15-Sep-18						
SN:10054H7973	HRS	1257.3	1600 (+30/-30)		2857.3	2887.3	1063.6 (+30)	
	AFL	1179						
PROC. REF: AMM 56-10-00PROC. REF: AMM 56-10-00								
56-10-01-002		FUNCTIONAL CHECK (TORQUE) OF COPILOT WINDSHIELD ATTACHING BOLTS						Service ATA:56
PN:NP-195301-2	MOS	15-Sep-18						
SN:10011H3996	HRS	1257.3	1600 (+30/-30)		2857.3	2887.3	1063.6 (+30)	
	AFL	1179						
PROC. REF: AMM 56-10-00PROC. REF: AMM 56-10-00								
56-10-01-002		FUNCTIONAL CHECK (TORQUE) OF PILOT SIDE WINDOW ATTACHING BOLTS						Service ATA:56
PN:NP-195302-3	MOS	15-Sep-18						
SN:10034H6113	HRS	1257.3	1600 (+30/-30)		2857.3	2887.3	1063.6 (+30)	
	AFL	1179						
PROC. REF: AMM 56-10-00PROC. REF: AMM 56-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF PILOT WINDSHIELD ATTACHING BOLTS							Service ATA:56
PN:NP-195301-3	MOS	15-Sep-18						
SN:16237H3161	HRS	1257.3	1600 (+30/-30)		2857.3	2887.3	1063.6 (+30)	
	AFL	1179						
PROC. REF: AMM 56-10-00PROC. REF: AMM 56-10-00								
56-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WINDSHIELD AND COCKPIT SIDE WINDOW FRAMES AND FASTENERS							Service ATA:56
	MOS	28-May-25	24 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 56-10-00PROC. REF: NDT 56-10-00								
56-10-03-01-901	EXTERNAL SPECIAL DETAILED INSPECTION WINDSHIELD FRAME AND FASTENERS					(EDDY CURRENT) FRAMES AND	Service ATA:56	
	FASTENERS.						AIRWORTHINESS	
	MOS							
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 56-10-00PROC. REF: NDT 56-10-00								
56-11-00	COPILOT HEATED GLASS WINDSHIELD ASSY							Component ATA:56
PN:NP-195301-2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:10011H3996	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-11-00, AMM 56-11-00PROC. REF: AMM 56-11-00, AMM 56-11-00								
56-11-00	PILOT HEATED GLASS WINDSHIELD ASSY							Component ATA:56
PN:NP-195301-3	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:16237H3161	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 56-11-00, AMM 56-11-00PROC. REF: AMM 56-11-00, AMM 56-11-00								
56-12-00	COPILOT ACRYLIC SIDE WINDOW							Component ATA:56
PN:NP-195302-4	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:10054H7973	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00, AMM 56-12-00PROC. REF: AMM 56-12-00, AMM 56-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-12-00	PILOT ACRYLIC SIDE WINDOW							Component ATA:56
PN:NP-195302-3	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:10034H6113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00, AMM 56-12-00PROC. REF: AMM 56-12-00, AMM 56-12-00								
56-20-00	LEFT NO.1 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:194086	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	LEFT NO.2 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:194089	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	LEFT NO.3 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:194087	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	LEFT NO.4 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:194088	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	RIGHT NO. 1 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:194092	HRS	1075.3		TSN 0				
	AFL	965		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-20-00	RIGHT NO. 2 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:02282	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	RIGHT NO. 3 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:02300	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	RIGHT NO. 4 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:02304	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF PASSENGER CABIN WINDOWS							Service ATA:56
	MOS	28-May-25	60 (+1m/-1m)	28-May-30	28-Jun-30	1679 d (+31)		
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 56-20-00PROC. REF: NDT 56-20-00								
PKG:84								
ATA 57 - WINGS								
57-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF WING POLYURETHANE FILMS							Service ATA:57
	MOS	15-Sep-18						
	HRS	1257.3	800 (+30/-30)					
	AFL	1179						
PROC. REF: AMM 57-30-20PROC. REF: AMM 57-30-20								
PKG:1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-00-001	^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING-TO-FUSELAGE LINKS						Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-00-002	^S	INTERNAL DETAILED VISUAL INSPECTION OF WING MAIN BOX						Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-00-003		INTERNAL DETAILED VISUAL INSPECTION OF WING MIDDLE AND REAR SPARS						Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:84
57-10-01-01-901		INTERNAL DETAILED INSPECTION WING LATERAL LINKS TO CENTER FUSELAGE SEAL.				FRONT FITTING, BOLT, NUT AND		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-01-02-901		INTERNAL DETAILED INSPECTION WING LATERAL LINKS TO CENTER FUSELAGE SEAL.				REAR FITTING, BOLT, NUT AND		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE CENTER FITTING AND LUG.					(EDDY CURRENT) WING		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-02-01-902	INTERNAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE					WING CENTER FITTING.		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE CENTER LINK LUGS.					(EDDY CURRENT)		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-02-02-902	INTERNAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE NUT AND SEAL.					CENTER LINK FITTING, BOLT,		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-02-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE HORIZONTAL LINK BOLTS.					(MAGNETIC PARTICLE)		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-03-01-901	INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.			FRONT SPAR LOWER CAP BETWEEN RIB 1 AND 3 AND WINDOW			Service	ATA:57
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-03-02-901	INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.			FRONT SPAR LOWER CAP BETWEEN RIB 3 AND 6 AND WINDOW			Service	ATA:57
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-03-03-901	EXTERNAL - DETAILED INSPECTION WING FRONT SPAR			LOWER SKIN BETWEEN RIB 6 AND 7, INCLUDING FASTENER.			Service	ATA:57
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-03-04-901	INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.			FRONT SPAR LOWER CAP BETWEEN RIB 7 AND 10 AND WINDOW			Service	ATA:57
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-03-05-901	EXTERNAL - DETAILED INSPECTION WING FRONT SPAR			LOWER SKIN BETWEEN RIB 10 AND 16, INCLUDING FASTENERS.			Service	ATA:57
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-04-01-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR FASTENERS.				MIDDLE SPAR LOWER CAP BETWEEN RIB 1 AND 3, INCLUDING			Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-04-02-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR FASTENERS .				MIDDLE SPAR LOWER CAP BETWEEN RIB 3 AND 7, INCLUDING			Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-04-03-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR SPAR-STRINGER-SPLICE AND FASTENERS.				MIDDLE SPAR LOWER CAP BETWEEN RIB 7 AND 9, INCLUDING			Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-04-04-901	INTERNAL SPECIAL DETAILED INSPECTION WING MIDDLE SPAR AND RADIUS).				(EDDY CURRENT) MLG FRONT TRUNNION (LUG, SURFACE			Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-04-04-902	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR				MLG FRONT TRUNNION AND FASTENERS.			Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-04-05-901	INTERNAL SPECIAL DETAILED INSPECTION WING MIDDLE SPAR (EDDY CURRENT) MLG ACTUATOR FITTING (SURFACE AND RADIUS).							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-04-05-902	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR MLG ACTUATOR FITTING AND FASTENERS.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-05-01-901	INTERNAL DETAILED INSPECTION WING REAR SPAR FRAME.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-05-02-901	EXTERNAL - DETAILED INSPECTION WING REAR SPAR FASTENERS.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-05-03-901	INTERNAL DETAILED INSPECTION WING REAR SPAR FASTENERS.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-05-04-901	EXTERNAL - DETAILED INSPECTION WING REAR SPAR			LOWER SKIN BETWEEN RIB 10 AND 16, INCLUDING FASTENERS.				Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-05-05-901	EXTERNAL SPECIAL DETAILED INSPECTION WING REAR SPAR AND MACHINED RADIUS).			(EDDY CURRENT) MLG REAR TRUNNION (LUG, SURFACE				Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-05-05-902	EXTERNAL - DETAILED INSPECTION WING REAR SPAR			MLG REAR TRUNNION AND FASTENERS.				Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING UPPER PANEL							Service ATA:57
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:87
57-10-07-001	EXTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-07-002	^S	INTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL						Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-07-01-901		INTERNAL DETAILED INSPECTION WING LOWER PANEL STRINGER 5 AND SHEAR CLIPS FASTENERS.		STRINGER 2 AND 3 BETWEEN RIB 1 AND 3 AND SHEAR CLIPS OF			Service ATA:57	
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-07-02-901		INTERNAL DETAILED INSPECTION WING LOWER PANEL WINDOW ACCESS PANEL 9 FRAMES.		STRINGER 2 RUN-OUT, STRINGER SHEAR CLIPS AT RIB 8 AND			Service ATA:57	
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-07-03-901		EXTERNAL - DETAILED INSPECTION WING LOWER PANEL INCLUDING DOU-BLER AND ITS FASTENERS.		LOWER PANEL AND FASTENERS BETWEEN RIB 2 AND RIB 10,			Service ATA:57	
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-08-01-901		INTERNAL DETAILED INSPECTION WING LOWER PANEL 8R).		MACHINED RIBS (RIB 1, RIB 3, RIB 3A, RIB 5R, RIB 6R, RIB 7R, RIB			Service ATA:57	
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-08-02-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL			WING FORMED RIBS (RIB 2, RIB 4F, RIB 5F, RIB 6F, RIB 7F, RIB 8F, RIB 9, RIB 10, RIB11, RIB 12, RIB 13, RIB 14, RIB 15 AND RIB 16).				Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-08-03-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL			DRY BAY WALLS AND FASTENERS.				Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-10-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING CENTER SPLICE							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-10-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF WING CENTER SPLICE							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90
57-10-10-003 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF WING CENTRAL SPLICE							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-10-01-901	EXTERNAL - DETAILED INSPECTION WING CENTRAL SPLICES INCLUDING FASTENERS.			FRONT SPAR SPLICE, LOWER SKIN SPLICES, REAR SPAR SPLICES,				Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-10-01-902	INTERNAL DETAILED INSPECTION WING CENTRAL SPLICES FRONT , REAR AND MIDDLE SPAR ON SPLICE AREA AND MIDDLE SPAR SPLICE, INCLUDING FASTENERS.			WING LOWER SKIN ON SPLICE AREA, BETWEEN RIB1 AND RIB 2,				Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
57-10-11-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AILERON TAB ACTUATOR SUPPORT FITTINGS AND TAB HINGE FITTINGS							Service ATA:57
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								PKG:87
57-50-00-001	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING-EDGE INBOARD AND OUTBOARD TORQUE BOXES							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								PKG:84
57-50-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (EDDY CURRENT) WING ROOT TRACK.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-01-01-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS WING ROOT TRACK.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-01-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (DYE PENETRANT) WING ROOT ROLLER.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:8875		8875		7196	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-01-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (EDDY CURRENT) RIB 1.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-01-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS RIB 1 AND FASTENERS.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS WING CENTER TRACK.					(EDDY CURRENT)		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-02-01-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS					WING CENTER TRACK.		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS WING CENTER TRACK SUPPORT.					(EDDY CURRENT)		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-02-02-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS SUPPORT.					WING CENTER TRACK		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-02-03-901	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS ATTACHMENTS, PIN AND FASTENERS).					FITTINGS (LUG,		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (EDDY CURRENT) WING TIP TRACK.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-03-01-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS WING TIP TRACK.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (DYE PENETRANT) WING TIP ROLLER.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:8875		8875		7196	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-03-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (EDDY CURRENT) RIBS 13 AND 13A WEB AND FLANGE.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-03-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS RIBS 13 AND 13A.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-03-04-901	EXTERNAL - DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS TORQUE BOX SKIN AND FASTENERS.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-04-001	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING EDGE AILERON HINGE FITTING							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								PKG:84
57-50-04-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS CURRENT) AILERON HINGE FITTING 01.					(EDDY		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-04-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS CURRENT) AILERON HINGE FITTING 02 .					(EDDY		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-04-02-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS FITTING 02.					AILERON HINGE		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-50-04-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS CURRENT) AILERON HINGE FITTING 03.					(EDDY		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-04-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS FITTING 03.						AILERON HINGE	Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-50-00PROC. REF: NDT 57-50-00								
57-51-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FLAP ASSEMBLY							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								PKG:90
57-51-01-01-901	EXTERNAL - DETAILED INSPECTION FLAP UPPER SKIN PANELS			FLAP UPPER SKIN FROM RIB 7 TO RIB 9.				Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-02-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF THE FLAP MAIN BOX							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								PKG:90
57-51-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS 5B.			(BORESCOPIIC) FLAP FRONT SPAR BETWEEN RIB 5A AND RIB				Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:7049		7049		5370	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-51-02-03-901	EXTERNAL - DETAILED INSPECTION FLAP UPPER SKIN PANELS RIB 10.			FLAP LOWER SKIN FROM RIB 1 TO RIB 5A AND FROM RIB 5B TO			Service	ATA:57
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-02-04-901	EXTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS AND FROM RIB 5B TO RIB 6 AT FRONT SPAR AREA.			(EDDY CURRENT) FLAP LOWER SKIN FROM RIB 4 TO RIB 5A			Service	ATA:57
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-02-05-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS ROLLERS FITTING TO RIB 5A AND RIB 5B			(BORESCOPIC) AROUND FASTENERS THAT CONNECT CENTER			Service	ATA:57
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-02-06-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS			(EDDY CURRENT) FRONT SPAR FROM RIB 5A TO RIB 5B.			Service	ATA:57
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-02-07-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS			(EDDY CURRENT) RIB 1 AND RIB 10.			Service	ATA:57
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-51-03-001	EXTERNAL DETAILED VISUAL INSPECTION OF FLAP TRACK FITTINGS AND ACTUATOR FITTING							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								PKG:84
57-51-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) FLAP ROOT TRACK.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-03-01-902	INTERNAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS FLAP ROOT TRACK.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) FLAP TIP TRACK.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-03-02-902	INTERNAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS FLAP TIP TRACK.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-03-03-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (DYE PENETRANT) FLAP ROOT AND TIP ROLLERS.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-51-03-04-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (DYE PENETRANT) CENTER ROLLERS EXTERNAL PINS.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-03-05-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) CENTER ROLLERS FITTING AROUND FASTENERS.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-04-01-901	INTERNAL DETAILED INSPECTION FLAP ACTUATOR SUPPORT FITTING					FLAP ACTUATOR SUPPORT PIN.		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-51-04-02-901	INTERNAL DETAILED INSPECTION FLAP ACTUATOR SUPPORT FITTING AND FASTENERS.					FLAP ACTUATOR SUPPORT FITTING		Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-51-00PROC. REF: NDT 57-51-00								
57-60-00	LH AILERON ASSEMBLY							Component ATA:57
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-60-00	RH AILERON ASSEMBLY							Component ATA:57
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-60-00-001	^S	EXTERNAL DETAILED VISUAL INSPECTION OF AILERON ASSEMBLY AND AILERON TAB BOX						Service ATA:57
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								PKG:87
57-60-01-002	^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF AILERON MAIN BOX						Service ATA:57
	MOS	02-Nov-20	120 (+1m/-1m)					
	HRS	1462.5						
	AFL	1403						
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								PKG:87
57-60-01-01-901		INTERNAL SPECIAL DETAILED INSPECTION AILERON MAIN BOX		(BORESCOPIC) SKIN, SPARS, RIBS AND FASTENERS.			Service ATA:57	
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-01-01-902		EXTERNAL - DETAILED INSPECTION AILERON MAIN BOX		SKIN, SPARS, RIBS AND FASTENERS.			Service ATA:57	
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-02-01-901		INTERNAL SPECIAL DETAILED INSPECTION AILERON HINGE FITTINGS		(DYE PENETRANT) AILERON HINGE FITTINGS PINS.			Service ATA:57	
	MOS						AIRWORTHINESS	
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-60-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON HINGE FITTINGS (EDDY CURRENT) AILERON HINGE FITTINGS (LUGS, STIFFENERS RADIUS).							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-02-02-902	INTERNAL DETAILED INSPECTION AILERON HINGE FITTINGS AILERON HINGE FITTINGS.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-03-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF AILERON ACTUATOR FITTING, HINGE FITTINGS AND PINS							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)		28-May-30	28-Jun-30	1679 d (+31)	
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN AILERON ACTUATOR HINGE FITTINGS PINS.				(DYE PENETRANT)			Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-60-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN ACTUATOR HINGE FITTINGS (LUGS, STIFFEN-ERS RADIUS).				(EDDY CURRENT) AILERON			Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-60-03-02-902	INTERNAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN AILERON ACTUATOR HINGE FITTINGS.							Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15821	
PROC. REF: NDT 57-60-00PROC. REF: NDT 57-60-00								
57-63-00-001 S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AILERON TAB ASSEMBLY							Service ATA:57
	MOS	28-May-25	60 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: NDT 57-63-00PROC. REF: NDT 57-63-00								
ATA 71 - POWER PLANT								
71-00-00-760-812	NO. 1 ENGINE - PERFORM PW617F-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)							Service ATA:71
	MOS/MSC	14-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-812	NO. 2 ENGINE - PERFORM PW617F-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)							Service ATA:71
	MOS/MSC	15-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-812-A	NO. 1 ENGINE - PERFORM PW617F1-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)							Service ATA:71
	MOS/MSC	14-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-760-812-A	NO. 2 ENGINE - PERFORM PW617F1-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)							Service ATA:71
	MOS/MSC	15-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-813	NO. 1 ENGINE - PERFORM PW617F-E POWER ASSURANCE TEST							Service ATA:71
	MOS/MSC	14-Jul-10	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-813	NO. 2 ENGINE - PERFORM PW617F-E POWER ASSURANCE TEST							Service ATA:71
	MOS/MSC	15-Jul-10	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-813-A	NO. 1 ENGINE - PERFORM PW617F1-E POWER ASSURANCE TEST							Service ATA:71
	MOS/MSC	14-Jul-10	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-813-A	NO. 2 ENGINE - PERFORM PW617F1-E POWER ASSURANCE TEST							Service ATA:71
	MOS/MSC	15-Jul-10	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-11-00-001 ^S	GENERAL VISUAL INSPECTION OF UPPER MID COWL							Service ATA:71
	MOS	22-Sep-10						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 71-11-00PROC. REF: AMM 71-11-00								

PKG:50

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-00-001	DISCARD LEFT ENGINE AFT MOUNT ISOLATOR							Service ATA:71
PN:LM-474-SA2	MOS	22-Sep-10	240 (+1m/-1m)		22-Sep-30	22-Oct-30	1796 d (+30)	
SN:LK0574	HRS	0	4800 (+30/-30)		4800	4830	3006.3 (+30)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-001	DISCARD LEFT ENGINE LOWER FORWARD MOUNT ISOLATOR							Service ATA:71
PN:LM-474-SA11	MOS	22-Sep-10	240 (+1m/-1m)		22-Sep-30	22-Oct-30	1796 d (+30)	
SN:LK0993	HRS	0	4800 (+30/-30)		4800	4830	3006.3 (+30)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-001	DISCARD LEFT ENGINE UPPER FORWARD MOUNT ISOLATOR							Service ATA:71
PN:LM-474-SA11	MOS	22-Sep-10	240 (+1m/-1m)		22-Sep-30	22-Oct-30	1796 d (+30)	
SN:LK1027	HRS	0	4800 (+30/-30)		4800	4830	3006.3 (+30)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-001	DISCARD RIGHT ENGINE AFT MOUNT ISOLATOR							Service ATA:71
PN:LM-474-SA2	MOS	22-Sep-10	240 (+1m/-1m)		22-Sep-30	22-Oct-30	1796 d (+30)	
SN:LK0584	HRS	0	4800 (+30/-30)		4800	4830	3006.3 (+30)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-001	DISCARD RIGHT ENGINE LOWER FORWARD MOUNT ISOLATOR							Service ATA:71
PN:LM-474-SA11	MOS	22-Sep-10	240 (+1m/-1m)		22-Sep-30	22-Oct-30	1796 d (+30)	
SN:LK1043	HRS	0	4800 (+30/-30)		4800	4830	3006.3 (+30)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-001	DISCARD RIGHT ENGINE UPPER FORWARD MOUNT ISOLATOR							Service ATA:71
PN:LM-474-SA11	MOS	22-Sep-10	240 (+1m/-1m)		22-Sep-30	22-Oct-30	1796 d (+30)	
SN:LK1066	HRS	0	4800 (+30/-30)		4800	4830	3006.3 (+30)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-21-01	LEFT ENGINE LOWER FORWARD MOUNT ISOLATOR							Component ATA:71
PN:LM-474-SA11	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:LK0993	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00PROC. REF: AMM 71-21-00, AMM 71-21-00								
71-21-01	LEFT ENGINE UPPER FORWARD MOUNT ISOLATOR							Component ATA:71
PN:LM-474-SA11	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:LK1027	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00PROC. REF: AMM 71-21-00, AMM 71-21-00								
71-21-01	RIGHT ENGINE LOWER FORWARD MOUNT ISOLATOR							Component ATA:71
PN:LM-474-SA11	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:LK1043	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00PROC. REF: AMM 71-21-00, AMM 71-21-00								
71-21-01	RIGHT ENGINE UPPER FORWARD MOUNT ISOLATOR							Component ATA:71
PN:LM-474-SA11	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:LK1066	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00PROC. REF: AMM 71-21-00, AMM 71-21-00								
71-21-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION ENGINE FORWARD MOUNTING ASSEMBLY (DYE PENETRANT) HOUSING.							Service ATA:71
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:5000		5000		3321	
PROC. REF: NDT 71-21-00PROC. REF: NDT 71-21-00								
71-21-01-01-902	INTERNAL DETAILED INSPECTION ENGINE FORWARD MOUNTING ASSEMBLY ENGINE BOLT AND SLEEVE BOLT.							Service ATA:71
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:5000		5000		3321	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: NDT 71-21-00PROC. REF: NDT 71-21-00								
71-22-01	LEFT ENGINE AFT MOUNT ISOLATOR							Component ATA:71
PN:LM-474-SA2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:LK0574	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00, AMM 71-22-00PROC. REF: AMM 71-22-00, AMM 71-22-00								
71-22-01	RIGHT ENGINE AFT MOUNT ISOLATOR							Component ATA:71
PN:LM-474-SA2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:LK0584	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00, AMM 71-22-00PROC. REF: AMM 71-22-00, AMM 71-22-00								
71-22-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION ENGINE AFT MOUNTING ASSEMBLY (DYE PENETRANT) HOUSING.							Service ATA:71
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:5000		5000		3321	
PROC. REF: NDT 71-22-00PROC. REF: NDT 71-22-00								
71-22-01-01-902	INTERNAL DETAILED INSPECTION ENGINE AFT MOUNTING ASSEMBLYPYLON BOLTS, ENGINE BOLTS AND SLEEVE BOLTS.							Service ATA:71
	MOS	15-Oct-21						AIRWORTHINESS
	HRS	1514						
	AFL	1446	1500		2946		1267	
PROC. REF: NDT 71-22-00PROC. REF: NDT 71-22-00								
71-31-00-001 ^S	DETAILED VISUAL INSPECTION OF PYLON FIREWALL SEAL							Service ATA:71
	MOS	22-Sep-10						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 71-31-00PROC. REF: AMM 71-31-00								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-50-00	LH ENG W403 HARNESS							Component ATA:71
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-50-00, AMM 71-50-00PROC. REF: AMM 71-50-00, AMM 71-50-00								
71-50-00	RH ENG W404 HARNESS							Component ATA:71
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-50-00, AMM 71-50-00PROC. REF: AMM 71-50-00, AMM 71-50-00								
71-60-01	LH ENG NACELLE AIR INLET ASSEMBLY							Component ATA:71
PN:500-36000-407	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:01427	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-60-01, AMM 71-60-01PROC. REF: AMM 71-60-01, AMM 71-60-01								
71-60-01	RH ENG NACELLE AIR INLET ASSEMBLY							Component ATA:71
PN:500-36000-407	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:01425	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-60-01, AMM 71-60-01PROC. REF: AMM 71-60-01, AMM 71-60-01								
710010	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service ATA:71
	DAYS/MSC	23-Oct-15	A/R					
	HRS	973						
	ENC	859						
PROC. REF: LMM 71-00-00, LMM 71-00-00PROC. REF: LMM 71-00-00, LMM 71-00-00								
710010	NO. 2 ENGINE - COMPRESSOR DESALINATION WASH							Service ATA:71
	DAYS/MSC	23-Oct-15	A/R					
	HRS	973						
	ENC	859						
PROC. REF: LMM 71-00-00, LMM 71-00-00PROC. REF: LMM 71-00-00, LMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710011	NO. 1 ENGINE - PERFORMANCE RECOVERY WASH							Service ATA:71
	DAYS/MS	23-Oct-15	A/R					
	HRS	973						
	ENC	859						
PROC. REF: LMM 71-00-00PROC. REF: LMM 71-00-00								
710011	NO. 2 ENGINE - PERFORMANCE RECOVERY WASH							Service ATA:71
	DAYS/MS	23-Oct-15	A/R					
	HRS	973						
	ENC	859						
PROC. REF: LMM 71-00-00PROC. REF: LMM 71-00-00								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:35C3100-01	MOS/MS	04-Aug-10	E/C					
SN:PCE-LC0390	HRS	0						
WC#: 71.EN1	AFL	0						
PROC. REF: AMM 71-00-00, AMM 71-00-00PROC. REF: AMM 71-00-00, AMM 71-00-00								
71EN2	NO. 2 ENGINE							Component ATA:71
PN:35C3100-01	MOS/MS	05-Aug-10	E/C					
SN:PCE-LC0391	HRS	0						
WC#: 71.EN2	AFL	0						
PROC. REF: AMM 71-00-00, AMM 71-00-00PROC. REF: AMM 71-00-00, AMM 71-00-00								
ATA 72 - ENGINE								
72-00-00-001 ^S	VISUAL CHECK OF ENGINE MAINTENANCE PAGE FOR ENGINE DISPATCH AND EXCEEDANCE INFORMATION							Service ATA:72
	MOS	28-May-25	12 (+1m/-1m)					
	HRS	1773.4						
	AFL	1625						
PROC. REF: AMM 72-00-00PROC. REF: AMM 72-00-00								
								PKG:80

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-212-801	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET AREA						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-212-801	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET AREA						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-212-802	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE AGB						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-212-802	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE AGB						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-212-803	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-212-803	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-212-804	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-212-804	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-212-805	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-212-805	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-212-806	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-212-806	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-215-801	^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE LP COMPRESSOR INLET AREA						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-215-801	^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE LP COMPRESSOR INLET AREA						Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:1
72-00-00-215-802		NO. 1 ENGINE - DETAILED INSPECTION OF THE COMPRESSOR CASE ASSEMBLY						Service ATA:72
	MOS	20-Oct-22						
	HRS	1564.2	800 (+10%)		(2364.2) 2364.2	2444.2	570.5 (+80)	
	ENC	1329						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-215-802	NO. 2 ENGINE - DETAILED INSPECTION OF THE COMPRESSOR CASE ASSEMBLY							Service ATA:72
	MOS	20-Oct-22						
	HRS	1564.2	800 (+10%)		(2364.2) 2364.2	2444.2	570.5 (+80)	
	ENC	1329						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:2
72-00-00-215-803	NO. 1 ENGINE - DETAILED INSPECTION OF THE FAN CASE EXTERNAL AREA							Service ATA:72
	MOS	20-Oct-22						
	HRS	1564.2	800 (+10%)		(2364.2) 2364.2	2444.2	570.5 (+80)	
	ENC	1329						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:2
72-00-00-215-803	NO. 2 ENGINE - DETAILED INSPECTION OF THE FAN CASE EXTERNAL AREA							Service ATA:72
	MOS	20-Oct-22						
	HRS	1564.2	800 (+10%)		(2364.2) 2364.2	2444.2	570.5 (+80)	
	ENC	1329						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:2
72-00-00-280-802	NO. 1 ENGINE - PERFORM ENGINE OIL SAMPLING AND ANALYSIS							Service ATA:72
	MOS/MSC	14-Jul-10	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-280-802	NO. 2 ENGINE - PERFORM ENGINE OIL SAMPLING AND ANALYSIS							Service ATA:72
	MOS/MSC	15-Jul-10	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-290-804	NO. 1 ENGINE - PERFORM BORESCOPE INSPECTION							Service ATA:72
	MOS/MSC	14-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
72-00-00-290-804	NO. 2 ENGINE - PERFORM BORESCOPE INSPECTION							Service ATA:72
	MOS/MSC	15-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
72-00-00-290-815	NO. 1 ENGINE - SPECIFIC DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service ATA:72
	MOS	15-May-25						
	HRS	1773.4	1750 (+50)		(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-290-815	NO. 2 ENGINE - SPECIFIC DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service ATA:72
	MOS	15-May-25						
	HRS	1773.4	1750 (+50)		(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-804	NO. 1 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 4 DAYS							Service ATA:72
	MOS/MSC	-						
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-620-804	NO. 1 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 28 DAYS (STORED IN A HANGAR)							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-804	NO. 1 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 28 DAYS (STORED OUTSIDE)							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-804	NO. 2 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 4 DAYS							Service ATA:72
	MOS/MSC		-					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-804	NO. 2 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 28 DAYS (STORED IN A HANGAR)							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-804	NO. 2 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 28 DAYS (STORED OUTSIDE)							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-805	NO. 1 ENGINE - ENGINE UNPRESERVED - ENGINE INACTIVE ON-WING 1 - 28 DAYS							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-620-805	NO. 1 ENGINE - PRESERVATION RECOMMENDATIONS FOR UNPRESERVED INACTIVE ON-WING ENGINES - 1 TO 14 DAYS							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-805	NO. 2 ENGINE - ENGINE UNPRESERVED - ENGINE INACTIVE ON-WING 1 - 28 DAYS							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-805	NO. 2 ENGINE - PRESERVATION RECOMMENDATIONS FOR UNPRESERVED INACTIVE ON-WING ENGINES - 1 TO 14 DAYS							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-806	NO. 1 ENGINE - PRESERVATION FOR ENGINES AT A SERVICE FACILITY - 0 - 90 DAYS							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-806	NO. 1 ENGINE - PRESERVATION FOR ENGINES AT A SERVICE FACILITY - 91 DAYS AND OVER							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-620-806	NO. 2 ENGINE - PRESERVATION FOR ENGINES AT A SERVICE FACILITY - 0 - 90 DAYS							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-620-806	NO. 2 ENGINE - PRESERVATION FOR ENGINES AT A SERVICE FACILITY - 91 DAYS AND OVER							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-640-803 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-00-640-803 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-00-01-810-822	NO. 1 ENGINE - TROUBLESHOOT ENGINE PERFORMANCE DETERIORATION							Service ATA:72
	MOS/MSC	14-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-01PROC. REF: MM 72-00-01								
72-00-01-810-822	NO. 2 ENGINE - TROUBLESHOOT ENGINE PERFORMANCE DETERIORATION							Service ATA:72
	MOS/MSC	15-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-01PROC. REF: MM 72-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-02-810-801	NO. 1 ENGINE - PERFORM EEC FAULT INTERROGATION(TLD/LTD) ENGINE CONTROL SYSTEM							Service ATA:72
	MOS/MSC	27-Oct-12	A/R					
	HRS	269.6						
	ENC	220						
PROC. REF: LMM 72-00-02PROC. REF: LMM 72-00-02								
72-00-02-810-801	NO. 2 ENGINE - PERFORM EEC FAULT INTERROGATION(TLD/LTD) ENGINE CONTROL SYSTEM							Service ATA:72
	MOS/MSC	27-Oct-12	A/R					
	HRS	269.6						
	ENC	220						
PROC. REF: LMM 72-00-02PROC. REF: LMM 72-00-02								
72-30-04-000-803	NO. 1 ENGINE - REPLACE FRONT NO. 4 BEARING CARBON SEAL							Component ATA:72
PN:35C6516	MOS	15-May-25		TSN 1				LIFE LIMIT
SN:RXA451H2	HRS	1773.4	1750 (+50)	TSN 0	(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504		TSN 0				
PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04								
72-30-04-000-803	NO. 2 ENGINE - REPLACE FRONT NO. 4 BEARING CARBON SEAL							Component ATA:72
PN:35C6516	MOS	15-May-25		TSN 1				LIFE LIMIT
SN:RXA451H5	HRS	1773.4	1750 (+50)	TSN 0	(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504		TSN 0				
PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04								
72-30-04-000-804	NO. 1 ENGINE - REPLACE REAR NO. 4 BEARING CARBON SEAL							Component ATA:72
PN:35C6516	MOS	15-May-25		TSN 1				LIFE LIMIT
SN:RXA453H0	HRS	1773.4	1750 (+50)	TSN 0	(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504		TSN 0				
PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-04-000-804	NO. 2 ENGINE - REPLACE REAR NO. 4 BEARING CARBON SEAL							Component ATA:72
PN:35C6516	MOS	15-May-25		TSN 1				LIFE LIMIT
SN:RXA451H6	HRS	1773.4	1750 (+50)	TSN 0	(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504		TSN 0				
PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04								
72-50-02-000-801	NO. 1 ENGINE - DISCARD HP TURBINE VANE RETAINING RING							Service ATA:72
	MOS	15-May-25						
	HRS	1773.4	1750 (+50)		(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504						
PROC. REF: LMM 72-50-02, LMM 72-50-02, MM 72-50-02, MM 72-50-02, MM 72-50-02PROC. REF: LMM 72-50-02, LMM 72-50-02, MM 72-50-02, MM 72-50-02, MM 72-50-02								
72-50-02-000-801	NO. 1 ENGINE - DISCARD HP TURBINE VANE RETAINING RING BOLTS							Service ATA:72
	MOS	15-May-25						
	HRS	1773.4	1750 (+50)		(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504						
PROC. REF: LMM 72-50-02, LMM 72-50-02, MM 72-50-02, MM 72-50-02, MM 72-50-02PROC. REF: LMM 72-50-02, LMM 72-50-02, MM 72-50-02, MM 72-50-02, MM 72-50-02								
72-50-02-000-801	NO. 2 ENGINE - DISCARD HP TURBINE VANE RETAINING RING							Service ATA:72
	MOS	15-May-25						
	HRS	1773.4	1750 (+50)		(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504						
PROC. REF: LMM 72-50-02, LMM 72-50-02, MM 72-50-02, MM 72-50-02, MM 72-50-02PROC. REF: LMM 72-50-02, LMM 72-50-02, MM 72-50-02, MM 72-50-02, MM 72-50-02								
72-50-02-000-801	NO. 2 ENGINE - DISCARD HP TURBINE VANE RETAINING RING BOLTS							Service ATA:72
	MOS	15-May-25						
	HRS	1773.4	1750 (+50)		(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504						
PROC. REF: LMM 72-50-02, LMM 72-50-02, MM 72-50-02, MM 72-50-02, MM 72-50-02PROC. REF: LMM 72-50-02, LMM 72-50-02, MM 72-50-02, MM 72-50-02, MM 72-50-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-60-01-000-805	NO. 1 ENGINE - DISCARD THE STARTER GENERATOR GEAR-SHAFT SPLINE ADAPTER							Component ATA:72
PN:ST3983-01	MOS	15-May-25		TSN 1				DISCARD
SN:UNKNOWN	HRS	1773.4	1750 (+50)	TSN 0	(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504		TSN 0				
PROC. REF: LMM 72-60-01, LMM 72-60-01PROC. REF: LMM 72-60-01, LMM 72-60-01								
72-60-01-000-805	NO. 2 ENGINE - DISCARD THE STARTER GENERATOR GEAR-SHAFT SPLINE ADAPTER							Component ATA:72
PN:ST3983-01	MOS	15-May-25		TSN 0				DISCARD
SN:UNKNOWN	HRS	1773.4	1750 (+50)	TSN 0	(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504		TSN 0				
PROC. REF: LMM 72-60-01, LMM 72-60-01PROC. REF: LMM 72-60-01, LMM 72-60-01								
720000	NO. 1 ENGINE - PERFORM ENGINE OVERHAUL							Service ATA:72
	MOS	14-Jul-10						OVERHAUL
	HRS	0	3500 (+100)		(3500) 3500	3600	1706.3 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720000	NO. 2 ENGINE - PERFORM ENGINE OVERHAUL							Service ATA:72
	MOS	15-Jul-10						OVERHAUL
	HRS	0	3500 (+100)		(3500) 3500	3600	1706.3 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720001	NO. 1 ENGINE - PERFORM ENGINE HOT SECTION INSPECTION							Service ATA:72
	MOS	15-May-25						
	HRS	1773.4	1750 (+50)		(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504						
PROC. REF: LMM 72-00-00, MM 72-00-00PROC. REF: LMM 72-00-00, MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720001	NO. 2 ENGINE - PERFORM ENGINE HOT SECTION INSPECTION							Service ATA:72
	MOS	15-May-25						
	HRS	1773.4	1750 (+50)		(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504						
PROC. REF: LMM 72-00-00, MM 72-00-00PROC. REF: LMM 72-00-00, MM 72-00-00								
720003	NO. 1 ENGINE - INSPECT LOW UTILIZATION ENGINE (IF REQUIRED - SEE NOTES)							Service ATA:72
	MOS	28-May-25	24 (+1m)		28-May-27	28-Jun-27	583 d (+31)	
	HRS	1773.4						
	ENC	1468						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720003	NO. 2 ENGINE - INSPECT LOW UTILIZATION ENGINE (IF REQUIRED - SEE NOTES)							Service ATA:72
	MOS	28-May-25	24 (+1m)		28-May-27	28-Jun-27	583 d (+31)	
	HRS	1773.4						
	ENC	1468						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720010	NO. 1 ENGINE - FAN ROTOR							Component ATA:72
PN:35C3881-01	MOS	14-Jul-10		TSN 0				LIFE LIMIT
SN:AATPWACT046	HRS	0		TSN 0				
	ENC	0		TSN 0	(10500) 10661 (M)		8982	
	ACCCYC	0	10500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720010	NO. 2 ENGINE - FAN ROTOR							Component ATA:72
PN:35C3881-01	MOS	15-Jul-10		TSN 0				LIFE LIMIT
SN:AATPWACT032	HRS	0		TSN 0				
	ENC	0		TSN 0	(10500) 10661 (M)		8982	
	ACCCYC	0	10500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720030 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE EXTERIOR OF THE ENGINE FOR EVIDENCE OF OIL LEAKS							Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1
720030 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE EXTERIOR OF THE ENGINE FOR EVIDENCE OF OIL LEAKS							Service ATA:72
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1
721010	NO. 1 ENGINE - HP TURBINE DISK							Component ATA:72
PN:35C3091-01	MOS	14-Jul-10		TSN 0				LIFE LIMIT
SN:CRAZADSR030	HRS	0		TSN 0				
	ENC	0		TSN 0	(5250) 5411 (M)		3732	
	ACCCYC	0	5250	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
721010	NO. 2 ENGINE - HP TURBINE DISK							Component ATA:72
PN:35C3091-01	MOS	15-Jul-10		TSN 0				LIFE LIMIT
SN:CRAZADSR015	HRS	0		TSN 0				
	ENC	0		TSN 0	(5250) 5411 (M)		3732	
	ACCCYC	0	5250	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
721015	NO. 1 ENGINE - HP TURBINE DISK BALANCING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
721015	NO. 2 ENGINE - HP TURBINE DISK BALANCING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
721020	NO. 1 ENGINE - LP TURBINE DISK							Component ATA:72
PN:35C5392-01	MOS	14-Jul-10		TSN 0				LIFE LIMIT
SN:CRAZADQE379	HRS	0		TSN 0				
	ENC	0		TSN 0	(10500) 10661 (M)		8982	
	ACCCYC	0	10500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
721020	NO. 2 ENGINE - LP TURBINE DISK							Component ATA:72
PN:35C5392-01	MOS	15-Jul-10		TSN 0				LIFE LIMIT
SN:CRAZADQE351	HRS	0		TSN 0				
	ENC	0		TSN 0	(10500) 10661 (M)		8982	
	ACCCYC	0	10500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
721025	NO. 1 ENGINE - LP TURBINE DISK BALANCING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
721025	NO. 2 ENGINE - LP TURBINE DISK BALANCING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723010	NO. 1 ENGINE - IMPELLER AND SHAFT ASSEMBLY							Component ATA:72
PN:35C4716-01	MOS	14-Jul-10		TSN 0				LIFE LIMIT
SN:AAPPIAPC2100	HRS	0		TSN 0				
	ENC	0		TSN 0	(10500) 10661 (M)		8982	
	ACCCYC	0	10500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723010	NO. 2 ENGINE - IMPELLER AND SHAFT ASSEMBLY							Component ATA:72
PN:35C4716-01	MOS	15-Jul-10		TSN 0				LIFE LIMIT
SN:AAPPIASS2107	HRS	0		TSN 0				
	ENC	0		TSN 0	(10500) 10661 (M)		8982	
	ACCCYC	0	10500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723015	NO. 1 ENGINE - LP COMPRESSOR SHAFT							Component ATA:72
PN:35C4620-01	MOS	14-Jul-10		TSN 0				LIFE LIMIT
SN:KWA5320313	HRS	0		TSN 0				
	ENC	0		TSN 0	(10500) 10661 (M)		8982	
	ACCCYC	0	10500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723015	NO. 2 ENGINE - LP COMPRESSOR SHAFT							Component ATA:72
PN:35C4620-01	MOS	15-Jul-10		TSN 0				LIFE LIMIT
SN:KWA5320323	HRS	0		TSN 0				
	ENC	0		TSN 0	(10500) 10661 (M)		8982	
	ACCCYC	0	10500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723020	NO. 1 ENGINE - TOWERSHAFT ANNULAR BALL BEARING							Component ATA:72
PN:35C2168-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:FCN309956	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723020	NO. 2 ENGINE - TOWERSHAFT ANNULAR BALL BEARING							Component ATA:72
PN:35C2168-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:FCN284382	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723025	NO. 1 ENGINE - HIGH COMPRESSOR ROTOR BALANCING ASSEMBLY BALL ANNULAR BEARING							Component ATA:72
PN:35C4832-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:FCN231175	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723025	NO. 2 ENGINE - HIGH COMPRESSOR ROTOR BALANCING ASSEMBLY BALL ANNULAR BEARING							Component ATA:72
PN:35C4832-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:FCN318035	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723030	NO. 1 ENGINE - LP SHAFT BALL ANNULAR BEARING							Component ATA:72
PN:35C5051-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:FCN315449	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723030	NO. 2 ENGINE - LP SHAFT BALL ANNULAR BEARING							Component ATA:72
PN:35C5051-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:FCN314534	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723035	NO. 1 ENGINE - LP SHAFT BALL FLANGED BEARING							Component ATA:72
PN:35C4831-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:FCN318197	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723035	NO. 2 ENGINE - LP SHAFT BALL FLANGED BEARING							Component ATA:72
PN:35C4831-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:FCN317585	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723040	NO. 1 ENGINE - TOWERSHAFT ROLLER BEARING							Component ATA:72
PN:3107496-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:FCN313835	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723040	NO. 2 ENGINE - TOWERSHAFT ROLLER BEARING							Component ATA:72
PN:3107496-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:FCN315555	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723045	NO. 1 ENGINE - HIGH COMPRESSOR ROTOR ROLLER BEARING							Component ATA:72
PN:35C4534-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:FCN345917	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723045	NO. 2 ENGINE - HIGH COMPRESSOR ROTOR ROLLER BEARING							Component ATA:72
PN:35C4534-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:WA39344	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723050	NO. 1 ENGINE - FAN CASE ASSEMBLY							Component ATA:72
PN:35C5325-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:NYAB00005591	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-02, LMM 72-30-02PROC. REF: LMM 72-30-02, LMM 72-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723050	NO. 2 ENGINE - FAN CASE ASSEMBLY							Component ATA:72
PN:35C5325-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:NYAB00005590	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-02, LMM 72-30-02PROC. REF: LMM 72-30-02, LMM 72-30-02								
723055	NO. 1 ENGINE - COMPRESSOR CASE ASSEMBLY							Component ATA:72
PN:35C4935-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:RWA95C323	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723055	NO. 2 ENGINE - COMPRESSOR CASE ASSEMBLY							Component ATA:72
PN:35C4935-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:RWA93C031	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723060	NO. 1 ENGINE - HIGH PRESSURE DIFFUSER CASE ASSEMBLY							Component ATA:72
PN:35C4860-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:RWA91C417	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723060	NO. 2 ENGINE - HIGH PRESSURE DIFFUSER CASE ASSEMBLY							Component ATA:72
PN:35C4860-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:RWA92C478	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723065	NO. 1 ENGINE - LOWER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component ATA:72
PN:35C5334-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:PKAAA317172	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723065	NO. 2 ENGINE - LOWER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component ATA:72
PN:35C5334-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:PKAAA317175	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723070	NO. 1 ENGINE - UPPER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component ATA:72
PN:35C3627-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:PKAAA319539	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723070	NO. 2 ENGINE - UPPER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component ATA:72
PN:35C3627-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:PKAAA319540	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723075	NO. 1 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR							Component ATA:72
PN:35C3628-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:PKAAA314060	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723075	NO. 2 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR							Component ATA:72
PN:35C3628-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:PKAAA314065	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723080	NO. 1 ENGINE - IMPELLER CENTRIFUGAL ASSEMBLY							Component ATA:72
PN:35C4714-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:AAPPIAPC2100	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723080	NO. 2 ENGINE - IMPELLER CENTRIFUGAL ASSEMBLY							Component ATA:72
PN:35C4714-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:AAPPIASS2107	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723085	NO. 1 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component ATA:72
PN:35C5326-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:EYA23759	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723085	NO. 2 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component ATA:72
PN:35C5326-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:EYA23761	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723090	NO. 1 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component ATA:72
PN:35C4623-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:EYA24118	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723090	NO. 2 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component ATA:72
PN:35C4623-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:WYA24146	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723095	NO. 1 ENGINE - COMPRESSOR STATOR ASSEMBLY							Component ATA:72
PN:35C5330-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:PKAAA328452	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723095	NO. 2 ENGINE - COMPRESSOR STATOR ASSEMBLY							Component ATA:72
PN:35C5330-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:PKAAA178419	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723110	NO. 1 ENGINE - HOUSING IMPELLER ASSEMBLY							Component ATA:72
PN:35C5211-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:RWA95C741	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723110	NO. 2 ENGINE - HOUSING IMPELLER ASSEMBLY							Component ATA:72
PN:35C5211-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:RWA91C772	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724010	NO. 1 ENGINE - INNER COMBUSTOR CHAMBER LINER ASSEMBLY							Component ATA:72
PN:35C5050-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:A002RKH1	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724010	NO. 2 ENGINE - INNER COMBUSTOR CHAMBER LINER ASSEMBLY							Component ATA:72
PN:35C5050-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:A002RL0P	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724015	NO. 1 ENGINE - OUTER COMBUSTOR CHAMBER LINER ASSEMBLY							Component ATA:72
PN:35C5053-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:A00RKH4	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724015	NO. 2 ENGINE - OUTER COMBUSTOR CHAMBER LINER ASSEMBLY							Component ATA:72
PN:35C5053-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:A002RL0T	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component ATA:72
PN:35C4781-01	MOS	14-Jul-10		TSN 0				LIFE LIMIT
SN:AATPWACUC055	HRS	0		TSN 0				
	ENC	0		TSN 0	(10500) 10661 (M)		8982	
	ACCCYC	0	10500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component ATA:72
PN:35C4781-01	MOS	15-Jul-10		TSN 0				LIFE LIMIT
SN:AATPWACU046	HRS	0		TSN 0				
	ENC	0		TSN 0	(10500) 10661 (M)		8982	
	ACCCYC	0	10500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725015	NO. 1 ENGINE - BALL ROLLER ANNULAR BEARING							Component ATA:72
PN:35C0590-02	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:FCN310521	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725015	NO. 2 ENGINE - BALL ROLLER ANNULAR BEARING							Component ATA:72
PN:35C0590-02	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:FCN310525	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725020	NO. 1 ENGINE - HIGH PRESSURE TURBINE CASE ASSEMBLY							Component	ATA:72
PN:35C4726-01	MOS/MSC	15-May-25	O/C	TSN 178, TSR 0					
SN:RWA92C727	HRS	1773.4	TSN 1773.4, TSR 0						
	ENC	1504	TSN 1504, TSR 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725020	NO. 2 ENGINE - HIGH PRESSURE TURBINE CASE ASSEMBLY							Component	ATA:72
PN:35C4726-01	MOS/MSC	15-May-25	O/C	TSN 178, TSR 0					
SN:RWA89C822	HRS	1773.4	TSN 1773.4, TSR 0						
	ENC	1504	TSN 1504, TSR 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725025	NO. 1 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:35C5563-01	MOS/MSC	14-Jul-10	O/C	TSN 0					
SN:DYA354349	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725025	NO. 2 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:35C5563-01	MOS/MSC	15-Jul-10	O/C	TSN 0					
SN:DYA356148	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - NO. 5 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4886-01	MOS/MSC	14-Jul-10	O/C	TSN 0					
SN:EYA23460	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725030	NO. 2 ENGINE - NO. 5 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4886-01	MOS/MSC	15-Jul-10	O/C	TSN 0					
SN:EYA24019	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725035	NO. 1 ENGINE - HIGH PRESSURE TURBINE TIE SHAFT							Component ATA:72
PN:35C5798-01	MOS/MSC	15-May-25	O/C	TSN 6				
SN:UNAA23416	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725035	NO. 2 ENGINE - HIGH PRESSURE TURBINE TIE SHAFT							Component ATA:72
PN:35C5798-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:UNAC01465	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725040	NO. 1 ENGINE - HIGH PRESSURE TURBINE VANE-RING							Component ATA:72
PN:35C4971CL01	MOS/MSC	15-May-25	O/C	TSN 178				
SN:PDAHK76R01	HRS	1773.4		TSN 1773.4				
	ENC	1504		TSN 1504				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725040	NO. 2 ENGINE - HIGH PRESSURE TURBINE VANE-RING							Component ATA:72
PN:35C4971CL01	MOS/MSC	15-May-25	O/C	TSN 178				
SN:PDAHLRUY01	HRS	1773.4		TSN 1773.4				
	ENC	1504		TSN 1504				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725045	NO. 1 ENGINE - LOW PRESSURE TURBINE VANE-RING							Component ATA:72
PN:35C4622CL01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:HLA062AA702	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725045	NO. 2 ENGINE - LOW PRESSURE TURBINE VANE-RING							Component ATA:72
PN:35C4622CL01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:HLA062AA701	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 1 ENGINE - NO.1 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00L910	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.10 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1TY	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.11 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1WH	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.12 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1WN	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.13 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1X2	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.14 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1Y2	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 1 ENGINE - NO.15 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2P1	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.16 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2PY	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.17 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2RF	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.18 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LC35	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.19 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LC40	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.2 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LC3P	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 1 ENGINE - NO.20 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK0N	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.21 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK25	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.22 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK2E	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.23 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK3L	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.24 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LKM1	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.25 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LNTW	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 1 ENGINE - NO.26 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1T7	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.27 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1W3	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.28 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1WL	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.29 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1WT	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.3 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LC47	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.30 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1XT	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 1 ENGINE - NO.31 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1YE	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.32 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2P5	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.33 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2R3	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.34 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2RH	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.35 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2T1	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.36 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M363	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 1 ENGINE - NO.37 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M36Y	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.38 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5H0	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.39 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5HM	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.4 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK1X	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.40 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5HY	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.41 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5K9	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 1 ENGINE - NO.42 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5MM	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.43 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2T2	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.44 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M36N	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.45 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5FP	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.46 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5H4	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.47 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5HW	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 1 ENGINE - NO.48 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5K2	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.49 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5MD	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.5 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK27	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.50 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5N8	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.6 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK2H	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.7 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LKKA	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 1 ENGINE - NO.8 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LKM3	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO.9 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LNV3	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.1 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00L497	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.10 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LNV5	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.11 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1RX	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.12 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1TC	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 2 ENGINE - NO.13 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1TN	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.14 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1WX	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.15 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1XC	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.16 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1XM	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.17 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1XR	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.18 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00L4CY	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 2 ENGINE - NO.19 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00L912	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.2 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00L4F1	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.20 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LC3H	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.21 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LC41	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.22 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK0L	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.23 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK26	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 2 ENGINE - NO.24 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK2X	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.25 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LKKK	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.26 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LNTM	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.27 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1RT	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.28 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1T4	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.29 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1TH	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 2 ENGINE - NO.3 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LC37	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.30 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1W9	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.31 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1X9	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.32 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1XF	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.33 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1XP	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.34 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M1YM	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 2 ENGINE - NO.35 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2P9	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.36 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2PX	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.37 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M36T	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.38 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5HP	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.39 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5KK	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.4 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LC3M	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 2 ENGINE - NO.40 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5M7	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.41 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5N2	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.42 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00MMHC	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.43 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M2PT	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.44 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M36C	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.45 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5FT	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 2 ENGINE - NO.46 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5HX	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.47 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5M2	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.48 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00M5ME	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.49 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00MMH7	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.5 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LHLC	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.50 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00MMHL	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725050	NO. 2 ENGINE - NO.6 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK23	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.7 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK2W	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.8 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LK2Y	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - NO.9 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:35C5521-01	MOS/MSC	15-May-25	O/C	TSN 0				
SN:HA00LNTL	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726010	NO. 1 ENGINE - FLANGED ROLLER BEARING							Component ATA:72
PN:3107449-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:FCN311053	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726010	NO. 2 ENGINE - FLANGED ROLLER BEARING							Component ATA:72
PN:3107449-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:FCN311057	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726015	NO. 1 ENGINE - STARTER GEARSHAFT BALL FLANGED BEARING							Component ATA:72
PN:35C3615-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:FCN315147	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726015	NO. 2 ENGINE - STARTER GEARSHAFT BALL FLANGED BEARING							Component ATA:72
PN:35C3615-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:FCN316837	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726020	NO. 1 ENGINE - ACCESSORY DRIVE GEAR SHAFT							Component ATA:72
PN:35C5333-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:PKAAA307747	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726020	NO. 2 ENGINE - ACCESSORY DRIVE GEAR SHAFT							Component ATA:72
PN:35C5333-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:PKAAA308756	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726025	NO. 1 ENGINE - ACCESSORY GEARBOX HOUSING ASSEMBLY							Component ATA:72
PN:35C5141-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:RWA90C058	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726025	NO. 2 ENGINE - ACCESSORY GEARBOX HOUSING ASSEMBLY							Component ATA:72
PN:35C5141-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:RWA93C508	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727010	NO. 1 ENGINE - BYPASS DUCT ASSEMBLY							Component ATA:72
PN:35C5332-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:FDA6614866	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727010	NO. 2 ENGINE - BYPASS DUCT ASSEMBLY							Component ATA:72
PN:35C5332-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:FDA6723612	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-04-000-801	NO. 1 ENGINE - FUEL MANIFOLD							Component ATA:73
PN:35C6429-01	MOS	15-May-25		TSN 1				
SN:DEAAC15079	HRS	1773.4	1750 (+50)	TSN 0	(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-04-000-801	NO. 2 ENGINE - FUEL MANIFOLD							Component ATA:73
PN:35C6429-01	MOS	15-May-25		TSN 1				
SN:DEAAC14067	HRS	1773.4	1750 (+50)	TSN 0	(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-05-000-801	NO. 1 ENGINE - DISCARD THE FUEL FILTER							Service ATA:73
	MOS	28-May-25						
	HRS	1773.4	800 (+10%)		(2573.4) 2573.4	2653.4	779.7 (+80)	
	ENC	1468						
PROC. REF: LMM 73-10-05, LMM 73-10-05PROC. REF: LMM 73-10-05, LMM 73-10-05								
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-05-000-801	NO. 2 ENGINE - DISCARD THE FUEL FILTER							Service ATA:73
	MOS	28-May-25						
	HRS	1773.4	800 (+10%)		(2573.4) 2573.4	2653.4	779.7 (+80)	
	ENC	1468						
PROC. REF: LMM 73-10-05, LMM 73-10-05PROC. REF: LMM 73-10-05, LMM 73-10-05								PKG:2
73-10-05-220-801	NO. 1 ENGINE - DETAILED INSPECT THE FUEL FILTER							Service ATA:73
	MOS	28-May-25	12 (+30d)		28-May-26	27-Jun-26	218 d (+30)	
	HRS	1773.4						
	ENC	1468						
PROC. REF: LMM 73-10-05PROC. REF: LMM 73-10-05								
73-10-05-220-801	NO. 2 ENGINE - DETAILED INSPECT THE FUEL FILTER							Service ATA:73
	MOS	28-May-25	12 (+30d)		28-May-26	27-Jun-26	218 d (+30)	
	HRS	1773.4						
	ENC	1468						
PROC. REF: LMM 73-10-05PROC. REF: LMM 73-10-05								
73-10-07-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE							Service ATA:73
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 73-10-07PROC. REF: LMM 73-10-07								PKG:1
73-10-07-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE							Service ATA:73
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 73-10-07PROC. REF: LMM 73-10-07								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-20-02-212-801	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS						Service ATA:73
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 73-20-02PROC. REF: LMM 73-20-02								PKG:1
73-20-02-212-801	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS						Service ATA:73
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 73-20-02PROC. REF: LMM 73-20-02								PKG:1
73-21-01		LH ENG FULL AUTHORITY DIGITAL FADEC						Component ATA:73
PN:35C4812-02	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:2010050041	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-21-01, AMM 73-21-01PROC. REF: AMM 73-21-01, AMM 73-21-01								
73-21-01		RH ENG FULL AUTHORITY DIGITAL FADEC						Component ATA:73
PN:35C4812-02	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:2009060022	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-21-01, AMM 73-21-01PROC. REF: AMM 73-21-01, AMM 73-21-01								
73-21-02		NO.1 W205 FADEC CH B FUS CTRL HARNESS						Component ATA:73
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-02		NO.2 W205 FADEC CH B FUS CTRL HARNESS						Component ATA:73
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-21-03	NO.1 W203 FADEC CH A FUS CTRL HARNESS							Component ATA:73
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-03	NO.2 W203 FADEC CH A FUS CTRL HARNESS							Component ATA:73
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-09	NO.1 W307 FADEC CH B HARNESS							Component ATA:73
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-09	NO.2 W307 FADEC CH B HARNESS							Component ATA:73
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-10	NO.1 W305 FADEC CH A HARNESS							Component ATA:73
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-10	NO.2 W305 FADEC CH A HARNESS							Component ATA:73
PN:PN	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-30-02-212-801	^S	NO. 1 ENGINE - VISUAL CHECK OF THE FUEL FILTER BYPASS INDICATOR POPUP BUTTON						Service ATA:73
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 73-30-02PROC. REF: LMM 73-30-02								PKG:1
73-30-02-212-801	^S	NO. 2 ENGINE - VISUAL CHECK OF THE FUEL FILTER BYPASS INDICATOR POPUP BUTTON						Service ATA:73
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 73-30-02PROC. REF: LMM 73-30-02								PKG:1
73-30-02-215-801	^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE FUEL FILTER BYPASS INDICATOR						Service ATA:73
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 73-30-02PROC. REF: LMM 73-30-02								PKG:1
73-30-02-215-801	^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE FUEL FILTER BYPASS INDICATOR						Service ATA:73
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 73-30-02PROC. REF: LMM 73-30-02								PKG:1
73-33-01		LH ENG FUEL FLOW METER						Component ATA:73
PN:8TJ300AAF2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:24313	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-33-01, AMM 73-33-01PROC. REF: AMM 73-33-01, AMM 73-33-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-33-01	RH ENG FUEL FLOW METER							Component ATA:73
PN:8TJ300AAF2	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:24312	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-33-01, AMM 73-33-01PROC. REF: AMM 73-33-01, AMM 73-33-01								
731002	NO. 1 ENGINE - FUEL TO OIL HEAT EXCHANGER							Component ATA:73
PN:35C4540-04	MOS	15-May-25		TSO 11				OVERHAUL
SN:WA45219	HRS	1773.4	3500 (+100)	TSN 1543, TSO 0	(5273.4) 5273.4	5373.4	3479.7 (+100)	
	ENC	1504		TSN 1283, TSO 0				
PROC. REF: LMM 73-10-02, LMM 73-10-02PROC. REF: LMM 73-10-02, LMM 73-10-02								
731002	NO. 2 ENGINE - FUEL TO OIL HEAT EXCHANGER							Component ATA:73
PN:35C4540-04	MOS	15-May-25		TSO 0				OVERHAUL
SN:WA39007	HRS	1773.4	3500 (+100)	TSO 0	(5273.4) 5273.4	5373.4	3479.7 (+100)	
	ENC	1504		TSO 0				
PROC. REF: LMM 73-10-02, LMM 73-10-02PROC. REF: LMM 73-10-02, LMM 73-10-02								
732101	NO. 1 ENGINE - FUEL METERING UNIT							Component ATA:73
PN:1009000-9	MOS	19-Oct-11						OVERHAUL
SN:F70329	HRS	101.4	3500 (+100)	TSN 523.9	(3077.5) 3077.5	3177.5	1283.8 (+100)	
	ENC							
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
732101	NO. 2 ENGINE - FUEL METERING UNIT							Component ATA:73
PN:1009000-4	MOS	19-Oct-11						OVERHAUL
SN:F71060	HRS	101.4	3500 (+100)	TSN 346.1	(3255.3) 3255.3	3355.3	1461.6 (+100)	
	ENC							
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732108	NO. 1 ENGINE - ELECTRICAL WIRING HARNESS							Component ATA:73
PN:PN	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732108	NO. 2 ENGINE - ELECTRICAL WIRING HARNESS							Component ATA:73
PN:PN	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732110	NO. 1 ENGINE - ENGINE ELECTRICAL WIRING HARNESS - DO A SPECIAL DETAILEDINSPECTION							Service ATA:73
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732110	NO. 2 ENGINE - ENGINE ELECTRICAL WIRING HARNESS - DO A SPECIAL DETAILEDINSPECTION							Service ATA:73
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732244	NO. 1 ENGINE - ENGINE ELECTRONIC CONTROL							Component ATA:73
PN:1009211-2-004	MOS/MSC	19-Oct-11	O/C					
SN:2008080004	HRS			TSN 388.03				
	ENC							
PROC. REF: LMM 73-20-03, LMM 73-20-03PROC. REF: LMM 73-20-03, LMM 73-20-03								
732244	NO. 2 ENGINE - ENGINE ELECTRONIC CONTROL							Component ATA:73
PN:1009211-2-004	MOS/MSC	27-Oct-12	O/C					
SN:UNKNOWN	HRS	269.6						
	ENC	220						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: LMM 73-20-03, LMM 73-20-03PROC. REF: LMM 73-20-03, LMM 73-20-03								
733002	NO. 1 ENGINE - FUEL FILTER BYPASS INDICATOR							Component ATA:73
PN:35C5593-01	MOS/MSC	03-Apr-12	O/C	TSN 6				
SN:110228994	HRS							
	ENC							
PROC. REF: LMM 73-30-02, LMM 73-30-02PROC. REF: LMM 73-30-02, LMM 73-30-02								
733002	NO. 2 ENGINE - FUEL FILTER BYPASS INDICATOR							Component ATA:73
PN:35C5593-01	MOS/MSC	03-Apr-12	O/C	TSN 0				
SN:WDA114346	HRS			TSN 0				
	ENC			TSN 0				
PROC. REF: LMM 73-30-02, LMM 73-30-02PROC. REF: LMM 73-30-02, LMM 73-30-02								
733010	NO. 1 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR							Component ATA:73
PN:PN	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
733010	NO. 2 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR							Component ATA:73
PN:PN	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
733020	NO. 1 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:73
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 73-30-01, LMM 73-30-01PROC. REF: LMM 73-30-01, LMM 73-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733020	NO. 2 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:73
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 73-30-01, LMM 73-30-01PROC. REF: LMM 73-30-01, LMM 73-30-01								
733030	NO. 1 ENGINE - FUEL FILTER BYPASS INDICATOR (POP-UP) - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:73
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 73-30-02, LMM 73-30-02PROC. REF: LMM 73-30-02, LMM 73-30-02								
733030	NO. 2 ENGINE - FUEL FILTER BYPASS INDICATOR (POP-UP) - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:73
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 73-30-02, LMM 73-30-02PROC. REF: LMM 73-30-02, LMM 73-30-02								
ATA 74 - IGNITION								
74-00-01-720-801 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF THE IGNITION SYSTEM							Service ATA:74
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								PKG:1
74-00-01-720-801 ^S	NO. 2 ENGINE - DO A FUNCTIONAL TEST OF THE IGNITION SYSTEM							Service ATA:74
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-10-01-212-801	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION EXCITER						Service ATA:74
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 74-10-01PROC. REF: LMM 74-10-01								PKG:1
74-10-01-212-801	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION EXCITER						Service ATA:74
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 74-10-01PROC. REF: LMM 74-10-01								PKG:1
74-20-01-212-801	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES						Service ATA:74
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 74-20-01PROC. REF: LMM 74-20-01								PKG:1
74-20-01-212-801	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES						Service ATA:74
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 74-20-01PROC. REF: LMM 74-20-01								PKG:1
74-20-02-220-801	^S	NO. 1 ENGINE - INSPECT THE IGNITION IGNITERS						Service ATA:74
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 74-20-02, LMM 74-20-02PROC. REF: LMM 74-20-02, LMM 74-20-02								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-20-02-220-801	S	NO. 2 ENGINE - INSPECT THE IGNITION IGNITERS						Service ATA:74
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 74-20-02, LMM 74-20-02PROC. REF: LMM 74-20-02, LMM 74-20-02								PKG:1
741001		NO. 1 ENGINE - IGNITION EXCITER						Component ATA:74
PN:35C5472-01	MOS/MSC	24-Jan-17	O/C					
SN:WDA107909	HRS	1075.3						
	ENC	942						
PROC. REF: LMM 74-10-01, LMM 74-10-01PROC. REF: LMM 74-10-01, LMM 74-10-01								
741001		NO. 2 ENGINE - IGNITION EXCITER						Component ATA:74
PN:35C5472-01	MOS/MSC	24-Jan-17	O/C					
SN:WDA107911	HRS	1075.3						
	ENC	942						
PROC. REF: LMM 74-10-01, LMM 74-10-01PROC. REF: LMM 74-10-01, LMM 74-10-01								
741002		NO. 1 ENGINE - LEFT IGNITER CABLE						Component ATA:74
PN:35C3708-01	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:UNKNOWN	HRS	1075.3		TSN 0				
	ENC	942		TSN 0				
PROC. REF: LMM 74-20-01, LMM 74-20-01PROC. REF: LMM 74-20-01, LMM 74-20-01								
741002		NO. 2 ENGINE - LEFT IGNITER CABLE						Component ATA:74
PN:35C3707-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-20-01, LMM 74-20-01PROC. REF: LMM 74-20-01, LMM 74-20-01								
741003		NO. 1 ENGINE - RIGHT IGNITER CABLE						Component ATA:74
PN:35C3708-01	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:UNKNOWN	HRS	1075.3		TSN 0				
	ENC	942		TSN 0				
PROC. REF: LMM 74-20-01, LMM 74-20-01PROC. REF: LMM 74-20-01, LMM 74-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741003	NO. 2 ENGINE - RIGHT IGNITER CABLE							Component ATA:74
PN:PN	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-20-01, LMM 74-20-01PROC. REF: LMM 74-20-01, LMM 74-20-01								
741004	NO. 1 ENGINE - INBOARD SPARK IGNITER							Component ATA:74
PN:35C2353-02	MOS/MSC	15-May-25	O/C	TSN 1				
SN:N/A	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: LMM 74-20-02PROC. REF: LMM 74-20-02								
741004	NO. 2 ENGINE - INBOARD SPARK IGNITER							Component ATA:74
PN:35C2353-02	MOS/MSC	15-May-25	O/C	TSN 1				
SN:UNKNOWN	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: LMM 74-20-02PROC. REF: LMM 74-20-02								
741005	NO. 1 ENGINE - OUTBOARD SPARK IGNITER							Component ATA:74
PN:35C2353-02	MOS/MSC	15-May-25	O/C	TSN 1				
SN:N/A	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: LMM 74-20-02PROC. REF: LMM 74-20-02								
741005	NO. 2 ENGINE - OUTBOARD SPARK IGNITER							Component ATA:74
PN:35C2353-02	MOS/MSC	15-May-25	O/C	TSN 1				
SN:UNKNOWN	HRS	1773.4		TSN 0				
	ENC	1504		TSN 0				
PROC. REF: LMM 74-20-02PROC. REF: LMM 74-20-02								
741010	NO. 1 ENGINE - IGNITION EXCITER - DO A GENERAL VISUAL INSPECTION							Service ATA:74
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 74-10-01PROC. REF: LMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741010	NO. 2 ENGINE - IGNITION EXCITER - DO A GENERAL VISUAL INSPECTION							Service ATA:74
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 74-10-01PROC. REF: LMM 74-10-01								
741020	NO. 1 ENGINE - LEFT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:74
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 74-20-01, LMM 74-20-01PROC. REF: LMM 74-20-01, LMM 74-20-01								
741020	NO. 2 ENGINE - LEFT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:74
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 74-20-01, LMM 74-20-01PROC. REF: LMM 74-20-01, LMM 74-20-01								
741030	NO. 1 ENGINE - RIGHT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:74
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 74-20-01, LMM 74-20-01PROC. REF: LMM 74-20-01, LMM 74-20-01								
741030	NO. 2 ENGINE - RIGHT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:74
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 74-20-01, LMM 74-20-01PROC. REF: LMM 74-20-01, LMM 74-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-01-212-801 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BVA						Service ATA:75
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 75-30-01PROC. REF: LMM 75-30-01								PKG:1
75-30-01-212-801 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BVA						Service ATA:75
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 75-30-01PROC. REF: LMM 75-30-01								PKG:1
75-30-01-830-801 ^S		NO. 1 ENGINE - RIGGING THE BLEED VALVE ACTUATOR (BVA)						Service ATA:75
PN:35C2851-02	MOS/MSC	14-Jul-10	A/R					
SN:16876040	HRS	0						
	ENC	0						
PROC. REF: MM 75-30-01PROC. REF: MM 75-30-01								
75-30-01-830-801 ^S		NO. 2 ENGINE - RIGGING THE BLEED VALVE ACTUATOR (BVA)						Service ATA:75
PN:35C2851-02	MOS/MSC	15-Jul-10	A/R					
SN:16876038	HRS	0						
	ENC	0						
PROC. REF: MM 75-30-01PROC. REF: MM 75-30-01								
751003		NO. 1 ENGINE - BLEED VALVE ACTUATOR						Component ATA:75
PN:35C2851-02	MOS	14-Jul-10		TSN 0				OVERHAUL
SN:16876040	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1706.3 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-01, LMM 75-30-01PROC. REF: LMM 75-30-01, LMM 75-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
751003	NO. 2 ENGINE - BLEED VALVE ACTUATOR							Component ATA:75
PN:35C2851-02	MOS	15-Jul-10		TSN 0				OVERHAUL
SN:16876038	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1706.3 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-01, LMM 75-30-01PROC. REF: LMM 75-30-01, LMM 75-30-01								
ATA 76 - ENGINE CONTROLS								
76-11-03	THROTTLE CONTROL QUADRANT ASSEMBLY							Component ATA:76
PN:6990010-11	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:1246	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 77 - ENGINE INDICATING								
77-20-02-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM							Service ATA:77
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 77-20-02PROC. REF: LMM 77-20-02								PKG:1
77-20-02-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM							Service ATA:77
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 77-20-02PROC. REF: LMM 77-20-02								PKG:1
77-20-02-215-801	NO. 1 ENGINE - ELECTRICAL FUNCTIONAL CHECK OF THE T6 THERMOCOUPLE SYSTEM (ON AIRCRAFT)							Service ATA:77
	MOS/MSC	14-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 77-20-02PROC. REF: MM 77-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-20-02-215-801	NO. 2 ENGINE - ELECTRICAL FUNCTIONAL CHECK OF THE T6 THERMOCOUPLE SYSTEM (ON AIRCRAFT)							Service ATA:77
	MOS/MSC	15-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 77-20-02PROC. REF: MM 77-20-02								
77-20-02-710-801	NO. 1 ENGINE - OPERATIONAL CHECK OF THE T6 TEMPERATURE INDICATING SYSTEM							Service ATA:77
	MOS	28-May-25	36 (+30d)		28-May-28	27-Jun-28	949 d (+30)	
	HRS	1773.4	1750 (+50)		(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1468						
PROC. REF: LMM 77-20-02PROC. REF: LMM 77-20-02								
77-20-02-710-801	NO. 2 ENGINE - OPERATIONAL CHECK OF THE T6 TEMPERATURE INDICATING SYSTEM							Service ATA:77
	MOS	28-May-25	36 (+30d)		28-May-28	27-Jun-28	949 d (+30)	
	HRS	1773.4	1750 (+50)		(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1468						
PROC. REF: LMM 77-20-02PROC. REF: LMM 77-20-02								
77-20-02-750-801	NO. 1 ENGINE - FUNCTIONAL TEST OF THE T6 THERMOCOUPLE WIRING HARNESS ASSEMBLY (REMOVED)							Service ATA:77
	MOS/MSC	14-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 77-20-02PROC. REF: MM 77-20-02								
77-20-02-750-801	NO. 2 ENGINE - FUNCTIONAL TEST OF THE T6 THERMOCOUPLE WIRING HARNESS ASSEMBLY (REMOVED)							Service ATA:77
	MOS/MSC	15-Jul-10	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 77-20-02PROC. REF: MM 77-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
772002	NO. 1 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY							Component ATA:77
PN:PN	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-02, LMM 77-20-02PROC. REF: LMM 77-20-02, LMM 77-20-02								
772002	NO. 2 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY							Component ATA:77
PN:35C5057-01	MOS/MSC	24-Jan-17	O/C					
SN:UNKNOWN	HRS	1075.3						
	ENC	942						
PROC. REF: LMM 77-20-02, LMM 77-20-02PROC. REF: LMM 77-20-02, LMM 77-20-02								
772010	NO. 1 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:77
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 77-20-02, LMM 77-20-02PROC. REF: LMM 77-20-02, LMM 77-20-02								
772010	NO. 2 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:77
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 77-20-02, LMM 77-20-02PROC. REF: LMM 77-20-02, LMM 77-20-02								
772103	NO. 1 ENGINE - DATA COLLECTION UNIT							Component ATA:77
PN:35C3709-01	MOS/MSC	10-Oct-17	O/C	TSN 0				
SN:16042388	HRS	1166.8		TSN 0				
	ENC	1033		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
772103	NO. 2 ENGINE - DATA COLLECTION UNIT							Component ATA:77
PN:35C5571-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:DP10-1719	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
772110	NO. 1 ENGINE - DO A DCU INTEGRITY VERIFACTION							Service ATA:77
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 77-40-01, LMM 77-40-01PROC. REF: LMM 77-40-01, LMM 77-40-01								
772110	NO. 2 ENGINE - DO A DCU INTEGRITY VERIFACTION							Service ATA:77
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 77-40-01, LMM 77-40-01PROC. REF: LMM 77-40-01, LMM 77-40-01								
ATA 79 - OIL								
79-00-00-640-803	NO. 1 ENGINE - OIL CHANGE INTERVAL							Service ATA:79
	MOS/MSC	14-Jul-10	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
79-00-00-640-803	NO. 2 ENGINE - OIL CHANGE INTERVAL							Service ATA:79
	MOS/MSC	15-Jul-10	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
79-20-01-000-801	NO. 1 ENGINE - DISCARD OIL FILTER							Service ATA:79
	MOS	15-May-25						
	HRS	1773.4	800 (+10%)		(2573.4) 2573.4	2653.4	779.7 (+80)	
	ENC	1504						
PROC. REF: LMM 79-20-01, LMM 79-20-01PROC. REF: LMM 79-20-01, LMM 79-20-01								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-20-01-000-801	NO. 2 ENGINE - DISCARD OIL FILTER							Service ATA:79
	MOS	15-May-25						
	HRS	1773.4	800 (+10%)		(2573.4) 2573.4	2653.4	779.7 (+80)	
	ENC	1504						
PROC. REF: LMM 79-20-01, LMM 79-20-01PROC. REF: LMM 79-20-01, LMM 79-20-01								PKG:2
79-20-03-000-805-A	NO. 1 ENGINE - DISCARD THE NO. 4 BEARING OIL-PRESSURE TUBE							Component ATA:79
PN:35C6509	MOS	15-May-25		TSN 1				LIFE LIMIT
SN:N/A	HRS	1773.4	1750 (+50)	TSN 0	(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504		TSN 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-03, LMM 79-20-03PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-03, LMM 79-20-03								
79-20-03-000-805-A	NO. 2 ENGINE - DISCARD THE NO. 4 BEARING OIL-PRESSURE TUBE							Component ATA:79
PN:35C6509	MOS	15-May-25		TSN 1				LIFE LIMIT
SN:UNKNOWN	HRS	1773.4	1750 (+50)	TSN 0	(3523.4) 3523.4	3573.4	1729.7 (+50)	
	ENC	1504		TSN 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-03, LMM 79-20-03PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-03, LMM 79-20-03								
79-30-01-720-801 ^S	NO. 1 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service ATA:79
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1
79-30-01-720-801 ^S	NO. 2 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service ATA:79
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-02-210-802	^S	NO. 1 ENGINE - VISUAL CHECK OF THE OIL FILTER IMPENDING BYPASS INDICATOR POPUP BUTTON						Service ATA:79
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 79-30-02PROC. REF: LMM 79-30-02								PKG:1
79-30-02-210-802	^S	NO. 2 ENGINE - VISUAL CHECK OF THE OIL FILTER IMPENDING BYPASS INDICATOR POPUP BUTTON						Service ATA:79
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 79-30-02PROC. REF: LMM 79-30-02								PKG:1
79-30-02-215-801	^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE OIL FILTER IMPENDING BYPASS INDICATOR						Service ATA:79
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 79-30-02PROC. REF: LMM 79-30-02								PKG:1
79-30-02-215-801	^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE OIL FILTER IMPENDING BYPASS INDICATOR						Service ATA:79
	MOS	28-May-25	12 (+30d)					
	HRS	1773.4	800 (+10%)					
	ENC	1468						
PROC. REF: LMM 79-30-02PROC. REF: LMM 79-30-02								PKG:1
79-31-01		LH ENG OIL TEMPERATURE PRESSURE SENSOR						Component ATA:79
PN:PT9903-275-40012	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0410-2668	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-31-01, AMM 79-31-01PROC. REF: AMM 79-31-01, AMM 79-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-31-01	RH ENG OIL TEMPERATURE PRESSURE SENSOR							Component ATA:79
PN:PT9903-275-40012	MOS/MSC	22-Sep-10	O/C	TSN 0				
SN:0310-2659	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-31-01, AMM 79-31-01PROC. REF: AMM 79-31-01, AMM 79-31-01								
792007	NO. 1 ENGINE - AIR COOLED OIL COOLER							Component ATA:79
PN:35C2495-05	MOS	14-Jul-10		TSN 0				OVERHAUL
SN:WAQ39038	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1706.3 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-07, LMM 79-20-07PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-07, LMM 79-20-07								
792007	NO. 2 ENGINE - AIR COOLED OIL COOLER							Component ATA:79
PN:35C2495-05	MOS	15-Jul-10		TSN 0				OVERHAUL
SN:WA39035	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1706.3 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-07, LMM 79-20-07PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-07, LMM 79-20-07								
792010	NO. 1 ENGINE - P3 AIR COOLER ASSEMBLY							Component ATA:79
PN:35C5545-01	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:TYAB1807	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
792010	NO. 2 ENGINE - P3 AIR COOLER ASSEMBLY							Component ATA:79
PN:35C5545-01	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:TYAB81820	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793001	NO. 1 ENGINE - CHIP DETECTOR							Component ATA:79
PN:PN	MOS/MSC	14-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: LMM 79-30-01, LMM 79-30-01PROC. REF: LMM 79-30-01, LMM 79-30-01								
793001	NO. 2 ENGINE - CHIP DETECTOR							Component ATA:79
PN:PN	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-01, LMM 79-30-01PROC. REF: LMM 79-30-01, LMM 79-30-01								
793002	NO. 1 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR							Component ATA:79
PN:PN-UNKNOWN	MOS/MSC	24-Jan-17	O/C	TSN 0				
SN:UNKNOWN	HRS	1075.3		TSN 0				
	ENC	942		TSN 0				
PROC. REF: LMM 79-30-02, LMM 79-30-02PROC. REF: LMM 79-30-02, LMM 79-30-02								
793002	NO. 2 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR							Component ATA:79
PN:PN	MOS/MSC	15-Jul-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-02, LMM 79-30-02PROC. REF: LMM 79-30-02, LMM 79-30-02								
793010	NO. 1 ENGINE - CHIP DETECTOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:79
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 79-30-01, LMM 79-30-01PROC. REF: LMM 79-30-01, LMM 79-30-01								
793010	NO. 2 ENGINE - CHIP DETECTOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:79
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 79-30-01, LMM 79-30-01PROC. REF: LMM 79-30-01, LMM 79-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000203 RegNo: N390SJ HRS: 1793.7 AFL: 1679 As Of: 30-Sep-2025

22-Oct-2025 05:08 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793020	NO. 1 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR (POP-UP) - DO A DETAIL INSPECTION AND FUNCTIONAL TEST							Service ATA:79
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 79-30-02, LMM 79-30-02PROC. REF: LMM 79-30-02, LMM 79-30-02								
793020	NO. 2 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR (POP-UP) - DO A DETAIL INSPECTION AND FUNCTIONAL TEST							Service ATA:79
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1706.3 (+100)	
	ENC							
PROC. REF: LMM 79-30-02, LMM 79-30-02PROC. REF: LMM 79-30-02, LMM 79-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task