



Status Report

PC-12/47E

S/N 1643 N985AW

OWNER: AWA AVIATION
ADDRESS: 701 S MAINT STREET
UT 84321

OPERATOR: AWA AVIATION
ADDRESS: 701 S MAINT STREET
UT 84321

OFFICE:
FAX:

OFFICE:
FAX:

ANALYST: ANTHONY GUEVARA
EMAIL: AGUEVARA@CAMPSYSTEMS.COM

1-631-648-7028 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (FAX)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 1643/N985AW MODEL: PC-12/47E MANUFACTURER: PILATUS AIRCRAFT LTDX

CERTIFICATION DATE: 31-JUL-2016

LAST ACTUALS:
2170.5 A/C HRS as of 29-MAY-2026
1552 AFL as of 29-MAY-2026
96.4 ACH as of 07-JAN-2026

ENGINE NO. 1 SERIAL/PART: PCE-RY0689/3072955-01 MODEL: PT6A-67P MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 07-NOV-2024
1556.2 ENG. HRS 1639.7 A/C HRS
1234 ENC

LAST ACTUALS:
2087 ENG. HRS as of 29-MAY-2026
1486 ENC as of 29-MAY-2026

PROPELLER NO. 1 SERIAL/PART: SA18/HC-E5A-3A MODEL: HC-E5A-3A MANUFACTURER: HARTZELL PROPELLER LLC

INSTALLED ON: 12-DEC-2018
596.8 PROP HRS 403.3 A/C HRS
0 PRC

LAST ACTUALS:
2170.5 PROP HRS as of 29-MAY-2026



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
00-00/121 ^S	AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED							Service	ATA:00
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
00-00/122 ^S	AIRCRAFT - CHECK CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DMS REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH							Service	ATA:00
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
00-00/481 ^S	AIRCRAFT-CHECK AIRCRAFT FLIGHT MANUAL IS AT THE LATEST REVISION							Service	ATA:00
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
E072-160317	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 25							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E072PROC. REF: RCF E072									
E072-160421	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 44.0							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E072PROC. REF: RCF E072									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-160919	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 26							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-170113	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 44.1							Service ATA:00
	MOS/MSC	15-Feb-17	-					REQUIREMENT CHANGE FORMS
	HRS	97.6						
	ENC	82						
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-170213	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 44.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-170222	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14002 REV 24							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-170410	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 45.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-170707	NO. 1 ENGINE - REVIEW PWC SB PT6A-72-14603 R27							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-170818	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 45.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072-170818PROC. REF: RCF E072-170818								
E072-171030	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 46.0							Service ATA:00
	MOS/MSC	09-Mar-16	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	ENC	0						
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-180409	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-180409-1	NO. 1 ENGINE - REVIEW CODE CHANGE NOT PART FOR REV 47							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-180528	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.1							Service ATA:00
	MOS/MSC	20-Jun-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-180821	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-181029	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 48.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-190408	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 49.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-190802	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 28							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-191028	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 50.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-191205	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 50.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-200413	NO. 1 ENGINE - REVIEW PT6A-67B/-67P MM REV 51.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF 00PROC. REF: RCF 00								
E072-200429	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 51.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF 00PROC. REF: RCF 00								
E072-200504	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 51.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-200505	NO. 1 ENGINE - REVIEW PWC SB P6A-72-14001 REV 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-200521	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 29							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-200910	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 51.3							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-201012	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 52.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-201202	NO. 1 ENGINE - REVIEW PWC SB PT6A-72-14002 REV 26							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-210412	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 53.0							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-210806	NO. 1 ENGINE - REVIEW SB PT6A-72-14002 REV 27							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-210913	NO. 1 ENGINE - REVIEW SB PT6A-72-14603 REV 30							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-211011	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 54.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-230410	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 57.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P47E-160729	REVIEW PILATUS PC-12/47E REVISION AMM 15							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
P47E-161217	REVIEW PILATUS PC-12/47E REVISION AMM 16							Service	ATA:00
	MOS/MSC	15-Feb-17	-					REQUIREMENT CHANGE FORMS	
	HRS	97.6							
	AFL	86							
PROC. REF: RCF P47EPROC. REF: RCF P47E									
P47E-170906	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL TEMPORARY REVISION NO. 05-04							Service	ATA:00
	MOS/MSC	31-Jul-16	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
PROC. REF: RCF P47EPROC. REF: RCF P47E									
P47E-180213	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 18							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF P47EPROC. REF: RCF P47E									
P47E-180524	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 19							Service	ATA:00
	MOS/MSC	20-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF P47EPROC. REF: RCF P47E									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-181129	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-190503	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 21							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-191121	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 22							Service ATA:00
	MOS/MSC	31-Jul-16	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-200515	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 23							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-201125	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 24							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-210716	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 25							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-220520	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 28							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-220829	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 29							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-230116	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 30							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
PE5A-160801	NO. 1 PROPELLER - REVIEW HC-E5A-3A SL REV 10							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5A-160801PROC. REF: RCF PE5A-160801								
PE5A-161101	NO. 1 PROPELLER - REVIEW HC-E5A-3A PROPELLER OWNER'S MANUAL (NO. 147) REVISION 12							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PROC. REF: RCF PE5A-161101PROC. REF: RCF PE5A-161101									
PE5A-170701	NO. 1 PROPELLER - REVIEW PROPELLER OWNER'S MANUAL NO. 147 REVISION 13							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF PE5APROC. REF: RCF PE5A									
PE5A-180301	NO. 1 PROPELLER - REVIEW PROPELLER OWNER'S MANUAL NO. 147 REVISION 14							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF PE5APROC. REF: RCF PE5A									
PE5A-191101	NO. 1 PROPELLER - REVIEW HC-E5A-3A POM NO. 147 REV 15							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF PE5APROC. REF: RCF PE5A									
PE5A-200501	NO. 1 PROPELLER - REVIEW HC-E5A-3A POM 147 REV 16							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF PE5APROC. REF: RCF PE5A									
PE5A-200801	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 33							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF PE5APROC. REF: RCF PE5A									
PE5A-200901	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 34							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF PE5APROC. REF: RCF PE5A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PE5A-200901-1	NO. 1 PROPELLER - REVIEW HC-E5A-3A POM 147 REV 17							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-210201	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 35							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-210304	NO. 1 PROPELLER - REVIEW SL HC-SL-61-61Y REV 13							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PE5A-210401	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 TR-011							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-210601	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 36							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-210707	NO. 1 PROPELLER - REVIEW HC-SL-61-61Y REV 14							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PE5A-220601	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 38							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-220727	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR HARTZELL PROPELLER TASKS AND DESCRIPTIONS CHANGES							Service ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
ATA 04 - LIMITATIONS								
040001	AIRCRAFT LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	50000	TSN 0	50000		47829.5	
	AFL	0	60000	TSN 0	60000		58448	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
040005	AIRCRAFT LEFT WING STRUCTURE LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		32829.5	
	AFL	0	43000	TSN 0	43000		41448	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
040005	AIRCRAFT RIGHT WING STRUCTURE LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		32829.5	
	AFL	0	43000	TSN 0	43000		41448	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-16	UNSCHEDULED INSPECTION - CHECK AFTER A JET BLAST							Service ATA:05
	MOS/MSC	31-Jul-16	A/R					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
	ACH	0							
PROC. REF: AMM 12-B-05-50-16-00A-282A-APROC. REF: AMM 12-B-05-50-16-00A-282A-A									
050001	SUPPLEMENTAL STRUCTURAL INSPECTION DOCUMENT (SSID)							Service	ATA:05
	MOS	31-Jul-16							
	HRS	0	25000		25000		22829.5		
	AFL	0	30000		30000		28448		
PROC. REF: AMM 12-B-05-10-30-00A-280A-APROC. REF: AMM 12-B-05-10-30-00A-280A-A									
050010	SUPPLEMENTAL CORROSION PREVENTION AND CONTROL PROGRAM (CPCP) INSPECTION							Service	ATA:05
	MOS	31-Jul-16							
	HRS	0	25000		25000		22829.5		
	AFL	0	30000		30000		28448		
PROC. REF: AMM 12-B-20-40-00-00A-901A-A, AMM 12-B-20-40-00-00A-040A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A, AMM 12-B-20-40-00-00A-040A-A									
05200A	JOB SET UP / CLOSE UP PACKAGE							Package	ATA:05
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-05-20-00-00A-913A-APROC. REF: AMM 12-B-05-20-00-00A-913A-A									
05401A	300 HOUR INSPECTION							Package	ATA:05
	MOS	07-Jan-26							
	HRS	2059.4	300 (+30/-30)		2359.4	2389.4	188.9 (+30)		
	AFL	1480							
PROC. REF: AMM 12-B-05-40-01-01A-000B-APROC. REF: AMM 12-B-05-40-01-01A-000B-A									
05402A	300 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	07-Jan-26	12		07-Jan-27		223 d		
	HRS	2059.4	300 (+30/-30)		2359.4	2389.4	188.9 (+30)		
	AFL	1480							
PROC. REF: AMM 12-B-05-40-01-02A-000B-APROC. REF: AMM 12-B-05-40-01-02A-000B-A									

PKG:15

PKG:16

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05403A	600 HOUR INSPECTION							Package	ATA:05
	MOS	07-Jan-26							
	HRS	2059.4	600 (+60/-60)		2659.4	2719.4	488.9 (+60)		
	AFL	1480							
PROC. REF: AMM 12-B-05-40-01-03A-000B-APROC. REF: AMM 12-B-05-40-01-03A-000B-A									
05404A	600 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	07-Jan-26	12		07-Jan-27		223 d		
	HRS	2059.4	600 (+60/-60)		2659.4	2719.4	488.9 (+60)		
	AFL	1480							
PROC. REF: AMM 12-B-05-40-01-04A-000B-APROC. REF: AMM 12-B-05-40-01-04A-000B-A									
05405A	1200 HOUR OR 12 MONTH INSPECTION							Package	ATA:05
	MOS	07-Jan-26	12		07-Jan-27		223 d		
	HRS	2059.4	1200 (+120/-120)		3259.4	3379.4	1088.9 (+120)		
	AFL	1480							
PROC. REF: AMM 12-B-05-40-01-05A-000B-APROC. REF: AMM 12-B-05-40-01-05A-000B-A									
05406A	2400 HOUR OR 24 MONTHS INSPECTION							Package	ATA:05
	MOS	07-Jan-26	24 (+1m/-1m)		07-Jan-28	07-Feb-28	588 d (+31)		
	HRS	2059.4	2400 (+60/-60)		4459.4	4519.4	2288.9 (+60)		
	AFL	1480							
PROC. REF: AMM 12-B-05-40-01-06A-000B-APROC. REF: AMM 12-B-05-40-01-06A-000B-A									
057010	NO. 1 ENGINE - MINOR INSPECTION							Package	ATA:05
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)		(2275.9) 2359.4	2305.9	188.9 (+30)		
	ENC	1414							
PROC. REF: EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/578 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
								PKG:20	
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/579 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - INSTALL							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
								PKG:20	
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/582 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
								PKG:19	
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/583 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - INSTALL							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
								PKG:19	
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/590 ^S	ACCESS PANEL, ENGINE: 11BR, 21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26							
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
								PKG:16	
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/591 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - INSTALL							Service	ATA:06
	MOS	07-Jan-26							
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
PKG:16									
06-00/592 ^S	ACCESS PANEL, ENGINE: 42AT - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26							
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
PKG:16									
06-00/593 ^S	ACCESS PANEL, ENGINE: 42AT - INSTALL							Service	ATA:06
	MOS	07-Jan-26							
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
PKG:16									
06-00/594 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
PKG:17									
06-00/595 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - INSTALL							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/596 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:17	
06-00/597 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - CLOSE OR INSTALL							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:17	
06-00/598 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:17	
06-00/599 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:17	
06-00/602 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26							
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:18	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/603 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	07-Jan-26							
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/604 ^S	ACCESS PANEL, FUSELAGE: 11AL,12EL,21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/605 ^S	ACCESS PANEL, FUSELAGE: 11AL, 12EL,21QZ - INSTALL							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/606 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/607 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - INSTALL							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/608 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21OZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR						Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
								PKG:20
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/609 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21OZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - CLOSE OR INSTALL						Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
								PKG:20
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/610 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - OPEN OR REMOVE AND EXAMINE						Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
								PKG:20
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/611 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - CLOSE OR INSTALL						Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
								PKG:20
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/612 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE						Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/613 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PKG:20									
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/614 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PKG:21									
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/615 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - CLOSE AND INSTALL							Service	ATA:06
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PKG:21									
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/616 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PKG:21									
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/617 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - INSTALL							Service	ATA:06
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PKG:21									
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/618 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:21	
06-00/619 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:21	
06-00/620 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:21	
06-00/621 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - INSTALL							Service	ATA:06
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:21	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 07 - LIFTING AND SHORING									
07-10/160 ^S	AIRCRAFT - LOWER TO THE GROUND, REMOVE JACKS AND DISCONNECT FROM GROUND							Service	ATA:07
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A									
PKG:15									
07-10/161 ^S	AIRCRAFT - LIFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND							Service	ATA:07
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A									
PKG:15									
ATA 08 - LEVELING AND WEIGHING									
080000	WEIGHT CHECK AIRCRAFT							Service	ATA:08
	MOS/MSC	01-Sep-20	A/R						
	HRS	646.9							
WC#: 08.005	AFL	592							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10/428 ^S	EXTERNAL PROTECTIVE COVERS - EXAMINE. REPLACE IF ANY PART OF THE COVER IS MISSING, DAMAGED, TORN OR DOES NOT INSTALL PROPERLY.							Service	ATA:10
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:17									
ATA 11 - PLACARDS AND MARKINGS									
11-00/220 ^S	PLACARDS AND MARKINGS - EXAMINE AND ATTACH NEW PLACARDS IF NECESSARY							Service	ATA:11
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-040A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-APROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-040A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-A									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 11 - PLACARDS AND MARKINGS								
ATA 12 - SERVICING								
12-20/124 ^S	AIRCRAFT - WASH THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS AS REQUIRED TO PERFORM THE INSPECTION						Service	ATA:12
	MOS/MSC	07-Jan-26	A/R					
	HRS	2059.4						
	AFL	1480						
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-APROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-A								PKG:15
12-20/125 ^S	WINDSHIELDS AND WINDOWS - CLEAN						Service	ATA:12
	MOS/MSC	27-Jul-21	A/R					
	HRS	751.3						
	AFL	681						
PROC. REF: AMM 12-B-12-20-02-00A-902A-APROC. REF: AMM 12-B-12-20-02-00A-902A-A								PKG:15
12-20/126 ^S	COCKPIT AND CABIN - CLEAN						Service	ATA:12
	MOS/MSC	27-Jul-21	A/R					
	HRS	751.3						
	AFL	681						
PROC. REF: AMM 12-B-12-20-03-00A-902A-APROC. REF: AMM 12-B-12-20-03-00A-902A-A								PKG:15
ATA 20 - STANDARD PRACTICES - AIRFRAME								
00-00/45A	AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (INTERNAL)						Service	ATA:20
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	
	HRS	2059.4						
WC#: 20.010	AFL	1480						
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A								
00-00/45B	AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (EXTERNAL)						Service	ATA:20
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	
	HRS	2059.4						
WC#: 20.011	AFL	1480						
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-20/221 ^S ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE Service ATA:21								
	MOS	07-Jan-26	24 (+10%/-10%)					
	HRS	2059.4	2400 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-20/317 ECS EMERGENCY SHUT-OFF SYSTEM - CHECK Service ATA:21								
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	AIRWORTHINESS
	HRS	2059.4	3000		5059.4		2888.9	
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-30/314 ^S CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT. IF CONTAMINATION IS FOUND REMOVE AND CLEAN Service ATA:21								
PN:PN	MOS	07-Jan-26	24 (+10%/-10%)					
SN:UNKNOWN	HRS	2059.4	2400 (+10%/-10%)					
WC#: 21.030	AFL	1480						
PROC. REF: AMM 12-B-21-30-02-00A-250A-APROC. REF: AMM 12-B-21-30-02-00A-250A-A								
21-30/318 PRESSURIZATION DUMP SWITCH MSN 1001-1719 - OPERATIONAL TEST Service ATA:21								
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	AIRWORTHINESS
	HRS	2059.4	3000		5059.4		2888.9	
WC#: 21.045	AFL	1480						
PROC. REF: AMM 12-B-21-30-00-00A-903A-APROC. REF: AMM 12-B-21-30-00-00A-903A-A								
21-30/46 CABIN POSITIVE PRESSURE RELIEF 1001-1719 - FUNCTIONAL TEST Service ATA:21								
PN:PN	MOS	07-Jan-26	48 (+10%/-10%)		07-Jan-30	31-May-30	1319 d (+144)	
SN:UNKNOWN	HRS	2059.4	4800 (+10%/-10%)		6859.4	7339.4	4688.9 (+480)	
WC#: 21.040	AFL	1480						
PROC. REF: AMM 12-B-21-30-00-00A-903A-APROC. REF: AMM 12-B-21-30-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-40/128 ^S FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH - OPERATIONAL TEST								
	MOS	07-Jan-26	12 (+10%/-10%)					Service ATA:21
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-21-43-00-00A-903A-APROC. REF: AMM 12-B-21-43-00-00A-903A-A								
21-40/330 ^S CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH - OPERATIONAL TEST								
	MOS	07-Jan-26	12 (+10%/-10%)					Service ATA:21
	HRS	2059.4	1200 (+10%/-10%)					
WC#: 21.140	AFL	1480						
PROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-A								
21-40/331 ^S UNDERFLOOR HEATER THERMAL PROTECTION SWITCH - FUNCTIONAL TEST								
PN:9696781507	MOS	07-Jan-26	12 (+10%/-10%)					Service ATA:21
SN:581228	HRS	2059.4	1200 (+10%/-10%)					
WC#: 21.150	AFL	1480						
PROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-A								
21-40/50 WATER SEPARATOR CONDENSER - CLEAN								
PN:PN	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	Service ATA:21
SN:UNKNOWN	HRS	2059.4	1200 (+10%/-10%)		3259.4	3379.4	1088.9 (+120)	
WC#: 21.080	AFL	1480						
PROC. REF: AMM 12-B-21-40-03-00A-250A-APROC. REF: AMM 12-B-21-40-03-00A-250A-A								
21-40/51 OVERTEMPERATURE SWITCH - FUNCTIONAL TEST								
PN:9738132216	MOS	07-Jan-26	60 (+10%/-10%)		07-Jan-31	07-Jul-31	1684 d (+181)	Service ATA:21
SN:0968	HRS	2059.4	4800 (+10%/-10%)		6859.4	7339.4	4688.9 (+480)	
WC#: 21.130	AFL	1480						
PROC. REF: AMM 12-B-21-40-06-00A-903A-APROC. REF: AMM 12-B-21-40-06-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-40/52 DUCT OVERTEMPERATURE SWITCH - FUNCTIONAL TEST Service ATA:21								
PN:9738132214	MOS	07-Jan-26	60 (+10%/-10%)		07-Jan-31	07-Jul-31	1684 d (+181)	
SN:0902	HRS	2059.4	4800 (+10%/-10%)		6859.4	7339.4	4688.9 (+480)	
WC#: 21.120	AFL	1480						
PROC. REF: AMM 12-B-21-60-05-00A-903A-APROC. REF: AMM 12-B-21-60-05-00A-903A-A								
21-40/55 ^S COLD AIR UNIT - ADD OIL Service ATA:21								
	MOS	07-Jan-26						
	HRS	2059.4	600 (+10%/-10%)					
WC#: 21.060	AFL	1480						
PROC. REF: AMM 12-B-21-40-02-00A-902A-APROC. REF: AMM 12-B-21-40-02-00A-902A-A								
21-40/56 ^S HEAT EXCHANGER MATRIX - INSPECT/CHECK Service ATA:21								
	MOS	07-Jan-26						
	HRS	2059.4	600 (+10%/-10%)					
WC#: 21.070	AFL	1480						
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A								
21-50/223 ^S VAPOR CYCLE COOLING SYSTEM (IF INSTALLED) - EXAMINE Service ATA:21								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-50/433 VAPOR CYCLE COMPRESSOR/CONDENSER MODULE (INCLUDIG MOTOR) (IF INSTALLED) - CLEAN Service ATA:21								
PN:1134400-59	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	
SN:2414	HRS	2059.4	300 (+10%/-10%)		2359.4	2389.4	188.9 (+30)	
	AFL	1480						
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-50/461 VAPOR CYCLE COMPRESSOR MOTOR (CCM P/N 959.90.22.140) (IF INSTALLED) - INSPECT/CHECK Service ATA:21								
PN:1134400-59	MOS/MSC		N/A					
SN:2414	HRS							
	AFL							
	ACH							
PROC. REF: AMM 12-B-21-50-03-00A-313A-APROC. REF: AMM 12-B-21-50-03-00A-313A-A								
21-50/462 VAPOR CYCLE COMPRESSOR MOTOR DRIVE BELT (CCM P/N 959.90.22.140) (IF INSTALLED) - CHECK FOR TENSION Service ATA:21								
PN:1134400-59	MOS/MSC		N/A					
SN:2414	HRS							
	AFL							
	ACH							
PROC. REF: AMM 12-B-21-50-01-00A-903A-APROC. REF: AMM 12-B-21-50-01-00A-903A-A								
21-50/58 VAPOOR CYCLE COMPRESSOR MOTOR (IF INSTALLED) - INSPECTION/CHECK Service ATA:21								
PN:1134400-59	MOS	07-Nov-24						
SN:2414	HRS	1639.7						
WC#: 21.110	AFL	1300						
	ACH	0	500 (+10%/-10%)		500	550	403.6 (+50)	
PROC. REF: AMM 12-B-21-50-03-00A-313A-APROC. REF: AMM 12-B-21-50-03-00A-313A-A								
21-50/59 VAPOR CYCLE COMPRESSOR MOTOR DRIVE BELT (IF INSTALLED) - CHECK FOR TENSION Service ATA:21								
PN:1134400-59	MOS	07-Nov-24						
SN:2414	HRS	1639.7						
WC#: 21.100	AFL	1300						
	ACH	0	500 (+10%/-10%)		500	550	403.6 (+50)	
PROC. REF: AMM 12-B-21-50-01-00A-903A-APROC. REF: AMM 12-B-21-50-01-00A-903A-A								
210005 OVERPRESSURE SWITCH Component ATA:21								
PN:9738115105	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1417	HRS	0		TSN 0				
WC#: 21.340	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210010 REFRIGERATION PACK								Component ATA:21
PN:9599020111	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2112	HRS	0		TSN 0				
WC#: 21.255	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A								
210015 WATER INJECTOR								Component ATA:21
PN:9599020141	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2085	HRS	0		TSN 0				
WC#: 21.370	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210020 DUCT TEMP SENSOR								Component ATA:21
PN:9599020121	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:4502	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
210025 PRIM SHUT OFF VALVE								Component ATA:21
PN:9599020132	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2094	HRS	0		TSN 0				
WC#: 21.290	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-05-00A-920A-APROC. REF: AMM 12-B-21-40-05-00A-920A-A								
210030 HP SHUT OFF VALVE								Component ATA:21
PN:9599020131	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2099	HRS	0		TSN 0				
WC#: 21.280	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-04-00A-920A-APROC. REF: AMM 12-B-21-40-04-00A-920A-A								
210035 WATER SEPARATOR ASSY								Component ATA:21
PN:PN	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-03-00A-920A-APROC. REF: AMM 12-B-21-40-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210040 TEMP CONTROL VALVE								Component ATA:21
PN:9599020136	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2099	HRS	0		TSN 0				
WC#: 21.310	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-02-00A-920A-APROC. REF: AMM 12-B-21-60-02-00A-920A-A								
210045 AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE								Component ATA:21
PN:1134400-59	MOS/MSC	07-Nov-24	O/C	TSO 0				
SN:2414	HRS	1639.7		TSO 0				
WC#: 21.380	AFL	1300		TSO 0				
PROC. REF: AMM 12-B-21-50-01-00A-920A-APROC. REF: AMM 12-B-21-50-01-00A-920A-A								
210046 VAPOR CYCLE COMPRESSOR MOTOR								Component ATA:21
PN:PN	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-50-01-00A-920A-APROC. REF: AMM 12-B-21-50-01-00A-920A-A								
210050 CENTER EVAPORATOR MODULE ASSY								Component ATA:21
PN:9599022121	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:977	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210055 RIGHT SIDE EVAPORATOR MODULE								Component ATA:21
PN:9599022119	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1109	HRS	0		TSN 0				
WC#: 21.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210060 CABIN PRESSURE OUTFLOW VALVE								Component ATA:21
PN:9599091122	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:103898-00646	HRS	0		TSN 0				
WC#: 21.250	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-03-00A-920A-APROC. REF: AMM 12-B-21-30-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210065 CABIN PRESSURE RELIEVE VALVE								Component ATA:21
PN:9599091132	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:36-F0660	HRS	0		TSN 0				
WC#: 21.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210115 UNDERFLOOR (FRONT) ELECTRIC HEATER								Component ATA:21
PN:9696781507	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:581228	HRS	0		TSN 0				
WC#: 21.240	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-01-00A-920A-APROC. REF: AMM 12-B-21-40-01-00A-920A-A								
210135 LEFT SIDE EVAPORATOR MODULE ASSY								Component ATA:21
PN:9599022118	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1082	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210145 CABIN (REAR) ELECTRIC HEATER								Component ATA:21
PN:9696781507	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:581231	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-15-00A-920A-APROC. REF: AMM 12-B-21-40-15-00A-920A-A								
210170 OVERPRESSURE SWITCH								Component ATA:21
PN:9738115106	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1453	HRS	0		TSN 0				
WC#: 21.340	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A								
210175 FLOW CONTROL VALVE ACTUATOR								Component ATA:21
PN:9599020160	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1632	HRS	0		TSN 0				
WC#: 21.520	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-03-01A-920A-APROC. REF: AMM 12-B-21-60-03-01A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210180 CABIN PRESSURE CONTROL UNIT								Component ATA:21
PN:9599091144	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2119232-00684	HRS	0		TSN 0				
WC#: 21.530	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-01-00A-920A-APROC. REF: AMM 12-B-21-30-01-00A-920A-A								
210185 INTEG. ECS CONTROL UNIT								Component ATA:21
PN:9599020129	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:0692	HRS	0		TSN 0				
WC#: 21.540	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-01-00A-920A-APROC. REF: AMM 12-B-21-60-01-00A-920A-A								
210190 FLOOR DUCT TEMP SENSOR								Component ATA:21
PN:9599020121	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:4477	HRS	0		TSN 0				
WC#: 21.550	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
210195 MIDDLE CONSOLE DUCT TEMP SENSOR								Component ATA:21
PN:9599020121	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:4476	HRS	0		TSN 0				
WC#: 21.560	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210200 FIREWALL 1415-3 SHUT OFF VALVE								Component ATA:21
PN:9633011005	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:0835	HRS	0		TSN 0				
WC#: 21.570	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-20-01-00A-920A-APROC. REF: AMM 12-B-21-20-01-00A-920A-A								
210205 OVERTEMP. BLEEDAIR 1173T083-01 SWITCH								Component ATA:21
PN:9738132216	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:0968	HRS	0		TSN 0				
WC#: 21.580	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210210 OVERTEMP. CONDAIR 1173T08 SWITCH								Component ATA:21
PN:9738132214	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:0902	HRS	0		TSN 0				
WC#: 21.590	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210215 DUAL FLAPPER 1.5 IN. CHECK VALVE								Component ATA:21
PN:9633011105	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1484B	HRS	0		TSN 0				
WC#: 21.490	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210220 LH DUAL FLAPPER 2.5 IN. CHECK VALVE								Component ATA:21
PN:9633011106	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2589B	HRS	0		TSN 0				
WC#: 21.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210225 RH DUAL FLAPPER 2.5 IN. CHECK VALVE								Component ATA:21
PN:9633011106	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2593B	HRS	0		TSN 0				
WC#: 21.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210230 DUAL FLAPPER 2.5 IN. SPANT 15 CHECK VALVE								Component ATA:21
PN:9633011106	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2580B	HRS	0		TSN 0				
WC#: 21.510	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210235 HEAD LINER DUCT TEMP SENSOR								Component ATA:21
PN:9599020121	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:4541	HRS	0		TSN 0				
WC#: 21.600	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210240	INSULATED, WATER SEPERATOR ASSY							Component	ATA:21
PN:5214112047	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:3266	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-40-03-00A-920A-APROC. REF: AMM 12-B-21-40-03-00A-920A-A									
ATA 22 - AUTO FLIGHT									
22-10/233 ^S	PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES - EXAMINE							Service	ATA:22
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
22-10/60 ^S	SERVO MOUNT (PITCH) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-22-10-00-00A-313A-APROC. REF: AMM 12-B-22-10-00-00A-313A-A									
22-10/60 ^S	SERVO MOUNT (ROLL) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-22-10-00-00A-313A-APROC. REF: AMM 12-B-22-10-00-00A-313A-A									
22-10/60 ^S	SERVO MOUNT (YAW) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-22-10-00-00A-313A-APROC. REF: AMM 12-B-22-10-00-00A-313A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-10/60 ^S SERVO MOUNT - (PITCH, ROLL AND YAW) REMOVE FOR CLUTCH CHECK Service ATA:22								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
WC#: 22.010	AFL	1480						
PROC. REF: AMM 12-B-22-10-00-00A-313A-APROC. REF: AMM 12-B-22-10-00-00A-313A-A								
PKG:20								
22-20/129 ^S ANGLE OF ATTACK (AOA) TRANSMITTERS - EXAMINE Service ATA:22								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-22-20-02-00A-313A-APROC. REF: AMM 12-B-22-20-02-00A-313A-A								
PKG:17								
22-20/130 ^S STICK PUSHER SYSTEM - CHECK Service ATA:22								
	MOS	07-Jan-26						
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-22-20-00-00A-903A-APROC. REF: AMM 12-B-22-20-00-00A-903A-A								
PKG:16								
22-20/226 ^S STICK PUSHER SYSTEM - FUNCTIONAL TEST Service ATA:22								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-22-20-00-00A-903A-APROC. REF: AMM 12-B-22-20-00-00A-903A-A								
PKG:20								
220045 STICK PUSHER SERVO Component ATA:22								
PN:9786111103	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:80968	HRS	0		TSN 0				
WC#: 22.220	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
220055 STICK PUSHER CAPSTAN								Component ATA:22
PN:9786111124	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:80931	HRS	0		TSN 0				
WC#: 22.140	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A								
220060 STICK SHAKER								Component ATA:22
PN:9786111143	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1469	HRS	0		TSN 0				
WC#: 22.230	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-03-00A-920A-APROC. REF: AMM 12-B-22-20-03-00A-920A-A								
220070 STICK PUSHER								Component ATA:22
PN:9754423104	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:135638	HRS	0		TSN 0				
WC#: 22.170	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A								
220085 ELEVATOR KSM 375 A/P SERVO MOUNT								Component ATA:22
PN:9859912133	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KSM375-B3087	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220090 RUDDER KSM 375 A/P SERVO MOUNT								Component ATA:22
PN:9859912133	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KSM375-B3086	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220095 AILERON KSM 375 A/P SERVO MOUNT								Component ATA:22
PN:9859912133	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KSM375-B3083	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
220100 RUDDER KSA 2700 SERVO								Component ATA:22
PN:9859912275	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KSA2700-3076	HRS	0		TSN 0				
WC#: 22.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220105 ELEVATOR KSA 2700 SERVO								Component ATA:22
PN:9859912275	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KSA2700-3149	HRS	0		TSN 0				
WC#: 22.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220110 AILERON KSA 2700 SERVO								Component ATA:22
PN:9859912275	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KSA2700-3045	HRS	0		TSN 0				
WC#: 22.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220115 KMC 9200 VNAV FLIGHT CONTROLLER								Component ATA:22
PN:9859912204	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KMC9200-1896	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 23 - COMMUNICATIONS								
23-10/322 ^S AUDIO CONTROL PANEL EMERGENCY SWITCH - OPERATIONAL TEST								Service ATA:23
	MOS	07-Jan-26	24 (+10%/-10%)					
	HRS	2059.4	2400 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-23-50-00-00A-903A-APROC. REF: AMM 12-B-23-50-00-00A-903A-A								

PKG:21

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-10/323 ^S EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATIONAL TEST Service ATA:23								
	MOS	07-Jan-26	24 (+10%/-10%)					
	HRS	2059.4	2400 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-23-12-00-00A-903A-APROC. REF: AMM 12-B-23-12-00-00A-903A-A								
230005 VHF/NAV SYSTEM I VHF COMM ANTENNA Component ATA:23								
PN:S65-8280-10	MOS/MSC	18-Aug-22	O/C	TSN 0				
SN:310-37742	HRS	992.6		TSN 0				
WC#: 23.020	AFL	847		TSN 0				
PROC. REF: AMM 12-B-23-12-02-00A-920A-APROC. REF: AMM 12-B-23-12-02-00A-920A-A								
230010 VHF/NAV SYSTEM II VHF COMM ANTENNA Component ATA:23								
PN:9848110203	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:310-29243	HRS	0		TSN 0				
WC#: 23.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-03-00A-920A-APROC. REF: AMM 12-B-23-12-03-00A-920A-A								
230040 IRIDIUM/GPS,S67-1575-109 ANTENNA Component ATA:23								
PN:9848110210	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:430-14580	HRS	0		TSN 0				
WC#: 23.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-02-00A-920A-APROC. REF: AMM 12-B-34-57-02-00A-920A-A								
230045 NO. 1 KTR 2280 MULTI-MODE DIGITAL RADIO Component ATA:23								
PN:9859912254	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:4425	HRS	0		TSN 0				
WC#: 23.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								
230050 NO. 2 KTR 2280 MULTI-MODE DIGITAL RADIO Component ATA:23								
PN:9859912254	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:4433	HRS	0		TSN 0				
WC#: 23.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								

PKG:21

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
230055 PILOT KMA 29 AUDIO/MARKER PANEL								Component ATA:23
PN:9859912108	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:M01776	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
ATA 23 - COMMUNICATIONS								
230060 CO-PILOT KMA 29 AUDIO/MARKER PANEL								Component ATA:23
PN:050-290-0500	MOS/MSC	15-Sep-23	O/C	TSO 8				
SN:K01405	HRS	1313.6		TSO 0				
WC#: 23.110	AFL	1095		TSO 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
ATA 24 - ELECTRICAL POWER								
24-30/309 ^S GENERATOR 1 (P/N 978.91.23.437) - BRUSH CHECK								Service ATA:24
PN:23085-031 MOD A	MOS/MSC		N/A					
SN:P1076	HRS							
WC#: 24.210	AFL							
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
ATA 24 - ELECTRICAL POWER								
24-30/310 ^S STARTER/GENERATOR 2 (P/N 978.91.23.437) - BRUSH CHECK								Service ATA:24
PN:23085-031 MOD A	MOS/MSC		N/A					
SN:P1095	HRS							
WC#: 24.026	AFL							
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
ATA 24 - ELECTRICAL POWER								
24-30/311 GENERATOR CONTROL UNIT, GCU 1- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION								Service ATA:24
PN:PN	MOS	07-Jan-26	12 (+10%/-10%)	07-Jan-27	12-Feb-27	223 d (+36)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2059.4	3000	5059.4		2888.9		
WC#: 24.015	AFL	1480						
PROC. REF: AMM 12-B-71-00-00-00A-903D-APROC. REF: AMM 12-B-71-00-00-00A-903D-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/311 GENERATOR CONTROL UNIT, GCU 2- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION Service ATA:24								
PN:PN	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	AIRWORTHINESS
SN:UNKNOWN	HRS	2059.4	3000		5059.4		2888.9	
WC#: 24.025	AFL	1480						
PROC. REF: AMM 12-B-71-00-00-00A-903D-APROC. REF: AMM 12-B-71-00-00-00A-903D-A								
24-30/312^S EMERGENCY POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST Service ATA:24								
	MOS	07-Jan-26	24 (+10%/-10%)					
	HRS	2059.4	2400 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-24-40-00-00A-903A-APROC. REF: AMM 12-B-24-40-00-00A-903A-A								
24-30/313^S DC ELECTRICAL SYSTEM - FUNCTIONAL TEST Service ATA:24								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-71-00-00-00A-903D-APROC. REF: AMM 12-B-71-00-00-00A-903D-A								
24-30/340 NO. 1 LEAD ACID BATTERY - REMOVE AND DO A CAPACITY TEST Service ATA:24								
PN:RG-380E/44	MOS	07-Jan-26	6 (+10%/-10%)		07-Jul-26	25-Jul-26	39 d (+18)	
SN:70040161	HRS	2059.4	600 (+10%/-10%)		2659.4	2719.4	488.9 (+60)	
WC#: 24.010	AFL	1480						
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
24-30/340 NO. 2 LEAD ACID BATTERY - REMOVE AND DO A CAPACITY TEST Service ATA:24								
PN:RG-380E/44	MOS	07-Jan-26	6 (+10%/-10%)		07-Jul-26	25-Jul-26	39 d (+18)	
SN:70040159	HRS	2059.4	600 (+10%/-10%)		2659.4	2719.4	488.9 (+60)	
WC#: 24.010	AFL	1480						
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/473 ^S GENERATOR 1 (P/N 978.91.23.407) - BRUSH CHECK Service ATA:24								
PN:23085-031 MOD A	MOS		07-Jan-26					
SN:P1076	HRS		2059.4			600 (+10%/-10%)		
	AFL		1480					
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/474 ^S STARTER/GENERATOR 2 (P/N 978.91.23.407) - BRUSH CHECK Service ATA:24								
PN:23085-031 MOD A	MOS		07-Jan-26					
SN:P1095	HRS		2059.4			600 (+10%/-10%)		
	AFL		1480					
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/492 GENERATOR 1 (P/N 978.91.23.407) - OVERHAUL Service ATA:24								
PN:23085-031 MOD A	MOS		07-Jan-26					OVERHAUL
SN:P1076	HRS		2059.4		3259.4	3379.4	1088.9 (+120)	
	AFL		1480					
PROC. REF: AMM 12-B-05-10-10-00A-281A-APROC. REF: AMM 12-B-05-10-10-00A-281A-A								
24-30/493 STARTER/GENERATOR 2 (P/N 978.91.23.407) - OVERHAUL Service ATA:24								
PN:23085-031 MOD A	MOS		07-Jan-26					OVERHAUL
SN:P1095	HRS		2059.4		3259.4	3379.4	1088.9 (+120)	
	AFL		1480					
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/496 GENERATOR 1 (P/N 978.91.23.437) - OVERHAUL Service ATA:24								
PN:23085-031 MOD A	MOS/MSC			N/A				
SN:P1076	HRS							
	AFL							
PROC. REF: AMM 12-B-05-10-10-00A-281A-APROC. REF: AMM 12-B-05-10-10-00A-281A-A								
24-30/497 STARTER/GENERATOR 2 (P/N 978.91.23.437) - OVERHAUL Service ATA:24								
PN:23085-031 MOD A	MOS/MSC			N/A				
SN:P1095	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-40/229 ^S EXTERNAL POWER UNIT (EPU) RECEPTACLE - EXAMINE Service ATA:24								
	MOS	07-Jan-26	24 (+10%/-10%)					
	HRS	2059.4	2400 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
24-50/70 EMERGENCY POWER SUPPLY - REMOVE AND CAP TEST Service ATA:24								
PN:501-1712-02	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	
SN:83594	HRS	2059.4						
WC#: 24.050	AFL	1480						
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								
24-60/133 ^S COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS - EXAMINE Service ATA:24								
	MOS	07-Jan-26	24 (+10%/-10%)					
	HRS	2059.4	2400 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240005 VOLTAGE REGULATOR 1 Component ATA:24								
PN:9882114111	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:P3903	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-05-00A-920A-APROC. REF: AMM 12-B-24-30-05-00A-920A-A								
240010 GENERATOR 1 300A CONTACTOR Component ATA:24								
PN:9740338113	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:292	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240015 GENERATOR 2 300A CONTACTOR								Component ATA:24
PN:9740338113	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:300	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240120								Component ATA:24
PN:9740338152	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:924	HRS	0		TSN 0				
WC#: 90.005	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240135 NO. 1 LEAD ACID BATTERY								Component ATA:24
PN:RG-380E/44	MOS/MSC	07-Jan-26	O/C	TSN 14				
SN:70040161	HRS	2059.4		TSN 419.7				
WC#: 24.010	AFL	1480		TSN 180				
								WO#: 6577-10-2024
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
240140 NO. 2 LEAD ACID BATTERY								Component ATA:24
PN:RG-380E/44	MOS/MSC	07-Jan-26	O/C	TSN 14				
SN:70040159	HRS	2059.4		TSN 419.7				
WC#: 24.010	AFL	1480		TSN 180				
								WO#: 6577-10-2024
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
243010 NO. 2 STARTER-GENERATOR								Component ATA:24
PN:23085-031 MOD A	MOS/MSC	07-Jan-26	O/C	TSO 2				
SN:P1095	HRS	2059.4		TSO 0				
WC#: 24.215	AFL	1480		TSO 0				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
243020 NO. 1 (GCU 1) GENERATOR CONTROL UNIT								Component ATA:24
PN:PN	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243030	NO. 2 (GCU 2) GENERATOR CONTROL UNIT							Component	ATA:24
PN:PN	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243080	EMERGENCY POWER SUPPLY							Component	ATA:24
PN:501-1712-02	MOS/MSC	07-Jan-26	O/C						
SN:83594	HRS	2059.4							
WC#: 24.050	AFL	1480							
								WO#: 6577-10-2024	
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A									
243100	NO. 1 NICAD BATTERY							Component	ATA:24
PN:PN	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:NOT INSTALLED	HRS	0		TSN 0					
WC#: 24.060	AFL	0		TSN 0					
PROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A									
243105	NO. 2 NICAD BATTERY							Component	ATA:24
PN:PN	MOS/MSC		O/C						
SN:NOT INSTALLED	HRS								
WC#: 24.061	AFL								
PROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A									
243160	NO. 1 STARTER GENERATOR							Component	ATA:24
PN:23085-031 MOD A	MOS/MSC	07-Jan-26	O/C	TSO 2					
SN:P1076	HRS	2059.4		TSO 0					
WC#: 24.205	AFL	1480		TSO 0					
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A									
243170	110 VOLT STATIC ,SS50 INVERTER							Component	ATA:24
PN:9750215107	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:7470	HRS	0		TSN 0					
WC#: 24.220	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
PROC. REF: AMM 12-B-24-60-01-00A-920A-APROC. REF: AMM 12-B-24-60-01-00A-920A-A									
243175	HALL EFFECT,FE1263 GEN 1 TRANSDUCER							Component	ATA:24
PN:9755085111	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:N3812	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243180	HALL EFFECT,FE1263 GEN 2 TRANSDUCER							Component	ATA:24
PN:9755085111	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:N3804	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243190	VOLTAGE REGULATOR 2							Component	ATA:24
PN:9882114111	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:P4057	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-24-30-06-00A-920A-APROC. REF: AMM 12-B-24-30-06-00A-920A-A									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/134 ^S	EXAMINE CREW SEAT BELTS							Service	ATA:25
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-10/135 ^S	EXAMINE CREW SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service	ATA:25
	MOS	07-Jan-26							
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:17

PKG:16

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/294	CREW SEAT BELTS							Component	ATA:25
PN:PN	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-10/296 ^S	REMOVE CREW SEATS AS NECESSARY TO DO INSPECTION							Service	ATA:25
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PKG:15									
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A									
25-10/297 ^S	INSTALL CREW SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:25
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PKG:15									
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A									
25-10/300 ^S	CREW SEATS - REMOVE CUSHIONS, COVERS AND SHELLS (REF. CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS.							Service	ATA:25
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PKG:20									
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A									
25-20/136 ^S	EXAMINE PASSENGER SEAT BELTS AND EXTENSIONS							Service	ATA:25
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PKG:17									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/137 ^S	EXAMINE PASSENGER SEATS - FOR EXECUTIVE SEATS ONLY, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service	ATA:25
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:20	
25-20/295	PASSENGER SEAT BELTS							Component	ATA:25
PN:PN	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-20/298 ^S	REMOVE PASSENGER SEATS AS NECESSARY TO DO THE INSPECTION							Service	ATA:25
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-A								PKG:15	
25-20/299 ^S	INSTALL PASSENGER SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:25
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-A								PKG:15	
25-20/302 ^S	EXAMINE PASSENGER SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.							Service	ATA:25
	MOS	07-Jan-26							
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:16	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60/231 ^S OPERATIONAL TEST ELT Service ATA:25								
PN:9851380882	MOS	07-Jan-26	12 (+10%/-10%)					
SN:LX1100296349	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-25-63-00-00A-903A-A, AMM 12-B-25-63-00-00A-903B-APROC. REF: AMM 12-B-25-63-00-00A-903A-A, AMM 12-B-25-63-00-00A-903B-A								
25-60/232 ^S EXAMINE ELT INSTALLATION Service ATA:25								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-60/483 PERFORM EMERGENCY LOCATOR TRANSMITTER PERIODIC INSPECTION ON KANNAD 406 AF ELT. IF INSTALLED Service ATA:25								
PN:9851380882	MOS/MSC	15-Sep-23	A/R					
SN:LX1100296349	HRS	1313.6						
	AFL	1095						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-63/23 ELT BATTERY Component ATA:25								
PN:0141823	MOS/MSC	18-Aug-22	DUE	TSN 0	01-Apr-29 (M)		1038 d	DISCARD
SN:22200435	HRS	992.6		TSN 0				
WC#: 25.020	AFL	847		TSN 0				
Expiry Date: : 01-Apr-29								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-63/434 DISCARD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD 406 AF NAV INTERFACE UNIT INSTALLED) Service ATA:25								
PN:9851380881	MOS	31-Jul-16	120 (+6m/-6m)		31-Jul-26	31-Jan-27	63 d (+184)	DISCARD
SN:LX1100296383	HRS	0	16000 (+500/-500)		16000	16500	13829.5 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-63/477 CLEAN UNDERWATER LOCATOR BEACON (IF INSTALLED) Service ATA:25								
PN:PN	MOS/MSC	31-Jul-16	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-25-63-04-00A-903A-APROC. REF: AMM 12-B-25-63-04-00A-903A-A								
25-63/478 FUNCTIONAL TEST UNDERWATER LOCATOR BEACON (IF INSTALLED) Service ATA:25								
PN:PN	MOS/MSC	31-Jul-16	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-25-63-04-00A-903A-APROC. REF: AMM 12-B-25-63-04-00A-903A-A								
25-63/479 FUNCTIONAL TEST UNDERWATER LOCATOR BEACON BATTERY VOLTAGE (IF INSTALLED) Service ATA:25								
PN:PN	MOS/MSC	31-Jul-16	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-25-63-04-00A-903A-APROC. REF: AMM 12-B-25-63-04-00A-903A-A								
25-63/480 DISCARD UNDERWATER LOCATOR BEACON (IF INSTALLED) Service ATA:25								
PN:PN	MOS/MSC	31-Jul-16	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-25-63-04-00A-920A-APROC. REF: AMM 12-B-25-63-04-00A-920A-A								
250005 REMOTE CONTROL PANEL Component ATA:25								
PN:9851380817	MOS/MSC	31-Jul-16	O/C		TSN 0			
SN:TM0000097633	HRS	0			TSN 0			
WC#: 25.070	AFL	0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250010 EMERGENCY LOCATOR TRANSMITTER Component ATA:25								
PN:9851380882	MOS/MSC	15-Dec-21	O/C					
SN:LX1100296349	HRS	810.9						
WC#: 25.050	AFL	717						
PROC. REF: AMM 12-B-25-63-00-00A-920A-APROC. REF: AMM 12-B-25-63-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250021 L/H NO. 1 AFSS PASSENGER SEAT								Component ATA:25
PN:9593001821	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:61039	HRS	0		TSN 0				
WC#: 25.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								
250022 R/H NO. 2 AFSS PASSENGER SEAT								Component ATA:25
PN:9593001822	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:61040	HRS	0		TSN 0				
WC#: 25.125	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								
250023 L/H NO. 3 FFSS PASSENGER SEAT								Component ATA:25
PN:9593001835	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:61041	HRS	0		TSN 0				
WC#: 25.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								
250024 R/H NO. 4 FFSS PASSENGER SEAT								Component ATA:25
PN:9593001836	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:61043	HRS	0		TSN 0				
WC#: 25.135	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								
250025 L/H NO. 5 FFSS PASSENGER SEAT								Component ATA:25
PN:9593001837	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:61042	HRS	0		TSN 0				
WC#: 25.140	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								
250026 R/H NO. 6 FFSS PASSENGER SEAT								Component ATA:25
PN:9593001838	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:61044	HRS	0		TSN 0				
WC#: 25.145	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250027 L/H NO. 7 STANDARD PASSENGER SEAT								Component ATA:25
PN:5252212011	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1912	HRS	0		TSN 0				
WC#: 25.150	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-22-01-00A-920A-A								
250028 R/H NO. 8 STANDARD PASSENGER SEAT								Component ATA:25
PN:5252212012	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1963	HRS	0		TSN 0				
WC#: 25.155	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-22-01-00A-920A-A								
250630 KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY (IF KANNAD ELT NAV INTERFACE IS INSTALLED) MODULE								Component ATA:25
PN:9851380881	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:LX1100296383	HRS	0		TSN 0				
WC#: 25.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-03-00A-920A-APROC. REF: AMM 12-B-25-63-03-00A-920A-A								
256020 LH BLACK PILOT SEAT								Component ATA:25
PN:9593001165	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:82481	HRS	0		TSN 0				
WC#: 25.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A								
256025 RH BLACK CO-PILOT SEAT								Component ATA:25
PN:9593001166	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:82533	HRS	0		TSN 0				
WC#: 25.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A								
258010 PERFORM EMERGENCY LOCATOR TRANSMITTER (ELT) 12-MONTHS INSPECTION - FAR 91.207 (D)								Service ATA:25
	MOS	07-Jan-26	12		07-Jan-27		223 d	
	HRS	2059.4						
WC#: 25.110	AFL	1480						
PROC. REF: AMM 12-B-25-63-00-00A-903A-APROC. REF: AMM 12-B-25-63-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20/2		CABIN FIRE EXTINGUISHER 1.5 KG					Component	ATA:26	
PN:PN	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 26.030	AFL	0		TSN 0					
PROC. REF: AMM 12-B-26-20-02-00A-920A-APROC. REF: AMM 12-B-26-20-02-00A-920A-A									
26-20/2		COCKPIT FIRE EXTINGUISHER					Component	ATA:26	
PN:959.08.06.220	MOS	07-Jan-26	120	TSN 8	15-May-35		3273 d	LIFE LIMIT	
SN:132308	HRS	2059.4		TSN 0					
WC#: 26.010	AFL	1480		TSN 0					
Manufacture Date:: 15-May-25									
PROC. REF: AMM 12-B-26-20-01-00A-920A-APROC. REF: AMM 12-B-26-20-01-00A-920A-A									
26-20/24		COCKPIT FIRE EXTINGUISHER CONTENTS CHECK (EXCEPT MODEL P3APP003010D - P/N 959.08.06.224)					Service	ATA:26	
PN:959.08.06.220	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)		
SN:132308	HRS	2059.4							
WC#: 26.010	AFL	1480							
PROC. REF: AMM 12-B-26-20-00-01A-289A-APROC. REF: AMM 12-B-26-20-00-01A-289A-A									
260005		FIRE/OVERHEAT DETECTOR					Component	ATA:26	
PN:9751210012	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:214786	HRS	0		TSN 0					
WC#: 26.020	AFL	0		TSN 0					
PROC. REF: AMM 12-B-26-10-01-00A-920A-APROC. REF: AMM 12-B-26-10-01-00A-920A-A									
ATA 27 - FLIGHT CONTROLS									
27-00/138 ^S		AILERON, ELEVATOR AND RUDDER CONTROLS - OPERATE, MAKE SURE FULL AND FREE TRAVEL					Service	ATA:27	
	MOS	07-Jan-26							
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:16

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00/402	EXAMINE - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES							Service	ATA:27
	MOS	31-Jul-16							
	HRS	0	T:32500 (+500/-500)		32500	33000	30329.5 (+500)		
WC#: 27.255	AFL	0	T:42000 (+500/-500)		42000	42500	40448 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service	ATA:27
	MOS	07-Jan-26	60 (+10%/-10%)		07-Jan-31	07-Jul-31	1684 d (+181)		
	HRS	2059.4	4800 (+10%/-10%)		6859.4	7339.4	4688.9 (+480)		
WC#: 27.010	AFL	1480							
PROC. REF: AMM 12-B-27-00-00-00A-313A-APROC. REF: AMM 12-B-27-00-00-00A-313A-A									
27-10/139 ^S	AILERON LH AND RH - EXAMINE AND LUBRICATE THE TRIMHINGES WITH MINIMUM QUANTITY OFCPC (MAT. NO. P10-001)							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-10/235 ^S	EXAMINE AILERON ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:17

PKG:20

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/236 ^S	AILERON CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PKG:20									
PROC. REF: AMM 12-B-27-10-00-00A-313A-APROC. REF: AMM 12-B-27-10-00-00A-313A-A									
27-10/237 ^S	CHECK AILERON CABLE TENSION							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PKG:20									
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A									
27-10/238 ^S	FUNCTIONAL TEST AILERONS							Service	ATA:27
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PKG:21									
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A									
27-10/394	AILERON CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 27.155	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A									
27-10/395	EDDY CURRENT INSPECTION AILERON CABLE SEGMENT							Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 27.160	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-27-10-09-00A-353A-APROC. REF: AMM 12-B-27-10-09-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/396 EDDY CURRENT INSPECTION - AILERON CONTROL RODS Service ATA:27								
	MOS	31-Jul-16						AIRWORTHINESS
	HRS	0	T:32500		32500		30329.5	
WC#: 27.165	AFL	0	T:42000		42000		40448	
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								
27-10/397 MAGNETIC PARTICLE INSPECT - AILERON CONTROL RODS Service ATA:27								
	MOS	31-Jul-16						AIRWORTHINESS
	HRS	0	T:32500		32500		30329.5	
WC#: 27.170	AFL	0	T:42000		42000		40448	
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A								
27-10/398 AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS Service ATA:27								
	MOS	31-Jul-16						AIRWORTHINESS
	HRS	0	T:32500		32500		30329.5	
WC#: 27.175	AFL	0	T:42000		42000		40448	
PROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-APROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-A								
27-10/400 EDDY CURRENT INSPECTION - LEFT WING AILERON HINGE POINTS Service ATA:27								
	MOS	31-Jul-16						AIRWORTHINESS
	HRS	0	T:32500		32500		30329.5	
WC#: 27.215	AFL	0	T:42000		42000		40448	
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A								
27-10/400 EDDY CURRENT INSPECTION - RIGHT WING AILERON HINGE POINTS Service ATA:27								
	MOS	31-Jul-16						AIRWORTHINESS
	HRS	0	T:32500		32500		30329.5	
	AFL	0	T:42000		42000		40448	
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A								
27-10/444 FLIGHT CONTROL CABLES, AILERON Component ATA:27								
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5	
	AFL	0	27000	TSN 0	27000		25448	
PROC. REF: AMM 12-B-27-10-01-00A-920A-APROC. REF: AMM 12-B-27-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/445	AUTOPILOT CONTROL CABLE, AILERON							Component	ATA:27
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5		
	AFL	0	27000	TSN 0	27000		25448		
PROC. REF: AMM 12-B-27-10-02-00A-920A-APROC. REF: AMM 12-B-27-10-02-00A-920A-A									
27-10/470 ^S	LUBRICATE AILERON CONTROL SYSTEM BEARINGS							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-27-10-00-00A-901A-APROC. REF: AMM 12-B-27-10-00-00A-901A-A									
27-15/239 ^S	FUNCTIONAL TEST AILERON TRIM							Service	ATA:27
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-27-15-00-00A-903A-APROC. REF: AMM 12-B-27-15-00-00A-903A-A									
27-20/140 ^S	INSPECTION/CHECK RUDDER							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-55-40-00-00A-313A-APROC. REF: AMM 12-B-55-40-00-00A-313A-A									
27-20/240 ^S	EXAMINE RUDDER STATIC DISCHARGERS							Service	ATA:27
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/241 ^S	RUDDER CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-27-20-00-00A-313A-APROC. REF: AMM 12-B-27-20-00-00A-313A-A									
27-20/243 ^S	CHECK RUDDER CABLE TENSION							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A									
27-20/244 ^S	FUNCTIONAL TEST RUDDER							Service	ATA:27
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A									
27-20/245 ^S	FUNCTIONAL TEST RUDDER TRIM							Service	ATA:27
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-27-25-00-00A-903A-APROC. REF: AMM 12-B-27-25-00-00A-903A-A									
27-20/246 ^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/374 RUDDER CONTROL SYSTEM - EXAMINE Service ATA:27								
	MOS	31-Jul-16						AIRWORTHINESS
	HRS	0	T:32500		32500		30329.5	
WC#: 27.180	AFL	0	T:42000		42000		40448	
PROC. REF: AMM 12-B-27-20-00-00A-310A-APROC. REF: AMM 12-B-27-20-00-00A-310A-A								
27-20/376 EXAMINE RUDDER CABLE QUADRANT SHEAR SPIGOT Service ATA:27								
	MOS	31-Jul-16						AIRWORTHINESS
	HRS	0	T:32500		32500		30329.5	
WC#: 27.190	AFL	0	T:42000		42000		40448	
PROC. REF: AMM 12-B-27-20-05-00A-310A-APROC. REF: AMM 12-B-27-20-05-00A-310A-A								
27-20/430 RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION Service ATA:27								
	MOS/MSC	21-Jul-17	O/C					
	HRS	235.2						
	AFL	216						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/431 RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER) Service ATA:27								
	MOS/MSC		A/R					
	HRS	0						
	AFL							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/446 FLIGHT CONTROL CABLES, RUDDER Component ATA:27								
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5	
	AFL	0	27000	TSN 0	27000		25448	
PROC. REF: AMM 12-B-27-20-01-00A-920A-APROC. REF: AMM 12-B-27-20-01-00A-920A-A								
27-20/447 AUTOPILOT CONTROL CABLES, RUDDER Component ATA:27								
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5	
	AFL	0	27000	TSN 0	27000		25448	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 12-B-27-20-02-00A-920A-APROC. REF: AMM 12-B-27-20-02-00A-920A-A									
27-20/575	REPLACE RUDDER BELLCRANK							Service	ATA:27
PN:PN	MOS	31-Jul-16						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		17829.5		
	AFL	0	27000		27000		25448		
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A									
27-30/141 ^S	EXAMINE ELEVATORS							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PKG:17									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-30/247 ^S	EXAMINE ELEVATOR ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PKG:20									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-30/248 ^S	EXAMINE ELEVATOR STATIC DISCHARGERS							Service	ATA:27
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PKG:21									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-30/249 ^S	ELEVATOR CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PKG:20									
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/250 ^S	CHECK ELEVATOR CABLE TENSION							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PKG:20									
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/251 ^S	FUNCTIONAL TEST ELEVATOR							Service	ATA:27
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PKG:21									
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED							Service	ATA:27
	MOS/MSC	21-Jul-17	O/C						
	HRS	235.2							
WC#: 27.150	AFL	216							
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/334	CHECK FLIGHT CONTROL CABLES, ELEVATOR ELEVATOR CONTROL CABLES TENSION - AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service	ATA:27
	MOS/MSC		A/R						
	HRS	0							
	AFL								
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/363	ELEVATOR - CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	31-Jul-16					AIRWORTHINESS		
	HRS	0	T:32500		32500		30329.5		
WC#: 27.195	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-27-30-00-00A-310A-APROC. REF: AMM 12-B-27-30-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/364		EDDY CURRENT INSPECTION - ELEVATOR CONTROL RODS							Service ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 27.200	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A									
27-30/365		MAGNETIC PARTICLE INSPECT - ELEVATOR CONTROL RODS							Service ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 27.205	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A									
27-30/366		EDDY CURRENT INSPECTION - ELEVATOR CONTROL LEVER							Service ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 27.210	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-27-30-05-00A-353A-APROC. REF: AMM 12-B-27-30-05-00A-353A-A									
27-30/448		FLIGHT CONTROL CABLES, ELEVATOR							Component ATA:27
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5		
	AFL	0	27000	TSN 0	27000		25448		
PROC. REF: AMM 12-B-27-30-01-00A-920A-APROC. REF: AMM 12-B-27-30-01-00A-920A-A									
27-30/449		AUTOPILOT CONTROL CABLES, ELEVATOR							Component ATA:27
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5		
	AFL	0	27000	TSN 0	27000		25448		
PROC. REF: AMM 12-B-27-30-02-00A-920A-APROC. REF: AMM 12-B-27-30-02-00A-920A-A									
27-30/450		STICK PUSHER CABLES							Component ATA:27
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5		
	AFL	0	27000	TSN 0	27000		25448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/514 ^S EXAMINE - ELEVATOR STOPS Service ATA:27								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-55-20-01-00A-904B-APROC. REF: AMM 12-B-55-20-01-00A-904B-A								
27-40/1 HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR) Service ATA:27								
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	AIRWORTHINESS
	HRS	2059.4	3000		5059.4		2888.9	
WC#: 27.021	AFL	1480						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/142 ^S OPERATIONAL TEST HORIZONTAL STABILIZER TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES Service ATA:27								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/252 ^S INSPECTION / CHECK PITCH TRIM ACTUATOR AND ATTACHMENTS Service ATA:27								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-27-40-01-00A-313A-APROC. REF: AMM 12-B-27-40-01-00A-313A-A								
27-40/26 OVERHAUL PITCH TRIM ACTUATOR Service ATA:27								
PN:978.73.14.203	MOS	07-Nov-24	84		07-Nov-31		1988 d	OVERHAUL
SN:3550	HRS	1639.7	3400		5039.7		2869.2	
	AFL	1300						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40/291 ^S OPERATIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM								
	MOS	07-Jan-26						Service ATA:27
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/292 ^S FUNCTIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM								
	MOS	07-Jan-26	12 (+10%/-10%)					Service ATA:27
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/3 REPLACE PITCH TRIM ACTUATOR								
PN:978.73.14.203	MOS	07-Nov-24						Service ATA:27
								LIFE LIMIT
SN:3550	HRS	1639.7	20000		21639.7		19469.2	
	AFL	1300	27000		28300		26748	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-40/307 PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL SAFE PLATES AND THEIR ATTACHMENT PARTS (IPC 12-20-00-7)								
PN:PN	MOS	31-Jul-16		TSN 0				Component ATA:27
								LIFE LIMIT
SN:UNKNOWN	HRS	0	10000	TSN 0	10000		7829.5	
WC#: 27.036	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-40-02-00A-920A-APROC. REF: AMM 12-B-27-40-02-00A-920A-A								
27-40/574 DISCARD MANUAL PITCH TRIM RELAYS (P/N 974.20.01.221) K161D2 K161E2 ON LH RELAY PANEL A161								
PN:PN	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	Service ATA:27
								DISCARD
SN:UNKNOWN	HRS	2059.4	1200 (+10%/-10%)		3259.4	3379.4	1088.9 (+120)	
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/143 ^S	LOWER FLAPS TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION							Service	ATA:27
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:15									
27-50/144 ^S	EXAMINE FLAPS AND FLAP SUPPORT MECHANISM							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:17									
27-50/253 ^S	EXAMINE FLAPS ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:20									
27-50/254 ^S	EXAMINE FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:20									
27-50/255 ^S	FUNCTIONAL TEST FLAPS AND ASYMMETRY MONITOR TEST							Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-27-50-00-00A-903A-APROC. REF: AMM 12-B-27-50-00-00A-903A-A									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/28		FLAP POWER DRIVE UNIT						Component	ATA:27
PN:9787320003	MOS	31-Jul-16		TSN 0				OVERHAUL	
SN:1486	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7829.5 (+500)		
WC#: 27.030	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11948 (+500)		
PROC. REF: AMM 12-B-27-50-01-00A-920A-APROC. REF: AMM 12-B-27-50-01-00A-920A-A									
27-50/31		LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:9450202205	MOS	31-Jul-16		TSN 0				DISCARD	
SN:S7656	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7829.5 (+500)		
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11948 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/31		LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:9450202206	MOS	31-Jul-16		TSN 0				DISCARD	
SN:S7634	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7829.5 (+500)		
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11948 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/31		RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:9450202205	MOS	31-Jul-16		TSN 0				DISCARD	
SN:S7664	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7829.5 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11948 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/31		RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:9450202206	MOS	31-Jul-16		TSN 0				DISCARD	
SN:S7637	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7829.5 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11948 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/386		FLAP MECHANISM - EXAMINE						Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
WC#: 27.220	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/387	EDDY CURRENT INSPECTION - FLAP DRIVE ARM (NOT REMOVED)							Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
WC#: 27.225	AFL	0	T:30000		30000		28448		
PROC. REF: AMM 12-B-27-51-00-00A-353A-APROC. REF: AMM 12-B-27-51-00-00A-353A-A									
27-50/388	EDDY CURRENT INSPECTION FLAP DRIVE ARM (REMOVED)							Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
WC#: 27.230	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/389	EDDY CURRENT INSPECTION - LEFT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
WC#: 27.235	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/389	EDDY CURRENT INSPECTION - RIGHT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/390	EDDY CURRENT INSPECTION - LEFT WING FLAP COVE RIB FITTINGS							Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
WC#: 27.240	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/390	EDDY CURRENT INSPECTION - RIGHT WING FLAP COVE RIB FITTINGS							Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/391		EDDY CURRENT INSPECTION - FLAP AFT LINKS						Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
WC#: 27.245	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/392		EDDY CURRENT INSPECTION - FLAP BELLCRANKS						Service	ATA:27
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
WC#: 27.250	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/414		LEFT HAND FLAP						Component	ATA:27
PN:5570512025	MOS	31-Jul-16		TSN 0				LIFE LIMIT	
SN:1347M	HRS	0	25000	TSN 0	25000		22829.5		
WC#: 57.060	AFL	0	30000	TSN 0	30000		28448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/414		RIGHT HAND FLAP						Component	ATA:27
PN:5570512026	MOS	31-Jul-16		TSN 0				LIFE LIMIT	
SN:1347M	HRS	0	25000	TSN 0	25000		22829.5		
WC#: 57.060	AFL	0	30000	TSN 0	30000		28448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/437		INBOARD FLAP DRIVE ARMS - IN-SITU INSPECTION/CHECK						Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	AIRWORTHINESS	
	HRS	2059.4	600 (+10%/-10%)		2659.4	2719.4	488.9 (+60)		
	AFL	1480							
PROC. REF: AMM 12-B-27-51-00-00A-313A-APROC. REF: AMM 12-B-27-51-00-00A-313A-A									
27-50/443 ^S		SERVICE FLAP UP AND DOWN LIMIT SWITCHES						Service	ATA:27
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-12-20-07-00A-902A-APROC. REF: AMM 12-B-12-20-07-00A-902A-A								
27-50/451 LEFT INBOARD FLAP TENSION RODS Component ATA:27								
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5	
	AFL	0	27000	TSN 0	27000		25448	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/451 LEFT MID FLAP TENSION ROD Component ATA:27								
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5	
	AFL	0	27000	TSN 0	27000		25448	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/451 LEFT OUTBOARD FLAP TENSION ROD Component ATA:27								
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5	
	AFL	0	27000	TSN 0	27000		25448	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/451 RIGHT INBOARD FLAP TENSION ROD Component ATA:27								
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5	
	AFL	0	27000	TSN 0	27000		25448	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/451 RIGHT MID FLAP TENSION ROD Component ATA:27								
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5	
	AFL	0	27000	TSN 0	27000		25448	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/451		RIGHT OUTBOARD FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5		
	AFL	0	27000	TSN 0	27000		25448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/475 ^S		RETRACT FLAPS TO 0 DEGREES TO CLOSE THE INSPECTION						Service	ATA:27
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:15									
27-50/485		LEFT INBOARD FLAP ACTUATOR						Component	ATA:27
PN:9787320309	MOS	31-Jul-16		TSN 0				DISCARD	
SN:5817	HRS	0	20000	TSN 0	20000		17829.5		
WC#: 27.040	AFL	0	27000	TSN 0	27000		25448		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485		LEFT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:9787320309	MOS	31-Jul-16		TSN 0				DISCARD	
SN:5827	HRS	0	20000	TSN 0	20000		17829.5		
WC#: 27.041	AFL	0	27000	TSN 0	27000		25448		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485		RIGHT INBOARD FLAP ACTUATOR						Component	ATA:27
PN:9787320309	MOS	31-Jul-16		TSN 0				DISCARD	
SN:5818	HRS	0	20000	TSN 0	20000		17829.5		
WC#: 27.050	AFL	0	27000	TSN 0	27000		25448		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485		RIGHT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:9787320309	MOS	31-Jul-16		TSN 0				DISCARD	
SN:5825	HRS	0	20000	TSN 0	20000		17829.5		
WC#: 27.051	AFL	0	27000	TSN 0	27000		25448		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/495 BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR Service ATA:27								
PN:9787320309	MOS	07-Nov-24	24 (+10%/-10%)		07-Nov-26	19-Jan-27	162 d (+73)	
SN:5817	HRS	1639.7	2400 (+10%/-10%)		4039.7	4279.7	1869.2 (+240)	
WC#: 27.040	AFL	1300	3200 (+10%/-10%)		4500	4820	2948 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:9787320309	MOS	07-Nov-24	24 (+10%/-10%)		07-Nov-26	19-Jan-27	162 d (+73)	
SN:5827	HRS	1639.7	2400 (+10%/-10%)		4039.7	4279.7	1869.2 (+240)	
WC#: 27.041	AFL	1300	3200 (+10%/-10%)		4500	4820	2948 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR Service ATA:27								
PN:9787320309	MOS	07-Nov-24	24 (+10%/-10%)		07-Nov-26	19-Jan-27	162 d (+73)	
SN:5818	HRS	1639.7	2400 (+10%/-10%)		4039.7	4279.7	1869.2 (+240)	
WC#: 27.050	AFL	1300	3200 (+10%/-10%)		4500	4820	2948 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:9787320309	MOS	07-Nov-24	24 (+10%/-10%)		07-Nov-26	19-Jan-27	162 d (+73)	
SN:5825	HRS	1639.7	2400 (+10%/-10%)		4039.7	4279.7	1869.2 (+240)	
WC#: 27.051	AFL	1300	3200 (+10%/-10%)		4500	4820	2948 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/506 OVERHAUL LEFT INBOARD FLAP ACTUATOR Service ATA:27								
PN:9787320309	MOS	31-Jul-16						OVERHAUL
SN:5817	HRS	0	5000 (+10%/-10%)		5000	5500	2829.5 (+500)	
WC#: 27.040	AFL	0	7000 (+500/-500)		7000	7500	5448 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/506		OVERHAUL LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	31-Jul-16						OVERHAUL	
SN:5827	HRS	0	5000 (+10%/-10%)		5000	5500	2829.5 (+500)		
WC#: 27.041	AFL	0	7000 (+500/-500)		7000	7500	5448 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	31-Jul-16						OVERHAUL	
SN:5818	HRS	0	5000 (+10%/-10%)		5000	5500	2829.5 (+500)		
WC#: 27.050	AFL	0	7000 (+500/-500)		7000	7500	5448 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	31-Jul-16						OVERHAUL	
SN:5825	HRS	0	5000 (+10%/-10%)		5000	5500	2829.5 (+500)		
WC#: 27.051	AFL	0	7000 (+500/-500)		7000	7500	5448 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/576		LUBRICATE LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)		
SN:5817	HRS	2059.4	300 (+10%/-10%)		2359.4	2389.4	188.9 (+30)		
WC#: 27.040	AFL	1480							
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A									
27-50/576		LUBRICATE LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)		
SN:5827	HRS	2059.4	300 (+10%/-10%)		2359.4	2389.4	188.9 (+30)		
WC#: 27.041	AFL	1480							
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A									

PKG:17

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/576 LUBRICATE RIGHT INBOARD FLAP ACTUATOR								Service ATA:27
PN:9787320309	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	
SN:5818	HRS	2059.4	300 (+10%/-10%)		2359.4	2389.4	188.9 (+30)	
WC#: 27.050	AFL	1480						
PKG:17								
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A								
27-50/576 LUBRICATE RIGHT OUTBOARD FLAP ACTUATOR								Service ATA:27
PN:9787320309	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	
SN:5825	HRS	2059.4	300 (+10%/-10%)		2359.4	2389.4	188.9 (+30)	
WC#: 27.051	AFL	1480						
PKG:17								
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A								
270003 HORIZONTAL TAIL ASSY								Component ATA:27
PN:5551012037	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1466	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A								
270015 ELEVATOR LH ASSY								Component ATA:27
PN:5552012041	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1540	HRS	0		TSN 0				
WC#: 27.015	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A								
270023 ELEVATOR RH ASSY								Component ATA:27
PN:5552012042	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1537	HRS	0		TSN 0				
WC#: 27.023	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A								
270025 RUDDER TRIM LINEAR ACTUATOR								Component ATA:27
PN:9787318138	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1386	HRS	0		TSN 0				
WC#: 27.090	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 12-B-27-25-01-00A-920A-APROC. REF: AMM 12-B-27-25-01-00A-920A-A									
270033	RUDDER ASSY							Component	ATA:27
PN:5554012040	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1347M	HRS	0		TSN 0					
WC#: 27.033	AFL	0		TSN 0					
PROC. REF: AMM 12-B-55-40-01-00A-920A-APROC. REF: AMM 12-B-55-40-01-00A-920A-A									
270035	FLAP CONTROL AND WARNING UNIT							Component	ATA:27
PN:9787320017	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:136068	HRS	0		TSN 0					
WC#: 27.130	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-05-00A-920A-APROC. REF: AMM 12-B-27-50-05-00A-920A-A									
270041	RUDDER BELLCRANK							Component	ATA:27
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A									
270045	LH INBOARD TRANSMITTER							Component	ATA:27
PN:9787320021	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1610039DW	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A									
270050	LH ROTATION TRANSMITTER							Component	ATA:27
PN:9787320602	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:2390	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A									
270060	LH OUTBOARD TRANSMITTER							Component	ATA:27
PN:9787320021	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1640132DW	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
270070 RH INBOARD TRANSMITTER								Component ATA:27
PN:9787320021	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1610026DX	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
270075 RH ROTATION,C70016705 TRANSMITTER								Component ATA:27
PN:9787320602	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2397	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
270080 KTA2810,TRIM ADAPTER								Component ATA:27
PN:9859912249	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KTA2810-2103	HRS	0		TSN 0				
WC#: 22.135	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-07-00A-920A-A, AMM 12-B-22-10-07-00A-920B-APROC. REF: AMM 12-B-22-10-07-00A-920A-A, AMM 12-B-22-10-07-00A-920B-A								
270090 AILERON LINEAR ACTUATOR								Component ATA:27
PN:9787318138	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1401	HRS	0		TSN 0				
WC#: 27.140	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-15-01-00A-920A-APROC. REF: AMM 12-B-27-15-01-00A-920A-A								
270095 RH OUTBOARD TRANSMITTER								Component ATA:27
PN:9787320021	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1610049DY	HRS	0		TSN 0				
WC#: 27.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
274020 PITCH TRIM ACTUATOR								Component ATA:27
PN:978.73.14.203	MOS/MSC	07-Nov-24	H/T	TSN 0				
SN:3550	HRS	1639.7		TSN 0				
	AFL	1300		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 27 - FLIGHT CONTROLS

PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A

274030 MANUAL PITCH TRIM RELAYS								Component ATA:27
PN:PN	MOS/MSC	07-Jan-26	H/T					
SN:UNKNOWN	HRS	2059.4						
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								WO#: 6577-10-2024

ATA 28 - FUEL

28-10/145 ^S EXAMINE FUEL TANK FILLER CAPS								Service ATA:28
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:17

28-10/146 ^S SAMPLE FUEL - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER								Service ATA:28
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-28-10-02-00A-901A-APROC. REF: AMM 12-B-28-10-02-00A-901A-A								PKG:17

28-10/306 OPERATIONAL TEST FUEL CROSS VENT AND OUTWARD CHECK VALVE								Service ATA:28
	MOS							
	HRS	0	2400 (+10%/-10%)	2400	2640	229.5 (+240)		
WC#: 28.029	AFL							
PROC. REF: AMM 12-B-28-10-01-00A-903A-APROC. REF: AMM 12-B-28-10-01-00A-903A-A								

28-20/147 ^S OPERATIONAL TEST FUEL TANK VENT VALVE AND FLAME ARRESTOR								Service ATA:28
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-28-20-07-00A-903A-APROC. REF: AMM 12-B-28-20-07-00A-903A-A								PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-20/148 ^S	REMOVE/CLEAN FUEL FILTER ELEMENT							Service	ATA:28
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PKG:17									
PROC. REF: AMM 12-B-28-20-01-00A-920A-A, AMM 12-B-28-20-01-00A-250A-APROC. REF: AMM 12-B-28-20-01-00A-920A-A, AMM 12-B-28-20-01-00A-250A-A									
28-20/149 ^S	OPERATE FIREWALL SHUTOFF VALVE FUEL EMERG SHUTOFF LEVER AND MAKE SURE FIREWALL SHUTOFF VALVE OPENS AND CLOSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT LEVER OUTER END IS BELOW 10 LBF (4-4.5 N)							Service	ATA:28
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PKG:19									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
28-20/150 ^S	EXAMINE ENGINE DRIVEN PUMP							Service	ATA:28
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PKG:17									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
28-20/256 ^S	FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED / REMOVED IN THIS INSPECTION PACKAGE							Service	ATA:28
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PKG:21									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
28-20/32	OVERHAUL ENGINE DRIVEN PUMP							Service	ATA:28
PN:9688451108	MOS	31-Jul-16		TSN 0				OVERHAUL	
SN:B6085	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1329.5 (+350)		
WC#: 28.010	AFL	0		TSN 0					
PROC. REF: AMM 12-B-28-20-03-00A-920A-APROC. REF: AMM 12-B-28-20-03-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280005 LOW PRESSURE FUEL PUMP								Component ATA:28
PN:9688451108	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:B6085	HRS	0		TSN 0				
WC#: 28.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-03-00A-920A-APROC. REF: AMM 12-B-28-20-03-00A-920A-A								
280010 FUEL FLOW TRANSMITTER								Component ATA:28
PN:9753512108	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:AAR0329	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-73-30-01-00A-920A-APROC. REF: AMM 12-B-73-30-01-00A-920A-A								
280012 FUEL CONTROL MONITORING UNIT								Component ATA:28
PN:9753731336	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:835	HRS	0		TSN 0				
WC#: 28.155	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-04-00A-920A-A, AMM 12-B-73-20-01-00A-920A-APROC. REF: AMM 12-B-28-40-04-00A-920A-A, AMM 12-B-73-20-01-00A-920A-A								
280015 FIREWALL FUEL,SHUT-OFF VALVE								Component ATA:28
PN:9638722301	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3575	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-08-00A-920A-APROC. REF: AMM 12-B-28-20-08-00A-920A-A								
280020 MAINTENANCE FUEL SHUT-OFF VALVE								Component ATA:28
PN:9638722301	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3600	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-12-00A-920A-APROC. REF: AMM 12-B-28-20-12-00A-920A-A								
280025 FUEL FILTER ASSY								Component ATA:28
PN:9683521001	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2016FFT628	HRS	0		TSN 0				
WC#: 28.025	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-01-00A-920A-APROC. REF: AMM 12-B-28-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280030 FUEL LOW PRESSURE SWITCH								Component ATA:28
PN:9738114102	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2734	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-02-00A-920A-APROC. REF: AMM 12-B-28-20-02-00A-920A-A								
280035 EJECTOR,TRANSFER LH PUMP								Component ATA:28
PN:9688471104	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:B6063	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-05-00A-920A-APROC. REF: AMM 12-B-28-20-05-00A-920A-A								
280040 EJECTOR,DELIVERY LH PUMP								Component ATA:28
PN:9688471105	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:B5880	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-06-00A-920A-APROC. REF: AMM 12-B-28-20-06-00A-920A-A								
280045 FUEL QUANTITY OUTER LH SENSOR								Component ATA:28
PN:9753731253	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2406	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280050 FUEL QUANTITY,CENTRAL LH SENSOR								Component ATA:28
PN:9753731252	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2383	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280055 FUEL QUANTITY,INNER LH SENSOR								Component ATA:28
PN:9753731251	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2363	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280060 FUEL QUANTITY, COLLECTOR LH SENSOR								Component ATA:28
PN:9753731250	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2358	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280065 FUEL, BOOSTER LH PUMP								Component ATA:28
PN:9688411405	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:C-605	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-04-00A-920A-APROC. REF: AMM 12-B-28-20-04-00A-920A-A								
280070 EJECTOR, TRANSFER RH PUMP								Component ATA:28
PN:9688471104	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:B6027	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-05-00A-920A-APROC. REF: AMM 12-B-28-20-05-00A-920A-A								
280075 EJECTOR, DELIVERY RH PUMP								Component ATA:28
PN:9688471105	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:B5859	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-06-00A-920A-APROC. REF: AMM 12-B-28-20-06-00A-920A-A								
280080 FUEL QUANTITY, COLLECTOR RH SENSOR								Component ATA:28
PN:9753731250	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2357	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280085 FUEL QUANTITY, INNER RH SENSOR								Component ATA:28
PN:9753731251	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2365	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280090 FUEL QUANTITY,CENTRAL RH SENSOR								Component ATA:28
PN:9753731252	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2385	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
<hr/>								
280095 FUEL QUANTITY,OUTER RH SENSOR								Component ATA:28
PN:9753731253	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2403	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
<hr/>								
280100 FUEL,BOOSTER RH PUMP								Component ATA:28
PN:9688411405	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:C-589	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-04-00A-920A-APROC. REF: AMM 12-B-28-20-04-00A-920A-A								
<hr/>								
280105 TOP CHECK VALVE								Component ATA:28
PN:9630423105	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3713	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
280110 BOTTOM CHECK VALVE								Component ATA:28
PN:9630423105	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3712	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
280115 LH FUEL QUANTITY, TANK HARNESS								Component ATA:28
PN:9753731335	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1632	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280120	RH FUEL QUANTITY, TANK HARNESS							Component	ATA:28
PN:9753731335	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1621	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 29 - HYDRAULIC POWER									
29-10/151	RETURN LINE FILTER DIFFERENTIAL PRESSURE INDICATOR (IF INSTALLED) - MAKE SURE THAT IT HAS NOT COME OUT. IF INDICATOR FOUND OUT, DO THE INSPECTION/CHECK PROCEDURE							Service	ATA:29
	MOS/MSC	21-Jul-17	N/A						
	HRS	235.2							
	AFL	216							
PROC. REF: AMM 12-B-29-10-04-00A-313A-APROC. REF: AMM 12-B-29-10-04-00A-313A-A									
29-10/153	RESERVOIR TANK (IF INSTALLED) - MAKE SURE NITROGEN PRESSURE IS CORRECT. PRESSURIZE AS NECESSARY							Service	ATA:29
	MOS/MSC	21-Jul-17	N/A						
	HRS	235.2							
	AFL	216							
PROC. REF: AMM 12-B-29-00-00-00A-902A-APROC. REF: AMM 12-B-29-00-00-00A-902A-A									
29-10/257	POWER PACK (IF INSTALLED) - EXAMINE SPECIALLY FOR LEAKS AND CRACKS ON THE END PLATES AND WHERE MOTOR IS ATTACHED							Service	ATA:29
	MOS/MSC	21-Jul-17	N/A						
	HRS	235.2							
	AFL	216							
PROC. REF: AMM 12-B-29-00-00-00A-902A-APROC. REF: AMM 12-B-29-00-00-00A-902A-A									
29-10/258	CHECK NITROGEN ACCUMULATOR PRESSURE AND FILL AS NECESSARY (P/N 960.30.01.291) (IF INSTALLED)							Service	ATA:29
PN:PN	MOS/MSC	21-Jul-17	N/A						
SN:NOT INSTALLED	HRS	235.2							
	AFL	216							
PROC. REF: AMM 12-B-29-10-02-00A-901A-APROC. REF: AMM 12-B-29-10-02-00A-901A-A									
29-10/259	POWER PACK ELECTRIC MOTOR SHAFT SEAL DRAIN FLUID COLLECTOR BOTTLE (IF INSTALLED) - REMOVE, CLEAN AND RE-INSTALL							Service	ATA:29
	MOS/MSC	21-Jul-17	N/A						
	HRS	235.2							
	AFL	216							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-10/316	HYDRAULIC SYSTEM (IF INSTALLED) - MAKE SURE FLUID LEVEL INDICATOR ON THE RESERVOIR TANK SHOWS FULL. FILL AS NEEDED.							Service	ATA:29
	MOS/MSC	21-Jul-17	N/A						
	HRS	235.2							
	AFL	216							
PROC. REF: AMM 12-B-29-00-00-00A-902A-APROC. REF: AMM 12-B-29-00-00-00A-902A-A									
29-10/418	NITROGEN ACCUMULATOR (IF INSTALLED)							Component	ATA:29
PN:PN	MOS/MSC	31-Jul-16	N/A	TSN 0					
SN:NOT INSTALLED	HRS	0		TSN 0					
WC#: 29.020	AFL	0		TSN 0					
PROC. REF: AMM 12-B-29-10-02-00A-920A-APROC. REF: AMM 12-B-29-10-02-00A-920A-A									
29-10/471	CHECK NITROGEN ACCUMULATOR PRESSURE AND FILL AS NECESSARY (P/N 960.30.01.292)							Service	ATA:29
PN:PN	MOS/MSC	31-Jul-16	N/A						
SN:NOT INSTALLED	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-29-10-02-00A-901A-APROC. REF: AMM 12-B-29-10-02-00A-901A-A									
ATA 30 - ICE AND RAIN PROTECTION									
30-10/154 ^S	INSPECTION/CHECK WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS							Service	ATA:30
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A									
30-10/155 ^S	OPERATIONAL TEST INERTIAL SEPARATION SYSTEM							Service	ATA:30
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-30-20-00-00A-903A-APROC. REF: AMM 12-B-30-20-00-00A-903A-A									

PKG:17

PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-10/260 ^S FUNCTIONAL TEST AIRFOIL DE-ICE SYSTEM Service ATA:30								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-30-10-00-00A-903A-A, AMM 12-B-30-10-00-00A-903B-A PROC. REF: AMM 12-B-30-10-00-00A-903A-A, AMM 12-B-30-10-00-00A-903B-A								
30-10/79 APPLY TO AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO.1 Service ATA:30								
	MOS	07-Jan-26	6 (+10%/-10%)		07-Jul-26	25-Jul-26	39 d (+18)	
	HRS	2059.4						
WC#: 30.010	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
30-20/156 ^S EXAMINE ENGINE AIR INTAKE DE-ICE LIP AND LOOK FOR SIGNS OF GAS LEAKS, NONE ARE PERMITTED Service ATA:30								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
30-20/261 ^S EXAMINE AIR BY-PASS DOOR AND OPERATING MECHANISM AND LUBRICATE WITH MINIMUM QUANTITY OF P10-001 Service ATA:30								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
30-30/329 ^S FUNCTIONAL TEST PROBES DE-ICE SYSTEM Service ATA:30								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	600 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-30-30-20-00A-903A-A PROC. REF: AMM 12-B-30-30-20-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-40/262 ^S OPERATIONAL TEST WINDSHIELD DE-ICE SYSTEM Service ATA:30								
	MOS	07-Jan-26	24 (+10%/-10%)					
	HRS	2059.4	2400 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-30-40-00-00A-903A-APROC. REF: AMM 12-B-30-40-00-00A-903A-A								
30-60/158 ^S INSPECTION/CHECK PROPELLER DE-ICE SYSTEM Service ATA:30								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	600 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-30-60-00-00A-313A-A, AMM 12-B-30-60-00-00A-313B-APROC. REF: AMM 12-B-30-60-00-00A-313A-A, AMM 12-B-30-60-00-00A-313B-A								
30-60/159 ^S OPERATIONAL TEST PROPELLER DE-ICE SYSTEM Service ATA:30								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	600 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-30-60-00-00A-903A-A, AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903C-A, AMM 12-B-30-60-00-00A-903D-APROC. REF: AMM 12-B-30-60-00-00A-903A-A, AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903C-A, AMM 12-B-30-60-00-00A-903D-A								
300005 PROP DE-ICE CONTROLLER Component ATA:30								
PN:9682913227	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:U3543	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300010 LPMI LINEAR ACTUATOR Component ATA:30								
PN:9787315302	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:D53899	HRS	0		TSN 0				
WC#: 30.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300015 REGULATOR-RELIEVER ASSY								Component ATA:30
PN:9598901012	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:N160432	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300020 L606 LOWER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE								Component ATA:30
PN:9598901008	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:N160460	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300025 L605 UPPER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE								Component ATA:30
PN:9598901008	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:N160457	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300035 L601 LOWER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE								Component ATA:30
PN:9598901008	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:N160501	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300040 L600 UPPER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE								Component ATA:30
PN:9598901008	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:N160503	HRS	0		TSN 0				
WC#: 30.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300045 EMPENAGE PRESSURE GAGE SWITCH								Component ATA:30
PN:9738114312	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:8220	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300050 WATER SEPARATOR								Component ATA:30
PN:4935C120	MOS/MSC	07-Jan-26	O/C					
SN:UNKNOWN	HRS	2059.4						
WC#: 30.060	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300055 DE-ICING SYSTEM TIMER								Component ATA:30
PN:3D2485-26	MOS/MSC	07-Jan-26	O/C	TSO 5				
SN:U0232	HRS	2059.4		TSO 0				
WC#: 30.100	AFL	1480		TSO 0				
PROC. REF: AMM 12-B-30-60-01-00A-920A-APROC. REF: AMM 12-B-30-60-01-00A-920A-A								
300060 LEFT WINDSHIELD DE ICE CONTROLLER								Component ATA:30
PN:9728132202	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:135777	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
300065 RIGHT WINDSHIELD DE ICE CONTROLLER								Component ATA:30
PN:9728132202	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:135778	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
300090 LH HORIZ STAB DE-ICER BOOT								Component ATA:30
PN:P27S-7D5221-13	MOS/MSC	07-Jan-26	O/C	TSN 12				
SN:NHM7410	HRS	2059.4		TSN 0				
WC#: 30.030	AFL	1480		TSN 0				
PROC. REF: AMM 12-B-30-16-01-00A-920A-APROC. REF: AMM 12-B-30-16-01-00A-920A-A								
300095 RH HORIZ STAB DE-ICER BOOT								Component ATA:30
PN:P27S-7D5221-14	MOS/MSC	07-Jan-26	O/C	TSN 13				
SN:NGP2000	HRS	2059.4		TSN 0				
WC#: 30.030	AFL	1480		TSN 0				
PROC. REF: AMM 12-B-30-16-01-00A-920A-APROC. REF: AMM 12-B-30-16-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300100 RH INBD-WING DE-ICER BOOT								Component ATA:30
PN:P27-7D5221-22	MOS/MSC	07-Jan-26	O/C	TSN 26				
SN:NHA5780	HRS	2059.4		TSN 0				
WC#: 30.040	AFL	1480		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								
300105 RH OUTBD-WING DE-ICER BOOT								Component ATA:30
PN:P27-7D5221-24	MOS/MSC	07-Jan-26	O/C	TSN 9				
SN:NHN3430	HRS	2059.4		TSN 0				
WC#: 30.050	AFL	1480		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								
300110 LH AOA PLATE TEMP CONTROLLER								Component ATA:30
PN:9754421418	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:UF224	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A								
300115 LH INBD-WING DE-ICER BOOT								Component ATA:30
PN:P27-7D5221-09	MOS/MSC	07-Jan-26	O/C	TSN 12				
SN:NHM4530	HRS	2059.4		TSN 0				
WC#: 30.040	AFL	1480		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								
300120 LH OUTBD-WING DE-ICER BOOT								Component ATA:30
PN:9598901024	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:NDD5990	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								
300125 RH AOA PLATE TEMP CONTROLLER								Component ATA:30
PN:9754421418	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:UF222	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300130 S601 LOWER SURF.INBD.WING PRESSURE,GAGE SWITCH								Component ATA:30
PN:9738114312	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:8203	HRS	0		TSN 0				
WC#: 30.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300135 S600 UPPER SURF.INBD.WING PRESSURE,GAGE SWITCH								Component ATA:30
PN:9738114312	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:8285	HRS	0		TSN 0				
WC#: 30.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300140 S602 LOWER SURF.OUTBD.WING PRESSURE,GAGE SWITCH								Component ATA:30
PN:9738114312	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:8280	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300145 S603 UPPER SURF.OUTBD.WING PRESSURE,GAGE SWITCH								Component ATA:30
PN:9738114312	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:8301	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300150 L602 EMPENAGE EJECTOR FLOW CONTROL VALVE								Component ATA:30
PN:9598901008	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:N160506	HRS	0		TSN 0				
WC#: 30.200	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30/421 OPERATIONAL TEST COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT LDR (IF INSTALLED)								Service ATA:31
PN:9859920146	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	
SN:001120938	HRS	2059.4	1200 (+10%/-10%)		3259.4	3379.4	1088.9 (+120)	
	AFL	1480						

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 12-B-31-30-01-00A-903A-APROC. REF: AMM 12-B-31-30-01-00A-903A-A								
310050 DIGITAL CLOCK Component ATA:31								
PN:9996111214	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:23563	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-20-12-00A-920A-APROC. REF: AMM 12-B-31-20-12-00A-920A-A								
310070 CO-PILOT KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:9859912178	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KMC2210-2667	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310075 NO. 1 MAU ADVANCED GRAPHIC MODULE Component ATA:31								
PN:9859912292	MOS/MSC	26-Jan-23	O/C	TSN 78				
SN:1603D583	HRS	1111		TSN 1111				
WC#: 31.240	AFL	931		TSN 931				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310077 NO. 2 MAU ADVANCED GRAPHIC MODULE Component ATA:31								
PN:7036410-1904	MOS/MSC	26-Jan-23	O/C					
SN:11067827	HRS	1111						
WC#: 31.270	AFL	931						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310080 NO. 2 RH MAU SINGLE NETWORK I/F CARD Component ATA:31								
PN:9859912231	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1603F219	HRS	0		TSN 0				
WC#: 31.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310085 OVERHEAD CONTROL BASIC PANEL Component ATA:31								
PN:9728121155	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:0673	HRS	0		TSN 0				
WC#: 31.260	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
PROC. REF: AMM 12-B-31-10-00-00A-920A-APROC. REF: AMM 12-B-31-10-00-00A-920A-A									
310090	KMC2220 MF CONTOLLER							Component	ATA:31
PN:071-01598-0501	MOS/MSC	07-Jan-26	O/C	TSR 2					
SN:KMC2220-1082	HRS	2059.4		TSR 0					
WC#: 31.170	AFL	1480		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310095	PILOT KMC 2210 DISPLAY CONTROLLER							Component	ATA:31
PN:9859912178	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:KMC2210-2668	HRS	0		TSN 0					
WC#: 31.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310100	NO. 1 MAU ACTUATOR I/O PROCESSOR MODULE							Component	ATA:31
PN:9859912190	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1603M753	HRS	0		TSN 0					
WC#: 31.230	AFL	0		TSN 0					
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
310102	NO. 2 MAU ACTUATOR I/O PROCESSOR MODULE							Component	ATA:31
PN:9859912190	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1604M777	HRS	0		TSN 0					
WC#: 31.230	AFL	0		TSN 0					
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
310105	MODULAR AVIONICS ,12SLOT UNIT							Component	ATA:31
PN:9859912147	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:16038590	HRS	0		TSN 0					
WC#: 31.150	AFL	0		TSN 0					
PROC. REF: AMM 12-B-31-41-00-00A-920A-APROC. REF: AMM 12-B-31-41-00-00A-920A-A									
310110	NO. 1 LH MAU SINGLE NETWORK I/F CARD							Component	ATA:31
PN:9859912231	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1603F216	HRS	0		TSN 0					
WC#: 31.160	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
310115	NO. 1 LH MAU POWER SUPPLY MODULE							Component	ATA:31
PN:9859912285	MOS/MSC		31-Jul-16	O/C	TSN 0				
SN:16024133	HRS		0		TSN 0				
WC#: 31.220	AFL		0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
<hr/>									
310120	NO. 2 RH MAU POWER SUPPLY MODULE							Component	ATA:31
PN:9859912285	MOS/MSC		31-Jul-16	O/C	TSN 0				
SN:16034156	HRS		0		TSN 0				
WC#: 31.220	AFL		0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
<hr/>									
310125	MAU DUAL GENERIC I/O MODULE							Component	ATA:31
PN:9859912252	MOS/MSC		31-Jul-16	O/C	TSN 0				
SN:16021755	HRS		0		TSN 0				
WC#: 31.250	AFL		0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
<hr/>									
310130	MAU CUSTOM I/O MODULE DUAL CH UNIT							Component	ATA:31
PN:9859912251	MOS/MSC		31-Jul-16	O/C	TSN 0				
SN:16041737	HRS		0		TSN 0				
WC#: 31.140	AFL		0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
<hr/>									
310135	CO-PILOT PFD KDU 1080 FLAT PANEL DISPLAY							Component	ATA:31
PN:9859912103	MOS/MSC		31-Jul-16	O/C	TSN 0				
SN:1890384540	HRS		0		TSN 0				
WC#: 31.120	AFL		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
310140	UPPER MFD KDU 1080 FLAT PANEL DISPLAY							Component	ATA:31
PN:9859912103	MOS/MSC		31-Jul-16	O/C	TSN 0				
SN:1890384539	HRS		0		TSN 0				
WC#: 31.200	AFL		0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310145	PILOT PFD KDU 1080 FLAT PANEL DISPLAY							Component	ATA:31
PN:9859912103	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1890384569	HRS	0		TSN 0					
WC#: 31.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310150	LOWER MFD KDU 1080 FLAT PANEL DISPLAY							Component	ATA:31
PN:9859912103	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1890384831	HRS	0		TSN 0					
WC#: 31.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310155	REV CTL PNL,4-POT DISPLAY							Component	ATA:31
PN:9728121120	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:0045	HRS	0		TSN 0					
WC#: 31.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310160	NO. 1 LH AIRCRAFT PERSONALITY MODULE							Component	ATA:31
PN:9858314204	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:40487340	HRS	0		TSN 0					
WC#: 31.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310165	NO. 2 RH AIRCRAFT PERSONALITY MODULE							Component	ATA:31
PN:9858314204	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:40487345	HRS	0		TSN 0					
WC#: 31.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310167	CC-500 CONTROL UNIT							Component	ATA:31
PN:9859912202	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:22265	HRS	0		TSN 0					
WC#: 31.280	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310170 CCD INTERNAL ELECTRICAL ASSEMBLY Component ATA:31								
PN:9859912306	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:0492	HRS	0		TSN 0				
WC#: 31.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310175 REAR CENTRE CONS PNL PC-12 47/E Component ATA:31								
PN:9728121154	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:0649	HRS	0		TSN 0				
WC#: 31.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310177 MIDDLE CENTRE CONS PANEL Component ATA:31								
PN:9728121146	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:0652	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310180 COCKPIT AREA MICROPHONE Component ATA:31								
PN:9859920137	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:001118516	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-02-00A-920A-APROC. REF: AMM 12-B-31-30-02-00A-920A-A								
310185 COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT Component ATA:31								
PN:9859920146	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:001120938	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-01-00A-920A-APROC. REF: AMM 12-B-31-30-01-00A-920A-A								
ATA 32 - LANDING GEAR								
32-10/162 ^S LUBRICATE MAIN LANDING GEAR Service ATA:32								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	600 (+10%/-10%)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
	AFL	1480							
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A									
32-10/163	^S	EXAMINE MAIN LANDING GEAR LEGS						Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/164	^S	EXAMINE MAIN LANDING GEAR COMPARTMENTS						Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/165	^S	CHECK MAIN LANDING GEAR SHOCK STRUTS NITROGEN PRESSURE						Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-32-10-00-00A-902A-APROC. REF: AMM 12-B-32-10-00-00A-902A-A									
32-10/263	^S	EXAMINE MAIN LANDING GEAR ELECTRICAL BONDING STRAPS						Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/315		MAIN LANDING GEAR HINGE PIN AND BUSHES INSPECTION/CHECK						Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)		
	HRS	2059.4	2400 (+10%/-10%)		4459.4	4699.4	2288.9 (+240)		
WC#: 32.010	AFL	1480							
PROC. REF: AMM 12-B-32-10-00-00A-313A-A, AMM 12-B-32-10-00-00A-313B-APROC. REF: AMM 12-B-32-10-00-00A-313A-A, AMM 12-B-32-10-00-00A-313B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/345	LEFT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:5321012055	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:VLG1100	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/345	RIGHT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:5321012056	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:VLG1100	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/346	LEFT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION (ELECTRO MECHANICAL LANDING GEAR)							Service	ATA:32
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
	AFL	0	T:30000		30000		28448		
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
32-10/346	RIGHT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION (ELECTRO MECHANICAL LANDING GEAR)							Service	ATA:32
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
WC#: 32.215	AFL	0	T:30000		30000		28448		
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
32-10/347	LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
	AFL	0	T:30000		30000		28448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/347	RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
WC#: 32.220	AFL	0	T:30000		30000		28448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/436	EXAMINE MAIN LANDING GEAR SHOCK STRUTS TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)		
	HRS	2059.4							
	AFL	1480							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									
32-10/438	EXAMINE LEFT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	27-Jul-21	72		27-Jul-27		424 d		
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									
32-10/438	EXAMINE RIGHT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	27-Jul-21	72		27-Jul-27		424 d		
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									
32-10/439	EXAMINE LEFT MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	27-Jul-21	72		27-Jul-27		424 d		
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/439	EXAMINE RIGHT MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	27-Jul-21	72		27-Jul-27		424 d		
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/440	EXAMINE LEFT MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	07-Jan-26	72		07-Jan-32		2049 d		
	HRS	2059.4							
	AFL	1480							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/440	EXAMINE RIGHT MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	07-Jan-26	72		07-Jan-32		2049 d		
	HRS	2059.4							
	AFL	1480							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/441	EXAMINE LEFT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS							Service	ATA:32
	MOS	31-Jul-16	120		31-Jul-26		63 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/441	EXAMINE RIGHT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS							Service	ATA:32
	MOS	31-Jul-16	120		31-Jul-26		63 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/80	LUBRICATE LEFT MAIN LANDING GEAR WHEEL BEARINGS							Service	ATA:32
PN:40-424	MOS/MSC	07-Jan-26	12 (+10%/-10%) / T/C		07-Jan-27	12-Feb-27	223 d (+36)		
SN:3484	HRS	2059.4							
	AFL	1480							
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A									
32-10/80 ^S	LUBRICATE MAIN AND NOSE WHEEL BEARINGS							Service	ATA:32
	MOS/MSC	07-Jan-26	12 (+10%/-10%) / T/C						
	HRS	2059.4							
WC#: 32.030	AFL	1480							
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A									
32-10/80	LUBRICATE NOSE WHEEL BEARINGS							Service	ATA:32
PN:9595602302	MOS/MSC	07-Jan-26	12 (+10%/-10%) / T/C		07-Jan-27	12-Feb-27	223 d (+36)		
SN:1569	HRS	2059.4							
	AFL	1480							
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/80 LUBRICATE RIGHT MAIN LANDING GEAR WHEEL BEARINGS Service ATA:32								
PN:40-424	MOS/MSC	07-Jan-26	12 (+10%/-10%) / T/C		07-Jan-27	12-Feb-27	223 d (+36)	
SN:3487	HRS	2059.4						
	AFL	1480						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-20/166^S CHECK NOSE LANDING GEAR LEG SHOCK STRUT NITROGEN PRESSURE Service ATA:32								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	600 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-32-20-00-00A-902A-APROC. REF: AMM 12-B-32-20-00-00A-902A-A								
32-20/167^S LUBRICATE NOSE LANDING GEAR Service ATA:32								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	600 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								
32-20/168^S EXAMINE NOSE LANDING GEAR LEG AND STEERING MECHANISM IN PARTICULAR THE STEERING ROD END (PART NO. 532.20.12.13-4) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING. Service ATA:32								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	600 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/169^S EXAMINE NOSE LANDING GEAR COMPARTMENT Service ATA:32								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	600 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/265^S EXAMINE NOSE LANDING GEAR ELECTRICAL BONDING STRAPS Service ATA:32								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/335 NOSE LANDING GEAR TORQUE TUBE Component ATA:32								
PN:PN	MOS	31-Jul-16	120	TSN 0	31-Jul-26		63 d	LIFE LIMIT
SN:UNKNOWN	HRS	0	11000	TSN 0	11000		8829.5	
WC#: 32.190	AFL	0	15000	TSN 0	15000		13448	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/338 INSPECTION/CHECK NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK Service ATA:32								
	MOS	31-Jul-16						AIRWORTHINESS
	HRS	0	T:2000		2000		OVD	
WC#: 32.195	AFL	0	T:2500		2500		948	
PROC. REF: AMM 12-B-32-20-06-00A-313A-APROC. REF: AMM 12-B-32-20-06-00A-313A-A								
32-20/403 NOSE LANDING GEAR - OVERHAUL Component ATA:32								
PN:PN	MOS	31-Jul-16		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	T:25000 (+500/-500)	TSN 0	25000	25500	22829.5 (+500)	
WC#: 32.200	AFL	0	T:30000 (+500/-500)	TSN 0	30000	30500	28448 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/416 NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK Component ATA:32								
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22829.5	
WC#: 32.225	AFL	0	30000	TSN 0	30000		28448	
PROC. REF: AMM 12-B-32-20-05-00A-920A-APROC. REF: AMM 12-B-32-20-05-00A-920A-A								
32-30/170 FUNCTIONAL TEST EXTENSION AND RETRACTION SYSTEM AND EMERGENCY EXTENSION SYSTEM Service ATA:32								
	MOS/MSC	21-Jul-17	N/A					
	HRS	235.2						
	AFL	216						
PROC. REF: AMM 12-B-32-30-00-00A-903A-APROC. REF: AMM 12-B-32-30-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/423 LEFT MAIN LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR								
PN:9595601823	MOS	31-Jul-16		TSN 0				Component ATA:32 LIFE LIMIT
SN:429	HRS	0		TSN 0				
	AFL	0	30000	TSN 0	30000		28448	
PROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-A								
32-30/423 NOSE LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR								
PN:9595601824	MOS	31-Jul-16		TSN 0				Component ATA:32 LIFE LIMIT
SN:213	HRS	0		TSN 0				
	AFL	0	30000	TSN 0	30000		28448	
PROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-A								
32-30/423 RIGHT MAIN LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR								
PN:9595601823	MOS	31-Jul-16		TSN 0				Component ATA:32 LIFE LIMIT
SN:428	HRS	0		TSN 0				
	AFL	0	30000	TSN 0	30000		28448	
PROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-A								
32-30/424 OPERATIONAL TEST EMERGENCY GEAR EXTENSION SYSTEM - ELECTRO MECHANICAL LANDING GEAR ONLY								
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)	Service ATA:32
	HRS	2059.4	2000		4059.4		1888.9	
	AFL	1480						
PROC. REF: AMM 12-B-32-30-10-00A-903A-APROC. REF: AMM 12-B-32-30-10-00A-903A-A								
32-30/425 ^S EXAMINE ELECTRO MECHANICAL LANDING GEAR EXTENSION AND RETRACTION MECHNAISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS								
	MOS	07-Jan-26	12 (+10%/-10%)					Service ATA:32
	HRS	2059.4	600 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/426	FUNCTION TEST TIME DELAY RELAYS AND POWER CONTACTORS - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)		
	HRS	2059.4	2000		4059.4		1888.9		
	AFL	1480							
PROC. REF: AMM 12-B-32-30-08-00A-903A-APROC. REF: AMM 12-B-32-30-08-00A-903A-A									
32-30/429	CHECK MAIN LANDING GEAR SPRING STRUT - LOOSEN AND MOVE THE SPRING STRUT COVER TO EXAMINE THE SPRINGS - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)		
	HRS	2059.4	2000		4059.4		1888.9		
	AFL	1480							
PROC. REF: AMM 12-B-32-10-06-00A-313A-APROC. REF: AMM 12-B-32-10-06-00A-313A-A									
32-30/435	DISCARD LEFT MAIN LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	10448 (+500)		
PROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-A									
32-30/435	DISCARD NOSE LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	10448 (+500)		
PROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-A									
32-30/435	DISCARD RIGHT MAIN LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	10448 (+500)		
PROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-A									
32-30/442	EXAMINE LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	27-Jul-21	72		27-Jul-27		424 d		
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/442	EXAMINE RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	27-Jul-21	72		27-Jul-27		424 d		
	HRS	751.3							
	AFL	681							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									
32-30/518	LEFT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	31-Jul-16	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-30/518	RIGHT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	31-Jul-16	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-40/171 ^S	EXAMINE MAINWHEELS. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-40/172 ^S	EXAMINE MAINWHEEL TIRES AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A									

PKG:19

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-40/173 ^S	EXAMINE NOSEWHEEL. ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:19									
32-40/174 ^S	EXAMINE NOSEWHEEL TIRE AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A									
PKG:17									
32-40/175 ^S	EXAMINE BRAKE SYSTEM - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING.							Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:17									
32-40/176 ^S	CHECK FLUID RESERVOIR AND REPLENISH IF NECESSARY							Service	ATA:32
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-12-10-02-00A-902A-APROC. REF: AMM 12-B-12-10-02-00A-902A-A									
PKG:17									
32-50/404	EXAMINE - NLG STEERING MECHANISM							Service	ATA:32
	MOS	31-Jul-16							
	HRS	0	T:32500 (+10%/-10%)		32500	35750	30329.5 (+3250)		
WC#: 32.230	AFL	0	T:42000 (+10%/-10%)		42000	46200	40448 (+4200)		
PROC. REF: AMM 12-B-32-50-00-00A-310A-APROC. REF: AMM 12-B-32-50-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320005 PILOT LH BRAKE MASTER CYLINDER								Component ATA:32
PN:9594751131	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:6620	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
320010 PILOT RH BRAKE MASTER CYLINDER								Component ATA:32
PN:9594751131	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:6625	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
320015 PARK BRAKE VALVE								Component ATA:32
PN:9594751121	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:2933	HRS	0		TSN 0				
WC#: 32.140	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-05-00A-920A-APROC. REF: AMM 12-B-32-40-05-00A-920A-A								
320020 NOSE WHEEL								Component ATA:32
PN:9595602302	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1569	HRS	0		TSN 0				
WC#: 32.150	AFL	0		TSN 0				
								WO#: 6577-10-2024
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
320021 NOSE LANDING GEAR TIRE								Component ATA:32
PN:021-327-0	MOS/MSC	16-Jun-22	O/C	TSN 0				
SN:1119T00176	HRS	950.6		TSN 0				
WC#: 32.155	AFL			TSN 0				
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
320022 LEFT MAIN LANDING GEAR WHEEL								Component ATA:32
PN:40-424	MOS/MSC	13-Apr-24	O/C					
SN:3484	HRS	1529.7						
WC#: 32.160	AFL	1217						
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320023 LEFT MAIN LANDING GEAR TIRE								Component ATA:32
PN:025-350-0	MOS/MSC	13-Apr-24	O/C	TSN 21				
SN:2193T00260	HRS	1529.7		TSN 0				
WC#: 32.160	AFL	1217		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
320024 RIGHT MAIN LANDING GEAR WHEEL								Component ATA:32
PN:40-424	MOS/MSC	07-Nov-24	O/C					
SN:3487	HRS	1639.7						
WC#: 32.165	AFL	1300						WO#: 6577-10-2024
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320025 SHIMMY DAMPER ASSY								Component ATA:32
PN:5322012215	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:VLG838	HRS	0		TSN 0				
WC#: 32.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-01-00A-920A-APROC. REF: AMM 12-B-32-50-01-00A-920A-A								
320026 RIGHT MAIN LANDING GEAR TIRE								Component ATA:32
PN:025-350-0	MOS/MSC	07-Nov-24	O/C	TSN 22				
SN:2042T00305	HRS	1639.7		TSN 528.7				
WC#: 32.165	AFL	1300		TSN 369				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
320030 COPILOT LH BRAKE MASTER CYLINDER								Component ATA:32
PN:9594751131	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:6628	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
320035 COPILOT RH BRAKE MASTER CYLINDER								Component ATA:32
PN:9594751131	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:6636	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320040 NOSE FOLDING STRUT SPRING PACK ASSY								Component ATA:32
PN:5322012305	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:VLG056	HRS	0		TSN 0				
WC#: 32.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
320045 NOSE LANDING GEAR STRUT ASSY								Component ATA:32
PN:5322012044	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:VLG1097	HRS	0		TSN 0				
WC#: 32.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
320055 RIGHT SHOCK ABSORBER ASSY								Component ATA:32
PN:5321012230	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:VLG1394	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-A								
320060 LH BRAKE ASSY								Component ATA:32
PN:9595601517	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3301	HRS	0		TSN 0				
WC#: 32.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-A								
320065 INNER LEFT WHEEL & COVER ASSY								Component ATA:32
PN:9595601503	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3487	HRS	0		TSN 0				
WC#: 32.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320066 OUTER LEFT WHEEL & COVER ASSY								Component ATA:32
PN:9595601503	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3504	HRS	0		TSN 0				
WC#: 32.205	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320080 LEFT SHOCK ABSORBER ASSY								Component ATA:32
PN:5321012230	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:VLG1395	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-A, AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-A								
320085 RH BRAKE ASSY								Component ATA:32
PN:9595601517	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3299	HRS	0		TSN 0				
WC#: 32.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-A, AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-A								
320090 INNER RIGHT WHEEL & COVER ASSY								Component ATA:32
PN:9595601503	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3484	HRS	0		TSN 0				
WC#: 32.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-A, AMM 12-B-32-40-01-00A-920A-A								
320091 OUTER RIGHT WHEEL & COVER ASSY								Component ATA:32
PN:9595601503	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3501	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-A, AMM 12-B-32-40-01-00A-920A-A								
320104 NOSE LANDING GEAR 72A74-01 "UP" PROXIMITY SWITCH								Component ATA:32
PN:9733033116	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:5670	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320105 MAIN LANDING GEAR 72A74-01 RH "UP" PROXIMITY SWITCH								Component ATA:32
PN:9733033116	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:5707	HRS	0		TSN 0				
WC#: 32.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320110 MAIN LANDING GEAR 72A74-01 RH "WOW" PROXIMITY SWITCH								Component ATA:32
PN:9733033116	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:5696	HRS	0		TSN 0				
WC#: 32.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320115 NOSE LANDING GEAR 72A74-01 "DOWN" PROXIMITY SWITCH								Component ATA:32
PN:9733033116	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:5645	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320140 INTERMEDIATE CABLE ASSY								Component ATA:32
PN:9595601816	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:00218	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-A								
320140 MAIN GEAR CABLE ASSY								Component ATA:32
PN:9595601814	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:00251	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-A								
320140 NOSE GEAR CABLE ASSY								Component ATA:32
PN:9595601815	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:00236	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-A								
320145 EXTENSION GEAR EMERGENCY HANDLE								Component ATA:32
PN:9595601838	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:00216	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-01A-920A-APROC. REF: AMM 12-B-32-30-10-01A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320150		FRONT HIGH CURRENT RELAY					Component		ATA:32
PN:9740926112	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:511	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320150		REAR HIGH CURRENT RELAY					Component		ATA:32
PN:9740926112	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:510	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320155		LEFT HAND SPRING PACK ASSY					Component		ATA:32
PN:5323412120	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:353	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320155		RIGHT HAND SPRING PACK ASSY					Component		ATA:32
PN:5323412120	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:354	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320160		MLG L/H WOW NLG UP SWITCH ASSY					Component		ATA:32
PN:5326921026	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:2093	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320160		MLG R/H WOW NLG UP SWITCH ASSY					Component		ATA:32
PN:5326921026	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:2097	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320190	LEFT MAIN LANDING GEAR YOKE FITTING							Component	ATA:32
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
ATA 32 - LANDING GEAR									
320190	RIGHT MAIN LANDING GEAR YOKE FITTING							Component	ATA:32
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
ATA 33 - LIGHTS									
33-40/177 ^S	OPERATIONAL TEST EXTERIOR LIGHTING							Service	ATA:33
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-33-40-00-00A-903A-APROC. REF: AMM 12-B-33-40-00-00A-903A-A									
ATA 33 - LIGHTS									
33-41/178 ^S	EXAMINE LANDING LIGHTS							Service	ATA:33
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-33-41-01-00A-200B-APROC. REF: AMM 12-B-33-41-01-00A-200B-A									
ATA 33 - LIGHTS									
33-42/179 ^S	EXAMINE TAXI LIGHTS							Service	ATA:33
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-33-42-01-00A-200B-APROC. REF: AMM 12-B-33-42-01-00A-200B-A									

PKG:17

PKG:17

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-43/180 ^S EXAMINE NAVIGATION AND STROBE LIGHTS Service ATA:33								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-44/181 ^S EXAMINE RECOGNITION LIGHTS (IF INSTALLED) Service ATA:33								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: AMM 12-B-33-44-00-00A-903A-APROC. REF: AMM 12-B-33-44-00-00A-903A-A								
33-46/182 ^S EXAMINE BEACON LIGHTS (IF INSTALLED) Service ATA:33								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
330005 DIM UNIT Component ATA:33								
PN:9750215205	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:135327	HRS	0		TSN 0				
WC#: 33.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-10-04-00A-920A-APROC. REF: AMM 12-B-33-10-04-00A-920A-A								
330010 DE-ICE LIGHT ASSY Component ATA:33								
PN:9728767111	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3426637	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
330025 TOP SIDE ANTI COLLISION RED LIGHT ASSY Component ATA:33								
PN:9728787347	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:177160-1-2	HRS	0		TSN 0				
WC#: 33.040	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM 12-B-33-46-00-00A-920A-APROC. REF: AMM 12-B-33-46-00-00A-920A-A								
330030 BOTTOM SIDE ANTI COLLISION RED LIGHT ASSY Component ATA:33								
PN:9728787347	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:177160-1-1	HRS	0		TSN 0				
WC#: 33.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-46-00-00A-920A-APROC. REF: AMM 12-B-33-46-00-00A-920A-A								
330040 LEFT HAND WING TIP WARNING LIGHT ASSEMBLY Component ATA:33								
PN:972.87.87.344	MOS/MSC	07-Jan-26	O/C	TSN 0				
SN:6798199	HRS	2059.4		TSN 0				
WC#: 33.030	AFL	1480		TSN 0				
PROC. REF: AMM 12-B-33-43-02-00A-920A-APROC. REF: AMM 12-B-33-43-02-00A-920A-A								
330045 RH WING POWER SUPPLY UNIT Component ATA:33								
PN:9728787179	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:174456-1-4	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-03-00A-920A-APROC. REF: AMM 12-B-33-43-03-00A-920A-A								
330050 RIGHT HAND WING TIP WARNING LIGHT ASSEMBLY Component ATA:33								
PN:972.87.87.345	MOS/MSC	07-Jan-26	O/C	TSN 0				
SN:6862190	HRS	2059.4		TSN 0				
WC#: 33.030	AFL	1480		TSN 0				
PROC. REF: AMM 12-B-33-43-02-00A-920A-APROC. REF: AMM 12-B-33-43-02-00A-920A-A								
330070 NOSE LANDING GEAR TAXI LIGHT Component ATA:33								
PN:9728769421	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:29626012	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-42-01-00A-920A-APROC. REF: AMM 12-B-33-42-01-00A-920A-A								
330075 L/H 1X0005287-10 LANDING LIGHT Component ATA:33								
PN:9728769420	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:29760001	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 33 - LIGHTS

PROC. REF: AMM 12-B-33-41-01-00A-920A-APROC. REF: AMM 12-B-33-41-01-00A-920A-A

330076 R/H 1X0005287-10 LANDING LIGHT								Component	ATA:33
PN:9728769420	MOS/MSC		31-Jul-16	O/C	TSN 0				
SN:176281-2-2	HRS		0		TSN 0				
WC#: 33.110	AFL		0		TSN 0				

PROC. REF: AMM 12-B-33-41-01-00A-920A-APROC. REF: AMM 12-B-33-41-01-00A-920A-A

330085 LEFT HAND RECOGNITION LED LIGHT								Component	ATA:33
PN:9728769409	MOS/MSC		31-Jul-16	O/C	TSN 0				
SN:176280-1-5	HRS		0		TSN 0				
	AFL		0		TSN 0				

PROC. REF: AMM 12-B-33-44-00-00A-920C-APROC. REF: AMM 12-B-33-44-00-00A-920C-A

330085 RIGHT HAND RECOGNITION LED LIGHT								Component	ATA:33
PN:9728769409	MOS/MSC		31-Jul-16	O/C	TSN 0				
SN:176280-1-2	HRS		0		TSN 0				
	AFL		0		TSN 0				

PROC. REF: AMM 12-B-33-44-00-00A-920C-APROC. REF: AMM 12-B-33-44-00-00A-920C-A

ATA 34 - NAVIGATION

34-00/183 ^S EXAMINE COMMUNICATIONS AND NAVIGATION ANTENNAS								Service	ATA:34
	MOS		07-Jan-26		24 (+10%/-10%)				
	HRS		2059.4		2400 (+10%/-10%)				
	AFL		1480						

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

PKG:21

34-00/184 ^S EXAMINE COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT								Service	ATA:34
	MOS		07-Jan-26		12 (+10%/-10%)				
	HRS		2059.4		300 (+10%/-10%)				
	AFL		1480						

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11/185 ^S	EXAMINE PITOT TUBE							Service	ATA:34
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:17									
34-11/186 ^S	EXAMINE STATIC PORTS							Service	ATA:34
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:17									
34-11/268 ^S	DRAIN PITOT AND STATIC SYSTEM							Service	ATA:34
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-34-11-00-00A-901A-APROC. REF: AMM 12-B-34-11-00-00A-901A-A									
PKG:20									
34-11/343	INSPECTION/CHECK STATIC PORTS PLATE HEIGHT							Service	ATA:34
	MOS/MS	31-Jul-16	N/A						
	HRS	0							
WC#: 34.565	AFL	0							
PROC. REF: AMM 12-B-34-11-12-00A-313A-APROC. REF: AMM 12-B-34-11-12-00A-313A-A									
34-11/82	LEAK CHECK STATIC SYSTEM							Service	ATA:34
	MOS	07-Jan-26	24		07-Jan-28		588 d		
	HRS	2059.4							
WC#: 34.010	AFL	1480							
PROC. REF: AMM 12-B-34-11-00-00A-903A-APROC. REF: AMM 12-B-34-11-00-00A-903A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-21/84 SWING CHECK STANDBY MAGNETIC COMPASS (IF INSTALLED) Service ATA:34								
	MOS	07-Jan-26	24 (+10%/-10%)		07-Jan-28	19-Mar-28	588 d (+72)	
	HRS	2059.4						
WC#: 34.560	AFL	1480						
PROC. REF: AMM 12-B-34-21-00-00A-903A-APROC. REF: AMM 12-B-34-21-00-00A-903A-A								
34-25/344 FUNCTIONAL TEST ALTITUDE AND VERTICAL SPEED INDICATION (RVSM) Service ATA:34								
	MOS	07-Jan-26	24 (+10%/-10%)		07-Jan-28	19-Mar-28	588 d (+72)	
	HRS	2059.4						
WC#: 34.570	AFL							
PROC. REF: AMM 12-B-34-14-00-00A-903B-APROC. REF: AMM 12-B-34-14-00-00A-903B-A								
34-26/484 CHECK SWING ESIS MAGNETIC HEADING REFERENCE SYSTEM (IF INSTALLED) Service ATA:34								
	MOS	07-Nov-24	24 (+10%/-10%)		07-Nov-26	19-Jan-27	162 d (+73)	
	HRS	1639.7						
	AFL	1300						
PROC. REF: AMM 12-B-34-26-40-00A-903B-APROC. REF: AMM 12-B-34-26-40-00A-903B-A								
34-54/86 FUNCTIONAL TEST TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS) Service ATA:34								
	MOS	07-Jan-26	24		07-Jan-28		588 d	
	HRS	2059.4						
WC#: 34.050	AFL	1480						
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-A								
340010 DME/IFF ANTENNA Component ATA:34								
PN:9848110240	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:261-122265	HRS	0		TSN 0				
WC#: 34.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-52-02-00A-920A-APROC. REF: AMM 12-B-34-52-02-00A-920A-A								
340020 MARKER ANTENNA Component ATA:34								
PN:9848110260	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:101-8398	HRS	0		TSN 0				
WC#: 34.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-32-01-00A-920A-APROC. REF: AMM 12-B-34-32-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340055 WITH HARM FILTER,KN63 DME								Component ATA:34
PN:9859911101	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:38777	HRS	0		TSN 0				
WC#: 34.200	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-52-01-00A-920A-APROC. REF: AMM 12-B-34-52-01-00A-920A-A								
340065 WX-RADAR RT UNIT								Component ATA:34
PN:9859911507	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:15551	HRS	0		TSN 0				
WC#: 34.360	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-02-00A-920A-APROC. REF: AMM 12-B-34-41-02-00A-920A-A								
340075 WX,VERTICAL ANTENNA								Component ATA:34
PN:9859911504	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:8275	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-12-00A-920A-APROC. REF: AMM 12-B-34-41-12-00A-920A-A								
340080 TRANSPONDER DME/IFF ANTENNA								Component ATA:34
PN:9848110240	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:261-122267	HRS	0		TSN 0				
WC#: 34.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A								
340085 ADF,KA44B ANTENNA								Component ATA:34
PN:9859911167	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KA44B-A94442	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-53-02-00A-920A-APROC. REF: AMM 12-B-34-53-02-00A-920A-A								
340100 FRONT KA92 ANTENNA								Component ATA:34
PN:9859911200	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:49310368	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-02-00A-920A-APROC. REF: AMM 12-B-34-57-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340101 REAR KA92 GPS ANTENNA								Component ATA:34
PN:9859911200	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:49310448	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-02-00A-920A-APROC. REF: AMM 12-B-34-57-02-00A-920A-A								
340131 KCM 805 CONFIGURATION MODULE								Component ATA:34
PN:071-00112-0200	MOS/MSC	07-Nov-24	O/C	TSN 0				
SN:21667	HRS	1639.7		TSN 0				
WC#: 34.410	AFL	1300		TSN 0				
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
340135 STANDBY MAGNETIC COMPASS								Component ATA:34
PN:9999880103	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:AT1576	HRS	0		TSN 0				
WC#: 34.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-21-00-00A-920A-APROC. REF: AMM 12-B-34-21-00-00A-920A-A								
340140 RADOME								Component ATA:34
PN:9857900005	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:485	HRS	0		TSN 0				
WC#: 34.420	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-02-00A-920A-A, AMM 12-B-34-41-05-00A-920A-APROC. REF: AMM 12-B-34-41-02-00A-920A-A, AMM 12-B-34-41-05-00A-920A-A								
340155 LEFT SIDE RAD ALT,S67-2002 ANTENNA								Component ATA:34
PN:9848129101	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:543-80676	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-42-02-00A-920A-APROC. REF: AMM 12-B-34-42-02-00A-920A-A								
340160 RIGHT SIDE RAD ALT,S67-2002 ANTENNA								Component ATA:34
PN:9848129101	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:543-80681	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-42-02-00A-920A-APROC. REF: AMM 12-B-34-42-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340161 BOTTOM DIRECTIONAL KA815 - IHAS ANTENNA								Component ATA:34
PN:9859911869	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:30808	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340162 TOP DIRECTIONAL KA815 - IHAS ANTENNA								Component ATA:34
PN:9859911869	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:30003	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340170 ALTIMETER,RADAR,KRA405B TRANSMITTER								Component ATA:34
PN:9859911524	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KRA405B-17827	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-42-01-00A-920A-APROC. REF: AMM 12-B-34-42-01-00A-920A-A								
340220 STORMSCOPE WX-500 PROCESSOR								Component ATA:34
PN:9859918006	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:102187	HRS	0		TSN 0				
WC#: 34.270	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-31-00A-920A-APROC. REF: AMM 12-B-34-41-31-00A-920A-A								
340235 AOA SENSOR RH UNIT								Component ATA:34
PN:9754421424	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1822	HRS	0		TSN 0				
WC#: 34.330	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340255 AOA SENSOR LH UNIT								Component ATA:34
PN:9754421423	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1754	HRS	0		TSN 0				
WC#: 34.330	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340265 DME/IFF--ATC DIV. ANTENNA								Component ATA:34
PN:9848110240	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:261-122268	HRS	0		TSN 0				
WC#: 34.500	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A								
340280 OUTBOARD KMG 7010 MAGNETOMETER								Component ATA:34
PN:9859912114	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:4398	HRS	0		TSN 0				
WC#: 34.520	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-A								
340285 INBOARD KMG 7010 MAGNETOMETER								Component ATA:34
PN:9859912114	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:4347	HRS	0		TSN 0				
WC#: 34.520	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-A								
340290 KMH920 TAWS B,TCAS 1 UNIT								Component ATA:34
PN:9859911887	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KMH920-B1865	HRS	0		TSN 0				
WC#: 34.545	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340310 NO. 2 KXP 2290 MODE S TRANSPONDER								Component ATA:34
PN:9859912269	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KXP2290A-3360	HRS	0		TSN 0				
WC#: 34.540	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A								
340315 NO. 1 KXP 2290 MODE S TRANSPONDER								Component ATA:34
PN:9859912269	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KXP2290A-3367	HRS	0		TSN 0				
WC#: 34.540	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340320 LH OAT SENSOR								Component ATA:34
PN:534.13.12.054	MOS/MSC	26-Jan-23	O/C	TSN 0				
SN:UNKNOWN	HRS	1111		TSN 0				
WC#: 34.525	AFL	931		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340325 RH OAT SENSOR								Component ATA:34
PN:5341312025	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:05548	HRS	0		TSN 0				
WC#: 34.525	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340330 KSG 7200 DUAL CHANNEL AD AHRS UNIT								Component ATA:34
PN:9859912272	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KSG7200-B2719	HRS	0		TSN 0				
WC#: 34.505	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A								
340355 LH NAV/WHITE ANTENNA								Component ATA:34
PN:9848110280	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:168-11459	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340357 RH NAV/WHITE ANTENNA								Component ATA:34
PN:9848110280	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:168-11460	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341035 NO. 1 KGS200,SBAS GNSSU UNIT								Component ATA:34
PN:9859912253	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KGS200-2682	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-01-00A-920A-APROC. REF: AMM 12-B-34-57-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341037 NO. 2 KGS200,SBAS GNSSU UNIT								Component ATA:34
PN:9859912253	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:KGS200-2679	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-01-00A-920A-APROC. REF: AMM 12-B-34-57-01-00A-920A-A								
341039 MAG-3100 MAGNETOMETER								Component ATA:34
PN:9859003058	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:80762	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-26-45-00A-920B-A, AMM 12-B-34-26-45-00A-920C-APROC. REF: AMM 12-B-34-26-45-00A-920B-A, AMM 12-B-34-26-45-00A-920C-A								
341040 PHASING COUPLER								Component ATA:34
PN:9848110412	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:8550	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341045 ESI-1000 STANDBY SYSTEM								Component ATA:34
PN:9759611247	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:3011	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341070 AMERICAN DATABASE CARD								Component ATA:34
PN:071-00167-0101	MOS/MSC	07-Nov-24	O/C					
SN:UNKNOWN	HRS	1639.7						
	AFL	1300						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 35 - OXYGEN								
35-10/187^S CHECK HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) - MAKE SURE THAT IT IS NOT DAMAGE								Service ATA:35
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
35-10/188 ^S CHECK OXYGEN SYSTEM CONTENTS Service ATA:35								
	MOS	07-Jan-26						
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PKG:16								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
35-10/269 ^S EXAMINE OXYGEN PIPELINES AND EQUIPMENT Service ATA:35								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PKG:20								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
35-10/458 ^S OPERATIONAL TEST CREW OXYGEN SYSTEM Service ATA:35								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	1200 (+10%/-10%)					
	AFL	1480						
PKG:20								
PROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-A PROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-A								
<hr/>								
35-10/6 OXYGEN BOTTLE Component ATA:35								
PN:21607-01	MOS	07-Jan-26	180	TSN 120	01-Jan-31		1678 d	AIRWORTHINESS
SN:C1601051	HRS	2059.4						
WC#: 35.010	AFL	1480						
Manufacture Date:: 01-Jan-16								
PROC. REF: AMM 12-B-35-10-01-00A-920A-A PROC. REF: AMM 12-B-35-10-01-00A-920A-A								
<hr/>								
35-10/7 HYDROSTATIC TEST OXYGEN BOTTLE Service ATA:35								
PN:21607-01	MOS	07-Jan-26	60		04-Dec-30		1650 d	AIRWORTHINESS
SN:C1601051	HRS	2059.4						
WC#: 35.010	AFL	1480						
HydroCheck Date: : 04-Dec-25								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/459 OPERATIONAL TEST OF PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED) Service ATA:35								
	MOS	07-Jan-26						
	HRS	2059.4	600		2659.4		488.9	
	AFL	1480						
								WO#: 6577-10-2024
PROC. REF: AMM 12-B-35-00-00-00A-903A-APROC. REF: AMM 12-B-35-00-00-00A-903A-A								
35-20/87 INSPECTION/CHECK PASSENGER OXYGEN MASKS Service ATA:35								
	MOS	07-Jan-26	72		07-Jan-32		2049 d	
	HRS	2059.4	6000		8059.4		5888.9	
WC#: 35.010	AFL	1480						
PROC. REF: AMM 12-B-35-20-00-00A-313A-APROC. REF: AMM 12-B-35-20-00-00A-313A-A								
350020 PILOT QUICK DONNING MASK-REGULATOR ASSY Component ATA:35								
PN:MC10-06-125	MOS/MSC	07-Nov-24	O/C	TSO 0	01-Oct-30 (M)		1586 d	
SN:B110123	HRS	1639.7		TSO 0				
WC#: 35.040	AFL	1300		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350025 COPILOT QUICK DONNING MASK-REGULATOR ASSY Component ATA:35								
PN:MC10-06-125	MOS/MSC	07-Nov-24	O/C	TSO 0	01-Oct-30 (M)		1586 d	
SN:B110121	HRS	1639.7		TSO 0				
WC#: 35.040	AFL	1300		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350030 PRESSURE,GAGE,OXYGEN SWITCH Component ATA:35								
PN:9738114401	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:1476	HRS	0		TSN 0				
WC#: 35.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350035 CONTR,3-POSITION,37071-03 VALVE Component ATA:35								
PN:9633211102	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:0466	HRS	0		TSN 0				
WC#: 35.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-04-00A-920A-APROC. REF: AMM 12-B-35-20-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350074	NO. 4 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:535.21.12.141	MOS/MSC	07-Jan-26	O/C	TSN 0					
SN:UNKNOWN	HRS	2059.4		TSN 0					
	AFL	1480		TSN 0					
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A									
350078	NO. 8 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:957.12.10.211	MOS/MSC	26-Jan-23	O/C	TSN 0					
SN:UNKNOWN	HRS	1111		TSN 0					
	AFL	931		TSN 0					
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A									
350080	NO. 1 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
350081	NO. 2 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
350082	NO. 3 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
350083	NO. 4 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350084	NO. 5 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
350085	NO. 6 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
350086	NO. 7 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
350087	NO. 8 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
350088	NO. 9 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Jul-16	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
ATA 45 - CENTRAL MAINT SYSTEM									
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS-EXPORT FAULT HISTORY - SEND TO LOCAL STORAGE - DOWNLOAD							Service	ATA:45
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 45 - CENTRAL MAINT SYSTEM									
PROC. REF: AMM 12-B-45-45-00-00A-551A-APROC. REF: AMM 12-B-45-45-00-00A-551A-A									
ATA 46 - INFORMATION SYSTEMS									
46-26/320 ^S	OPERATIONAL TEST PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES							Service	ATA:46
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-46-30-05-00A-903A-A, AMM 12-B-46-30-06-00A-903A-APROC. REF: AMM 12-B-46-30-05-00A-903A-A, AMM 12-B-46-30-06-00A-903A-A									
46-26/321 ^S	OPERATIONAL TEST ADAHRS SENSOR SOURCE SELECT SWITCHES							Service	ATA:46
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-46-30-02-00A-903A-APROC. REF: AMM 12-B-46-30-02-00A-903A-A									
460105	WIRELESS DATA LOADING DEVICE							Component	ATA:46
PN:9759632456	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:2717	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 52 - DOORS									
52-10/189 ^S	EXAMINE PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY P0-9-002 FRENCH CHALK							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-10/190 ^S	EXAMINE PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/191 ^S	PASSENGER/CREW DOOR HANDLE LOCK PIN - MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH P10-001 AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
								PKG:19	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-10/192 ^S	EXAMINE PASSENGER/CREW DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
								PKG:19	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-10/271 ^S	EXAMINE PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
								PKG:20	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-10/348	EXAMINE ALL STRUCTURAL ELEMENTS - PASSENGER/CREW DOOR							Service	ATA:52
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 52.070	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-52-10-00-00A-310A-APROC. REF: AMM 12-B-52-10-00-00A-310A-A									
52-10/405	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR PIANO HINGE							Service	ATA:52
	MOS	31-Jul-16							
	HRS	0	T:32500 (+500/-500)		32500	33000	30329.5 (+500)		
WC#: 52.100	AFL	0	T:42000 (+500/-500)		42000	42500	40448 (+500)		
PROC. REF: AMM 12-B-52-00-01-00A-353A-APROC. REF: AMM 12-B-52-00-01-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/406	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR SKIN							Service	ATA:52
	MOS	31-Jul-16							
	HRS	0	T:25000 (+500/-500)		25000	25500	22829.5 (+500)		
WC#: 52.110	AFL	0	T:30000 (+500/-500)		30000	30500	28448 (+500)		
PROC. REF: AMM 12-B-52-10-01-00A-353A-APROC. REF: AMM 12-B-52-10-01-00A-353A-A									
52-10/88	EXAMINE PASSENGER/CREW DOOR WITH TRIM REMOVED							Service	ATA:52
	MOS	01-Sep-20	72 (+6m/-6m)		01-Sep-26	01-Mar-27	95 d (+181)	MILD CORROSION ZONE	
	HRS	646.9	6000 (+500/-500)		6646.9	7146.9	4476.4 (+500)		
WC#: 52.010	AFL	603							
PROC. REF: AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-A, AMM 12-B-52-10-00-00A-313A-APROC. REF: AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-A, AMM 12-B-52-10-00-00A-313A-A									
52-20/272 ^S	EXAMINE EMERGENCY DOOR (DOOR REMOVED)							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480						PKG:20	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-20/273 ^S	EXAMINE EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY P09-002 FRENCH CHALK							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480						PKG:20	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-20/349	EXAMINE ALL STRUCTURAL ELEMENTS - EMERGENCY DOOR							Service	ATA:52
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 52.080	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/193 ^S	EXAMINE CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, AND APPLY P0-9-002 FRENCH CHALK							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19	
52-30/194 ^S	EXAMINE CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM.							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-52-30-00-00A-313A-APROC. REF: AMM 12-B-52-30-00-00A-313A-A								PKG:19	
52-30/195 ^S	EXAMINE CARGO DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:19	
52-30/274 ^S	EXAMINE CARGO DOOR							Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:20	
52-30/350	EXAMINE ALL STRUCTURAL ELEMENTS - CARGO DOOR							Service	ATA:52
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 52.090	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/407		EDDY CURRENT INSPECTION - CARGO DOOR PIANO HINGE						Service	ATA:52
	MOS	31-Jul-16							
	HRS	0	T:32500 (+500/-500)		32500	33000	30329.5 (+500)		
WC#: 52.120	AFL	0	T:42000 (+500/-500)		42000	42500	40448 (+500)		
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A									
52-30/408		EDDY CURRENT INSPECTION - CARGO DOOR SKIN						Service	ATA:52
	MOS	31-Jul-16							
	HRS	0	T:25000 (+500/-500)		25000	25500	22829.5 (+500)		
WC#: 52.130	AFL	0	T:30000 (+500/-500)		30000	30500	28448 (+500)		
PROC. REF: AMM 12-B-52-30-01-00A-353A-APROC. REF: AMM 12-B-52-30-01-00A-353A-A									
52-30/8		CARGO DOOR LOWER LUG (QTY 3) FITTINGS						Component	ATA:52
PN:PN	MOS	31-Jul-16		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	13000	TSN 0	13000		10829.5		
WC#: 52.020	AFL	0	17000	TSN 0	17000		15448		
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A									
52-30/89		EXAMINE CARGO DOOR WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM						Service	ATA:52
	MOS	01-Sep-20	72 (+6m/-6m)		01-Sep-26	01-Mar-27	95 d (+181)	MILD CORROSION ZONE	
	HRS	646.9	6000 (+500/-500)		6646.9	7146.9	4476.4 (+500)		
WC#: 52.030	AFL	603							
PROC. REF: AMM 12-B-52-30-00-00A-313A-A, AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-APROC. REF: AMM 12-B-52-30-00-00A-313A-A, AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-A									
52-70/275 ^S		OPERATIONAL TEST DOOR WARNING SYSTEM						Service	ATA:52
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-52-70-00-00A-903A-APROC. REF: AMM 12-B-52-70-00-00A-903A-A									
520005		PASSENGER DOOR						Component	ATA:52
PN:5520512043	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:6080	HRS	0		TSN 0					
WC#: 52.050	AFL	0		TSN 0					
PROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-B-52-10-01-00A-920B-APROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-B-52-10-01-00A-920B-A									

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
520010	FREIGHT OF 10SERIE DOOR ASSY							Component	ATA:52
PN:5520512044	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:6080	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
PROC. REF: AMM 12-B-52-30-01-00A-920A-APROC. REF: AMM 12-B-52-30-01-00A-920A-A									
520015	EMERGENCY 6 SERIE EXIT							Component	ATA:52
PN:5520512038	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:6080	HRS	0		TSN 0					
WC#: 52.060	AFL	0		TSN 0					
PROC. REF: AMM 12-B-52-20-01-00A-920A-APROC. REF: AMM 12-B-52-20-01-00A-920A-A									
ATA 53 - FUSELAGE									
53-00/196 ^S	EXAMINE FUSELAGE EXTERNAL SURFACE. FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS.							Service	ATA:53
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/276 ^S	EXAMINE REAR PRESSURE BULKHEAD							Service	ATA:53
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/277 ^S	EXAMINE FLOOR TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service	ATA:53
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:17

PKG:20

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/278 ^S	EXAMINE BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE FOR CORROSION							Service	ATA:53
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:21	
53-00/279 ^S	EXAMINE BAGGAGE COMPARTMENT							Service	ATA:53
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:21	
53-00/280 ^S	EXAMINE REAR FUSELAGE INTERNAL STRUCTURE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service	ATA:53
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:20	
53-00/324	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE (POST SB 04-009)							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	25000		25000		22829.5		
	AFL	0	30000		30000		28448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/337 ^S	INSPECTION/CHECK CARRY THROUGH FRAMES 21 AND 24							Service	ATA:53
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-53-20-02-00A-313A-APROC. REF: AMM 12-B-53-20-02-00A-313A-A								PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/351	UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 53.100	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-53-10-06-01A-353A-APROC. REF: AMM 12-B-53-10-06-01A-353A-A									
53-00/352	FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 53.110	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-53-10-00-00A-310A-APROC. REF: AMM 12-B-53-10-00-00A-310A-A									
53-00/353	FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 53.120	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-53-20-00-00A-310A-APROC. REF: AMM 12-B-53-20-00-00A-310A-A									
53-00/354	EXAMINE ALL STRUCTURAL ELEMENTS - FUSELAGE FRAMES 36 TO 43							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 53.130	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A									
53-00/355	EXAMINE - ANTENNA STRUCTURE							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 53.140	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-53-00-00-00A-310A-APROC. REF: AMM 12-B-53-00-00-00A-310A-A									
53-00/356	EDDY CURRENT INSPECTION - ANTENNA - BOTTOM FUSELAGE SKIN							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:28300		28300		26129.5		
WC#: 53.150	AFL	0	T:37000		37000		35448		
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/357	EDDY CURRENT INSPECTION - ANTENNA - UPPER FUSELAGE SKIN							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 53.160	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A									
53-00/359	FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
WC#: 53.180	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-57-00-03-00A-353A-APROC. REF: AMM 12-B-57-00-03-00A-353A-A									
53-00/360	FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
WC#: 53.190	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-53-20-02-00A-353A-APROC. REF: AMM 12-B-53-20-02-00A-353A-A									
53-00/361	FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 53.200	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
53-00/419	EDDY CURRENT INSPECTION - FRAME 40							Service	ATA:53
	MOS	31-Jul-16							
	HRS	0	T:32500 (+500/-500)		32500	33000	30329.5 (+500)		
WC#: 53.210	AFL	0	T:42000 (+500/-500)		42000	42500	40448 (+500)		
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
53-00/9	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE							Service	ATA:53
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	20000		20000		17829.5		
WC#: 53.010	AFL	0	27000		27000		25448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/90	EXAMINE FRONT PRESSURE BULKHEAD (WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED)							Service	ATA:53
	MOS	01-Sep-20	72 (+6m/-6m)		01-Sep-26	01-Mar-27	95 d (+181)	MILD CORROSION ZONE	
	HRS	646.9	6000 (+500/-500)		6646.9	7146.9	4476.4 (+500)		
WC#: 53.030	AFL	603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
53-00/91	EXAMINE FUSELAGE INTERNAL BOTTOM SURFACE (FRAMES 10,21,24,36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT,WITH INSULATION REMOVED)							Service	ATA:53
	MOS	01-Sep-20	72 (+6m/-6m)		01-Sep-26	01-Mar-27	95 d (+181)	MILD CORROSION ZONE	
	HRS	646.9	6000 (+500/-500)		6646.9	7146.9	4476.4 (+500)		
WC#: 53.040	AFL	603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
53-00/92	EXAMINE REAR PRESSURE BULKHEAD WITH TRIM REMOVED							Service	ATA:53
	MOS	01-Sep-20	72 (+6m/-6m)		01-Sep-26	01-Mar-27	95 d (+181)	MILD CORROSION ZONE	
	HRS	646.9	6000 (+500/-500)		6646.9	7146.9	4476.4 (+500)		
WC#: 53.070	AFL	603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
53-00/93	EXAMINE STRUCTURE AROUND WINDOWS							Service	ATA:53
	MOS	01-Sep-20	72 (+6m/-6m)		01-Sep-26	01-Mar-27	95 d (+181)	MILD CORROSION ZONE	
	HRS	646.9	6000 (+500/-500)		6646.9	7146.9	4476.4 (+500)		
WC#: 53.050	AFL	603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
53-00/94	EXAMINE DOOR FRAMES AND EMERGENCY EXIT FRAMES							Service	ATA:53
	MOS	01-Sep-20	72 (+6m/-6m)		01-Sep-26	01-Mar-27	95 d (+181)	MILD CORROSION ZONE	
	HRS	646.9	6000 (+500/-500)		6646.9	7146.9	4476.4 (+500)		
WC#: 53.060	AFL	603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
53-30/342	INSPECTION/CHECK STATIC PORTS CRITICAL AREA							Service	ATA:53
	MOS/MSC	18-Aug-22	N/A						
	HRS	992.6							
WC#: 34.575	AFL	847							
PROC. REF: AMM 12-B-53-30-01-00A-313A-APROC. REF: AMM 12-B-53-30-01-00A-313A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
530070	FUSELAGE AB 1003 TEIL1							Component	ATA:53
PN:5530512029	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:6080	HRS	0		TSN 0					
WC#: 53.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 55 - STABILIZERS									
55-00/10	STRUCTURAL LIMITATION TAIL STRUCTURE							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	20000		20000		17829.5		
	AFL	0	27000		27000		25448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
55-00/325	STRUCTURAL LIMITATION TAIL STRUCTURE (POST SB 04-009)							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	25000		25000		22829.5		
	AFL	0	30000		30000		28448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
55-10/197 ^S	EXAMINE HORIZONTAL STABILIZER EXTERNAL SURFACE							Service	ATA:55
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
55-10/319 ^S	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT							Service	ATA:55
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-55-00-00-00A-313A-APROC. REF: AMM 12-B-55-00-00-00A-313A-A									

PKG:17

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10/415	HORIZONTAL STABILIZER							Component	ATA:55
PN:PN	MOS	31-Jul-16		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22829.5		
WC#: 55.090	AFL	0	30000	TSN 0	30000		28448		
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A									
55-10/638	HORIZONTAL STABILIZER - EXAMINE WITH BORESCOPE							Service	ATA:55
	MOS	31-Jul-16	T:240		31-Jul-36		3716 d		
	HRS	0	T:10000		10000		7829.5		
	AFL	0							
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A									
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service	ATA:55
	MOS	07-Jan-26	72 (+10%/-10%)		07-Jan-32	13-Aug-32	2049 d (+219)		
	HRS	2059.4							
	AFL	1480							
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A									
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service	ATA:55
	MOS	31-Jul-16	120 (+6m/-10%)		31-Jul-26	31-Jan-27	63 d (+184)		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A									
55-10/96	EXAMINE VERTICAL STABILIZER INTERNAL SURFACES (AS FAR AS POSSIBLE WITH PANELS REMOVED)							Service	ATA:55
	MOS	01-Sep-20	72 (+6m/-6m)		01-Sep-26	01-Mar-27	95 d (+181)	MILD CORROSION ZONE	
	HRS	646.9	6000 (+500/-500)		6646.9	7146.9	4476.4 (+500)		
	AFL	603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
55-20/362	EXAMINE LEFT WING ELEVATOR							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 55.100	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20/362	EXAMINE RIGHT WING ELEVATOR							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A									
55-20/367	EDDY CURRENT INSPECTION - ELEVATOR DRIVE LEVER							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 55.110	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A									
55-20/368	EDDY CURRENT INSPECTION - LEFT WING ELEVATOR HINGES							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 55.120	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A									
55-20/368	EDDY CURRENT INSPECTION - RIGHT WING ELEVATOR HINGES							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A									
55-30/198 ^S	EXAMINE VERTICAL STABILIZER EXTERNAL SURFACE SPECIALLY AROUND REAR SPAR TOP RIVETS.							Service	ATA:55
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-55-00-01-00A-664A-APROC. REF: AMM 12-B-55-00-01-00A-664A-A									
55-30/281 ^S	EXAMINE VERTICAL STABILIZER ELECTRICAL BONDING STRAPS							Service	ATA:55
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							

PKG:17

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
55-30/369	EXAMINE - VERTICAL STABILIZER							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 55.130	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A									
55-30/370	EDDY CURRENT INSPECTION - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 55.140	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
55-30/371	EDDY CURRENT INSPECTION VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 55.150	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-00-00-00A-353A-APROC. REF: AMM 12-B-55-00-00-00A-353A-A									
55-30/372	EDDY CURRENT INSPECTION VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 55.160	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-02-00A-353A-A									
55-30/420	EDDY CURRENT INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40							Service	ATA:55
	MOS	31-Jul-16							
	HRS	0	T:32500 (+500/-500)		32500	33000	30329.5 (+500)		
WC#: 55.190	AFL	0	T:42000 (+500/-500)		42000	42500	40448 (+500)		
PROC. REF: AMM 12-B-55-30-03-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40/373	EXAMINE - RUDDER							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 55.170	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-40-00-00A-310A-APROC. REF: AMM 12-B-55-40-00-00A-310A-A									
55-40/377	EDDY CURRENT INSPECTION - RUDDER HINGES							Service	ATA:55
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 55.180	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-55-40-05-00A-353A-APROC. REF: AMM 12-B-55-40-05-00A-353A-A									
55-40/410	EXAMINE - RUDDER TRIM TAB							Service	ATA:55
	MOS	31-Jul-16							
	HRS	0	T:32500 (+500/-500)		32500	33000	30329.5 (+500)		
WC#: 55.200	AFL	0	T:42000 (+500/-500)		42000	42500	40448 (+500)		
PROC. REF: AMM 12-B-55-40-04-00A-310A-APROC. REF: AMM 12-B-55-40-04-00A-310A-A									
ATA 56 - WINDOWS									
56-11/12	COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE IF CRACKED							Service	ATA:56
	MOS/MSC	31-Jul-16	A/R					AIRWORTHINESS	
	HRS	0							
WC#: 56.020	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
56-11/13	COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS- REPLACE IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS), CRAZING, SCRATCHED, BUBBLES OR DELAMINATED							Service	ATA:56
	MOS/MSC	31-Jul-16	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A									
56-11/14	REPLACE LEFT HAND WINDSHIELD ASSY, (LH) (INNER LAMINATION CRACKED)							Service	ATA:56
PN:9598110109	MOS/MSC	31-Jul-16	A/R						
SN:15131H2368	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/14 REPLACE RIGHT HAND WINDSHIELD ASSY, (RH) (INNER LAMINATION CRACKED) Service ATA:56								
PN:9598110110	MOS/MSC	31-Jul-16	A/R					
SN:15232H2644	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/15 LEFT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION) Service ATA:56								
PN:9598110109	MOS/MSC	31-Jul-16	A/R					
SN:15131H2368	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-11/15 RIGHT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION) Service ATA:56								
PN:9598110110	MOS/MSC	31-Jul-16	A/R					
SN:15232H2644	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-11/200^S EXAMINE WINDSHIELD LH AND RH Service ATA:56								
	MOS	07-Jan-26	12 (+10%/-10%)					
	HRS	2059.4	300 (+10%/-10%)					
	AFL	1480						
PKG:17								
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								
56-11/332 INSPECTION/CHECK COCKPIT SIDE WINDOWS Service ATA:56								
	MOS	31-Jul-16	120 (+6m/-6m)	31-Jul-26	31-Jan-27	63 d (+184)		
	HRS	0	11000 (+500/-500)	11000	11500	8829.5 (+500)		
WC#: 56.100	AFL	0						
PROC. REF: AMM 12-B-56-11-02-00A-313A-APROC. REF: AMM 12-B-56-11-02-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11/378	WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WIND-SHIELD AND SIDE WINDOWS REMOVED							Service	ATA:56
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 56.110	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-A									
56-11/517 ^S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND							Service	ATA:56
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REF, AMM NO REFPROC. REF: GENERIC NO REF, AMM NO REF									
56-20/201 ^S	EXAMINE COCKPIT AND CABIN WINDOWS							Service	ATA:56
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A									
560015	SIDE,LH WINDOW							Component	ATA:56
PN:9598110111	MOS/MSC	31-Jul-16	O/C		TSN 0				
SN:15254H4523	HRS	0			TSN 0				
WC#: 56.090	AFL	0			TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A									
560020	SIDE,RH WINDOW							Component	ATA:56
PN:9598110112	MOS/MSC	31-Jul-16	O/C		TSN 0				
SN:14279H0939	HRS	0			TSN 0				
WC#: 56.090	AFL	0			TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A									
560025	RH NO 1 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	31-Jul-16	O/C		TSN 0				
SN:0002177228-008	HRS	0			TSN 0				
WC#: 56.060	AFL	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A									
560030	RH NO 2 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:0002177228-011	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A									
560035	RH NO 3 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:0002177229-004	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A									
560040	RH NO 4 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:0002187313-004	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A									
560045	RH NO 5 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:0002177228-009	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A									
560050	LH NO 1 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:0002177228-004	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A									
560055	LH NO 2 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:0002177229-003	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A									
560060	LH NO 3 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:0002177229-009	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A									
560065	LH NO 4 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:0002187313-006	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A									
560070	DV-WINDOW ASSY							Component	ATA:56
PN:5561412099	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:16013H7957	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-B-56-14-01-00A-920A-A									
561010	LEFT HAND WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:9598110109	MOS/MSC	31-Jul-16	O/C	TSN 0				AIRWORTHINESS	
SN:15131H2368	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
561011	RIGHT HAND WINDSHIELD ASSY, (RH)							Component	ATA:56
PN:9598110110	MOS/MSC	31-Jul-16	O/C	TSN 0				AIRWORTHINESS	
SN:15232H2644	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
ATA 57 - WINGS									
57-00/11	STRUCTURAL LIMITATION LEFT WING STRUCTURE							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	20000		20000		17829.5		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
WC#: 57.010	AFL	0	27000		27000		25448		
PROC. REF: AMM 12-B-57-00-00-00A-040A-APROC. REF: AMM 12-B-57-00-00-00A-040A-A									
57-00/11	STRUCTURAL LIMITATION RIGHT WING STRUCTURE							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	20000		20000		17829.5		
WC#: 57.010	AFL	0	27000		27000		25448		
PROC. REF: AMM 12-B-57-00-00-00A-040A-APROC. REF: AMM 12-B-57-00-00-00A-040A-A									
57-00/202 ^S	EXAMINE WING EXTERNAL SURFACES							Service	ATA:57
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/282 ^S	EXAMINE WING TIP STATIC DISCHARGERS							Service	ATA:57
	MOS	07-Jan-26	24 (+10%/-10%)						
	HRS	2059.4	2400 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH PANELS REMOVED							Service	ATA:57
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/284 ^S	EXAMINE WING TO FUSELAGE ATTACHMENTS AS FAR AS POSSIBLE							Service	ATA:57
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/326	STRUCTURAL LIMITATION LEFT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	25000		25000		22829.5		
	AFL	0	30000		30000		28448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/326	STRUCTURAL LIMITATION RIGHT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	25000		25000		22829.5		
	AFL	0	30000		30000		28448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - LEFT WING							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
WC#: 57.100	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - RIGHT WING							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									
57-00/380	WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:30000		30000		27829.5		
WC#: 57.110	AFL	0	T:39000		39000		37448		
PROC. REF: AMM 12-B-57-00-03-00A-353A-A, AMM 12-B-57-00-03-01A-353A-APROC. REF: AMM 12-B-57-00-03-00A-353A-A, AMM 12-B-57-00-03-01A-353A-A									
57-00/382	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
WC#: 57.120	AFL	0	T:30000		30000		28448		
PROC. REF: AMM 12-B-57-20-10-00A-353C-APROC. REF: AMM 12-B-57-20-10-00A-353C-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/382	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
	AFL	0	T:30000		30000		28448		
PROC. REF: AMM 12-B-57-20-10-00A-353C-APROC. REF: AMM 12-B-57-20-10-00A-353C-A									
57-00/383	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
WC#: 57.130	AFL	0	T:30000		30000		28448		
PROC. REF: AMM 12-B-57-20-10-00A-353A-APROC. REF: AMM 12-B-57-20-10-00A-353A-A									
57-00/383	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
	AFL	0	T:30000		30000		28448		
PROC. REF: AMM 12-B-57-20-10-00A-353A-APROC. REF: AMM 12-B-57-20-10-00A-353A-A									
57-00/384	EDDY CURRENT INSPECTION - LEFT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
WC#: 57.140	AFL	0	T:30000		30000		28448		
PROC. REF: AMM 12-B-57-20-05-00A-353A-APROC. REF: AMM 12-B-57-20-05-00A-353A-A									
57-00/384	EDDY CURRENT INSPECTION - RIGHT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
	AFL	0	T:30000		30000		28448		
PROC. REF: AMM 12-B-57-20-05-00A-353A-APROC. REF: AMM 12-B-57-20-05-00A-353A-A									
57-00/385	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
WC#: 57.150	AFL	0	T:30000		30000		28448		
PROC. REF: AMM 12-B-57-20-10-00A-353B-APROC. REF: AMM 12-B-57-20-10-00A-353B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/385	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:25000		25000		22829.5		
	AFL	0	T:30000		30000		28448		
PROC. REF: AMM 12-B-57-20-10-00A-353B-APROC. REF: AMM 12-B-57-20-10-00A-353B-A									
57-00/412	EXAMINE - WING TIPS							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500 (+500/-500)		32500	33000	30329.5 (+500)		
WC#: 57.170	AFL	0	T:42000 (+500/-500)		42000	42500	40448 (+500)		
PROC. REF: AMM 12-B-57-33-00-00A-310A-APROC. REF: AMM 12-B-57-33-00-00A-310A-A									
57-00/413	EDDY CURRENT INSPECTION - LEFT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	31-Jul-16							
	HRS	0	T:25000 (+500/-500)		25000	25500	22829.5 (+500)		
WC#: 57.180	AFL	0	T:30000 (+500/-500)		30000	30500	28448 (+500)		
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A									
57-00/413	EDDY CURRENT INSPECTION - RIGHT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	31-Jul-16							
	HRS	0	T:25000 (+500/-500)		25000	25500	22829.5 (+500)		
	AFL	0	T:30000 (+500/-500)		30000	30500	28448 (+500)		
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A									
57-00/427	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	16000		16000		13829.5		
	AFL	0	22500		22500		20948		
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A									
57-00/427	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	16000		16000		13829.5		
	AFL	0	22500		22500		20948		
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/97	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT (AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED)							Service	ATA:57
	MOS	01-Sep-20	72 (+6m/-6m)		01-Sep-26	01-Mar-27	95 d (+181)	MILD CORROSION ZONE	
	HRS	646.9	6000 (+500/-500)		6646.9	7146.9	4476.4 (+500)		
WC#: 57.020	AFL	603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/98	EXAMINE LANDING GEAR COMPARTMENTS (ESPECIALLY MAIN AND REAR SPAR PARTS)							Service	ATA:57
	MOS	01-Sep-20	72 (+6m/-6m)		01-Sep-26	01-Mar-27	95 d (+181)	MILD CORROSION ZONE	
	HRS	646.9	6000 (+500/-500)		6646.9	7146.9	4476.4 (+500)		
WC#: 57.030	AFL	603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/99	EXAMINE WING TO FUSELAGE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service	ATA:57
	MOS	07-Jan-26	120 (+6m/-6m)		07-Jan-36	07-Jul-36	3510 d (+182)		
	HRS	2059.4	11000 (+500/-500)		13059.4	13559.4	10888.9 (+500)		
WC#: 57.040	AFL	1480							
PROC. REF: AMM 12-B-57-00-00-00A-313A-APROC. REF: AMM 12-B-57-00-00-00A-313A-A									
57-60/393	EXAMINE - RIGHT WING AILERON							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A									
57-60/393	EXAMINE -LEFT WING AILERON							Service	ATA:57
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	T:32500		32500		30329.5		
WC#: 57.160	AFL	0	T:42000		42000		40448		
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A									
57-60/411	EXAMINE - AILERON TRIM TAB							Service	ATA:57
	MOS	31-Jul-16							
	HRS	0	T:32500 (+500/-500)		32500	33000	30329.5 (+500)		
WC#: 57.190	AFL	0	T:42000 (+500/-500)		42000	42500	40448 (+500)		
PROC. REF: AMM 12-B-57-60-04-00A-310A-APROC. REF: AMM 12-B-57-60-04-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
570005	AILERON LH 10A SERIE ASSY							Component	ATA:57
PN:5570512041	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:3351M	HRS	0		TSN 0					
WC#: 57.050	AFL	0		TSN 0					
PROC. REF: AMM 12-B-57-60-02-00A-920A-APROC. REF: AMM 12-B-57-60-02-00A-920A-A									
570010	AILERON RH 10A SERIE ASSY							Component	ATA:57
PN:557.05.12.042	MOS/MSC	07-Jan-26	O/C	TSN 114					
SN:3351M	HRS	2059.4		TSN 2059.4					
WC#: 57.050	AFL	1480		TSN 1480					
PROC. REF: AMM 12-B-57-60-02-00A-920A-APROC. REF: AMM 12-B-57-60-02-00A-920A-A									
570050	L/H WING							Component	ATA:57
PN:5570512049	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:6080	HRS	0		TSN 0					
WC#: 57.080	AFL	0		TSN 0					
PROC. REF: AMM 12-B-57-00-00-00A-520A-A, AMM 12-B-57-00-00-00A-520B-A, AMM 12-B-57-00-00-00A-720A-A, AMM 12-B-57-00-00-00A-720B-APROC. REF: AMM 12-B-57-00-00-00A-520A-A, AMM 12-B-57-00-00-00A-520B-A, AMM 12-B-57-00-00-00A-720A-A, AMM 12-B-57-00-00-00A-720B-A									
570055	R/H WING							Component	ATA:57
PN:5570512050	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:6080	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 12-B-57-00-00-00B-520A-A, AMM 12-B-57-00-00-00B-520B-A, AMM 12-B-57-00-00-00B-720A-A, AMM 12-B-57-00-00-00B-720B-APROC. REF: AMM 12-B-57-00-00-00B-520A-A, AMM 12-B-57-00-00-00B-520B-A, AMM 12-B-57-00-00-00B-720A-A, AMM 12-B-57-00-00-00B-720B-A									
ATA 61 - PROPELLERS/PROPULSORS									
61-20/286 ^S	EXAMINE PROPELLER GOVERNOR, OVERSPEED GOVERNOR AND BETA CONTROLS							Service	ATA:61
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
610000 NO. 1 PROPELLER - OVERHAUL Service ATA:61								
	MOS	07-Nov-24	72		07-Nov-30		1623 d	OVERHAUL
	HRS	1639.7	4000		(5639.7) 5639.7		3469.2	
								WO#: 6577-10-2024
PROC. REF: POM 61-00-47, AMM 12-A-61-10-01-00A-920A-APROC. REF: POM 61-00-47, AMM 12-A-61-10-01-00A-920A-A								
611010 NO. 1 PROPELLER - PERIODIC INSPECTION Service ATA:61								
	MOS	07-Jan-26	12		07-Jan-27		223 d	
	HRS	2059.4	400		(2459.4) 2459.4		288.9	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
611020 NO. 1 PROPELLER - LUBRICATE Service ATA:61								
	MOS	07-Jan-26	12		07-Jan-27		223 d	
	HRS	2059.4	400		(2459.4) 2459.4		288.9	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
611025 NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS Service ATA:61								
	MOS	07-Jan-26	12		07-Jan-27		223 d	
	HRS	2059.4	400		(2459.4) 2459.4		288.9	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
611101 NO. 1 PROPELLER - NO. 1 PROPELLER BLADE Component ATA:61								
PN:9682913024	MOS/MSC	01-Sep-20	O/C					
SN:B1347	HRS	840.4						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
611102 NO. 1 PROPELLER - NO. 2 PROPELLER BLADE Component ATA:61								
PN:9682913024	MOS/MSC	01-Sep-20	O/C					
SN:B1386	HRS	596.8						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
611103 NO. 1 PROPELLER - NO. 3 PROPELLER BLADE Component ATA:61								
PN:9682913024	MOS/MSC	01-Sep-20	O/C					
SN:B1445	HRS	596.8						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
611104 NO. 1 PROPELLER - NO. 4 PROPELLER BLADE Component ATA:61								
PN:9682913024	MOS/MSC	01-Sep-20	O/C					
SN:B1435	HRS	596.8						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
611105 NO. 1 PROPELLER - NO. 5 PROPELLER BLADE Component ATA:61								
PN:9682913024	MOS/MSC	01-Sep-20	O/C					
SN:B1175	HRS	596.8						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
611120 NO. 1 PROPELLER - PERIODIC COIN-TAP INSPECTIONS FOR COMPOSITE BLADES - EROSION SHIELD SURFACE Service ATA:61								
	MOS	07-Jan-26	12		07-Jan-27		223 d	
	HRS	2059.4	600		(2659.4) 2659.4		488.9	
WO#: 6577-10-2024								
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70								
611410 NO. 1 PROPELLER - HUB ASSEMBLY Component ATA:61								
PN:PN	MOS/MSC	17-Dec-15	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
612010 NO. 1 ENGINE - PROPELLER GOVERNOR Component ATA:61								
PN:3049558-01	MOS	09-Mar-16		TSN 0				OVERHAUL
SN:20343920	HRS	0	3500 (+500)	TSN 0	(3500) 3583.5	4000	1413 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 61-20-00PROC. REF: EMM 61-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
612020	NO. 1 ENGINE - OVERSPEED GOVERNOR							Component	ATA:61
PN:3079148-01	MOS	09-Mar-16		TSN 0				OVERHAUL	
SN:20341207	HRS	0	3500 (+500)	TSN 0	(3500) 3583.5	4000	1413 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 61-20-00PROC. REF: EMM 61-20-00									
ATA 61 - PROPELLERS/PROPULSORS									
61PR1	NO. 1 PROPELLER							Component	ATA:61
PN:HC-E5A-3A	MOS/MSC	12-Dec-18	PP/C						
SN:SA18	HRS	403.3		TSN 596.8					
WC#: 61.PR1	AFL								
PROC. REF: AMM 12-B-61-10-01-00A-920A-A, AMM 12-B-61-10-01-00A-920B-A, AMM 12-B-61-10-01-00A-920A-A, AMM 12-B-61-10-01-00A-920B-A									
ATA 71 - POWER PLANT									
71-00/101 ^S	OPERATIONAL TEST POWER PLANT TORQUE LIMITER							Service	ATA:71
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
WC#: 71.010	AFL	1480							
PROC. REF: AMM 12-B-71-00-00-00A-903G-A, AMM 12-B-71-00-00-00A-903G-A									
ATA 71 - POWER PLANT									
71-00/102 ^S	OPERATIONAL TEST POWER PLANT PERFORMANCE							Service	ATA:71
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-71-00-00-00A-903H-A, AMM 12-B-71-00-00-00A-903H-A									
ATA 71 - POWER PLANT									
71-00/103	PERFORM COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	13-Apr-24	A/R						
	HRS	1529.7							
WC#: 71.040	AFL	1217							
PROC. REF: AMM 12-B-71-00-00-00A-250A-A, AMM 12-B-71-00-00-00A-250A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/104	PERFORM COMPRESSOR DESALINATION WASH							Service	ATA:71
	MOS/MSC	13-Apr-24	A/R						
	HRS	1529.7							
	AFL	1217							
PROC. REF: AMM 12-B-71-00-00-00A-250A-APROC. REF: AMM 12-B-71-00-00-00A-250A-A									
71-00/105	PERFORM TURBINE WASH							Service	ATA:71
	MOS/MSC	13-Apr-24	A/R						
	HRS	1529.7							
	AFL	1217							
PROC. REF: AMM 12-B-71-00-00-00A-250A-APROC. REF: AMM 12-B-71-00-00-00A-250A-A									
71-00/107 ^S	CLEAN ENGINE TORQUE AND STICK PUSHER TORQUE TRANSDUCERS ELECTRICAL CONNECTORS							Service	ATA:71
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
WC#: 71.030	AFL	1480							
PROC. REF: AMM 12-B-71-00-03-00A-250A-APROC. REF: AMM 12-B-71-00-03-00A-250A-A									
71-00/16	ENGINE (PRE SB 04-009) MOUNTING FRAME							Component	ATA:71
PN:PN	MOS	31-Jul-16		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17829.5		
WC#: 71.050	AFL	0	27000	TSN 0	27000		25448		
PROC. REF: AMM 12-B-71-00-05-00A-920A-APROC. REF: AMM 12-B-71-00-05-00A-920A-A									
71-00/17	REPLACE ENGINE MOUNTING FRAME BOLTS, WASHERS AND NUTS							Service	ATA:71
	MOS	31-Jul-16						AIRWORTHINESS	
	HRS	0	11000		11000		8829.5		
WC#: 71.050	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/204 ^S	PERFORM POWER PLANT - POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:71
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							

PKG:19

PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: AMM 12-B-71-00-00-00A-903A-APROC. REF: AMM 12-B-71-00-00-00A-903A-A									
71-00/205 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 1 IN (25,4 MM) LONG AND/OR 0.06 IN (1,5 MM) DEEP							Service	ATA:71
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
								PKG:20	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/209 ^S	ENGINE DRAIN MAST AND TANK - EXAMINE THE DRAIN MAST FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN THE COLLECTOR TANK							Service	ATA:71
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
								PKG:17	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/287 ^S	PERFORM POWER PLANT - INSPECTION GROUND RUN - NOTE DEFECTS.							Service	ATA:71
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
								PKG:15	
PROC. REF: AMM 12-B-71-00-00-00A-903A-APROC. REF: AMM 12-B-71-00-00-00A-903A-A									
71-00/301 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY.							Service	ATA:71
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
								PKG:20	
PROC. REF: AMM 12-B-54-20-02-00A-664A-APROC. REF: AMM 12-B-54-20-02-00A-664A-A									
71-00/327	ENGINE (POST SB 04-009) MOUNTING FRAME							Component	ATA:71
PN:PN	MOS	31-Jul-16		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22829.5		
	AFL	0	30000	TSN 0	30000		28448		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/38 LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY Component ATA:71								
PN:9448121409	MOS	31-Jul-16		TSN 0				OVERHAUL
SN:9155	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1329.5 (+350)	
WC#: 71.063	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38 LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY Component ATA:71								
PN:9448121409	MOS	31-Jul-16		TSN 0				OVERHAUL
SN:9188	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1329.5 (+350)	
WC#: 71.064	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38 UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY Component ATA:71								
PN:9448121409	MOS	31-Jul-16		TSN 0				OVERHAUL
SN:9186	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1329.5 (+350)	
WC#: 71.061	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38 UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY Component ATA:71								
PN:9448121409	MOS	31-Jul-16		TSN 0				OVERHAUL
SN:9185	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1329.5 (+350)	
WC#: 71.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38 UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY Component ATA:71								
PN:9448121409	MOS	31-Jul-16		TSN 0				OVERHAUL
SN:9187	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1329.5 (+350)	
WC#: 71.062	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/401 ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION Service ATA:71								
	MOS	31-Jul-16						AIRWORTHINESS
	HRS	0	T:26600		26600		24429.5	
WC#: 71.130	AFL	0	T:35000		35000		33448	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: AMM 12-B-71-00-05-00A-352A-APROC. REF: AMM 12-B-71-00-05-00A-352A-A									
71-00/432 ^S	EXAMINE POWER PLANT AND ACCESSORIES, REFER TO P&WC EMM CHAPTER 72-00-00 PERIODIC INSPECTION AND DO THE MINOR AND TIME LIMITED INSPECTION ITEMS							Service	ATA:71
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
								PKG:15	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/476 ^S	REVIEW AND COMPLY WITH P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS AS NECESSARY							Service	ATA:71
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
								PKG:15	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-10/207 ^S	OPEN AND EXAMINE, ENGINE COWLINGS ENG 43AL AND ENG 43AR AND EXAMINE, PARTICULARLY FOR CONDITION OF RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF MATERIAL P10-001							Service	ATA:71
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
								PKG:15	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-10/208 ^S	CLOSE ENGINE COWLINGS ENG 43AL AND ENG 43AR							Service	ATA:71
	MOS/MSC	27-Jul-21	A/R						
	HRS	751.3							
	AFL	681							
								PKG:15	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710011	NO. 1 ENGINE - OVERHAUL							Service	ATA:71
	MOS	09-Mar-16						OVERHAUL	
	HRS	0	3500 (+200)		(3500) 3583.5	3700	1413 (+200)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710019 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE FIRST-STAGE COMPRESSOR ROTOR WITH A MIRROR OR A BORESCOPE							Service	ATA:71
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PKG:0									
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05									
710021	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	18-Sep-24							
	HRS	1556.2	1750 (+250)		(3306.2) 3389.7	3556.2	1219.2 (+250)		
	ENC	1234							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710031	NO. 1 ENGINE - BORESCOPE HOT SECTION							Service	ATA:71
	MOS	07-Jan-26							
	HRS	1975.9	400 (+10%/-10%)		(2375.9) 2459.4	2415.9	288.9 (+40)		
	ENC	1414							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710041	NO. 1 ENGINE - INSPECT POWER TURBINE BLADES							Service	ATA:71
	MOS/MSC	09-Mar-16	N/A						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710050	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service	ATA:71
	MOS/MSC	13-Apr-24	A/R						
	HRS	1529.7							
	ENC	1217							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710052	NO. 1 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	13-Apr-24	A/R						
	HRS	1529.7							
	ENC	1217							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
710055	(WELDED) ENGINE MOUNT							Component	ATA:71
PN:5712012036	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1466	HRS	0		TSN 0					
WC#: 71.120	AFL	0		TSN 0					
PROC. REF: AMM 12-B-71-00-05-00A-920A-APROC. REF: AMM 12-B-71-00-05-00A-920A-A									
710061	NO. 1 ENGINE - PERFORM ENGINE CONDITION TREND MONITORING (ECTM)							Service	ATA:71
	MOS/MSC		A/R						
	HRS								
	ENC								
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710070 ^S	NO. 1 ENGINE - CHECK FCU MANUAL OVERRIDE SYSTEM FOR STATIC OPERATION							Service	ATA:71
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
710100	NO. 1 ENGINE - PERFORM CORROSION INHIBITION PROCEDURE							Service	ATA:71
	MOS/MSC	07-Nov-24	A/R						
	HRS	1556.2							
	ENC	1234							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:3072955-01	MOS/MSC	07-Nov-24	E/C						
SN:PCE-RY0689	HRS	1639.7							
WC#: 71.EN1	AFL	1300							
PROC. REF: AMM 12-B-71-00-00-00A-920A-APROC. REF: AMM 12-B-71-00-00-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720010	NO. 1 ENGINE - GAS GENERATOR MODULE							Component	ATA:72
PN:PN	MOS	09-Mar-16		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3583.5	3700	1413 (+200)		
	ENC	0		TSN 0					
PROC. REF: EMM 72-30-04PROC. REF: EMM 72-30-04									
720022	NO. 1 ENGINE - OIL SYSTEM - CHECK OIL LEVEL							Service	ATA:72
	MOS/MSC	09-Mar-16	BF/F						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
720023	NO. 1 ENGINE - CHECK CONDITION AND LOCKING OF OIL FILLER CAP							Service	ATA:72
	MOS/MSC	09-Mar-16	BF/F						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-60-00PROC. REF: EMM 72-60-00									
720030 ^S	NO. 1 ENGINE - CHECK ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS FOR ATTACHMENT							Service	ATA:72
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
720040 ^S	NO. 1 ENGINE - CHECK CLAMPS, BRACKETS, TUBES/LINES, LINKAGES FOR CHAFING, CRACKS AND CORROSION							Service	ATA:72
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:0

PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720050 ^S	NO. 1 ENGINE - CHECK ACCESSORIES ATTACHMENT AND LINKAGES, AIR, OIL AND FUEL LINES							Service	ATA:72
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:0									
720070 ^S	NO. 1 ENGINE - INSPECT FOR OIL AND FUEL LEAKS AS APPLICABLE							Service	ATA:72
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:0									
721100	NO. 1 ENGINE - PROPELLER SHAFT SEAL - CHECK FOR OIL LEAKS							Service	ATA:72
	MOS/MSC	09-Mar-16	BF/F						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-11-00PROC. REF: EMM 72-11-00									
722010 ^S	NO. 1 ENGINE - INSPECT THE AIR INLET SCREEN FOR CLEANLINESS							Service	ATA:72
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 72-20-00, EMM 72-20-00PROC. REF: EMM 72-20-00, EMM 72-20-00									
PKG:0									
722020 ^S	NO. 1 ENGINE - WITH INLET SCREEN REMOVED OR ALTERNATIVELY WITHBOREScope, INSPECT COMPRESSOR INLET CASE OVERALL SURFACEAREAS AND STRUTS FOR CORROSION							Service	ATA:72
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 72-20-00PROC. REF: EMM 72-20-00									
PKG:0									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723010	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3042701	MOS	18-Sep-24		TSN 2				LIFE LIMIT	
SN:MCAKAYBW001	HRS	1556.2		TSN 0					
	ENC	1234		TSN 0	(25234) 25300 (M)		23748		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723020	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component	ATA:72
PN:3043063	MOS	09-Mar-16		TSN 0				LIFE LIMIT	
SN:PKAAA659937	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24066 (M)		22514		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723026 ^S	NO. 1 ENGINE - INSPECTION/CHECK GAS GENERATOR CASE EXTERNAL SURFACES, AND FIRESEAL MOUNT RING BRACKETS FOR CRACKS, DISTORTION, AND CORROSION							Service	ATA:72
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 72-30-04PROC. REF: EMM 72-30-04									
723030	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040942	MOS	09-Mar-16		TSN 0				LIFE LIMIT	
SN:MCAKAXPU292	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24066 (M)		22514		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723036 ^S	NO. 1 ENGINE - INSPECTION/CHECK FIRESEAL MOUNT RINGS FOR CRACKS AND ATTACHMENT OF BRACKETS AND SEALS							Service	ATA:72
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							

PKG:0

PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PROC. REF: EMM 72-30-04, EMM 72-30-01, EMM 72-30-02PROC. REF: EMM 72-30-04, EMM 72-30-01, EMM 72-30-02									
723040	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040933	MOS	09-Mar-16		TSN 0				LIFE LIMIT	
SN:FRAEPTWB84	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24066 (M)		22514		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723050	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040944	MOS	09-Mar-16		TSN 0				LIFE LIMIT	
SN:EAAD000X529	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24066 (M)		22514		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3036898	MOS	09-Mar-16		TSN 0				LIFE LIMIT	
SN:EAAD000X805	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24066 (M)		22514		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723070	NO. 1 ENGINE - PERFORMANCE DETERIORATION							Service	ATA:72
	MOS/MSC	09-Mar-16	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
724060	NO. 1 ENGINE - HIGH TORQUE INDICATION AT LOW POWER							Service	ATA:72
	MOS/MSC	09-Mar-16	A/R						
	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
725010	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component	ATA:72
PN:3053740-01	MOS	09-Mar-16		TSN 0				LIFE LIMIT	
SN:YUAB001E993	HRS	0		TSN 0					
	ENC	0		TSN 0	(8000)		6514		
	ACCCYC	0	8000	TSN 0	8066 (M)				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - REPLACE 2ND STAGE POWER TURBINE (3RD STAGE TURBINE) BLADES							Service	ATA:72
	MOS	09-Mar-16						LIFE LIMIT	
	HRS	0	5000		(5000)		2913		
	ENC	0			5083.5				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725026 ^S	NO. 1 ENGINE - INSPECTION/CHECK EXHAUST DUCT FOR CRACKS AND DISTORTION							Service	ATA:72
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 72-50-05PROC. REF: EMM 72-50-05									
725030	NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037312	MOS	09-Mar-16		TSN 0				LIFE LIMIT	
SN:A003RLL8	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000)		13514		
	ACCCYC	0	15000	TSN 0	15066 (M)				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:0



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725040	NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037313	MOS	09-Mar-16		TSN 0				LIFE LIMIT	
SN:YUAB001F122	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000) 15066 (M)		13514		
	ACCCYC	0	15000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
726020	NO. 1 ENGINE - POWER SECTION MODULE							Component	ATA:72
PN:PN	MOS	09-Mar-16		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3583.5	3700	1413 (+200)		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:3040760	MOS	09-Mar-16		TSN 0				OVERHAUL	
SN:014544	HRS	0	3500	TSN 0	(3500) 3583.5		1413		
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
ATA 73 - ENGINE FUEL AND CONTROL									
731015	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS	07-Jan-26							
	HRS	1975.9	400 (+10%/-10%)	Adj -19.7	(2356.2) 2439.7	2396.2	269.2 (+40)		
	ENC	1414							
PROC. REF: EMM 73-11-05, EMM 71-00-00PROC. REF: EMM 73-11-05, EMM 71-00-00									
ATA 73 - ENGINE FUEL AND CONTROL									
731025	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE NOT ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS	07-Jan-26							
	HRS	1975.9	400 (+10%/-10%)		(2375.9) 2459.4	2415.9	288.9 (+40)		
	ENC	1414							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
PROC. REF: EMM 73-11-05PROC. REF: EMM 73-11-05									
731030	NO. 1 ENGINE - OVERTORQUE LIMITER							Component	ATA:73
PN:3055748-01	MOS	09-Mar-16		TSN 0				OVERHAUL	
SN:C51579	HRS	0	3500 (+500)	TSN 0	(3500) 3583.5	4000	1413 (+500)		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731031 ^S	NO. 1 ENGINE - DO A CHECK OF THE FUEL PUMP (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731035	NO. 1 ENGINE - VISUAL INSPECTION FUEL PUMP TO AGB COVER INTERFACE FOR OIL LEAKAGE AND /OR GASKET MIGRATION							Service	ATA:73
	MOS	07-Jan-26							
	HRS	1975.9	1750 (+100)		(3725.9) 3809.4	3825.9	1638.9 (+100)		
	ENC	1414							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731040	NO. 1 ENGINE - CHECK FUEL PUMP FUEL INLET SCREEN FOR FOREIGN MATTER OR DISTORTION, CLEAN AND REINSTALL, OR INSTALL NEW SCREEN							Service	ATA:73
PN:3040760	MOS	07-Jan-26							
SN:014544	HRS	1975.9	600 (+10%/-10%)		(2575.9) 2659.4	2635.9	488.9 (+60)		
	ENC	1414							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731045 ^S	NO. 1 ENGINE - DO A CHECK OF THE OIL-TO-FUEL HEATER (IN-SITU INSPECTION ONLY) FOR INSTALLATION							Service	ATA:73
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01									

PKG:0

PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731052	NO. 1 ENGINE - REMOVE THE FUEL PUMP. INSPECT THE DRIVE COUPLING AND COVER ON THE AGB SIDE FOR SIGNS OF REDDISH-BROWN (IRON OXIDE) STAINS. IF YOU SEE STAINS, DISCARD THE FUEL PUMP							Service	ATA:73
	MOS/MSC	09-Mar-16	N/A						
	HRS	0							
	ENC	0							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731055	NO. 1 ENGINE - REPLACE NO. 1 FUEL PUMP OUTLET FILTER							Service	ATA:73
PN:PN	MOS	07-Jan-26	REPLACE						
SN:UNKNOWN	HRS	1975.9	600 (+10%/-10%)		(2575.9) 2659.4	2635.9	488.9 (+60)		
	ENC	1414							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731056 ^S	NO. 1 ENGINE - INSPECT PNEUMATIC TUBES AND LINES FOR CRACKS AND DAMAGES ESPECIALLY AT THE END FITTINGS AND JOINTS							Service	ATA:73
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731060	NO. 1 ENGINE - OIL TO FUEL HEATER							Component	ATA:73
PN:3057249-01	MOS	09-Mar-16	TSN 0						
SN:WA53391	HRS	0	3500 (+500)	TSN 0	(3500) 3583.5	4000	1413 (+500)	OVERHAUL	
	ENC	0	TSN 0						
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01									
731065	NO. 1 ENGINE - EXAMINE FILTER BOWL							Service	ATA:73
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%)		(2275.9) 2359.4	2305.9	188.9 (+30)		
	ENC	1414							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731070 NO. 1 ENGINE - FLOW DIVIDER/PURGE VALVE Component ATA:73								
PN:3038472	MOS	09-Mar-16		TSN 0				OVERHAUL
SN:U0609	HRS	0	3500 (+500)	TSN 0	(3500) 3583.5	4000	1413 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731085^S NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE (IN-SITU INSPECTION ONLY) OF INSTALLATION AND LEAKAGE Service ATA:73								
	MOS	07-Jan-26						
	HRS	1975.9	300 (+10%/-10%)					
	ENC	1414						
PROC. REF: EMM 73-10-06PROC. REF: EMM 73-10-06								
731090 NO. 1 ENGINE - FUEL CONTROL UNIT Component ATA:73								
PN:3119892-10	MOS	09-Mar-16		TSN 0				OVERHAUL
SN:20365017	HRS	0	3500 (+500)	TSN 0	(3500) 3583.5	4000	1413 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00								
731091^S NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE Service ATA:73								
	MOS	07-Jan-26						
	HRS	1975.9	300 (+10%/-10%)					
	ENC	1414						
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731100^S NO. 1 ENGINE - CLEAN P3 FILTER Service ATA:73								
	MOS	07-Jan-26						
	HRS	1975.9	300 (+10%/-10%)					
	ENC	1414						
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731150 ^S	NO. 1 ENGINE - CHECK OUTLET FILTER FOR FOREIGN MATTER OR DISTORTION							Service	ATA:73
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
PKG:0									
731155	NO. 1 ENGINE - FUEL PUMP OUTLET FILTER							Component	ATA:73
PN:PN	MOS/MSC	07-Jan-26	H/T						
SN:UNKNOWN	HRS	1975.9							
	ENC	1414							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
732020 ^S	NO. 1 ENGINE - CHECK FCU FOR INSTALLATION, LINKAGES AND PNEUMATIC LINES							Service	ATA:73
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00									
PKG:0									
733020	NO. 1 ENGINE - REPLACE P3 FILTER							Service	ATA:73
	MOS	07-Nov-24							
	HRS	1556.2	900 (+10%/-10%)		(2456.2) 2539.7	2546.2	369.2 (+90)		
	ENC	1234							
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07									
733070 ^S	NO. 1 ENGINE - CLEAN AND INSPECT P3 FILTER DRAIN VALVE HOUSING ASSEMBLY							Service	ATA:73
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 73-10-07, EMM 73-10-07PROC. REF: EMM 73-10-07, EMM 73-10-07									
PKG:0									
ATA 74 - IGNITION									
74-00/288 ^S	OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	07-Jan-26	12 (+10%/-10%)						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-74-00-00-00A-903A-APROC. REF: AMM 12-B-74-00-00-00A-903A-A									
PKG:17									
740010	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:3035889	MOS	09-Mar-16		TSN 0				OVERHAUL	
SN:NNA15490036	HRS	0	3500 (+500)	TSN 0	(3500) 3583.5	4000	1413 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 74-10-00PROC. REF: EMM 74-10-00									
740015	NO. 1 ENGINE - CHECK IGNITION EXCITER FOR INSTALLATION AND CONDITION							Service	ATA:74
	MOS	07-Jan-26							
	HRS	1975.9	400 (+10%/-10%)		(2375.9) 2459.4	2415.9	288.9 (+40)		
	ENC	1414							
PROC. REF: EMM 74-10-00PROC. REF: EMM 74-10-00									
740020	NO. 1 ENGINE - 4 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:CH34055	MOS/MSC	07-Nov-24	O/C						
SN:UNKNOWN	HRS	1556.2							
	ENC	1234							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
740025	NO. 1 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION. CHECK FUNCTION							Service	ATA:74
	MOS	07-Jan-26							
	HRS	1975.9	400 (+10%/-10%)		(2375.9) 2459.4	2415.9	288.9 (+40)		
	ENC	1414							
PROC. REF: EMM 74-20-00PROC. REF: EMM 74-20-00									
740040	NO. 1 ENGINE - 9 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:CH34055	MOS/MSC	07-Nov-24	O/C						
SN:UNKNOWN	HRS	1556.2							
	ENC	1234							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742010	NO. 1 ENGINE - CHECK IGNITION CABLES FOR CHAFING, WEAR AND INSTALLATION							Service	ATA:74
	MOS	07-Jan-26							
	HRS	1975.9	400 (+10%/-10%)		(2375.9) 2459.4	2415.9	288.9 (+40)		
	ENC	1414							
PROC. REF: EMM 74-20-00PROC. REF: EMM 74-20-00									
ATA 75 - AIR									
750010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component	ATA:75
PN:3059835-01	MOS	09-Mar-16		TSN 0				OVERHAUL	
SN:AHX1000918	HRS	0	3500 (+500)	TSN 0	(3500) 3583.5	4000	1413 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 75-30-00PROC. REF: EMM 75-30-00									
ATA 76 - ENGINE CONTROLS									
76-00/210 ^S	EXAMINE ENGINE CONTROLS IN ENGINE COMPARTMENT							Service	ATA:76
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:19									
76-00/211 ^S	CHECK BETA SLIP RING CARBON BLOCK - MAKE SURE GAP IS NOT MORE THAN 0.01IN (0.25MM)							Service	ATA:76
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
76-00/212 ^S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT- CAUTION - DO NOT MOVE PCL INTO THE REVERSE RANGE- PCL- MOVE BETWEEN IDLE AND MAX AND MAKE SURE MOVEMENT FULL AND FREE. CONDITION LEVER- DO THE OPERATIONAL TEST. MANUAL OVERRIDE LEVER- MOVE BETWEEN OFF AND MAX AND MAKE SURE MOVEMENT IS FULL AND FREE.							Service	ATA:76
	MOS	07-Jan-26							
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-76-10-00-00A-903A-APROC. REF: AMM 12-B-76-10-00-00A-903A-A								PKG:16	
76-00/303 ^S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT - POWER CONTROL, MANUAL OVERRIDE							Service	ATA:76
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-76-10-00-00A-903A-A, AMM 12-B-76-20-00-00A-903A-APROC. REF: AMM 12-B-76-10-00-00A-903A-A, AMM 12-B-76-20-00-00A-903A-A								PKG:20	
76-00/304 ^S	EXAMINE COCKPIT CONTROL QUADRANT							Service	ATA:76
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:17	
76-10/117	FUNCTIONAL TEST PROPELLER FEATHERING MICROSWITCHES							Service	ATA:76
	MOS	07-Jan-26	12 (+10%/-10%)		07-Jan-27	12-Feb-27	223 d (+36)		
	HRS	2059.4	3000 (+10%/-10%)		5059.4	5359.4	2888.9 (+300)		
WC#: 76.010	AFL	1480							
PROC. REF: AMM 12-B-76-10-02-00A-903A-APROC. REF: AMM 12-B-76-10-02-00A-903A-A									
760015	MANUAL OVERRIDE CABLE ASSY.							Component	ATA:76
PN:9419411417	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:25	HRS	0		TSN 0					
WC#: 76.020	AFL	0		TSN 0					
PROC. REF: AMM 12-B-76-20-00-04A-920A-APROC. REF: AMM 12-B-76-20-00-04A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
760020 CONDITION CABLE ASSY.								Component ATA:76
PN:9419411418	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:28	HRS	0		TSN 0				
WC#: 76.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
760025 POWER CONTROL CABLE ASSY.								Component ATA:76
PN:9419411419	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:23	HRS	0		TSN 0				
WC#: 76.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-76-10-04-00A-920A-APROC. REF: AMM 12-B-76-10-04-00A-920A-A								
761011 ^S NO. 1 ENGINE - DEPENDING ON OPERATING CONDITIONS AND ENVIRONMENT, EXAMINE LINKAGES AT REGULAR INTERVALS								Service ATA:76
	MOS	07-Jan-26						
	HRS	1975.9	300 (+10%/-10%)					
	ENC	1414						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
ATA 77 - ENGINE INDICATING								
770005 TRQ,IPT-51DFP-1000-70D TRANSDUCER								Component ATA:77
PN:9752115206	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:8032-1-124	HRS	0		TSN 0				
WC#: 77.010	AFL	0		TSN 0				
PROC. REF: AMM 12-B-77-40-03-00A-920A-APROC. REF: AMM 12-B-77-40-03-00A-920A-A								
770025 DIFFERENTIAL PRESSURE TRANSDUCER								Component ATA:77
PN:9752115219	MOS/MSC	31-Jul-16	O/C	TSN 0				
SN:10218971	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771010 NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS								Component ATA:77
PN:3043825-01	MOS/MSC	09-Mar-16	O/C	TSN 0				
SN:NRA008025	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
PROC. REF: EMM 77-20-01PROC. REF: EMM 77-20-01									
ATA 78 - EXHAUST									
78-00/214 ^S	EXAMINE EXHAUST STUBS							Service	ATA:78
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 79 - OIL									
79-00/422 ^S	OPERATIONAL TEST OIL FILLER CAP / DIPSTICK							Service	ATA:79
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	600 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-79-30-06-00A-903A-APROC. REF: AMM 12-B-79-30-06-00A-903A-A									
79-20/289 ^S	EXAMINE ENGINE OIL COOLER. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT							Service	ATA:79
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	1200 (+10%/-10%)						
	AFL	1480							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
79-20/290 ^S	OPERATIONAL TEST OIL SYSTEM CHIP DETECTOR INDICATION SYSTEM							Service	ATA:79
	MOS	07-Jan-26	12 (+10%/-10%)						
	HRS	2059.4	300 (+10%/-10%)						
	AFL	1480							
PROC. REF: AMM 12-B-79-30-01-00A-903A-APROC. REF: AMM 12-B-79-30-01-00A-903A-A									
79-20/43	OIL COOLER							Component	ATA:79
PN:9683214102	MOS	31-Jul-16		TSN 0				OVERHAUL	
SN:T1660	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1329.5 (+350)		
WC#: 79.010	AFL	0		TSN 0					
PROC. REF: AMM 12-B-79-20-02-00A-920A-APROC. REF: AMM 12-B-79-20-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790005	TEMPERATURE BULB							Component	ATA:79
PN:9751120101	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:216249	HRS	0		TSN 0					
WC#: 79.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
790020	PRESSURE,GAGE SWITCH							Component	ATA:79
PN:9738114305	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1562	HRS	0		TSN 0					
WC#: 79.030	AFL	0		TSN 0					
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A									
790021	NO. 1 ENGINE - SERVICING OF OIL SYSTEM							Service	ATA:79
	MOS/MSC	09-Mar-16	A/R					DISCARD	
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
790025	THERMAL ACTUATOR							Component	ATA:79
PN:9787301002	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:1798	HRS	0		TSN 0					
WC#: 79.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
790031	NO. 1 ENGINE - CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	07-Jan-26	12 (+30d)		07-Jan-27	06-Feb-27	223 d (+30)		
	HRS	1975.9	300 (+10%)		(2275.9) 2359.4	2305.9	188.9 (+30)		
	ENC	1414							
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
790040	NO. 1 ENGINE - BRIDGE CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	07-Jan-26	12 (+30d)		07-Jan-27	06-Feb-27	223 d (+30)		
	HRS	1975.9	600 (+10%)		(2575.9) 2659.4	2635.9	488.9 (+60)		
	ENC	1414							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
790050	NO. 1 ENGINE - REPLACE OIL FILTER ELEMENT							Service	ATA:79
	MOS	18-Sep-24							
	HRS	1556.2	900 (+10%/-10%)		(2456.2) 2539.7	2546.2	369.2 (+90)		
	ENC	1234							
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
790060 ^S	NO. 1 ENGINE - INSPECT CLEAN OIL FILTER ELEMENT AND SECONDARY SCREEN							Service	ATA:79
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
790070 ^S	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP INLET SCREEN							Service	ATA:79
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: EMM 72-60-00PROC. REF: EMM 72-60-00									
790080	NO. 1 ENGINE - PERFORM AN OIL SAMPLE							Service	ATA:79
	MOS	07-Jan-26							
	HRS	1975.9	150 (+10%/-10%)		(2125.9) 2209.4	2140.9	38.9 (+15)		
	ENC	1414							
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
790081	NO. 1 ENGINE - PERFORM OIL ANALYSIS TECHNOLOGY SAMPLING							Service	ATA:79
	MOS	07-Jan-26	12		07-Jan-27		223 d		
	HRS	1975.9	300 (+10%/-10%)		(2275.9) 2359.4	2305.9	188.9 (+30)		
	ENC	1414							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790091 ^S	NO. 1 ENGINE - INSPECT FUEL AND OIL LINES FOR LEAKS							Service	ATA:79
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:0	
790093 ^S	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service	ATA:79
	MOS	07-Jan-26							
	HRS	1975.9	300 (+10%/-10%)						
	ENC	1414							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:0	
792030	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:9752115214	MOS/MSC	09-Mar-16	O/C		TSN 0				
SN:8265-4-451	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1643 RegNo: N985AW HRS: 2170.5 AFL: 1552 As Of: 29-May-2026

29-May-2026 12:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 91 - UNKNOWN									
910015	KBT 300 TTP BUS RES, A-157 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:KBT300-3892	HRS	0		TSN 0					
WC#: 90.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
910020	KBT 300 TTP BUS RES, A-175 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:KBT300-3925	HRS	0		TSN 0					
WC#: 90.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
910025	KBT 300 TTP BUS RES, A-174 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:KBT300-3917	HRS	0		TSN 0					
WC#: 90.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
910030	PILOT LEFT HD POWER, FE1549L JUNCTION BOX							Component	ATA:91
PN:9740338144	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:924	HRS	0		TSN 0					
WC#: 90.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
910035	CO-PILOT RIGHT HD POWER, FE1549R JUNCTION BOX							Component	ATA:91
PN:9740338145	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:800	HRS	0		TSN 0					
WC#: 90.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
910040	KBT 300 TTP BUS RES, A-156 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	31-Jul-16	O/C	TSN 0					
SN:KBT300-3895	HRS	0		TSN 0					
WC#: 90.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task