



Status Report

PC-24

S/N 107 N107PJ

OWNER: PC-24, LLC
ADDRESS: 4765 N 400 W
UTAH 84098

OFFICE:
FAX:

OPERATOR: DUKE AVIATION, LLC
ADDRESS: 369 N 2370 W
SALT LAKE CITY UT 84116

OFFICE: 281-659-7612
FAX:

OPERATOR: DUKE AVIATION LLC
ADDRESS: 8129 LAKE BALLINGER WAY
EDMONDS WA 98026

OFFICE: 206-571-5635
FAX: 405-329-0849

ANALYST: ANDREW WENTZ
EMAIL: AWENTZ@CAMPSYSTEMS.COM

+1-631-619-4574 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (FAX)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 107/N107PJ	MODEL: PC-24	MANUFACTURER: PILATUS AIRCRAFT LTDX
-----------------	---------------------------------	---------------------	--

CERTIFICATION DATE: 03-JUL-2018

LAST ACTUALS:

2281.2	A/C HRS	as of 03-AUG-2026
1854	AFL	as of 03-AUG-2026

ENGINE NO. 1	SERIAL/PART: 295019/73200-201	MODEL: FJ44-4A-QPM	MANUFACTURER: WILLIAMS INTERNATIONAL
---------------------	--------------------------------------	---------------------------	---

INSTALLED ON: 23-MAY-2018

0	ENG. HRS	0 A/C HRS
0	ENC	

LAST ACTUALS:

2281.2	ENG. HRS	as of 03-AUG-2026
1682	ENC	as of 03-AUG-2026

ENGINE NO. 2	SERIAL/PART: 295020/73200-201	MODEL: FJ44-4A-QPM	MANUFACTURER: WILLIAMS INTERNATIONAL
---------------------	--------------------------------------	---------------------------	---

INSTALLED ON: 23-MAY-2018

0	ENG. HRS	0 A/C HRS
0	ENC	

LAST ACTUALS:

2281.2	ENG. HRS	as of 03-AUG-2026
1681	ENC	as of 03-AUG-2026



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E087-230330	NO. 1 ENGINE - REVIEW FJ44-4A-QPM LMM REV 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E087PROC. REF: RCF E087								
E087-230330	NO. 2 ENGINE - REVIEW FJ44-4A-QPM LMM REV 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E087PROC. REF: RCF E087								
PC24-190117	REVIEW PILATUS PC24 AMM ISSUE 005.07							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC NO REF, RCF PC24PROC. REF: GENERIC NO REF, RCF PC24								
PC24-191108	REVIEW PILATUS PC24 AMM ISSUE 005.15							Service ATA:00
	MOS/MSC	03-Jul-18	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								
PC24-200121	REVIEW PILATUS PC24 AMM ISSUE 005.16							Service ATA:00
	MOS/MSC	03-Jul-18	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC24-200526	REVIEW PILATUS PC24 AMM ISSUE 005.19							Service ATA:00
	MOS/MSC	21-Aug-20	-					REQUIREMENT CHANGE FORMS
	HRS	600						
	AFL	587						
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								
PC24-200831	REVIEW PILATUS PC24 AMM ISSUE 005.20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								
PC24-201130	REVIEW PILATUS PC24 AMM ISSUE 005.22							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								
PC24-210201	REVIEW PILATUS PC24 AMM ISSUE 005.23							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								
PC24-210416	REVIEW PILATUS PC24 AMM ISSUE 005.24							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC24-210426	REVIEW	PILATUS PC24 AMM ISSUE 005.24	TEMPLATE CLEANUP					Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								
PC24-210510	REVIEW	PILATUS PC24 AMM ISSUE 005.25						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								
PC24-210714	REVIEW	PILATUS PC24 AMM ISSUE 005.26						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								
PC24-220531	REVIEW	PILATUS PC24 AMM ISSUE 005.29						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24, GENERIC NO REFPROC. REF: RCF PC24, GENERIC NO REF								
PC24-220812	REVIEW	PILATUS PC24 AMM ISSUE 005.30						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24PROC. REF: RCF PC24								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC24-220922 ^S REVIEW PILATUS PC24 AMM ISSUE 005.31								
	MOS/MSC		-					Service ATA:00 REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24PROC. REF: RCF PC24								
PC24-221212 REVIEW PILATUS PC24 AMM ISSUE 005.32								
	MOS/MSC	EFF	-					Service ATA:00 REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24PROC. REF: RCF PC24								
PC24-230112 REVIEW PILATUS PC24 AMM ISSUE 005.33								
	MOS/MSC	EFF	-					Service ATA:00 REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24PROC. REF: RCF PC24								
PC24-230331 REVIEW PILATUS PC24 AMM ISSUE 005.34								
	MOS/MSC	EFF	-					Service ATA:00 REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24PROC. REF: RCF PC24								
PC24-250530 REVIEW PILATUS PC24 AMM ISSUE 006.09								
	MOS/MSC	EFF	-					Service ATA:00 REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC24PROC. REF: RCF PC24								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC24AE00800100-0110		SOFTWARE,APEX DFZ						Component ATA:00
PN:985.99.12.427	MOS/MSC	18-Oct-21	O/C	TSN 0				
SN:B5.1	HRS	766		TSN 0				
	AFL			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0120		SOFTWARE,APEX,FMS						Component ATA:00
PN:985.99.12.373	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0130		ECL, OBDS						Component ATA:00
PN:531.40.24.015	MOS/MSC	10-Oct-25	O/C	TSN 0				
SN:UNKNOWN	HRS	2109.2		TSN 0				
	AFL	1721		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0140		LDI SOFTWARE						Component ATA:00
PN:545.45.24.021	MOS/MSC	29-Oct-25	O/C					
SN:UNKNOWN	HRS	2109.2						
	AFL	1721						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0152		SOFTWARE,APEX DFZ OPT						Component ATA:00
PN:985.99.12.428	MOS/MSC	18-Oct-21	O/C	TSN 0				
SN:BUILD 5.1	HRS	766		TSN 0				
	AFL			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0172		SW, APEX, TOLD DB-001						Component ATA:00
PN:985.99.12.571	MOS/MSC	10-Oct-25	O/C	TSN 0				
SN:UNKNOWN	HRS	2109.2		TSN 0				
	AFL	1721		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC24AE00800100-0212		EPDU DATABASE ASSY					Component	ATA:00
PN:524.04.24.013	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0310		PC-24 UMS CTP					Component	ATA:00
PN:542.04.24.015	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0320		PC-24 UMS OFP					Component	ATA:00
PN:542.04.24.008	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0332		PC-24 UMS SOFTWARE MEDIASET CONFIG					Component	ATA:00
PN:542.04.24.012	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0412		PC-24 FRED FILE - FDR					Component	ATA:00
PN:531.30.24.023	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0511		DEVICE, DATA LOADING, WIRELESS, SW					Component	ATA:00
PN:975.96.32.412	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC24AE00800100-0610		SDU CONFIGURATION FILE						Component ATA:00
PN:533.10.24.008	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0620		CONFIGURATION FILE, LASERMARK VI						Component ATA:00
PN:985.83.14.223	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0630		CONFIGURATION FILE, AH-1000						Component ATA:00
PN:985.83.14.224	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE00800100-0715		AGCS SIGNING TOOL SOFTWARE						Component ATA:00
PN:PN	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
SM-00-00-002		AIRCRAFT - SET THE AIRCRAFT TO THE SAFE MAINTENANCE MODE						Service ATA:00
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-10-0003-00A-913A-A, AMM PC24-A-E20-10-0003-01A-913A-APROC. REF: AMM PC24-A-E20-10-0003-00A-913A-A, AMM PC24-A-E20-10-0003-01A-913A-A								
SM-00-00-003		AIRCRAFT - SET THE AIRCRAFT FLIGHT CONTROL SURFACES AS NECESSARY						Service ATA:00
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-10-0003-00A-913A-APROC. REF: AMM PC24-A-E20-10-0003-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
SM-00-00-004	AIRCRAFT - CONNECT THE AIRCRAFT TO THE GROUND							Service ATA:00
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-10-0003-00A-913A-APROC. REF: AMM PC24-A-E20-10-0003-00A-913A-A								PKG:19
SM-00-00-005	AIRCRAFT - DISCONNECT THE AIRCRAFT FROM THE GROUND							Service ATA:00
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-10-0003-00A-913A-APROC. REF: AMM PC24-A-E20-10-0003-00A-913A-A								PKG:19
SM-00-00-006	AIRCRAFT - RESET THE AIRCRAFT FROM SAFE MAINTENANCE MODE							Service ATA:00
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-10-0003-00A-913A-A, AMM PC24-A-E20-10-0003-01A-913A-APROC. REF: AMM PC24-A-E20-10-0003-00A-913A-A, AMM PC24-A-E20-10-0003-01A-913A-A								PKG:19
SM-00-00-007	AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS NECESSARY							Service ATA:00
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								PKG:19
SM-00-00-008	AIRCRAFT - CHAPTER 4 AND CHAPTER 5 - TIME LIMITED INSPECTION REQUIREMENTS SECTIONS REVIEWED AND ADDITIONAL REQUIREMENTS ARE COMPLIED WITH							Service ATA:00
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-A05-10-0000-00A-000A-APROC. REF: AMM PC24-A-A05-10-0000-00A-000A-A								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
SM-00-00-009	^S	AIRCRAFT - CHECK AIRCRAFT FLIGHT MANUAL IS AT LATEST REVISION						Service ATA:00
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								PKG:19
ATA 04 - LIMITATIONS								
AL-04-CA-002	AIRCRAFT - LIMIT OF VALIDITY							Service ATA:04
	MOS							LIFE LIMIT
	HRS	0	30000		30000		27718.8	
	AFL	0	30000		30000		28146	
PROC. REF: AMM PC24-A-A04-00-0000-00A-040A-APROC. REF: AMM PC24-A-A04-00-0000-00A-040A-A								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-10-00-870-038-01	NO. 1 ENGINE - FAN ROTOR SERVICE LIFE							Service ATA:05
PN:968.20.18.108	MOS	07-Feb-18						SERVICE LIFE LIMIT
SN:HW45133	HRS	0						
	ENC	0	10000		(10000) 10172		8318	
PROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-APROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-A								
05-10-00-870-038-01	NO. 2 ENGINE - FAN ROTOR SERVICE LIFE							Service ATA:05
PN:968.20.18.108	MOS	07-Feb-18						SERVICE LIFE LIMIT
SN:HW45132	HRS	0						
	ENC	0	10000		(10000) 10173		8319	
PROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-APROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-A								
05-10-00-870-038-02	NO. 1 ENGINE - IP COMPRESSOR BALANCED ROTOR SERVICE LIFE							Service ATA:05
PN:221931	MOS	26-Aug-22						SERVICE LIFE LIMIT
SN:HW68515	HRS	976.6						
	ENC	833	10000		(10833) 11005		9151	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-10-00-870-038-02		NO. 2 ENGINE - IP COMPRESSOR BALANCED ROTOR SERVICE LIFE						Service ATA:05
PN:221931	MOS	26-Aug-22						SERVICE LIFE LIMIT
SN:HW69077	HRS	976.6						
	ENC	833	10000		(10833) 11006		9152	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-10-00-870-038-03		NO. 1 ENGINE - HP COMPRESSOR ROTOR SERVICE LIFE						Service ATA:05
PN:122727	MOS	07-Feb-18						SERVICE LIFE LIMIT
SN:HW45736	HRS	0						
	ENC	0	10000		(10000) 10172		8318	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-10-00-870-038-03		NO. 2 ENGINE - HP COMPRESSOR ROTOR SERVICE LIFE						Service ATA:05
PN:122727	MOS	07-Feb-18						SERVICE LIFE LIMIT
SN:HW45734	HRS	0						
	ENC	0	10000		(10000) 10173		8319	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-10-00-870-038-04		NO. 1 ENGINE - HP TURBINE DISK SERVICE LIFE						Service ATA:05
PN:111125	MOS	07-Feb-18						SERVICE LIFE LIMIT
SN:HW45321	HRS	0						
	ENC	0	10000		(10000) 10172		8318	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-10-00-870-038-04		NO. 2 ENGINE - HP TURBINE DISK SERVICE LIFE						Service ATA:05
PN:111125	MOS	07-Feb-18						SERVICE LIFE LIMIT
SN:HW45294	HRS	0						
	ENC	0	10000		(10000) 10173		8319	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-10-00-870-038-05	NO. 1 ENGINE - 1ST LP TURBINE DISK SERVICE LIFE							Service ATA:05
PN:77581	MOS	07-Feb-18						SERVICE LIFE LIMIT
SN:HW45279	HRS	0						
	ENC	0	10000		(10000) 10172		8318	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-10-00-870-038-05	NO. 2 ENGINE - 1ST LP TURBINE DISK SERVICE LIFE							Service ATA:05
PN:77581	MOS	07-Feb-18						SERVICE LIFE LIMIT
SN:HW45275	HRS	0						
	ENC	0	10000		(10000) 10173		8319	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-10-00-870-038-06	NO. 1 ENGINE - 2ND LP TURBINE DISK SERVICE LIFE							Service ATA:05
PN:73052	MOS	07-Feb-18						SERVICE LIFE LIMIT
SN:HW45339	HRS	0						
	ENC	0	10000		(10000) 10172		8318	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-10-00-870-038-06	NO. 2 ENGINE - 2ND LP TURBINE DISK SERVICE LIFE							Service ATA:05
PN:73052	MOS	07-Feb-18						SERVICE LIFE LIMIT
SN:HW44580	HRS	0						
	ENC	0	10000		(10000) 10173		8319	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-20-00-200-802-02 ^S	NO. 1 ENGINE - REVIEW ENGINE LOG FOR ANY ADDITIONAL REPAIRS REQUIRED							Service ATA:05
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30/-30)					
	ENC	1671						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								

PKG:1 ,2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-00-200-802-02	^S	NO. 2 ENGINE - REVIEW ENGINE LOG FOR ANY ADDITIONAL REPAIRS REQUIRED						Service ATA:05
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30/-30)					
	ENC	1669						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:1 ,2
05-20-00-210-050-01		NO. 1 ENGINE - CHECK 1						Package ATA:05
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)	Adj -10.7	(2553.1) 2553.1	2583.1	271.9 (+30)	
	ENC	1671						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:1 WO#: N107PJ-200429-1
05-20-00-210-050-01		NO. 2 ENGINE - CHECK 1						Package ATA:05
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)	Adj -10.7	(2553.1) 2553.1	2583.1	271.9 (+30)	
	ENC	1669						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:1 WO#: N107PJ-200429-1
05-20-00-210-050-02		NO. 1 ENGINE - CHECK 2						Package ATA:05
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)	Adj -.2	(2863.6) 2863.6	2893.6	582.4 (+30)	
	ENC	1671						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:2 WO#: N107PJ-200429-1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-00-210-050-02	NO. 2 ENGINE - CHECK 2							Package ATA:05
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)	Adj -.2	(2863.6) 2863.6	2893.6	582.4 (+30)	
	ENC	1669						
								PKG:2 WO#: N107PJ-200429-1
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								
05-20-00-210-051-03	NO. 1 ENGINE - CHECK 3							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:2500 (+50)		(2500) 2500	2550	218.8 (+50)	
	ENC	0						
								PKG:3
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								
05-20-00-210-051-03	NO. 2 ENGINE - CHECK 3							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:2500 (+50)		(2500) 2500	2550	218.8 (+50)	
	ENC	0						
								PKG:3
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								
05-20-00-210-051-04	NO. 1 ENGINE - CHECK 4							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:5000 (+50)		(5000) 5000	5050	2718.8 (+50)	
	ENC	0						
								PKG:4
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C / W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-00-210-051-04	NO. 2 ENGINE - CHECK 4							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:5000 (+50)		(5000) 5000	5050	2718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:4
05-20-00-210-051-05	NO. 1 ENGINE - CHECK 5							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:7500 (+50)		(7500) 7500	7550	5218.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:5
05-20-00-210-051-05	NO. 2 ENGINE - CHECK 5							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:7500 (+50)		(7500) 7500	7550	5218.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:5
05-20-00-210-051-06	NO. 1 ENGINE - CHECK 6							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:10000 (+50)		(10000) 10000	10050	7718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-00-210-051-06	NO. 2 ENGINE - CHECK 6							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:10000 (+50)		(10000) 10000	10050	7718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:6
05-20-00-210-051-07	NO. 1 ENGINE - CHECK 7							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:12500 (+50)		(12500) 12500	12550	10218.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:7
05-20-00-210-051-07	NO. 2 ENGINE - CHECK 7							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:12500 (+50)		(12500) 12500	12550	10218.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:7
05-20-00-210-051-08	NO. 1 ENGINE - CHECK 8							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:15000 (+50)		(15000) 15000	15050	12718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:8

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C / W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-00-210-051-08	NO. 2 ENGINE - CHECK 8							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:15000 (+50)		(15000) 15000	15050	12718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:8
05-20-00-210-051-09	NO. 1 ENGINE - CHECK 9							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:17500 (+50)		(17500) 17500 (M)	17550	15218.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:9
05-20-00-210-051-09	NO. 2 ENGINE - CHECK 9							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:17500 (+50)		(17500) 17500 (M)	17550	15218.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:9
05-20-00-210-051-10	NO. 1 ENGINE - CHECK 10							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:20000 (+50)		(20000) 20000 (M)	20050	17718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-00-210-051-10	NO. 2 ENGINE - CHECK 10							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:20000 (+50)		(20000) 20000 (M)	20050	17718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:10
05-20-00-210-051-11	NO. 1 ENGINE - CHECK 11							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:22500 (+50)		(22500) 22500	22550	20218.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:11
05-20-00-210-051-11	NO. 2 ENGINE - CHECK 11							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:22500 (+50)		(22500) 22500	22550	20218.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:11
05-20-00-210-051-12	NO. 1 ENGINE - CHECK 12							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:25000 (+50)		(25000) 25000	25050	22718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:12

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-00-210-051-12	NO. 2 ENGINE - CHECK 12							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:25000 (+50)		(25000) 25000	25050	22718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:12
05-20-00-210-051-13	NO. 1 ENGINE - CHECK 13							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:27500 (+50)		(27500) 27500	27550	25218.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:13
05-20-00-210-051-13	NO. 2 ENGINE - CHECK 13							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:27500 (+50)		(27500) 27500	27550	25218.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:13
05-20-00-210-051-14	NO. 1 ENGINE - CHECK 14							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:30000 (+50)		(30000) 30000	30050	27718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:14

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-00-210-051-14	NO. 2 ENGINE - CHECK 14							Package ATA:05
	MOS	07-Feb-18						
	HRS	0	T:30000 (+50)		(30000) 30000	30050	27718.8 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								PKG:14
05-20-00-210-052-01	NO. 1 ENGINE - OVERHAUL FUEL CONTROL UNIT							Service ATA:05
PN:238773	MOS	13-Sep-24						OVERHAUL
SN:50343240626	HRS	1731	5000 (+100)		(6731) 6731	6831	4449.8 (+100)	
	ENC	1296						
PROC. REF: LMM 73-19-02-801A-520A-APROC. REF: LMM 73-19-02-801A-520A-A								
05-20-00-210-052-01	NO. 2 ENGINE - OVERHAUL FUEL CONTROL UNIT							Service ATA:05
PN:238773	MOS	13-Sep-24						OVERHAUL
SN:50173240624	HRS	1731	5000 (+100)		(6731) 6731	6831	4449.8 (+100)	
	ENC	1294						
PROC. REF: LMM 73-19-02-801A-520A-APROC. REF: LMM 73-19-02-801A-520A-A								
05-20-00-210-052-02	NO. 1 ENGINE - OVERHAUL LUBE AND SCAVENGE PUMP							Service ATA:05
PN:208260	MOS	07-Feb-18						OVERHAUL
SN:MX20019	HRS	0	6000 (+100)		(6000) 6000	6100	3718.8 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-20-00-210-052-02	NO. 2 ENGINE - OVERHAUL LUBE AND SCAVENGE PUMP							Service ATA:05
PN:208260	MOS	07-Feb-18						OVERHAUL
SN:MX20032	HRS	0	6000 (+100)		(6000) 6000	6100	3718.8 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-0000-01	JOB SET UP / CLOSE UP PACKAGE							Package ATA:05
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-A05-20-0000-00A-913A-APROC. REF: AMM PC24-A-A05-20-0000-00A-913A-A								PKG:19
05-40-0000-01	600 HOURS INSPECTION							Package ATA:05
	MOS	13-Sep-24						
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-A05-40-0000-01A-000A-APROC. REF: AMM PC24-A-A05-40-0000-01A-000A-A								PKG:1 WO#: N107PJ-200429-1
05-40-0000-02	600 HOURS / 12 MONTHS INSPECTION							Package ATA:05
	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	
	HRS	2109.2	600 (+10%/-10%)		2709.2	2769.2	428 (+60)	
	AFL	1721						
PROC. REF: AMM PC24-A-A05-40-0000-02A-000A-APROC. REF: AMM PC24-A-A05-40-0000-02A-000A-A								PKG:2
05-40-0000-03	1200 HOURS / 12 MONTHS INSPECTION							Package ATA:05
	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	
	HRS	2109.2	1200 (+10%/-10%)		3309.2	3429.2	1028 (+120)	
	AFL	1721						
PROC. REF: AMM PC24-A-A05-40-0000-03A-000A-APROC. REF: AMM PC24-A-A05-40-0000-03A-000A-A								PKG:3
05-40-0000-04	1200 HOURS / 24 MONTHS INSPECTION							Package ATA:05
	MOS	29-Oct-25	24 (+10%/-10%)		29-Oct-27	10-Jan-28	450 d (+73)	
	HRS	2109.2	1200 (+10%/-10%)		3309.2	3429.2	1028 (+120)	
	AFL	1721						
PROC. REF: AMM PC24-A-A05-40-0000-04A-000A-APROC. REF: AMM PC24-A-A05-40-0000-04A-000A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-40-0000-05	1800 HOURS / 36 MONTHS INSPECTION							Package ATA:05
	MOS	13-Sep-24	36 (+10%/-10%)		13-Sep-27	31-Dec-27	404 d (+109)	
	HRS	1731	1800 (+10%/-10%)		3531	3711	1249.8 (+180)	
	AFL	1468						
PROC. REF: AMM PC24-A-A05-40-0000-05A-000A-APROC. REF: AMM PC24-A-A05-40-0000-05A-000A-A								PKG:5
05-40-0000-06	2400 HOURS / 48 MONTHS INSPECTION							Package ATA:05
	MOS	26-Aug-22	48 (+10%/-10%)	Adj -26d	31-Jul-26	24-Dec-26	TOL (+141 d)	
	HRS	976.6	2400 (+10%/-10%)		3376.6	3616.6	1095.4 (+240)	
	AFL	975						
PROC. REF: AMM PC24-A-A05-40-0000-06A-000A-APROC. REF: AMM PC24-A-A05-40-0000-06A-000A-A								PKG:6
05-40-0000-07	2400 HOURS / 60 MONTHS INSPECTION							Package ATA:05
	MOS	23-Aug-23	60 (+6m/-6m)	Adj -23d	31-Jul-28	31-Jan-29	726 d (+184)	
	HRS	1333.4	2400 (+10%/-10%)		3733.4	3973.4	1452.2 (+240)	
	AFL	1213						
PROC. REF: AMM PC24-A-A05-40-0000-07A-000A-APROC. REF: AMM PC24-A-A05-40-0000-07A-000A-A								PKG:7
05-40-0000-08	3600 HOURS INSPECTION							Package ATA:05
	MOS	03-Jul-18						
	HRS	0	3600 (+10%/-10%)		3600	3960	1318.8 (+360)	
	AFL	0						
PROC. REF: AMM PC24-A-A05-40-0000-08A-000A-APROC. REF: AMM PC24-A-A05-40-0000-08A-000A-A								PKG:8
05-40-0000-09	3600 HOURS / 72 MONTHS INSPECTION							Package ATA:05
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	
	HRS	1731	3600 (+10%/-10%)		5331	5691	3049.8 (+360)	
	AFL	1468						
PROC. REF: AMM PC24-A-A05-40-0000-09A-000A-APROC. REF: AMM PC24-A-A05-40-0000-09A-000A-A								PKG:9

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-40-0000-10	4800 HOURS / 96 MONTHS INSPECTION							Package ATA:05
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS	0	4800 (+10%/-10%)		4800	5280	2518.8 (+480)	
	AFL							
PROC. REF: AMM PC24-A-A05-40-0000-10A-000A-APROC. REF: AMM PC24-A-A05-40-0000-10A-000A-A								PKG:10
05-40-0000-11	5000 HOURS INSPECTION							Package ATA:05
	MOS	03-Jul-18						
	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
PROC. REF: AMM PC24-A-A05-40-0000-11A-000A-APROC. REF: AMM PC24-A-A05-40-0000-11A-000A-A								PKG:11
05-40-0000-12	6000 HOURS INSPECTION							Package ATA:05
	MOS	03-Jul-18						
	HRS	0	6000 (+500/-500)		6000	6500	3718.8 (+500)	
	AFL	0						
PROC. REF: AMM PC24-A-A05-40-0000-12A-000A-APROC. REF: AMM PC24-A-A05-40-0000-12A-000A-A								PKG:12
05-40-0000-13	12 MONTHS INSPECTION							Package ATA:05
	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	
	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-A05-40-0000-13A-000A-APROC. REF: AMM PC24-A-A05-40-0000-13A-000A-A								PKG:13
05-40-0000-14	24 MONTHS INSPECTION							Package ATA:05
	MOS	29-Oct-25	24 (+10%/-10%)		29-Oct-27	10-Jan-28	450 d (+73)	
	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-A05-40-0000-14A-000A-APROC. REF: AMM PC24-A-A05-40-0000-14A-000A-A								PKG:14

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-40-0000-16	72 MONTHS INSPECTION							Package ATA:05
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-A05-40-0000-16A-000A-APROC. REF: AMM PC24-A-A05-40-0000-16A-000A-A								PKG:16
05-40-0000-18	180 MONTHS INSPECTION							Package ATA:05
	MOS	31-Jul-18	180 (+6m/-6m)		31-Jul-33	31-Jan-34	2552 d (+184)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-A05-40-0000-18A-000A-APROC. REF: AMM PC24-A-A05-40-0000-18A-000A-A								PKG:18
05-50-00-870-002-01	NO. 1 ENGINE - WATER RINSE							Service ATA:05
	MOS/MSC	21-Aug-20	A/R					
	HRS	600						
	ENC	504						
PROC. REF: LMM 71-00-03-801A-258A-A, LMM 05-50-00-801A-042A-APROC. REF: LMM 71-00-03-801A-258A-A, LMM 05-50-00-801A-042A-A								
05-50-00-870-002-01	NO. 2 ENGINE - WATER RINSE							Service ATA:05
	MOS/MSC	21-Aug-20	A/R					
	HRS	600						
	ENC	504						
PROC. REF: LMM 71-00-03-801A-258A-A, LMM 05-50-00-801A-042A-APROC. REF: LMM 71-00-03-801A-258A-A, LMM 05-50-00-801A-042A-A								
05-50-00-870-003-01	NO. 1 ENGINE - COMPRESSOR CLEANING							Service ATA:05
	MOS/MSC	07-Feb-18	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 71-00-03-803A-258A-A, LMM 05-50-00-801A-042A-APROC. REF: LMM 71-00-03-803A-258A-A, LMM 05-50-00-801A-042A-A								
05-50-00-870-003-01	NO. 2 ENGINE - COMPRESSOR CLEANING							Service ATA:05
	MOS/MSC	07-Feb-18	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
PROC. REF: LMM 71-00-03-803A-258A-A, LMM 05-50-00-801A-042A-APROC. REF: LMM 71-00-03-803A-258A-A, LMM 05-50-00-801A-042A-A								
05-50-00-870-004-01	NO. 1 ENGINE - HEATED INLET ASSEMBLY - APPLY CORROSION PREVENTATIVE COATING							Service ATA:05
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)	Adj -10.7	(2553.1) 2553.1	2583.1	271.9 (+30)	
	ENC	1671						
PROC. REF: LMM 71-60-10-801A-913A-A, LMM 05-50-00-802A-042A-APROC. REF: LMM 71-60-10-801A-913A-A, LMM 05-50-00-802A-042A-A								
05-50-00-870-004-01	NO. 2 ENGINE - HEATED INLET ASSEMBLY - APPLY CORROSION PREVENTATIVE COATING							Service ATA:05
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)	Adj -10.7	(2553.1) 2553.1	2583.1	271.9 (+30)	
	ENC	1670						
PROC. REF: LMM 71-60-10-801A-913A-A, LMM 05-50-00-802A-042A-APROC. REF: LMM 71-60-10-801A-913A-A, LMM 05-50-00-802A-042A-A								
05-50-00-870-005-01	NO. 1 ENGINE - ENGINE OVERSPEED (GAS GENERATOR)							Service ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-50-00-870-005-01	NO. 2 ENGINE - ENGINE OVERSPEED (GAS GENERATOR)							Service ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-50-00-870-006-01	NO. 1 ENGINE - OVERTEMPERATURE							Service ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-870-006-01	NO. 2 ENGINE - OVERTEMPERATURE							Service ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-50-00-870-007-01	NO. 1 ENGINE - OVERTORQUE							Service ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-50-00-870-007-01	NO. 2 ENGINE - OVERTORQUE							Service ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-50-00-870-008-01	NO. 1 ENGINE - LOSS OF OIL PRESSURE							Service ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-50-00-870-008-01	NO. 2 ENGINE - LOSS OF OIL PRESSURE							Service ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-870-009-01		NO. 1 ENGINE - CHIP LIGHT ON						Service ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-50-00-870-009-01		NO. 2 ENGINE - CHIP LIGHT ON						Service ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS							
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-50-00-870-803-01		NO. 1 ENGINE - POLISH FAN ROTOR						Service ATA:05
	MOS/MSC	07-Feb-18	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-00-803A-913A-APROC. REF: LMM 05-50-00-803A-913A-A								
05-50-00-870-803-01		NO. 2 ENGINE - POLISH FAN ROTOR						Service ATA:05
	MOS/MSC	07-Feb-18	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-00-803A-913A-APROC. REF: LMM 05-50-00-803A-913A-A								
05-50-01		UNSCHEDULED INSPECTION - CHECK AFTER A HARD LANDING						Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-01A-000A-APROC. REF: AMM PC24-A-A05-50-0000-01A-000A-A								
05-50-02		UNSCHEDULED INSPECTION - CHECK AFTER FLIGHT IN SEVERE TURBULENCE OR AFTER SEVERE MANEUVERS						Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-02A-000A-APROC. REF: AMM PC24-A-A05-50-0000-02A-000A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-03	UNSCHEDULED INSPECTION - CHECK AFTER OVERSPEED WITH FLAPS DOWN							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-03A-000A-APROC. REF: AMM PC24-A-A05-50-0000-03A-000A-A								
05-50-04	UNSCHEDULED INSPECTION - CHECK AFTER ENGINE SUDDEN STOPPAGE OR IMPACT							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-04A-000A-APROC. REF: AMM PC24-A-A05-50-0000-04A-000A-A								
05-50-05	UNSCHEDULED INSPECTION - CHECK AFTER A LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-05A-000A-APROC. REF: AMM PC24-A-A05-50-0000-05A-000A-A								
05-50-06	UNSCHEDULED INSPECTION - CHECK ALIGNMENT AND SYMMETRY							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-06A-000A-APROC. REF: AMM PC24-A-A05-50-0000-06A-000A-A								
05-50-08	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM OPERATING SPEED EXCEEDANCE							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-08A-000A-APROC. REF: AMM PC24-A-A05-50-0000-08A-000A-A								
05-50-09	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR OPERATING SPEED EXCEEDENCE							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-09A-000A-APROC. REF: AMM PC24-A-A05-50-0000-09A-000A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-10	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR EXTENDED SPEED EXCEEDENCE							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-10A-000A-APROC. REF: AMM PC24-A-A05-50-0000-10A-000A-A								
05-50-11	UNSCHEDULED INSPECTION - TAIL DOWN DAMAGE							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-11A-000A-APROC. REF: AMM PC24-A-A05-50-0000-11A-000A-A								
05-50-12	UNSCHEDULED INSPECTION - AFTER A FLIGHT THROUGH VOLCANIC ASH OR SMOKE							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-12A-000A-APROC. REF: AMM PC24-A-A05-50-0000-12A-000A-A								
05-50-13	UNSCHEDULED INSPECTION - CHECK AFTER HARD BRAKING EVENT							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-13A-000A-APROC. REF: AMM PC24-A-A05-50-0000-13A-000A-A								
05-50-14	UNSCHEDULED INSPECTION - CHECK AFTER OVERSPEED LANDING							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-14A-000A-APROC. REF: AMM PC24-A-A05-50-0000-14A-000A-A								
05-50-15	UNSCHEDULED INSPECTION - STOP WEDGE - VISUAL INSPECTION							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-15A-000A-APROC. REF: AMM PC24-A-A05-50-0000-15A-000A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-16	UNSCHEDULED INSPECTION - CHECK AFTER RUDDER OPERATION EXCEEDANCE							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-00A-018A-APROC. REF: AMM PC24-A-A05-50-0000-00A-018A-A								
05-50-16A	UNSCHEDULED INSPECTION - HORIZONTAL STABILIZER INFLATION (TAT LESS THAN -40 C) VISUAL EXAMITION							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-16A-000A-APROC. REF: AMM PC24-A-A05-50-0000-16A-000A-A								
05-50-17	UNSCHEDULED INSPECTION - CHECK AFTER FLAPS OPERATION EXCEEDANCE							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-00A-018A-APROC. REF: AMM PC24-A-A05-50-0000-00A-018A-A								
05-50-17A	UNSCHEDULED INSPECTION - AFTER JET BLAST							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-17A-000A-APROC. REF: AMM PC24-A-A05-50-0000-17A-000A-A								
05-50-18	UNSCHEDULED INSPECTION - CHECK AFTER AIRFRAME OPERATION EXCEEDANCE							Service ATA:05
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A05-50-0000-00A-018A-APROC. REF: AMM PC24-A-A05-50-0000-00A-018A-A								
CA-05-00-001 ^U	AIRCRAFT REGISTRATION (14 CFR 47.40)							Service ATA:05
	MOS	13-Sep-24	84		30-Nov-29 (M)		1213 d	
	HRS	1731						
	AFL	1468						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
SM-06-40-001	ACCESS PANELS - OPEN/REMOVE THE ACCESS PANELS AS NECESSARY							Service ATA:06
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-A06-40-0000-00A-040A-APROC. REF: AMM PC24-A-A06-40-0000-00A-040A-A								PKG:19
SM-06-40-002	ACCESS PANELS - CLOSE/INSTALL THE ACCESS PANELS AS NECESSARY							Service ATA:06
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-A06-40-0000-00A-040A-APROC. REF: AMM PC24-A-A06-40-0000-00A-040A-A								PKG:19
ATA 07 - LIFTING AND SHORING								
SM-07-10-001	AIRCRAFT - LIFT THE AIRCRAFT ON JACKS AS NECESSARY							Service ATA:07
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-A07-10-0000-00A-172A-APROC. REF: AMM PC24-A-A07-10-0000-00A-172A-A								PKG:19
SM-07-10-002	AIRCRAFT - LOWER THE AIRCRAFT WITH JACKS AS NECESSARY							Service ATA:07
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-A07-10-0000-00A-172A-APROC. REF: AMM PC24-A-A07-10-0000-00A-172A-A								PKG:19
ATA 08 - LEVELING AND WEIGHING								
CA-08-00-001	AIRCRAFT WEIGHING							Service ATA:08
	MOS/MSC	19-Jan-22	A/R					
	HRS	853.3						
	AFL							
PROC. REF: AMM PC24-A-A08-30-0001-00A-169A-A, AMM PC24-A-A08-30-0002-00A-169A-APROC. REF: AMM PC24-A-A08-30-0001-00A-169A-A, AMM PC24-A-A08-30-0002-00A-169A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-10/901	STORING - COMPLY WITH STEP 4 OF THE TABLE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service ATA:10
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A10-30-0000-00A-913A-APROC. REF: AMM PC24-A-A10-30-0000-00A-913A-A								
10-10/902	STORING - COMPLY WITH STEP 5 OF THE TABLE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS							Service ATA:10
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A10-30-0000-00A-913A-APROC. REF: AMM PC24-A-A10-30-0000-00A-913A-A								
10-10/903	STORING - COMPLY WITH STEP 6 OF THE TABLE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS							Service ATA:10
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A10-30-0000-00A-913A-APROC. REF: AMM PC24-A-A10-30-0000-00A-913A-A								
10-10/904	STORING - COMPLY WITH STEP 7 OF THE TABLE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service ATA:10
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A10-30-0000-00A-913A-APROC. REF: AMM PC24-A-A10-30-0000-00A-913A-A								
ATA 12 - SERVICING								
12-10/105	REFUEL THE AIRCRAFT							Service ATA:12
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A12-10-0001-00A-211A-APROC. REF: AMM PC24-A-A12-10-0001-00A-211A-A								
12-10/110	DEFUEL AND DRAIN FUEL FROM AIRCRAFT							Service ATA:12
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A12-10-0001-00A-221A-APROC. REF: AMM PC24-A-A12-10-0001-00A-221A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-10/115	DRAIN WATER FROM FUEL TANK							Service ATA:12
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A12-10-0001-00A-226A-APROC. REF: AMM PC24-A-A12-10-0001-00A-226A-A								
12-10/120	FILL THE ENGINES WITH OIL							Service ATA:12
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A12-10-0003-00A-210A-APROC. REF: AMM PC24-A-A12-10-0003-00A-210A-A								
12-10/125	FILL THE TIRES							Service ATA:12
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A12-10-0004-00A-210A-APROC. REF: AMM PC24-A-A12-10-0004-00A-210A-A								
12-10/130	FILL THE OXYGEN CYLINDER							Service ATA:12
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A12-10-0005-00A-210A-APROC. REF: AMM PC24-A-A12-10-0005-00A-210A-A								
12-10/135	WASTE AND WATER							Service ATA:12
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A12-10-0006-00A-913A-APROC. REF: AMM PC24-A-A12-10-0006-00A-913A-A								
12-20/105	FILL THE BRAKES WITH OIL							Service ATA:12
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A12-20-0005-00A-212A-APROC. REF: AMM PC24-A-A12-20-0005-00A-212A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-30/105	WATER AND WASTE SYSTEM (COLD WEATHER OPERATION)							Service ATA:12
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-A12-30-0001-00A-913A-APROC. REF: AMM PC24-A-A12-30-0001-00A-913A-A								
SM-12-20-001	AIRCRAFT - CLEAN THE AIRCRAFT EXTERIOR AS NECESSARY							Service ATA:12
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PKG:19								
PROC. REF: AMM PC24-A-A12-20-0001-00A-250A-APROC. REF: AMM PC24-A-A12-20-0001-00A-250A-A								
SM-12-20-002	WINDSHIELDS AND WINDOWS - CLEAN THE WINDSHIELDS AND THE WINDOWS AS NECESSARY							Service ATA:12
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PKG:19								
PROC. REF: AMM PC24-A-A12-20-0002-00A-251A-APROC. REF: AMM PC24-A-A12-20-0002-00A-251A-A								
SM-12-20-003	FLIGHT AND CABIN COMPARTMENTS - CLEAN THE FLIGHT AND CABIN COMPARTMENTS AS NECESSARY							Service ATA:12
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PKG:19								
PROC. REF: AMM PC24-A-A12-20-0003-00A-258A-APROC. REF: AMM PC24-A-A12-20-0003-00A-258A-A								
ATA 21 - AIR CONDITIONING								
AL-21-20-013	BLEED AIR FLOW SWITCH - OPERATION TEST (CMR*)							Service ATA:21
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	CMR*
	HRS	0	4800 (+10%/-10%)		4800	5280	2518.8 (+480)	
	AFL							
PROC. REF: AMM PC24-A-E21-20-0000-00A-320A-APROC. REF: AMM PC24-A-E21-20-0000-00A-320A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
AL-21-30-004	CABIN PRESSURIZATION CONTROL SYSTEM MANUAL CONTROL FUNCTION - OPERATION TEST (CMR*)							Service ATA:21
	MOS	13-Sep-24						CMR*
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E21-30-0000-00A-320A-APROC. REF: AMM PC24-A-E21-30-0000-00A-320A-A								
AL-21-30-005	PRESSURE RELIEF VALVE - FUNCTION TEST (CMR*)							Service ATA:21
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	CMR*
	HRS	0	4800 (+10%/-10%)		4800	5280	2518.8 (+480)	
	AFL							
PROC. REF: AMM PC24-A-E21-30-0002-00A-340A-APROC. REF: AMM PC24-A-E21-30-0002-00A-340A-A								
AL-21-30-006	NEGATIVE PRESSURE RELIEF VALVE - VISUAL EXAMINATION (CMR*)							Service ATA:21
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	CMR*
	HRS	0	4800 (+10%/-10%)		4800	5280	2518.8 (+480)	
	AFL							
PROC. REF: AMM PC24-A-E21-30-0004-00A-310A-APROC. REF: AMM PC24-A-E21-30-0004-00A-310A-A								
AL-21-30-007	CABIN PRESSURIZATION CONTROL SYSTEM DUMP CONTROL FUNCTION - OPERATION TEST (CMR*)							Service ATA:21
	MOS	13-Sep-24						CMR*
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E21-30-0000-00A-320A-APROC. REF: AMM PC24-A-E21-30-0000-00A-320A-A								
AL-21-30-009	CABIN PRESSURE CONTROLLER ALTITUDE-LIMITING FUNCTION - FUNCTION TEST (CMR*)							Service ATA:21
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	CMR*
	HRS	0	4800 (+10%/-10%)		4800	5280	2518.8 (+480)	
	AFL							
PROC. REF: AMM PC24-A-E35-20-0000-00A-320A-APROC. REF: AMM PC24-A-E35-20-0000-00A-320A-A								
AL-21-60-011	TEMPERATURE CONTROL VALVE, UPPER, LH - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE TEMPERATURE CONTROL VALVE) (P/N 963.30.11.116)							Service ATA:21
PN:963.30.11.116	MOS	03-Jul-18						LIFE LIMIT
SN:0060	HRS	0	20000		20000		17718.8	
	AFL	0						
PROC. REF: AMM PC24-A-E21-60-0004-00A-520A-A, AMM PC24-A-E21-60-0004-00A-720A-APROC. REF: AMM PC24-A-E21-60-0004-00A-520A-A, AMM PC24-A-E21-60-0004-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
AL-21-60-011	TEMPERATURE CONTROL VALVE, UPPER, RH - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE TEMPERATURE CONTROL VALVE) (P/N 963.30.11.116)							Service ATA:21
PN:963.30.11.116	MOS	03-Jul-18						LIFE LIMIT
SN:0036	HRS	0	20000		20000		17718.8	
	AFL	0						
PROC. REF: AMM PC24-A-E21-60-0004-00A-520A-A, AMM PC24-A-E21-60-0004-00A-720A-APROC. REF: AMM PC24-A-E21-60-0004-00A-520A-A, AMM PC24-A-E21-60-0004-00A-720A-A								
PC24AE21200100	EMERGENCY PUSH-PULL CABLE-INSTALLATION							Component ATA:21
PN:957.12.20.508	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:00013	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-20-0002-00A-520A-A, AMM PC24-A-E21-20-0002-00A-720A-APROC. REF: AMM PC24-A-E21-20-0002-00A-520A-A, AMM PC24-A-E21-20-0002-00A-720A-A								
PC24AE21200200	COCKPIT MIXER							Component ATA:21
PN:959.90.20.261	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1-C39240-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-20-0007-00A-520A-A, AMM PC24-A-E21-20-0007-00A-720A-APROC. REF: AMM PC24-A-E21-20-0007-00A-520A-A, AMM PC24-A-E21-20-0007-00A-720A-A								
PC24AE21200300	HOT AIR DISTRIBUTOR							Component ATA:21
PN:959.90.20.247	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1-C40815-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-20-0006-00A-520A-A, AMM PC24-A-E21-20-0006-00A-720A-APROC. REF: AMM PC24-A-E21-20-0006-00A-520A-A, AMM PC24-A-E21-20-0006-00A-720A-A								
PC24AE21200400	ZONE CONTROL VALVE							Component ATA:21
PN:959.90.20.402	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1-C32865-02	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-20-0004-00A-520A-A, AMM PC24-A-E21-20-0004-00A-720A-APROC. REF: AMM PC24-A-E21-20-0004-00A-520A-A, AMM PC24-A-E21-20-0004-00A-720A-A								
PC24AE21200500	RAM-AIR NONRETURN VALVE							Component ATA:21
PN:963.30.11.114	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0019	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM PC24-A-E21-20-0003-00A-520A-A, AMM PC24-A-E21-20-0003-00A-720A-APROC. REF: AMM PC24-A-E21-20-0003-00A-520A-A, AMM PC24-A-E21-20-0003-00A-720A-A								
PC24AE21200610 SWITCH,BLEED AIR,FLOW, LH, MT3411								Component ATA:21
PN:973.81.32.210	MOS/MSC	28-Aug-20	O/C	TSN 25				
SN:0018	HRS	600		TSN 600				
	AFL	587		TSN 587				
PROC. REF: AMM PC24-A-E21-20-0008-00A-520A-A, AMM PC24-A-E21-20-0008-00A-720A-APROC. REF: AMM PC24-A-E21-20-0008-00A-520A-A, AMM PC24-A-E21-20-0008-00A-720A-A								
PC24AE21200620 SWITCH,BLEED AIR,FLOW, RH, MT3421								Component ATA:21
PN:973.81.32.210	MOS/MSC	28-Aug-20	O/C	TSN 25				
SN:0005	HRS	600		TSN 600				
	AFL	587		TSN 587				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE21300100 OUTFLOW VALVE								Component ATA:21
PN:959.90.91.125	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:65053598-00131	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-30-0003-00A-520A-A, AMM PC24-A-E21-30-0003-00A-720A-APROC. REF: AMM PC24-A-E21-30-0003-00A-520A-A, AMM PC24-A-E21-30-0003-00A-720A-A								
PC24AE21300200 PRESSURE RELIEF VALVE								Component ATA:21
PN:959.90.91.134	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:65000054-00017	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-30-0002-00A-520A-A, AMM PC24-A-E21-30-0002-00A-720A-APROC. REF: AMM PC24-A-E21-30-0002-00A-520A-A, AMM PC24-A-E21-30-0002-00A-720A-A								
PC24AE21300300 OUTFLOW VALVE CONTROLLER								Component ATA:21
PN:959.90.91.147	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:65000052-00076	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-30-0001-00A-520A-A, AMM PC24-A-E21-30-0001-00A-720A-APROC. REF: AMM PC24-A-E21-30-0001-00A-520A-A, AMM PC24-A-E21-30-0001-00A-720A-A								
PC24AE21300410 NEGATIVE PRESSURE RELIEF VALVE, LH								Component ATA:21
PN:963.30.11.111	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0025	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM PC24-A-E21-30-0004-00A-520A-A, AMM PC24-A-E21-30-0004-00A-720A-APROC. REF: AMM PC24-A-E21-30-0004-00A-520A-A, AMM PC24-A-E21-30-0004-00A-720A-A								
PC24AE21300420 NEGATIVE PRESSURE RELIEF VALVE, RH								Component ATA:21
PN:963.30.11.111	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-30-0004-00A-520A-A, AMM PC24-A-E21-30-0004-00A-720A-APROC. REF: AMM PC24-A-E21-30-0004-00A-520A-A, AMM PC24-A-E21-30-0004-00A-720A-A								
PC24AE21400100 COCKPIT ELECTRIC HEATER								Component ATA:21
PN:959.90.20.278	MOS/MSC	31-Mar-21	O/C	TSN 2				
SN:1-A733420-1	HRS	662		TSN 0				
	AFL	678		TSN 0				
PROC. REF: AMM PC24-A-E21-40-0001-00A-520A-A, AMM PC24-A-E21-40-0001-00A-720A-APROC. REF: AMM PC24-A-E21-40-0001-00A-520A-A, AMM PC24-A-E21-40-0001-00A-720A-A								
PC24AE21400210 CABIN ELECTRIC HEATER, FRONT, LH								Component ATA:21
PN:959.90.20.407	MOS/MSC	13-Sep-24	O/C					
SN:1-A50097-2	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E21-40-0002-00A-520A-A, AMM PC24-A-E21-40-0002-00A-720A-APROC. REF: AMM PC24-A-E21-40-0002-00A-520A-A, AMM PC24-A-E21-40-0002-00A-720A-A								
PC24AE21400220 CABIN ELECTRIC HEATER, FRONT, RH								Component ATA:21
PN:959.90.20.407	MOS/MSC	13-Sep-24	O/C					
SN:1-A514888-2	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E21-40-0002-00A-520A-A, AMM PC24-A-E21-40-0002-00A-720A-APROC. REF: AMM PC24-A-E21-40-0002-00A-520A-A, AMM PC24-A-E21-40-0002-00A-720A-A								
PC24AE21400230 CABIN ELECTRIC HEATER, REAR, LH								Component ATA:21
PN:959.90.20.407	MOS/MSC	13-Sep-24	O/C					
SN:1-A50097-3	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E21-40-0002-00A-520A-A, AMM PC24-A-E21-40-0002-00A-720A-APROC. REF: AMM PC24-A-E21-40-0002-00A-520A-A, AMM PC24-A-E21-40-0002-00A-720A-A								
PC24AE21400240 CABIN ELECTRIC HEATER, REAR, RH								Component ATA:21
PN:959.90.20.407	MOS/MSC	13-Sep-24	O/C					
SN:1-G20123-1	HRS	1731						
	AFL	1468						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM PC24-A-E21-40-0002-00A-520A-A, AMM PC24-A-E21-40-0002-00A-720A-APROC. REF: AMM PC24-A-E21-40-0002-00A-520A-A, AMM PC24-A-E21-40-0002-00A-720A-A								
PC24AE21600100 DUAL HEAT EXCHANGER								Component ATA:21
PN:959.90.10.127	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:925760-02	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-60-0001-00A-520A-A, AMM PC24-A-E21-60-0001-00A-720A-APROC. REF: AMM PC24-A-E21-60-0001-00A-520A-A, AMM PC24-A-E21-60-0001-00A-720A-A								
PC24AE21600200 DUAL HEAT EXCHANGER FAN								Component ATA:21
PN:959.90.20.285	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1-C46683-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-60-0002-00A-520A-A, AMM PC24-A-E21-60-0002-00A-720A-APROC. REF: AMM PC24-A-E21-60-0002-00A-520A-A, AMM PC24-A-E21-60-0002-00A-720A-A								
PC24AE21600310 TEMPERATURE SENSOR, CABIN, UPPER, LH								Component ATA:21
PN:959.90.20.149	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0023	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-60-0007-00A-520A-A, AMM PC24-A-E21-60-0007-00A-720A-APROC. REF: AMM PC24-A-E21-60-0007-00A-520A-A, AMM PC24-A-E21-60-0007-00A-720A-A								
PC24AE21600320 TEMPERATURE SENSOR, CABIN, LOWER, RH								Component ATA:21
PN:959.90.20.149	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0025	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-60-0007-00A-520A-A, AMM PC24-A-E21-60-0007-00A-720A-APROC. REF: AMM PC24-A-E21-60-0007-00A-520A-A, AMM PC24-A-E21-60-0007-00A-720A-A								
PC24AE21600410 FLOW CONTROL VALVE, UPPER, LH								Component ATA:21
PN:963.30.11.112	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-60-0003-00A-520A-A, AMM PC24-A-E21-60-0003-00A-720A-APROC. REF: AMM PC24-A-E21-60-0003-00A-520A-A, AMM PC24-A-E21-60-0003-00A-720A-A								
PC24AE21600420 FLOW CONTROL VALVE, LOWER, RH								Component ATA:21
PN:963.30.11.112	MOS/MSC	28-Aug-20	H/T	TSN 0				
SN:060	HRS	600		TSN 0				
	AFL	587		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM PC24-A-E21-60-0003-00A-520A-A, AMM PC24-A-E21-60-0003-00A-720A-APROC. REF: AMM PC24-A-E21-60-0003-00A-520A-A, AMM PC24-A-E21-60-0003-00A-720A-A								
PC24AE21600510 BULKHEAD NONRETURN VALVE, LH								Component ATA:21
PN:963.30.11.108	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0029	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-20-0005-00A-520A-A, AMM PC24-A-E21-20-0005-00A-720A-APROC. REF: AMM PC24-A-E21-20-0005-00A-520A-A, AMM PC24-A-E21-20-0005-00A-720A-A								
PC24AE21600520 BULKHEAD NONRETURN VALVE, RH								Component ATA:21
PN:963.30.11.108	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0033	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-20-0005-00A-520A-A, AMM PC24-A-E21-20-0005-00A-720A-APROC. REF: AMM PC24-A-E21-20-0005-00A-520A-A, AMM PC24-A-E21-20-0005-00A-720A-A								
PC24AE21600610 TEMPERATURE CONTROL VALVE, UPPER, LH								Component ATA:21
PN:963.30.11.116	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0060	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-60-0004-00A-520A-A, AMM PC24-A-E21-60-0004-00A-720A-APROC. REF: AMM PC24-A-E21-60-0004-00A-520A-A, AMM PC24-A-E21-60-0004-00A-720A-A								
PC24AE21600620 TEMPERATURE CONTROL VALVE, LOWER, RH								Component ATA:21
PN:963.30.11.116	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0036	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-60-0004-00A-520A-A, AMM PC24-A-E21-60-0004-00A-720A-APROC. REF: AMM PC24-A-E21-60-0004-00A-520A-A, AMM PC24-A-E21-60-0004-00A-720A-A								
PC24AE21600710 VENTURI FLOW METER, LH								Component ATA:21
PN:963.30.11.202	MOS/MSC	28-Aug-20	O/C	TSN 0				
SN:0232	HRS	600		TSN 0				
	AFL	587		TSN 0				
PROC. REF: AMM PC24-A-E21-60-0005-00A-520A-A, AMM PC24-A-E21-60-0005-00A-720A-APROC. REF: AMM PC24-A-E21-60-0005-00A-520A-A, AMM PC24-A-E21-60-0005-00A-720A-A								
PC24AE21600720 VENTURI FLOW METER, RH								Component ATA:21
PN:963.30.11.202	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0028	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM PC24-A-E21-60-0005-00A-520A-A, AMM PC24-A-E21-60-0005-00A-720A-APROC. REF: AMM PC24-A-E21-60-0005-00A-520A-A, AMM PC24-A-E21-60-0005-00A-720A-A								
PC24AE21600810		DUCT,ECS,CABIN 1, LH					Component	ATA:21
PN:959.90.21.371	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16003806-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE21600820		DUCT,ECS,CABIN 1, RH					Component	ATA:21
PN:959.90.21.371	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16003809-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE21600900		DUCT,ECS 5, LH					Component	ATA:21
PN:959.90.21.378	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004790-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE21601000		DUCT,ECS 5, RH					Component	ATA:21
PN:959.90.21.386	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004695-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24AE21601100		DUCT,ECS 6, LH					Component	ATA:21
PN:959.90.21.379	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004825-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21601200		DUCT,ECS 6, RH					Component	ATA:21
PN:959.90.21.387	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17005034-01	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21601300	DUCT,ECS 7, LH						Component	ATA:21
PN:959.90.21.380	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17005471-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21601400	DUCT,ECS 7, RH						Component	ATA:21
PN:959.90.21.388	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004421-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21601500	DUCT,ECS 9, LH						Component	ATA:21
PN:959.90.21.381	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004647-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21601600	DUCT,ECS 9, RH						Component	ATA:21
PN:959.90.21.389	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17005038-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21601710	DUCT,ECS 10, LH						Component	ATA:21
PN:959.90.21.373	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17005031-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21601720	DUCT,ECS 10, RH						Component	ATA:21
PN:959.90.21.373	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17005030-01	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21601810	VALVE,DRAIN, LH						Component	ATA:21
PN:959.89.01.106	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0051	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0011-00A-520A-A, AMM PC24-A-E38-30-0011-00A-720A-APROC. REF: AMM PC24-A-E38-30-0011-00A-520A-A, AMM PC24-A-E38-30-0011-00A-720A-A								
PC24AE21601820	VALVE,DRAIN, RH						Component	ATA:21
PN:959.89.01.106	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0060	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0011-00A-520A-A, AMM PC24-A-E38-30-0011-00A-720A-APROC. REF: AMM PC24-A-E38-30-0011-00A-520A-A, AMM PC24-A-E38-30-0011-00A-720A-A								
PC24AE21800100	COCKPIT EVAPORATOR MODULE						Component	ATA:21
PN:959.90.20.275	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1-C45072-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-80-0001-00A-520A-A, AMM PC24-A-E21-80-0001-00A-720A-APROC. REF: AMM PC24-A-E21-80-0001-00A-520A-A, AMM PC24-A-E21-80-0001-00A-720A-A								
PC24AE21800200	CABIN EVAPORATOR MODULE						Component	ATA:21
PN:959.90.20.308	MOS/MSC	29-Oct-25	O/C	TSR 6				
SN:1-D385797-1	HRS	2109.2		TSR 0				
	AFL	1721		TSR 0				
PROC. REF: AMM PC24-A-E21-80-0002-00A-520A-A, AMM PC24-A-E21-80-0002-00A-720A-APROC. REF: AMM PC24-A-E21-80-0002-00A-520A-A, AMM PC24-A-E21-80-0002-00A-720A-A								
PC24AE21800205	LEFT CABIN EVAPORATOR FAN MODULE						Component	ATA:21
PN:PC24EC-6330-1	MOS/MSC	13-Aug-25	O/C					
SN:1-C42359-1	HRS	2073						
	AFL	1689						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21800205	RIGHT CABIN EVAPORATOR FAN MODULE						Component	ATA:21
PN:PN	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21800300 COMPRESSOR MODULE								Component ATA:21
PN:959.90.20.292	MOS/MSC	09-Aug-19	O/C	TSN 0				
SN:1-A648571-1	HRS	334.6		TSN 0				
	AFL	321		TSN 0				
PROC. REF: AMM PC24-A-E21-80-0003-00A-520A-A, AMM PC24-A-E21-80-0003-00A-720A-APROC. REF: AMM PC24-A-E21-80-0003-00A-520A-A, AMM PC24-A-E21-80-0003-00A-720A-A								
PC24AE21800400 CONDENSER MODULE								Component ATA:21
PN:959.90.20.274	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1-C45089-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-80-0004-00A-520A-A, AMM PC24-A-E21-80-0004-00A-720A-APROC. REF: AMM PC24-A-E21-80-0004-00A-520A-A, AMM PC24-A-E21-80-0004-00A-720A-A								
PC24AE21800500 FAN,CONDENSER								Component ATA:21
PN:959.90.20.284	MOS/MSC	29-Oct-25	O/C	TSR 18				
SN:1B942854-1	HRS	2109.2		TSN 412.6, TSR 0				
	AFL	1721		TSR 0				
PROC. REF: AMM PC24-A-E21-80-0004-01A-520A-A, AMM PC24-A-E21-80-0004-01A-720A-APROC. REF: AMM PC24-A-E21-80-0004-01A-520A-A, AMM PC24-A-E21-80-0004-01A-720A-A								
PC24AE21900110 TEMPERATURE SENSOR, DEFOG, MT1001								Component ATA:21
PN:959.90.20.148	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0019	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21900120 TEMPERATURE SENSOR, COCKPIT, MT1401								Component ATA:21
PN:959.90.20.148	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0078	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E21-60-0006-00A-520A-A, AMM PC24-A-E21-60-0006-00A-720A-APROC. REF: AMM PC24-A-E21-60-0006-00A-520A-A, AMM PC24-A-E21-60-0006-00A-720A-A								
PC24AE21900130 TEMPERATURE SENSOR, FR 23, MT2315								Component ATA:21
PN:959.90.20.148	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0050	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE21900140 TEMPERATURE SENSOR, FR 26, MT2621								Component ATA:21
PN:959.90.20.148	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0051	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
SM-21-20-001 ^S EMERGENCY VENTILATION - OPERATION TEST								Service ATA:21
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2						
	AFL	1721						
PKG:13								
PROC. REF: AMM PC24-A-E21-20-0001-00A-320A-APROC. REF: AMM PC24-A-E21-20-0001-00A-320A-A								
SM-21-20-003 ^S RAM AIR NON RETURN VALVE - VISUAL EXAMINATION								Service ATA:21
	MOS	31-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL							
PKG:10								
PROC. REF: AMM PC24-A-E21-20-0003-00A-310A-APROC. REF: AMM PC24-A-E21-20-0003-00A-310A-A								
SM-21-30-008 ^S CABIN ALTITUDE WARNING - OPERATION TEST								Service ATA:21
	MOS	31-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL							
PKG:10								
PROC. REF: AMM PC24-A-E35-20-0000-00A-320A-APROC. REF: AMM PC24-A-E35-20-0000-00A-320A-A								
SM-21-30-010 OUTFLOW VALVE - OVERHAUL								Service ATA:21
PN:959.90.91.125	MOS	03-Jul-18						OVERHAUL
SN:65053598-00131	HRS	0	4800		4800		2518.8	
	AFL	0						
PROC. REF: AMM PC24-A-E21-30-0003-00A-520A-A, AMM PC24-A-E21-30-0003-00A-720A-APROC. REF: AMM PC24-A-E21-30-0003-00A-520A-A, AMM PC24-A-E21-30-0003-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
SM-21-30-011	OUTFLOW VALVE CONTROLLER- OVERHAUL							Service ATA:21
PN:959.90.91.147	MOS	03-Jul-18						
SN:65000052-00076	HRS	0	4800		4800		2518.8	
	AFL	0						
PROC. REF: AMM PC24-A-E21-30-0001-00A-520A-A, AMM PC24-A-E21-30-0001-00A-720A-APROC. REF: AMM PC24-A-E21-30-0001-00A-520A-A, AMM PC24-A-E21-30-0001-00A-720A-A								
SM-21-60-014	TEMPERATURE CONTROL VALVE FILTER - VISUAL EXAMINATION							Service ATA:21
	MOS	15-Aug-23						
	HRS	1333.4	1200 (+10%/-10%)		2533.4	2653.4	252.2 (+120)	
	AFL	1213						
PROC. REF: AMM PC24-A-A12-20-0006-00A-310A-APROC. REF: AMM PC24-A-A12-20-0006-00A-310A-A								
SM-21-60-015	FLOW CONTROL VALVE FILTER - VISUAL EXAMINATION							Service ATA:21
	MOS	15-Aug-23						
	HRS	1333.4	1200 (+10%/-10%)		2533.4	2653.4	252.2 (+120)	
	AFL	1213						
PROC. REF: AMM PC24-A-A12-20-0006-00A-310A-APROC. REF: AMM PC24-A-A12-20-0006-00A-310A-A								
ATA 22 - AUTO FLIGHT								
PC24AE22100110	SERVO,INSTALLATION KIT PITCH							Component ATA:22
PN:985.99.12.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A4293	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E22-10-0001-00A-520A-A, AMM PC24-A-E22-10-0001-00A-720A-APROC. REF: AMM PC24-A-E22-10-0001-00A-520A-A, AMM PC24-A-E22-10-0001-00A-720A-A								
PC24AE22100120	SERVO,INSTALLATION KIT RUDDER							Component ATA:22
PN:985.99.12.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A4298	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE22100130	SERVO,INSTALLATION KIT AILERON							Component ATA:22
PN:985.99.12.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A4307	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E22-10-0002-00A-520A-A, AMM PC24-A-E22-10-0002-00A-720A-APROC. REF: AMM PC24-A-E22-10-0002-00A-520A-A, AMM PC24-A-E22-10-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PC24AE22100210	PITCH SERVO ASSEMBLY							Component ATA:22
PN:985.99.12.046	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:C3533	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E22-10-0001-00A-520A-A, AMM PC24-A-E22-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E22-10-0001-00A-520A-A, AMM PC24-A-E22-10-0001-00A-720A-A								
PC24AE22100220	PRIMARY YAW DAMPER SERVO ASSEMBLY							Component ATA:22
PN:2R5310A	MOS/MSC	09-Aug-19	O/C					
SN:C0145	HRS	334.6						
	AFL	321						
PROC. REF: AMM PC24-A-E22-10-0003-00A-520A-A, AMM PC24-A-E22-10-0003-00A-720A-A PROC. REF: AMM PC24-A-E22-10-0003-00A-520A-A, AMM PC24-A-E22-10-0003-00A-720A-A								
PC24AE22100230	SERVO,AUTOPILOT AILERON							Component ATA:22
PN:985.99.12.046	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:C3518	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E22-10-0002-00A-520A-A, AMM PC24-A-E22-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E22-10-0002-00A-520A-A, AMM PC24-A-E22-10-0002-00A-720A-A								
PC24AE22100300	FLIGHT CONTROLLER							Component ATA:22
PN:985.99.12.258	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KMC9200A-1035	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E22-10-0005-00A-520A-A, AMM PC24-A-E22-10-0005-00A-720A-A PROC. REF: AMM PC24-A-E22-10-0005-00A-520A-A, AMM PC24-A-E22-10-0005-00A-720A-A								
PC24AE2220100	STICK SHAKER							Component ATA:22
PN:978.61.11.143	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1618	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E22-20-0001-00A-520A-A, AMM PC24-A-E22-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E22-20-0001-00A-520A-A, AMM PC24-A-E22-20-0001-00A-720A-A								
PC24AE22230100	SERVO,INST. KIT RUDDER 2ND YAW DAMPER							Component ATA:22
PN:985.99.12.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A4312	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E22-10-0004-00A-520A-A, AMM PC24-A-E22-10-0004-00A-720A-A PROC. REF: AMM PC24-A-E22-10-0004-00A-520A-A, AMM PC24-A-E22-10-0004-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PC24AE22230200	SECONDARY YAW DAMPER SERVO ASSEMBLY							Component ATA:22
PN:985.99.12.046	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:C3525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E22-10-0004-00A-520A-A, AMM PC24-A-E22-10-0004-00A-720A-APROC. REF: AMM PC24-A-E22-10-0004-00A-520A-A, AMM PC24-A-E22-10-0004-00A-720A-A								
SM-22-20-001 ^S	STICK SHAKER - OPERATION TEST							Service ATA:22
	MOS	13-Sep-24						
	HRS	1731	600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E22-20-0001-00A-320A-APROC. REF: AMM PC24-A-E22-20-0001-00A-320A-A								
SM-22-20-002 ^S	QUICK DISCONNECT SWITCH - OPERATION TEST							Service ATA:22
	MOS	13-Sep-24						
	HRS	1731	600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E22-20-0000-00A-320A-APROC. REF: AMM PC24-A-E22-20-0000-00A-320A-A								
SM-22-20-003 ^S	STALL WARNING AND PROTECTION SYSTEM, ICE MODE SWITCH - OPERATION TEST							Service ATA:22
	MOS	03-Jul-18						
	HRS	0	3600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM PC24-A-E31-10-0010-00A-320A-APROC. REF: AMM PC24-A-E31-10-0010-00A-320A-A								
ATA 23 - COMMUNICATIONS								
PC24AE23100110	MULTI-MODE DIGITAL RADIO 1							Component ATA:23
PN:069-01039-0101	MOS/MSC	18-Sep-18	O/C	TSN 13				
SN:4017	HRS	89.3		TSN 0				
	AFL	61		TSN 0				
PROC. REF: AMM PC24-A-E23-10-0001-00A-520A-A, AMM PC24-A-E23-10-0001-00A-720A-APROC. REF: AMM PC24-A-E23-10-0001-00A-520A-A, AMM PC24-A-E23-10-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC24AE23100120		MULTI-MODE DIGITAL RADIO 2						Component ATA:23
PN:985.99.12.277	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:4032	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E23-10-0002-00A-520A-A, AMM PC24-A-E23-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E23-10-0002-00A-520A-A, AMM PC24-A-E23-10-0002-00A-720A-A								
PC24AE23120100		VHF 1 ANTENNA, LOWER						Component ATA:23
PN:565-8280-18	MOS/MSC	13-Sep-24	O/C	TSN 7				
SN:312-5646	HRS	1731		TSN 0				
	AFL	1468		TSN 0				
PROC. REF: AMM PC24-A-E23-12-0001-00A-520A-A, AMM PC24-A-E23-12-0001-00A-720A-A PROC. REF: AMM PC24-A-E23-12-0001-00A-520A-A, AMM PC24-A-E23-12-0001-00A-720A-A								
PC24AE23120200		VHF 2 ANTENNA, UPPER						Component ATA:23
PN:984.81.10.203	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:310-31005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E23-12-0002-00A-520A-A, AMM PC24-A-E23-12-0002-00A-720A-A PROC. REF: AMM PC24-A-E23-12-0002-00A-520A-A, AMM PC24-A-E23-12-0002-00A-720A-A								
PC24AE23150100		SATCOM DIALLER						Component ATA:23
PN:985.99.12.409 (PTA12-100 MSG)	MOS/MSC	21-Aug-20	O/C					
SN:P200319	HRS	600						
	AFL	587						
PROC. REF: AMM PC24-A-E23-15-0002-00A-520A-A, AMM PC24-A-E23-15-0002-00A-720A-A PROC. REF: AMM PC24-A-E23-15-0002-00A-520A-A, AMM PC24-A-E23-15-0002-00A-720A-A								
PC24AE23150200		MODEM,IRIDIUM						Component ATA:23
PN:985.99.12.410 (S200-021)	MOS/MSC	21-Aug-20	O/C	TSR 2				
SN:2881	HRS	600		TSR 0				
	AFL	587		TSR 0				
PROC. REF: AMM PC24-A-E23-15-0001-00A-520A-A, AMM PC24-A-E23-15-0001-00A-720A-A PROC. REF: AMM PC24-A-E23-15-0001-00A-520A-A, AMM PC24-A-E23-15-0001-00A-720A-A								
PC24AE23150300		ANTENNA,IRIDIUM						Component ATA:23
PN:984.81.10.212	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:467002	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E23-15-0003-00A-520A-A, AMM PC24-A-E23-15-0003-00A-720A-A PROC. REF: AMM PC24-A-E23-15-0003-00A-520A-A, AMM PC24-A-E23-15-0003-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC24AE23150900		RECEIVER, SATCOM, AR1657					Component	ATA:23
PN:PN	MOS/MSC	18-Feb-23	O/C					
SN:NOT INSTALLED	HRS	1093.7						
	AFL	1064						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE23151000		CONFIGURATION MODULE,ATG SATCOM, AR1644					Component	ATA:23
PN:P14126	MOS/MSC	18-Feb-23	O/C	TSN 0				
SN:1412628968	HRS	1093.7		TSN 0				
	AFL	1064		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE23200110		ANTENNA, AIRCELL, FRONT, E2321					Component	ATA:23
PN:P30200-001	MOS/MSC	18-Feb-23	O/C					
SN:3020000100263	HRS	1093.7						
	AFL	1064						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE23200120		ANTENNA, AIRCELL, REAR, E3402					Component	ATA:23
PN:P30200-001	MOS/MSC	18-Feb-23	O/C					
SN:3020000100285	HRS	1093.7						
	AFL	1064						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE23500110		AUDIO PANEL PILOT					Component	ATA:23
PN:050-290-0700	MOS/MSC	09-Aug-19	O/C	TSN 2				
SN:Q02600	HRS	334.6		TSN 0				
	AFL	321		TSN 0				
PROC. REF: AMM PC24-A-E23-50-0001-00A-520A-A, AMM PC24-A-E23-50-0001-00A-720A-APROC. REF: AMM PC24-A-E23-50-0001-00A-520A-A, AMM PC24-A-E23-50-0001-00A-720A-A								
PC24AE23500120		AUDIO PANEL COPILOT					Component	ATA:23
PN:050-290-0700	MOS/MSC	09-Aug-19	O/C	TSN 2				
SN:Q02656	HRS	334.6		TSN 0				
	AFL	321		TSN 0				
PROC. REF: AMM PC24-A-E23-50-0002-00A-520A-A, AMM PC24-A-E23-50-0002-00A-720A-APROC. REF: AMM PC24-A-E23-50-0002-00A-520A-A, AMM PC24-A-E23-50-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC24CA23110006		NO. 1 WIFI ANTENNA						Component ATA:23
PN:P16917-001	MOS/MSC	18-Feb-23	O/C					
SN:1691700127313	HRS	1093.7						
	AFL	1064						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA23110007		NO. 2 WIFI ANTENNA						Component ATA:23
PN:P16917-001	MOS/MSC	18-Feb-23	O/C					
SN:1691700127330	HRS	1093.7						
	AFL	1064						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA23110008		NO. 3 WIFI ANTENNA						Component ATA:23
PN:P16917-001	MOS/MSC	18-Feb-23	O/C					
SN:1691700127420	HRS	1093.7						
	AFL	1064						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA23110009		NO. 4 WIFI ANTENNA						Component ATA:23
PN:P16917-001	MOS/MSC	18-Feb-23	O/C					
SN:1691700127431	HRS	1093.7						
	AFL	1064						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA23110010		NO. 5 WIFI ANTENNA						Component ATA:23
PN:P16917-001	MOS/MSC	18-Feb-23	O/C					
SN:1691700127432	HRS	1093.7						
	AFL	1064						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC24CA23110011		NO. 6 WIFI ANTENNA						Component ATA:23
PN:P16917-001	MOS/MSC	18-Feb-23	O/C					
SN:1691700127440	HRS	1093.7						
	AFL	1064						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC24CA23110012		NO. 1 MODEM ANTENNA						Component ATA:23
PN:P18350-001	MOS/MSC	18-Feb-23	O/C					
SN:1835011375	HRS	1093.7						
	AFL	1064						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA23110013		NO. 2 MODEM ANTENNA						Component ATA:23
PN:P18350-001	MOS/MSC	18-Feb-23	O/C					
SN:1835011376	HRS	1093.7						
	AFL	1064						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
SM-23-11-005 ^S		HF LONG ANTENNA CABLE - TENSION CHECK						Service ATA:23
	MOS/MSC	13-Sep-24	N/A					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E23-11-0004-00A-369A-APROC. REF: AMM PC24-A-E23-11-0004-00A-369A-A								
SM-23-12-002 ^S		EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATION TEST						Service ATA:23
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E23-12-0000-00A-320A-APROC. REF: AMM PC24-A-E23-12-0000-00A-320A-A								
SM-23-50-001 ^S		AUDIO PANEL EMERGENCY SWITCH - OPERATION TEST						Service ATA:23
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E23-50-0000-00A-320A-APROC. REF: AMM PC24-A-E23-50-0000-00A-320A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
SM-23-50-006 ^S		AUDIO PANEL DUAL POWER SOURCE PROTECTION DIODES - OPERATION TEST						Service ATA:23
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E23-50-0000-00A-320A-APROC. REF: AMM PC24-A-E23-50-0000-00A-320A-A								PKG:6
ATA 24 - ELECTRICAL POWER								
AL-24-60-004		EMERGENCY POWER CONTACTOR 2 - OPERATION TEST (CMR*)						Service ATA:24
	MOS	18-Aug-21					CMR*	
	HRS	744.9	6000		6744.9		4463.7	
	AFL	763						
PROC. REF: AMM PC24-A-E24-60-0000-00A-320A-APROC. REF: AMM PC24-A-E24-60-0000-00A-320A-A								
PC24AE24300110		POWER CONVERSION UNIT, PCU 1, LH, AB3201						Component ATA:24
PN:1425-1-001MODB	MOS/MSC	26-Aug-22	O/C					
SN:000247	HRS	976.6						
	AFL	975						
PROC. REF: AMM PC24-A-E24-30-0002-00A-520A-A, AMM PC24-A-E24-30-0002-00A-720A-APROC. REF: AMM PC24-A-E24-30-0002-00A-520A-A, AMM PC24-A-E24-30-0002-00A-720A-A								
PC24AE24300120		POWER CONVERSION UNIT, PCU 2, RH, AB3202						Component ATA:24
PN:1425-2-001	MOS/MSC	10-Jun-24	O/C	TSN 0				
SN:000848	HRS	1634.7		TSN 0				
	AFL	1394		TSN 0				
PROC. REF: AMM PC24-A-E24-30-0002-00A-520A-A, AMM PC24-A-E24-30-0002-00A-720A-APROC. REF: AMM PC24-A-E24-30-0002-00A-520A-A, AMM PC24-A-E24-30-0002-00A-720A-A								
PC24AE24300200		TRANSD,HALL EFF,500A, PNLB 0912, MT001						Component ATA:24
PN:975.50.85.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:154	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE24300300		CONTACTOR CHANGE OVER, PNLB 0912, K001						Component ATA:24
PN:974.03.38.148	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:173	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE24300400 RELAY, PNL0912, K006								Component ATA:24
PN:974.09.26.111	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:P861	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE24310110 LH STARTER GENERATOR UNIT								Component ATA:24
PN:978.91.23.429	MOS/MSC	13-Sep-24	H/T	TSN 74				
SN:0043	HRS	1731		TSN 1731				
	AFL	1468		TSN 1468				
PROC. REF: AMM PC24-A-E24-30-0001-00A-520A-A, AMM PC24-A-E24-30-0001-00A-720A-APROC. REF: AMM PC24-A-E24-30-0001-00A-520A-A, AMM PC24-A-E24-30-0001-00A-720A-A								
PC24AE24310120 RH STARTER GENERATOR UNIT								Component ATA:24
PN:978.91.23.429	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0047	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E24-30-0001-00A-520A-A, AMM PC24-A-E24-30-0001-00A-720A-APROC. REF: AMM PC24-A-E24-30-0001-00A-520A-A, AMM PC24-A-E24-30-0001-00A-720A-A								
PC24AE24330110 BATTERY 1								Component ATA:24
PN:976.17.31.313	MOS/MSC	13-Aug-25	O/C	TSN 21				
SN:12301616	HRS	2073		TSN 677.5				
	AFL	1689		TSN 445				
PROC. REF: AMM PC24-A-E24-30-0003-00A-520A-A, AMM PC24-A-E24-30-0003-00A-720A-APROC. REF: AMM PC24-A-E24-30-0003-00A-520A-A, AMM PC24-A-E24-30-0003-00A-720A-A								
PC24AE24330120 BATTERY 2								Component ATA:24
PN:976.17.31.317	MOS/MSC	13-Aug-25	O/C	TSN 25				
SN:12201780	HRS	2073		TSN 760.1				
	AFL	1689		TSN 497				
PROC. REF: AMM PC24-A-E24-30-0004-00A-520A-A, AMM PC24-A-E24-30-0004-00A-720A-APROC. REF: AMM PC24-A-E24-30-0004-00A-520A-A, AMM PC24-A-E24-30-0004-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC24AE24330200		TRANSD,HALL EFF,500A, PNLB 3322, MT001					Component	ATA:24
PN:975.50.85.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:N0192	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-APROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-A								
PC24AE24400100		EXTERNAL POWER MONITOR					Component	ATA:24
PN:972.81.32.303	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:CU-38839	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E24-40-0001-00A-520A-A, AMM PC24-A-E24-40-0001-00A-720A-APROC. REF: AMM PC24-A-E24-40-0001-00A-520A-A, AMM PC24-A-E24-40-0001-00A-720A-A								
PC24AE24520110		INVERTER,STATIC,110V, A1514					Component	ATA:24
PN:975.02.15.107	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:7905	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE24600110		ELECTRICAL POWER DISTRIBUTION UNIT 1, NOSE					Component	ATA:24
PN:974.03.38.153	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0317	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E24-60-0001-00A-520A-A, AMM PC24-A-E24-60-0001-00A-720A-APROC. REF: AMM PC24-A-E24-60-0001-00A-520A-A, AMM PC24-A-E24-60-0001-00A-720A-A								
PC24AE24600120		ELECTRICAL POWER DISTRIBUTION UNIT 2					Component	ATA:24
PN:974.03.38.153	MOS/MSC	31-Mar-21	O/C					
SN:0353	HRS	662						
	AFL	678						
PROC. REF: AMM PC24-A-E24-60-0002-00A-520A-A, AMM PC24-A-E24-60-0002-00A-720A-APROC. REF: AMM PC24-A-E24-60-0002-00A-520A-A, AMM PC24-A-E24-60-0002-00A-720A-A								
PC24AE24600130		ELECTRICAL POWER DISTRIBUTION UNIT 3					Component	ATA:24
PN:974.03.38.153	MOS/MSC	16-Aug-18	O/C	TSN 0				
SN:0375	HRS	73.4		TSN 0				
	AFL	47		TSN 0				
PROC. REF: AMM PC24-A-E24-60-0003-00A-520A-A, AMM PC24-A-E24-60-0003-00A-720A-APROC. REF: AMM PC24-A-E24-60-0003-00A-520A-A, AMM PC24-A-E24-60-0003-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC24AE24600140		ELECTRICAL POWER DISTRIBUTION UNIT 4						Component ATA:24
PN:974.03.38.153	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0335	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E24-60-0004-00A-520A-A, AMM PC24-A-E24-60-0004-00A-720A-APROC. REF: AMM PC24-A-E24-60-0004-00A-520A-A, AMM PC24-A-E24-60-0004-00A-720A-A								
PC24AE24600200		TRANSD,HALL EFF,500A, PNLB 3401, MT001						Component ATA:24
PN:975.50.85.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:N0183	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-APROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-A								
PC24AE24600300		TRANSD,HALL EFF,RCCB, PNLB 3401, MT002						Component ATA:24
PN:975.50.85.115	MOS/MSC	21-Feb-19	O/C	TSN 0				
SN:N1032	HRS	175		TSN 0				
	AFL	170		TSN 0				
PROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-APROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-A								
PC24AE24600400		CONTACTOR,500A, PNLB 3402, K006						Component ATA:24
PN:974.03.38.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:CU-33338	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE24600510		TRANSD,HALL EFF,500A, PNLB 3402, MT001						Component ATA:24
PN:975.50.85.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:N0177	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-APROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC24AE24600520 TRANSD,HALL EFF,500A, PNLB 3402, MT004								Component ATA:24
PN:975.50.85.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:N0176	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A								
PC24AE24600530 TRANSD,HALL EFF,500A, PNLB 3402, MT006								Component ATA:24
PN:975.50.85.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:N0175	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A								
PC24AE24600600 TRANSD,HALL EFF,RCCB, PNLB 3402, MT005								Component ATA:24
PN:975.50.85.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:N100	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E24-91-0011-00A-520A-A, AMM PC24-A-E24-91-0011-00A-720A-A, AMM PC24-A-E24-92-0004-00A-520A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A, AMM PC24-A-E24-92-0004-00A-720A-A								
PC24AE24900710 SENSOR,CURRENT,SINGLE LOAD, A3614, MT1								Component ATA:24
PN:974.29.00.209	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1013	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE24900720 SENSOR,CURRENT,SINGLE LOAD, A3614, MT2								Component ATA:24
PN:974.29.00.209	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1021	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE24910100 CONTROL PANEL, CB, COCKPIT, PNL1311								Component ATA:24
PN:975.95.01.145	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S17009715	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
SM-24-30-001	REMOTE CONTROL CIRCUIT BREAKER 1 AND 2 - OPERATION TEST							Service ATA:24
	MOS	18-Feb-23						
	HRS	1093.7	1200 (+10%/-10%)		2293.7	2413.7	12.5 (+120)	
	AFL	1064						
PROC. REF: AMM PC24-A-E24-30-0000-00A-320A-APROC. REF: AMM PC24-A-E24-30-0000-00A-320A-A								
SM-24-30-002	BATTERY 1 - SERVICE							Service ATA:24
PN:976.17.31.313	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	
SN:12301616	HRS	2109.2	600 (+10%/-10%)		2709.2	2769.2	428 (+60)	
	AFL	1721						
PKG:2								
PROC. REF: AMM PC24-A-E24-30-0003-00A-520A-A, AMM PC24-A-E24-30-0003-00A-720A-A, AMM PC24-A-E24-30-0004-00A-520A-A, AMM PC24-A-E24-30-0004-00A-720A-APROC. REF: AMM PC24-A-E24-30-0003-00A-520A-A, AMM PC24-A-E24-30-0003-00A-720A-A, AMM PC24-A-E24-30-0004-00A-520A-A, AMM PC24-A-E24-30-0004-00A-720A-A								
SM-24-30-002	BATTERY 2 - SERVICE							Service ATA:24
PN:976.17.31.317	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	
SN:12201780	HRS	2109.2	600 (+10%/-10%)		2709.2	2769.2	428 (+60)	
	AFL	1721						
PKG:2								
PROC. REF: AMM PC24-A-E24-30-0003-00A-520A-A, AMM PC24-A-E24-30-0003-00A-720A-A, AMM PC24-A-E24-30-0004-00A-520A-A, AMM PC24-A-E24-30-0004-00A-720A-APROC. REF: AMM PC24-A-E24-30-0003-00A-520A-A, AMM PC24-A-E24-30-0003-00A-720A-A, AMM PC24-A-E24-30-0004-00A-520A-A, AMM PC24-A-E24-30-0004-00A-720A-A								
SM-24-30-005	LH STARTER GENERATOR - OVERHAUL							Service ATA:24
PN:978.91.23.429	MOS	31-Jul-18						OVERHAUL
SN:0043	HRS	0	3000 (+10%/-10%)		3000	3300	718.8 (+300)	
	AFL							
PROC. REF: AMM PC24-A-E24-30-0001-00A-520A-A, AMM PC24-A-E24-30-0001-00A-720A-APROC. REF: AMM PC24-A-E24-30-0001-00A-520A-A, AMM PC24-A-E24-30-0001-00A-720A-A								
SM-24-30-005	RH STARTER GENERATOR - OVERHAUL							Service ATA:24
PN:978.91.23.429	MOS	31-Jul-18						OVERHAUL
SN:0047	HRS	0	3000 (+10%/-10%)		3000	3300	718.8 (+300)	
	AFL							
PROC. REF: AMM PC24-A-E24-30-0001-00A-520A-A, AMM PC24-A-E24-30-0001-00A-720A-APROC. REF: AMM PC24-A-E24-30-0001-00A-520A-A, AMM PC24-A-E24-30-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
SM-24-30-009	LI-ION BATTERY 1 (APPLICABLE TO CANADIAN REGISTERED AIRCRAFT) (IF INSTALLED) - CAPACITY AND SENSORS CHECK							Service ATA:24
PN:976.17.31.313	MOS/MSC		N/A					
SN:12301616	HRS							
	AFL							
PROC. REF: AMM PC24-A-E24-30-0000-02A-346A-APROC. REF: AMM PC24-A-E24-30-0000-02A-346A-A								
SM-24-30-009	LI-ION BATTERY 2 (APPLICABLE TO CANADIAN REGISTERED AIRCRAFT) (IF INSTALLED) - CAPACITY AND SENSORS CHECK							Service ATA:24
PN:976.17.31.317	MOS/MSC		N/A					
SN:12201780	HRS							
	AFL							
PROC. REF: AMM PC24-A-E24-30-0000-02A-346A-APROC. REF: AMM PC24-A-E24-30-0000-02A-346A-A								
SM-24-30-010	LI-ION BATTERY 1 (APPLICABLE TO CANADIAN REGISTERED AIRCRAFT) (IF INSTALLED) - DISCARD							Service ATA:24
PN:976.17.31.313	MOS/MSC		N/A					
SN:12301616	HRS							
	AFL							
PROC. REF: AMM PC24-A-E24-30-0003-00A-520A-A, AMM PC24-A-E24-30-0003-00A-720A-A, AMM PC24-A-E24-30-0004-00A-520A-A, AMM PC24-A-E24-30-0004-00A-720A-APROC. REF: AMM PC24-A-E24-30-0003-00A-520A-A, AMM PC24-A-E24-30-0003-00A-720A-A, AMM PC24-A-E24-30-0004-00A-520A-A, AMM PC24-A-E24-30-0004-00A-720A-A								
SM-24-30-010	LI-ION BATTERY 2 (APPLICABLE TO CANADIAN REGISTERED AIRCRAFT) (IF INSTALLED) - DISCARD							Service ATA:24
PN:976.17.31.317	MOS/MSC		N/A					
SN:12201780	HRS							
	AFL							
PROC. REF: AMM PC24-A-E24-30-0003-00A-520A-A, AMM PC24-A-E24-30-0003-00A-720A-A, AMM PC24-A-E24-30-0004-00A-520A-A, AMM PC24-A-E24-30-0004-00A-720A-APROC. REF: AMM PC24-A-E24-30-0003-00A-520A-A, AMM PC24-A-E24-30-0003-00A-720A-A, AMM PC24-A-E24-30-0004-00A-520A-A, AMM PC24-A-E24-30-0004-00A-720A-A								
SM-24-40-003	GROUND POWER CONTROL UNIT OVERVOLTAGE PROTECTION - FUNCTION TEST							Service ATA:24
	MOS	18-Feb-23						
	HRS	1093.7	1200 (+10%/-10%)		2293.7	2413.7	12.5 (+120)	
	AFL	1064						
PROC. REF: AMM PC24-A-E24-40-0001-00A-340A-APROC. REF: AMM PC24-A-E24-40-0001-00A-340A-A								
SM-24-60-006 ^S	EPDU LOAD SHEDDING FUNCTION - OPERATION TEST							Service ATA:24
	MOS	03-Jul-18						
	HRS	0	6000 (+500/-500)					
	AFL	0						

PKG:12

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM PC24-A-E24-60-0000-00A-320A-APROC. REF: AMM PC24-A-E24-60-0000-00A-320A-A								
ATA 25 - EQUIPMENT/FURNISHINGS								
258010	PERFORM EMERGENCY LOCATOR TRANSMITTER (ELT) 12-MONTHS INSPECTION - FAR 91.207 (D)							Service ATA:25
	MOS	29-Oct-25	12		29-Oct-26		85 d	
	HRS	2109.2						
	AFL	1721						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
258015	PERFORM ELT REGISTRATION							Service ATA:25
	MOS/MSC	30-Dec-24	DUE		02-Jan-27 (M)		150 d	
	HRS	1872.2						
	AFL	1556						
Expiry Date: : 02-Jan-27								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
AL-25-22-020	AFT LH DIVAN SEAT INFLATABLE RESTRAINT SYSTEM - INFLATOR ASSEMBLY (IF INSTALLED) - LIFE LIMIT (REMOVE AND INSTALL A SERVICABLE INFLATOR ASSEMBLIES)							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-22-0007-01A-520A-A, AMM PC24-A-E25-22-0007-01A-720A-APROC. REF: AMM PC24-A-E25-22-0007-01A-520A-A, AMM PC24-A-E25-22-0007-01A-720A-A								
AL-25-22-020	MID LH DIVAN SEAT INFLATABLE RESTRAINT SYSTEM - INFLATOR ASSEMBLY (IF INSTALLED) - LIFE LIMIT (REMOVE AND INSTALL A SERVICABLE INFLATOR ASSEMBLIES)							Service ATA:25
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-22-0007-01A-520A-A, AMM PC24-A-E25-22-0007-01A-720A-APROC. REF: AMM PC24-A-E25-22-0007-01A-520A-A, AMM PC24-A-E25-22-0007-01A-720A-A								
AL-25-65-014	FLIGHT COMPARTMENT PORTABLE FIRE EXTINGUISHER - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE PORTABLE FIRE EXTINGUISHER)							Service ATA:25
PN:959.08.06.220	MOS	01-Jun-20	120		01-Jun-30		1396 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Jun-20								
PROC. REF: AMM PC24-A-E25-65-0001-00A-520A-A, AMM PC24-A-E25-65-0001-00A-720A-APROC. REF: AMM PC24-A-E25-65-0001-00A-520A-A, AMM PC24-A-E25-65-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
AL-25-65-014	PASSENGER COMPARTMENT PORTABLE FIRE EXTINGUISHER - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE PORTABLE FIRE EXTINGUISHER)							Service ATA:25
PN:959.08.06.219	MOS	29-Jan-18	120		29-Jan-28		542 d	LIFE LIMIT
SN:108148	HRS							
	AFL							
Manufacture Date:: 29-Jan-18								
PROC. REF: AMM PC24-A-E25-65-0001-00A-520A-A, AMM PC24-A-E25-65-0001-00A-720A-A PROC. REF: AMM PC24-A-E25-65-0001-00A-520A-A, AMM PC24-A-E25-65-0001-00A-720A-A								
CA-25-64-001	RESTORE FIRST AID KIT							Service ATA:25
PN:509229	MOS/MSC	18-Aug-25	DUE		31-Aug-26 (M)		26 d	
SN:112020004	HRS	2073.8						
	AFL	1690						
Expiry Date: : 31-Aug-26								
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF								
PC24AE25120100	CREW SEAT, PILOT							Component ATA:25
PN:959.30.01.301	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:85521	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E25-10-0001-00A-520A-A, AMM PC24-A-E25-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E25-10-0001-00A-520A-A, AMM PC24-A-E25-10-0001-00A-720A-A								
PC24AE25120200	CREW SEAT, COPILOT							Component ATA:25
PN:959.30.01.302	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:88784	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E25-10-0001-00A-520A-A, AMM PC24-A-E25-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E25-10-0001-00A-520A-A, AMM PC24-A-E25-10-0001-00A-720A-A								
PC24AE25220100	PASSENGER SEAT,#1, LH							Component ATA:25
PN:959.30.01.339	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:63097	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-A PROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-A								
PC24AE25220200	PASSENGER SEAT,#3, LH							Component ATA:25
PN:959.30.01.310	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:63095	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-APROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-A								
PC24AE25220300	PASSENGER SEAT,#5, LH							Component ATA:25
PN:959.30.01.309	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:63093	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-APROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-A								
PC24AE25220400	PASSENGER SEAT,#7, LH							Component ATA:25
PN:959.30.01.340	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:63099	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-APROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-A								
PC24AE25220600	PASSENGER SEAT,#2, RH							Component ATA:25
PN:959.30.01.339	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:63098	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-APROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-A								
PC24AE25220700	PASSENGER SEAT,#4, RH							Component ATA:25
PN:959.30.01.340	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:63100	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-APROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-A								
PC24AE25220800	PASSENGER SEAT,#6, RH							Component ATA:25
PN:959.30.01.309	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:63094	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-APROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-A								
PC24AE25220900	PASSENGER SEAT,#8, RH							Component ATA:25
PN:959.30.01.310	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:63096	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-APROC. REF: AMM PC24-A-E25-22-0001-00A-520A-A, AMM PC24-A-E25-22-0001-00A-720A-A								
PC24AE25621400 INFLATOR ASSY, RESTR SYS, MID DIVAN LH								Component ATA:25
PN:PN	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE25621500 INFLATOR ASSY, RESTR SYS, AFT DIVAN LH								Component ATA:25
PN:PN	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE25630100 REMOTE SWITCH								Component ATA:25
PN:985.13.80.817	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:TM0000097770	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E25-61-0004-00A-520A-A, AMM PC24-A-E25-61-0004-00A-720A-APROC. REF: AMM PC24-A-E25-61-0004-00A-520A-A, AMM PC24-A-E25-61-0004-00A-720A-A								
PC24AE25630200 EMERGENCY LOCATOR TRANSMITTER								Component ATA:25
PN:985.13.80.882	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:LX1100507332	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E25-61-0001-00A-520A-A, AMM PC24-A-E25-61-0001-00A-720A-APROC. REF: AMM PC24-A-E25-61-0001-00A-520A-A, AMM PC24-A-E25-61-0001-00A-720A-A								
PC24AE25630300 ELT INTEGRA ENAV, A424								Component ATA:25
PN:985.13.80.881	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:LX1100508091	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE25630400 EMERGENCY LOCATION TRANSMITTER ANTENNA								Component ATA:25
PN:985.13.80.834	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:401-3061	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM PC24-A-E25-61-0003-00A-520A-A, AMM PC24-A-E25-61-0003-00A-720A-APROC. REF: AMM PC24-A-E25-61-0003-00A-520A-A, AMM PC24-A-E25-61-0003-00A-720A-A								
PC24AE35300100 PORTABLE PROTECTIVE BREATHING EQUIPMENT Component ATA:25								
PN:957.12.01.201 MOS/MSC 03-Jul-18 H/T TSN 0								
SN:E17050323 HRS 0 TSN 0								
AFL 0 TSN 0								
PROC. REF: AMM PC24-A-E25-66-0000-00A-921A-APROC. REF: AMM PC24-A-E25-66-0000-00A-921A-A								
PC24CA25610001 ELT BATTERY Component ATA:25								
PN:0191823 MOS/MSC 21-Aug-23 H/T								
SN:2243-0263 HRS 1333.4								
AFL 1213								
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25610002 NAVIGATION INTERFACE UNIT Component ATA:25								
PN:PN MOS/MSC 03-Jul-18 H/T TSN 0								
SN:UNKNOWN HRS 0 TSN 0								
AFL 0 TSN 0								
PROC. REF: AMM PC24-A-E25-61-0002-00A-520A-A, AMM PC24-A-E25-61-0002-00A-720A-APROC. REF: AMM PC24-A-E25-61-0002-00A-520A-A, AMM PC24-A-E25-61-0002-00A-720A-A								
PC24CA25620001 LIFE VEST, PILOT Component ATA:25								
PN:904.92.17.913 MOS/MSC 03-Jul-18 O/C TSN 0								
SN:L4107652 HRS 0 TSN 0								
AFL 0 TSN 0								
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25620002 LIFE VEST, COPILOT Component ATA:25								
PN:904.92.17.913 MOS/MSC 03-Jul-18 O/C TSN 0								
SN:L4107667 HRS 0 TSN 0								
AFL 0 TSN 0								
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25620004 LIFE VEST, NO. 1 PASSENGER Component ATA:25								
PN:904.92.17.913 MOS/MSC 03-Jul-18 O/C TSN 0								
SN:L4107663 HRS 0 TSN 0								
AFL 0 TSN 0								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25620005 LIFE VEST, NO. 2 PASSENGER								Component ATA:25
PN:904.92.17.913	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:L4107660	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25620006 LIFE VEST, NO. 3 PASSENGER								Component ATA:25
PN:904.92.17.913	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:L4107669	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25620007 LIFE VEST, NO. 4 PASSENGER								Component ATA:25
PN:904.92.17.913	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:L4107666	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25620008 LIFE VEST, NO. 5 PASSENGER								Component ATA:25
PN:904.92.17.913	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:L4107668	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25620009 LIFE VEST, NO. 6 PASSENGER								Component ATA:25
PN:904.92.17.913	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:L4107661	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25620010 LIFE VEST, NO. 7 PASSENGER								Component ATA:25
PN:904.92.17.913	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:L4107665	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25620011 LIFE VEST, NO. 8 PASSENGER								Component ATA:25
PN:904.92.17.913	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:L4107664	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA25640001 FIRST AID KIT								Component ATA:25
PN:509229	MOS/MSC	18-Aug-25	H/T	TSO 0				
SN:112020004	HRS	2073.8		TSO 0				
	AFL	1690		TSO 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
SM-25-10-001 ^S CREW SEATS - VISUAL EXAMINATION								Service ATA:25
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E25-10-0001-00A-310A-APROC. REF: AMM PC24-A-E25-10-0001-00A-310A-A								
SM-25-10-003 ^S CREW SEATS RESTRAINT SYSTEM - VISUAL EXAMINATION								Service ATA:25
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E25-10-0002-00A-310A-APROC. REF: AMM PC24-A-E25-10-0002-00A-310A-A								
SM-25-10-004 ^S CREW SEATS RESTRAINT SYSTEM INERTIA REEL - OPERATION TEST								Service ATA:25
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E25-10-0002-00A-320A-APROC. REF: AMM PC24-A-E25-10-0002-00A-320A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SM-25-22-005 ^S	PASSENGER SEATS - VISUAL EXAMINATION							Service ATA:25
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E25-22-0001-00A-310A-A, AMM PC24-A-E25-22-0003-00A-310A-A, AMM PC24-A-E25-22-0006-00A-310A-A-PROC. REF: AMM PC24-A-E25-22-0001-00A-310A-A, AMM PC24-A-E25-22-0003-00A-310A-A, AMM PC24-A-E25-22-0006-00A-310A-A								PKG:3
SM-25-22-006 ^S	PASSENGER RESTRAINT SYSTEM - VISUAL EXAMINATION							Service ATA:25
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E25-22-0002-00A-310A-A, AMM PC24-A-E25-22-0004-00A-310A-A, AMM PC24-A-E25-22-0007-00A-310A-A-PROC. REF: AMM PC24-A-E25-22-0002-00A-310A-A, AMM PC24-A-E25-22-0004-00A-310A-A, AMM PC24-A-E25-22-0007-00A-310A-A								PKG:3
SM-25-22-007 ^S	PASSENGER SEATS - OPERATION TEST							Service ATA:25
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E25-22-0001-00A-320A-A, AMM PC24-A-E25-22-0003-00A-320A-A, AMM PC24-A-E25-22-0006-00A-320A-A-PROC. REF: AMM PC24-A-E25-22-0001-00A-320A-A, AMM PC24-A-E25-22-0003-00A-320A-A, AMM PC24-A-E25-22-0006-00A-320A-A								PKG:2
SM-25-22-008 ^S	PASSENGER SEATS RESTRAINT SYSTEM AND INERTIA REEL - OPERATION TEST							Service ATA:25
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E25-22-0002-00A-320A-A, AMM PC24-A-E25-22-0004-00A-320A-A, AMM PC24-A-E25-22-0007-00A-320A-A-PROC. REF: AMM PC24-A-E25-22-0002-00A-320A-A, AMM PC24-A-E25-22-0004-00A-320A-A, AMM PC24-A-E25-22-0007-00A-320A-A								PKG:3
SM-25-61-009 ^S	ELT SYSTEM - FUNCTION TEST							Service ATA:25
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E25-61-0000-00A-340A-A-PROC. REF: AMM PC24-A-E25-61-0000-00A-340A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SM-25-61-010 ^S	ELT INSTALLATION - VISUAL EXAMINATION							Service ATA:25
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E25-61-0000-00A-310A-APROC. REF: AMM PC24-A-E25-61-0000-00A-310A-A								PKG:3
SM-25-61-011	EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY - DISCARD							Service ATA:25
PN:0191823	MOS/MSC	21-Aug-23	DUE		01-Sep-29 (M)		1123 d	LIFE LIMIT
SN:2243-0263	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E25-61-0001-00A-520A-A, AMM PC24-A-E25-61-0001-00A-720A-APROC. REF: AMM PC24-A-E25-61-0001-00A-520A-A, AMM PC24-A-E25-61-0001-00A-720A-A								
SM-25-61-020	ELT, KANNAD INTEGRA 406 AF - LOCAL REGULATION CAN REQUIRE ADDITIONAL ELT PERIODIC INSPECTIONS (REFER TO KANNAD SERVICE LETTER , MAINTENANCE POLICY FOR KANNAD ELT (SL S18XX50X-25-02)							Service ATA:25
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
SM-25-62-018 ^S	LIFE VEST (IF INSTALLED), COPILOT - VISUAL EXAMINATION							Service ATA:25
PN:904.92.17.913	MOS	29-Oct-25	12 (+10%/-10%)					
SN:L4107667	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E25-62-0000-00A-310A-APROC. REF: AMM PC24-A-E25-62-0000-00A-310A-A								PKG:13
SM-25-62-018 ^S	LIFE VEST (IF INSTALLED), NO. 5 PASSENGER - VISUAL EXAMINATION							Service ATA:25
PN:904.92.17.913	MOS	29-Oct-25	12 (+10%/-10%)					
SN:L4107668	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E25-62-0000-00A-310A-APROC. REF: AMM PC24-A-E25-62-0000-00A-310A-A								PKG:13

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SM-25-62-018 ^S		LIFE VEST (IF INSTALLED), NO. 6 PASSENGER - VISUAL EXAMINATION						Service ATA:25
PN:904.92.17.913	MOS	29-Oct-25	12 (+10%/-10%)					
SN:L4107661	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E25-62-0000-00A-310A-APROC. REF: AMM PC24-A-E25-62-0000-00A-310A-A								PKG:13
SM-25-62-018 ^S		LIFE VEST (IF INSTALLED), NO. 7 PASSENGER - VISUAL EXAMINATION						Service ATA:25
PN:904.92.17.913	MOS	29-Oct-25	12 (+10%/-10%)					
SN:L4107665	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E25-62-0000-00A-310A-APROC. REF: AMM PC24-A-E25-62-0000-00A-310A-A								PKG:13
SM-25-62-018 ^S		LIFE VEST (IF INSTALLED), NO. 8 PASSENGER - VISUAL EXAMINATION						Service ATA:25
PN:904.92.17.913	MOS	29-Oct-25	12 (+10%/-10%)					
SN:L4107664	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E25-62-0000-00A-310A-APROC. REF: AMM PC24-A-E25-62-0000-00A-310A-A								PKG:13
SM-25-62-018 ^S		LIFE VEST (IF INSTALLED), NO.1 PASSENGER - VISUAL EXAMINATION						Service ATA:25
PN:904.92.17.913	MOS	29-Oct-25	12 (+10%/-10%)					
SN:L4107663	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E25-62-0000-00A-310A-APROC. REF: AMM PC24-A-E25-62-0000-00A-310A-A								PKG:13
SM-25-62-018 ^S		LIFE VEST (IF INSTALLED), NO.2 PASSENGER - VISUAL EXAMINATION						Service ATA:25
PN:904.92.17.913	MOS	29-Oct-25	12 (+10%/-10%)					
SN:L4107660	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E25-62-0000-00A-310A-APROC. REF: AMM PC24-A-E25-62-0000-00A-310A-A								PKG:13

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SM-25-62-018 ^S		LIFE VEST (IF INSTALLED), NO.3 PASSENGER - VISUAL EXAMINATION						Service ATA:25
PN:904.92.17.913	MOS	29-Oct-25	12 (+10%/-10%)					
SN:L4107669	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E25-62-0000-00A-310A-APROC. REF: AMM PC24-A-E25-62-0000-00A-310A-A								PKG:13
SM-25-62-018 ^S		LIFE VEST (IF INSTALLED), NO.4 PASSENGER - VISUAL EXAMINATION						Service ATA:25
PN:904.92.17.913	MOS	29-Oct-25	12 (+10%/-10%)					
SN:L4107666	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E25-62-0000-00A-310A-APROC. REF: AMM PC24-A-E25-62-0000-00A-310A-A								PKG:13
SM-25-62-018 ^S		LIFE VEST (IF INSTALLED), PILOT - VISUAL EXAMINATION						Service ATA:25
PN:904.92.17.913	MOS	29-Oct-25	12 (+10%/-10%)					
SN:L4107652	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E25-62-0000-00A-310A-APROC. REF: AMM PC24-A-E25-62-0000-00A-310A-A								PKG:13
SM-25-62-019		DISCARD LIFE VEST (IF INSTALLED) , COPILOT						Service ATA:25
PN:904.92.17.913	MOS	12-May-18	120		12-May-28		646 d	LIFE LIMIT
SN:L4107667	HRS							
	AFL							
Manufacture Date:: 12-May-18								
PROC. REF: AMM PC24-A-E25-62-0000-00A-920A-APROC. REF: AMM PC24-A-E25-62-0000-00A-920A-A								
SM-25-62-019		DISCARD LIFE VEST (IF INSTALLED) , NO. 1 PASSENGER						Service ATA:25
PN:904.92.17.913	MOS	12-May-18	120		19-Jan-28 (M)		532 d	LIFE LIMIT
SN:L4107663	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-62-0000-00A-920A-APROC. REF: AMM PC24-A-E25-62-0000-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SM-25-62-019	DISCARD LIFE VEST (IF INSTALLED) , NO. 2 PASSENGER							Service ATA:25
PN:904.92.17.913	MOS	12-May-18	120		19-Jan-28 (M)		532 d	LIFE LIMIT
SN:L4107660	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-62-0000-00A-920A-APROC. REF: AMM PC24-A-E25-62-0000-00A-920A-A								
SM-25-62-019	DISCARD LIFE VEST (IF INSTALLED) , NO. 3 PASSENGER							Service ATA:25
PN:904.92.17.913	MOS	12-May-18	120		19-Jan-28 (M)		532 d	LIFE LIMIT
SN:L4107669	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-62-0000-00A-920A-APROC. REF: AMM PC24-A-E25-62-0000-00A-920A-A								
SM-25-62-019	DISCARD LIFE VEST (IF INSTALLED) , NO. 4 PASSENGER							Service ATA:25
PN:904.92.17.913	MOS	12-May-18	120		19-Jan-28 (M)		532 d	LIFE LIMIT
SN:L4107666	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-62-0000-00A-920A-APROC. REF: AMM PC24-A-E25-62-0000-00A-920A-A								
SM-25-62-019	DISCARD LIFE VEST (IF INSTALLED) , NO. 5 PASSENGER							Service ATA:25
PN:904.92.17.913	MOS	12-May-18	120		19-Jan-28 (M)		532 d	LIFE LIMIT
SN:L4107668	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-62-0000-00A-920A-APROC. REF: AMM PC24-A-E25-62-0000-00A-920A-A								
SM-25-62-019	DISCARD LIFE VEST (IF INSTALLED) , NO. 6 PASSENGER							Service ATA:25
PN:904.92.17.913	MOS	12-May-18	120		19-Jan-28 (M)		532 d	LIFE LIMIT
SN:L4107661	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-62-0000-00A-920A-APROC. REF: AMM PC24-A-E25-62-0000-00A-920A-A								
SM-25-62-019	DISCARD LIFE VEST (IF INSTALLED) , NO. 7 PASSENGER							Service ATA:25
PN:904.92.17.913	MOS	12-May-18	120		19-Jan-28 (M)		532 d	LIFE LIMIT
SN:L4107665	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-62-0000-00A-920A-APROC. REF: AMM PC24-A-E25-62-0000-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SM-25-62-019		DISCARD LIFE VEST (IF INSTALLED) , NO. 8 PASSENGER						Service ATA:25
PN:904.92.17.913	MOS	12-May-18	120		19-Jan-28 (M)		532 d	LIFE LIMIT
SN:L4107664	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-62-0000-00A-920A-APROC. REF: AMM PC24-A-E25-62-0000-00A-920A-A								
SM-25-62-019		DISCARD LIFE VEST (IF INSTALLED) , PILOT						Service ATA:25
PN:904.92.17.913	MOS	12-May-18	120		19-Jan-28 (M)		532 d	LIFE LIMIT
SN:L4107652	HRS							
	AFL							
PROC. REF: AMM PC24-A-E25-62-0000-00A-920A-APROC. REF: AMM PC24-A-E25-62-0000-00A-920A-A								
SM-25-65-015		FLIGHT COMPARTMENT PORTABLE FIRE EXTINGUISHER - CONTENT CHECK						Service ATA:25
PN:959.08.06.220	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	
SN:UNKNOWN	HRS	2109.2						
	AFL	1721						
WeightCheck Date : : 29-Oct-25						WO#: N107PJ-200429-1		
PROC. REF: AMM PC24-A-E25-65-0001-00A-289A-APROC. REF: AMM PC24-A-E25-65-0001-00A-289A-A								
SM-25-65-015		PASSENGER COMPARTMENT PORTABLE FIRE EXTINGUISHER - CONTENT CHECK						Service ATA:25
PN:959.08.06.219	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	
SN:108148	HRS	2109.2						
	AFL	1721						
WeightCheck Date : : 29-Oct-25						WO#: N107PJ-200429-1		
PROC. REF: AMM PC24-A-E25-65-0001-00A-289A-APROC. REF: AMM PC24-A-E25-65-0001-00A-289A-A								
SM-25-66-013		PORTABLE PROTECTIVE BREATHING EQUIPMENT - DISCARD (REMOVE AND INSTALL NEW PORTABLE PROTECTIVE BREATHING EQUIPMENT)						Service ATA:25
PN:957.12.01.201	MOS	01-May-17	120		01-May-27		269 d	LIFE LIMIT
SN:E17050323	HRS							
	AFL							
Manufacture Date:: 01-May-17								
PROC. REF: AMM PC24-A-E25-66-0000-00A-921A-APROC. REF: AMM PC24-A-E25-66-0000-00A-921A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
AL-26-10-009	SMOKE DETECTOR - OPERATION TEST (CMR*)							Service ATA:26
	MOS	13-Sep-24						CMR*
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E26-10-0002-00A-320A-APROC. REF: AMM PC24-A-E26-10-0002-00A-320A-A								
AL-26-20-001	ENGINE ISOLATION SYSTEM - OPERATION TEST (CMR*)							Service ATA:26
	MOS	13-Sep-24						CMR*
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E26-00-0000-00A-320A-APROC. REF: AMM PC24-A-E26-00-0000-00A-320A-A								
AL-26-20-002	ENGINE FIRE EXTINGUISHER SYSTEM - OPERATION TEST (CMR*)							Service ATA:26
	MOS	13-Sep-24						CMR*
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E26-00-0000-00A-320A-APROC. REF: AMM PC24-A-E26-00-0000-00A-320A-A								
PC24AE26100110	LH PNEUMATIC FIRE DETECTOR							Component ATA:26
PN:975.12.10.017	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:5533	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E26-10-0001-00A-520A-A, AMM PC24-A-E26-10-0001-00A-720A-APROC. REF: AMM PC24-A-E26-10-0001-00A-520A-A, AMM PC24-A-E26-10-0001-00A-720A-A								
PC24AE26100120	RH PNEUMATIC FIRE DETECTOR							Component ATA:26
PN:975.12.10.017	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:5563	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E26-10-0001-00A-520A-A, AMM PC24-A-E26-10-0001-00A-720A-APROC. REF: AMM PC24-A-E26-10-0001-00A-520A-A, AMM PC24-A-E26-10-0001-00A-720A-A								
PC24AE26100200	SMOKE DETECTOR							Component ATA:26
PN:975.12.10.002	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:79918	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E26-10-0002-00A-520A-A, AMM PC24-A-E26-10-0002-00A-720A-APROC. REF: AMM PC24-A-E26-10-0002-00A-520A-A, AMM PC24-A-E26-10-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PC24AE26200110		FORWARD ENGINE FIRE EXTINGUISHER					Component	ATA:26
PN:959.08.00.000	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:81641A1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-APROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-A								
PC24AE26200120		AFT ENGINE FIRE EXTINGUISHER					Component	ATA:26
PN:959.08.00.000	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:81643A1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-APROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-A								
PC24AE26200210		DOUBLE CHECK TEE VALVE, LH					Component	ATA:26
PN:959.08.00.001	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:CT-000027	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E26-20-0002-00A-520A-A, AMM PC24-A-E26-20-0002-00A-720A-APROC. REF: AMM PC24-A-E26-20-0002-00A-520A-A, AMM PC24-A-E26-20-0002-00A-720A-A								
PC24AE26200220		DOUBLE CHECK TEE VALVE, RH					Component	ATA:26
PN:959.08.00.001	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:CT-000024	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E26-20-0002-00A-520A-A, AMM PC24-A-E26-20-0002-00A-720A-APROC. REF: AMM PC24-A-E26-20-0002-00A-520A-A, AMM PC24-A-E26-20-0002-00A-720A-A								
PC24AE26200300		FLIGHT COMPARTMENT PORTABLE FIRE EXTINGUISHER					Component	ATA:26
PN:959.08.06.220	MOS/MSC	05-Aug-20	H/T	TSN 2				
SN:UNKNOWN	HRS	584.1		TSN 0				
	AFL	562		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE26200400		PASSENGER COMPARTMENT PORTABLE FIRE EXTINGUISHER					Component	ATA:26
PN:959.08.06.219	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:108148	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PC24CA26200001		AFT ENGINE FIRE EXTINGUISHER NO.1 CARTRIDGE						Component ATA:26
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-APROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-A								
PC24CA26200002		FORWARD ENGINE FIRE EXTINGUISHER NO.1 CARTRIDGE						Component ATA:26
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-APROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-A								
PC24CA26200004		FORWARD ENGINE FIRE EXTINGUISHER NO.2 CARTRIDGE						Component ATA:26
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA26200005		AFT ENGINE FIRE EXTINGUISHER NO.2 CARTRIDGE						Component ATA:26
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
SM-26-10-010		SMOKE DETECTOR - OVERHAUL (ORIGINAL EQUIPMENT MANUFACTURER CLEANING AND RECALIBRATION)						Service ATA:26
PN:975.12.10.002	MOS	03-Jul-18						OVERHAUL
SN:79918	HRS	0	9600 (+500/-500)	9600	10100	7318.8 (+500)		
	AFL	0						
PROC. REF: AMM PC24-A-E26-10-0002-00A-520A-A, AMM PC24-A-E26-10-0002-00A-720A-APROC. REF: AMM PC24-A-E26-10-0002-00A-520A-A, AMM PC24-A-E26-10-0002-00A-720A-A								
SM-26-20-003 ^S		FIRE EXTINGUISHER BOTTLE ASSEMBLY AND ATTACHMENT - VISUAL EXAMINATION						Service ATA:26
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E26-20-0000-00A-310A-APROC. REF: AMM PC24-A-E26-20-0000-00A-310A-A								

PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
SM-26-20-004	^S	EXTINGUISHING AGENT FEED LINE PIPES TO ENGINES - VISUAL EXAMINATION						Service ATA:26
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E26-20-0000-00A-310A-APROC. REF: AMM PC24-A-E26-20-0000-00A-310A-A								PKG:4
SM-26-20-005		LH ENGINE FIRE DETECTOR - FUNCTION TEST						Service ATA:26
PN:975.12.10.017	MOS	03-Jul-18						
SN:5533	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
PROC. REF: AMM PC24-A-E26-10-0001-00A-340A-APROC. REF: AMM PC24-A-E26-10-0001-00A-340A-A								PKG:11
SM-26-20-005		RH ENGINE FIRE DETECTOR - FUNCTION TEST						Service ATA:26
PN:975.12.10.017	MOS	03-Jul-18						
SN:5563	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
PROC. REF: AMM PC24-A-E26-10-0001-00A-340A-APROC. REF: AMM PC24-A-E26-10-0001-00A-340A-A								PKG:11
SM-26-20-006		FIRE EXTINGUISHER BOTTLE, AFT - HYDROSTATIC TESTING						Service ATA:26
PN:959.08.00.000	MOS	17-Mar-17	120 (+6m/-6m)		17-Mar-27	17-Sep-27	224 d (+184)	
SN:81643A1	HRS							
	AFL							
HydroCheck Date: : 17-Mar-17								
PROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-APROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-A								
SM-26-20-006		FIRE EXTINGUISHER BOTTLE, FORWARD - HYDROSTATIC TESTING						Service ATA:26
PN:959.08.00.000	MOS	17-Mar-17	120 (+6m/-6m)		17-Mar-27	17-Sep-27	224 d (+184)	
SN:81641A1	HRS							
	AFL							
HydroCheck Date: : 17-Mar-17								
PROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-APROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
SM-26-20-007	DISCARD AFT ENGINE FIRE EXTINGUISHER NO.1 CARTRIDGE							Service ATA:26
PN:PN	MOS	17-Mar-17	120		17-Mar-27		224 d	LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0						
Manufacture Date:: 17-Mar-17								
PROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-APROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-A								
SM-26-20-007	DISCARD AFT ENGINE FIRE EXTINGUISHER NO.2 CARTRIDGE							Service ATA:26
PN:PN	MOS	17-Mar-17	120		17-Mar-27		224 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 17-Mar-17								
PROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-APROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-A								
SM-26-20-007	DISCARD FORWARD ENGINE FIRE EXTINGUISHER NO.1 CARTRIDGE							Service ATA:26
PN:PN	MOS	17-Mar-17	120		17-Mar-27		224 d	LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0						
Manufacture Date:: 17-Mar-17								
PROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-APROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-A								
SM-26-20-007	DISCARD FORWARD ENGINE FIRE EXTINGUISHER NO.2 CARTRIDGE							Service ATA:26
PN:PN	MOS	17-Mar-17	120		17-Mar-27		224 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 17-Mar-17								
PROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-APROC. REF: AMM PC24-A-E26-20-0001-00A-520A-A, AMM PC24-A-E26-20-0001-00A-720A-A								
SM-26-20-008 ^S	FIRE EXTINGUISHER BOTTLE TEMPERATURE COMPENSATED PRESSURE SWITCH - OPERATION TEST							Service ATA:26
	MOS	23-Aug-23	60 (+6m/-6m)					
	HRS	1333.4	2400 (+10%/-10%)					
	AFL	1213						
PROC. REF: AMM PC24-A-E26-00-0000-00A-320A-APROC. REF: AMM PC24-A-E26-00-0000-00A-320A-A								
PKG:7								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
AL-27-00-025	CONTROL COLUMN SPROCKET GEAR ASSY (APPLICABLE TO MSN 101 TO 134 WITH NO CORROSION PROTECTION COMPOUND OR PRIMER) - VISUAL EXAMINATION							Service ATA:27
	MOS	29-Oct-25	12		29-Oct-26		85 d	
	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E27-05-0010-01A-310A-APROC. REF: AMM PC24-A-E27-05-0010-01A-310A-A								
AL-27-00-026	CONTROL COLUMN SPROCKET GEAR ASSY (APPLICABLE TO MSN 101 TO 134 WITH ONLY CORROSION PROTECTION) - VISUAL EXAMINATION							Service ATA:27
	MOS	03-Jul-18	120		03-Jul-28		698 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-E27-05-0010-01A-310A-APROC. REF: AMM PC24-A-E27-05-0010-01A-310A-A								
AL-27-10-004	AILERON TRIM MECHANISM - VISUAL EXAMINATION (CMR*)							Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	CMR*
	HRS	2109.2	600 (+10%/-10%)		2709.2	2769.2	428 (+60)	
	AFL	1721						
PROC. REF: AMM PC24-A-E27-10-0004-00A-310A-APROC. REF: AMM PC24-A-E27-10-0004-00A-310A-A								
AL-27-10-017	AILERON TRIM ACTUATOR - INSPECT AND TEST (AT OEM) (CMR*)							Service ATA:27
PN:978.73.15.124	MOS	03-Jul-18						CMR*
SN:0034A	HRS	0	9000		9000		6718.8	
	AFL	0						
PROC. REF: AMM PC24-A-E27-10-0005-00A-520A-A, AMM PC24-A-E27-10-0005-00A-720A-APROC. REF: AMM PC24-A-E27-10-0005-00A-520A-A, AMM PC24-A-E27-10-0005-00A-720A-A								
AL-27-10-024	AILERON TRIM ACTUATOR (P/N 978.73.15.124) - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE AILERON TRIM ACTUATOR)							Service ATA:27
PN:978.73.15.124	MOS	03-Jul-18						LIFE LIMIT
SN:0034A	HRS	0	13200		13200		10918.8	
	AFL	0	30000		30000		28146	
PROC. REF: AMM PC24-A-E27-10-0005-00A-520A-A, AMM PC24-A-E27-10-0005-00A-720A-APROC. REF: AMM PC24-A-E27-10-0005-00A-520A-A, AMM PC24-A-E27-10-0005-00A-720A-A								
AL-27-20-007	RUDDER TRIM MECHANISM - VISUAL EXAMINATION (CMR*)							Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	CMR*
	HRS	2109.2	600 (+10%/-10%)		2709.2	2769.2	428 (+60)	
	AFL	1721						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM PC24-A-E27-20-0005-00A-310A-APROC. REF: AMM PC24-A-E27-20-0005-00A-310A-A								
AL-27-20-018	RUDDER TRIM ACTUATOR - INSPECT AND TEST (AT OEM) (CMR*)							Service ATA:27
PN:978.73.15.124	MOS	21-Aug-20						CMR*
SN:0063A	HRS	600	9000 (+500/-10%)		9600	10100	7318.8 (+500)	
	AFL	587						
PROC. REF: AMM PC24-A-E27-20-0006-00A-520A-A, AMM PC24-A-E27-20-0006-00A-720A-APROC. REF: AMM PC24-A-E27-20-0006-00A-520A-A, AMM PC24-A-E27-20-0006-00A-720A-A								
AL-27-20-019	RUDDER TRIM ACTUATOR (P/N 978.73.15.124) - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE RUDDER TRIM ACTUATOR)							Service ATA:27
PN:978.73.15.124	MOS	21-Aug-20						LIFE LIMIT
SN:0063A	HRS	600	13200		13800		11518.8	
	AFL	587	30000		30587		28733	
PROC. REF: AMM PC24-A-E27-20-0006-00A-520A-A, AMM PC24-A-E27-20-0006-00A-720A-APROC. REF: AMM PC24-A-E27-20-0006-00A-520A-A, AMM PC24-A-E27-20-0006-00A-720A-A								
AL-27-40-012	HORIZONTAL STABILIZER SECONDARY TRIM SYSTEM - OPERATION TEST (CMR*)							Service ATA:27
	MOS	13-Sep-24						CMR*
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E27-40-0000-00A-320A-APROC. REF: AMM PC24-A-E27-40-0000-00A-320A-A								
AL-27-40-020	PITCH TRIM ACTUATOR (P/N 978.73.14.214) - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE PITCH TRIM ACTUATOR)							Service ATA:27
PN:978.73.14.214	MOS	03-Jul-18						LIFE LIMIT
SN:000107	HRS	0	7525		7525		5243.8	
	AFL	0	30000		30000		28146	
PROC. REF: AMM PC24-A-E27-40-0001-00A-520A-A, AMM PC24-A-E27-40-0001-00A-720A-APROC. REF: AMM PC24-A-E27-40-0001-00A-520A-A, AMM PC24-A-E27-40-0001-00A-720A-A								
AL-27-40-022	HORIZONTAL STABILIZER PRIMARY TRIM SYSTEM SECONDARY POWER SOURCE - OPERATION TEST (CMR*)							Service ATA:27
	MOS	13-Sep-24						CMR*
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E27-40-0000-01A-320A-APROC. REF: AMM PC24-A-E27-40-0000-01A-320A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
AL-27-40-023	PITCH TRIM SWITCH (COPILOT CONTROL YOKE) - LIFE LIMIT (REMOVE AND INSTALL NEW PITCH TRIM SWITCH)							Service ATA:27
PN:944.30.19.226	MOS	03-Jul-18						LIFE LIMIT
SN:00009	HRS	0	10000		10000		7718.8	
	AFL	0						
PROC. REF: AMM PC24-A-E27-10-0021-00A-520A-A, AMM PC24-A-E27-10-0021-00A-720A-APROC. REF: AMM PC24-A-E27-10-0021-00A-520A-A, AMM PC24-A-E27-10-0021-00A-720A-A								
AL-27-40-023	PITCH TRIM SWITCH (PILOT CONTROL YOKE) - LIFE LIMIT (REMOVE AND INSTALL NEW PITCH TRIM SWITCH)							Service ATA:27
PN:944.30.19.225	MOS	03-Jul-18						LIFE LIMIT
SN:00008	HRS	0	10000		10000		7718.8	
	AFL	0						
PROC. REF: AMM PC24-A-E27-10-0021-00A-520A-A, AMM PC24-A-E27-10-0021-00A-720A-APROC. REF: AMM PC24-A-E27-10-0021-00A-520A-A, AMM PC24-A-E27-10-0021-00A-720A-A								
AL-27-40-024	PITCH TRIM ACTUATOR UPPER AND LOWER ATTACHMENTS - SPECIAL IRREGULAR INSPECTION							Service ATA:27
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E27-05-0001-00A-284A-APROC. REF: AMM PC24-A-E27-05-0001-00A-284A-A								
AL-27-50-013	FLAP INTERCONNECT MECHANISM - VISUAL EXAMINATION (CMR*)							Service ATA:27
	MOS	13-Sep-24	24 (+10%/-10%)		13-Sep-26	25-Nov-26	39 d (+73)	CMR*
	HRS	1731	1200 (+10%/-10%)		2931	3051	649.8 (+120)	
	AFL	1468						
PROC. REF: AMM PC24-A-E27-50-0000-00A-310A-APROC. REF: AMM PC24-A-E27-50-0000-00A-310A-A								
AL-27-50-021	FLAP ACTUATOR, INBD LH - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE INBD FLAP ACTUATOR) (P/N 960.10.04.173)							Service ATA:27
PN:960.10.04.173	MOS	03-Jul-18						LIFE LIMIT
SN:0004	HRS	0	29700		29700		27418.8	
	AFL	0						
PROC. REF: AMM PC24-A-E27-50-0002-00A-520A-A, AMM PC24-A-E27-50-0002-00A-720A-APROC. REF: AMM PC24-A-E27-50-0002-00A-520A-A, AMM PC24-A-E27-50-0002-00A-720A-A								
AL-27-50-021	FLAP ACTUATOR, INBD RH - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE INBD FLAP ACTUATOR) (P/N 960.10.04.174)							Service ATA:27
PN:960.10.04.174	MOS	03-Jul-18						LIFE LIMIT
SN:0007	HRS	0	29700		29700		27418.8	
	AFL	0						
PROC. REF: AMM PC24-A-E27-50-0002-00A-520A-A, AMM PC24-A-E27-50-0002-00A-720A-APROC. REF: AMM PC24-A-E27-50-0002-00A-520A-A, AMM PC24-A-E27-50-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
AL-27-60-015	GROUND SPOILER OVER-CENTRE LOCKING DEVICE MECHANISM - VISUAL EXAMINATION (CMR*)							Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	CMR*
	HRS	2109.2	1200 (+10%/-10%)		3309.2	3429.2	1028 (+120)	
	AFL	1721						
PROC. REF: AMM PC24-A-E27-60-0000-00A-310A-APROC. REF: AMM PC24-A-E27-60-0000-00A-310A-A								
PC24AE27100100	CONTROL YOKE, PILOT							Component ATA:27
PN:944.30.19.225	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:00008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0020-00A-520A-A, AMM PC24-A-E27-10-0020-00A-720A-APROC. REF: AMM PC24-A-E27-10-0020-00A-520A-A, AMM PC24-A-E27-10-0020-00A-720A-A								
PC24AE27100110	AILERON CONTROL ROD 1, LH							Component ATA:27
PN:527.12.24.075	MOS/MSC	20-Mar-20	O/C	TSN 0				
SN:48	HRS	538.8		TSN 0				
	AFL	502		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0007-00A-520A-A, AMM PC24-A-E27-10-0007-00A-720A-APROC. REF: AMM PC24-A-E27-10-0007-00A-520A-A, AMM PC24-A-E27-10-0007-00A-720A-A								
PC24AE27100120	AILERON CONTROL ROD 1, RH							Component ATA:27
PN:527.12.24.076	MOS/MSC	20-Mar-20	O/C	TSN 0				
SN:53	HRS	538.8		TSN 0				
	AFL	502		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0007-00A-520A-A, AMM PC24-A-E27-10-0007-00A-720A-APROC. REF: AMM PC24-A-E27-10-0007-00A-520A-A, AMM PC24-A-E27-10-0007-00A-720A-A								
PC24AE27100200	CONTROL YOKE, COPILOT							Component ATA:27
PN:944.30.19.226	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:00009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0020-00A-520A-A, AMM PC24-A-E27-10-0020-00A-720A-APROC. REF: AMM PC24-A-E27-10-0020-00A-520A-A, AMM PC24-A-E27-10-0020-00A-720A-A								
PC24AE27100300	ROLLER CHAIN ASSY, LH							Component ATA:27
PN:527.10.24.144	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27100400	ROLLER CHAIN ASSY, RH							Component ATA:27
PN:527.10.24.145	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27100500	TORQUE TUBE, AILERON, ASSY							Component ATA:27
PN:527.10.24.154	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0018-00A-520A-A, AMM PC24-A-E27-10-0018-00A-720A-APROC. REF: AMM PC24-A-E27-10-0018-00A-520A-A, AMM PC24-A-E27-10-0018-00A-720A-A								
PC24AE27120210	AILERON CONTROL ROD 2, LH							Component ATA:27
PN:961.10.01.205	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT07180001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0008-00A-520A-A, AMM PC24-A-E27-10-0008-00A-720A-APROC. REF: AMM PC24-A-E27-10-0008-00A-520A-A, AMM PC24-A-E27-10-0008-00A-720A-A								
PC24AE27120220	AILERON CONTROL ROD 2, RH							Component ATA:27
PN:961.10.01.205	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT07220001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0008-00A-520A-A, AMM PC24-A-E27-10-0008-00A-720A-APROC. REF: AMM PC24-A-E27-10-0008-00A-520A-A, AMM PC24-A-E27-10-0008-00A-720A-A								
PC24AE27120310	AILERON CONTROL ROD 3, LH							Component ATA:27
PN:961.10.01.199	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT04060001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0009-00A-520A-A, AMM PC24-A-E27-10-0009-00A-720A-APROC. REF: AMM PC24-A-E27-10-0009-00A-520A-A, AMM PC24-A-E27-10-0009-00A-720A-A								
PC24AE27120320	AILERON CONTROL ROD 3, RH							Component ATA:27
PN:961.10.01.199	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT04040001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0009-00A-520A-A, AMM PC24-A-E27-10-0009-00A-720A-APROC. REF: AMM PC24-A-E27-10-0009-00A-520A-A, AMM PC24-A-E27-10-0009-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27120410 AILERON CONTROL ROD 4, LH								Component ATA:27
PN:961.10.01.200	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:T04170001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0010-00A-520A-A, AMM PC24-A-E27-10-0010-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0010-00A-520A-A, AMM PC24-A-E27-10-0010-00A-720A-A								
PC24AE27120420 AILERON CONTROL ROD 4, RH								Component ATA:27
PN:961.10.01.200	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:T04180001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0010-00A-520A-A, AMM PC24-A-E27-10-0010-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0010-00A-520A-A, AMM PC24-A-E27-10-0010-00A-720A-A								
PC24AE27120510 AILERON CONTROL ROD 5, LH								Component ATA:27
PN:961.10.01.201	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03980001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0011-00A-520A-A, AMM PC24-A-E27-10-0011-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0011-00A-520A-A, AMM PC24-A-E27-10-0011-00A-720A-A								
PC24AE27120520 AILERON CONTROL ROD 5, RH								Component ATA:27
PN:961.10.01.201	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03970001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0011-00A-520A-A, AMM PC24-A-E27-10-0011-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0011-00A-520A-A, AMM PC24-A-E27-10-0011-00A-720A-A								
PC24AE27120610 AILERON CONTROL ROD 6. LH								Component ATA:27
PN:961.10.01.202	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT05750001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0012-00A-520A-A, AMM PC24-A-E27-10-0012-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0012-00A-520A-A, AMM PC24-A-E27-10-0012-00A-720A-A								
PC24AE27120620 AILERON CONTROL ROD 6. RH								Component ATA:27
PN:961.10.01.202	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT05760001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0012-00A-520A-A, AMM PC24-A-E27-10-0012-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0012-00A-520A-A, AMM PC24-A-E27-10-0012-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27120710		AILERON CONTROL ROD 7, LH					Component	ATA:27
PN:961.10.01.206	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT07460001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0013-00A-520A-A, AMM PC24-A-E27-10-0013-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0013-00A-520A-A, AMM PC24-A-E27-10-0013-00A-720A-A								
PC24AE27120720		AILERON CONTROL ROD 7, RH					Component	ATA:27
PN:961.10.01.206	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT07380001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0013-00A-520A-A, AMM PC24-A-E27-10-0013-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0013-00A-520A-A, AMM PC24-A-E27-10-0013-00A-720A-A								
PC24AE27120810		AILERON CONTROL ROD 8A, LH					Component	ATA:27
PN:527.12.24.065	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:133	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0014-00A-520A-A, AMM PC24-A-E27-10-0014-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0014-00A-520A-A, AMM PC24-A-E27-10-0014-00A-720A-A								
PC24AE27120820		AILERON CONTROL ROD 8A, RH					Component	ATA:27
PN:527.12.24.065	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:124	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0014-00A-520A-A, AMM PC24-A-E27-10-0014-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0014-00A-520A-A, AMM PC24-A-E27-10-0014-00A-720A-A								
PC24AE27120830		AILERON CONTROL ROD 8B, LH					Component	ATA:27
PN:527.12.24.067	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0014-00A-520A-A, AMM PC24-A-E27-10-0014-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0014-00A-520A-A, AMM PC24-A-E27-10-0014-00A-720A-A								
PC24AE27120840		AILERON CONTROL ROD 8B, RH					Component	ATA:27
PN:527.12.24.067	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:114	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0014-00A-520A-A, AMM PC24-A-E27-10-0014-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0014-00A-520A-A, AMM PC24-A-E27-10-0014-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27120910		AILERON CONTROL ROD 9, LH					Component	ATA:27
PN:961.10.01.169	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03690001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0015-00A-520A-A, AMM PC24-A-E27-10-0015-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0015-00A-520A-A, AMM PC24-A-E27-10-0015-00A-720A-A								
PC24AE27120920		AILERON CONTROL ROD 9, RH					Component	ATA:27
PN:961.10.01.169	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03700001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0015-00A-520A-A, AMM PC24-A-E27-10-0015-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0015-00A-520A-A, AMM PC24-A-E27-10-0015-00A-720A-A								
PC24AE27121010		IDLER ASSY, AILERON 2, LH					Component	ATA:27
PN:527.12.24.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:179	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27121020		IDLER ASSY, AILERON 3, LH					Component	ATA:27
PN:527.12.24.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:191	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27121030		IDLER ASSY, AILERON 4, LH					Component	ATA:27
PN:527.12.24.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:193	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27121040		IDLER ASSY, AILERON 5, LH					Component	ATA:27
PN:527.12.24.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:183	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27121050		IDLER ASSY, AILERON 2, RH					Component	ATA:27
PN:527.12.24.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:189	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27121060		IDLER ASSY, AILERON 3, RH					Component	ATA:27
PN:527.12.24.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:188	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27121070		IDLER ASSY, AILERON 4, RH					Component	ATA:27
PN:527.12.24.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:176	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27121080		IDLER ASSY, AILERON 5, RH					Component	ATA:27
PN:527.12.24.045	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:174	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27121110		AILERON POSITION SENSOR, LH					Component	ATA:27
PN:960.10.04.159	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0003-00A-520A-A, AMM PC24-A-E27-10-0003-00A-720A-APROC. REF: AMM PC24-A-E27-10-0003-00A-520A-A, AMM PC24-A-E27-10-0003-00A-720A-A								
PC24AE27121120		AILERON POSITION SENSOR, RH					Component	ATA:27
PN:960.10.04.159	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A124	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0003-00A-520A-A, AMM PC24-A-E27-10-0003-00A-720A-APROC. REF: AMM PC24-A-E27-10-0003-00A-520A-A, AMM PC24-A-E27-10-0003-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27121200		AILERON TRIM ACTUATOR					Component	ATA:27
PN:527.12.24.053	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0005-00A-520A-A, AMM PC24-A-E27-10-0005-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0005-00A-520A-A, AMM PC24-A-E27-10-0005-00A-720A-A								
PC24AE27121200010		TRIM ACTUATOR					Component	ATA:27
PN:978.73.15.124	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0034A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-10-0005-00A-520A-A, AMM PC24-A-E27-10-0005-00A-720A-A PROC. REF: AMM PC24-A-E27-10-0005-00A-520A-A, AMM PC24-A-E27-10-0005-00A-720A-A								
PC24AE27200100		BEAM, ASSY, LH					Component	ATA:27
PN:527.20.24.255	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:105	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2 PROC. REF: AMM GENERIC 2								
PC24AE27200210		PEDAL ARM, ASSY, PILOT, LH					Component	ATA:27
PN:527.20.24.327	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:116	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0009-00A-520A-A, AMM PC24-A-E27-20-0009-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0009-00A-520A-A, AMM PC24-A-E27-20-0009-00A-720A-A								
PC24AE27200220		PEDAL ARM, ASSY, COPILOT, LH					Component	ATA:27
PN:527.20.24.327	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0009-00A-520A-A, AMM PC24-A-E27-20-0009-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0009-00A-520A-A, AMM PC24-A-E27-20-0009-00A-720A-A								
PC24AE27200310		PEDAL ARM, ASSY, PILOT, RH					Component	ATA:27
PN:527.20.24.328	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:114	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0009-00A-520A-A, AMM PC24-A-E27-20-0009-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0009-00A-520A-A, AMM PC24-A-E27-20-0009-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27200320		PEDAL ARM, ASSY, COPILOT, RH					Component	ATA:27
PN:527.20.24.328	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0009-00A-520A-A, AMM PC24-A-E27-20-0009-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0009-00A-520A-A, AMM PC24-A-E27-20-0009-00A-720A-A								
PC24AE27200400		TORQUE TUBE, ASSY, PILOT					Component	ATA:27
PN:527.20.24.404	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27200500		BEARING TUBE, ASSY, COPILOT					Component	ATA:27
PN:527.20.24.405	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27200600		CONTROL ROD, RUDDER, INTERCONNECTION					Component	ATA:27
PN:961.10.01.192	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03400001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0010-00A-520A-A, AMM PC24-A-E27-20-0010-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0010-00A-520A-A, AMM PC24-A-E27-20-0010-00A-720A-A								
PC24AE27200700		CONTROL ROD, RUDDER, TENSION REGULATOR					Component	ATA:27
PN:527.20.24.469	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0010-00A-520A-A, AMM PC24-A-E27-20-0010-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0010-00A-520A-A, AMM PC24-A-E27-20-0010-00A-720A-A								
PC24AE27200800		TENSION REGULATOR RUDDER					Component	ATA:27
PN:527.20.24.009	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2547697-4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27200900		RUDDER TRIM ACTUATOR					Component	ATA:27
PN:978.73.15.124	MOS/MSC	21-Aug-20	H/T	TSN 0				
SN:0063A	HRS	600		TSN 0				
	AFL	587		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0006-00A-520A-A, AMM PC24-A-E27-20-0006-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0006-00A-520A-A, AMM PC24-A-E27-20-0006-00A-720A-A								
PC24AE27201010		CONTROL ROD,RUDDER-TRIM, SHORT, UPPER					Component	ATA:27
PN:527.20.24.464	MOS/MSC	13-Sep-24	O/C	TSN 0				
SN:11	HRS	1731		TSN 0				
	AFL	1468		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0010-00A-520A-A, AMM PC24-A-E27-20-0010-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0010-00A-520A-A, AMM PC24-A-E27-20-0010-00A-720A-A								
PC24AE27201020		CONTROL ROD,RUDDER-TRIM, SHORT, LOWER					Component	ATA:27
PN:527.20.24.464	MOS/MSC	13-Sep-24	O/C	TSN 0				
SN:14	HRS	1731		TSN 0				
	AFL	1468		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0010-00A-520A-A, AMM PC24-A-E27-20-0010-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0010-00A-520A-A, AMM PC24-A-E27-20-0010-00A-720A-A								
PC24AE27201110		PUSH ROD,RUDDER-TRIM, LONG, UPPER					Component	ATA:27
PN:961.10.01.195	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03600001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27201120		PUSH ROD,RUDDER-TRIM, LONG, LOWER					Component	ATA:27
PN:961.10.01.195	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03620001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27201200		ACTUATOR,RUDDER LIMITER, B4501					Component	ATA:27
PN:959.90.20.161	MOS/MSC	14-Feb-24	O/C	TSN 0				
SN:000639	HRS	1518.1		TSN 0				
	AFL	1316		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0011-00A-520A-A, AMM PC24-A-E27-20-0011-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0011-00A-520A-A, AMM PC24-A-E27-20-0011-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27300100		CONTROL TUBE ASSY, PILOT					Component	ATA:27
PN:527.30.24.372	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:106	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27300200		CONTROL TUBE ASSY, COPILOT					Component	ATA:27
PN:527.30.24.373	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27300300		SPROCKET WHEEL ASSY, PILOT					Component	ATA:27
PN:527.10.24.128	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27300400		SPROCKET WHEEL ASSY, COPILOT					Component	ATA:27
PN:527.10.24.129	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27300510		ROLL ASSIST POSITION SENSOR, PILOT					Component	ATA:27
PN:960.10.04.167	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A17	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0006-00A-520A-A, AMM PC24-A-E27-60-0006-00A-720A-APROC. REF: AMM PC24-A-E27-60-0006-00A-520A-A, AMM PC24-A-E27-60-0006-00A-720A-A								
PC24AE27300520		ROLL ASSIST POSITION SENSOR, COPILOT					Component	ATA:27
PN:960.10.04.167	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A20	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0006-00A-520A-A, AMM PC24-A-E27-60-0006-00A-720A-APROC. REF: AMM PC24-A-E27-60-0006-00A-520A-A, AMM PC24-A-E27-60-0006-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27300600	CONTROL COLUMN ASSY							Component ATA:27
PN:527.30.24.245	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27300700	CONTROL ROD,ELEVATOR,TENSION REG							Component ATA:27
PN:527.30.24.412	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:6	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27300800	TENSION REGULATOR ELEVATOR							Component ATA:27
PN:527.30.24.060	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2549068-4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-30-0007-00A-520A-A, AMM PC24-A-E27-30-0007-00A-720A-APROC. REF: AMM PC24-A-E27-30-0007-00A-520A-A, AMM PC24-A-E27-30-0007-00A-720A-A								
PC24AE27300900	QUADRANT ASSY, ELEVATOR CONTROL							Component ATA:27
PN:527.30.24.424	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27301000	ELEVATOR CONTROL ROD, AFT LOWER							Component ATA:27
PN:961.10.01.175	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03760001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-30-0009-00A-520A-A, AMM PC24-A-E27-30-0009-00A-720A-APROC. REF: AMM PC24-A-E27-30-0009-00A-520A-A, AMM PC24-A-E27-30-0009-00A-720A-A								
PC24AE27301100	ELEVATOR CONTROL ROD, AFT UPPER							Component ATA:27
PN:961.10.01.176	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03440001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-30-0008-00A-520A-A, AMM PC24-A-E27-30-0008-00A-720A-APROC. REF: AMM PC24-A-E27-30-0008-00A-520A-A, AMM PC24-A-E27-30-0008-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27301200		ELEVATOR CONTROL ROD, AFT HORIZONTAL					Component	ATA:27
PN:961.10.01.177	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03460001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-30-0010-00A-520A-A, AMM PC24-A-E27-30-0010-00A-720A-APROC. REF: AMM PC24-A-E27-30-0010-00A-520A-A, AMM PC24-A-E27-30-0010-00A-720A-A								
PC24AE27400100		PITCH TRIM ACTUATOR					Component	ATA:27
PN:978.73.14.214	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:000107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-40-0001-00A-520A-A, AMM PC24-A-E27-40-0001-00A-720A-APROC. REF: AMM PC24-A-E27-40-0001-00A-520A-A, AMM PC24-A-E27-40-0001-00A-720A-A								
PC24AE27500100		FLAPS CONTROL DEVICE					Component	ATA:27
PN:978.73.20.024	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17030007	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0001-00A-520A-A, AMM PC24-A-E27-50-0001-00A-720A-APROC. REF: AMM PC24-A-E27-50-0001-00A-520A-A, AMM PC24-A-E27-50-0001-00A-720A-A								
PC24AE27500200		FLAPS ACTUATOR POWER AND CONTROL MODULE					Component	ATA:27
PN:960.10.04.201(189910-11)	MOS/MSC	26-Aug-22	O/C	TSR 0				
SN:9-0116	HRS	976.6		TSR 0				
	AFL	975		TSR 0				
PROC. REF: AMM PC24-A-E27-50-0007-00A-520A-A, AMM PC24-A-E27-50-0007-00A-720A-APROC. REF: AMM PC24-A-E27-50-0007-00A-520A-A, AMM PC24-A-E27-50-0007-00A-720A-A								
PC24AE27500300		TORQUE TUBE ASSY					Component	ATA:27
PN:527.50.24.029	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27500410		CONTROL ROD,FLAP,INTERCONNECT, LH					Component	ATA:27
PN:961.10.01.197	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03730001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27500420 CONTROL ROD,FLAP,INTERCONNECT, RH								Component ATA:27
PN:961.10.01.197	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03720001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27520100 FLAP ACTUATOR, LH INBOARD								Component ATA:27
PN:960.10.04.173	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0004	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0002-00A-520A-A, AMM PC24-A-E27-50-0002-00A-720A-APROC. REF: AMM PC24-A-E27-50-0002-00A-520A-A, AMM PC24-A-E27-50-0002-00A-720A-A								
PC24AE27520200 FLAP ACTUATOR, RH INBOARD								Component ATA:27
PN:960.10.04.174	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0007	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0002-00A-520A-A, AMM PC24-A-E27-50-0002-00A-720A-APROC. REF: AMM PC24-A-E27-50-0002-00A-520A-A, AMM PC24-A-E27-50-0002-00A-720A-A								
PC24AE27520300 FLAP ACTUATOR, LH OUTBOARD								Component ATA:27
PN:960.10.04.175	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0002-03A-520A-A, AMM PC24-A-E27-50-0002-03A-720A-APROC. REF: AMM PC24-A-E27-50-0002-03A-520A-A, AMM PC24-A-E27-50-0002-03A-720A-A								
PC24AE27520400 FLAP ACTUATOR, RH OUTBOARD								Component ATA:27
PN:960.10.04.176	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0002-03A-520A-A, AMM PC24-A-E27-50-0002-03A-720A-APROC. REF: AMM PC24-A-E27-50-0002-03A-520A-A, AMM PC24-A-E27-50-0002-03A-720A-A								
PC24AE27520510 FLAPS MONITORING POSITION SENSOR								Component ATA:27
PN:960.10.04.164	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A44	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0006-00A-520A-A, AMM PC24-A-E27-50-0006-00A-720A-APROC. REF: AMM PC24-A-E27-50-0006-00A-520A-A, AMM PC24-A-E27-50-0006-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27520520		FLAPS MONITORING POSITION SENSOR						Component ATA:27
PN:960.10.04.164	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A54	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0006-00A-520A-A, AMM PC24-A-E27-50-0006-00A-720A-A PROC. REF: AMM PC24-A-E27-50-0006-00A-520A-A, AMM PC24-A-E27-50-0006-00A-720A-A								
PC24AE27520530		FLAPS MONITORING POSITION SENSOR						Component ATA:27
PN:960.10.04.164	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A39	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0006-00A-520A-A, AMM PC24-A-E27-50-0006-00A-720A-A PROC. REF: AMM PC24-A-E27-50-0006-00A-520A-A, AMM PC24-A-E27-50-0006-00A-720A-A								
PC24AE27520540		FLAPS MONITORING POSITION SENSOR						Component ATA:27
PN:960.10.04.164	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A47	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0006-00A-520A-A, AMM PC24-A-E27-50-0006-00A-720A-A PROC. REF: AMM PC24-A-E27-50-0006-00A-520A-A, AMM PC24-A-E27-50-0006-00A-720A-A								
PC24AE27520600		BEAM ASSY, FLAP, HINGE 1, LH						Component ATA:27
PN:557.21.24.619	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0003-00A-530A-A, AMM PC24-A-E27-50-0003-00A-710A-A PROC. REF: AMM PC24-A-E27-50-0003-00A-530A-A, AMM PC24-A-E27-50-0003-00A-710A-A								
PC24AE27520700		BEAM ASSY, FLAP, HINGE 1, RH						Component ATA:27
PN:557.21.24.620	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0003-00A-530A-A, AMM PC24-A-E27-50-0003-00A-710A-A PROC. REF: AMM PC24-A-E27-50-0003-00A-530A-A, AMM PC24-A-E27-50-0003-00A-710A-A								
PC24AE27520800		BEAM ASSY, FLAP, HINGE 2, LH						Component ATA:27
PN:557.21.24.621	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:105	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0004-00A-530A-A, AMM PC24-A-E27-50-0004-00A-710A-A PROC. REF: AMM PC24-A-E27-50-0004-00A-530A-A, AMM PC24-A-E27-50-0004-00A-710A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27520900		BEAM ASSY, FLAP, HINGE 2, RH						Component ATA:27
PN:557.21.24.622	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0004-00A-530A-A, AMM PC24-A-E27-50-0004-00A-710A-APROC. REF: AMM PC24-A-E27-50-0004-00A-530A-A, AMM PC24-A-E27-50-0004-00A-710A-A								
PC24AE27521000		BEAM ASSY, FLAP, HINGE 3, LH						Component ATA:27
PN:557.21.24.491	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0005-00A-530A-A, AMM PC24-A-E27-50-0005-00A-710A-APROC. REF: AMM PC24-A-E27-50-0005-00A-530A-A, AMM PC24-A-E27-50-0005-00A-710A-A								
PC24AE27521100		BEAM ASSY, FLAP, HINGE 3, RH						Component ATA:27
PN:557.21.24.492	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-50-0005-00A-530A-A, AMM PC24-A-E27-50-0005-00A-710A-APROC. REF: AMM PC24-A-E27-50-0005-00A-530A-A, AMM PC24-A-E27-50-0005-00A-710A-A								
PC24AE27521200		FITTING ASSY, HINGE 3, FLAP, AFT, LH						Component ATA:27
PN:557.21.24.497	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27521300		FITTING ASSY, HINGE 3, FLAP, AFT, RH						Component ATA:27
PN:557.21.24.498	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27521400		DRIVE ARM ASSY, HINGE 3, LH						Component ATA:27
PN:527.52.24.197	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27521500		DRIVE ARM ASSY, HINGE 3, RH					Component	ATA:27
PN:527.52.24.198	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE27600100		AIRBRAKE CONTROL DEVICE					Component	ATA:27
PN:978.73.20.022	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17060006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0001-00A-520A-A, AMM PC24-A-E27-60-0001-00A-720A-APROC. REF: AMM PC24-A-E27-60-0001-00A-520A-A, AMM PC24-A-E27-60-0001-00A-720A-A								
PC24AE27600210		SPOILERS ACTUATOR POWER AND CONTROL MODULE, INBD					Component	ATA:27
PN:960.10.04.202(189900-11)	MOS/MSC	26-Aug-22	O/C	TSR 0				
SN:0366	HRS	976.6		TSR 0				
	AFL	975		TSR 0				
PROC. REF: AMM PC24-A-E27-60-0008-00A-520A-A, AMM PC24-A-E27-60-0008-00A-720A-APROC. REF: AMM PC24-A-E27-60-0008-00A-520A-A, AMM PC24-A-E27-60-0008-00A-720A-A								
PC24AE27600220		SPOILERS ACTUATOR POWER AND CONTROL MODULE, OUTBD					Component	ATA:27
PN:960.10.04.202(189900-11)	MOS/MSC	26-Aug-22	O/C	TSN 4				
SN:0433	HRS	976.6		TSN 0				
	AFL	975		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0008-00A-520A-A, AMM PC24-A-E27-60-0008-00A-720A-APROC. REF: AMM PC24-A-E27-60-0008-00A-520A-A, AMM PC24-A-E27-60-0008-00A-720A-A								
PC24AE27620110		GROUND SPOILER ACTUATOR, INBD, LH					Component	ATA:27
PN:960.10.04.151	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0028	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A, AMM PC24-A-E27-60-0005-02A-520A-A, AMM PC24-A-E27-60-0005-02A-720A-APROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A, AMM PC24-A-E27-60-0005-02A-520A-A, AMM PC24-A-E27-60-0005-02A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27620120		AGROUND SPOILER ACTUATOR, OUTBD, LH					Component	ATA:27
PN:960.10.04.151	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0027	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A, AMM PC24-A-E27-60-0005-02A-520A-A, AMM PC24-A-E27-60-0005-02A-720A-APROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A, AMM PC24-A-E27-60-0005-02A-520A-A, AMM PC24-A-E27-60-0005-02A-720A-A								
PC24AE27620210		GROUND SPOILER ACTUATOR, INBD, RH					Component	ATA:27
PN:960.10.04.198	MOS/MSC	18-Jul-22	O/C	TSR 1				
SN:4-0059	HRS	959.9		TSN 1999.4, TSR 0				
	AFL	961		TSN 1266, TSR 0				
PROC. REF: AMM PC24-A-E27-60-0005-02A-520A-A, AMM PC24-A-E27-60-0005-02A-720A-APROC. REF: AMM PC24-A-E27-60-0005-02A-520A-A, AMM PC24-A-E27-60-0005-02A-720A-A								
PC24AE27620220		GROUND SPOILER ACTUATOR, OUTBD, RH					Component	ATA:27
PN:960.10.04.152	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0027	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0005-02A-520A-A, AMM PC24-A-E27-60-0005-02A-720A-APROC. REF: AMM PC24-A-E27-60-0005-02A-520A-A, AMM PC24-A-E27-60-0005-02A-720A-A								
PC24AE27620310		MULTI-FUNCTION SPOILER ACTUATOR, INBD, LH					Component	ATA:27
PN:960.10.04.155	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0026	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0002-00A-520A-A, AMM PC24-A-E27-60-0002-00A-720A-APROC. REF: AMM PC24-A-E27-60-0002-00A-520A-A, AMM PC24-A-E27-60-0002-00A-720A-A								
PC24AE27620320		MULTI-FUNCTION SPOILER ACTUATOR, OUTBD, LH					Component	ATA:27
PN:960.10.04.155	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0027	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0002-00A-520A-A, AMM PC24-A-E27-60-0002-00A-720A-APROC. REF: AMM PC24-A-E27-60-0002-00A-520A-A, AMM PC24-A-E27-60-0002-00A-720A-A								
PC24AE27620410		MULTI-FUNCTION SPOILER ACTUATOR, INBD, RH					Component	ATA:27
PN:960.10.04.156	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0025	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0002-00A-520A-A, AMM PC24-A-E27-60-0002-00A-720A-APROC. REF: AMM PC24-A-E27-60-0002-00A-520A-A, AMM PC24-A-E27-60-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE27620420	MULTI-FUNCTION SPOILER ACTUATOR, OUTBD, RH							Component ATA:27
PN:960.10.04.156	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0026	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0002-00A-520A-A, AMM PC24-A-E27-60-0002-00A-720A-APROC. REF: AMM PC24-A-E27-60-0002-00A-520A-A, AMM PC24-A-E27-60-0002-00A-720A-A								
PC24AE27620510	GROUND SPOILER MONITORING POSITION SENSOR, INBD, LH							Component ATA:27
PN:960.10.04.159	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A120	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0007-00A-520A-A, AMM PC24-A-E27-60-0007-00A-720A-APROC. REF: AMM PC24-A-E27-60-0007-00A-520A-A, AMM PC24-A-E27-60-0007-00A-720A-A								
PC24AE27620520	GROUND SPOILER MONITORING POSITION SENSOR, INBD, RH							Component ATA:27
PN:960.10.04.159	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A116	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0007-00A-520A-A, AMM PC24-A-E27-60-0007-00A-720A-APROC. REF: AMM PC24-A-E27-60-0007-00A-520A-A, AMM PC24-A-E27-60-0007-00A-720A-A								
PC24AE27620530	MULTI-FUNCTION MONITORING POSITION SENSOR, LH, OUTBD							Component ATA:27
PN:960.10.04.159	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0007-00A-520A-A, AMM PC24-A-E27-60-0007-00A-720A-APROC. REF: AMM PC24-A-E27-60-0007-00A-520A-A, AMM PC24-A-E27-60-0007-00A-720A-A								
PC24AE27620540	MULTI-FUNCTION MONITORING POSITION SENSOR, RH, OUTBD							Component ATA:27
PN:960.10.04.159	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A125	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-60-0007-00A-520A-A, AMM PC24-A-E27-60-0007-00A-720A-APROC. REF: AMM PC24-A-E27-60-0007-00A-520A-A, AMM PC24-A-E27-60-0007-00A-720A-A								
PC24AE31200110	RUDDER POSITION SENSOR							Component ATA:27
PN:960.10.04.159	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0004-00A-520A-A, AMM PC24-A-E27-20-0004-00A-720A-APROC. REF: AMM PC24-A-E27-20-0004-00A-520A-A, AMM PC24-A-E27-20-0004-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC24AE31200120		ELEVATOR POSITION SENSOR						Component ATA:27
PN:960.10.04.159	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-30-0004-00A-520A-A, AMM PC24-A-E27-30-0004-00A-720A-A PROC. REF: AMM PC24-A-E27-30-0004-00A-520A-A, AMM PC24-A-E27-30-0004-00A-720A-A								
PC24AE31300110		YAW INPUT POSITION SENSOR						Component ATA:27
PN:960.10.04.162	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A18	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-20-0008-00A-520A-A, AMM PC24-A-E27-20-0008-00A-720A-A PROC. REF: AMM PC24-A-E27-20-0008-00A-520A-A, AMM PC24-A-E27-20-0008-00A-720A-A								
PC24AE55200400		LINK, ELEVATOR CONTROL, ASSY, LH						Component ATA:27
PN:555.20.24.321	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-30-0011-00A-520A-A, AMM PC24-A-E27-30-0011-00A-720A-A PROC. REF: AMM PC24-A-E27-30-0011-00A-520A-A, AMM PC24-A-E27-30-0011-00A-720A-A								
PC24AE55200500		LINK, ELEVATOR CONTROL, ASSY, RH						Component ATA:27
PN:555.20.24.322	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E27-30-0011-00A-520A-A, AMM PC24-A-E27-30-0011-00A-720A-A PROC. REF: AMM PC24-A-E27-30-0011-00A-520A-A, AMM PC24-A-E27-30-0011-00A-720A-A								
SM-27-00-001 ^S		ROLL, PITCH, YAW FLIGHT CONTROL CABLES AND AUTOPILOT CABLES - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT						Service ATA:27
	MOS	23-Aug-23	60 (+6m/-6m)					
	HRS	1333.4	2400 (+10%/-10%)					
	AFL	1213						
PKG:7 PROC. REF: AMM PC24-A-E27-10-0001-00A-311A-A, AMM PC24-A-E27-10-0002-00A-311A-A, AMM PC24-A-E27-20-0001-00A-311A-A, AMM PC24-A-E27-20-0002-00A-311A-A, AMM PC24-A-E27-30-0001-00A-311A-A, AMM PC24-A-E27-30-0002-00A-311A-A PROC. REF: AMM PC24-A-E27-10-0001-00A-311A-A, AMM PC24-A-E27-10-0002-00A-311A-A, AMM PC24-A-E27-20-0001-00A-311A-A, AMM PC24-A-E27-20-0002-00A-311A-A, AMM PC24-A-E27-30-0001-00A-311A-A, AMM PC24-A-E27-30-0002-00A-311A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
SM-27-10-002	^S	AILERON CONTROL MECHANISM INCLUDING AUTOPILOT CABLE CIRCUIT - VISUAL EXAMINATION						Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E27-10-0000-00A-310A-APROC. REF: AMM PC24-A-E27-10-0000-00A-310A-A								PKG:3
SM-27-10-003	^S	AILERON CONTROL CABLE TENSION INCLUDING AUTOPILOT CABLE - TENSION CHECK						Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E27-10-0000-00A-369A-APROC. REF: AMM PC24-A-E27-10-0000-00A-369A-A								PKG:3
SM-27-20-005	^S	RUDDER CONTROL CABLE TENSION INCLUDING AUTOPILOT CABLE - TENSION CHECK						Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E27-20-0000-00A-369A-APROC. REF: AMM PC24-A-E27-20-0000-00A-369A-A								PKG:3
SM-27-20-006	^S	RUDDER CONTROL MECHANISM INCLUDING AUTOPILOT CABLE CIRCUIT - VISUAL EXAMINATION						Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E27-20-0000-00A-310A-APROC. REF: AMM PC24-A-E27-20-0000-00A-310A-A								PKG:3
SM-27-30-008	^S	ELEVATOR CONTROL CABLE TENSION INCLUDING AUTOPILOT CABLE - TENSION CHECK						Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E27-30-0000-00A-369A-APROC. REF: AMM PC24-A-E27-30-0000-00A-369A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
SM-27-30-009	^S	ELEVATOR CONTROL MECHANISM INCLUDING AUTOPILOT CABLE CIRCUIT - VISUAL EXAMINATION						Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E27-30-0000-00A-310A-APROC. REF: AMM PC24-A-E27-30-0000-00A-310A-A								PKG:3
SM-27-40-010	^S	HORIZONTAL STABILIZER TRIM MECHANISM - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT						Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E27-40-0000-00A-311A-APROC. REF: AMM PC24-A-E27-40-0000-00A-311A-A								PKG:3
SM-27-40-011	^S	HORIZONTAL STABILIZER TRIM INDICATION - FUNCTION TEST						Service ATA:27
	MOS	13-Sep-24						
	HRS	1731	600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E27-40-0000-00A-340A-APROC. REF: AMM PC24-A-E27-40-0000-00A-340A-A								PKG:1
SM-27-60-014	^S	MULTI FUNCTIONAL SPOILER PANEL MECHANICAL LINKAGES - VISUAL EXAMINATION						Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E27-60-0000-00A-310A-APROC. REF: AMM PC24-A-E27-60-0000-00A-310A-A								PKG:3
SM-27-60-016	^S	SPOILER ACTUATOR NO-BACK FUNCTION - FUNCTION TEST						Service ATA:27
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E27-60-0000-00A-340A-APROC. REF: AMM PC24-A-E27-60-0000-00A-340A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
AL-28-20-007	INWARD-OUTWARD RELIEF VALVE - OPERATION TEST (CMR*)							Service ATA:28
	MOS	26-Aug-22	48		26-Aug-26		21 d	CMR*
	HRS	976.6	2400		3376.6		1095.4	
	AFL	975						
PROC. REF: AMM PC24-A-E28-20-0016-00A-320A-APROC. REF: AMM PC24-A-E28-20-0016-00A-320A-A								
AL-28-20-014	FUEL BOOSTER PUMP BONDING STRAPS - VISUAL EXAMINATION (CDCCL*)							Service ATA:28
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	CDCCL*
	HRS	0	4800 (+10%/-10%)		4800	5280	2518.8 (+480)	
	AFL							
PROC. REF: AMM PC24-A-E28-20-0001-00A-310A-APROC. REF: AMM PC24-A-E28-20-0001-00A-310A-A								
AL-28-40-012	REED LOW LEVEL FUEL SWITCH - OPERATION TEST (CMR*)							Service ATA:28
	MOS	26-Aug-22	48		26-Aug-26		21 d	CMR*
	HRS	976.6	2400		3376.6		1095.4	
	AFL	975						
PROC. REF: AMM PC24-A-E28-40-0000-00A-320A-APROC. REF: AMM PC24-A-E28-40-0000-00A-320A-A								
AL-28-40-013	TRANSIENT SUPPRESSOR DEVICE LIGHTING PROTECTION FUNCTION - FUNCTION TEST (CMR*)							Service ATA:28
	MOS	26-Aug-22	48		26-Aug-26		21 d	CMR*
	HRS	976.6	2400		3376.6		1095.4	
	AFL	975						
PROC. REF: AMM PC24-A-E28-40-0004-00A-340A-APROC. REF: AMM PC24-A-E28-40-0004-00A-340A-A								
PC24AE28200110	FUEL PRESSURE TRANSDUCER, ENGINE, LH							Component ATA:28
PN:975.21.15.220	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:8443-2-35	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0010-00A-520A-A, AMM PC24-A-E28-20-0010-00A-720A-APROC. REF: AMM PC24-A-E28-20-0010-00A-520A-A, AMM PC24-A-E28-20-0010-00A-720A-A								
PC24AE28200120	FUEL PRESSURE TRANSDUCER, ENGINE, RH							Component ATA:28
PN:975.21.15.220	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:8443-2-23	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0010-00A-520A-A, AMM PC24-A-E28-20-0010-00A-720A-APROC. REF: AMM PC24-A-E28-20-0010-00A-520A-A, AMM PC24-A-E28-20-0010-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28220110 MOTOR OPERATED SHUT-OFF VALVE (FUEL FEED), LH								Component ATA:28
PN:963.87.22.404	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0010	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0002-00A-520A-A, AMM PC24-A-E28-20-0002-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0002-00A-520A-A, AMM PC24-A-E28-20-0002-00A-720A-A								
PC24AE28220120 MOTOR OPERATED SHUT-OFF VALVE (FUEL FEED), RH								Component ATA:28
PN:963.87.22.404	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0012	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0002-00A-520A-A, AMM PC24-A-E28-20-0002-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0002-00A-520A-A, AMM PC24-A-E28-20-0002-00A-720A-A								
PC24AE28240110 FUEL BOOSTER PUMP, CANISTER TYPE, LH								Component ATA:28
PN:968.84.11.504	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0019	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0001-00A-520A-A, AMM PC24-A-E28-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0001-00A-520A-A, AMM PC24-A-E28-20-0001-00A-720A-A								
PC24AE28240120 FUEL BOOSTER PUMP, CANISTER TYPE, RH								Component ATA:28
PN:968.84.11.504	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0024	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0001-00A-520A-A, AMM PC24-A-E28-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0001-00A-520A-A, AMM PC24-A-E28-20-0001-00A-720A-A								
PC24AE28240210 EJECTOR PUMP (SCAVENGER), LH								Component ATA:28
PN:968.84.71.108	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0017	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0006-00A-520A-A, AMM PC24-A-E28-20-0006-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0006-00A-520A-A, AMM PC24-A-E28-20-0006-00A-720A-A								
PC24AE28240220 EJECTOR PUMP (SCAVENGER), RH								Component ATA:28
PN:968.84.71.108	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0021	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0006-00A-520A-A, AMM PC24-A-E28-20-0006-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0006-00A-520A-A, AMM PC24-A-E28-20-0006-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28240310	EJECTOR PUMP (MAIN), LH							Component ATA:28
PN:968.84.71.109	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0019	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0005-00A-520A-A, AMM PC24-A-E28-20-0005-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0005-00A-520A-A, AMM PC24-A-E28-20-0005-00A-720A-A								
PC24AE28240320	EJECTOR PUMP (MAIN), RH							Component ATA:28
PN:968.84.71.109	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0021	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0005-00A-520A-A, AMM PC24-A-E28-20-0005-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0005-00A-520A-A, AMM PC24-A-E28-20-0005-00A-720A-A								
PC24AE28240400	MOTOR OPERATED SHUT-OFF VALVE (CROSS FEED)							Component ATA:28
PN:963.87.22.405	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0012	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0003-00A-520A-A, AMM PC24-A-E28-20-0003-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0003-00A-520A-A, AMM PC24-A-E28-20-0003-00A-720A-A								
PC24AE28240510	REFUEL/DEFUEL SHUT-OFF VALVE, LH							Component ATA:28
PN:963.82.21.315	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0019	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0012-00A-520A-A, AMM PC24-A-E28-20-0012-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0012-00A-520A-A, AMM PC24-A-E28-20-0012-00A-720A-A								
PC24AE28240520	REFUEL/DEFUEL SHUT-OFF VALVE, RH							Component ATA:28
PN:963.82.21.315	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0025	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0012-00A-520A-A, AMM PC24-A-E28-20-0012-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0012-00A-520A-A, AMM PC24-A-E28-20-0012-00A-720A-A								
PC24AE28240610	MOTIVE FLOW CHECK VALVE, LH							Component ATA:28
PN:963.04.26.517	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:010	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0004-00A-520A-A, AMM PC24-A-E28-20-0004-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0004-00A-520A-A, AMM PC24-A-E28-20-0004-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28240620	MOTIVE FLOW CHECK VALVE, RH							Component ATA:28
PN:963.04.26.517	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:024	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0004-00A-520A-A, AMM PC24-A-E28-20-0004-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0004-00A-520A-A, AMM PC24-A-E28-20-0004-00A-720A-A								
PC24AE28240710	INWARD/OUTWARD RELIEF VALVE, LH							Component ATA:28
PN:963.23.13.103	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0011	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0016-00A-520A-A, AMM PC24-A-E28-20-0016-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0016-00A-520A-A, AMM PC24-A-E28-20-0016-00A-720A-A								
PC24AE28240720	INWARD/OUTWARD RELIEF VALVE, RH							Component ATA:28
PN:963.23.13.103	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0021	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0016-00A-520A-A, AMM PC24-A-E28-20-0016-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0016-00A-520A-A, AMM PC24-A-E28-20-0016-00A-720A-A								
PC24AE28240810	FLOAT VALVE, LH							Component ATA:28
PN:963.82.21.320	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0011-00A-520A-A, AMM PC24-A-E28-20-0011-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0011-00A-520A-A, AMM PC24-A-E28-20-0011-00A-720A-A								
PC24AE28240820	FLOAT VALVE, RH							Component ATA:28
PN:963.82.21.320	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0016	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0011-00A-520A-A, AMM PC24-A-E28-20-0011-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0011-00A-520A-A, AMM PC24-A-E28-20-0011-00A-720A-A								
PC24AE28240910	DRAIN VALVE (COLLECTOR AND MAIN TANK), COLLECTOR TANK, LH							Component ATA:28
PN:963.82.21.318	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0033	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0014-00A-520A-A, AMM PC24-A-E28-20-0014-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0014-00A-520A-A, AMM PC24-A-E28-20-0014-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28240920 DRAIN VALVE (COLLECTOR AND MAIN TANK), COLLECTOR TANK, RH								Component ATA:28
PN:963.82.21.318	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0035	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0014-00A-520A-A, AMM PC24-A-E28-20-0014-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0014-00A-520A-A, AMM PC24-A-E28-20-0014-00A-720A-A								
PC24AE28240930 DRAIN VALVE (COLLECTOR AND MAIN TANK), MAIN TANK, LH								Component ATA:28
PN:963.82.21.318	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0034	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0014-00A-520A-A, AMM PC24-A-E28-20-0014-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0014-00A-520A-A, AMM PC24-A-E28-20-0014-00A-720A-A								
PC24AE28240940 DRAIN VALVE (COLLECTOR AND MAIN TANK), MAIN TANK, RH								Component ATA:28
PN:963.82.21.318	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0036	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0014-00A-520A-A, AMM PC24-A-E28-20-0014-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0014-00A-520A-A, AMM PC24-A-E28-20-0014-00A-720A-A								
PC24AE28241010 LH DRAIN VALVE (CLIMB VENT LINE)								Component ATA:28
PN:963.82.21.317	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0016	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0015-00A-520A-A, AMM PC24-A-E28-20-0015-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0015-00A-520A-A, AMM PC24-A-E28-20-0015-00A-720A-A								
PC24AE28241020 RH DRAIN VALVE (CLIMB VENT LINE)								Component ATA:28
PN:963.82.21.317	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0029	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0015-00A-520A-A, AMM PC24-A-E28-20-0015-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0015-00A-520A-A, AMM PC24-A-E28-20-0015-00A-720A-A								
PC24AE28241110 FLAPPER VALVE (COLLECTOR), RIB 2, 1, LH								Component ATA:28
PN:963.09.11.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0062	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28241120		FLAPPER VALVE (COLLECTOR), RIB 2, 2, LH					Component	ATA:28
PN:963.09.11.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0068	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A								
PC24AE28241130		FLAPPER VALVE (COLLECTOR), RIB 2, 3, LH					Component	ATA:28
PN:963.09.11.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0066	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A								
PC24AE28241140		FLAPPER VALVE (COLLECTOR), RIB 2, 4, LH					Component	ATA:28
PN:963.09.11.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0090	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A								
PC24AE28241150		FLAPPER VALVE (COLLECTOR), RIB 2, 1, RH					Component	ATA:28
PN:963.09.11.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0071	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A								
PC24AE28241160		FLAPPER VALVE (COLLECTOR), RIB 2, 2, RH					Component	ATA:28
PN:963.09.11.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0077	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A								
PC24AE28241170		FLAPPER VALVE (COLLECTOR), RIB 2, 3, RH					Component	ATA:28
PN:963.09.11.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0084	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28241180		FLAPPER VALVE (COLLECTOR), RIB 2, 4, RH					Component	ATA:28
PN:963.09.11.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0094	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0007-00A-520A-A, AMM PC24-A-E28-20-0007-00A-720A-A								
PC24AE28241210		FLAPPER VALVE (MAIN TANK), RIB 10 FRONT, LH					Component	ATA:28
PN:963.09.11.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0048	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A								
PC24AE28241220		FLAPPER VALVE (MAIN TANK), RIB 10 REAR, LH					Component	ATA:28
PN:963.09.11.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0051	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A								
PC24AE28241230		FLAPPER VALVE (MAIN TANK), RIB 10 FRONT, RH					Component	ATA:28
PN:963.09.11.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0074	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A								
PC24AE28241240		FLAPPER VALVE (MAIN TANK), RIB 10 REAR, RH					Component	ATA:28
PN:963.09.11.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0079	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A								
PC24AE28241250		FLAPPER VALVE (MAIN TANK), RIB 15 FRONT, LH					Component	ATA:28
PN:963.09.11.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0049	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28241260	FLAPPER VALVE (MAIN TANK), RIB 15 REAR, LH							Component ATA:28
PN:963.09.11.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0050	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A								
PC24AE28241270	FLAPPER VALVE (MAIN TANK), RIB 15 FRONT, RH							Component ATA:28
PN:963.09.11.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0080	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A								
PC24AE28241280	FLAPPER VALVE (MAIN TANK), RIB 15 REAR, RH							Component ATA:28
PN:963.09.11.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0097	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0008-00A-520A-A, AMM PC24-A-E28-20-0008-00A-720A-A								
PC24AE28241310	FLAPPER VALVE (VENT TANK), RIB 20, LH							Component ATA:28
PN:963.09.11.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0013	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0009-00A-520A-A, AMM PC24-A-E28-20-0009-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0009-00A-520A-A, AMM PC24-A-E28-20-0009-00A-720A-A								
PC24AE28241320	FLAPPER VALVE (VENT TANK), RIB 20, RH							Component ATA:28
PN:963.09.11.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0017	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0009-00A-520A-A, AMM PC24-A-E28-20-0009-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0009-00A-520A-A, AMM PC24-A-E28-20-0009-00A-720A-A								
PC24AE28241410	GRAVITY FILLER CAP, LH							Component ATA:28
PN:949.86.76.123	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0022	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0017-00A-520A-A, AMM PC24-A-E28-20-0017-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0017-00A-520A-A, AMM PC24-A-E28-20-0017-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28241420		GRAVITY FILLER CAP, RH					Component	ATA:28
PN:949.86.76.123	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0023	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-20-0017-00A-520A-A, AMM PC24-A-E28-20-0017-00A-720A-A PROC. REF: AMM PC24-A-E28-20-0017-00A-520A-A, AMM PC24-A-E28-20-0017-00A-720A-A								
PC24AE28400100		CONTROL PANEL,REFUEL					Component	ATA:28
PN:975.95.01.150	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S16439867	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-60-0004-00A-520A-A, AMM PC24-A-E28-60-0004-00A-720A-A PROC. REF: AMM PC24-A-E28-60-0004-00A-520A-A, AMM PC24-A-E28-60-0004-00A-720A-A								
PC24AE28400210		FUEL GAUGING PROTECTION BOX, LH					Component	ATA:28
PN:975.37.31.338	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0021	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0004-00A-520A-A, AMM PC24-A-E28-40-0004-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0004-00A-520A-A, AMM PC24-A-E28-40-0004-00A-720A-A								
PC24AE28400220		FUEL GAUGING PROTECTION BOX, RH					Component	ATA:28
PN:975.37.31.338	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0020	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0004-00A-520A-A, AMM PC24-A-E28-40-0004-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0004-00A-520A-A, AMM PC24-A-E28-40-0004-00A-720A-A								
PC24AE28400310		REED TYPE LOW LEVEL SENSOR, LH					Component	ATA:28
PN:975.37.31.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0013	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0003-00A-520A-A, AMM PC24-A-E28-40-0003-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0003-00A-520A-A, AMM PC24-A-E28-40-0003-00A-720A-A								
PC24AE28400320		REED TYPE LOW LEVEL SENSOR, RH					Component	ATA:28
PN:975.37.31.115	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0014	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0003-00A-520A-A, AMM PC24-A-E28-40-0003-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0003-00A-520A-A, AMM PC24-A-E28-40-0003-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28400410		CAPACITIVE-ACTIVE GAUGE PROBE, COLLECTOR TANK, LH					Component	ATA:28
PN:975.37.31.254	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0049	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								
PC24AE28400420		CAPACITIVE-ACTIVE GAUGE PROBE, COLLECTOR TANK, RH					Component	ATA:28
PN:975.37.31.254	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0072	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								
PC24AE28400430		CAPACITIVE-ACTIVE GAUGE PROBE, RIB 2, LH					Component	ATA:28
PN:975.37.31.254	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0060	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								
PC24AE28400440		CAPACITIVE-ACTIVE GAUGE PROBE, RIB 2, RH					Component	ATA:28
PN:975.37.31.254	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0058	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								
PC24AE28400450		CAPACITIVE-ACTIVE GAUGE PROBE, RIB 4, LH					Component	ATA:28
PN:975.37.31.254	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0059	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								
PC24AE28400460		CAPACITIVE-ACTIVE GAUGE PROBE, RIB 4, RH					Component	ATA:28
PN:975.37.31.254	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0073	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28400510 CAPACITIVE-ACTIVE GAUGE PROBE, RIB 10, LH								Component ATA:28
PN:975.37.31.255	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0018	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								
PC24AE28400520 CAPACITIVE-ACTIVE GAUGE PROBE, RIB 10, RH								Component ATA:28
PN:975.37.31.259	MOS/MSC	08-Oct-23	O/C	TSN 0				
SN:0110	HRS	1357.8		TSN 0				
	AFL	1229		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								
PC24AE28400610 CAPACITIVE-ACTIVE GAUGE PROBE, RIB 14, LH								Component ATA:28
PN:975.37.31.256	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0017	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								
PC24AE28400620 CAPACITIVE-ACTIVE GAUGE PROBE, RIB 14, RH								Component ATA:28
PN:975.37.31.256	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0027	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								
PC24AE28400710 CAPACITIVE-ACTIVE GAUGE PROBE, RIB 17, LH								Component ATA:28
PN:975.37.31.261	MOS/MSC	09-Apr-25	O/C					
SN:0319	HRS	1952.1						
	AFL	1610						
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								
PC24AE28400720 CAPACITIVE-ACTIVE GAUGE PROBE, RIB 17, RH								Component ATA:28
PN:975.37.31.257	MOS/MSC	09-Apr-25	O/C					
SN:0017	HRS	1952.1						
	AFL	1610						
PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E28-40-0001-00A-520A-A, AMM PC24-A-E28-40-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC24AE28400810	OPTICAL FUEL LEVEL SENSOR, LH							Component ATA:28
PN:975.37.31.119	MOS/MSC	15-Nov-24	O/C	TSN 0				
SN:0598	HRS	1826.7		TSN 0				
	AFL	1527		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0002-00A-520A-A, AMM PC24-A-E28-40-0002-00A-720A-APROC. REF: AMM PC24-A-E28-40-0002-00A-520A-A, AMM PC24-A-E28-40-0002-00A-720A-A								
PC24AE28400820	OPTICAL FUEL LEVEL SENSOR, RH							Component ATA:28
PN:975.37.31.119	MOS/MSC	03-Aug-26	O/C	TSN 0				
SN:0609	HRS	2281.2		TSN 0				
	AFL	1854		TSN 0				
PROC. REF: AMM PC24-A-E28-40-0002-00A-520A-A, AMM PC24-A-E28-40-0002-00A-720A-APROC. REF: AMM PC24-A-E28-40-0002-00A-520A-A, AMM PC24-A-E28-40-0002-00A-720A-A								
PC24AE28500100	PRESSURE REFUEL/DEFUEL CAP AND ADAPTER							Component ATA:28
PN:949.86.76.306	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:013	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E28-60-0001-00A-520A-A, AMM PC24-A-E28-60-0001-00A-720A-APROC. REF: AMM PC24-A-E28-60-0001-00A-520A-A, AMM PC24-A-E28-60-0001-00A-720A-A								
SM-28-00-015 ^S	FUEL - CONTAMINATION ANALYSIS							Service ATA:28
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E28-00-0000-00A-377A-APROC. REF: AMM PC24-A-E28-00-0000-00A-377A-A								PKG:13
SM-28-10-016	FUEL TANK - VISUAL INSPECTION FOR CONTAMINATION							Service ATA:28
	MOS	13-Sep-24	24 (+10%/-10%)		13-Sep-26	25-Nov-26	39 d (+73)	
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E28-10-0000-01A-310B-APROC. REF: AMM PC24-A-E28-10-0000-01A-310B-A								
SM-28-20-006 ^S	FLAME ARRESTOR - VISUAL EXAMINATION							Service ATA:28
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E28-20-0013-00A-310A-APROC. REF: AMM PC24-A-E28-20-0013-00A-310A-A								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
SM-28-20-008 ^S	INWARD-OUTWARD RELIEF VALVE FLAME ARRESTOR - VISUAL EXAMINATION							Service ATA:28
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E28-20-0016-00A-310A-APROC. REF: AMM PC24-A-E28-20-0016-00A-310A-A								PKG:6
SM-28-20-009 ^S	FLOAT VALVE - OPERATION TEST							Service ATA:28
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E28-20-0011-00A-320A-APROC. REF: AMM PC24-A-E28-20-0011-00A-320A-A								PKG:6
SM-28-20-010 ^S	CLIMB VENT LINE DRAIN VALVE - OPERATION TEST							Service ATA:28
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E28-20-0015-00A-320A-APROC. REF: AMM PC24-A-E28-20-0015-00A-320A-A								PKG:6
SM-28-20-011 ^S	DOUBLE WALL ENGINE FEED AND MOTIVE FLOW FUEL PIPES - VISUAL EXAMINATION							Service ATA:28
	MOS	03-Jul-18						
	HRS	0	3600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM PC24-A-E28-20-0000-00A-310A-APROC. REF: AMM PC24-A-E28-20-0000-00A-310A-A								PKG:8
ATA 30 - ICE AND RAIN PROTECTION								
30-20-00-730-801-01 ^S	NO. 1 ENGINE - PRESSURE REGULATING SHUT-OFF VALVE (PRSOV) - FUNCTIONALLY CHECK							Service ATA:30
	MOS	07-Feb-18						
	HRS	0	2500 (+100)					
	ENC	0						
PROC. REF: LMM 30-20-00-801A-300A-APROC. REF: LMM 30-20-00-801A-300A-A								PKG:3,4,5,6,7,8,9,10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-20-00-730-801-01	^S	NO. 2 ENGINE - PRESSURE REGULATING SHUT-OFF VALVE (PRSOV) - FUNCTIONALLY CHECK						Service ATA:30
	MOS	07-Feb-18						
	HRS	0	2500 (+100)					
	ENC	0						
								PKG:3,4,5,6,7,8,9,10
PROC. REF: LMM 30-20-00-801A-300A-APROC. REF: LMM 30-20-00-801A-300A-A								
AL-30-10-004	FIXED LEADING EDGE ASSY PICCOLO TUBE - EXAMINATION WITH A BORESCOPE (CMR*)							Service ATA:30
	MOS	03-Jul-18						CMR*
	HRS	0	3600		3600		1318.8	
	AFL	0						
PROC. REF: AMM PC24-A-E30-10-0001-00A-312A-APROC. REF: AMM PC24-A-E30-10-0001-00A-312A-A								
AL-30-10-008	EJECTOR FLOW CHECK VALVE PRESSURE SWITCH - FUNCTION TEST (CMR*)							Service ATA:30
	MOS	13-Sep-24						CMR*
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E30-10-0007-00A-340A-APROC. REF: AMM PC24-A-E30-10-0007-00A-340A-A								
AL-30-40-007	WINDSHIELD EMERGENCY HEATING SYSTEM - OPERATION TEST (CMR*)							Service ATA:30
	MOS	13-Sep-24						CMR*
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E30-40-0000-00A-320A-APROC. REF: AMM PC24-A-E30-40-0000-00A-320A-A								
PC24AE30120110	WING ANTI-ICE TEMPERATURE SENSOR, LH							Component ATA:30
PN:959.90.20.151	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0019	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-80-0001-00A-520A-A, AMM PC24-A-E30-80-0001-00A-720A-APROC. REF: AMM PC24-A-E30-80-0001-00A-520A-A, AMM PC24-A-E30-80-0001-00A-720A-A								
PC24AE30120120	WING ANTI-ICE TEMPERATURE SENSOR, RH							Component ATA:30
PN:959.90.20.151	MOS/MSC	14-Dec-21	O/C	TSN 0				
SN:083	HRS	840.6		TSN 0				
	AFL			TSN 0				
PROC. REF: AMM PC24-A-E30-80-0001-00A-520A-A, AMM PC24-A-E30-80-0001-00A-720A-APROC. REF: AMM PC24-A-E30-80-0001-00A-520A-A, AMM PC24-A-E30-80-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC24AE30120210		WING ANTI-ICE PRESSURE SENSOR						Component ATA:30
PN:957.12.10.678	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0065	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-APROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-A								
PC24AE30120220		WING ANTI-ICE PRESSURE SENSOR						Component ATA:30
PN:957.12.10.678	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0064	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-APROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-A								
PC24AE30120310		WING ANTI-ICE VALVE, LH						Component ATA:30
PN:959.89.01.111	MOS/MSC	29-Oct-25	O/C					
SN:0192	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E30-10-0002-00A-520A-A, AMM PC24-A-E30-10-0002-00A-720A-APROC. REF: AMM PC24-A-E30-10-0002-00A-520A-A, AMM PC24-A-E30-10-0002-00A-720A-A								
PC24AE30120320		WING ANTI-ICE VALVE, RH						Component ATA:30
PN:959.89.01.111	MOS/MSC	29-Oct-25	O/C					
SN:0177	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E30-10-0002-00A-520A-A, AMM PC24-A-E30-10-0002-00A-720A-APROC. REF: AMM PC24-A-E30-10-0002-00A-520A-A, AMM PC24-A-E30-10-0002-00A-720A-A								
PC24AE30120400		DUCT,WING ANTI-ICE, 1, LH						Component ATA:30
PN:959.90.21.397	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004940-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE30120500		DUCT,WING ANTI-ICE, 1, RH						Component ATA:30
PN:959.90.21.399	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004577-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC24AE30120600		DUCT,WING ANTI-ICE, 2, LH					Component	ATA:30
PN:959.90.21.398	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004954-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE30120700		DUCT,WING ANTI-ICE, 2, RH					Component	ATA:30
PN:959.90.21.400	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004818-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE30120800		DUCT,WING ANTI-ICE, 3, LH					Component	ATA:30
PN:959.90.21.363	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004640-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE30120900		DUCT,WING ANTI-ICE, 3, RH					Component	ATA:30
PN:959.90.21.368	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004637-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE30121000		DUCT,WING ANTI-ICE, 4, LH					Component	ATA:30
PN:959.90.21.364	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004644-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE30121100		DUCT,WING ANTI-ICE, 4, RH					Component	ATA:30
PN:959.90.21.369	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17005157-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC24AE30121200	DUCT,WING ANTI-ICE, 5, LH							Component ATA:30
PN:959.90.21.365	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17005512-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE30121300	DUCT,WING ANTI-ICE, 5, RH							Component ATA:30
PN:959.90.21.370	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004881-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE30121410	VALVE DRAIN, LH							Component ATA:30
PN:959.89.01.106	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0050	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0011-00A-520A-A, AMM PC24-A-E38-30-0011-00A-720A-APROC. REF: AMM PC24-A-E38-30-0011-00A-520A-A, AMM PC24-A-E38-30-0011-00A-720A-A								
PC24AE30121420	VALVE DRAIN, RH							Component ATA:30
PN:959.89.01.106	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0049	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0011-00A-520A-A, AMM PC24-A-E38-30-0011-00A-720A-APROC. REF: AMM PC24-A-E38-30-0011-00A-520A-A, AMM PC24-A-E38-30-0011-00A-720A-A								
PC24AE30140100	WING ANTI-ICE LEADING EDGE INSTALLATION, INBD, LH							Component ATA:30
PN:950.20.00.017	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SA1111	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0001-00A-520A-A, AMM PC24-A-E30-10-0001-00A-720A-APROC. REF: AMM PC24-A-E30-10-0001-00A-520A-A, AMM PC24-A-E30-10-0001-00A-720A-A								
PC24AE30140200	WING ANTI-ICE LEADING EDGE INSTALLATION,INBD, RH							Component ATA:30
PN:950.20.00.019	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SA1108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0001-00A-520A-A, AMM PC24-A-E30-10-0001-00A-720A-APROC. REF: AMM PC24-A-E30-10-0001-00A-520A-A, AMM PC24-A-E30-10-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC24AE30140300	WING ANTI-ICE LEADING EDGE INSTALLATION, OUTBD, LH							Component ATA:30
PN:950.20.00.016	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SA1110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0001-00A-520A-A, AMM PC24-A-E30-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0001-00A-520A-A, AMM PC24-A-E30-10-0001-00A-720A-A								
PC24AE30140400	WING ANTI-ICE LEADING EDGE INSTALLATION, OUTBD, RH							Component ATA:30
PN:950.20.00.018	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SA1110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0001-00A-520A-A, AMM PC24-A-E30-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0001-00A-520A-A, AMM PC24-A-E30-10-0001-00A-720A-A								
PC24AE30140510	WING ANTI-ICE PRESSURE SENSOR, LH							Component ATA:30
PN:957.12.10.678	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-A								
PC24AE30140520	WING ANTI-ICE PRESSURE SENSOR, RH							Component ATA:30
PN:957.12.10.678	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-A								
PC24AE30160110	HORIZONTAL STABILIZER BLEED AIR CHECK VALVE, LH							Component ATA:30
PN:959.89.01.102	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0029	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0004-00A-520A-A, AMM PC24-A-E30-10-0004-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0004-00A-520A-A, AMM PC24-A-E30-10-0004-00A-720A-A								
PC24AE30160120	HORIZONTAL STABILIZER BLEED AIR CHECK VALVE, RH							Component ATA:30
PN:959.89.01.102	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0004-00A-520A-A, AMM PC24-A-E30-10-0004-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0004-00A-520A-A, AMM PC24-A-E30-10-0004-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC24AE30160200		PRESSURE RELIEVER/REGULATOR					Component	ATA:30
PN:959.89.01.019	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:N170139	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0005-00A-520A-A, AMM PC24-A-E30-10-0005-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0005-00A-520A-A, AMM PC24-A-E30-10-0005-00A-720A-A								
PC24AE30160300		WATER SEPARATOR					Component	ATA:30
PN:959.89.01.018	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:N171051	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0006-00A-520A-A, AMM PC24-A-E30-10-0006-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0006-00A-520A-A, AMM PC24-A-E30-10-0006-00A-720A-A								
PC24AE30160400		EJECTOR FLOW CHECK VALVE					Component	ATA:30
PN:959.89.01.015	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:N171793	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0007-00A-520A-A, AMM PC24-A-E30-10-0007-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0007-00A-520A-A, AMM PC24-A-E30-10-0007-00A-720A-A								
PC24AE30160500		HORIZONTAL STABILIZER DE-ICE BOOTS, LH					Component	ATA:30
PN:959.89.01.017	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:NDS1980	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0008-00A-520A-A, AMM PC24-A-E30-10-0008-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0008-00A-520A-A, AMM PC24-A-E30-10-0008-00A-720A-A								
PC24AE30160600		HORIZONTAL STABILIZER DE-ICE BOOTS, RH					Component	ATA:30
PN:959.89.01.016	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:NDP6920	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0008-00A-520A-A, AMM PC24-A-E30-10-0008-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0008-00A-520A-A, AMM PC24-A-E30-10-0008-00A-720A-A								
PC24AE30800110		UPPER WING ANTI-ICE PRESSURE SENSOR					Component	ATA:30
PN:957.12.10.678	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0111	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC24AE30800120		LOWER WING ANTI-ICE PRESSURE SENSOR						Component ATA:30
PN:957.12.10.678	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-A PROC. REF: AMM PC24-A-E30-10-0003-00A-520A-A, AMM PC24-A-E30-10-0003-00A-720A-A								
PC24AE30800210		ICE DETECTOR, LH						Component ATA:30
PN:959.89.01.020	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0871ND2-0022	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-80-0002-00A-520A-A, AMM PC24-A-E30-80-0002-00A-720A-A PROC. REF: AMM PC24-A-E30-80-0002-00A-520A-A, AMM PC24-A-E30-80-0002-00A-720A-A								
PC24AE30800220		ICE DETECTOR, RH						Component ATA:30
PN:959.89.01.020	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0871ND2-0032	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E30-80-0002-00A-520A-A, AMM PC24-A-E30-80-0002-00A-720A-A PROC. REF: AMM PC24-A-E30-80-0002-00A-520A-A, AMM PC24-A-E30-80-0002-00A-720A-A								
SM-30-10-001 ^S		HORIZONTAL STABILIZER BOOTS - VISUAL EXAMINATION						Service ATA:30
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E30-10-0008-00A-310A-A PROC. REF: AMM PC24-A-E30-10-0008-00A-310A-A								PKG:2
SM-30-10-003 ^S		HORIZONTAL STABILIZER CHECK VALVES - OPERATION TEST						Service ATA:30
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E30-10-0004-00A-320A-A PROC. REF: AMM PC24-A-E30-10-0004-00A-320A-A								PKG:4
SM-30-10-005 ^S		FIXED LEADING EDGE INTERNAL STRUCTURE - EXAMINATION WITH A BORESCOPE						Service ATA:30
	MOS	31-Jul-18	180 (+6m/-6m)					
	HRS							
	AFL							
								PKG:18

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PROC. REF: AMM PC24-A-E30-10-0001-00A-312A-APROC. REF: AMM PC24-A-E30-10-0001-00A-312A-A								
SM-30-10-013	WING ANTI-ICE VALVE FILTER - VISUAL EXAMINATION							Service ATA:30
	MOS	13-Sep-24						
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-A12-20-0006-00A-310A-APROC. REF: AMM PC24-A-A12-20-0006-00A-310A-A								
SM-30-20-006 ^S	ENGINE NACELLE ANTI-ICE - VISUAL EXAMINATION							Service ATA:30
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PKG:3								
PROC. REF: AMM PC24-A-E30-20-0000-00A-310A-APROC. REF: AMM PC24-A-E30-20-0000-00A-310A-A								
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC24AE31120100	THROTTLE COVER							Component ATA:31
PN:975.95.01.153	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S17074257	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E31-10-0006-00A-520A-A, AMM PC24-A-E31-10-0006-00A-720A-APROC. REF: AMM PC24-A-E31-10-0006-00A-520A-A, AMM PC24-A-E31-10-0006-00A-720A-A								
PC24AE31120200	INTERNAL LIGHTING PANEL							Component ATA:31
PN:975.95.01.137	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S16444209	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E31-10-0004-00A-520A-A, AMM PC24-A-E31-10-0004-00A-720A-APROC. REF: AMM PC24-A-E31-10-0004-00A-520A-A, AMM PC24-A-E31-10-0004-00A-720A-A								
PC24AE31120300	ENVIRONMENTAL CONTROL PANEL							Component ATA:31
PN:975.95.01.159	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S18066726	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E31-10-0003-00A-520A-A, AMM PC24-A-E31-10-0003-00A-720A-APROC. REF: AMM PC24-A-E31-10-0003-00A-520A-A, AMM PC24-A-E31-10-0003-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC24AE31120400		TRIM PANEL					Component	ATA:31
PN:975.95.01.139	MOS/MSC	14-Nov-22	O/C	TSN 48				
SN:S18247586	HRS	1031.3		TSN 0				
	AFL	1021		TSN 0				
PROC. REF: AMM PC24-A-E31-10-0002-00A-520A-A, AMM PC24-A-E31-10-0002-00A-720A-APROC. REF: AMM PC24-A-E31-10-0002-00A-520A-A, AMM PC24-A-E31-10-0002-00A-720A-A								
PC24AE31120500		CURSOR CONTROL DEVICE CONTROL BOX					Component	ATA:31
PN:985.99.12.202	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:36114	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E46-30-0009-00A-520A-A, AMM PC24-A-E46-30-0009-00A-720A-APROC. REF: AMM PC24-A-E46-30-0009-00A-520A-A, AMM PC24-A-E46-30-0009-00A-720A-A								
PC24AE31120600		CURSOR CONTROL DEVICE					Component	ATA:31
PN:985.99.12.328	MOS/MSC	12-Oct-18	O/C	TSN 1				
SN:0180	HRS	102.5		TSN 0				
	AFL	97		TSN 0				
PROC. REF: AMM PC24-A-E46-30-0008-00A-520A-A, AMM PC24-A-E46-30-0008-00A-720A-APROC. REF: AMM PC24-A-E46-30-0008-00A-520A-A, AMM PC24-A-E46-30-0008-00A-720A-A								
PC24AE31140100		OVERHEAD CONTROL PANEL					Component	ATA:31
PN:975.95.01.162	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S17177581	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E31-10-0001-00A-520A-A, AMM PC24-A-E31-10-0001-00A-720A-APROC. REF: AMM PC24-A-E31-10-0001-00A-520A-A, AMM PC24-A-E31-10-0001-00A-720A-A								
PC24AE31300120		ELEVATOR CONTROL COLUMN POSITION SENSOR					Component	ATA:31
PN:960.10.04.162	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:A22	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE31300200		COCKPIT AREA MICROPHONE					Component	ATA:31
PN:531.30.24.020	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E31-10-0014-00A-520A-A, AMM PC24-A-E31-10-0014-00A-720A-APROC. REF: AMM PC24-A-E31-10-0014-00A-520A-A, AMM PC24-A-E31-10-0014-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC24AE31300300		COCKPIT VOICE RECORDER					Component	ATA:31
PN:985.99.20.174(5033-5003-11)	MOS/MSC	18-Aug-21	O/C	TSN 0				
SN:002062546	HRS	744.9		TSN 0				
	AFL	763		TSN 0				
PROC. REF: AMM PC24-A-E31-32-0000-00A-520A-A, AMM PC24-A-E31-32-0000-00A-720A-A, AMM PC24-A-E31-32-0000-01A-921A-APROC. REF: AMM PC24-A-E31-32-0000-00A-520A-A, AMM PC24-A-E31-32-0000-00A-720A-A, AMM PC24-A-E31-32-0000-01A-921A-A								
PC24AE31300400		CVR,POWER SUPPLY, FR 33/34 (OPT)					Component	ATA:31
PN:985.99.20.145	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:001234733	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE31300500		FLIGHT DATA RECORDER					Component	ATA:31
PN:985.99.20.175	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:001240439	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E31-33-0000-00A-520A-A, AMM PC24-A-E31-33-0000-00A-720A-APROC. REF: AMM PC24-A-E31-33-0000-00A-520A-A, AMM PC24-A-E31-33-0000-00A-720A-A								
PC24AE31600110		PRIMARY FLIGHT DISPLAY PILOT					Component	ATA:31
PN:985.99.12.050	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1890390697	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E46-30-0001-00A-520A-A, AMM PC24-A-E46-30-0001-00A-720A-APROC. REF: AMM PC24-A-E46-30-0001-00A-520A-A, AMM PC24-A-E46-30-0001-00A-720A-A								
PC24AE31600120		PRIMARY FLIGHT DISPLAY COPILOT					Component	ATA:31
PN:985.99.12.050	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1890391979	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E46-30-0002-00A-520A-A, AMM PC24-A-E46-30-0002-00A-720A-APROC. REF: AMM PC24-A-E46-30-0002-00A-520A-A, AMM PC24-A-E46-30-0002-00A-720A-A								
PC24AE31600130		UPPER MULTI-FUNCTION DISPLAY					Component	ATA:31
PN:985.99.12.050	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1890391117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E46-30-0005-00A-520A-A, AMM PC24-A-E46-30-0005-00A-720A-APROC. REF: AMM PC24-A-E46-30-0005-00A-520A-A, AMM PC24-A-E46-30-0005-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC24AE31600140		LOWER MULTI-FUNCTION DISPLAY						Component ATA:31
PN:985.99.12.050	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1890391116	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E46-30-0006-00A-520A-A, AMM PC24-A-E46-30-0006-00A-720A-A PROC. REF: AMM PC24-A-E46-30-0006-00A-520A-A, AMM PC24-A-E46-30-0006-00A-720A-A								
PC24AE31600210		PRIMARY FLIGHT DISPLAY CONTROLLER PILOT						Component ATA:31
PN:985.99.12.178	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KMC2210-3092	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E46-30-0003-00A-520A-A, AMM PC24-A-E46-30-0003-00A-720A-A PROC. REF: AMM PC24-A-E46-30-0003-00A-520A-A, AMM PC24-A-E46-30-0003-00A-720A-A								
PC24AE31600220		PRIMARY FLIGHT DISPLAY CONTROLLER COPILOT						Component ATA:31
PN:985.99.12.178	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KMC2210-3097	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E46-30-0004-00A-520A-A, AMM PC24-A-E46-30-0004-00A-720A-A PROC. REF: AMM PC24-A-E46-30-0004-00A-520A-A, AMM PC24-A-E46-30-0004-00A-720A-A								
PC24AE31600300		MULTI-FUNCTION CONTROLLER						Component ATA:31
PN:985.99.12.259	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KMC2220-2062	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E46-30-0007-00A-520A-A, AMM PC24-A-E46-30-0007-00A-720A-A PROC. REF: AMM PC24-A-E46-30-0007-00A-520A-A, AMM PC24-A-E46-30-0007-00A-720A-A								
PC24CA31320000		COCKPIT VOICE RECORDER (CVR) UNDER WATER LOCATOR BEACON (ULB)						Component ATA:31
PN:266-E5542-00	MOS/MSC	16-Aug-23	H/T					
SN:ULB040053	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM GENERIC 2 PROC. REF: AMM GENERIC 2								
PC24CA31330000		FLIGHT DATA RECORDER (FDR) UNDERWATER LOCATOR BEACON (ULB)						Component ATA:31
PN:DK120-90	MOS/MSC	29-Oct-25	H/T	TSN 0				
SN:AT2312965	HRS	2109.2		TSN 0				
	AFL	1721		TSN 0				
PROC. REF: AMM GENERIC 2 PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
SM-31-30-002 ^S		FDR SYSTEM ED-112 (IF INSTALLED) - FUNCTION TEST						Service ATA:31
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E31-33-0000-00A-340A-APROC. REF: AMM PC24-A-E31-33-0000-00A-340A-A								PKG:13
SM-31-30-003		CVR ULB (IF INSTALLED) - FUNCTION TEST						Service ATA:31
PN:266-E5542-00	MOS	29-Oct-25	24 (+10%/-10%)		29-Oct-27	10-Jan-28	450 d (+73)	
SN:ULB040053	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E31-32-0000-00A-340A-A, AMM PC24-A-E31-33-0000-00A-340A-APROC. REF: AMM PC24-A-E31-32-0000-00A-340A-A, AMM PC24-A-E31-33-0000-00A-340A-A								PKG:14
SM-31-30-003		FDR ULB (IF INSTALLED) - FUNCTION TEST						Service ATA:31
PN:DK120-90	MOS	29-Oct-25	24 (+10%/-10%)		29-Oct-27	10-Jan-28	450 d (+73)	
SN:AT2312965	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E31-32-0000-00A-340A-A, AMM PC24-A-E31-33-0000-00A-340A-APROC. REF: AMM PC24-A-E31-32-0000-00A-340A-A, AMM PC24-A-E31-33-0000-00A-340A-A								PKG:14
SM-31-30-004		CVR ULB BATTERY (IF INSTALLED) - DISCARD						Service ATA:31
PN:266-E5542-00	MOS	29-Oct-25	84		01-Aug-32 (M)		2188 d	LIFE LIMIT
SN:ULB040053	HRS	2109.2						
	AFL	1721						
Manufacture Date:: 09-May-25								
PROC. REF: AMM PC24-A-E31-32-0000-02A-913A-A, AMM PC24-A-E31-33-0000-02A-913A-APROC. REF: AMM PC24-A-E31-32-0000-02A-913A-A, AMM PC24-A-E31-33-0000-02A-913A-A								
SM-31-30-004		FDR ULB BATTERY (IF INSTALLED) - DISCARD						Service ATA:31
PN:DK120-90	MOS	29-Oct-25	84		16-Oct-32		2264 d	LIFE LIMIT
SN:AT2312965	HRS	2109.2						
	AFL	1721						
Manufacture Date:: 16-Oct-25								
PROC. REF: AMM PC24-A-E31-32-0000-02A-913A-A, AMM PC24-A-E31-33-0000-02A-913A-APROC. REF: AMM PC24-A-E31-32-0000-02A-913A-A, AMM PC24-A-E31-33-0000-02A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
SM-31-30-005 ^S		CVR SYSTEM ED-112 (IF INSTALLED) - OPERATION TEST						Service ATA:31
PN:985.99.20.174(5033-5003-11)	MOS	29-Oct-25	12 (+10%/-10%)					
SN:002062546	HRS	2109.2						
	AFL	1721						
								PKG:13
PROC. REF: AMM PC24-A-E31-32-0000-00A-320A-APROC. REF: AMM PC24-A-E31-32-0000-00A-320A-A								
SM-31-30-006 ^S		CVR SYSTEM ED-112 (IF INSTALLED) - FUNCTION TEST (CVR READOUT)						Service ATA:31
PN:985.99.20.174(5033-5003-11)	MOS	29-Oct-25	24 (+10%/-10%)					
SN:002062546	HRS	2109.2						
	AFL	1721						
								PKG:14
PROC. REF: AMM PC24-A-E31-32-0000-00A-340A-APROC. REF: AMM PC24-A-E31-32-0000-00A-340A-A								
SM-31-30-007		FDR SYSTEM ED-112 (IF INSTALLED) - TOLERANCE CHECK						Service ATA:31
PN:985.99.20.175	MOS	24-Aug-23	60 (+10%/-10%)	Adj -24d	31-Jul-28	31-Jan-29	726 d (+184)	
SN:001240439	HRS	1333.4	15000 (+500/-500)		16333.4	16833.4	14052.2 (+500)	
	AFL	1213						
PROC. REF: AMM PC24-A-E31-33-0000-03A-360A-APROC. REF: AMM PC24-A-E31-33-0000-03A-360A-A								
SM-31-30-008		CVR ULB (IF INSTALLED) - CLEANING						Service ATA:31
PN:266-E5542-00	MOS	29-Oct-25	24 (+10%/-10%)		29-Oct-27	10-Jan-28	450 d (+73)	
SN:ULB040053	HRS	2109.2						
	AFL	1721						
								PKG:14
PROC. REF: AMM PC24-A-E31-32-0000-02A-913A-A, AMM PC24-A-E31-33-0000-02A-913A-APROC. REF: AMM PC24-A-E31-32-0000-02A-913A-A, AMM PC24-A-E31-33-0000-02A-913A-A								
SM-31-30-008		FDR ULB (IF INSTALLED) - CLEANING						Service ATA:31
PN:DK120-90	MOS	29-Oct-25	24 (+10%/-10%)		29-Oct-27	10-Jan-28	450 d (+73)	
SN:AT2312965	HRS	2109.2						
	AFL	1721						
								PKG:14
PROC. REF: AMM PC24-A-E31-32-0000-02A-913A-A, AMM PC24-A-E31-33-0000-02A-913A-APROC. REF: AMM PC24-A-E31-32-0000-02A-913A-A, AMM PC24-A-E31-33-0000-02A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
AL-32-10-024	MAIN LANDING GEAR ASSEMBLY, LH - LIFE LIMIT (REMOVE AND INSTALL A NEW MAIN LANDING GEAR ASSEMBLY)							Service ATA:32
PN:532.10.24.913	MOS	03-Jul-18						LIFE LIMIT
SN:VLG112	HRS	0	30000		30000		27718.8	
	AFL	0	30000		30000		28146	
PROC. REF: AMM PC24-A-E32-10-0001-00A-520A-A, AMM PC24-A-E32-10-0001-00A-720A-APROC. REF: AMM PC24-A-E32-10-0001-00A-520A-A, AMM PC24-A-E32-10-0001-00A-720A-A								
AL-32-10-024	MAIN LANDING GEAR ASSEMBLY, RIGHT - LIFE LIMIT (REMOVE AND INSTALL A NEW MAIN LANDING GEAR ASSEMBLY)							Service ATA:32
PN:532.10.24.914	MOS	03-Jul-18						LIFE LIMIT
SN:VLG112	HRS	0	30000		30000		27718.8	
	AFL	0	30000		30000		28146	
PROC. REF: AMM PC24-A-E32-10-0001-00A-520A-A, AMM PC24-A-E32-10-0001-00A-720A-APROC. REF: AMM PC24-A-E32-10-0001-00A-520A-A, AMM PC24-A-E32-10-0001-00A-720A-A								
AL-32-20-023	NOSE LANDING GEAR ASSEMBLY - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE NOSE LANDING GEAR ASSEMBLY)							Service ATA:32
PN:532.20.24.928	MOS	19-Apr-19						LIFE LIMIT
SN:VLG123	HRS	200	30000	TAC 28.5	30171.5		27890.3	
	AFL	201	30000	TAC 18	30183		28329	
PROC. REF: AMM PC24-A-E32-20-0001-00A-520A-A, AMM PC24-A-E32-20-0001-00A-720A-APROC. REF: AMM PC24-A-E32-20-0001-00A-520A-A, AMM PC24-A-E32-20-0001-00A-720A-A								
AL-32-20-029	NOSE LANDING GEAR DRAG STAY (MSN 101 - 500) - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE NOSE LANDING GEAR DRAG STAY)							Service ATA:32
PN:PN	MOS	03-Jul-18						LIFE LIMIT
SN:UNKNOWN	HRS	0	15000		15000		12718.8	
	AFL	0	15000		15000		13146	
PROC. REF: AMM PC24-A-E32-20-0004-00A-520A-A, AMM PC24-A-E32-20-0004-00A-720A-APROC. REF: AMM PC24-A-E32-20-0004-00A-520A-A, AMM PC24-A-E32-20-0004-00A-720A-A								
AL-32-30-008	LANDING GEAR EMERGENCY RELEASE MECHANISM - OPERATION TEST (CMR*)							Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	CMR*
	HRS	2109.2	600 (+10%/-10%)		2709.2	2769.2	428 (+60)	
	AFL	1721						
PROC. REF: AMM PC24-A-E32-30-0002-00A-320A-APROC. REF: AMM PC24-A-E32-30-0002-00A-320A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
AL-32-50-025	NOSE LANDING GEAR STEERING MECHANISM - LIFE LIMIT (REMOVE AND INSTALL A SERVICEABLE NOSE LANDING GEAR STEERING MECHANISM)							Service ATA:32
PN:PN	MOS	03-Jul-18						LIFE LIMIT
SN:UNKNOWN	HRS	0	30000		30000		27718.8	
	AFL	0	30000		30000		28146	
PROC. REF: AMM PC24-A-E32-50-0001-00A-520A-A, AMM PC24-A-E32-50-0001-00A-720A-APROC. REF: AMM PC24-A-E32-50-0001-00A-520A-A, AMM PC24-A-E32-50-0001-00A-720A-A								
PC24AE32100100	MAIN LANDING GEAR ASSEMBLY, LEFT							Component ATA:32
PN:532.10.24.913	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:VLG112	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-10-0001-00A-520A-A, AMM PC24-A-E32-10-0001-00A-720A-APROC. REF: AMM PC24-A-E32-10-0001-00A-520A-A, AMM PC24-A-E32-10-0001-00A-720A-A								
PC24AE32100200	MAIN LANDING GEAR ASSEMBLY, RIGHT							Component ATA:32
PN:532.10.24.914	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:VLG112	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-10-0001-00A-520A-A, AMM PC24-A-E32-10-0001-00A-720A-APROC. REF: AMM PC24-A-E32-10-0001-00A-520A-A, AMM PC24-A-E32-10-0001-00A-720A-A								
PC24AE32100300	SHOCK ABSORBER, LH							Component ATA:32
PN:532.10.24.407	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:VLG014	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-10-0002-00A-520A-A, AMM PC24-A-E32-10-0002-00A-720A-APROC. REF: AMM PC24-A-E32-10-0002-00A-520A-A, AMM PC24-A-E32-10-0002-00A-720A-A								
PC24AE32100400	SHOCK ABSORBER, RH							Component ATA:32
PN:532.10.24.408	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:VLG013	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-10-0002-00A-520A-A, AMM PC24-A-E32-10-0002-00A-720A-APROC. REF: AMM PC24-A-E32-10-0002-00A-520A-A, AMM PC24-A-E32-10-0002-00A-720A-A								
PC24AE32100500	MAIN LANDING GEAR SIDE-STAY, UPPER, LH							Component ATA:32
PN:532.10.24.385	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:403-VLG001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-10-0004-00A-520A-A, AMM PC24-A-E32-10-0004-00A-720A-APROC. REF: AMM PC24-A-E32-10-0004-00A-520A-A, AMM PC24-A-E32-10-0004-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32100600	MAIN LANDING GEAR SIDE-STAY, UPPER, RH							Component ATA:32
PN:532.10.24.386	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:404-VLG001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-10-0004-00A-520A-A, AMM PC24-A-E32-10-0004-00A-720A-APROC. REF: AMM PC24-A-E32-10-0004-00A-520A-A, AMM PC24-A-E32-10-0004-00A-720A-A								
PC24AE32100710	MAIN LANDING GEAR SIDE-STAY, LOWE, LH							Component ATA:32
PN:532.10.24.383	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:403-VLG001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-10-0004-00A-520A-A, AMM PC24-A-E32-10-0004-00A-720A-APROC. REF: AMM PC24-A-E32-10-0004-00A-520A-A, AMM PC24-A-E32-10-0004-00A-720A-A								
PC24AE32100720	MAIN LANDING GEAR SIDE-STAY, LOWE, RH							Component ATA:32
PN:532.10.24.383	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:404-VLG001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-10-0004-00A-520A-A, AMM PC24-A-E32-10-0004-00A-720A-APROC. REF: AMM PC24-A-E32-10-0004-00A-520A-A, AMM PC24-A-E32-10-0004-00A-720A-A								
PC24AE32200100	NOSE LANDING GEAR ASSEMBLY							Component ATA:32
PN:532.20.24.928	MOS/MSC	19-Apr-19	H/T					
SN:VLG123	HRS	200		TSN 28.5				
	AFL	201		TSN 18				
PROC. REF: AMM PC24-A-E32-20-0001-00A-520A-A, AMM PC24-A-E32-20-0001-00A-720A-APROC. REF: AMM PC24-A-E32-20-0001-00A-520A-A, AMM PC24-A-E32-20-0001-00A-720A-A								
PC24AE32200150	NOSE LANDING GEAR DRAG STAY							Component ATA:32
PN:PN	MOS/MSC		H/T					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM PC24-A-E32-20-0004-00A-520A-A, AMM PC24-A-E32-20-0004-00A-720A-APROC. REF: AMM PC24-A-E32-20-0004-00A-520A-A, AMM PC24-A-E32-20-0004-00A-720A-A								
PC24AE32200200	SHIMMY DAMPER ASSEMBLY							Component ATA:32
PN:532.20.12.243	MOS/MSC	29-Oct-25	O/C	TSR 0				
SN:SI-0082	HRS	2109.2		TSR 0				
	AFL	1721		TSR 0				
PROC. REF: AMM PC24-A-E32-20-0003-00A-520A-A, AMM PC24-A-E32-20-0003-00A-720A-APROC. REF: AMM PC24-A-E32-20-0003-00A-520A-A, AMM PC24-A-E32-20-0003-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32300100	NOSE LANDING GEAR ACTUATOR							Component ATA:32
PN:959.56.01.831	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-30-0003-00A-520A-A, AMM PC24-A-E32-30-0003-00A-720A-A PROC. REF: AMM PC24-A-E32-30-0003-00A-520A-A, AMM PC24-A-E32-30-0003-00A-720A-A								
PC24AE32300210	MAIN LANDING GEAR ACTUATOR, LH							Component ATA:32
PN:959.56.01.839	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:27	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-30-0001-00A-520A-A, AMM PC24-A-E32-30-0001-00A-720A-A PROC. REF: AMM PC24-A-E32-30-0001-00A-520A-A, AMM PC24-A-E32-30-0001-00A-720A-A								
PC24AE32300220	MAIN LANDING GEAR ACTUATOR, RH							Component ATA:32
PN:959.56.01.839	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:28	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-30-0001-00A-520A-A, AMM PC24-A-E32-30-0001-00A-720A-A PROC. REF: AMM PC24-A-E32-30-0001-00A-520A-A, AMM PC24-A-E32-30-0001-00A-720A-A								
PC24AE32360100	EMERGENCY GEAR EXTENSION HANDLE							Component ATA:32
PN:959.56.01.838	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:00352	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-30-0004-00A-520A-A, AMM PC24-A-E32-30-0004-00A-720A-A PROC. REF: AMM PC24-A-E32-30-0004-00A-520A-A, AMM PC24-A-E32-30-0004-00A-720A-A								
PC24AE32360200	EMERGENCY GEAR EXTENSION CABLE, CABIN							Component ATA:32
PN:959.56.01.840	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:00005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-30-0002-00A-520A-A, AMM PC24-A-E32-30-0002-00A-720A-A PROC. REF: AMM PC24-A-E32-30-0002-00A-520A-A, AMM PC24-A-E32-30-0002-00A-720A-A								
PC24AE32360300	EMERGENCY GEAR EXTENSION CABLE, NLG							Component ATA:32
PN:959.56.01.818	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:00034	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-30-0002-00A-520A-A, AMM PC24-A-E32-30-0002-00A-720A-A PROC. REF: AMM PC24-A-E32-30-0002-00A-520A-A, AMM PC24-A-E32-30-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32360410	EMERGENCY GEAR EXTENSION CABLE, MLG, LH							Component ATA:32
PN:959.56.01.837	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:00016	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-30-0002-00A-520A-A, AMM PC24-A-E32-30-0002-00A-720A-A PROC. REF: AMM PC24-A-E32-30-0002-00A-520A-A, AMM PC24-A-E32-30-0002-00A-720A-A								
PC24AE32360420	EMERGENCY GEAR EXTENSION CABLE, MLG, RH							Component ATA:32
PN:959.56.01.837	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:00014	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-30-0002-00A-520A-A, AMM PC24-A-E32-30-0002-00A-720A-A PROC. REF: AMM PC24-A-E32-30-0002-00A-520A-A, AMM PC24-A-E32-30-0002-00A-720A-A								
PC24AE32400100	NOSE WHEEL ASSEMBLY							Component ATA:32
PN:532.40.24.227	MOS/MSC	01-Dec-20	O/C	TSN 0				
SN:1036	HRS	635		TSN 0				
	AFL	629		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0002-00A-520A-A, AMM PC24-A-E32-40-0002-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0002-00A-520A-A, AMM PC24-A-E32-40-0002-00A-720A-A								
PC24AE32400210	MAIN WHEEL ASSEMBLY, INBOARD, LH							Component ATA:32
PN:532.40.24.927	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0001-00A-520A-A, AMM PC24-A-E32-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0001-00A-520A-A, AMM PC24-A-E32-40-0001-00A-720A-A								
PC24AE32400220	MAIN WHEEL ASSEMBLY, OUTBOARD, LH							Component ATA:32
PN:532.40.24.927	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1070	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0001-01A-520A-A, AMM PC24-A-E32-40-0001-01A-720A-A PROC. REF: AMM PC24-A-E32-40-0001-01A-520A-A, AMM PC24-A-E32-40-0001-01A-720A-A								
PC24AE32400230	MAIN WHEEL ASSEMBLY, INBOARD, RH							Component ATA:32
PN:532.40.24.927	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1073	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0001-00A-520A-A, AMM PC24-A-E32-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0001-00A-520A-A, AMM PC24-A-E32-40-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32400240	MAIN WHEEL ASSEMBLY, OUTBOARD, RH							Component ATA:32
PN:532.40.24.927	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1074	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0001-01A-520A-A, AMM PC24-A-E32-40-0001-01A-720A-A PROC. REF: AMM PC24-A-E32-40-0001-01A-520A-A, AMM PC24-A-E32-40-0001-01A-720A-A								
PC24AE32400310	MAIN WHEEL BRAKE, INBOARD, LH							Component ATA:32
PN:959.56.01.271	MOS/MSC	03-Dec-23	O/C	TSO 1				
SN:1491	HRS	1423.3		TSO 0				
	AFL	1267		TSO 0				
PROC. REF: AMM PC24-A-E32-40-0003-00A-520A-A, AMM PC24-A-E32-40-0003-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0003-00A-520A-A, AMM PC24-A-E32-40-0003-00A-720A-A								
PC24AE32400320	MAIN WHEEL BRAKE, OUTBOARD, LH							Component ATA:32
PN:959.56.01.271	MOS/MSC	03-Dec-23	O/C	TSO 12				
SN:1539	HRS	1423.3		TSO 0				
	AFL	1267		TSO 0				
PROC. REF: AMM PC24-A-E32-40-0003-01A-520A-A, AMM PC24-A-E32-40-0003-01A-720A-A PROC. REF: AMM PC24-A-E32-40-0003-01A-520A-A, AMM PC24-A-E32-40-0003-01A-720A-A								
PC24AE32400330	MAIN WHEEL BRAKE, INBOARD, RH							Component ATA:32
PN:959.56.01.271	MOS/MSC	03-Dec-23	O/C	TSO 1				
SN:1094	HRS	1423.3		TSO 0				
	AFL	1267		TSO 0				
PROC. REF: AMM PC24-A-E32-40-0003-00A-520A-A, AMM PC24-A-E32-40-0003-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0003-00A-520A-A, AMM PC24-A-E32-40-0003-00A-720A-A								
PC24AE32400340	MAIN WHEEL BRAKE, OUTBOARD, RH							Component ATA:32
PN:959.56.01.271	MOS/MSC	03-Dec-23	O/C	TSO 1				
SN:1086	HRS	1423.3		TSO 0				
	AFL	1267		TSO 0				
PROC. REF: AMM PC24-A-E32-40-0003-01A-520A-A, AMM PC24-A-E32-40-0003-01A-720A-A PROC. REF: AMM PC24-A-E32-40-0003-01A-520A-A, AMM PC24-A-E32-40-0003-01A-720A-A								
PC24AE32400410	WHEEL SPEED TRANSDUCER, LH INBD							Component ATA:32
PN:959.47.86.018	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0147	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0008-00A-520A-A, AMM PC24-A-E32-40-0008-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0008-00A-520A-A, AMM PC24-A-E32-40-0008-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32400420	WHEEL SPEED TRANSDUCER, LH OUTBD							Component ATA:32
PN:959.47.86.018	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0148	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0008-00A-520A-A, AMM PC24-A-E32-40-0008-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0008-00A-520A-A, AMM PC24-A-E32-40-0008-00A-720A-A								
PC24AE32400430	WHEEL SPEED TRANSDUCER, RH INBD							Component ATA:32
PN:959.47.86.018	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0126	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0008-00A-520A-A, AMM PC24-A-E32-40-0008-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0008-00A-520A-A, AMM PC24-A-E32-40-0008-00A-720A-A								
PC24AE32400440	WHEEL SPEED TRANSDUCER, RH OUTBD							Component ATA:32
PN:959.47.86.018	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0136	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0008-00A-520A-A, AMM PC24-A-E32-40-0008-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0008-00A-520A-A, AMM PC24-A-E32-40-0008-00A-720A-A								
PC24AE32400510	BRAKE MASTER CYLINDER, PILOT LH							Component ATA:32
PN:959.47.51.135	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0052	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0009-00A-520A-A, AMM PC24-A-E32-40-0009-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0009-00A-520A-A, AMM PC24-A-E32-40-0009-00A-720A-A								
PC24AE32400520	BRAKE MASTER CYLINDER, PILOT RH							Component ATA:32
PN:959.47.51.135	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0009-00A-520A-A, AMM PC24-A-E32-40-0009-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0009-00A-520A-A, AMM PC24-A-E32-40-0009-00A-720A-A								
PC24AE32400530	BRAKE MASTER CYLINDER, COPILOT LH							Component ATA:32
PN:959.47.51.135	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0070	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0009-00A-520A-A, AMM PC24-A-E32-40-0009-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0009-00A-520A-A, AMM PC24-A-E32-40-0009-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32400540		BRAKE MASTER CYLINDER, COPILOT RH					Component	ATA:32
PN:959.47.51.135	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0071	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0009-00A-520A-A, AMM PC24-A-E32-40-0009-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0009-00A-520A-A, AMM PC24-A-E32-40-0009-00A-720A-A								
PC24AE32400610		PRESSURE SENSOR, LH					Component	ATA:32
PN:957.12.10.679	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0032	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE32400620		PRESSURE SENSOR, RH					Component	ATA:32
PN:957.12.10.679	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0033	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE32400710		VOLUME COMPENSATOR, LH					Component	ATA:32
PN:959.47.86.016	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1025	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0028-00A-520A-A, AMM PC24-A-E32-40-0028-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0028-00A-520A-A, AMM PC24-A-E32-40-0028-00A-720A-A								
PC24AE32400720		VOLUME COMPENSATOR, RH					Component	ATA:32
PN:959.47.86.016	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1026	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0028-00A-520A-A, AMM PC24-A-E32-40-0028-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0028-00A-520A-A, AMM PC24-A-E32-40-0028-00A-720A-A								
PC24AE32400810		SENSOR,PRESSURE, LH MAIN, FR 31, MT3101					Component	ATA:32
PN:957.12.10.677	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0035	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32400820		SENSOR,PRESSURE, MAIN, FR 31, MT3102					Component	ATA:32
PN:957.12.10.677	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0039	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE32400900		DE-SPIN VALVE					Component	ATA:32
PN:960.10.04.141	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0054	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0018-00A-520A-A, AMM PC24-A-E32-40-0018-00A-720A-APROC. REF: AMM PC24-A-E32-40-0018-00A-520A-A, AMM PC24-A-E32-40-0018-00A-720A-A								
PC24AE32401000		FILTER MANIFOLD ASSEMBLY					Component	ATA:32
PN:960.10.04.172	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0017	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0012-00A-520A-A, AMM PC24-A-E32-40-0012-00A-720A-APROC. REF: AMM PC24-A-E32-40-0012-00A-520A-A, AMM PC24-A-E32-40-0012-00A-720A-A								
PC24AE32401100		DIGITAL ANTI-SKID CONTROL UNIT					Component	ATA:32
PN:959.47.86.027 (142-201-01)	MOS/MSC	21-Aug-20	O/C					
SN:157	HRS	600						
	AFL	587						
PROC. REF: AMM PC24-A-E32-40-0006-00A-520A-A, AMM PC24-A-E32-40-0006-00A-720A-APROC. REF: AMM PC24-A-E32-40-0006-00A-520A-A, AMM PC24-A-E32-40-0006-00A-720A-A								
PC24AE32401200		MOTOR PUMP					Component	ATA:32
PN:960.30.01.173	MOS/MSC	13-Sep-24	H/T					
SN:0301	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E32-40-0010-00A-520A-A, AMM PC24-A-E32-40-0010-00A-720A-APROC. REF: AMM PC24-A-E32-40-0010-00A-520A-A, AMM PC24-A-E32-40-0010-00A-720A-A								
PC24AE32401300		MOTOR CONTROLLER					Component	ATA:32
PN:960.30.01.174	MOS/MSC	13-Sep-24	O/C					
SN:0421	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E32-40-0013-00A-520A-A, AMM PC24-A-E32-40-0013-00A-720A-APROC. REF: AMM PC24-A-E32-40-0013-00A-520A-A, AMM PC24-A-E32-40-0013-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32401400	HYDRAULIC RESERVOIR							Component ATA:32
PN:960.10.04.206	MOS/MSC	13-Sep-24	O/C					
SN:0111	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E32-40-0011-00A-520A-A, AMM PC24-A-E32-40-0011-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0011-00A-520A-A, AMM PC24-A-E32-40-0011-00A-720A-A								
PC24AE32401500	HYDRAULIC ACCUMULATOR							Component ATA:32
PN:960.30.01.296	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0018	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0014-00A-520A-A, AMM PC24-A-E32-40-0014-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0014-00A-520A-A, AMM PC24-A-E32-40-0014-00A-720A-A								
PC24AE32401600	HYDRAULIC FUSE							Component ATA:32
PN:960.30.01.205	MOS/MSC	20-Mar-20	O/C	TSN 8				
SN:0035	HRS	538.8		TSN 0				
	AFL	502		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0023-00A-520A-A, AMM PC24-A-E32-40-0023-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0023-00A-520A-A, AMM PC24-A-E32-40-0023-00A-720A-A								
PC24AE32401700	GROUND SERVICE VALVE							Component ATA:32
PN:960.30.01.262	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0010	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0022-00A-520A-A, AMM PC24-A-E32-40-0022-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0022-00A-520A-A, AMM PC24-A-E32-40-0022-00A-720A-A								
PC24AE32401800	POWER BRAKE AND ANTI-SKID VALVE							Component ATA:32
PN:959.47.86.025	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1023	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0007-00A-520A-A, AMM PC24-A-E32-40-0007-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0007-00A-520A-A, AMM PC24-A-E32-40-0007-00A-720A-A								
PC24AE32402000	PARK/EMERGENCY BRAKE VALVE							Component ATA:32
PN:959.47.51.129	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0059	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0015-00A-520A-A, AMM PC24-A-E32-40-0015-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0015-00A-520A-A, AMM PC24-A-E32-40-0015-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32402100	PARK/EMERGENCY BRAKE CABLE							Component ATA:32
PN:959.56.01.721	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:00018	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0021-00A-520A-A, AMM PC24-A-E32-40-0021-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0021-00A-520A-A, AMM PC24-A-E32-40-0021-00A-720A-A								
PC24AE32402210	PARK/EMERGENCY BRAKE PRESSURE SENSOR, MT2221							Component ATA:32
PN:957.12.10.677	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0045	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0019-00A-520A-A, AMM PC24-A-E32-40-0019-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0019-00A-520A-A, AMM PC24-A-E32-40-0019-00A-720A-A								
PC24AE32402220	PARK/EMERGENCY BRAKE PRESSURE SENSOR, MT2222							Component ATA:32
PN:957.12.10.677	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0046	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0019-00A-520A-A, AMM PC24-A-E32-40-0019-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0019-00A-520A-A, AMM PC24-A-E32-40-0019-00A-720A-A								
PC24AE32402300	ISOLATION VALVE							Component ATA:32
PN:960.10.04.143	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0020	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0017-00A-520A-A, AMM PC24-A-E32-40-0017-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0017-00A-520A-A, AMM PC24-A-E32-40-0017-00A-720A-A								
PC24AE32402400	PARK/EMERGENCY BRAKE ACCUMULATOR							Component ATA:32
PN:960.30.01.295	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0010	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-40-0016-00A-520A-A, AMM PC24-A-E32-40-0016-00A-720A-A PROC. REF: AMM PC24-A-E32-40-0016-00A-520A-A, AMM PC24-A-E32-40-0016-00A-720A-A								
PC24AE32600110	NLG PROXIMITY SENSOR SWITCH, DOWN LOCK							Component ATA:32
PN:973.30.33.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:6757	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-60-0002-00A-520A-A, AMM PC24-A-E32-60-0002-00A-720A-A PROC. REF: AMM PC24-A-E32-60-0002-00A-520A-A, AMM PC24-A-E32-60-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32600120		NLG PROXIMITY SENSOR SWITCH, UP LOCK					Component	ATA:32
PN:973.30.33.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:6755	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-60-0002-00A-520A-A, AMM PC24-A-E32-60-0002-00A-720A-A PROC. REF: AMM PC24-A-E32-60-0002-00A-520A-A, AMM PC24-A-E32-60-0002-00A-720A-A								
PC24AE32600210		MLG DOWN AND LOCK MICROSWITCH, LH					Component	ATA:32
PN:973.30.31.217	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:01053	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-60-0003-00A-520A-A, AMM PC24-A-E32-60-0003-00A-720A-A PROC. REF: AMM PC24-A-E32-60-0003-00A-520A-A, AMM PC24-A-E32-60-0003-00A-720A-A								
PC24AE32600220		MLG DOWN AND LOCK MICROSWITCH, RH					Component	ATA:32
PN:973.30.31.217	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:01066	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-60-0003-00A-520A-A, AMM PC24-A-E32-60-0003-00A-720A-A PROC. REF: AMM PC24-A-E32-60-0003-00A-520A-A, AMM PC24-A-E32-60-0003-00A-720A-A								
PC24AE32600310		MLG WEIGHT ON WHEELS PROXIMITY SENSOR SWITCH, UP LOCK, LH					Component	ATA:32
PN:591.90.24.029	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2558	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-60-0001-00A-520A-A, AMM PC24-A-E32-60-0001-00A-720A-A PROC. REF: AMM PC24-A-E32-60-0001-00A-520A-A, AMM PC24-A-E32-60-0001-00A-720A-A								
PC24AE32600320		MLG WEIGHT ON WHEELS PROXIMITY SENSOR SWITCH, UP LOCK, RH					Component	ATA:32
PN:591.90.24.030	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2552	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-60-0001-00A-520A-A, AMM PC24-A-E32-60-0001-00A-720A-A PROC. REF: AMM PC24-A-E32-60-0001-00A-520A-A, AMM PC24-A-E32-60-0001-00A-720A-A								
PC24AE32600330		MLG WEIGHT ON WHEELS PROXIMITY SENSOR SWITCH, WOW MLG, LH					Component	ATA:32
PN:973.30.33.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2974	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-60-0004-00A-520A-A, AMM PC24-A-E32-60-0004-00A-720A-A PROC. REF: AMM PC24-A-E32-60-0004-00A-520A-A, AMM PC24-A-E32-60-0004-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC24AE32600340		MLG WEIGHT ON WHEELS PROXIMITY SENSOR SWITCH, WOW MLG, RH						Component ATA:32
PN:973.30.33.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2975	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E32-60-0004-00A-520A-A, AMM PC24-A-E32-60-0004-00A-720A-A PROC. REF: AMM PC24-A-E32-60-0004-00A-520A-A, AMM PC24-A-E32-60-0004-00A-720A-A								
PC24CA32400001 ^S		MAIN TIRE, INBOARD, LH						Component ATA:32
PN:026-674-0	MOS/MSC	22-Oct-24	O/C	TSN 0				
SN:4058P00108	HRS	1786		TSN 0				
	AFL	1503		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA32400002 ^S		MAIN TIRE, INBOARD, RH						Component ATA:32
PN:026-674-0	MOS/MSC	22-Oct-24	O/C	TSN 0				
SN:4050P00060	HRS	1786		TSN 0				
	AFL	1503		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA32400003 ^S		MAIN TIRE, OUTBOARD, LH						Component ATA:32
PN:026-674-0	MOS/MSC	22-Oct-24	O/C	TSN 0				
SN:4058P00106	HRS	1786		TSN 0				
	AFL	1503		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA32400004 ^S		MAIN TIRE, OUTBOARD, RH						Component ATA:32
PN:026-674-0	MOS/MSC	22-Oct-24	O/C	TSN 0				
SN:4058P00102	HRS	1786		TSN 0				
	AFL	1503		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24CA32400005		NOSE TIRE						Component ATA:32
PN:019-545-0	MOS/MSC	04-Apr-22	O/C	TSN 10				
SN:1160T00150	HRS	900.7		TSN 0				
	AFL	915		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PC24CA32500001		NOSE LANDING GEAR STEERING MECHANISM						Component	ATA:32
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM PC24-A-E32-50-0001-00A-520A-A, AMM PC24-A-E32-50-0001-00A-720A-A PROC. REF: AMM PC24-A-E32-50-0001-00A-520A-A, AMM PC24-A-E32-50-0001-00A-720A-A									
SM-32-10-004 ^S		MAIN LANDING GEAR SHOCK ABSORBERS - SERVICE (CHECK NITROGEN PRESSURE)						Service	ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)						
	HRS	2109.2	600 (+10%/-10%)						
	AFL	1721							
PKG:2									
PROC. REF: AMM PC24-A-E32-10-0002-00A-362A-A PROC. REF: AMM PC24-A-E32-10-0002-00A-362A-A									
SM-32-10-005 ^S		MAIN LANDING GEAR SHOCK ABSORBER ATTACHMENTS - VISUAL EXAMINATION						Service	ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)						
	HRS	2109.2	600 (+10%/-10%)						
	AFL	1721							
PKG:2									
PROC. REF: AMM PC24-A-E32-10-0000-00A-310A-A PROC. REF: AMM PC24-A-E32-10-0000-00A-310A-A									
SM-32-10-006 ^S		MAIN LANDING GEAR ASSEMBLIES AND THEIR ATTACHMENTS - VISUAL EXAMINATION						Service	ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)						
	HRS	2109.2	600 (+10%/-10%)						
	AFL	1721							
PKG:2									
PROC. REF: AMM PC24-A-E32-10-0000-00A-310A-A PROC. REF: AMM PC24-A-E32-10-0000-00A-310A-A									
SM-32-10-007 ^S		MAIN LANDING GEAR SPRING STRUTS AND THEIR ATTACHMENTS - VISUAL EXAMINATION						Service	ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)						
	HRS	2109.2	600 (+10%/-10%)						
	AFL	1721							
PKG:2									
PROC. REF: AMM PC24-A-E32-10-0005-00A-310A-A PROC. REF: AMM PC24-A-E32-10-0005-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
SM-32-10-021	MAIN LANDING GEAR ASSEMBLY AND DOOR INSTALLATION - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:32
	MOS	11-Aug-23	36 (+10%/-10%)		11-Aug-26	29-Nov-26	6 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-32-10-022	MAIN LANDING GEAR BOLTS AND DOORS BOLTS (REMOVED) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:32
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-32-10-023	NOSE LANDING GEAR ASSEMBLY AND DOOR INSTALLATION - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:32
	MOS	11-Aug-23	36 (+10%/-10%)		11-Aug-26	29-Nov-26	6 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-32-10-024	NOSE LANDING GEAR BOLTS AND DOORS (REMOVED) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:32
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-32-20-001 ^S	NOSE LANDING GEAR SHOCK ABSORBERS - SERVICE (CHECK NITROGEN PRESSURE)							Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-20-0000-00A-362A-APROC. REF: AMM PC24-A-E32-20-0000-00A-362A-A								
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
SM-32-20-002	^S	NOSE LANDING GEAR ASSEMBLY AND ITS ATTACHMENTS - VISUAL EXAMINATION						Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-20-0000-00A-310A-APROC. REF: AMM PC24-A-E32-20-0000-00A-310A-A								PKG:2
SM-32-20-018	^S	NOSE LANDING GEAR ASSEMBLY - LUBRICATION						Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-A12-20-0004-00A-240A-APROC. REF: AMM PC24-A-A12-20-0004-00A-240A-A								PKG:2
SM-32-20-019	^S	SHIMMY DAMPER - VISUAL EXAMINATION						Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-20-0003-00A-310A-APROC. REF: AMM PC24-A-E32-20-0003-00A-310A-A								PKG:2
SM-32-40-009	^S	BRAKE UNIT - VISUAL EXAMINATION						Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-40-0000-00A-310A-APROC. REF: AMM PC24-A-E32-40-0000-00A-310A-A								PKG:2
SM-32-40-010	^S	NOSE WHEEL TIRES - SERVICE (CHECK TIRE PRESSURE AND SERVICE IF REQUIRED)						Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-40-0005-00A-362A-APROC. REF: AMM PC24-A-E32-40-0005-00A-362A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
SM-32-40-011	^S	MAIN WHEEL TIRES - SERVICE (CHECK TIRE PRESSURE AND SERVICE IF REQUIRED)						Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-40-0004-00A-362A-APROC. REF: AMM PC24-A-E32-40-0004-00A-362A-A								PKG:2
SM-32-40-012	^S	NOSE WHEEL TIRES - VISUAL EXAMINATION						Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-40-0000-00A-310A-APROC. REF: AMM PC24-A-E32-40-0000-00A-310A-A								PKG:2
SM-32-40-013	^S	MAIN WHEEL TIRES - VISUAL EXAMINATION						Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-40-0000-00A-310A-APROC. REF: AMM PC24-A-E32-40-0000-00A-310A-A								PKG:2
SM-32-40-014		NOSE LANDING GEAR WHEELS - SPECIAL VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT (NDT INSPECTION)						Service ATA:32
	MOS/MSC	03-Jul-18	T/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
SM-32-40-015		MAIN LANDING GEAR WHEELS - SPECIAL VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT (NDT INSPECTION)						Service ATA:32
	MOS/MSC	03-Jul-18	T/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
SM-32-40-016 ^S		NOSE LANDING GEAR WHEELS - VISUAL EXAMINATION						Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-40-0000-00A-310A-APROC. REF: AMM PC24-A-E32-40-0000-00A-310A-A								PKG:2
SM-32-40-017 ^S		MAIN LANDING GEAR WHEELS - VISUAL EXAMINATION						Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-40-0000-00A-310A-APROC. REF: AMM PC24-A-E32-40-0000-00A-310A-A								PKG:2
SM-32-40-020 ^S		HYDRAULIC SYSTEM RESERVOIR - SERVICE (ADD HYDRAULIC FLUID AS REQUIRED AND DRAIN THE HYDRAULIC SYSTEM DRAIN TANK)						Service ATA:32
	MOS	13-Sep-24						
	HRS	1731	600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-A12-20-0005-00A-212A-A, AMM PC24-A-A12-20-0005-00A-222A-APROC. REF: AMM PC24-A-A12-20-0005-00A-212A-A, AMM PC24-A-A12-20-0005-00A-222A-A								PKG:1
SM-32-40-027		LUBRICATE NOSE WHEEL ASSEMBLY BEARINGS						Service ATA:32
PN:532.40.24.227	MOS/MSC	29-Oct-25	12 (+10%/-10%) / T/C		29-Oct-26	05-Dec-26	85 d (+37)	
SN:1036	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-A12-20-0004-01A-240A-APROC. REF: AMM PC24-A-A12-20-0004-01A-240A-A								
SM-32-40-028		LUBRICATE LH INBD WHEEL ASSEMBLY BEARINGS						Service ATA:32
PN:532.40.24.927	MOS/MSC	29-Oct-25	12 (+10%/-10%) / T/C		29-Oct-26	05-Dec-26	85 d (+37)	
SN:1069	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-A12-20-0004-01A-240A-APROC. REF: AMM PC24-A-A12-20-0004-01A-240A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
SM-32-40-028	LUBRICATE LH OUTBD WHEEL ASSEMBLY BEARINGS							Service ATA:32
PN:532.40.24.927	MOS/MSC	29-Oct-25	12 (+10%/-10%) / T/C		29-Oct-26	05-Dec-26	85 d (+37)	
SN:1070	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-A12-20-0004-01A-240A-APROC. REF: AMM PC24-A-A12-20-0004-01A-240A-A								
SM-32-40-028	LUBRICATE RH INBD WHEEL ASSEMBLY BEARINGS							Service ATA:32
PN:532.40.24.927	MOS/MSC	29-Oct-25	12 (+10%/-10%) / T/C		29-Oct-26	05-Dec-26	85 d (+37)	
SN:1073	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-A12-20-0004-01A-240A-APROC. REF: AMM PC24-A-A12-20-0004-01A-240A-A								
SM-32-40-028	LUBRICATE RH OUTBD WHEEL ASSEMBLY BEARINGS							Service ATA:32
PN:532.40.24.927	MOS/MSC	29-Oct-25	12 (+10%/-10%) / T/C		29-Oct-26	05-Dec-26	85 d (+37)	
SN:1074	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-A12-20-0004-01A-240A-APROC. REF: AMM PC24-A-A12-20-0004-01A-240A-A								
SM-32-50-003 ^S	NOSE LANDING GEAR STEERING MECHANISM - VISUAL EXAMINATION							Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
								PKG:2
PROC. REF: AMM PC24-A-E32-50-0000-00A-310A-APROC. REF: AMM PC24-A-E32-50-0000-00A-310A-A								
ZL-213-01 ^S	NOSE LANDING GEAR BAY AND DOORS - VISUAL EXAMINATION							Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
								PKG:2
PROC. REF: AMM PC24-A-E32-05-0001-00A-310A-APROC. REF: AMM PC24-A-E32-05-0001-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
ZL-531-01 ^S	MAIN LANDING GEAR BAY LH - VISUAL EXAMINATION							Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-05-0001-00A-310A-APROC. REF: AMM PC24-A-E32-05-0001-00A-310A-A								PKG:2
ZL-531-02 ^S	MAIN LANDING GEAR BAY SKIN - VISUAL EXAMINATION							Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-05-0001-00A-310A-APROC. REF: AMM PC24-A-E32-05-0001-00A-310A-A								PKG:2
ZL-631-01 ^S	MAIN LANDING GEAR BAY RH - VISUAL EXAMINATION							Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-05-0001-00A-310A-APROC. REF: AMM PC24-A-E32-05-0001-00A-310A-A								PKG:2
ZL-631-02 ^S	MAIN LANDING GEAR BAY SKIN - VISUAL EXAMINATION							Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-05-0001-00A-310A-APROC. REF: AMM PC24-A-E32-05-0001-00A-310A-A								PKG:2
ZL-710-01 ^S	MAIN LANDING GEAR LH - VISUAL EXAMINATION							Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-05-0001-00A-310A-APROC. REF: AMM PC24-A-E32-05-0001-00A-310A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
ZL-720-01 ^S	MAIN LANDING GEAR RH - VISUAL EXAMINATION							Service ATA:32
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E32-05-0001-00A-310A-APROC. REF: AMM PC24-A-E32-05-0001-00A-310A-A								PKG:2
ATA 33 - LIGHTS								
PC24AE33120100	DOME LIGHT							Component ATA:33
PN:972.87.26.324	MOS/MSC	29-Oct-25	O/C	TSN 0				
SN:6858783	HRS	2109.2		TSN 0				
	AFL	1721		TSN 0				
PROC. REF: AMM PC24-A-E33-10-0003-00A-520A-A, AMM PC24-A-E33-10-0003-00A-720A-APROC. REF: AMM PC24-A-E33-10-0003-00A-520A-A, AMM PC24-A-E33-10-0003-00A-720A-A								
PC24AE33130110	MAP LIGHT, LH							Component ATA:33
PN:972.87.26.334	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:183186-3-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-10-0004-00A-520A-A, AMM PC24-A-E33-10-0004-00A-720A-APROC. REF: AMM PC24-A-E33-10-0004-00A-520A-A, AMM PC24-A-E33-10-0004-00A-720A-A								
PC24AE33130120	MAP LIGHT, RH							Component ATA:33
PN:972.87.26.334	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:183186-3-2	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-10-0004-00A-520A-A, AMM PC24-A-E33-10-0004-00A-720A-APROC. REF: AMM PC24-A-E33-10-0004-00A-520A-A, AMM PC24-A-E33-10-0004-00A-720A-A								
PC24AE33140100	SMART DIMMER STEUEREINHEIT, A1601							Component ATA:33
PN:975.02.15.210	MOS/MSC	21-Feb-19	O/C	TSN 0				
SN:S18246265	HRS	175		TSN 0				
	AFL	170		TSN 0				
PROC. REF: AMM PC24-A-E33-10-0001-00A-520A-A, AMM PC24-A-E33-10-0001-00A-720A-APROC. REF: AMM PC24-A-E33-10-0001-00A-520A-A, AMM PC24-A-E33-10-0001-00A-720A-A								
PC24AE33210110	PAX DOOR LIGHT, COVER, LOWER, DS1812							Component ATA:33
PN:972.87.26.320	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:191795-3-6	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33210120	PAX DOOR LIGHT, STAIR, MIDDLE, DS1814							Component ATA:33
PN:972.87.26.320	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:191795-3-3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33210130	PAX DOOR LIGHT, STAIR, LOWER, DS1813							Component ATA:33
PN:972.87.26.320	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:191795-3-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33210140	PAX DOOR LIGHT, STAIR, UPPER, DS1815							Component ATA:33
PN:972.87.26.320	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:191795-3-5	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33210150	PAX DOOR LIGHT, COVER, UPPER, DS1816							Component ATA:33
PN:972.87.26.320	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:191795-3-4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33210210	ENTRY HALLWAY SPOT LIGHT, FRONT							Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-APROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-A								
PC24AE33210220	ENTRY HALLWAY SPOT LIGHT, REAR							Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-9	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-APROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-A								
PC24AE33210230 SPOT LIGHT, PSU FRONT, LH, DS1913								Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-2	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-APROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-A								
PC24AE33210240 SPOT LIGHT, PSU FRONT, RH, DS1922								Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-APROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-A								
PC24AE33210250 SPOT LIGHT, PSU REAR, LH, DS3111								Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-12	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-APROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-A								
PC24AE33210260 SPOT LIGHT, PSU REAR, RH, DS3121								Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-APROC. REF: AMM PC24-A-E33-20-0002-00A-520A-A, AMM PC24-A-E33-20-0002-00A-720A-A								
PC24AE33210310 ACCENT LIGHT, WINDOW,CABIN 1, LH, DS2110								Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-5	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210315 ACCENT LIGHT, WINDOW,CABIN 2, LH, DS2310								Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-49	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210320 ACCENT LIGHT, WINDOW,CABIN 3, LH, DS2410								Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-50	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210325 ACCENT LIGHT, WINDOW,CABIN 4, LH, DS2710								Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-51	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210330 ACCENT LIGHT, WINDOW,CABIN 5, LH, DS2910								Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-52	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210335 ACCENT LIGHT, WINDOW,CABIN 6, LH, DS3110								Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-53	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210340 ACCENT LIGHT, WINDOW,CABIN 1, RH, DS2120								Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-54	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210345 ACCENT LIGHT, WINDOW,CABIN 2, RH, DS2320								Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-55	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210350	ACCENT LIGHT, WINDOW,CABIN 3, RH, DS2420							Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-56	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210355	ACCENT LIGHT, WINDOW,CABIN 4, RH, DS2720							Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-57	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210360	ACCENT LIGHT, WINDOW,CABIN 5, RH, DS2920							Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-58	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210365	ACCENT LIGHT, WINDOW,CABIN 6, RH, DS3120							Component ATA:33
PN:972.87.26.323	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:184991-1-59	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33210410	DRIVER,LIGHT, SIDEWALL LIGHTS, A1726							Component ATA:33
PN:975.02.15.214	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:116	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33210420	DRIVER,LIGHT, ENTRANCE LIGHTS, A1725							Component ATA:33
PN:975.02.15.214	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:127	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33210430 DRIVER,LIGHT, PSU LIGHTS, A3311								Component ATA:33
PN:975.02.15.214	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:139	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33250110 READING LIGHT, PSU, LH, DS2111								Component ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-4-9	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A								
PC24AE33250115 READING LIGHT, PSU, LH, DS2212								Component ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-4-11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A								
PC24AE33250120 READING LIGHT, PSU, LH, DS2311								Component ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-4-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A								
PC24AE33250125 READING LIGHT, PSU, LH, DS2611								Component ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-4-8	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A								
PC24AE33250130 READING LIGHT, PSU, LH, DS2711								Component ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-4-3	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A									
PC24AE33250135		READING LIGHT, PSU, LH, DS3011						Component	ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0					
SN:197790-4-6	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A									
PC24AE33250145		READING LIGHT, PSU, RH, DS2111						Component	ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0					
SN:197790-4-12	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A									
PC24AE33250150		READING LIGHT, PSU, RH, DS2222						Component	ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0					
SN:197790-4-2	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A									
PC24AE33250155		READING LIGHT, PSU, RH, DS2321						Component	ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0					
SN:197790-4-5	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A									
PC24AE33250160		READING LIGHT, PSU, RH, DS2621						Component	ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0					
SN:197790-4-10	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A									
PC24AE33250165		READING LIGHT, PSU, RH, DS2721						Component	ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0					
SN:197790-4-7	HRS	0	TSN 0						
	AFL	0	TSN 0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-APROC. REF: AMM PC24-A-E33-20-0004-00A-520A-A, AMM PC24-A-E33-20-0004-00A-720A-A								
PC24AE33250170 READING LIGHT, PSU, RH, DS3021								Component ATA:33
PN:972.87.26.321	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-4-4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-APROC. REF: AMM PC24-A-E33-20-0010-00A-520A-A, AMM PC24-A-E33-20-0010-00A-720A-A								
PC24AE33300110 BAGGAGE COMPARTMENT LIGHT, PSU, LH, DS3311								Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-30-0001-00A-520A-A, AMM PC24-A-E33-30-0001-00A-720A-APROC. REF: AMM PC24-A-E33-30-0001-00A-520A-A, AMM PC24-A-E33-30-0001-00A-720A-A								
PC24AE33300120 BAGGAGE COMPARTMENT LIGHT, PSU, RH, DS3321								Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-5	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-30-0001-00A-520A-A, AMM PC24-A-E33-30-0001-00A-720A-APROC. REF: AMM PC24-A-E33-30-0001-00A-520A-A, AMM PC24-A-E33-30-0001-00A-720A-A								
PC24AE33300130 BAGGAGE COMPARTMENT LIGHT, LH, DS3511								Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-6	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-30-0001-00A-520A-A, AMM PC24-A-E33-30-0001-00A-720A-APROC. REF: AMM PC24-A-E33-30-0001-00A-520A-A, AMM PC24-A-E33-30-0001-00A-720A-A								
PC24AE33300140 BAGGAGE COMPARTMENT LIGHT, RH, DS3521								Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-8	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-30-0001-00A-520A-A, AMM PC24-A-E33-30-0001-00A-720A-APROC. REF: AMM PC24-A-E33-30-0001-00A-520A-A, AMM PC24-A-E33-30-0001-00A-720A-A								
PC24AE33300150 BAGGAGE COMPARTMENT LIGHT, DS2411								Component ATA:33
PN:972.87.26.319	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:197790-3-10	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM PC24-A-E33-30-0002-00A-520A-A, AMM PC24-A-E33-30-0002-00A-720A-APROC. REF: AMM PC24-A-E33-30-0002-00A-520A-A, AMM PC24-A-E33-30-0002-00A-720A-A								
PC24AE33300210	REFUEL DEFUEL COMPARTMENT LIGHT, DS2121							Component ATA:33
PN:972.87.87.409	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S16463994	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-40-0005-00A-520A-A, AMM PC24-A-E33-40-0005-00A-720A-APROC. REF: AMM PC24-A-E33-40-0005-00A-520A-A, AMM PC24-A-E33-40-0005-00A-720A-A								
PC24AE33300220	GSE COMP. LIGHT, DS2214							Component ATA:33
PN:972.87.87.409	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S16463995	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33400100	WING INSPECTION LIGHT, DS1912							Component ATA:33
PN:972.87.87.407	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S16471155	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-40-0004-00A-520A-A, AMM PC24-A-E33-40-0004-00A-720A-APROC. REF: AMM PC24-A-E33-40-0004-00A-520A-A, AMM PC24-A-E33-40-0004-00A-720A-A								
PC24AE33410100	WING TIP LIGHT MODULE, LH, DS5221							Component ATA:33
PN:972.87.87.417	MOS/MSC	21-Aug-20	O/C	TSN 0				
SN:S19421340	HRS	600		TSN 0				
	AFL	587		TSN 0				
PROC. REF: AMM PC24-A-E33-40-0001-00A-520A-A, AMM PC24-A-E33-40-0001-00A-720A-APROC. REF: AMM PC24-A-E33-40-0001-00A-520A-A, AMM PC24-A-E33-40-0001-00A-720A-A								
PC24AE33410200	WING TIP LIGHT MODULE, RH, DS6231							Component ATA:33
PN:972.87.87.418	MOS/MSC	21-Aug-20	O/C	TSN 0				
SN:S19421341	HRS	600		TSN 0				
	AFL	587		TSN 0				
PROC. REF: AMM PC24-A-E33-40-0001-00A-520A-A, AMM PC24-A-E33-40-0001-00A-720A-APROC. REF: AMM PC24-A-E33-40-0001-00A-520A-A, AMM PC24-A-E33-40-0001-00A-720A-A								
PC24AE33420100	BELLY LIGHT MODULE, LH, DS1911							Component ATA:33
PN:972.87.87.416	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S17106864	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33420200	BELLY LIGHT MODULE, RH, DS1921							Component ATA:33
PN:972.87.87.415	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S17106869	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE33480100	TAIL LIGHT							Component ATA:33
PN:972.87.87.414	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:S16472107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E33-40-0002-00A-520A-A, AMM PC24-A-E33-40-0002-00A-720A-APROC. REF: AMM PC24-A-E33-40-0002-00A-520A-A, AMM PC24-A-E33-40-0002-00A-720A-A								
SM-33-40-001 ^S	EXTERIOR LIGHTS - OPERATION TEST							Service ATA:33
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E33-40-0000-00A-320A-APROC. REF: AMM PC24-A-E33-40-0000-00A-320A-A								
SM-33-40-002 ^S	EXTERIOR LIGHTS - VISUAL EXAMINATION							Service ATA:33
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E33-40-0000-00A-310A-APROC. REF: AMM PC24-A-E33-40-0000-00A-310A-A								
ATA 34 - NAVIGATION								
AL-34-11-007	LH PITOT STATIC PROBE - VISUAL EXAMINATION (CMR*)							Service ATA:34
	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	CMR*
	HRS	2109.2	600 (+10%/-10%)		2709.2	2769.2	428 (+60)	
	AFL	1721						
PROC. REF: AMM PC24-A-E34-11-0000-00A-310A-APROC. REF: AMM PC24-A-E34-11-0000-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
AL-34-11-008	RH PITOT STATIC PROBE - VISUAL EXAMINATION (CMR*)							Service ATA:34
	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	CMR*
	HRS	2109.2	600 (+10%/-10%)		2709.2	2769.2	428 (+60)	
	AFL	1721						
PROC. REF: AMM PC24-A-E34-11-0000-00A-310A-APROC. REF: AMM PC24-A-E34-11-0000-00A-310A-A								
AL-34-11-009	STANDBY PITOT-STATIC PROBE - VISUAL EXAMINATION (CMR*)							Service ATA:34
	MOS	29-Oct-25	12 (+10%/-10%)		29-Oct-26	05-Dec-26	85 d (+37)	CMR*
	HRS	2109.2	600 (+10%/-10%)		2709.2	2769.2	428 (+60)	
	AFL	1721						
PROC. REF: AMM PC24-A-E34-11-0000-00A-310A-APROC. REF: AMM PC24-A-E34-11-0000-00A-310A-A								
AL-34-11-010	LEFT PITOT STATIC PROBE HEATER - RESISTANCE CHECK (CMR*)							Service ATA:34
PN:965.11.12.305	MOS	13-Sep-24						CMR*
SN:304566	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E34-11-0000-00A-366A-APROC. REF: AMM PC24-A-E34-11-0000-00A-366A-A								
AL-34-11-011	RIGHT PITOT STATIC PROBE HEATER - RESISTANCE CHECK (CMR*)							Service ATA:34
PN:965.11.12.306	MOS	13-Sep-24						CMR*
SN:304758	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E34-11-0000-00A-366A-APROC. REF: AMM PC24-A-E34-11-0000-00A-366A-A								
AL-34-11-012	STANDBY PITOT STATIC PROBE HEATER - RESISTANCE CHECK (CMR*)							Service ATA:34
PN:965.11.12.305	MOS	13-Sep-24						CMR*
SN:304480	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E34-11-0000-00A-366A-APROC. REF: AMM PC24-A-E34-11-0000-00A-366A-A								
AL-34-14-013	LEFT ANGLE OF ATTACK SENSOR HEATER - RESISTANCE CHECK (CMR*)							Service ATA:34
PN:975.44.21.408	MOS	13-Sep-24						CMR*
SN:31	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E34-14-0001-00A-366A-APROC. REF: AMM PC24-A-E34-14-0001-00A-366A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
AL-34-14-014	RIGHT ANGLE OF ATTACK SENSOR HEATER - RESISTANCE CHECK (CMR*)							Service ATA:34
PN:975.44.21.408	MOS	13-Sep-24						CMR*
SN:32	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E34-14-0001-00A-366A-APROC. REF: AMM PC24-A-E34-14-0001-00A-366A-A								
CA-34-00-001	VOR EQUIPMENT CHECK FOR IFR OPERATIONS (14 CFR 91.171)							Service ATA:34
	DAYS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: GENERIC NO REF, CFR 14 CFR 91.171PROC. REF: GENERIC NO REF, CFR 14 CFR 91.171								
PC24AE34100110	PITOT STATIC PROBE, LH							Component ATA:34
PN:965.11.12.305	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:304566	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-11-0001-00A-520A-A, AMM PC24-A-E34-11-0001-00A-720A-APROC. REF: AMM PC24-A-E34-11-0001-00A-520A-A, AMM PC24-A-E34-11-0001-00A-720A-A								
PC24AE34100120	PITOT STATIC PROBE, STANDBY							Component ATA:34
PN:965.11.12.305	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:304480	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-11-0003-00A-520A-A, AMM PC24-A-E34-11-0003-00A-720A-APROC. REF: AMM PC24-A-E34-11-0003-00A-520A-A, AMM PC24-A-E34-11-0003-00A-720A-A								
PC24AE34100200	PITOT STATIC PROBE, RH							Component ATA:34
PN:965.11.12.306	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:304758	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-11-0002-00A-520A-A, AMM PC24-A-E34-11-0002-00A-720A-APROC. REF: AMM PC24-A-E34-11-0002-00A-520A-A, AMM PC24-A-E34-11-0002-00A-720A-A								
PC24AE34100300	OAT SENSOR							Component ATA:34
PN:975.11.21.311	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:B44657	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-12-0001-00A-520A-A, AMM PC24-A-E34-12-0001-00A-720A-APROC. REF: AMM PC24-A-E34-12-0001-00A-520A-A, AMM PC24-A-E34-12-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC24AE34100410	ANGLE OF ATTACK SENSOR, LH							Component ATA:34
PN:975.44.21.408	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:31	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-14-0001-00A-520A-A, AMM PC24-A-E34-14-0001-00A-720A-APROC. REF: AMM PC24-A-E34-14-0001-00A-520A-A, AMM PC24-A-E34-14-0001-00A-720A-A								
PC24AE34100420	ANGLE OF ATTACK SENSOR, RH							Component ATA:34
PN:975.44.21.408	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:32	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-14-0001-00A-520A-A, AMM PC24-A-E34-14-0001-00A-720A-APROC. REF: AMM PC24-A-E34-14-0001-00A-520A-A, AMM PC24-A-E34-14-0001-00A-720A-A								
PC24AE34100510	AIR DATA MODULE, LH							Component ATA:34
PN:985.90.03.060	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16117765	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-11-0004-00A-520A-A, AMM PC24-A-E34-11-0004-00A-720A-APROC. REF: AMM PC24-A-E34-11-0004-00A-520A-A, AMM PC24-A-E34-11-0004-00A-720A-A								
PC24AE34100520	AIR DATA MODULE, RH							Component ATA:34
PN:985.90.03.060	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16117747	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-11-0005-00A-520A-A, AMM PC24-A-E34-11-0005-00A-720A-APROC. REF: AMM PC24-A-E34-11-0005-00A-520A-A, AMM PC24-A-E34-11-0005-00A-720A-A								
PC24AE34100530	VALVE,SHUT-OFF,STATIC PORT, LH							Component ATA:34
PN:963.30.11.126	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE34100540	VALVE,SHUT-OFF,STATIC PORT, RH							Component ATA:34
PN:963.30.11.126	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC24AE34200110	ELECTRONIC STANDBY INSTRUMENT PILOT							Component ATA:34
PN:975.96.11.251	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:3231	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-22-0001-00A-520A-A, AMM PC24-A-E34-22-0001-00A-720A-A PROC. REF: AMM PC24-A-E34-22-0001-00A-520A-A, AMM PC24-A-E34-22-0001-00A-720A-A								
PC24AE34200210	AHRS 2							Component ATA:34
PN:985.99.12.228	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:56099254	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-21-0001-00A-520A-A, AMM PC24-A-E34-21-0001-00A-720A-A PROC. REF: AMM PC24-A-E34-21-0001-00A-520A-A, AMM PC24-A-E34-21-0001-00A-720A-A								
PC24AE34200220	AHRS 3							Component ATA:34
PN:985.99.12.228	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:56099255	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-21-0004-00A-520A-A, AMM PC24-A-E34-21-0004-00A-720A-A PROC. REF: AMM PC24-A-E34-21-0004-00A-520A-A, AMM PC24-A-E34-21-0004-00A-720A-A								
PC24AE34200230	LH CABIN HRN AHRS KCM 200 CONFIGURATION MODULE							Component ATA:34
PN:985.99.12.129	MOS/MSC	29-May-18	O/C	TSN 0				
SN:5176	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERIC 2 PROC. REF: AMM GENERIC 2								
PC24AE34200240	RH COCKPIT HRN AHRS KCM 200 CONFIGURATION MODULE							Component ATA:34
PN:985.99.12.129	MOS/MSC	29-May-18	O/C	TSN 0				
SN:5156	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERIC 2 PROC. REF: AMM GENERIC 2								
PC24AE34300100	MARKER ANTENNA							Component ATA:34
PN:984.81.10.260	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:101-8580	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-31-0001-00A-520A-A, AMM PC24-A-E34-31-0001-00A-720A-A PROC. REF: AMM PC24-A-E34-31-0001-00A-520A-A, AMM PC24-A-E34-31-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC24AE34400100	INERTIAL REFERENCE UNIT							Component ATA:34
PN:985.83.14.222	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:56098530	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-44-0001-00A-520A-A, AMM PC24-A-E34-44-0001-00A-720A-APROC. REF: AMM PC24-A-E34-44-0001-00A-520A-A, AMM PC24-A-E34-44-0001-00A-720A-A								
PC24AE34400200	AIRCRAFT PERSONALITY MODULE							Component ATA:34
PN:985.83.14.204	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:40824887	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-44-0002-00A-520A-A, AMM PC24-A-E34-44-0002-00A-720A-APROC. REF: AMM PC24-A-E34-44-0002-00A-520A-A, AMM PC24-A-E34-44-0002-00A-720A-A								
PC24AE34400300	MAGNETOMETER, AHRS, FR 47, A4702							Component ATA:34
PN:065-00189-0101	MOS/MSC	13-Sep-24	O/C	TSR 1				
SN:KMG7010-3716	HRS	1731		TSR 0				
	AFL	1468		TSR 0				
PROC. REF: AMM PC24-A-E34-21-0003-00A-520A-A, AMM PC24-A-E34-21-0003-00A-720A-APROC. REF: AMM PC24-A-E34-21-0003-00A-520A-A, AMM PC24-A-E34-21-0003-00A-720A-A								
PC24AE34400400	MAGNETOMETER, ESIS, FR 47, A4701							Component ATA:34
PN:985.90.03.058	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:80955	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-47-0001-00A-520A-A, AMM PC24-A-E34-47-0001-00A-720A-APROC. REF: AMM PC24-A-E34-47-0001-00A-520A-A, AMM PC24-A-E34-47-0001-00A-720A-A								
PC24AE34400500	RADAR ALTIMETER							Component ATA:34
PN:985.99.11.524	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KRA405B-19439	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-42-0001-00A-520A-A, AMM PC24-A-E34-42-0001-00A-720A-APROC. REF: AMM PC24-A-E34-42-0001-00A-520A-A, AMM PC24-A-E34-42-0001-00A-720A-A								
PC24AE34400700	TCAS II PROCESSOR							Component ATA:34
PN:940-0452-001	MOS/MSC	26-Jun-23	O/C					
SN:TPA24849	HRS	1258.1						
	AFL	1159						
PROC. REF: AMM PC24-A-E34-43-0001-00A-520A-A, AMM PC24-A-E34-43-0001-00A-720A-APROC. REF: AMM PC24-A-E34-43-0001-00A-520A-A, AMM PC24-A-E34-43-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC24AE34400800		STORMSCOPE PROCESSOR						Component ATA:34
PN:985.99.18.006	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:103335	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-41-0006-00A-520A-A, AMM PC24-A-E34-41-0006-00A-720A-A PROC. REF: AMM PC24-A-E34-41-0006-00A-520A-A, AMM PC24-A-E34-41-0006-00A-720A-A								
PC24AE34400900		STORMSCOPE ANTENNA						Component ATA:34
PN:985.99.18.009	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:102664	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-41-0005-00A-520A-A, AMM PC24-A-E34-41-0005-00A-720A-A PROC. REF: AMM PC24-A-E34-41-0005-00A-520A-A, AMM PC24-A-E34-41-0005-00A-720A-A								
PC24AE34401010		NO. 1 RADAR ALTIMETER RECEIVE ANTENNA						Component ATA:34
PN:984.81.29.105	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:543-83849	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-42-0002-00A-520A-A, AMM PC24-A-E34-42-0002-00A-720A-A PROC. REF: AMM PC24-A-E34-42-0002-00A-520A-A, AMM PC24-A-E34-42-0002-00A-720A-A								
PC24AE34401020		NO. 1 RADAR ALTIMETER TRANSMIT ANTENNA						Component ATA:34
PN:984.81.29.105	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:543-84607	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-42-0003-00A-520A-A, AMM PC24-A-E34-42-0003-00A-720A-A PROC. REF: AMM PC24-A-E34-42-0003-00A-520A-A, AMM PC24-A-E34-42-0003-00A-720A-A								
PC24AE34401200		TCAS II DIRECTIONAL ANTENNA						Component ATA:34
PN:984.81.29.108	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:587-121249	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-43-0002-00A-520A-A, AMM PC24-A-E34-43-0002-00A-720A-A PROC. REF: AMM PC24-A-E34-43-0002-00A-520A-A, AMM PC24-A-E34-43-0002-00A-720A-A								
PC24AE34401300		TCAS II OMNIDIRECTIONAL ANTENNA						Component ATA:34
PN:984.81.10.240	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:261-126685	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-43-0003-00A-520A-A, AMM PC24-A-E34-43-0003-00A-720A-A PROC. REF: AMM PC24-A-E34-43-0003-00A-520A-A, AMM PC24-A-E34-43-0003-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC24AE34410100	WEATHER-RADAR							Component ATA:34
PN:071-01550-0101	MOS/MSC	20-Mar-20	O/C	TSR 1				
SN:ART2100-2787	HRS	538.8		TSR 0				
	AFL	502		TSR 0				
PROC. REF: AMM PC24-A-E34-41-0003-00A-520A-A, AMM PC24-A-E34-41-0003-00A-720A-APROC. REF: AMM PC24-A-E34-41-0003-00A-520A-A, AMM PC24-A-E34-41-0003-00A-720A-A								
PC24AE34410200	WEATHER RADAR CONFIGURATION MODULE							Component ATA:34
PN:985.99.12.182	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:CM2000-33198	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-41-0004-00A-520A-A, AMM PC24-A-E34-41-0004-00A-720A-APROC. REF: AMM PC24-A-E34-41-0004-00A-520A-A, AMM PC24-A-E34-41-0004-00A-720A-A								
PC24AE34410300	WEATHER RADAR ANTENNA							Component ATA:34
PN:985.99.11.509	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:9437	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-41-0002-00A-520A-A, AMM PC24-A-E34-41-0002-00A-720A-APROC. REF: AMM PC24-A-E34-41-0002-00A-520A-A, AMM PC24-A-E34-41-0002-00A-720A-A								
PC24AE34500100	DME TRANSCEIVER							Component ATA:34
PN:985.99.11.101	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:39853	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-52-0001-00A-520A-A, AMM PC24-A-E34-52-0001-00A-720A-APROC. REF: AMM PC24-A-E34-52-0001-00A-520A-A, AMM PC24-A-E34-52-0001-00A-720A-A								
PC24AE34500200	XMD 157 (RECEIVER XM DATA) RADIO							Component ATA:34
PN:985.99.12.397 (60005280-902)	MOS/MSC	20-Mar-20	O/C	TSN 1				
SN:19050066	HRS	538.8		TSN 0				
	AFL	502		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE34500300	XM (OPT) SATELLITE RADIO							Component ATA:34
PN:985.99.12.271	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:801001111	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC24AE34500410		GPS RECEIVER 1					Component	ATA:34
PN:985.99.12.253	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KGS200-3065	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-54-0001-00A-520A-A, AMM PC24-A-E34-54-0001-00A-720A-APROC. REF: AMM PC24-A-E34-54-0001-00A-520A-A, AMM PC24-A-E34-54-0001-00A-720A-A								
PC24AE34500420		GPS RECEIVER 2					Component	ATA:34
PN:985.99.12.253	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KGS200-3052	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-54-0002-00A-520A-A, AMM PC24-A-E34-54-0002-00A-720A-APROC. REF: AMM PC24-A-E34-54-0002-00A-520A-A, AMM PC24-A-E34-54-0002-00A-720A-A								
PC24AE34500510		ATC TRANSPONDER, LH					Component	ATA:34
PN:985.99.12.269	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KXP2290A-3711	HRS	0		TSN 0				
	AFL	0		TSN 0				
								WO#: N107PJ-200429-1
PROC. REF: AMM PC24-A-E34-53-0001-00A-520A-A, AMM PC24-A-E34-53-0001-00A-720A-APROC. REF: AMM PC24-A-E34-53-0001-00A-520A-A, AMM PC24-A-E34-53-0001-00A-720A-A								
PC24AE34500520		ATC TRANSPONDER, RH					Component	ATA:34
PN:985.99.12.269	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KXP2290A-3735	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-53-0002-00A-520A-A, AMM PC24-A-E34-53-0002-00A-720A-APROC. REF: AMM PC24-A-E34-53-0002-00A-520A-A, AMM PC24-A-E34-53-0002-00A-720A-A								
PC24AE34500610		ATC TRANSPONDER COAXIAL SWITCH, LH					Component	ATA:34
PN:985.99.11.371	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16683	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-53-0003-00A-520A-A, AMM PC24-A-E34-53-0003-00A-720A-APROC. REF: AMM PC24-A-E34-53-0003-00A-520A-A, AMM PC24-A-E34-53-0003-00A-720A-A								
PC24AE34500620		ATC TRANSPONDER COAXIAL SWITCH, RH					Component	ATA:34
PN:985.99.11.371	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16679	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-53-0004-00A-520A-A, AMM PC24-A-E34-53-0004-00A-720A-APROC. REF: AMM PC24-A-E34-53-0004-00A-520A-A, AMM PC24-A-E34-53-0004-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC24AE34500710	GPS ANTENNA 1							Component ATA:34
PN:985.99.11.200	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:49310964	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-54-0003-00A-520A-A, AMM PC24-A-E34-54-0003-00A-720A-APROC. REF: AMM PC24-A-E34-54-0003-00A-520A-A, AMM PC24-A-E34-54-0003-00A-720A-A								
PC24AE34500720	GPS ANTENNA 2							Component ATA:34
PN:985.99.11.200	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:49310970	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-54-0004-00A-520A-A, AMM PC24-A-E34-54-0004-00A-720A-APROC. REF: AMM PC24-A-E34-54-0004-00A-520A-A, AMM PC24-A-E34-54-0004-00A-720A-A								
PC24AE34500810	ATC TRANSPONDER ANTENNA, UPPER							Component ATA:34
PN:984.81.10.240	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:261-126713	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-53-0005-00A-520A-A, AMM PC24-A-E34-53-0005-00A-720A-APROC. REF: AMM PC24-A-E34-53-0005-00A-520A-A, AMM PC24-A-E34-53-0005-00A-720A-A								
PC24AE34500820	ATC TRANSPONDER ANTENNA, LOWER							Component ATA:34
PN:984.81.10.240	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:261-126710	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-53-0006-00A-520A-A, AMM PC24-A-E34-53-0006-00A-720A-APROC. REF: AMM PC24-A-E34-53-0006-00A-520A-A, AMM PC24-A-E34-53-0006-00A-720A-A								
PC24AE34500900	DME ANTENNA							Component ATA:34
PN:984.81.10.240	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:261-126703	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-52-0002-00A-520A-A, AMM PC24-A-E34-52-0002-00A-720A-APROC. REF: AMM PC24-A-E34-52-0002-00A-520A-A, AMM PC24-A-E34-52-0002-00A-720A-A								
PC24AE34501000	ANTENNA, NAV, KIT, E4430							Component ATA:34
PN:984.81.10.280	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:9147	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC24AE34501100	VHF NAVIGATION COUPLER							Component ATA:34
PN:984.81.17.413	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:546877	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-51-0002-00A-520A-A, AMM PC24-A-E34-51-0002-00A-720A-A PROC. REF: AMM PC24-A-E34-51-0002-00A-520A-A, AMM PC24-A-E34-51-0002-00A-720A-A								
PC24AE34501200	SATELLITE XM WEATHER SYSTEM ANTENNA							Component ATA:34
PN:985.99.12.167	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:35622373	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-41-0002-00A-520A-A, AMM PC24-A-E34-41-0002-00A-720A-A PROC. REF: AMM PC24-A-E34-41-0002-00A-520A-A, AMM PC24-A-E34-41-0002-00A-720A-A								
SM-34-11-001	LEFT PITOT-STATIC PROBE - LEAK CHECK							Service ATA:34
	MOS	29-Oct-25	24		29-Oct-27		450 d	MANDATORY
	HRS	2109.2						
	AFL	1721						
Test Date: : 29-Oct-25								PKG:14
PROC. REF: AMM PC24-A-E34-11-0000-00A-364A-A, CFR 14 CFR 91.411PROC. REF: AMM PC24-A-E34-11-0000-00A-364A-A, CFR 14 CFR 91.411								
SM-34-11-002	RIGHT PITOT-STATIC PROBE - LEAK CHECK							Service ATA:34
	MOS	29-Oct-25	24		29-Oct-27		450 d	MANDATORY
	HRS	2109.2						
	AFL	1721						
Test Date: : 29-Oct-25								PKG:14
PROC. REF: AMM PC24-A-E34-11-0000-00A-364A-A, CFR 14 CFR 91.411PROC. REF: AMM PC24-A-E34-11-0000-00A-364A-A, CFR 14 CFR 91.411								
SM-34-11-003	STANDBY PITOT-STATIC PROBE - LEAK CHECK							Service ATA:34
	MOS	29-Oct-25	24		29-Oct-27		450 d	MANDATORY
	HRS	2109.2						
	AFL	1721						
Test Date: : 29-Oct-25								PKG:14
PROC. REF: AMM PC24-A-E34-11-0000-00A-364A-A, CFR 14 CFR 91.411PROC. REF: AMM PC24-A-E34-11-0000-00A-364A-A, CFR 14 CFR 91.411								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
SM-34-11-006		PITOT STATIC SYSTEM (RVSM OPERATION ONLY) - FUNCTION TEST						Service ATA:34
	MOS	29-Oct-25	24		29-Oct-27		450 d	MANDATORY
	HRS	2109.2						
	AFL	1721						
Test Date: : 29-Oct-25								PKG:14
PROC. REF: AMM PC24-A-E34-11-0000-00A-340A-APROC. REF: AMM PC24-A-E34-11-0000-00A-340A-A								
SM-34-21-004 ^S		ADAHRS SOURCE SWITCH - OPERATION TEST						Service ATA:34
	MOS	13-Sep-24						
	HRS	1731	600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E34-21-0000-00A-273A-APROC. REF: AMM PC24-A-E34-21-0000-00A-273A-A								PKG:1
SM-34-53-005		ATC TRANSPONDER, LH - OPERATION TEST						Service ATA:34
PN:985.99.12.269	MOS	29-Oct-25	24		29-Oct-27		450 d	
SN:KXP2290A-3711	HRS	2109.2						
	AFL	1721						
Test Date: : 29-Oct-25								PKG:14
PROC. REF: AMM PC24-A-E34-53-0000-00A-320A-A, CFR 14 CFR 91.413PROC. REF: AMM PC24-A-E34-53-0000-00A-320A-A, CFR 14 CFR 91.413								
SM-34-53-005		ATC TRANSPONDER, RH - OPERATION TEST						Service ATA:34
PN:985.99.12.269	MOS	29-Oct-25	24		29-Oct-27		450 d	
SN:KXP2290A-3735	HRS	2109.2						
	AFL	1721						
Test Date: : 29-Oct-25								PKG:14
PROC. REF: AMM PC24-A-E34-53-0000-00A-320A-A, CFR 14 CFR 91.413PROC. REF: AMM PC24-A-E34-53-0000-00A-320A-A, CFR 14 CFR 91.413								
ATA 35 - OXYGEN								
AL-35-10-004		TEMPERATURE AND PRESSURE TRANSDUCER - OPERATIONAL TEST (CMR*)						Service ATA:35
	MOS	29-Oct-25	24		29-Oct-27		450 d	CMR*
	HRS	2109.2	1200		3309.2		1028	
	AFL	1721						
PROC. REF: AMM PC24-A-E35-10-0000-00A-340A-APROC. REF: AMM PC24-A-E35-10-0000-00A-340A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
AL-35-10-007	OXYGEN CYLINDER - LIFE LIMIT (REMOVE AND INSTALL SERVICEABLE OXYGEN CYLINDER)							Service ATA:35
PN:957.12.12.202(807783-01)	MOS	01-Aug-16	180		01-Aug-31		1822 d	LIFE LIMIT
SN:C16110077	HRS							
	AFL							
Manufacture Date:: 01-Aug-16								
PROC. REF: AMM PC24-A-E35-10-0001-00A-520A-A, AMM PC24-A-E35-10-0001-00A-720A-A, AMM PC24-A-E35-10-0002-00A-520A-A, AMM PC24-A-E35-10-0002-00A-720A-A-PROC. REF: AMM PC24-A-E35-10-0001-00A-520A-A, AMM PC24-A-E35-10-0001-00A-720A-A, AMM PC24-A-E35-10-0002-00A-520A-A, AMM PC24-A-E35-10-0002-00A-720A-A								
AL-35-10-008	OXYGEN CYLINDER - HYDROSTATIC TESTING (REMOVE AND HAVE THE OXYGEN CYLINDER HYDROSTATIC TESTED) (CMR)							Service ATA:35
PN:957.12.12.202(807783-01)	MOS	16-Aug-21	60		16-Aug-26		11 d	CMR
SN:C16110077	HRS							
	AFL							
HydroCheck Date: : 16-Aug-21								
PROC. REF: CFR 49 CFR 173.34PROC. REF: CFR 49 CFR 173.34								
AL-35-20-011	PASSENGER OXYGEN DEPLOYMENT SYSTEM - OPERATION TEST (CMR*)							Service ATA:35
	MOS	13-Sep-24	24 (+10%/-10%)		13-Sep-26	25-Nov-26	39 d (+73)	CMR*
	HRS	1731	1200 (+10%/-10%)		2931	3051	649.8 (+120)	
	AFL	1468						
PROC. REF: AMM PC24-A-E35-20-0000-00A-320A-A-PROC. REF: AMM PC24-A-E35-20-0000-00A-320A-A								
PC24AE35100110	CREW OXYGEN MASK, LH							Component ATA:35
PN:MD40-45-006V	MOS/MSC	13-Sep-24	H/T	TSN 11				
SN:B199754	HRS	1731		TSN 0				
	AFL	1468		TSN 0				
PROC. REF: AMM PC24-A-E35-10-0003-00A-520A-A-PROC. REF: AMM PC24-A-E35-10-0003-00A-520A-A								
PC24AE35100120	CREW OXYGEN MASK, RH							Component ATA:35
PN:MD40-45-006V	MOS/MSC	13-Sep-24	H/T	TSN 11				
SN:B199744	HRS	1731		TSN 0				
	AFL	1468		TSN 0				
PROC. REF: AMM PC24-A-E35-10-0003-00A-520A-A-PROC. REF: AMM PC24-A-E35-10-0003-00A-520A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC24AE35100210		CREW OXYGEN MASK STOWAGE BOX, LH					Component	ATA:35
PN:MXP604	MOS/MSC	13-Sep-24	H/T	TSN 1				
SN:SE145608	HRS	1731		TSN 0				
	AFL	1468		TSN 0				
PROC. REF: AMM PC24-A-E35-10-0005-00A-520A-A, AMM PC24-A-E35-10-0005-00A-720A-APROC. REF: AMM PC24-A-E35-10-0005-00A-520A-A, AMM PC24-A-E35-10-0005-00A-720A-A								
PC24AE35100220		CREW OXYGEN MASK STOWAGE BOX, RH					Component	ATA:35
PN:MXP604	MOS/MSC	13-Sep-24	H/T	TSN 0				
SN:SE150134	HRS	1731		TSN 0				
	AFL	1468		TSN 0				
PROC. REF: AMM PC24-A-E35-10-0005-00A-520A-A, AMM PC24-A-E35-10-0005-00A-720A-APROC. REF: AMM PC24-A-E35-10-0005-00A-520A-A, AMM PC24-A-E35-10-0005-00A-720A-A								
PC24AE35100300		OXYGEN CYLINDER					Component	ATA:35
PN:957.12.12.202(807783-01)	MOS/MSC	18-Aug-21	H/T	TSN 60, TSO 0				
SN:C16110077	HRS	744.9		TSN 744.9, TSO 0				
	AFL	763		TSN 763, TSO 0				
PROC. REF: AMM PC24-A-E35-10-0001-00A-520A-A, AMM PC24-A-E35-10-0001-00A-720A-APROC. REF: AMM PC24-A-E35-10-0001-00A-520A-A, AMM PC24-A-E35-10-0001-00A-720A-A								
PC24AE35140100		CABLE,OXYGEN RELEASE					Component	ATA:35
PN:957.12.20.507	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:00020	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE35140200		CREW LOW PRESSURE SWITCH					Component	ATA:35
PN:963.32.11.001	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0147	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E35-10-0004-00A-520A-A, AMM PC24-A-E35-10-0004-00A-720A-APROC. REF: AMM PC24-A-E35-10-0004-00A-520A-A, AMM PC24-A-E35-10-0004-00A-720A-A								
PC24AE35140300		PASSENGER OXYGEN CONTROL VALVE					Component	ATA:35
PN:963.32.11.103	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E35-20-0002-00A-520A-A, AMM PC24-A-E35-20-0002-00A-720A-APROC. REF: AMM PC24-A-E35-20-0002-00A-520A-A, AMM PC24-A-E35-20-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC24AE35200100	PASSENGER LOW PRESSURE SWITCH							Component ATA:35
PN:963.32.11.001	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0126	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E35-20-0003-00A-520A-A, AMM PC24-A-E35-20-0003-00A-720A-A PROC. REF: AMM PC24-A-E35-20-0003-00A-520A-A, AMM PC24-A-E35-20-0003-00A-720A-A								
PC24AE35220110	PASSENGER OXYGEN MASK, NO. 1							Component ATA:35
PN:957.12.01.215	MOS/MSC	24-Aug-23	H/T	TSN 69				
SN:D23043049	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
PC24AE35220120	PASSENGER OXYGEN MASK, NO. 3							Component ATA:35
PN:957.12.01.215	MOS/MSC	24-Aug-23	H/T	TSN 69				
SN:D23043050	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
PC24AE35220130	PASSENGER OXYGEN MASK, NO. 5							Component ATA:35
PN:957.12.01.215	MOS/MSC	24-Aug-23	H/T	TSN 69				
SN:D23043052	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
PC24AE35220135	PASSENGER OXYGEN MASK, NO. 7							Component ATA:35
PN:957.12.01.215	MOS/MSC	24-Aug-23	H/T	TSN 69				
SN:D23043057	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
PC24AE35220145	PASSENGER OXYGEN MASK, LAVATORY							Component ATA:35
PN:957.12.01.215	MOS/MSC	24-Aug-23	H/T	TSN 69				
SN:D230403047	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC24AE35220150		PASSENGER OXYGEN MASK, NO. 2						Component ATA:35
PN:957.12.01.215	MOS/MSC	24-Aug-23	H/T	TSN 69				
SN:D23043053	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
PC24AE35220160		PASSENGER OXYGEN MASK, NO. 4						Component ATA:35
PN:957.12.01.215	MOS/MSC	24-Aug-23	H/T	TSN 69				
SN:D23043062	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
PC24AE35220170		PASSENGER OXYGEN MASK, NO. 6						Component ATA:35
PN:957.12.01.215	MOS/MSC	24-Aug-23	H/T	TSN 69				
SN:D23043065	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
PC24AE35220175		PASSENGER OXYGEN MASK, NO. 8						Component ATA:35
PN:957.12.01.215	MOS/MSC	24-Aug-23	H/T	TSN 69				
SN:D23043078	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
PC24AE35220210		PASSENGER OXYGEN MASK CARTRIDGE, NO. 1						Component ATA:35
PN:PN	MOS/MSC	23-Aug-23	H/T					
SN:UNKNOWN	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE35220215		PASSENGER OXYGEN MASK CARTRIDGE, NO. 12						Component ATA:35
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC24AE35220220		PASSENGER OXYGEN MASK CARTRIDGE, NO. 3					Component	ATA:35
PN:PN	MOS/MSC	23-Aug-23	H/T					
SN:UNKNOWN	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
PC24AE35220225		PASSENGER OXYGEN MASK CARTRIDGE, LH					Component	ATA:35
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE35220230		PASSENGER OXYGEN MASK CARTRIDGE, NO. 5					Component	ATA:35
PN:PN	MOS/MSC	23-Aug-23	H/T					
SN:UNKNOWN	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
PC24AE35220235		PASSENGER OXYGEN MASK CARTRIDGE, NO. 7					Component	ATA:35
PN:PN	MOS/MSC	23-Aug-23	H/T					
SN:UNKNOWN	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE35220240		PASSENGER OXYGEN MASK CARTRIDGE, NO. 9					Component	ATA:35
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE35220245		PASSENGER OXYGEN MASK CARTRIDGE, LAVATORY					Component	ATA:35
PN:PN	MOS/MSC	23-Aug-23	H/T					
SN:UNKNOWN	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC24AE35220250		PASSENGER OXYGEN MASK CARTRIDGE, NO. 2					Component	ATA:35
PN:PN	MOS/MSC	23-Aug-23	H/T					
SN:UNKNOWN	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE35220255		PASSENGER OXYGEN MASK CARTRIDGE, NO. 13 INFANT (OPTIONAL), RH					Component	ATA:35
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE35220260		PASSENGER OXYGEN MASK CARTRIDGE, NO. 4					Component	ATA:35
PN:PN	MOS/MSC	23-Aug-23	H/T					
SN:UNKNOWN	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE35220265		PASSENGER OXYGEN MASK CARTRIDGE, RH					Component	ATA:35
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE35220270		PASSENGER OXYGEN MASK CARTRIDGE, NO. 6					Component	ATA:35
PN:PN	MOS/MSC	23-Aug-23	H/T					
SN:UNKNOWN	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								
PC24AE35220275		PASSENGER OXYGEN MASK CARTRIDGE, NO. 8					Component	ATA:35
PN:PN	MOS/MSC	23-Aug-23	H/T					
SN:UNKNOWN	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM GENERIC 1PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
PC24AE35220280	PASSENGER OXYGEN MASK CARTRIDGE, NO. 10							Component	ATA:35
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A									
SM-35-00-005 ^S	OVERBOARD DISCHARGE OXYGEN PIPES AND COUPLINGS - VISUAL EXAMINATION							Service	ATA:35
	MOS	13-Sep-24	36 (+10%/-10%)						
	HRS	1731	1800 (+10%/-10%)						
	AFL	1468							
PKG:5									
PROC. REF: AMM PC24-A-E35-00-0000-00A-310A-A PROC. REF: AMM PC24-A-E35-00-0000-00A-310A-A									
SM-35-10-001 ^S	OXYGEN CYLINDER AND THE MECHNICAL LINKAGE AT THE BOTTLE SHUT OFF VALVE - VISUAL EXAMINATION							Service	ATA:35
	MOS	13-Sep-24	36 (+10%/-10%)						
	HRS	1731	1800 (+10%/-10%)						
	AFL	1468							
PKG:5									
PROC. REF: AMM PC24-A-E35-10-0001-00A-310A-A, AMM PC24-A-E35-10-0002-00A-310A-A PROC. REF: AMM PC24-A-E35-10-0001-00A-310A-A, AMM PC24-A-E35-10-0002-00A-310A-A									
SM-35-10-002 ^S	CREW MASK - FUNCTION TEST							Service	ATA:35
	MOS	29-Oct-25	24 (+10%/-10%)						
	HRS	2109.2	1200 (+10%/-10%)						
	AFL	1721							
PKG:4									
PROC. REF: AMM PC24-A-E35-10-0000-00A-340A-A PROC. REF: AMM PC24-A-E35-10-0000-00A-340A-A									
SM-35-10-003 ^S	CREW MASK STOWAGE BOX - FUNCTION TEST							Service	ATA:35
	MOS	29-Oct-25	24 (+10%/-10%)						
	HRS	2109.2	1200 (+10%/-10%)						
	AFL	1721							
PKG:4									
PROC. REF: AMM PC24-A-E35-10-0000-00A-340A-A PROC. REF: AMM PC24-A-E35-10-0000-00A-340A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
SM-35-10-006	S	GOGGLES - VISUAL EXAMINATION						Service ATA:35
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E25-67-0000-00A-310A-APROC. REF: AMM PC24-A-E25-67-0000-00A-310A-A								PKG:4
SM-35-10-009	S	CREW MASK, LH - OVERHAUL						Service ATA:35
PN:MD40-45-006V	MOS	18-Oct-23	72 (+6m/-6m)					OVERHAUL
SN:B199754	HRS							
	AFL							
PROC. REF: AMM PC24-A-E35-10-0003-00A-520A-A, AMM PC24-A-E35-10-0003-00A-720A-APROC. REF: AMM PC24-A-E35-10-0003-00A-520A-A, AMM PC24-A-E35-10-0003-00A-720A-A								PKG:16
SM-35-10-009	S	CREW MASK, RH - OVERHAUL						Service ATA:35
PN:MD40-45-006V	MOS	18-Oct-23	72 (+6m/-6m)					OVERHAUL
SN:B199744	HRS							
	AFL							
PROC. REF: AMM PC24-A-E35-10-0003-00A-520A-A, AMM PC24-A-E35-10-0003-00A-720A-APROC. REF: AMM PC24-A-E35-10-0003-00A-520A-A, AMM PC24-A-E35-10-0003-00A-720A-A								PKG:16
SM-35-10-010	S	CREW MASK STOWAGE BOX, LH - OVERHAUL						Service ATA:35
PN:MXP604	MOS	28-Aug-24	72 (+6m/-6m)					OVERHAUL
SN:SE145608	HRS							
	AFL							
PROC. REF: AMM PC24-A-E35-10-0005-00A-520A-A, AMM PC24-A-E35-10-0005-00A-720A-APROC. REF: AMM PC24-A-E35-10-0005-00A-520A-A, AMM PC24-A-E35-10-0005-00A-720A-A								PKG:16
SM-35-10-010	S	CREW MASK STOWAGE BOX, RH - OVERHAUL						Service ATA:35
PN:MXP604	MOS	03-Sep-24	72 (+6m/-6m)					OVERHAUL
SN:SE150134	HRS							
	AFL							
PROC. REF: AMM PC24-A-E35-10-0005-00A-520A-A, AMM PC24-A-E35-10-0005-00A-720A-APROC. REF: AMM PC24-A-E35-10-0005-00A-520A-A, AMM PC24-A-E35-10-0005-00A-720A-A								PKG:16

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
SM-35-20-012	PASSENGER OXYGEN MASK CARTRIDGE, LAVATORY - DISCARD							Service ATA:35
PN:PN	MOS	01-Aug-23	72		01-Aug-29		1092 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Aug-23								
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
SM-35-20-012	PASSENGER OXYGEN MASK CARTRIDGE, NO. 1 - DISCARD							Service ATA:35
PN:PN	MOS	01-Aug-23	72		01-Aug-29		1092 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Aug-23								
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
SM-35-20-012	PASSENGER OXYGEN MASK CARTRIDGE, NO. 2 - DISCARD							Service ATA:35
PN:PN	MOS	01-Aug-23	72		01-Aug-29		1092 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Aug-23								
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
SM-35-20-012	PASSENGER OXYGEN MASK CARTRIDGE, NO. 3 - DISCARD							Service ATA:35
PN:PN	MOS	01-Aug-23	72		01-Aug-29		1092 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Aug-23								
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
SM-35-20-012	PASSENGER OXYGEN MASK CARTRIDGE, NO. 4 - DISCARD							Service ATA:35
PN:PN	MOS	01-Aug-23	72		01-Aug-29		1092 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Aug-23								
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
SM-35-20-012	PASSENGER OXYGEN MASK CARTRIDGE, NO. 5 - DISCARD							Service ATA:35
PN:PN	MOS	01-Aug-23	72		01-Aug-29		1092 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Aug-23								
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
SM-35-20-012	PASSENGER OXYGEN MASK CARTRIDGE, NO. 6 - DISCARD							Service ATA:35
PN:PN	MOS	01-Aug-23	72		01-Aug-29		1092 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Aug-23								
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
SM-35-20-012	PASSENGER OXYGEN MASK CARTRIDGE, NO. 7 - DISCARD							Service ATA:35
PN:PN	MOS	01-Aug-23	72		01-Aug-29		1092 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Aug-23								
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
SM-35-20-012	PASSENGER OXYGEN MASK CARTRIDGE, NO. 8 - DISCARD							Service ATA:35
PN:PN	MOS	01-Aug-23	72		01-Aug-29		1092 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Aug-23								
PROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-APROC. REF: AMM PC24-A-E35-20-0001-00A-520A-A, AMM PC24-A-E35-20-0001-00A-720A-A								
SM-35-20-013 ^S	PASSENGERS OXYGEN SUPPLY SELECTOR - OPERATION TEST							Service ATA:35
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E35-20-0000-00A-320A-APROC. REF: AMM PC24-A-E35-20-0000-00A-320A-A								
PKG:4								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
AL-36-10-005	BLEED AIR LEAK DETECTION TEMPERATURE SWITCH - FUNCTION TEST (CMR*)							Service ATA:36
	MOS	03-Jul-18						CMR*
	HRS	0	3600 (+10%/-10%)		3600	3960	1318.8 (+360)	
	AFL	0						
PROC. REF: AMM PC24-A-E36-20-0011-00A-340A-APROC. REF: AMM PC24-A-E36-20-0011-00A-340A-A								
AL-36-10-006	BLEED AIR HEAT SHIELD / OVER WING SANDWICH PANEL - VISUAL EXAMINATION (CMR*)							Service ATA:36
	MOS	29-Oct-25	24		29-Oct-27		450 d	CMR*
	HRS	2109.2	1200		3309.2		1028	
	AFL	1721						
PROC. REF: AMM PC24-A-E36-10-0008-00A-310A-APROC. REF: AMM PC24-A-E36-10-0008-00A-310A-A								
AL-36-10-008	BLEED AIR SELECTOR SWITCH - OPERATION TEST (CMR*)							Service ATA:36
	MOS	13-Sep-24						CMR*
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-E36-10-0000-00A-320A-APROC. REF: AMM PC24-A-E36-10-0000-00A-320A-A								
PC24AE36100110	PRESSURE SENSOR, LH							Component ATA:36
PN:957.12.10.676	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0042	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0006-00A-520A-A, AMM PC24-A-E36-10-0006-00A-720A-APROC. REF: AMM PC24-A-E36-10-0006-00A-520A-A, AMM PC24-A-E36-10-0006-00A-720A-A								
PC24AE36100120	PRESSURE SENSOR, RH							Component ATA:36
PN:957.12.10.676	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0043	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0006-00A-520A-A, AMM PC24-A-E36-10-0006-00A-720A-APROC. REF: AMM PC24-A-E36-10-0006-00A-520A-A, AMM PC24-A-E36-10-0006-00A-720A-A								
PC24AE36100210	TEMPERATURE SENSOR, INNER, LH							Component ATA:36
PN:959.90.20.150	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0063	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0007-00A-520A-A, AMM PC24-A-E36-10-0007-00A-720A-APROC. REF: AMM PC24-A-E36-10-0007-00A-520A-A, AMM PC24-A-E36-10-0007-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PC24AE36100220	TEMPERATURE SENSOR, OUTER, LH							Component ATA:36
PN:959.90.20.150	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0090	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0007-00A-520A-A, AMM PC24-A-E36-10-0007-00A-720A-APROC. REF: AMM PC24-A-E36-10-0007-00A-520A-A, AMM PC24-A-E36-10-0007-00A-720A-A								
PC24AE36100230	TEMPERATURE SENSOR, INNER, RH							Component ATA:36
PN:959.90.20.150	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0089	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0007-00A-520A-A, AMM PC24-A-E36-10-0007-00A-720A-APROC. REF: AMM PC24-A-E36-10-0007-00A-520A-A, AMM PC24-A-E36-10-0007-00A-720A-A								
PC24AE36100240	TEMPERATURE SENSOR, OUTER, RH							Component ATA:36
PN:959.90.20.150	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0091	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0007-00A-520A-A, AMM PC24-A-E36-10-0007-00A-720A-APROC. REF: AMM PC24-A-E36-10-0007-00A-520A-A, AMM PC24-A-E36-10-0007-00A-720A-A								
PC24AE36100300	PNEUMATIC DUCTING, 1, LH							Component ATA:36
PN:959.90.21.374	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17003990-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-11-0002-00A-520A-A, AMM PC24-A-E36-11-0002-00A-720A-APROC. REF: AMM PC24-A-E36-11-0002-00A-520A-A, AMM PC24-A-E36-11-0002-00A-720A-A								
PC24AE36100400	PNEUMATIC DUCTING, 1, RH							Component ATA:36
PN:959.90.21.382	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17006440-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-11-0002-00A-520A-A, AMM PC24-A-E36-11-0002-00A-720A-APROC. REF: AMM PC24-A-E36-11-0002-00A-520A-A, AMM PC24-A-E36-11-0002-00A-720A-A								
PC24AE36100500	PNEUMATIC DUCTING, REAR FUSELAGE, 2, LH							Component ATA:36
PN:959.90.21.375	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17005081-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-11-0001-00A-520A-A, AMM PC24-A-E36-11-0001-00A-720A-APROC. REF: AMM PC24-A-E36-11-0001-00A-520A-A, AMM PC24-A-E36-11-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PC24AE36100600	PNEUMATIC DUCTING, REAR FUSELAGE, 2, RH							Component ATA:36
PN:959.90.21.383	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17005081-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-11-0001-00A-520A-A, AMM PC24-A-E36-11-0001-00A-720A-A PROC. REF: AMM PC24-A-E36-11-0001-00A-520A-A, AMM PC24-A-E36-11-0001-00A-720A-A								
PC24AE36100700	PNEUMATIC DUCTING, REAR FUSELAGE, 4, LH							Component ATA:36
PN:959.90.21.377	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004788-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-11-0001-00A-520A-A, AMM PC24-A-E36-11-0001-00A-720A-A PROC. REF: AMM PC24-A-E36-11-0001-00A-520A-A, AMM PC24-A-E36-11-0001-00A-720A-A								
PC24AE36100800	PNEUMATIC DUCTING, REAR FUSELAGE, 4, RH							Component ATA:36
PN:959.90.21.385	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17004262-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-11-0001-00A-520A-A, AMM PC24-A-E36-11-0001-00A-720A-A PROC. REF: AMM PC24-A-E36-11-0001-00A-520A-A, AMM PC24-A-E36-11-0001-00A-720A-A								
PC24AE36100910	BLEED AIR CHECK VALVE, LH							Component ATA:36
PN:963.30.11.119	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0001-00A-520A-A, AMM PC24-A-E36-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E36-10-0001-00A-520A-A, AMM PC24-A-E36-10-0001-00A-720A-A								
PC24AE36100920	BLEED AIR CHECK VALVE, RH							Component ATA:36
PN:963.30.11.119	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0001-00A-520A-A, AMM PC24-A-E36-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E36-10-0001-00A-520A-A, AMM PC24-A-E36-10-0001-00A-720A-A								
PC24AE36101000	BLEED AIR CROSSFEED VALVE							Component ATA:36
PN:963.30.11.121	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1016	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0002-00A-520A-A, AMM PC24-A-E36-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E36-10-0002-00A-520A-A, AMM PC24-A-E36-10-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PC24AE36101110		SHUT-OFF VALVE, LH					Component	ATA:36
PN:963.30.11.122 (4716-3)	MOS/MSC	21-Aug-20	O/C	TSR 0				
SN:1046	HRS	600		TSR 0				
	AFL	587		TSR 0				
PROC. REF: AMM PC24-A-E36-10-0004-00A-520A-A, AMM PC24-A-E36-10-0004-00A-720A-APROC. REF: AMM PC24-A-E36-10-0004-00A-520A-A, AMM PC24-A-E36-10-0004-00A-720A-A								
PC24AE36101120		SHUT-OFF VALVE, RH					Component	ATA:36
PN:963.30.11.137	MOS/MSC	30-Oct-25	O/C					
SN:01056	HRS	2109.2						
	AFL	1721						
PROC. REF: AMM PC24-A-E36-10-0004-00A-520A-A, AMM PC24-A-E36-10-0004-00A-720A-APROC. REF: AMM PC24-A-E36-10-0004-00A-520A-A, AMM PC24-A-E36-10-0004-00A-720A-A								
PC24AE36101210		PRESSURE REGULATING VALVE, LH					Component	ATA:36
PN:963.30.11.124	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0308	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0003-00A-520A-A, AMM PC24-A-E36-10-0003-00A-720A-APROC. REF: AMM PC24-A-E36-10-0003-00A-520A-A, AMM PC24-A-E36-10-0003-00A-720A-A								
PC24AE36101220		PRESSURE REGULATING VALVE, RH					Component	ATA:36
PN:963.30.11.124	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0310	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E36-10-0003-00A-520A-A, AMM PC24-A-E36-10-0003-00A-720A-APROC. REF: AMM PC24-A-E36-10-0003-00A-520A-A, AMM PC24-A-E36-10-0003-00A-720A-A								
SM-36-10-001 ^S		BLEED AIR CHECK VALVE - OPERATION TEST					Service	ATA:36
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E36-10-0000-00A-320A-APROC. REF: AMM PC24-A-E36-10-0000-00A-320A-A								PKG:4
SM-36-10-003 ^S		BLEED AIR SYSTEM PIPES AND DUCTS (DOWNSTREAM THE BLEED CHECK VALVE) - VISUAL EXAMINATION					Service	ATA:36
	MOS	03-Jul-18						
	HRS	0	3600 (+10%/-10%)					
	AFL	0						
								PKG:8

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM PC24-A-E36-11-0000-00A-310A-APROC. REF: AMM PC24-A-E36-11-0000-00A-310A-A								
SM-36-10-004 ^S	CROSS BLEED VALVE - VISUAL EXAMINATION							Service ATA:36
	MOS	03-Jul-18						
	HRS	0	3600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM PC24-A-E36-10-0000-00A-310A-APROC. REF: AMM PC24-A-E36-10-0000-00A-310A-A								
SM-36-10-009	PRESSURE REGULATING VALVE FILTER - VISUAL EXAMINATION							Service ATA:36
	MOS	13-Sep-24						
	HRS	1731	600 (+10%/-10%)		2331	2391	49.8 (+60)	
	AFL	1468						
PROC. REF: AMM PC24-A-A12-20-0006-00A-310A-APROC. REF: AMM PC24-A-A12-20-0006-00A-310A-A								
ATA 38 - WATER/WASTE								
PC24AE38200100	WATER TANK							Component ATA:38
PN:950.12.00.015	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:12APR2018-003	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0004-00A-520A-A, AMM PC24-A-E38-30-0004-00A-720A-APROC. REF: AMM PC24-A-E38-30-0004-00A-520A-A, AMM PC24-A-E38-30-0004-00A-720A-A								
PC24AE38200200	WATER PUMP							Component ATA:38
PN:950.12.00.014	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:06APR2018-001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0005-00A-520A-A, AMM PC24-A-E38-30-0005-00A-720A-APROC. REF: AMM PC24-A-E38-30-0005-00A-520A-A, AMM PC24-A-E38-30-0005-00A-720A-A								
PC24AE38200300	ACCUMULATOR							Component ATA:38
PN:950.12.00.002	MOS/MSC	18-Aug-21	O/C					
SN:06SEP2018-006	HRS	744.9						
	AFL	763						
PROC. REF: AMM PC24-A-E38-30-0008-00A-520A-A, AMM PC24-A-E38-30-0008-00A-720A-APROC. REF: AMM PC24-A-E38-30-0008-00A-520A-A, AMM PC24-A-E38-30-0008-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
PC24AE38300100	WASTE TANK							Component ATA:38
PN:950.12.00.013	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:28MAR2018-003	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0003-00A-520A-A, AMM PC24-A-E38-30-0003-00A-720A-A PROC. REF: AMM PC24-A-E38-30-0003-00A-520A-A, AMM PC24-A-E38-30-0003-00A-720A-A								
PC24AE38300200	VALVE,DRAIN,ASSY							Component ATA:38
PN:538.30.24.091	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:25JAN2018-002	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0011-00A-520A-A, AMM PC24-A-E38-30-0011-00A-720A-A PROC. REF: AMM PC24-A-E38-30-0011-00A-520A-A, AMM PC24-A-E38-30-0011-00A-720A-A								
PC24AE38300300	HEATER,DRAIN VALVE							Component ATA:38
PN:950.12.00.006	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:10APR2018-001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE38300400	PORT,RINSE,ASSY							Component ATA:38
PN:950.12.00.009	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:29MAR2018-006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE38300500	VALVE,SHUTOFF,MANUAL							Component ATA:38
PN:950.12.00.010	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:12MAR2018-003	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE38300600	VACUUM PUMP							Component ATA:38
PN:950.12.00.012	MOS/MSC	21-Aug-20	O/C	TSN 2				
SN:15JUL2019-002	HRS	600		TSN 0				
	AFL	587		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0006-00A-520A-A, AMM PC24-A-E38-30-0006-00A-720A-A PROC. REF: AMM PC24-A-E38-30-0006-00A-520A-A, AMM PC24-A-E38-30-0006-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
PC24AE38300700		TOILET,VACUUM,ASSY					Component	ATA:38
PN:950.12.00.001	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:29MAR2018-004	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0006-00A-520A-A, AMM PC24-A-E38-30-0006-00A-720A-APROC. REF: AMM PC24-A-E38-30-0006-00A-520A-A, AMM PC24-A-E38-30-0006-00A-720A-A								
PC24AE38300800		WASTE WATER HOSE					Component	ATA:38
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E38-30-0010-00A-520A-A, AMM PC24-A-E38-30-0010-00A-720A-APROC. REF: AMM PC24-A-E38-30-0010-00A-520A-A, AMM PC24-A-E38-30-0010-00A-720A-A								
SM-38-00-001 ^S		WATER/WASTE SYSTEM - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT					Service	ATA:38
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E38-00-0000-00A-311A-APROC. REF: AMM PC24-A-E38-00-0000-00A-311A-A								
SM-38-00-002 ^S		TOILET - OPERATION TEST					Service	ATA:38
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E38-00-0000-00A-320A-APROC. REF: AMM PC24-A-E38-00-0000-00A-320A-A								
SM-38-00-003		WASTE WATER HOSE (P/N 950.12.00.080) - DISCARD					Service	ATA:38
	MOS	11-Aug-23					DISCARD	
	HRS	1333.4						
	AFL	1213	1200	2413		559		
PROC. REF: AMM PC24-A-E38-30-0010-00A-520A-A, AMM PC24-A-E38-30-0010-00A-720A-APROC. REF: AMM PC24-A-E38-30-0010-00A-520A-A, AMM PC24-A-E38-30-0010-00A-720A-A								
SM-38-00-004		WASTE WATER HOSE (P/N 950.12.00.082) - DISCARD					Service	ATA:38
	MOS	07-Jul-22	48 (+10%/-10%)	07-Jul-26	01-Dec-26	TOL (+118 d)	DISCARD	
	HRS	960.1	2400 (+10%/-10%)	3360.1	3600.1	1078.9 (+240)		
	AFL	961						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 38 - WATER/WASTE

PROC. REF: AMM PC24-A-E38-30-0010-00A-520A-A, AMM PC24-A-E38-30-0010-00A-720A-APROC. REF: AMM PC24-A-E38-30-0010-00A-520A-A, AMM PC24-A-E38-30-0010-00A-720A-A

ATA 42 - INTEGRATED MODULAR AVIONICS

PC24AE42101000	MODULAR AVIONICS UNIT (MAU) 1						Component	ATA:42
PN:985.99.12.049	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16118944	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-APROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								

PC24AE42101001	POWER SUPPLY 1 MODULE						Component	ATA:42
PN:985.99.12.346	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17116078	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-APROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								

PC24AE42101002	NETWORK-INTERFACE-CONTROLLER 1 MODULE						Component	ATA:42
PN:985.99.12.231	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1705J131	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-APROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								

PC24AE42101101	ADVANCED GRAPHICS MODULE						Component	ATA:42
PN:985.99.12.276	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16121315	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-APROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								

PC24AE42101103	CUSTOM-INPUT/OUTPUT SINGLE-CHANNEL MODULE						Component	ATA:42
PN:985.99.12.043	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16051759	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-APROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
PC24AE42101104 ACTUATOR-INPUT/OUTPUT-PROCESSOR 1A MODULE								Component ATA:42
PN:985.99.12.190	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1712R065	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								
PC24AE42101106 DUAL-GENERIC INPUT/OUTPUT-MODULE								Component ATA:42
PN:985.99.12.252	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17102029	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								
PC24AE42101108 CENTRAL-MAINTENANCE-COMPUTER MODULE								Component ATA:42
PN:985.99.12.048	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16115239	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								
PC24AE42101109 ACTUATOR-INPUT/OUTPUT-PROCESSOR 1B MODULE								Component ATA:42
PN:985.99.12.190	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1712R141	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								
PC24AE42101111 PROCESSOR MODULE								Component ATA:42
PN:7034056-1901	MOS/MSC	18-Oct-21	O/C	TSN 39				
SN:16113070	HRS	766		TSN 766				
	AFL							
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								
PC24AE42101112 CONTROL-INPUT/OUTPUT-MODULE								Component ATA:42
PN:985.99.12.028	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:15080771	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
PC24AE42101201 NETWORK-INTERFACE-CONTROLLER 2 MODULE								Component ATA:42
PN:985.99.12.231	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1707J485	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								
PC24AE42101202 POWER SUPPLY 2								Component ATA:42
PN:985.99.12.346	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:18016225	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0001-00A-520A-A, AMM PC24-A-E42-10-0001-00A-720A-A								
PC24AE42101301 AIRCRAFT PERSONALITY MODULE								Component ATA:42
PN:985.83.14.204	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:40823944	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-44-0002-00A-520A-A, AMM PC24-A-E34-44-0002-00A-720A-A PROC. REF: AMM PC24-A-E34-44-0002-00A-520A-A, AMM PC24-A-E34-44-0002-00A-720A-A								
PC24AE42101302 AIRCRAFT PERSONALITY MODULE								Component ATA:42
PN:985.83.14.204	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:40824024	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-44-0002-00A-520A-A, AMM PC24-A-E34-44-0002-00A-720A-A PROC. REF: AMM PC24-A-E34-44-0002-00A-520A-A, AMM PC24-A-E34-44-0002-00A-720A-A								
PC24AE42102000 MODULAR AVIONICS UNIT (MAU) 2								Component ATA:42
PN:985.99.12.049	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16118968	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A								
PC24AE42102001 POWER SUPPLY MODULE								Component ATA:42
PN:985.99.12.346	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:18016197	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
PC24AE42102002 NETWORK-INTERFACE-CONTROLLER 3 MODULE								Component ATA:42
PN:985.99.12.231	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1706J423	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A								
PC24AE42102101 ADVANCED-GRAPHICS-MODULE 2								Component ATA:42
PN:985.99.12.276	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:17041421	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A								
PC24AE42102103 CUSTOM-INPUT/OUTPUT SINGLE-CHANNEL 2 MODULE								Component ATA:42
PN:985.99.12.043	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16121887	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A								
PC24AE42102104 SIGNAL-GENERATOR-INPUT/OUTPUT 2 MODULE								Component ATA:42
PN:985.99.12.044	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16112288	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A								
PC24AE42102105 ACTUATOR-INPUT/OUTPUT-PROCESSOR 2(A) MODULE								Component ATA:42
PN:985.99.12.190	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1711R049	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A								
PC24AE42102107 ACTUATOR-INPUT/OUTPUT-PROCESSOR 2(B) MODULE								Component ATA:42
PN:985.99.12.190	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:1712R080	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
PC24AE42102109 MAU AIR MANAGEMENT MODULE, MAU 2 (SPARE)								Component ATA:42
PN:PN	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE42102110 ENHANCED GROUND PROXIMITY WARNING SYSTEM (EGPWS) MODULE, MAU 2								Component ATA:42
PN:985.99.12.027	MOS/MSC	18-Oct-21	O/C	TSN 0				
SN:2012ED66	HRS	766		TSN 0				
	AFL			TSN 0				
PROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-APROC. REF: AMM PC24-A-E42-10-0002-00A-520A-A, AMM PC24-A-E42-10-0002-00A-720A-A								
PC24AE42102111 MAU AIR MANAGEMENT MODULE, MAU 2 (AGM 3)								Component ATA:42
PN:PN	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE42102112 MAU AIR MANAGEMENT MODULE, MAU 2 (AGM 3)								Component ATA:42
PN:PN	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE42102201 MAU AIR MANAGEMENT MODULE, MAU 2 (NIC 2)								Component ATA:42
PN:PN	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE42102202 MAU AIR MANAGEMENT MODULE, MAU 2 (PSU 2)								Component ATA:42
PN:985.99.12.022	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:16121021	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
PC24AE42102301		AIRCRAFT PERSONALITY MODULE, MAU 2 NIC 3					Component	ATA:42
PN:985.83.14.204	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:40823352	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E34-44-0002-00A-520A-A, AMM PC24-A-E34-44-0002-00A-720A-A PROC. REF: AMM PC24-A-E34-44-0002-00A-520A-A, AMM PC24-A-E34-44-0002-00A-720A-A								
PC24AE42300110		KBT 300 TTP BUS TERM RES, BUS 1, AR 1613					Component	ATA:42
PN:985.99.12.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KBT300-4526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE42300120		KBT 300 TTP BUS TERM RES, BUS 2, AR 1653					Component	ATA:42
PN:985.99.12.117	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:KBT300-4522	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE42400110		DATA CONCENTRATION AND PROCESSING UNIT 1					Component	ATA:42
PN:985.99.12.378	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:22514	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-40-0001-00A-520A-A, AMM PC24-A-E42-40-0001-00A-720A-A PROC. REF: AMM PC24-A-E42-40-0001-00A-520A-A, AMM PC24-A-E42-40-0001-00A-720A-A								
PC24AE42400120		DATA CONCENTRATION AND PROCESSING UNIT 2					Component	ATA:42
PN:985.99.12.378(9B-84134-3)	MOS/MSC	09-Aug-19	O/C	TSN 1				
SN:23206	HRS	334.6		TSN 0				
	AFL	321		TSN 0				
PROC. REF: AMM PC24-A-E42-40-0002-00A-520A-A, AMM PC24-A-E42-40-0002-00A-720A-A PROC. REF: AMM PC24-A-E42-40-0002-00A-520A-A, AMM PC24-A-E42-40-0002-00A-720A-A								
PC24AE42400130		DATA CONCENTRATION AND PROCESSING UNIT 3					Component	ATA:42
PN:985.99.12.378	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:22390	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E42-40-0003-00A-520A-A, AMM PC24-A-E42-40-0003-00A-720A-A PROC. REF: AMM PC24-A-E42-40-0003-00A-520A-A, AMM PC24-A-E42-40-0003-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
PC24AE42400140		DATA CONCENTRATION AND PROCESSING UNIT 4					Component	ATA:42
PN:985.99.12.379	MOS/MSC	07-Nov-19	O/C	TSN 1				
SN:24358	HRS	430.9		TSN 0				
	AFL	388		TSN 0				
PROC. REF: AMM PC24-A-E42-40-0004-00A-520A-A, AMM PC24-A-E42-40-0004-00A-720A-APROC. REF: AMM PC24-A-E42-40-0004-00A-520A-A, AMM PC24-A-E42-40-0004-00A-720A-A								
ATA 44 - CABIN SYSTEMS								
PC24AE44100100		ENTERTAINMENT SYSTEM, XM, AR1614					Component	ATA:44
PN:985.99.11.963	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:EQ203-02-00105	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE44100210		ANTENNE,KABELLOS, ECONNECT, E1611					Component	ATA:44
PN:984.81.10.214	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:535481	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE44100220		ANTENNE,KABELLOS, ECONNECT, E1612					Component	ATA:44
PN:984.81.10.214	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:535485	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE44100230		ANTENNE,KABELLOS, ECONNECT, E1613					Component	ATA:44
PN:984.81.10.214	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:535486	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE44600100		CMS CONTROLLER, A1612					Component	ATA:44
PN:985.99.11.938	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:EQ4.3-01-00177	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E44-10-0001-00A-520A-A, AMM PC24-A-E44-10-0001-00A-720A-APROC. REF: AMM PC24-A-E44-10-0001-00A-520A-A, AMM PC24-A-E44-10-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 45 - CENTRAL MAINT SYSTEM								
SM-45-45-002	AIRCRAFT CONDITION MONIORING FUNCTION AND FAULT HISTORY DATABASE FILES - DATA ERASE (JOB SETUP)							Service ATA:45
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-E45-45-0000-00A-552A-APROC. REF: AMM PC24-A-E45-45-0000-00A-552A-A								
ATA 46 - INFORMATION SYSTEMS								
PC24AE46200100	WIRELESS DATA LOADING DEVICE							Component ATA:46
PN:975.96.32.469(910-00015-501REVA)	MOS/MSC	26-Aug-22	O/C	TSN 0				
SN:20258	HRS	976.6		TSN 0				
	AFL	975		TSN 0				
PROC. REF: AMM PC24-A-E46-20-0001-00A-520A-A, AMM PC24-A-E46-20-0001-00A-720A-APROC. REF: AMM PC24-A-E46-20-0001-00A-520A-A, AMM PC24-A-E46-20-0001-00A-720A-A								
SM-46-30-002 ^S	PILOT AND COPILOT PFD REVERSIONARY SWITCHES - OPERATION TEST							Service ATA:46
	MOS	13-Sep-24						
	HRS	1731	600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E46-30-0000-00A-320A-APROC. REF: AMM PC24-A-E46-30-0000-00A-320A-A								PKG:1
ATA 52 - DOORS								
AL-52-10-015	PASSENGER DOOR MECHANISM, SHOOT BOLTS - SPECIAL IRREGULAR INSPECTION							Service ATA:52
	MOS	03-Jul-18					MSI	
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E52-05-0003-00A-284A-APROC. REF: AMM PC24-A-E52-05-0003-00A-284A-A								
AL-52-30-016	CARGO DOOR MECHANISM, SHOOT BOLTS - SPECIAL IRREGULAR INSPECTION							Service ATA:52
	MOS	03-Jul-18					MSI	
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E52-05-0004-00A-284A-APROC. REF: AMM PC24-A-E52-05-0004-00A-284A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
AL-52-30-017	CARGO DOOR MECHANISM, HOOK BOLTS - SPECIAL IRREGULAR INSPECTION							Service ATA:52
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E52-05-0005-00A-284A-APROC. REF: AMM PC24-A-E52-05-0005-00A-284A-A								
PC24AE52100100	PASSENGER DOOR ASSY							Component ATA:52
PN:552.10.24.922	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2544309-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E52-10-0000-00A-520A-A, AMM PC24-A-E52-10-0000-00A-720A-APROC. REF: AMM PC24-A-E52-10-0000-00A-520A-A, AMM PC24-A-E52-10-0000-00A-720A-A								
PC24AE52200110	EMERGENCY EXIT DOOR, LH							Component ATA:52
PN:552.20.24.910	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2539324-13	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E52-20-0000-00A-520A-A, AMM PC24-A-E52-20-0000-00A-720A-APROC. REF: AMM PC24-A-E52-20-0000-00A-520A-A, AMM PC24-A-E52-20-0000-00A-720A-A								
PC24AE52200120	EMERGENCY EXIT DOOR, RH							Component ATA:52
PN:552.20.24.910	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2539325-14	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E52-20-0000-00A-520A-A, AMM PC24-A-E52-20-0000-00A-720A-APROC. REF: AMM PC24-A-E52-20-0000-00A-520A-A, AMM PC24-A-E52-20-0000-00A-720A-A								
PC24AE52300100	CARGO DOOR ASSY							Component ATA:52
PN:552.30.24.922	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2544309-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E52-30-0000-00A-520A-A, AMM PC24-A-E52-30-0000-00A-720A-APROC. REF: AMM PC24-A-E52-30-0000-00A-520A-A, AMM PC24-A-E52-30-0000-00A-720A-A								
PC24AE52700110	SWITCH,PROXIMITY SENSOR, PAX DOOR, S1913							Component ATA:52
PN:973.30.33.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:6630	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E52-70-0001-00A-520A-A, AMM PC24-A-E52-70-0001-00A-720A-APROC. REF: AMM PC24-A-E52-70-0001-00A-520A-A, AMM PC24-A-E52-70-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PC24AE52700120		SWITCH,PROXIMITY SENSOR, CAR DOOR, S3111						Component ATA:52
PN:973.30.33.116	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:6658	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E52-70-0002-00A-520A-A, AMM PC24-A-E52-70-0002-00A-720A-APROC. REF: AMM PC24-A-E52-70-0002-00A-520A-A, AMM PC24-A-E52-70-0002-00A-720A-A								
SM-52-10-001 ^S		PASSENGER/CREW DOOR HINGE - SERVICE						Service ATA:52
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E52-10-0001-00A-240A-APROC. REF: AMM PC24-A-E52-10-0001-00A-240A-A								
SM-52-10-003 ^S		PASSENGER /CREW DOOR HINGE - SPECIAL VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT						Service ATA:52
	MOS	26-Aug-22	72 (+6m/-6m)					
	HRS	976.6						
	AFL	975						
PROC. REF: AMM PC24-A-E52-10-0001-00A-310A-APROC. REF: AMM PC24-A-E52-10-0001-00A-310A-A								
SM-52-10-004 ^S		PASSENGER/CREW DOOR SEAL - VISUAL EXAMINATION						Service ATA:52
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E52-10-0002-00A-310A-APROC. REF: AMM PC24-A-E52-10-0002-00A-310A-A								
SM-52-10-010		PASSENGER DOOR SKINS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:52
	MOS	15-Aug-23	36 (+10%/-10%)	15-Aug-26	03-Dec-26	10 d (+110)	MILD CORROSION ZONE	
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
SM-52-10-011	PASSENGER DOOR FRAMES, AUXILIARY - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:52
	MOS	26-Aug-22	48 (+10%/-10%)	Adj -26d	31-Jul-26	24-Dec-26	TOL (+141 d)	
	HRS	976.6						
	AFL	975						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-52-20-012	EMERGENCY EXIT DOOR SKIN, FRAME (DOOR REMOVED) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:52
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-52-30-006 ^S	CARGO DOOR HINGE - SERVICE							Service ATA:52
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E52-30-0001-00A-240A-APROC. REF: AMM PC24-A-E52-30-0001-00A-240A-A								
SM-52-30-008 ^S	CARGO DOOR HINGE - SPECIAL VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT							Service ATA:52
	MOS	26-Aug-22	72 (+6m/-6m)					
	HRS	976.6						
	AFL	975						
PROC. REF: AMM PC24-A-E52-30-0001-00A-310A-APROC. REF: AMM PC24-A-E52-30-0001-00A-310A-A								
SM-52-30-009 ^S	CARGO DOOR SEAL - VISUAL EXAMINATION							Service ATA:52
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E52-30-0002-00A-310A-APROC. REF: AMM PC24-A-E52-30-0002-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
SM-52-30-013		CARGO DOOR SKINS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:52
	MOS	15-Aug-23	36 (+10%/-10%)		15-Aug-26	03-Dec-26	10 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-52-30-014		CARGO DOOR FRAMES, LONGERONS, CROSS BEAMS, HOOK SUPPORT - DETAILED CORROSION INSPECTION AND PROTECTIVEPROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:52
	MOS	26-Aug-22	48 (+10%/-10%)	Adj -26d	31-Jul-26	24-Dec-26	TOL (+141 d)	
	HRS	976.6						
	AFL	975						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-52-70-005 ^S		DOOR WARNING SYSTEM - OPERATION TEST						Service ATA:52
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E52-70-0000-00A-320A-APROC. REF: AMM PC24-A-E52-70-0000-00A-320A-A								
PKG:4								
ZL-232-01 ^S		CREW/PASSENGER DOOR (INNER/OUTER) AND FRAME SURROUNDS - VISUAL EXAMINATION						Service ATA:52
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E52-05-0001-00A-310A-APROC. REF: AMM PC24-A-E52-05-0001-00A-310A-A								
PKG:6								
ZL-234-01 ^S		EMERGENCY EXIT LH AND SURROUNDS - VISUAL EXAMINATION						Service ATA:52
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E52-05-0002-00A-310A-APROC. REF: AMM PC24-A-E52-05-0002-00A-310A-A								
PKG:4								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
ZL-235-01	^S	EMERGENCY EXIT RH AND SURROUNDS - VISUAL EXAMINATION						Service ATA:52
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E52-05-0002-00A-310A-APROC. REF: AMM PC24-A-E52-05-0002-00A-310A-A								PKG:4
ZL-237-01	^S	CARGO DOOR (INNER/OUTER) AND FRAME SURROUNDS - VISUAL EXAMINATION						Service ATA:52
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E52-05-0001-00A-310A-APROC. REF: AMM PC24-A-E52-05-0001-00A-310A-A								PKG:6
ATA 53 - FUSELAGE								
AL-53-10-052		COCKPIT LOWER LONGERON (APPLICABLE TO MSN 101 TO 124) - SPECIAL IRREGULAR INSPECTION						Service ATA:53
	MOS	03-Jul-18						
	HRS	0	T:10000		10000		7718.8	
	AFL	0	T:10000		10000		8146	
PROC. REF: AMM PC24-A-E53-05-0021-00A-284A-APROC. REF: AMM PC24-A-E53-05-0021-00A-284A-A								
AL-53-10-054		COCKPIT UPPER LONGERON - SPECIAL IRREGULAR INSPECTION						Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:10000		10000		7718.8	
	AFL	0	T:10000		10000		8146	
PROC. REF: AMM PC24-A-E53-05-0022-00A-284A-APROC. REF: AMM PC24-A-E53-05-0022-00A-284A-A								
AL-53-10-055		COCKPIT MIDDLE SKIN - SPECIAL IRREGULAR INSPECTION						Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E53-05-0023-00A-284A-APROC. REF: AMM PC24-A-E53-05-0023-00A-284A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
AL-53-10-056	COCKPIT LOWER SKIN - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E53-05-0024-00A-284A-APROC. REF: AMM PC24-A-E53-05-0024-00A-284A-A								
AL-53-10-057	COCKPIT ANGLE FRAME 12 - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E53-05-0025-00A-284A-APROC. REF: AMM PC24-A-E53-05-0025-00A-284A-A								
AL-53-20-043	CABIN ATTACHMENTS, EMERGENCY EXIT PLUG-IN CORNER INNER EDGE- SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:10000		10000		7718.8	
	AFL	0	T:10000		10000		8146	
PROC. REF: AMM PC24-A-E53-05-0014-00A-284A-APROC. REF: AMM PC24-A-E53-05-0014-00A-284A-A								
AL-53-20-044	CABIN WINDOW FRAMES (MSN 101 - 150) - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:10000		10000		7718.8	
	AFL	0	T:10000		10000		8146	
PROC. REF: AMM PC24-A-E53-05-0015-00A-284A-APROC. REF: AMM PC24-A-E53-05-0015-00A-284A-A								
AL-53-20-045	CARGO DOOR FRAME 32, LH (MSN 101 - 120) - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:10000		10000		7718.8	
	AFL	0	T:10000		10000		8146	
PROC. REF: AMM PC24-A-E53-05-0016-00A-284A-APROC. REF: AMM PC24-A-E53-05-0016-00A-284A-A								
AL-53-20-046	UPPER CARGO DOOR LONGERON CASING (MSN 101 - 500) - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:10000		10000		7718.8	
	AFL	0	T:10000		10000		8146	
PROC. REF: AMM PC24-A-E53-05-0017-00A-284A-APROC. REF: AMM PC24-A-E53-05-0017-00A-284A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
AL-53-20-047	LOWER CARGO DOOR LONGERON CASING - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E53-05-0018-00A-284A-APROC. REF: AMM PC24-A-E53-05-0018-00A-284A-A								
AL-53-20-048	WING TO FUSELAGE FR24 AND FR28 ATTACHMENTS - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0022-00A-284A-APROC. REF: AMM PC24-A-E57-05-0022-00A-284A-A								
AL-53-20-049	CABIN SIDE SKIN - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E53-05-0019-00A-284A-APROC. REF: AMM PC24-A-E53-05-0019-00A-284A-A								
AL-53-20-050	UPPER CARGO DOOR LONGERON CASING INNER CORNER- SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E53-05-0017-01A-284A-APROC. REF: AMM PC24-A-E53-05-0017-01A-284A-A								
AL-53-20-051	AFT PRESSURE BULKHEAD - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E53-05-0020-00A-284A-APROC. REF: AMM PC24-A-E53-05-0020-00A-284A-A								
AL-53-20-060	CABIN ATTACHMENTS, EMERGENCY EXIT PLUG-IN CORNER FASTNER AREA - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS							
	HRS		T:15000		15000		12718.8	
	AFL		T:15000		15000		13146	
PROC. REF: AMM PC24-A-E53-05-0014-00B-284A-APROC. REF: AMM PC24-A-E53-05-0014-00B-284A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
AL-53-20-061	CABIN WINDOW FRAMES (MSN 151 - UP) - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS/MSC	31-Jul-18	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-E53-05-0015-00A-284A-APROC. REF: AMM PC24-A-E53-05-0015-00A-284A-A								
AL-53-20-062	CARGO DOOR FRAME 32, LH (MSN 121 - UP) - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS/MSC	31-Jul-18	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-E53-05-0016-00A-284A-APROC. REF: AMM PC24-A-E53-05-0016-00A-284A-A								
AL-53-20-063	CABIN SPLICES FRAME 28 UPPER AND LOWER (MSN 101 - 500) - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS	31-Jul-18						
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E53-05-0027-00A-284A-APROC. REF: AMM PC24-A-E53-05-0027-00A-284A-A								
AL-53-20-064	UPPER CARGO DOOR LONGERON CASING (MSN 501-UP) - SPECIAL IRREGULAR INSPECTION							Service ATA:53
	MOS/MSC	31-Jul-18	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-E53-05-0017-00A-284A-APROC. REF: AMM PC24-A-E53-05-0017-00A-284A-A								
PC24AE53000100	FUSELAGE ASSY							Component ATA:53
PN:553.00.24.903	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2538613-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE53300100	BEAM ASSY, ENGINE, FRONT							Component ATA:53
PN:554.50.24.386	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2532881-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
SM-53-10-007	^S	NOSE & COCKPIT SEAT RAILS, FLOOR PANELS - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT						Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL							
PROC. REF: AMM PC24-A-E53-00-0000-00A-310A-APROC. REF: AMM PC24-A-E53-00-0000-00A-310A-A								PKG:10
SM-53-10-008	^S	NOSE & COCKPIT FRAMES UNDER FLOOR AREA (INCLUDES NLG SIDE WALL, FRAME 9, SPLICES AND DOUBLERS) - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT						Service ATA:53
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E53-00-0000-00A-310A-APROC. REF: AMM PC24-A-E53-00-0000-00A-310A-A								PKG:6
SM-53-10-009	^S	NOSE & COCKPIT PRESSURE BULKHEAD - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT						Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-00-0000-00A-310A-APROC. REF: AMM PC24-A-E53-00-0000-00A-310A-A								PKG:4
SM-53-10-018		SKINS - NOSE AND COCKPIT - DETAILED CORROSION INSPECTION ANDPROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:53
	MOS	11-Aug-23	36 (+10%/-10%)		11-Aug-26	29-Nov-26	6 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-10-019		COCKPIT LONGERONS, STRINGERS AND INTERCOSTALS - ABOVE FLOOR - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
SM-53-10-020	NOSE AND COCKPIT LONGERONS, STRINGERS AND INTERCOSTALS - BELOW FLOOR - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-10-021	COCKPIT FITTINGS / ATTACHMENTS (BRACKETS, DOUBLERS, SUPPORTS) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-10-022	NOSE FITTINGS / ATTACHMENTS (BRACKETS, DOUBLERS, SUPPORTS) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-10-023	COCKPIT CENTER AND SIDE BEAMS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-10-025	COCKPIT FRAMES (INCLUDES, SPLICES AND DOUBLERS) - ABOVE FLOOR - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
SM-53-10-026	NOSE AND COCKPIT FRAMES (INCLUDES NLG SIDE WALL, FRAME 9, SPLICES AND DOUBLERS) - BELOW FLOOR - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-10-027	COCKPIT PRESSURE BULKHEAD - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	26-Aug-22	48 (+10%/-10%)	Adj -26d	31-Jul-26	24-Dec-26	TOL (+141 d)	
	HRS	976.6						
	AFL	975						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-10-028	NOSE PRESSURE BULKHEAD - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-10-058 ^S	COCKPIT WINDOW RETAINER - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT							Service ATA:53
	MOS	03-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL	0						
								PKG:10
PROC. REF: AMM PC24-A-E53-05-0026-00A-311A-APROC. REF: AMM PC24-A-E53-05-0026-00A-311A-A								
SM-53-20-010 ^S	CABIN FRAMES UNDER FLOOR AND DOOR AREA (INCLUDES FRAME SPLICES AND DOUBLERS) - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT							Service ATA:53
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
								PKG:6
PROC. REF: AMM PC24-A-E53-00-0000-00A-310A-APROC. REF: AMM PC24-A-E53-00-0000-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
SM-53-20-011	^S	CABIN PRESSURE BULKHEAD - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT						Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-00-0000-00A-310A-APROC. REF: AMM PC24-A-E53-00-0000-00A-310A-A								PKG:4
SM-53-20-012	^S	CABIN SEAT RAILS, FLOOR PANELS - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT						Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL							
PROC. REF: AMM PC24-A-E53-00-0000-00A-310A-APROC. REF: AMM PC24-A-E53-00-0000-00A-310A-A								PKG:10
SM-53-20-029		CABIN SKIN - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:53
	MOS	15-Aug-23	36 (+10%/-10%)		15-Aug-26	03-Dec-26	10 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-20-030		CABIN FRAMES (INCLUDES FRAME SPLICES AND DOUBLERS) - ABOVE FLOOR - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-20-031		CABIN FRAMES (INCLUDES FRAME SPLICES AND DOUBLERS) - BELOW FLOOR - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:53
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
SM-53-20-032	CABIN PRESSURE BULKHEAD - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	26-Aug-22	48 (+10%/-10%)	Adj -26d	31-Jul-26	24-Dec-26	TOL (+141 d)	
	HRS	976.6						
	AFL	975						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-20-033	CABIN LONGERONS, STRINGERS AND INTERCOSTALS - ABOVE FLOOR - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-20-034	CABIN LONGERONS, STRINGERS, AND INTERCOSTALS - BELOW FLOOR - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	26-Aug-22	72 (+6m/-6m)	Adj -26d	31-Jul-28	31-Jan-29	726 d (+184)	MILD CORROSION ZONE
	HRS	976.6						
	AFL	975						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-20-035	CABIN FITTINGS / ATTACHMENTS (BRACKETS, DOUBLERS, SUPPORTS) - ABOVE FLOOR - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-20-036	CABIN FITTINGS / ATTACHMENTS (BRACKETS, DOUBLERS, SUPPORTS) - BELOW FLOOR - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
SM-53-20-037	CABIN SEAT RAILS, FLOOR PANELS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-30-013 ^S	REAR FUSELAGE FRAMES (INCLUDES FRAME SPLICES AND DOUBLERS) - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PKG:4								
PROC. REF: AMM PC24-A-E53-00-0000-00A-310A-APROC. REF: AMM PC24-A-E53-00-0000-00A-310A-A								
SM-53-30-014 ^S	REAR FUSELAGE FITTINGS/ATTACHMENTS (BRACKETS, DOUBLERS, SUPPORTS) - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PKG:4								
PROC. REF: AMM PC24-A-E53-00-0000-00A-310A-APROC. REF: AMM PC24-A-E53-00-0000-00A-310A-A								
SM-53-30-015 ^S	REAR FUSELAGE LONGERONS, STRINGERS AND INTERCOSTALS - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PKG:4								
PROC. REF: AMM PC24-A-E53-00-0000-00A-310A-APROC. REF: AMM PC24-A-E53-00-0000-00A-310A-A								
SM-53-30-016 ^S	REAR FUSELAGE ENGINE BEAMS - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PKG:4								
PROC. REF: AMM PC24-A-E53-00-0000-00A-310A-APROC. REF: AMM PC24-A-E53-00-0000-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
SM-53-30-038	SKIN REAR FUSELAGE - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	24-Aug-23	36 (+10%/-10%)		24-Aug-26	12-Dec-26	19 d (+110)	MILD CORROSION ZONE
	HRS	1334.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-30-039	REAR FUSELAGE FRAMES (INCLUDES FRAME SPLICES AND DOUBLERS) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	14-Aug-23	36 (+10%/-10%)		14-Aug-26	02-Dec-26	9 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-30-040	REAR FUSELAGE FITTINGS / ATTACHMENTS (BRACKETS, DOUBLERS, SUPPORTS) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	14-Aug-23	36 (+10%/-10%)		14-Aug-26	02-Dec-26	9 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-30-041	REAR FUSELAGE LONGERONS, STRINGERS AND INTERCOSTALS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	14-Aug-23	36 (+10%/-10%)		14-Aug-26	02-Dec-26	9 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-53-30-042	REAR FUSELAGE ENGINE BEAM - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:53
	MOS	14-Aug-23	36 (+10%/-10%)		14-Aug-26	02-Dec-26	9 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
ZL-120-01 ^S	FORWARD FUSELAGE LOWER EXTERNAL SURFACE - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0001-00A-310A-APROC. REF: AMM PC24-A-E53-05-0001-00A-310A-A								PKG:3
ZL-120-02 ^S	COCKPIT UNDERFLOOR AREA - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0005-00A-310A-APROC. REF: AMM PC24-A-E53-05-0005-00A-310A-A								PKG:4
ZL-130-01 ^S	MID FUSELAGE LOWER EXTERNAL SURFACE - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0001-00A-310A-APROC. REF: AMM PC24-A-E53-05-0001-00A-310A-A								PKG:3
ZL-131-01 ^S	FRONT PASSENGER COMPARTMENT UNDERFLOOR AREA - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0005-00A-310A-APROC. REF: AMM PC24-A-E53-05-0005-00A-310A-A								PKG:4
ZL-133-01 ^S	MID PASSENGER COMPARTMENT UNDERFLOOR AREA - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0005-00A-310A-APROC. REF: AMM PC24-A-E53-05-0005-00A-310A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
ZL-136-01 ^S	AFT PASSENGER COMPARTMENT UNDERFLOOR AREA - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0005-00A-310A-APROC. REF: AMM PC24-A-E53-05-0005-00A-310A-A								PKG:4
ZL-140-01 ^S	FAIRING EXTERNAL SURFACES - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0008-00A-310A-APROC. REF: AMM PC24-A-E53-05-0008-00A-310A-A								PKG:3
ZL-141-01 ^S	FORWARD FAIRING AREAS INCLUDING FUSELAGE LOWER SKIN - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0009-00A-310A-APROC. REF: AMM PC24-A-E53-05-0009-00A-310A-A								PKG:4
ZL-142-01 ^S	MID FAIRING AREAS INCLUDING FUSELAGE LOWER SKIN - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0009-00A-310A-APROC. REF: AMM PC24-A-E53-05-0009-00A-310A-A								PKG:4
ZL-143-01 ^S	AFT FAIRING AREAS INCLUDING FUSELAGE LOWER SKIN - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0009-00A-310A-APROC. REF: AMM PC24-A-E53-05-0009-00A-310A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
ZL-210-01	^S	NOSE EXTERNAL SURFACES - VISUAL EXAMINATION						Service ATA:53
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0001-00A-310A-APROC. REF: AMM PC24-A-E53-05-0001-00A-310A-A								PKG:3
ZL-211-01	^S	RADOME INTERNAL AREA - VISUAL EXAMINATION						Service ATA:53
	MOS	13-Sep-24	36 (+10%/-10%)					
	HRS	1731	1800 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E53-05-0003-00A-310A-APROC. REF: AMM PC24-A-E53-05-0003-00A-310A-A								PKG:5
ZL-212-01	^S	NOSE COMPARTMENT AREA - VISUAL EXAMINATION						Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0002-00A-310A-APROC. REF: AMM PC24-A-E53-05-0002-00A-310A-A								PKG:4
ZL-220-01	^S	FRONT FUSELAGE, WINDSHIELD AND WINDOW EXTERNAL SURFACES - VISUAL EXAMINATION						Service ATA:53
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0001-00A-310A-APROC. REF: AMM PC24-A-E53-05-0001-00A-310A-A								PKG:3
ZL-220-02	^S	FLIGHT COMPARTMENT LOWER SECTION, PEDALS, INSTRUMENT PANEL WIRING - VISUAL EXAMINATION						Service ATA:53
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E53-05-0004-00A-310A-APROC. REF: AMM PC24-A-E53-05-0004-00A-310A-A								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
ZL-220-03 ^S	WINDSHIELD, SIDE WINDOW AND OVERHEAD PANEL WIRING - VISUAL EXAMINATION							Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL							
PROC. REF: AMM PC24-A-E53-05-0006-00A-310A-APROC. REF: AMM PC24-A-E53-05-0006-00A-310A-A								PKG:10
ZL-230-01 ^S	FUSELAGE EXTERNAL UPPER SURFACES INCLUDING DOOR SKINS AND WINDOWS - VISUAL EXAMINATION							Service ATA:53
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0001-00A-310A-APROC. REF: AMM PC24-A-E53-05-0001-00A-310A-A								PKG:3
ZL-231-01 ^S	AVIONIC RACK AREA - VISUAL EXAMINATION							Service ATA:53
	MOS	23-Aug-23	48 (+10%/-10%)					
	HRS	1333.4	2400 (+10%/-10%)					
	AFL	1213						
PROC. REF: AMM PC24-A-E53-05-0005-00A-310A-APROC. REF: AMM PC24-A-E53-05-0005-00A-310A-A								PKG:6
ZL-231-02 ^S	LAVATORIES (AREA COVERED BY THE LAVATORIES) - VISUAL EXAMINATION							Service ATA:53
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E53-05-0004-00A-310A-APROC. REF: AMM PC24-A-E53-05-0004-00A-310A-A								PKG:6
ZL-231-03 ^S	FRONT PASSENGER COMPARTMENT AREA ABOVE THE FLOOR - VISUAL EXAMINATION							Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL							
PROC. REF: AMM PC24-A-E53-05-0006-00A-310A-APROC. REF: AMM PC24-A-E53-05-0006-00A-310A-A								PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
ZL-233-01	^S	MID PASSENGER COMPARTMENT AREA ABOVE THE FLOOR - VISUAL EXAMINATION						Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL							
PROC. REF: AMM PC24-A-E53-05-0006-00A-310A-APROC. REF: AMM PC24-A-E53-05-0006-00A-310A-A								PKG:10
ZL-236-01	^S	AFT PASSENGER COMPARTMENT - PRESSURE BULKHEAD - VISUAL EXAMINATION						Service ATA:53
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E53-05-0007-00A-310A-APROC. REF: AMM PC24-A-E53-05-0007-00A-310A-A								PKG:6
ZL-236-02	^S	AFT PASSENGER COMPARTMENT AREA ABOVE THE FLOOR - VISUAL EXAMINATION						Service ATA:53
	MOS	31-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL							
PROC. REF: AMM PC24-A-E53-05-0006-00A-310A-APROC. REF: AMM PC24-A-E53-05-0006-00A-310A-A								PKG:10
ZL-310-01	^S	REAR FUSELAGE EXTERNAL SURFACES - VISUAL EXAMINATION						Service ATA:53
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0008-00A-310A-APROC. REF: AMM PC24-A-E53-05-0008-00A-310A-A								PKG:3
ZL-310-02	^S	REAR FUSELAGE INTERNAL AREAS - VISUAL EXAMINATION						Service ATA:53
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0010-00A-310A-APROC. REF: AMM PC24-A-E53-05-0010-00A-310A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
ZL-320-01	^S	TAILCONE AREA (INTERNAL AND EXTERNAL) - VISUAL EXAMINATION						Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0012-00A-310A-APROC. REF: AMM PC24-A-E53-05-0012-00A-310A-A								PKG:4
ZL-350-01	^S	DORSAL FIN EXTERNAL SURFACES - VISUAL EXAMINATION						Service ATA:53
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E53-05-0011-00A-310A-APROC. REF: AMM PC24-A-E53-05-0011-00A-310A-A								PKG:4
ZL-350-02	^S	DORSAL FIN INTERNAL AREA - VISUAL EXAMINATION						Service ATA:53
	MOS	13-Sep-24	72 (+6m/-6m)					
	HRS	1731	3600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E53-05-0013-00A-310A-APROC. REF: AMM PC24-A-E53-05-0013-00A-310A-A								PKG:9
ATA 54 - NACELLES/PYLONS								
AL-54-00-001		FORWARD ENGINE BEAM - SPECIAL IRREGULAR INSPECTION						Service ATA:54
	MOS							MSI
	HRS		T:10000		10000		7718.8	
	AFL		T:10000		10000		8146	
PROC. REF: AMM PC24-A-E54-05-0001-01A-284A-APROC. REF: AMM PC24-A-E54-05-0001-01A-284A-A								
ATA 55 - STABILIZERS								
AL-55-10-023		HORIZONTAL STABILIZER TO VERTICAL STABILIZER ATTACHMENT BOLTS - SPECIAL IRREGULAR INSPECTION						Service ATA:55
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E55-05-0003-00A-284A-APROC. REF: AMM PC24-A-E55-05-0003-00A-284A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
AL-55-40-022	RUDDER SKIN - SPECIAL IRREGULAR INSPECTION							Service ATA:55
	MOS	03-Jul-18						MSI
	HRS	0	T:25000		25000		22718.8	
	AFL	0	T:25000		25000		23146	
PROC. REF: AMM PC24-A-E55-05-0004-00A-284A-APROC. REF: AMM PC24-A-E55-05-0004-00A-284A-A								
PC24AE55100100	HORIZONTAL STABILIZER ASSY							Component ATA:55
PN:555.10.24.906	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2533864-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E55-10-0000-00A-520A-A, AMM PC24-A-E55-10-0000-00A-720A-APROC. REF: AMM PC24-A-E55-10-0000-00A-520A-A, AMM PC24-A-E55-10-0000-00A-720A-A								
PC24AE55200100	ELEVATOR ASSY, LH							Component ATA:55
PN:555.20.24.913	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2540970-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E55-20-0000-00A-520A-A, AMM PC24-A-E55-20-0000-00A-720A-APROC. REF: AMM PC24-A-E55-20-0000-00A-520A-A, AMM PC24-A-E55-20-0000-00A-720A-A								
PC24AE55200200	ELEVATOR ASSY, RH							Component ATA:55
PN:555.20.24.914	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2540971-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E55-20-0000-00A-520A-A, AMM PC24-A-E55-20-0000-00A-720A-APROC. REF: AMM PC24-A-E55-20-0000-00A-520A-A, AMM PC24-A-E55-20-0000-00A-720A-A								
PC24AE55200300	INTERCONNECT, ELEVATOR, ASSY							Component ATA:55
PN:555.20.24.399	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE55200610	CONTROL ROD,ELEVATOR,FLETTNER, LH INNER							Component ATA:55
PN:961.10.01.194	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03570001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PC24AE55200620	CONTROL ROD,ELEVATOR,FLETTNER, LH OUTER							Component ATA:55
PN:961.10.01.194	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03550001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE55200630	CONTROL ROD,ELEVATOR,FLETTNER, RH, INNER							Component ATA:55
PN:961.10.01.194	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03580001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE55200640	CONTROL ROD,ELEVATOR,FLETTNER, RH, OUTER							Component ATA:55
PN:961.10.01.194	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:SERT03560001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE55400100	RUDDER ASSY							Component ATA:55
PN:555.40.24.909	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2542692-4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E55-40-0000-00A-520A-A, AMM PC24-A-E55-40-0000-00A-720A-APROC. REF: AMM PC24-A-E55-40-0000-00A-520A-A, AMM PC24-A-E55-40-0000-00A-720A-A								
PC24AE55400200	RUDDER ARM ASSY, BALANCE WEIGHT							Component ATA:55
PN:555.40.24.187	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2554130-8	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E55-40-0010-00A-520A-A, AMM PC24-A-E55-40-0010-00A-720A-APROC. REF: AMM PC24-A-E55-40-0010-00A-520A-A, AMM PC24-A-E55-40-0010-00A-720A-A								
SM-55-10-001	HORIZONTAL STABILIZER SKIN - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	14-Aug-23	36 (+10%/-10%)	14-Aug-26	02-Dec-26	9 d (+110)	MILD CORROSION ZONE	
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
SM-55-10-002		HORIZONTAL STABILIZER SPARS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-10-003		HORIZONTAL STABILIZER RIBS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-10-004		HORIZONTAL STABILIZER FITTING (ATTACHMENT, FLETTNER / HINGE, ELEVATOR CONTROL, TRIM) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-10-005		HORIZONTAL STABILIZER BOLTS (INCL. CLASS 1) - REMOVED - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-20-006		ELEVATOR SKIN - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)						Service ATA:55
	MOS	14-Aug-23	36 (+10%/-10%)		14-Aug-26	02-Dec-26	9 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
SM-55-20-007	ELEVATOR SPARS (INSPECT AS FAR AS POSSIBLE THROUGH THE DRAIN HOLES WITH A BOROSCOPE) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-20-008	ELEVATOR RIBS (INSPECT AS FAR AS POSSIBLE THROUGH THE DRAIN HOLES WITH A BOROSCOPE) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-20-009	ELEVATOR FITTINGS, HINGE, HINGE BRACKET AND RETAINING FLANGE - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-20-010	ELEVATOR BOLTS (INCL. CLASS 1) - REMOVED - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-30-011	VERTICAL STABILIZER SKINS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	14-Aug-23	36 (+10%/-10%)		14-Aug-26	02-Dec-26	9 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
SM-55-30-012	VERTICAL STABILIZER SPARS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-30-013	VERTICAL STABILIZER RIBS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-30-014	VERTICAL STABILIZER FITTINGS (FRAME BRACKETS, ANGLES, SUPPORTS, DOUBLERS, BACK-UP CRANK, ANTI YAW, MID SPAR, TRIM, SERVO) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-30-015	VERTICAL STABILIZER UPPER HALF FRAME 44 - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-40-016	RUDDER SKIN -DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	14-Aug-23	36 (+10%/-10%)		14-Aug-26	02-Dec-26	9 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-40-017	RUDDER SPARS (INSPECT AS FAR AS POSSIBLE THROUGH THE BOTTOM OF THE RUDDER WITH A BOROSCOPE) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	
	HRS	1731						
	AFL	1468						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-40-018	RUDDER RIBS (INSPECT AS FAR AS POSSIBLE THROUGH THE BOTTOM OF THE RUDDER WITH A BOROSCOPE) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-40-019	RUDDER FITTINGS (HINGE, FLETTNER, TRIM TAP) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-40-020	RUDDER TORQUE TUBE - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-55-40-021	REAR RUDDER QUADRANT - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:55
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
ZL-360-01 ^S	VERTICAL STABILIZER AND RUDDER EXTERNAL SURFACES - VISUAL EXAMINATION							Service ATA:55
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E55-05-0001-00A-310A-APROC. REF: AMM PC24-A-E55-05-0001-00A-310A-A								

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
ZL-360-02 ^S	VERTICAL STABILIZER INTERNAL SURFACES AND THE RUDDER ATTACHMENTS - VISUAL EXAMINATION							Service ATA:55
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E55-05-0002-00A-310A-APROC. REF: AMM PC24-A-E55-05-0002-00A-310A-A								PKG:4
ZL-370-01 ^S	HORIZONTAL STABILIZER AND ELEVATOR EXTERNAL SURFACES - VISUAL EXAMINATION							Service ATA:55
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E55-05-0001-00A-310A-APROC. REF: AMM PC24-A-E55-05-0001-00A-310A-A								PKG:3
ZL-380-01 ^S	BULLET FAIRING AREA (INTERNAL AND EXTERNAL) - VISUAL EXAMINATION							Service ATA:55
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E55-05-0002-00A-310A-APROC. REF: AMM PC24-A-E55-05-0002-00A-310A-A								PKG:4
ATA 56 - WINDOWS								
PC24AE56100100	WINDSHIELD, LH							Component ATA:56
PN:959.81.10.163	MOS/MSC	12-Jul-21	O/C	TSN 0				
SN:0203	HRS	717.9		TSN 0				
	AFL			TSN 0				
PROC. REF: AMM PC24-A-E56-10-0001-00A-520A-A, AMM PC24-A-E56-10-0001-00A-720A-APROC. REF: AMM PC24-A-E56-10-0001-00A-520A-A, AMM PC24-A-E56-10-0001-00A-720A-A								
PC24AE56100200	WINDSHIELD, RH							Component ATA:56
PN:959.81.10.164	MOS/MSC	23-Apr-25	O/C	TSN 0				
SN:UNKNOWN	HRS	1953.1		TSN 0				
	AFL	1611		TSN 0				
PROC. REF: AMM PC24-A-E56-10-0001-00A-520A-A, AMM PC24-A-E56-10-0001-00A-720A-APROC. REF: AMM PC24-A-E56-10-0001-00A-520A-A, AMM PC24-A-E56-10-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PC24AE56100300	SIDE WINDOW, LH							Component ATA:56
PN:959.81.10.139	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022883	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-10-0002-00A-520A-A, AMM PC24-A-E56-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E56-10-0002-00A-520A-A, AMM PC24-A-E56-10-0002-00A-720A-A								
PC24AE56100400	SIDE WINDOW, RH							Component ATA:56
PN:959.81.10.166	MOS/MSC	23-Apr-25	O/C	TSN 10				
SN:1022	HRS	1953.1		TSN 0				
	AFL	1611		TSN 0				
PROC. REF: AMM PC24-A-E56-10-0002-00A-520A-A, AMM PC24-A-E56-10-0002-00A-720A-A PROC. REF: AMM PC24-A-E56-10-0002-00A-520A-A, AMM PC24-A-E56-10-0002-00A-720A-A								
PC24AE56100500	RELAY, LIGHTNING SUPPRESSION, K0921							Component ATA:56
PN:974.09.26.111	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:P923	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2 PROC. REF: AMM GENERIC 2								
PC24AE56200110	CABIN WINDOW 1, LH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022437/02	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								
PC24AE56200115	CABIN WINDOW 2, LH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022437/05	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								
PC24AE56200120	CABIN WINDOW 3, LH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:021263/05	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PC24AE56200125	CABIN WINDOW 4, EMERG EXIT, LH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022437/01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-APROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								
PC24AE56200130	CABIN WINDOW 5, LH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:021263/03	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-APROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								
PC24AE56200135	CABIN WINDOW 6, LH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:021263/04	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-APROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								
PC24AE56200140	CABIN WINDOW 1, RH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022437/04	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-APROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								
PC24AE56200145	CABIN WINDOW 2, RH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022437/18	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-720A-APROC. REF: AMM PC24-A-E56-20-0001-00A-720A-A								
PC24AE56200150	CABIN WINDOW 3, RH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022437/31	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-APROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PC24AE56200155	CABIN WINDOW 4, EMERG EXIT, RH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022437/32	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-APROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								
PC24AE56200160	CABIN WINDOW 5, RH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022437/33	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-APROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								
PC24AE56200165	CABIN WINDOW 6, RH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022482/49	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-APROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A								
PC24AE56200170	CABIN WINDOW 7, RH							Component ATA:56
PN:959.81.10.130	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:022482/50	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-APROC. REF: AMM PC24-A-E56-20-0001-00A-520A-A, AMM PC24-A-E56-20-0001-00A-720A-A								
SM-56-10-001 ^S	WINDSHIELD AND SIDE WINDOW - VISUAL EXAMINATION							Service ATA:56
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E56-10-0000-01A-310A-APROC. REF: AMM PC24-A-E56-10-0000-01A-310A-A								
SM-56-11-001	WINDSHIELDS RETAINERS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:56
	MOS	16-Aug-23	36 (+10%/-10%)	16-Aug-26	04-Dec-26	11 d (+110)	MILD CORROSION ZONE	
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
SM-56-11-002	SIDE WINDOWS RETAINERS - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:56
	MOS	11-Aug-23	36 (+10%/-10%)		11-Aug-26	29-Nov-26	6 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-56-11-003	WINDOW FRAMES - INSIDE CABIN - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:56
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
ATA 57 - WINGS								
AL-57-20-012	WING LOWER SKIN, ACCESS HOLE CUTOUT - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:10000		10000		7718.8	
	AFL	0	T:10000		10000		8146	
PROC. REF: AMM PC24-A-E57-05-0021-00A-284A-APROC. REF: AMM PC24-A-E57-05-0021-00A-284A-A								
AL-57-20-013	WING LOWER SKIN ATTACHMENT AND ACCESS PANEL CUTOUTS - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0023-00A-284A-APROC. REF: AMM PC24-A-E57-05-0023-00A-284A-A								
AL-57-20-014	WING LOWER SKIN, MLG CUT-OUT AND FRONT SPAR SPLICE ATTACHMENT - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0024-00A-284A-APROC. REF: AMM PC24-A-E57-05-0024-00A-284A-A								
AL-57-20-015	WING LOWER SKIN TO REAR SPAR ATTACHMENT - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:25000		25000		22718.8	
	AFL	0	T:25000		25000		23146	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM PC24-A-E57-05-0025-00A-284A-APROC. REF: AMM PC24-A-E57-05-0025-00A-284A-A								
AL-57-20-016	WING UPPER SKIN FUEL OPENING - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:20000		20000		17718.8	
	AFL	0	T:20000		20000		18146	
PROC. REF: AMM PC24-A-E57-05-0026-00A-284A-APROC. REF: AMM PC24-A-E57-05-0026-00A-284A-A								
AL-57-20-017	WING FRONT SPAR - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:20000		20000		17718.8	
	AFL	0	T:20000		20000		18146	
PROC. REF: AMM PC24-A-E57-05-0027-00A-284A-APROC. REF: AMM PC24-A-E57-05-0027-00A-284A-A								
AL-57-50-018	INBOARD FLAP JOINT-TWELVE, SEGMENT FITTING TWO - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0029-01A-284A-APROC. REF: AMM PC24-A-E57-05-0029-01A-284A-A								
AL-57-50-019	MIDDLE FLAP JOINT-TWELVE, SEGMENT FITTING TWO - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0029-02A-284A-APROC. REF: AMM PC24-A-E57-05-0029-02A-284A-A								
AL-57-50-020	INBOARD FLAP-HINGE FORWARD FITTING (APPLICABLE TO MSN 101 TO 130) - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0030-01A-284A-APROC. REF: AMM PC24-A-E57-05-0030-01A-284A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
AL-57-50-022	MIDDLE FLAP-HINGE FORWARD FITTING - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0031-02A-284A-APROC. REF: AMM PC24-A-E57-05-0031-02A-284A-A								
AL-57-50-023	OUTBOARD FLAP-HINGE FORWARD FITTING - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0031-03A-284A-APROC. REF: AMM PC24-A-E57-05-0031-03A-284A-A								
AL-57-50-024	INBOARD FLAP-HINGE BEAM - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0032-01A-284A-APROC. REF: AMM PC24-A-E57-05-0032-01A-284A-A								
AL-57-50-025	MIDDLE FLAP-HINGE BEAM - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0032-02A-284A-APROC. REF: AMM PC24-A-E57-05-0032-02A-284A-A								
AL-57-50-026	OUTBOARD FLAP-HINGE BEAM - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0032-03A-284A-APROC. REF: AMM PC24-A-E57-05-0032-03A-284A-A								
AL-57-50-027	INBOARD FLAP-HINGE INTERCOSTAL - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0033-01A-284A-APROC. REF: AMM PC24-A-E57-05-0033-01A-284A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
AL-57-50-030	INBOARD MAIN FLAP HINGE FITTING - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS							MSI
	HRS		T:15000		15000		12718.8	
	AFL		T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0034-01A-284A-APROC. REF: AMM PC24-A-E57-05-0034-01A-284A-A								
AL-57-50-031	MIDDLE AND OUTBOARD MAIN FLAP HINGE FITTING - SPECIAL IRREGULAR INSPECTION							Service ATA:57
	MOS							MSI
	HRS		T:15000		15000		12718.8	
	AFL		T:15000		15000		13146	
PROC. REF: AMM PC24-A-E57-05-0034-02A-284A-APROC. REF: AMM PC24-A-E57-05-0034-02A-284A-A								
EW-532-05 ^S	HARNESS WING TRAILING EDGE WIRING LH - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0012-00A-310A-APROC. REF: AMM PC24-A-E57-05-0012-00A-310A-A								PKG:3
EW-632-05 ^S	HARNESS WING TRAILING EDGE WIRING RH - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0012-00A-310A-APROC. REF: AMM PC24-A-E57-05-0012-00A-310A-A								PKG:3
PC24AE57100100	WING ASSY							Component ATA:57
PN:557.10.24.102	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:486323-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE57100200	WING STRUCTURE, LH							Component ATA:57
PN:557.10.24.111	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2517750-7	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM PC24-A-E57-00-0000-00A-520A-A, AMM PC24-A-E57-00-0000-00A-720A-APROC. REF: AMM PC24-A-E57-00-0000-00A-520A-A, AMM PC24-A-E57-00-0000-00A-720A-A								
PC24AE57100300	WING STRUCTURE, RH							Component ATA:57
PN:557.10.24.112	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2517751-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-00-0000-00A-520A-A, AMM PC24-A-E57-00-0000-00A-720A-APROC. REF: AMM PC24-A-E57-00-0000-00A-520A-A, AMM PC24-A-E57-00-0000-00A-720A-A								
PC24AE57500100	FLAP ASSY, MAIN SEGMENT, LH							Component ATA:57
PN:557.50.24.933	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2529376-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-50-0000-00A-520A-A, AMM PC24-A-E57-50-0000-00A-720A-APROC. REF: AMM PC24-A-E57-50-0000-00A-520A-A, AMM PC24-A-E57-50-0000-00A-720A-A								
PC24AE57500200	FLAP ASSY, MAIN SEGMENT, RH							Component ATA:57
PN:557.50.24.934	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2529377-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-50-0000-00A-520A-A, AMM PC24-A-E57-50-0000-00A-720A-APROC. REF: AMM PC24-A-E57-50-0000-00A-520A-A, AMM PC24-A-E57-50-0000-00A-720A-A								
PC24AE57500300	FLAP ASSY, SECOND SEGMENT, LH							Component ATA:57
PN:557.50.24.935	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2529378-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-50-0000-00A-520A-A, AMM PC24-A-E57-50-0000-00A-720A-APROC. REF: AMM PC24-A-E57-50-0000-00A-520A-A, AMM PC24-A-E57-50-0000-00A-720A-A								
PC24AE57500400	FLAP ASSY, SECOND SEGMENT, RH							Component ATA:57
PN:557.50.24.936	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2529379-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-50-0000-00A-520A-A, AMM PC24-A-E57-50-0000-00A-720A-APROC. REF: AMM PC24-A-E57-50-0000-00A-520A-A, AMM PC24-A-E57-50-0000-00A-720A-A								
PC24AE57600100	AILERON ASSY, LH							Component ATA:57
PN:557.60.24.913	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2530199-7	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM PC24-A-E57-60-0000-00A-520A-A, AMM PC24-A-E57-60-0000-00A-720A-APROC. REF: AMM PC24-A-E57-60-0000-00A-520A-A, AMM PC24-A-E57-60-0000-00A-720A-A								
PC24AE57600200	AILERON ASSY, RH							Component ATA:57
PN:557.60.24.914	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:2530200-7	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-60-0000-00A-520A-A, AMM PC24-A-E57-60-0000-00A-720A-APROC. REF: AMM PC24-A-E57-60-0000-00A-520A-A, AMM PC24-A-E57-60-0000-00A-720A-A								
PC24AE57700100	GROUND SPOILER ASSY 1, LH							Component ATA:57
PN:557.70.24.911	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:12	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-APROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A								
PC24AE57700200	GROUND SPOILER ASSY 1, RH							Component ATA:57
PN:557.70.24.912	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:10	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-APROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A								
PC24AE57700300	GROUND SPOILER ASSY 2, LH							Component ATA:57
PN:557.70.24.913	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:12	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-APROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A								
PC24AE57700400	GROUND SPOILER ASSY 2, RH							Component ATA:57
PN:557.70.24.914	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:10	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-APROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A								
PC24AE57700500	MULTI FUNCTION SPOILER ASSY 1, LH							Component ATA:57
PN:557.70.24.907	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:107	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-APROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A								
PC24AE57700600	MULTI FUNCTION SPOILER ASSY 1, RH							Component ATA:57
PN:557.70.24.908	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-APROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A								
PC24AE57700700	MULTI FUNCTION SPOILER ASSY 2, LH							Component ATA:57
PN:557.70.24.909	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-APROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A								
PC24AE57700800	MULTI FUNCTION SPOILER ASSY 2, RH							Component ATA:57
PN:557.70.24.910	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-APROC. REF: AMM PC24-A-E57-70-0000-00A-520A-A, AMM PC24-A-E57-70-0000-00A-720A-A								
SM-57-20-001	LOWER SKIN - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	15-Aug-23	36 (+10%/-10%)		15-Aug-26	03-Dec-26	10 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-57-20-002	FRONT SPAR (INBOARD, OUTBOARD, SPLICES) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
SM-57-20-003	REAR SPAR (INBOARD, MID, OUTBOARD) - PART OUTSIDE FROM WING FUEL TANK WHERE LRUS ARE ATTACHED TO - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	15-Aug-23	36 (+10%/-10%)		15-Aug-26	03-Dec-26	10 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-57-20-004	AUXILIARY SPAR - PART OUTSIDE FROM WING FUEL TANK WHERE LRUS ARE ATTACHED TO - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	15-Aug-23	36 (+10%/-10%)		15-Aug-26	03-Dec-26	10 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-57-20-005	RIBS (INCLUDES RIB 1 ATTACHMENT BOLTS) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	31-Jul-18	96 (+6m/-6m)		31-Jul-26	31-Jan-27	TOL (+179 d)	
	HRS							
	AFL							
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-57-20-006	SHEAR PLATE (WING SPIGOT ATTACHMENT) - DETAILED CORROSION INSPECTION AND/OR PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	26-Aug-22	96 (+6m/-6m)	Adj -26d	31-Jul-30	31-Jan-31	1456 d (+184)	MILD CORROSION ZONE
	HRS	976.6						
	AFL	975						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-57-20-007	WING TO FUSELAGE ATTACHMENT (SPIGOTS, FITTINGS, STRUT, BOLTS) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
SM-57-20-008	MAIN LANDING GEAR FITTINGS (TRUNION, ACTUATOR, SIDEBRACE) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	11-Aug-23	36 (+10%/-10%)		11-Aug-26	29-Nov-26	6 d (+110)	MILD CORROSION ZONE
	HRS	1333.4						
	AFL	1213						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-57-20-009	WING BOX FLAP HINGE (FITTINGS, BEAMS, SUPPORTS) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-57-20-010	WING BOX FITTINGS, HINGES (SPOILERS, AILERONS ONLY) - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-57-20-011	TRAILING EDGE - DETAILED CORROSION INSPECTION AND PROTECTIVE MATERIAL INSPECTION (SSI)							Service ATA:57
	MOS	13-Sep-24	72 (+6m/-6m)		13-Sep-30	13-Mar-31	1500 d (+181)	MILD CORROSION ZONE
	HRS	1731						
	AFL	1468						
PROC. REF: AMM PC24-A-E20-40-0000-00A-913A-APROC. REF: AMM PC24-A-E20-40-0000-00A-913A-A								
SM-57-20-028 ^S	REAR WING SPAR (PART OUTSIDE FROM WING FUEL TANK WHERE LRUS ARE ATTACHED TO) - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT							Service ATA:57
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E57-00-0000-00A-311A-APROC. REF: AMM PC24-A-E57-00-0000-00A-311A-A								
PKG:6								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
SM-57-20-029 ^S	AUXILIARY WING SPAR (PART OUTSIDE FROM WING FUEL TANK WHERE LRUS ARE ATTACHED TO) - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT							Service ATA:57
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E57-00-0000-00A-311A-APROC. REF: AMM PC24-A-E57-00-0000-00A-311A-A								PKG:6
ZL-510-01 ^S	LH WING FIXED LEADING EDGE EXTERNAL SURFACES -VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0001-00A-310A-APROC. REF: AMM PC24-A-E57-05-0001-00A-310A-A								PKG:3
ZL-510-02 ^S	LH WFLE ATTACHMENTS - VISUAL EXAMINATION							Service ATA:57
	MOS	13-Sep-24	72 (+6m/-6m)					
	HRS	1731	3600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E57-05-0002-00A-310A-APROC. REF: AMM PC24-A-E57-05-0002-00A-310A-A								PKG:9
ZL-520-01 ^S	LH WING EXTERNAL SURFACES (LOWER AND UPPER) - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0003-00A-310A-APROC. REF: AMM PC24-A-E57-05-0003-00A-310A-A								PKG:3
ZL-520-02 ^S	LH WING TO FUSELAGE ATTACHMENTS - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0005-00A-310A-APROC. REF: AMM PC24-A-E57-05-0005-00A-310A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
ZL-520-03 ^S	LH WING EXTERNAL SURFACES (LOWER AND UPPER COVERED BY FAIRINGS) - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0004-00A-310A-APROC. REF: AMM PC24-A-E57-05-0004-00A-310A-A								PKG:4
ZL-520-04 ^S	LH WING (INTERNAL) - VISUAL EXAMINATION							Service ATA:57
	MOS	31-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL							
PROC. REF: AMM PC24-A-E57-05-0006-00A-310A-APROC. REF: AMM PC24-A-E57-05-0006-00A-310A-A								PKG:10
ZL-524-01 ^S	LH WING TIP AND ATTACHMENTS - VISUAL EXAMINATION							Service ATA:57
	MOS	13-Sep-24	72 (+6m/-6m)					
	HRS	1731	3600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E57-05-0011-00A-310A-APROC. REF: AMM PC24-A-E57-05-0011-00A-310A-A								PKG:9
ZL-532-01 ^S	UPPER AND LOWER SURFACES OF THE LH FLAPS - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0007-00A-310A-APROC. REF: AMM PC24-A-E57-05-0007-00A-310A-A								PKG:2
ZL-532-02 ^S	LH SPOILER SURFACES (GROUND AND MFS) - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0007-00A-310A-APROC. REF: AMM PC24-A-E57-05-0007-00A-310A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
ZL-532-03 ^S	LH FLAP SUPPORT MECHANISMS - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0008-00A-310A-APROC. REF: AMM PC24-A-E57-05-0008-00A-310A-A								PKG:3
ZL-532-04 ^S	AFT WING ZONE LH - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0012-00A-310A-APROC. REF: AMM PC24-A-E57-05-0012-00A-310A-A								PKG:3
ZL-533-01 ^S	WING INTERMEDIATE SECTION LH - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0009-00A-310A-APROC. REF: AMM PC24-A-E57-05-0009-00A-310A-A								PKG:4
ZL-534-01 ^S	LH AILERON AND TRIM TAB SURFACES - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0010-00A-310A-APROC. REF: AMM PC24-A-E57-05-0010-00A-310A-A								PKG:2
ZL-534-02 ^S	LH AILERON AND LINKAGES - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0009-00A-310A-APROC. REF: AMM PC24-A-E57-05-0009-00A-310A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
ZL-610-01 ^S	RH WING EXTERNAL SURFACES (LOWER AND UPPER) -VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0001-00A-310A-APROC. REF: AMM PC24-A-E57-05-0001-00A-310A-A								PKG:3
ZL-610-02 ^S	RH WFLE ATTACHMENTS - VISUAL EXAMINATION							Service ATA:57
	MOS	13-Sep-24	72 (+6m/-6m)					
	HRS	1731	3600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E57-05-0002-00A-310A-APROC. REF: AMM PC24-A-E57-05-0002-00A-310A-A								PKG:9
ZL-620-01 ^S	RH WING EXTERNAL SURFACES (LOWER AND UPPER) - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0003-00A-310A-APROC. REF: AMM PC24-A-E57-05-0003-00A-310A-A								PKG:3
ZL-620-02 ^S	RH WING TO FUSELAGE ATTACHMENTS - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0005-00A-310A-APROC. REF: AMM PC24-A-E57-05-0005-00A-310A-A								PKG:4
ZL-620-03 ^S	RH WING EXTERNAL SURFACES (LOWER AND UPPER COVERED BY FAIRINGS) - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0004-00A-310A-APROC. REF: AMM PC24-A-E57-05-0004-00A-310A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
ZL-620-04 ^S	RH WING (INTERNAL) - VISUAL EXAMINATION							Service ATA:57
	MOS	31-Jul-18	96 (+6m/-6m)					
	HRS	0	4800 (+10%/-10%)					
	AFL							
PROC. REF: AMM PC24-A-E57-05-0006-00A-310A-APROC. REF: AMM PC24-A-E57-05-0006-00A-310A-A								PKG:10
ZL-624-01 ^S	RH WING TIP AND ATTACHMENTS - VISUAL EXAMINATION							Service ATA:57
	MOS	13-Sep-24	72 (+6m/-6m)					
	HRS	1731	3600 (+10%/-10%)					
	AFL	1468						
PROC. REF: AMM PC24-A-E57-05-0011-00A-310A-APROC. REF: AMM PC24-A-E57-05-0011-00A-310A-A								PKG:9
ZL-632-01 ^S	UPPER AND LOWER SURFACES OF THE RH FLAPS - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0007-00A-310A-APROC. REF: AMM PC24-A-E57-05-0007-00A-310A-A								PKG:2
ZL-632-02 ^S	RH SPOILER SURFACES (GROUND AND MFS) - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0007-00A-310A-APROC. REF: AMM PC24-A-E57-05-0007-00A-310A-A								PKG:3
ZL-632-03 ^S	RH FLAP SUPPORT MECHANISMS - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0008-00A-310A-APROC. REF: AMM PC24-A-E57-05-0008-00A-310A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
ZL-632-04 ^S	AFT WING ZONE RH - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0012-00A-310A-APROC. REF: AMM PC24-A-E57-05-0012-00A-310A-A								PKG:3
ZL-633-01 ^S	WING INTERMEDIATE SECTION RH - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0009-00A-310A-APROC. REF: AMM PC24-A-E57-05-0009-00A-310A-A								PKG:4
ZL-634-01 ^S	RH AILERON AND TRIM TAB SURFACES - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0010-00A-310A-APROC. REF: AMM PC24-A-E57-05-0010-00A-310A-A								PKG:2
ZL-634-02 ^S	RH AILERON AND LINKAGES - VISUAL EXAMINATION							Service ATA:57
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E57-05-0009-00A-310A-APROC. REF: AMM PC24-A-E57-05-0009-00A-310A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 70 - STANDARD PRACTICES - ENGINES								
70-03-01-750-801-01	^S	NO. 1 ENGINE - VISUALLY CHECK INSTALLED ELECTRICAL COMPONENT BONDING SURFACES AND HARNESS CONNECTORS, IDENTIFIED IN COMPONENT BONDING REQUIREMENTS TABLE, TO MAKE SURE THAT THERE ARE NO VISIBLE SIGNS OF CORROSION. IF CORROSION IS PRESENT, CLEAN SURFACES					Service	ATA:70
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1671						
								PKG:2
PROC. REF: LMM 70-03-01-801A-300A-APROC. REF: LMM 70-03-01-801A-300A-A								
70-03-01-750-801-01	^S	NO. 2 ENGINE - VISUALLY CHECK INSTALLED ELECTRICAL COMPONENT BONDING SURFACES AND HARNESS CONNECTORS, IDENTIFIED IN COMPONENT BONDING REQUIREMENTS TABLE, TO MAKE SURE THAT THERE ARE NO VISIBLE SIGNS OF CORROSION. IF CORROSION IS PRESENT, CLEAN SURFACES					Service	ATA:70
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1669						
								PKG:2
PROC. REF: LMM 70-03-01-801A-300A-APROC. REF: LMM 70-03-01-801A-300A-A								
70-04-01-200-802-01	^S	NO. 1 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE COMPONENT MAINTENANCE HAS BEEN COMPLETED AND THE REQUIRED ELECTRICAL BONDING AGENT HAS BEEN DEFERRED TO THE NEXT (ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS					Service	ATA:70
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1671						
								PKG:1 ,2
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								
70-04-01-200-802-01	^S	NO. 2 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE COMPONENT MAINTENANCE HAS BEEN COMPLETED AND THE REQUIRED ELECTRICAL BONDING AGENT HAS BEEN DEFERRED TO THE NEXT (ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS					Service	ATA:70
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1669						
								PKG:1 ,2
PROC. REF: LMM 05-20-00-817A-300A-APROC. REF: LMM 05-20-00-817A-300A-A								
ATA 71 - POWER PLANT								
71-00-00-813-807-01	^S	NO. 1 ENGINE - USE EMT TO INTERROGATE ECU FOR FAULTS. TROUBLESHOOT APPLICABLE FAULTS, AS REQUIRED					Service	ATA:71
	MOS	23-Jul-26						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 71-00-00-807C-421A-APROC. REF: LMM 71-00-00-807C-421A-A								PKG:1 ,2
71-00-00-813-807-01 ^S	NO. 2 ENGINE - USE EMT TO INTERROGATE ECU FOR FAULTS. TROUBLESHOOT APPLICABLE FAULTS, AS REQUIRED							Service ATA:71
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 71-00-00-807C-421A-APROC. REF: LMM 71-00-00-807C-421A-A								PKG:1 ,2
71-00-22-620-805	NO. 1 ENGINE - PRESERVATION PROCEDURE - GREATER THAN 9 MONTHS							Service ATA:71
	MOS/MSC	07-Feb-18	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 71-00-22-805A-810A-APROC. REF: LMM 71-00-22-805A-810A-A								
71-00-22-620-805	NO. 2 ENGINE - PRESERVATION PROCEDURE - GREATER THAN 9 MONTHS							Service ATA:71
	MOS/MSC	07-Feb-18	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 71-00-22-805A-810A-APROC. REF: LMM 71-00-22-805A-810A-A								
71-00-23-620-804	NO. 1 ENGINE - PRESERVATION PROCEDURE - LESS THAN 9 MONTHS							Service ATA:71
	MOS/MSC	07-Feb-18	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 71-00-23-804A-810A-APROC. REF: LMM 71-00-23-804A-810A-A								
71-00-23-620-804	NO. 2 ENGINE - PRESERVATION PROCEDURE - LESS THAN 9 MONTHS							Service ATA:71
	MOS/MSC	07-Feb-18	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 71-00-23-804A-810A-APROC. REF: LMM 71-00-23-804A-810A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-60-10-220-801-01	^S	NO. 1 ENGINE - VISUALLY INSPECT THE LIP AND FLOWPATH OF THE HEATED INLET ASSEMBLY (CAN REMAIN INSTALLED)						Service ATA:71
	MOS	07-Feb-18						
	HRS	0	2500 (+100)					
	ENC	0						
PROC. REF: LMM 71-60-10-801A-310A-APROC. REF: LMM 71-60-10-801A-310A-A								PKG:3,4,5,6,7,8,9,10
71-60-10-220-801-01	^S	NO. 2 ENGINE - VISUALLY INSPECT THE LIP AND FLOWPATH OF THE HEATED INLET ASSEMBLY (CAN REMAIN INSTALLED)						Service ATA:71
	MOS	07-Feb-18						
	HRS	0	2500 (+100)					
	ENC	0						
PROC. REF: LMM 71-60-10-801A-310A-APROC. REF: LMM 71-60-10-801A-310A-A								PKG:3,4,5,6,7,8,9,10
71-60-10-220-801-02	^S	NO. 1 ENGINE - HEATED INLET ASSEMBLY - REMOVE AND VISUALLY INSPECT						Service ATA:71
	MOS	07-Feb-18						
	HRS	0	5000 (+100)					
	ENC	0						
PROC. REF: LMM 71-60-10-801A-310A-APROC. REF: LMM 71-60-10-801A-310A-A								PKG:4,6,8,10
71-60-10-220-801-02	^S	NO. 2 ENGINE - HEATED INLET ASSEMBLY - REMOVE AND VISUALLY INSPECT						Service ATA:71
	MOS	07-Feb-18						
	HRS	0	5000 (+100)					
	ENC	0						
PROC. REF: LMM 71-60-10-801A-310A-APROC. REF: LMM 71-60-10-801A-310A-A								PKG:4,6,8,10
71-60-10-220-801-03	^S	NO. 1 ENGINE - FORWARD COWLING BULKHEAD - REMOVE AND VISUALLY INSPECT						Service ATA:71
	MOS	07-Feb-18						
	HRS	0	5000 (+100)					
	ENC	0						
PROC. REF: LMM 71-10-07-801A-310A-APROC. REF: LMM 71-10-07-801A-310A-A								PKG:4,6,8,10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-60-10-220-801-03	^S	NO. 2 ENGINE - FORWARD COWLING BULKHEAD - REMOVE AND VISUALLY INSPECT						Service ATA:71
	MOS	07-Feb-18						
	HRS	0	5000 (+100)					
	ENC	0						
PROC. REF: LMM 71-10-07-801A-310A-APROC. REF: LMM 71-10-07-801A-310A-A								PKG:4,6,8,10
71EN1		NO. 1 ENGINE						Component ATA:71
PN:73200-201	MOS/MSC		E/C					
SN:295019	HRS							
WC#: 71.EN1	AFL							
PROC. REF: AMM PC24-A-E72-00-0000-00A-520A-A, AMM PC24-A-E72-00-0000-00A-720A-APROC. REF: AMM PC24-A-E72-00-0000-00A-520A-A, AMM PC24-A-E72-00-0000-00A-720A-A								
71EN2		NO. 2 ENGINE						Component ATA:71
PN:73200-201	MOS/MSC		E/C					
SN:295020	HRS							
WC#: 71.EN2	AFL							
PROC. REF: AMM PC24-A-E72-00-0000-00A-520A-A, AMM PC24-A-E72-00-0000-00A-720A-APROC. REF: AMM PC24-A-E72-00-0000-00A-520A-A, AMM PC24-A-E72-00-0000-00A-720A-A								
AL-71-20-005		FORWARD ENGINE MOUNT ATTACHMENTS - SPECIAL IRREGULAR INSPECTION						Service ATA:71
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E71-05-0003-00A-284A-APROC. REF: AMM PC24-A-E71-05-0003-00A-284A-A								
AL-71-20-006		REAR ENGINE MOUNT ATTACHMENTS - SPECIAL IRREGULAR INSPECTION						Service ATA:71
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E71-05-0004-00A-284A-APROC. REF: AMM PC24-A-E71-05-0004-00A-284A-A								
AL-71-20-007		ENGINE DRAG STRUT - SPECIAL IRREGULAR INSPECTION						Service ATA:71
	MOS	03-Jul-18						MSI
	HRS	0	T:15000		15000		12718.8	
	AFL	0	T:15000		15000		13146	
PROC. REF: AMM PC24-A-E71-05-0002-00A-284A-APROC. REF: AMM PC24-A-E71-05-0002-00A-284A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PC24AE71200110		DRAG STRUT ASSY, LH					Component	ATA:71
PN:944.81.21.129	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE71200120		DRAG STRUT ASSY, RH					Component	ATA:71
PN:944.81.21.129	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0015	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE71200200		YOKE, LH					Component	ATA:71
PN:944.81.21.125	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0012	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE71200300		YOKE, RH					Component	ATA:71
PN:944.81.21.126	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:0014	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								
PC24AE71200410		LEFT ENGINE FORWARD UPPER ISOLATOR ASSEMBLY					Component	ATA:71
PN:944.81.21.127	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-APROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								
PC24AE71200420		LEFT ENGINE FORWARD LOWER ISOLATOR ASSEMBLY					Component	ATA:71
PN:944.81.21.127	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0043	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-APROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PC24AE71200430	RIGHT ENGINE FORWARD UPPER ISOLATOR ASSEMBLY							Component ATA:71
PN:944.81.21.127	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0066	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								
PC24AE71200440	RIGHT ENGINE FORWARD LOWER ISOLATOR ASSEMBLY							Component ATA:71
PN:944.81.21.127	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0068	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								
PC24AE71200510	LEFT ENGINE AFT ISOLATOR ASSEMBLY							Component ATA:71
PN:944.81.21.128	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0017	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								
PC24AE71200520	RIGHT ENGINE AFT ISOLATOR ASSEMBLY							Component ATA:71
PN:944.81.21.128	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:0024	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								
PC24CA71300001	LEFT PYLON FAIRING FIRE SEAL							Component ATA:71
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E71-30-0000-00A-520A-A, AMM PC24-A-E71-30-0000-00A-720A-A PROC. REF: AMM PC24-A-E71-30-0000-00A-520A-A, AMM PC24-A-E71-30-0000-00A-720A-A								
PC24CA71300002	RIGHT PYLON FAIRING FIRE SEAL							Component ATA:71
PN:PN	MOS/MSC	03-Jul-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E71-30-0000-00A-520A-A, AMM PC24-A-E71-30-0000-00A-720A-A PROC. REF: AMM PC24-A-E71-30-0000-00A-520A-A, AMM PC24-A-E71-30-0000-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
SM-71-20-001	^S	ENGINE MOUNT ASSEMBLIES - VISUAL EXAMINATION						Service ATA:71
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E71-20-0000-00A-310A-APROC. REF: AMM PC24-A-E71-20-0000-00A-310A-A								PKG:2
SM-71-20-002		LEFT ENGINE AFT ELASTOMERIC MOUNT ASSEMBLY - OVERHAUL						Service ATA:71
PN:944.81.21.128	MOS	03-Jul-18						OVERHAUL
SN:0017	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-APROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								PKG:11
SM-71-20-002		LEFT ENGINE FORWARD LOWER ELASTOMERIC MOUNT ASSEMBLY - OVERHAUL						Service ATA:71
PN:944.81.21.127	MOS	03-Jul-18						OVERHAUL
SN:0043	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-APROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								PKG:11
SM-71-20-002		LEFT ENGINE FORWARD UPPER ELASTOMERIC MOUNT ASSEMBLY - OVERHAUL						Service ATA:71
PN:944.81.21.127	MOS	03-Jul-18						OVERHAUL
SN:0030	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-APROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								PKG:11
SM-71-20-002		RIGHT ENGINE AFT ELASTOMERIC MOUNT ASSEMBLY - OVERHAUL						Service ATA:71
PN:944.81.21.128	MOS	03-Jul-18						OVERHAUL
SN:0024	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-APROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								PKG:11

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
SM-71-20-002		RIGHT ENGINE FORWARD LOWER ELASTOMERIC MOUNT ASSEMBLY - OVERHAUL						Service ATA:71
PN:944.81.21.127	MOS	03-Jul-18						OVERHAUL
SN:0068	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
								PKG:11
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-APROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								
SM-71-20-002		RIGHT ENGINE FORWARD UPPER ELASTOMERIC MOUNT ASSEMBLY - OVERHAUL						Service ATA:71
PN:944.81.21.127	MOS	03-Jul-18						OVERHAUL
SN:0066	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
								PKG:11
PROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-APROC. REF: AMM PC24-A-E71-20-0000-00A-520A-A, AMM PC24-A-E71-20-0000-00A-720A-A								
SM-71-20-008 ^S		ENGINE BEAM ANGLE SPLICE - VISUAL EXAMINATION WITHOUT SPECIAL EQUIPMENT						Service ATA:71
	MOS	03-Jul-18						
	HRS	0	5000 (+500/-500)					
	AFL	0						
								PKG:11
PROC. REF: AMM PC24-A-E71-05-0005-00A-311A-APROC. REF: AMM PC24-A-E71-05-0005-00A-311A-A								
SM-71-30-003 ^S		PYLON FAIRING FIRE SEALS - VISUAL EXAMINATION						Service ATA:71
	MOS	29-Oct-25	24 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
								PKG:4
PROC. REF: AMM PC24-A-E71-30-0000-00A-310A-APROC. REF: AMM PC24-A-E71-30-0000-00A-310A-A								
SM-71-30-004		LEFT PYLON FAIRING FIRE SEAL - DISCARD						Service ATA:71
PN:PN	MOS	03-Jul-18						LIFE LIMIT
SN:UNKNOWN	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
								PKG:11
PROC. REF: AMM PC24-A-E71-30-0000-00A-520A-A, AMM PC24-A-E71-30-0000-00A-720A-APROC. REF: AMM PC24-A-E71-30-0000-00A-520A-A, AMM PC24-A-E71-30-0000-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
SM-71-30-004	RIGHT PYLON FAIRING FIRE SEAL - DISCARD							Service ATA:71
PN:PN	MOS	03-Jul-18						LIFE LIMIT
SN:UNKNOWN	HRS	0	5000 (+500/-500)		5000	5500	2718.8 (+500)	
	AFL	0						
PROC. REF: AMM PC24-A-E71-30-0000-00A-520A-A, AMM PC24-A-E71-30-0000-00A-720A-APROC. REF: AMM PC24-A-E71-30-0000-00A-520A-A, AMM PC24-A-E71-30-0000-00A-720A-A								PKG:11
ZL-330-01 ^S	ENGINE PYLON LH (INTERNAL AND EXTERNAL) - VISUAL EXAMINATION							Service ATA:71
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E71-05-0001-00A-310A-APROC. REF: AMM PC24-A-E71-05-0001-00A-310A-A								PKG:3
ZL-340-01 ^S	ENGINE PYLON RH (INTERNAL AND EXTERNAL) - VISUAL EXAMINATION							Service ATA:71
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	1200 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E71-05-0001-00A-310A-APROC. REF: AMM PC24-A-E71-05-0001-00A-310A-A								PKG:3
ZL-410-01 ^S	NACELLE AND POWERPLANT LH - VISUAL EXAMINATION							Service ATA:71
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E71-05-0001-00A-310A-APROC. REF: AMM PC24-A-E71-05-0001-00A-310A-A								PKG:2
ZL-420-01 ^S	NACELLE AND POWERPLANT RH - VISUAL EXAMINATION							Service ATA:71
	MOS	29-Oct-25	12 (+10%/-10%)					
	HRS	2109.2	600 (+10%/-10%)					
	AFL	1721						
PROC. REF: AMM PC24-A-E71-05-0001-00A-310A-APROC. REF: AMM PC24-A-E71-05-0001-00A-310A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-03-610-803-01	^S	NO. 1 ENGINE - CHANGE OIL						Service ATA:72
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1671						
PROC. REF: LMM 72-00-03-803A-200A-APROC. REF: LMM 72-00-03-803A-200A-A								PKG:2
72-00-03-610-803-01	^S	NO. 2 ENGINE - CHANGE OIL						Service ATA:72
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1669						
PROC. REF: LMM 72-00-03-803A-200A-APROC. REF: LMM 72-00-03-803A-200A-A								PKG:2
72-30-10-220-801-01	^S	NO. 1 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER						Service ATA:72
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1671						
PROC. REF: LMM 72-30-10-801A-310A-APROC. REF: LMM 72-30-10-801A-310A-A								PKG:2
72-30-10-220-801-01	^S	NO. 2 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER						Service ATA:72
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1669						
PROC. REF: LMM 72-30-10-801A-310A-APROC. REF: LMM 72-30-10-801A-310A-A								PKG:2
72-31-20-220-803-01	^S	NO. 1 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS						Service ATA:72
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1671						
PROC. REF: LMM 72-31-20-803A-310A-APROC. REF: LMM 72-31-20-803A-310A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-31-20-220-803-01	^S	NO. 2 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS						Service ATA:72
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1669						
PROC. REF: LMM 72-31-20-803A-310A-APROC. REF: LMM 72-31-20-803A-310A-A								PKG:2
FJ44A722010		NO. 1 ENGINE - CASE AND INSERT ASSEMBLY						Component ATA:72
PN:121973	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:MX20558	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-32-803A-500A-A, LMM 72-00-32-803A-700A-APROC. REF: LMM 72-00-32-803A-500A-A, LMM 72-00-32-803A-700A-A								
FJ44A722010		NO. 2 ENGINE - CASE AND INSERT ASSEMBLY						Component ATA:72
PN:121973	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:MX20573	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-32-803A-500A-A, LMM 72-00-32-803A-700A-APROC. REF: LMM 72-00-32-803A-500A-A, LMM 72-00-32-803A-700A-A								
FJ44A723010		NO. 1 ENGINE - FAN ROTOR						Component ATA:72
PN:968.20.18.108	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:HW45133	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-APROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-A								
FJ44A723010		NO. 2 ENGINE - FAN ROTOR						Component ATA:72
PN:968.20.18.108	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:HW45132	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-APROC. REF: LMM 72-00-31-805A-500A-A, LMM 72-00-31-805A-700A-A								
FJ44A723020		NO. 1 ENGINE - IP COMPRESSOR BALANCED ROTOR ASSEMBLY						Component ATA:72
PN:221931	MOS/MSC	26-Aug-22	H/T	TSN 2				
SN:HW68515	HRS	976.6		TSN 0				
	ENC	833		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
FJ44A723020	NO. 2 ENGINE - IP COMPRESSOR BALANCED ROTOR ASSEMBLY							Component ATA:72
PN:221931	MOS/MSC	26-Aug-22	H/T	TSN 1				
SN:HW69077	HRS	976.6		TSN 0				
	ENC	833		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A723030	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component ATA:72
PN:122727	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:HW45736	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A723030	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component ATA:72
PN:122727	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:HW45734	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A723040	NO. 1 ENGINE - LP SHAFT ASSEMBLY							Component ATA:72
PN:118431	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:RX17TY0589	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A723040	NO. 2 ENGINE - LP SHAFT ASSEMBLY							Component ATA:72
PN:118431	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:RX17TY0641	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A725010	NO. 1 ENGINE - 1ST LP TURBINE DISK							Component ATA:72
PN:77581	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:HW45279	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
FJ44A725010	NO. 2 ENGINE - 1ST LP TURBINE DISK							Component ATA:72
PN:77581	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:HW45275	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A725020	NO. 1 ENGINE - 2ND LP TURBINE DISK							Component ATA:72
PN:73052	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:HW45339	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A725020	NO. 2 ENGINE - 2ND LP TURBINE DISK							Component ATA:72
PN:73052	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:HW44580	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A725030	NO. 1 ENGINE - HP TURBINE DISK							Component ATA:72
PN:111125	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:HW45321	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A725030	NO. 2 ENGINE - HP TURBINE DISK							Component ATA:72
PN:111125	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:HW45294	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A726010	NO. 1 ENGINE - TOWERSHAFT							Component ATA:72
PN:123359	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:ABK225	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
FJ44A726010	NO. 2 ENGINE - TOWERSHAFT							Component ATA:72
PN:123359	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:ABK222	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
FJ44A726020	NO. 1 ENGINE - 6K ACC DRIVE GEARBOX ASSEMBLY							Component ATA:72
PN:208233	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:MX21133	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-60-803A-500A-A, LMM 72-00-60-803A-700A-APROC. REF: LMM 72-00-60-803A-500A-A, LMM 72-00-60-803A-700A-A								
FJ44A726020	NO. 2 ENGINE - 6K ACC DRIVE GEARBOX ASSEMBLY							Component ATA:72
PN:208233	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:MX21129	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-60-803A-500A-A, LMM 72-00-60-803A-700A-APROC. REF: LMM 72-00-60-803A-500A-A, LMM 72-00-60-803A-700A-A								
FJ44A726030	NO. 1 ENGINE - LUBE AND SCAVENGE PUMP							Component ATA:72
PN:208260	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:MX20019	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-24-01-801A-520A-APROC. REF: LMM 79-24-01-801A-520A-A								
FJ44A726030	NO. 2 ENGINE - LUBE AND SCAVENGE PUMP							Component ATA:72
PN:208260	MOS/MSC	07-Feb-18	H/T	TSN 0				
SN:MX20032	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-24-01-801A-520A-APROC. REF: LMM 79-24-01-801A-520A-A								
FJ44A726040	NO. 1 ENGINE - LUBE OIL COOLER							Component ATA:72
PN:121535	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:PP2373	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-24-01-801A-720A-APROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-24-01-801A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
FJ44A726040	NO. 2 ENGINE - LUBE OIL COOLER							Component ATA:72
PN:121535	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:PP2499	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-24-01-801A-720A-APROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-24-01-801A-720A-A								
SM-72-00-001	NO. 1 ENGINE AND ACCESSORIES							Service ATA:72
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-E72-00-0000-00A-340A-APROC. REF: AMM PC24-A-E72-00-0000-00A-340A-A								
SM-72-00-001	NO. 2 ENGINE AND ACCESSORIES							Service ATA:72
	MOS/MSC	03-Jul-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM PC24-A-E72-00-0000-00A-340A-APROC. REF: AMM PC24-A-E72-00-0000-00A-340A-A								
SM-72-00-002	NO. 1 ENGINE - WILLIAMS INTERNATIONAL AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS - REVIEWED AND COMPLIED WITH AS REQUIRED.							Service ATA:72
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								PKG:19
SM-72-00-002	NO. 2 ENGINE - WILLIAMS INTERNATIONAL AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS - REVIEWED AND COMPLIED WITH AS REQUIRED.							Service ATA:72
	MOS/MSC	13-Sep-24	A/R					
	HRS	1731						
	AFL	1468						
PROC. REF: AMM GENERIC 2PROC. REF: AMM GENERIC 2								PKG:19
ATA 73 - ENGINE FUEL AND CONTROL								
73-12-01-220-803-01 ^S	NO. 1 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service ATA:73
PN:111765	MOS	23-Jul-26						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
SN:BCC-00017281	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 73-12-01-803A-310A-APROC. REF: LMM 73-12-01-803A-310A-A								PKG:1 ,2
73-12-01-220-803-01 ^S NO. 2 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER Service ATA:73								
PN:111765	MOS	23-Jul-26						
SN:BCC-00004426	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 73-12-01-803A-310A-APROC. REF: LMM 73-12-01-803A-310A-A								PKG:1 ,2
73-12-01-730-801-01 ^S NO. 1 ENGINE - CHECK FUEL NOZZLE SPRAY PATTERN Service ATA:73								
PN:111765	MOS	23-Jul-26						
SN:BCC-00017281	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 73-12-01-803A-310A-A, LMM 73-12-01-801A-363A-APROC. REF: LMM 73-12-01-803A-310A-A, LMM 73-12-01-801A-363A-A								PKG:1 ,2
73-12-01-730-801-01 ^S NO. 2 ENGINE - CHECK FUEL NOZZLE SPRAY PATTERN Service ATA:73								
PN:111765	MOS	23-Jul-26						
SN:BCC-00004426	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 73-12-01-803A-310A-A, LMM 73-12-01-801A-363A-APROC. REF: LMM 73-12-01-803A-310A-A, LMM 73-12-01-801A-363A-A								PKG:1 ,2
73-14-01-050-803-01 NO. 1 ENGINE - FUEL FILTER REPLACEMENT Service ATA:73								
	MOS	18-Feb-23						
	HRS	1093.7	1200 (+120)		(2293.7) 2293.7	2413.7	12.5 (+120)	
	ENC	1064						
PROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-APROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-14-01-050-803-01	NO. 2 ENGINE - FUEL FILTER REPLACEMENT							Service ATA:73
	MOS	18-Feb-23						
	HRS	1093.7	1200 (+120)		(2293.7) 2293.7	2413.7	12.5 (+120)	
	ENC	1064						
PROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-A PROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-A								
73-26-01-210-050-01 ^S	NO. 1 ENGINE - USE EMT TO INTERROGATE ECU FOR OPERATIONAL LIMIT EXCEEDANCES							Service ATA:73
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 73-26-01-805A-913A-A PROC. REF: LMM 73-26-01-805A-913A-A								PKG:1 ,2
73-26-01-210-050-01 ^S	NO. 2 ENGINE - USE EMT TO INTERROGATE ECU FOR OPERATIONAL LIMIT EXCEEDANCES							Service ATA:73
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 73-26-01-805A-913A-A PROC. REF: LMM 73-26-01-805A-913A-A								PKG:1 ,2
73-26-01-420-060-01 ^S	NO. 1 ENGINE - USE EMT TO SAVE ENGINE AND FADEC DATA AND SEND TO WILLIAMS INTERNATIONAL							Service ATA:73
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 73-26-01-805A-913A-A PROC. REF: LMM 73-26-01-805A-913A-A								PKG:1 ,2
73-26-01-420-060-01 ^S	NO. 2 ENGINE - USE EMT TO SAVE ENGINE AND FADEC DATA AND SEND TO WILLIAMS INTERNATIONAL							Service ATA:73
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 73-26-01-805A-913A-A PROC. REF: LMM 73-26-01-805A-913A-A								PKG:1 ,2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
FJ44A731010	NO. 1 ENGINE - FUEL FILTER ELECTRICAL INDICATOR							Component ATA:73
PN:57847	MOS/MSC	10-Feb-25	O/C					
SN:GE-5758	HRS	1914.3						
	ENC	1412						
PROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-A PROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-A								
FJ44A731010	NO. 2 ENGINE - FUEL FILTER ELECTRICAL INDICATOR							Component ATA:73
PN:57847	MOS/MSC	24-Aug-19	O/C					
SN:GE-1253	HRS	346.9						
	ENC	292						
PROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-A PROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-A								
FJ44A731020	NO. 1 ENGINE - FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:111765	MOS/MSC	23-Jul-26	O/C					
SN:BCC-00017281	HRS	2263.8						
	ENC	1671						
PROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-A PROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-A								
FJ44A731020	NO. 2 ENGINE - FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:111765	MOS/MSC	23-Jul-26	O/C					
SN:BCC-00004426	HRS	2263.8						
	ENC	1669						
PROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-A PROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-A								
FJ44A731030	NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY							Component ATA:73
PN:119076	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:AU20770	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF								
FJ44A731030	NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY							Component ATA:73
PN:119076	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:AU20773	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
FJ44A732010	NO. 1 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:238773	MOS/MSC	13-Sep-24	H/T					
SN:50343240626	HRS	1731						
	ENC	1296						
PROC. REF: LMM 73-19-02-801A-720A-APROC. REF: LMM 73-19-02-801A-720A-A								
FJ44A732010	NO. 2 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:238773	MOS/MSC	13-Sep-24	H/T					
SN:50173240624	HRS	1731						
	ENC	1294						
PROC. REF: LMM 73-19-02-801A-720A-APROC. REF: LMM 73-19-02-801A-720A-A								
PC24AE73200110	ECU DUAL CHANNEL ASSEMBLY, LH							Component ATA:73
PN:229241	MOS/MSC	18-Oct-21	O/C	TSN 39				
SN:50001	HRS	766		TSN 799				
	AFL							
PROC. REF: AMM PC24-A-E73-20-0001-00A-520A-A, AMM PC24-A-E73-20-0001-00A-720A-APROC. REF: AMM PC24-A-E73-20-0001-00A-520A-A, AMM PC24-A-E73-20-0001-00A-720A-A								
PC24AE73200120	ECU DUAL CHANNEL ASSEMBLY, RH							Component ATA:73
PN:229241	MOS/MSC	18-Oct-21	O/C	TSN 39				
SN:WL20105	HRS	766		TSN 799				
	AFL							
PROC. REF: AMM PC24-A-E73-20-0001-00A-520A-A, AMM PC24-A-E73-20-0001-00A-720A-APROC. REF: AMM PC24-A-E73-20-0001-00A-520A-A, AMM PC24-A-E73-20-0001-00A-720A-A								
PC24AE73300110	FUEL FLOWMETER, ENGINE, LH							Component ATA:73
PN:975.35.12.122	MOS/MSC	28-Sep-21	O/C					
SN:DT2708T	HRS	782						
	AFL							
PROC. REF: AMM PC24-A-E73-30-0001-00A-520A-A, AMM PC24-A-E73-30-0001-00A-720A-APROC. REF: AMM PC24-A-E73-30-0001-00A-520A-A, AMM PC24-A-E73-30-0001-00A-720A-A								
PC24AE73300120	FUEL FLOWMETER, ENGINE, RH							Component ATA:73
PN:975.35.12.122	MOS/MSC	28-Oct-21	O/C	TSN 1				
SN:DT7818T	HRS	793.8		TSN 0				
	AFL			TSN 0				
PROC. REF: AMM PC24-A-E73-30-0001-00A-520A-A, AMM PC24-A-E73-30-0001-00A-720A-APROC. REF: AMM PC24-A-E73-30-0001-00A-520A-A, AMM PC24-A-E73-30-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-00-10-770-801-01	^S	NO. 1 ENGINE - DO AN OPERATIONAL TEST ON THE IGNITION SYSTEM AFTER INSPECTION AND INSTALLATION OF THE IGNITER PLUGS						Service ATA:74
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 74-00-10-801A-340A-A, LMM 74-10-01-803A-720A-APROC. REF: LMM 74-00-10-801A-340A-A, LMM 74-10-01-803A-720A-A								PKG:1 ,2
74-00-10-770-801-01	^S	NO. 2 ENGINE - DO AN OPERATIONAL TEST ON THE IGNITION SYSTEM AFTER INSPECTION AND INSTALLATION OF THE IGNITER PLUGS						Service ATA:74
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 74-00-10-801A-340A-A, LMM 74-10-01-803A-720A-APROC. REF: LMM 74-00-10-801A-340A-A, LMM 74-10-01-803A-720A-A								PKG:1 ,2
74-22-01-220-803-01	^S	NO. 1 ENGINE - DIMENSIONALLY INSPECT THE LEFT IGNITER PLUG						Service ATA:74
PN:78214	MOS	23-Jul-26						
SN:CK-1904419	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 74-22-01-803A-361A-APROC. REF: LMM 74-22-01-803A-361A-A								PKG:1 ,2
74-22-01-220-803-01	^S	NO. 2 ENGINE - DIMENSIONALLY INSPECT THE LEFT IGNITER PLUG						Service ATA:74
PN:78214	MOS	23-Jul-26						
SN:CK-2202589	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 74-22-01-803A-361A-APROC. REF: LMM 74-22-01-803A-361A-A								PKG:1 ,2
74-22-01-220-803-02	^S	NO. 1 ENGINE - DIMENSIONALLY INSPECT THE RIGHT IGNITER PLUG						Service ATA:74
PN:78214	MOS	23-Jul-26						
SN:CK-2400462	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 74-22-01-803A-361A-APROC. REF: LMM 74-22-01-803A-361A-A								PKG:1 ,2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-22-01-220-803-02	^S	NO. 2 ENGINE - DIMENSIONALLY INSPECT THE RIGHT IGNITER PLUG						Service ATA:74
PN:78214	MOS	23-Jul-26						
SN:CK-2300203	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 74-22-01-803A-361A-APROC. REF: LMM 74-22-01-803A-361A-A								PKG:1 ,2
74-22-01-220-806-01	^S	NO. 1 ENGINE - REMOVE AND VISUALLY INSPECT THE LEFT IGNITER PLUG						Service ATA:74
PN:78214	MOS	23-Jul-26						
SN:CK-1904419	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 74-22-01-803A-361A-A, LMM 74-22-01-806A-310A-APROC. REF: LMM 74-22-01-803A-361A-A, LMM 74-22-01-806A-310A-A								PKG:1 ,2
74-22-01-220-806-01	^S	NO. 2 ENGINE - REMOVE AND VISUALLY INSPECT THE LEFT IGNITER PLUG						Service ATA:74
PN:78214	MOS	23-Jul-26						
SN:CK-2202589	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 74-22-01-803A-361A-A, LMM 74-22-01-806A-310A-APROC. REF: LMM 74-22-01-803A-361A-A, LMM 74-22-01-806A-310A-A								PKG:1 ,2
74-22-01-220-806-02	^S	NO. 1 ENGINE - REMOVE AND VISUALLY INSPECT THE RIGHT IGNITER PLUG						Service ATA:74
PN:78214	MOS	23-Jul-26						
SN:CK-2400462	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 74-22-01-803A-361A-A, LMM 74-22-01-806A-310A-APROC. REF: LMM 74-22-01-803A-361A-A, LMM 74-22-01-806A-310A-A								PKG:1 ,2
74-22-01-220-806-02	^S	NO. 2 ENGINE - REMOVE AND VISUALLY INSPECT THE RIGHT IGNITER PLUG						Service ATA:74
PN:78214	MOS	23-Jul-26						
SN:CK-2300203	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 74-22-01-803A-361A-A, LMM 74-22-01-806A-310A-APROC. REF: LMM 74-22-01-803A-361A-A, LMM 74-22-01-806A-310A-A								PKG:1 ,2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
FJ44A742010	NO. 1 ENGINE - LEFT IGNITION EXCITER							Component ATA:74
PN:68145	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:CK1701069	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-22-01-803A-720A-A PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-22-01-803A-720A-A								
FJ44A742010	NO. 1 ENGINE - RIGHT IGNITION EXCITER							Component ATA:74
PN:68145	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:CK1701080	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-22-01-803A-720A-A PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-22-01-803A-720A-A								
FJ44A742010	NO. 2 ENGINE - LEFT IGNITION EXCITER							Component ATA:74
PN:68145	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:CK1701064	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-22-01-803A-720A-A PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-22-01-803A-720A-A								
FJ44A742010	NO. 2 ENGINE - RIGHT IGNITION EXCITER							Component ATA:74
PN:68145	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:CK1701067	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-22-01-803A-720A-A PROC. REF: LMM 74-10-01-803A-520A-A, LMM 74-22-01-803A-720A-A								
FJ44A742020	NO. 1 ENGINE - LEFT IGNITER PLUG							Component ATA:74
PN:78214	MOS/MSC	23-Jul-26	O/C					
SN:CK-1904419	HRS	2263.8						
	ENC	1671						
PROC. REF: LMM 74-22-01-801A-520A-A PROC. REF: LMM 74-22-01-801A-520A-A								
FJ44A742020	NO. 1 ENGINE - RIGHT IGNITER PLUG							Component ATA:74
PN:78214	MOS/MSC	23-Jul-26	O/C					
SN:CK-2400462	HRS	2263.8						
	ENC	1671						
PROC. REF: LMM 74-22-01-801A-520A-A PROC. REF: LMM 74-22-01-801A-520A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
FJ44A742020	NO. 2 ENGINE - LEFT IGNITER PLUG							Component ATA:74
PN:78214	MOS/MSC	23-Jul-26	O/C					
SN:CK-2202589	HRS	2263.8						
	ENC	1669						
PROC. REF: LMM 74-22-01-801A-520A-APROC. REF: LMM 74-22-01-801A-520A-A								
FJ44A742020	NO. 2 ENGINE - RIGHT IGNITER PLUG							Component ATA:74
PN:78214	MOS/MSC	23-Jul-26	O/C					
SN:CK-2300203	HRS	2263.8						
	ENC	1669						
PROC. REF: LMM 74-22-01-801A-520A-APROC. REF: LMM 74-22-01-801A-520A-A								
ATA 75 - AIR								
75-12-11-220-801-01	NO. 1 ENGINE - HP BLEED TUBE ASSEMBLIES - VISUALLY INSPECT							Service ATA:75
	MOS	07-Feb-18						
	HRS	0	5000 (+100)		(5000) 5000	5100	2718.8 (+100)	
	ENC	0						
								PKG:4,6,8,10,12,14
PROC. REF: LMM 75-12-11-801A-310A-APROC. REF: LMM 75-12-11-801A-310A-A								
75-12-11-220-801-01	NO. 2 ENGINE - HP BLEED TUBE ASSEMBLIES - VISUALLY INSPECT							Service ATA:75
	MOS	07-Feb-18						
	HRS	0	5000 (+100)		(5000) 5000	5100	2718.8 (+100)	
	ENC	0						
								PKG:4,6,8,10,12,14
PROC. REF: LMM 75-12-11-801A-310A-APROC. REF: LMM 75-12-11-801A-310A-A								
75-30-01-220-801-01 ^S	NO. 1 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service ATA:75
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1671						
								PKG:2
PROC. REF: LMM 75-30-01-801A-310A-A, LMM 75-52-01-802A-720A-APROC. REF: LMM 75-30-01-801A-310A-A, LMM 75-52-01-802A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-01-220-801-01	^S	NO. 2 ENGINE - INSPECT ACCELERATION BLEED SYSTEM						Service ATA:75
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1669						
PROC. REF: LMM 75-30-01-801A-310A-A, LMM 75-52-01-802A-720A-APROC. REF: LMM 75-30-01-801A-310A-A, LMM 75-52-01-802A-720A-A								PKG:2
FJ44A753010		NO. 1 ENGINE - HP BLEED DIVITER VALVE ASSEMBLY						Component ATA:75
PN:124155	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:WL20112	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-52-01-802A-520A-A, LMM 77-11-01-801A-720A-APROC. REF: LMM 75-52-01-802A-520A-A, LMM 77-11-01-801A-720A-A								
FJ44A753010		NO. 2 ENGINE - HP BLEED DIVITER VALVE ASSEMBLY						Component ATA:75
PN:124155	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:WL20115	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-52-01-802A-520A-A, LMM 77-11-01-801A-720A-APROC. REF: LMM 75-52-01-802A-520A-A, LMM 77-11-01-801A-720A-A								
FJ44A753020		NO. 1 ENGINE - PRESSURE REGULATOR AND SHUTOF VALVE						Component ATA:75
PN:211758	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:DUK0060	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 30-20-10-801A-520A-A, LMM 30-20-10-801A-720A-APROC. REF: LMM 30-20-10-801A-520A-A, LMM 30-20-10-801A-720A-A								
FJ44A753020		NO. 2 ENGINE - PRESSURE REGULATOR AND SHUTOF VALVE						Component ATA:75
PN:211758	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:DUK0062	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 30-20-10-801A-520A-A, LMM 30-20-10-801A-720A-APROC. REF: LMM 30-20-10-801A-520A-A, LMM 30-20-10-801A-720A-A								
ATA 76 - ENGINE CONTROLS								
PC24AE76100100		THROTTLE QUADRANT ASSY, COCKPIT, A1303						Component ATA:76
PN:944.30.19.604	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:36	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 76 - ENGINE CONTROLS

PROC. REF: AMM PC24-A-E76-10-0001-00A-520A-A, AMM PC24-A-E76-10-0001-00A-720A-APROC. REF: AMM PC24-A-E76-10-0001-00A-520A-A, AMM PC24-A-E76-10-0001-00A-720A-A

ATA 77 - ENGINE INDICATING

FJ44A770010	NO. 1 ENGINE - ENGINE ECU HARNESS ASSEMBLY						Component	ATA:77
PN:122892	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:BW0008	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 71-41-10-807A-520A-A, LMM 71-41-10-807A-720A-APROC. REF: LMM 71-41-10-807A-520A-A, LMM 71-41-10-807A-720A-A								

FJ44A770010	NO. 2 ENGINE - ENGINE ECU HARNESS ASSEMBLY						Component	ATA:77
PN:122898	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:BW0014	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 71-41-10-807A-520A-A, LMM 71-41-10-807A-720A-APROC. REF: LMM 71-41-10-807A-520A-A, LMM 71-41-10-807A-720A-A								

FJ44A771010	NO. 1 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR						Component	ATA:77
PN:54831	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:MD-0192202	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-12-01-801A-520A-A, LMM 77-20-02-801A-720A-APROC. REF: LMM 77-12-01-801A-520A-A, LMM 77-20-02-801A-720A-A								

FJ44A771010	NO. 2 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR						Component	ATA:77
PN:54831	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:MD-0192201	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-12-01-801A-520A-A, LMM 77-20-02-801A-720A-APROC. REF: LMM 77-12-01-801A-520A-A, LMM 77-20-02-801A-720A-A								

FJ44A771020	NO. 1 ENGINE - DUAL PT2 PRESSURE SENSOR						Component	ATA:77
PN:113762	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:AXT0101792	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-22-06-801A-520A-APROC. REF: LMM 77-22-06-801A-520A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
FJ44A771020	NO. 2 ENGINE - DUAL PT2 PRESSURE SENSOR							Component ATA:77
PN:113762	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:AXT0101784	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-22-06-801A-520A-APROC. REF: LMM 77-22-06-801A-520A-A								
FJ44A771030	NO. 1 ENGINE - DUAL MAGNETIC SPEED-LP PICKUP ASSEMBLY							Component ATA:77
PN:78231	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:MD-0189331	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-11-01-801A-520A-A, LMM 77-12-01-801A-720A-APROC. REF: LMM 77-11-01-801A-520A-A, LMM 77-12-01-801A-720A-A								
FJ44A771030	NO. 2 ENGINE - DUAL MAGNETIC SPEED-LP PICKUP ASSEMBLY							Component ATA:77
PN:78231	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:MD-0192652	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-11-01-801A-520A-A, LMM 77-12-01-801A-720A-APROC. REF: LMM 77-11-01-801A-520A-A, LMM 77-12-01-801A-720A-A								
FJ44A772010	NO. 1 ENGINE - DUAL TT2 TEMP SENSOR							Component ATA:77
PN:114944	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:AXT0202175	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-22-04-803A-520A-A, LMM 77-22-06-801A-720A-APROC. REF: LMM 77-22-04-803A-520A-A, LMM 77-22-06-801A-720A-A								
FJ44A772010	NO. 2 ENGINE - DUAL TT2 TEMP SENSOR							Component ATA:77
PN:114944	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:AXT0202176	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-22-04-803A-520A-A, LMM 77-22-06-801A-720A-APROC. REF: LMM 77-22-04-803A-520A-A, LMM 77-22-06-801A-720A-A								
FJ44A772020	NO. 1 ENGINE - ITT TC HARNESS ASSEMBLY							Component ATA:77
PN:73151	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:EMX000646	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-02-801A-520A-A, LMM 77-22-04-803A-720A-APROC. REF: LMM 77-20-02-801A-520A-A, LMM 77-22-04-803A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
FJ44A772020	NO. 2 ENGINE - ITT TC HARNESS ASSEMBLY							Component ATA:77
PN:73151	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:EMX000659	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-02-801A-520A-A, LMM 77-22-04-803A-720A-APROC. REF: LMM 77-20-02-801A-520A-A, LMM 77-22-04-803A-720A-A								
ATA 78 - EXHAUST								
78-10-01-220-801-01	^S	NO. 1 ENGINE - EXHAUST NOZZLE ASSEMBLY - REMOVE AND VISUALLY INSPECT						Service ATA:78
	MOS	07-Feb-18						
	HRS	0	2500 (+100)					
	ENC	0						
								PKG:3,4,5,6,7,8,9,10
PROC. REF: LMM 78-10-01-804A-310A-APROC. REF: LMM 78-10-01-804A-310A-A								
78-10-01-220-801-01	^S	NO. 2 ENGINE - EXHAUST NOZZLE ASSEMBLY - REMOVE AND VISUALLY INSPECT						Service ATA:78
	MOS	07-Feb-18						
	HRS	0	2500 (+100)					
	ENC	0						
								PKG:3,4,5,6,7,8,9,10
PROC. REF: LMM 78-10-01-804A-310A-APROC. REF: LMM 78-10-01-804A-310A-A								
ATA 79 - OIL								
79-21-01-450-801-01	^S	NO. 1 ENGINE - INSTALL NEW OIL FILTER						Service ATA:79
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1671						
								PKG:2
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A, LMM 79-22-01-801A-720A-APROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A, LMM 79-22-01-801A-720A-A								
79-21-01-450-801-01	^S	NO. 2 ENGINE - INSTALL NEW OIL FILTER						Service ATA:79
	MOS	23-Jul-26						
	HRS	2263.8	600 (+30)					
	ENC	1669						
								PKG:2
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A, LMM 79-22-01-801A-720A-APROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A, LMM 79-22-01-801A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-01-220-801-01	^S	NO. 1 ENGINE - REMOVE AND INSPECT MAGNETIC CHIP COLLECTOR						Service ATA:79
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 79-30-01-801A-310A-APROC. REF: LMM 79-30-01-801A-310A-A								PKG:1 ,2
79-30-01-220-801-01	^S	NO. 2 ENGINE - REMOVE AND INSPECT MAGNETIC CHIP COLLECTOR						Service ATA:79
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 79-30-01-801A-310A-APROC. REF: LMM 79-30-01-801A-310A-A								PKG:1 ,2
79-30-02-220-801-01	^S	NO. 1 ENGINE - REMOVE AND INSPECT OIL DEBRIS SENSORS (MAGNETIC PLUG)						Service ATA:79
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1671						
PROC. REF: LMM 79-30-02-801A-310A-A, LMM 79-33-03-801A-720A-APROC. REF: LMM 79-30-02-801A-310A-A, LMM 79-33-03-801A-720A-A								PKG:1 ,2
79-30-02-220-801-01	^S	NO. 2 ENGINE - REMOVE AND INSPECT OIL DEBRIS SENSORS (MAGNETIC PLUG)						Service ATA:79
	MOS	23-Jul-26						
	HRS	2263.8	300 (+30)					
	ENC	1669						
PROC. REF: LMM 79-30-02-801A-310A-A, LMM 79-33-03-801A-720A-APROC. REF: LMM 79-30-02-801A-310A-A, LMM 79-33-03-801A-720A-A								PKG:1 ,2
FJ44A792010		NO. 1 ENGINE - BYPASS SWITCH OIL FILTER						Component ATA:79
PN:115015	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:KM-0764	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-35-08-801A-520A-APROC. REF: LMM 79-35-08-801A-520A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
FJ44A792010	NO. 2 ENGINE - BYPASS SWITCH OIL FILTER							Component ATA:79
PN:115015	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:KM-0765	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-35-08-801A-520A-APROC. REF: LMM 79-35-08-801A-520A-A								
FJ44A793010	NO. 1 ENGINE - OIL LEVEL SWITCH AND HOUSING ASSEMBLY							Component ATA:79
PN:126442	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:MX20050	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-33-03-801A-520A-A, LMM 79-35-08-801A-720A-APROC. REF: LMM 79-33-03-801A-520A-A, LMM 79-35-08-801A-720A-A								
FJ44A793010	NO. 2 ENGINE - OIL LEVEL SWITCH AND HOUSING ASSEMBLY							Component ATA:79
PN:126442	MOS/MSC	07-Feb-18	O/C	TSN 0				
SN:MX20055	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-33-03-801A-520A-A, LMM 79-35-08-801A-720A-APROC. REF: LMM 79-33-03-801A-520A-A, LMM 79-35-08-801A-720A-A								
PC24AE79300110	BULB,TEMPERATURE, ENGINE OIL, LH, Z5501							Component ATA:79
PN:975.11.20.102	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:201733	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E79-30-0002-00A-520A-A, AMM PC24-A-E79-30-0002-00A-720A-APROC. REF: AMM PC24-A-E79-30-0002-00A-520A-A, AMM PC24-A-E79-30-0002-00A-720A-A								
PC24AE79300120	BULB,TEMPERATURE, ENGINE OIL, RH, Z6501							Component ATA:79
PN:975.11.20.102	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:208656	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E79-30-0002-00A-520A-A, AMM PC24-A-E79-30-0002-00A-720A-APROC. REF: AMM PC24-A-E79-30-0002-00A-520A-A, AMM PC24-A-E79-30-0002-00A-720A-A								
PC24AE79300210	OIL PRESSURE TRANSDUCER, LH							Component ATA:79
PN:975.21.15.224	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:8369-5-568	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E79-30-0001-00A-520A-A, AMM PC24-A-E79-30-0001-00A-720A-APROC. REF: AMM PC24-A-E79-30-0001-00A-520A-A, AMM PC24-A-E79-30-0001-00A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-24 Serial: 107 RegNo: N107PJ HRS: 2281.2 AFL: 1854 As Of: 03-Aug-2026

05-Aug-2026 02:57 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PC24AE79300220	OIL PRESSURE TRANSDUCER, RH							Component ATA:79
PN:975.21.15.224	MOS/MSC	03-Jul-18	O/C	TSN 0				
SN:8369-5-575	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM PC24-A-E79-30-0001-00A-520A-A, AMM PC24-A-E79-30-0001-00A-720A-APROC. REF: AMM PC24-A-E79-30-0001-00A-520A-A, AMM PC24-A-E79-30-0001-00A-720A-A								
ATA 91 - UNKNOWN								
EW-143-02 ^S	BATTERY 2 AND PCU 1 & 2 POWER RETURN CABLES - BONDING CHECK							Service ATA:91
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E91-05-0004-00A-369A-APROC. REF: AMM PC24-A-E91-05-0004-00A-369A-A								PKG:6
EW-212-02 ^S	BATTERY 1 POWER RETURN CABLE - BONDING CHECK							Service ATA:91
	MOS	26-Aug-22	48 (+10%/-10%)					
	HRS	976.6	2400 (+10%/-10%)					
	AFL	975						
PROC. REF: AMM PC24-A-E91-05-0004-00A-369A-APROC. REF: AMM PC24-A-E91-05-0004-00A-369A-A								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task