



Status Report

PHENOM 300

S/N 50500559 N303TG

OWNER: CRASEL CORP.
ADDRESS: 299 SOUTH MAIN STREET
SALT LAKE CITY UT 84111-2580
OFFICE:
FAX:

OPERATOR: CRASEL CORP.
ADDRESS: 299 SOUTH MAIN STREET
SALT LAKE CITY UT 84111-2580
OFFICE:
FAX:

ANALYST: BRYAN STIKA
EMAIL: BSTIKA@CAMPSYSTEMS.COM

+1-316-462-2408 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL / REGNO: 50500559/N303TG	MODEL: PHENOM 300	MANUFACTURER: EMBRAER
----------	---------------------------------	-------------------	-----------------------

CERTIFICATION DATE: 23-APR-2020

LAST ACTUALS:
1350:29 A/C HRS as of 14-SEP-2026
625 AFL as of 14-SEP-2026

ENGINE NO. 1	SERIAL / PART: PCE-DG1117/3072913-01	MODEL: PW535E	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
--------------	--------------------------------------	---------------	--

INSTALLED ON: 23-APR-2020

0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1350:29 ENG. HRS as of 14-SEP-2026
625 ENC as of 14-SEP-2026

ENGINE NO. 2	SERIAL / PART: PCE-DG1116/3072913-01	MODEL: PW535E	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
--------------	--------------------------------------	---------------	--

INSTALLED ON: 23-APR-2020

0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1350:29 ENG. HRS as of 14-SEP-2026
625 ENC as of 14-SEP-2026



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
Z210-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE NOSE SECTION						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:87
Z210-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE NOSE SECTION						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:87
Z220-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE COCKPIT SECTION						Service ATA:--
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:84
Z220-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE COCKPIT SECTION						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-41-00PROC. REF: AMM 05-41-00								PKG:87
Z230-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE FRONT SECTION						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
Z230-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE FRONT SECTION						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:87
Z240-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE REAR SECTION						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:87
Z240-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE REAR SECTION						Service ATA:--
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:84
Z310-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE FRONT SECTION						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:87
Z310-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE FRONT SECTION						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
Z320-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE REAR SECTION						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:87
Z320-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE REAR SECTION						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-43-00PROC. REF: AMM 05-43-00								PKG:87
Z330-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								PKG:87
Z330-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								PKG:87
Z340-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER						Service ATA:--
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
Z340-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-44-00PROC. REF: AMM 05-44-00								PKG:87
Z410-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE PYLON						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:87
Z410-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE PYLON						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:87
Z430-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE NACELLE						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:87
Z430-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE NACELLE						Service ATA:--
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
Z500-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE WINGS						Service ATA:--
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:84
Z500-002	^S	INTERNAL GENERAL VISUAL INSPECTION OF THE WINGS						Service ATA:--
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 05-45-00PROC. REF: AMM 05-45-00								PKG:84
Z700-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE MAIN LANDING GEAR BAY						Service ATA:--
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								PKG:84
ATA 00 - INFORMATION								
00001		NO. 1 ENGINE - ADD CERT DATE						Service ATA:00
	MOS/MSC	06-Dec-19	-					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00001		NO. 2 ENGINE - ADD CERT DATE						Service ATA:00
	MOS/MSC	05-Dec-19	-					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EM55-210514-ALS	REVIEW EMBRAER PHENOM 300 - AMM - CHAPTER 04- REV. 14, DATED MAY 14TH, 2021							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
EM55-211103-SMR	REVIEW EMBRAER PHENOM 300 - AMM 2757, SMR REV. 04, DATED NOV 3, 2021							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
EM55-220505-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED MAY 05/2022 FOR EMBRAER PHENOM 300							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
EM55-220630-CAMP ADJUSTMENT	REVIEW EMBRAER EMB-505 - PHENOM 300 CAMP ADJUSTMENT, DATED JUN 30, 2022							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF -PROC. REF: RCF -								
EM55-220812-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED AUG 12/2022 FOR MODEL EMB-505 - PHENOM 300							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EM55-221017-AWL	REVIEW EMB-505 - PHENOM 300 AMM - PART IV - AIRWORTHINESS LIMITATIONS (AWL) REV 1 DATED OCT 17/2022							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
EM55-221103-SMR	REVIEW EMB-505 - PHENOM 300 AMM - PART III - SCHEDULE MAINTENANCE REQUIREMENTS (SMR) REV 5 DATED NOV 03/2022							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
EM55-230201-CAMP ADJUSTMENT	REVIEW EMB-505 - PHENOM 300 CAMP ADJUSTMENT, DATED FEB 01, 2023							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
EM55-230216-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED FEB 16/2023 FOR EMB-505 - PHENOM 300							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF 00PROC. REF: RCF 00								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-30-01	800 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)	Adj 18:30	1600	1630	249:31 (+30)	
	AFL	364						
PROC. REF: SMR 05-30-01PROC. REF: SMR 05-30-01								
								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
051254	NO. 1 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package ATA:05
	MOS	13-Mar-26	12 (+30d)		13-Mar-27	12-Apr-27	159 d (+30)	
	HRS	1221:24	800 (+10%)		(2021:24) 2021:24	2101:24	670:55 (+80)	
	ENC	564						
PROC. REF: MM 05-20-00PROC. REF: MM 05-20-00								PKG:1
051254	NO. 2 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package ATA:05
	MOS	13-Mar-26	12 (+30d)		13-Mar-27	12-Apr-27	159 d (+30)	
	HRS	1221:24	800 (+10%)		(2021:24) 2021:24	2101:24	670:55 (+80)	
	ENC	564						
PROC. REF: MM 05-20-00PROC. REF: MM 05-20-00								PKG:1
05-30-10	1600 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	23-Apr-20						
	HRS	0	1600 (+30/-30)		1600	1630	249:31 (+30)	
	AFL	0						
PROC. REF: SMR 05-30-10PROC. REF: SMR 05-30-10								PKG:10
05-30-20	2400 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)		2400	2430	1049:31 (+30)	
	AFL	0						
PROC. REF: SMR 05-30-20PROC. REF: SMR 05-30-20								PKG:20
05-30-40	3200 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	23-Apr-20						
	HRS	0	3200 (+30/-30)		3200	3230	1849:31 (+30)	
	AFL	0						
PROC. REF: SMR 05-30-40PROC. REF: SMR 05-30-40								PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-30-42	3200 FH/60 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	31-Mar-25	60 (+1m/-1m)		31-Mar-30	30-Apr-30	1273 d (+30)	
	HRS	987:24	3200 (+30/-30)		4187:24	4217:24	2836:55 (+30)	
	AFL	456						
PROC. REF: SMR 05-30-42PROC. REF: SMR 05-30-42								PKG:42
05-30-50	5600 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)		5600	5630	4249:31 (+30)	
	AFL	0						
PROC. REF: SMR 05-30-50PROC. REF: SMR 05-30-50								PKG:50
05-30-60	6400 FH MAINTENANCE PACKAGE							Package ATA:05
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)		6400	6430	5049:31 (+30)	
	AFL	0						
PROC. REF: SMR 05-30-60PROC. REF: SMR 05-30-60								PKG:60
05-30-80	12 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	13-Mar-26	12 (+1m/-1m)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	
	HRS	1221:24						
	AFL	564						
PROC. REF: SMR 05-30-80PROC. REF: SMR 05-30-80								PKG:80
05-30-81	24 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	13-Mar-26	24 (+1m/-1m)	Adj 6d	19-Mar-28	19-Apr-28	531 d (+31)	
	HRS	1221:24						
	AFL	564						
PROC. REF: SMR 05-30-81PROC. REF: SMR 05-30-81								PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-30-82	36 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	13-Mar-26	36 (+1m/-1m)	Adj 4d	17-Mar-29	17-Apr-29	894 d (+31)	
	HRS	1221:24						
	AFL	564						
PROC. REF: SMR 05-30-82PROC. REF: SMR 05-30-82								PKG:82
05-30-83	48 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	19-Mar-24	48 (+1m/-1m)		19-Mar-28	19-Apr-28	531 d (+31)	
	HRS	781:30						
	AFL	364						
PROC. REF: SMR 05-30-83PROC. REF: SMR 05-30-83								PKG:83
05-30-84	60 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	31-Mar-25	60 (+1m/-1m)	Adj 23d	23-Apr-30	23-May-30	1296 d (+30)	
	HRS	987:24						
	AFL	456						
PROC. REF: SMR 05-30-84PROC. REF: SMR 05-30-84								PKG:84
05-30-87	120 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	23-Apr-20	120 (+1m/-1m)		23-Apr-30	23-May-30	1296 d (+30)	
	HRS	0						
	AFL	0						
PROC. REF: SMR 05-30-87PROC. REF: SMR 05-30-87								PKG:87
05-30-90	120 MO THRESHOLD/ 60 MO MAINTENANCE PACKAGE							Package ATA:05
	MOS	23-Apr-20	T:120 (+1m/-1m)		23-Apr-30	23-May-30	1296 d (+30)	
	HRS	0						
	AFL	0						
PROC. REF: SMR 05-30-90PROC. REF: SMR 05-30-90								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-802	NO. 1 ENGINE - ENGINE ELECTRONIC CONTROL (EEC) FAULTS							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-802	NO. 2 ENGINE - ENGINE ELECTRONIC CONTROL (EEC) FAULTS							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-803	NO. 1 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-803	NO. 2 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-804	NO. 1 ENGINE - ENGINE OVERSPEED							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-804	NO. 2 ENGINE - ENGINE OVERSPEED							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-805	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-805	NO. 2 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-806	NO. 1 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-806	NO. 2 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-807	NO. 1 ENGINE - DROPPED ENGINE							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-807	NO. 2 ENGINE - DROPPED ENGINE							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-808	NO. 1 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-808	NO. 2 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-809	NO. 1 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-809	NO. 2 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-810	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-810	NO. 2 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-811	NO. 1 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-811	NO. 2 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-812	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-812	NO. 2 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-813	NO. 1 ENGINE - LOSS OF OIL							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-813	NO. 2 ENGINE - LOSS OF OIL							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-814	U	NO. 1 ENGINE - CHIP DETECTOR LIGHT "ON"						Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
05-50-00-210-814	U	NO. 2 ENGINE - CHIP DETECTOR LIGHT "ON"						Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
05-50-00-210-815		NO. 1 ENGINE - OIL TEMPERATURE EXCEEDS LIMITS						Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-815		NO. 2 ENGINE - OIL TEMPERATURE EXCEEDS LIMITS						Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-816		NO. 1 ENGINE - USE OF UNAPPROVED ENGINE OIL BRANDS						Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-816		NO. 2 ENGINE - USE OF UNAPPROVED ENGINE OIL BRANDS						Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-817	NO. 1 ENGINE - HIGH OR LOW OIL PRESSURE							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-817	NO. 2 ENGINE - HIGH OR LOW OIL PRESSURE							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-818	NO. 1 ENGINE - OIL PRESSURE EXCEEDS LIMITS							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-818	NO. 2 ENGINE - OIL PRESSURE EXCEEDS LIMITS							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-819	NO. 1 ENGINE - FUEL FILTER CONTAMINATION							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-819	NO. 2 ENGINE - FUEL FILTER CONTAMINATION							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-820	NO. 1 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-820	NO. 2 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-821	NO. 1 ENGINE - STARTER GENERATOR UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-821	NO. 2 ENGINE - STARTER GENERATOR UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-822	NO. 1 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-822	NO. 2 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-823	NO. 1 ENGINE - FUEL CONTAMINATION							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-823	NO. 2 ENGINE - FUEL CONTAMINATION							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-824	NO. 1 ENGINE - TAKE-OFF POWER TIME EXCEEDANCE							Service ATA:05
	MOS/MSC	06-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-00-210-824	NO. 2 ENGINE - TAKE-OFF POWER TIME EXCEEDANCE							Service ATA:05
	MOS/MSC	05-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 05-50-00PROC. REF: MM 05-50-00								
05-50-01-210-801	LIGHTNING STRIKE - GENERAL VISUAL INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-01-210-802	FORWARD FUSELAGE LIGHTNING-STRIKE - GENERAL VISUAL INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								
05-50-01-210-803	CENTER FUSELAGE AND WING-TO-FUSELAGE FARING LIGHTNING-STRIKE - GENERAL VISUAL INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								
05-50-01-210-804	WINGS LIGHTNING-STRIKE - GENERAL VISUAL INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								
05-50-01-210-805	AFT FUSELAGE, TAIL CONE AND EMPENNAGE LIGHTNING-STRIKE - GENERAL VISUAL INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								
05-50-01-210-806	ENGINE NACELLE LIGHTNING STRIKE - GENERAL VISUAL INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-01PROC. REF: AMM 05-50-01								
05-50-02-200-801	HARD LANDING OR OFF-TEMPERATURE - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-02PROC. REF: AMM 05-50-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-04-200-801	OVERSPEED - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-04PROC. REF: AMM 05-50-04								
05-50-06-200-801	LANDING GEAR DOWN OVERSPEED - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-06PROC. REF: AMM 05-50-06								
05-50-07-200-801	FLAP EXTENDED OVERSPEED - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-07PROC. REF: AMM 05-50-07								
05-50-08-200-801	CABIN DEPRESSURIZATION - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-08PROC. REF: AMM 05-50-08								
05-50-09-200-801	ICE OR SNOW CONDITION - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-09PROC. REF: AMM 05-50-09								
05-50-10-200-801	HIGH-ENERGY STOP CONDITION - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-10PROC. REF: AMM 05-50-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-11-200-801	LANDING GEAR FREE-FALL CONDITION - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-11PROC. REF: AMM 05-50-11								
05-50-12-200-801	OVERHEATED WHEELS - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-12PROC. REF: AMM 05-50-12								
05-50-13-200-801	WHEEL OVERSPEED - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-13PROC. REF: AMM 05-50-13								
05-50-14-200-801	TIRE TREAD FAILURE - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-14PROC. REF: AMM 05-50-14								
05-50-15-200-801	TIRE BURST WITH LANDING GEAR FULLY RETRACTED - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-15PROC. REF: AMM 05-50-15								
05-50-16-200-801	ON-GROUND GALE EVENTS - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-16PROC. REF: AMM 05-50-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-17-200-801	VOLCANIC ASH CONDITION - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-17PROC. REF: AMM 05-50-17								
05-50-18-200-801	LOAD FACTOR EXCEEDANCE - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-18PROC. REF: AMM 05-50-18								
05-50-19-200-801	TOILET OVERSERVICING - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-19PROC. REF: AMM 05-50-19								
05-50-20-200-801	SEVERE TURBULENCE - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-20PROC. REF: AMM 05-50-20								
05-50-21-200-801	LANDING OVERWEIGHT - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-21PROC. REF: AMM 05-50-21								
05-50-26-200-801	SANDSTORM CONDITION - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-26PROC. REF: AMM 05-50-26								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-27-200-801	AIRCRAFT NOISE AND VIBRATION- INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-27PROC. REF: AMM 05-50-27								
05-50-28-200-801	NLG INCORRECT TOWING - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-28PROC. REF: AMM 05-50-28								
05-50-29-200-801	FIRE EXTINGUISHING FOAM - INSPECTION							Service ATA:05
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-29PROC. REF: AMM 05-50-29								
H140-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE REAR CENTER FUSELAGE							Service ATA:05
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS							
	AFL							
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:87
H242-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE REAR CENTER FUSELAGE							Service ATA:05
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-42-00PROC. REF: AMM 05-42-00								PKG:87
H430-001 ^S	INTERNAL DETAILED INSPECTION OF ENGINE/PYLON INTERFACE CONNECTORS AND BONDING JUMPERS							Service ATA:05
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
								PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
PROC. REF: AMM 05-46-00PROC. REF: AMM 05-46-00								
H700-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS							Service ATA:05
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								PKG:84
H700-002 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS							Service ATA:05
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								PKG:84
H700-003 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WOW SENSORS ELECTRICAL BONDING							Service ATA:05
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 05-47-00PROC. REF: AMM 05-47-00								PKG:84
ATA 21 - AIR CONDITIONING								
21-01-01	RH INSC ILLUM PANEL							Component ATA:21
PN:441-44279-002	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1401	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-01-01, AMM 21-01-01PROC. REF: AMM 21-01-01, AMM 21-01-01								
21-20-03	NO. 1 FLOW CONTROL & SHUTOFF VALVE/MUFFLER ASSY							Component ATA:21
PN:1300250-9	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1396	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-21-01, AMM 21-21-01PROC. REF: AMM 21-21-01, AMM 21-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-20-03	NO. 2 FLOW CONTROL & SHUTOFF VALVE/MUFFLER ASSY							Component ATA:21
PN:1300250-9	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1397	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-21-01, AMM 21-21-01PROC. REF: AMM 21-21-01, AMM 21-21-01								
21-20-05	GROUND COOLING FAN							Component ATA:21
PN:1133660-3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:698	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-23-05, AMM 21-23-05PROC. REF: AMM 21-23-05, AMM 21-23-05								
21-21-02-001 ^S	OPERATIONAL CHECK NO. 1 INLET AIR CHECK VALVE							Service ATA:21
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-21-02PROC. REF: AMM 21-21-02								
21-21-02-001 ^S	OPERATIONAL CHECK NO. 2 INLET AIR CHECK VALVE							Service ATA:21
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-21-02PROC. REF: AMM 21-21-02								
21-23-01	ELECTROMECHANICAL LINEAR ACTUATOR							Component ATA:21
PN:100000-77	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:41139	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-23-03, AMM 21-23-03PROC. REF: AMM 21-23-03, AMM 21-23-03								
21-23-03	RAM AIR VALVE							Component ATA:21
PN:505-17170-401	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001049408	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-23-03, AMM 21-23-03PROC. REF: AMM 21-23-03, AMM 21-23-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-23-03-002	^S	OPERATIONAL CHECK OF RAM AIR VALVE						Service ATA:21
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
								PKG:60
PROC. REF: AMM 21-23-03PROC. REF: AMM 21-23-03								
21-23-03-003	^S	OPERATIONAL CHECK OF RAM AIR VALVE ACTUATION						Service ATA:21
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
								PKG:1
PROC. REF: AMM 21-23-03PROC. REF: AMM 21-23-03								
21-23-04-001	^S	OPERATIONAL CHECK OF RAM AIR CHECK VALVES						Service ATA:21
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
								PKG:60
PROC. REF: AMM 21-23-04PROC. REF: AMM 21-23-04								
21-23-05-001	^S	GENERAL VISUAL INSPECTION OF GROUND COOLING FAN						Service ATA:21
	MOS	23-Apr-20						
	HRS	0	1600 (+30/-30)					
	AFL	0						
								PKG:10
PROC. REF: AMM 21-23-05PROC. REF: AMM 21-23-05								
21-24-01-001	^S	OPERATIONAL CHECK OF IFE/CMS COOLING FAN						Service ATA:21
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
								PKG:60
PROC. REF: AMM 21-24-01PROC. REF: AMM 21-24-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-31-00-002 ^S		OPERATIONAL CHECK OF MANUAL PRESSURIZATION CONTROL MODE						Service ATA:21
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:1
21-31-00-003 ^S		OPERATIONAL CHECK OF EMERGENCY CABIN DECOMPRESSION (AUTO MODE)						Service ATA:21
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:1
21-31-00-004 ^S		OPERATIONAL CHECK OF ECMU-TO-AVIONICS DIGITAL AND DISCRETE SIGNALS						Service ATA:21
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:50
21-31-00-005 ^S		OPERATIONAL CHECK OF ECMU-TO-AVIONICS ANALOG SIGNAL						Service ATA:21
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:50
21-31-01		(ECMU) - ELECTRONIC CONTROL AND MONITORING UNIT						Component ATA:21
PN:2119286-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2119286-01650	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-01, AMM 21-31-01PROC. REF: AMM 21-31-01, AMM 21-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-31-01-001	RESTORATION (REPAIR) OF ELECTRONIC CONTROL AND MONITORING UNIT (ECMU)							Service ATA:21
PN:2119286-10	MOS	23-Apr-20						
SN:2119286-01650	HRS	0	5600 (+30/-30)		6000 (M)	6030	4649:31 (+30)	
	AFL	0						
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								
21-31-02	OUTFLOW VALVE							Component ATA:21
PN:103922-1	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:103922-00576	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-02, AMM 21-31-02PROC. REF: AMM 21-31-02, AMM 21-31-02								
21-31-02-001	RESTORATION (REPAIR) OF OUTFLOW VALVE							Service ATA:21
PN:103922-1	MOS	23-Apr-20						
SN:103922-00576	HRS	0	7200 (+30/-30)		7200	7230	5849:31 (+30)	
	AFL	0						
PROC. REF: AMM 21-31-02PROC. REF: AMM 21-31-02								
21-31-03	NEGATIVE PRESSURE RELIEF (NPR) VALVE							Component ATA:21
PN:130664-2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:34163-0991	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-03, AMM 21-31-03PROC. REF: AMM 21-31-03, AMM 21-31-03								
21-31-03-001 ^S	OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE							Service ATA:21
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-03PROC. REF: AMM 21-31-03								
21-31-04	PRESSURE RELIEF (PRV) VALVE							Component ATA:21
PN:103918-2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:103918-00674	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-04, AMM 21-31-04PROC. REF: AMM 21-31-04, AMM 21-31-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-31-04-001 ^S	FUNCTIONAL CHECK OF PRESSURE RELIEF VALVE							Service ATA:21
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-04PROC. REF: AMM 21-31-04								PKG:50
21-41-01	BHS SHUT-OFF VALVE							Component ATA:21
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-41-01, AMM 21-41-01PROC. REF: AMM 21-41-01, AMM 21-41-01								
21-52-01	VCS COMPRESSOR DRIVE MODULE							Component ATA:21
PN:1133640-10	MOS/MSC	30-Aug-24	O/C					
SN:520	HRS	869:12						
	AFL	406						
PROC. REF: AMM 21-52-01, AMM 21-52-01PROC. REF: AMM 21-52-01, AMM 21-52-01								
21-52-01-002	DISCARD OF COMPRESSOR DRIVE MODULE BELT							Service ATA:21
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	2000 (+30/-30)		2000	2030	649:31 (+30)	
	AFL	0						
	CDMHRS							
PROC. REF: AMM 21-52-01PROC. REF: AMM 21-52-01								
21-52-01-003 ^S	FUNCTIONAL CHECK OF COMPRESSOR BELT TENSION							Service ATA:21
PN:PN	MOS	19-Mar-24						
SN:UNKNOWN	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 21-52-01PROC. REF: AMM 21-52-01								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-52-01-004	RESTORATION (OVERHAUL) OF CDM COMPRESSOR							Service ATA:21
PN:1133640-10	MOS	30-Aug-24						
SN:520	HRS	869:12	2000 (+30/-30)		2869:12	2899:12	1518:43 (+30)	
	AFL	406						
	CDMHRS							
PROC. REF: AMM 21-52-01PROC. REF: AMM 21-52-01								
21-52-02	CDM COMPRESSOR MODULE							Component ATA:21
PN:PN-UNKNOWN	MOS/MSC	30-Aug-24	O/C					
SN:00301	HRS	869:12		TSN 0				
	AFL	406		TSN 0				
PROC. REF: AMM 21-52-01, AMM 21-52-01PROC. REF: AMM 21-52-01, AMM 21-52-01								
21-52-03	SYSTEM AIR CONDITION CABIN EVAPORATOR MODULE							Component ATA:21
PN:1133860-4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:718	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-52-03, AMM 21-52-03PROC. REF: AMM 21-52-03, AMM 21-52-03								
21-52-03-001 ^S	GENERAL VISUAL INSPECTION OF EVAPORATOR MODULES							Service ATA:21
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 21-52-03PROC. REF: AMM 21-52-03								
21-52-04	FORWARD FUSELAGE FWD EVAPORATOR, VCS SYSTEM BLOWER							Component ATA:21
PN:1133850-104	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-52-04, AMM 21-52-04, AMM 21-52-04, AMM 21-52-04PROC. REF: AMM 21-52-04, AMM 21-52-04, AMM 21-52-04, AMM 21-52-04								
21-52-05	COMPRESSOR DRIVE MODULE BELT							Component ATA:21
PN:PN	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-52-06-001 ^S	SERVICING OF VCS REFRIGERANT FLUID							Service ATA:21
	MOS	13-Mar-26	12 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 12-17-00PROC. REF: AMM 12-17-00								
21-52-08	AIR CONDITION CONDENSER ASSEMBLY							Component ATA:21
PN:1133760-2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:694	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-52-08, AMM 21-52-08PROC. REF: AMM 21-52-08, AMM 21-52-08								
21-52-08-001 ^S	GENERAL VISUAL INSPECTION OF VCS CONDENSER							Service ATA:21
	MOS	23-Apr-20						
	HRS	0	1600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-52-08PROC. REF: AMM 21-52-08								
21-52-09	AIR CONDITION MIX FLOW CONDENSER FAN							Component ATA:21
PN:1133720-4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:708	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-52-09, AMM 21-52-09PROC. REF: AMM 21-52-09, AMM 21-52-09								
21-52-10	AIR CONDITION BLEED AIR HEAT EXCHANGER							Component ATA:21
PN:1320260-3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:696	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-52-10, AMM 21-52-10PROC. REF: AMM 21-52-10, AMM 21-52-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-61-00-001	^S	OPERATIONAL CHECK OF MANUAL TEMPERATURE CONTROL SYSTEM						Service ATA:21
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 21-61-00, AMM 21-61-07PROC. REF: AMM 21-61-00, AMM 21-61-07								PKG:1
21-61-01	ECS TEMPERATURE CONTROLLER						Component	ATA:21
PN:1300670-8	MOS/MSC	19-Apr-24	O/C	TSR 1				
SN:00635	HRS	816:14		TSR 0				
	AFL	378		TSR 0				
PROC. REF: AMM 21-61-01, AMM 21-61-01PROC. REF: AMM 21-61-01, AMM 21-61-01								
21-61-03	LEFT REAR DUCT TEMPERATURE SENSOR/SWITCH						Component	ATA:21
PN:1300450-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4481	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03PROC. REF: AMM 21-61-03, AMM 21-61-03								
21-61-03	RIGHT REAR DUCT TEMPERATURE SENSOR/SWITCH						Component	ATA:21
PN:1300450-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4474	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03PROC. REF: AMM 21-61-03, AMM 21-61-03								
21-61-04	COCKPIT DUCT TEMPERATURE SENSOR/SWITCH						Component	ATA:21
PN:1300450-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4577	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-04, AMM 21-61-04PROC. REF: AMM 21-61-04, AMM 21-61-04								
21-61-05	CABIN PASSENGER DUCT TEMPERATURE SENSOR/SWITCH						Component	ATA:21
PN:1300450-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4420	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-05, AMM 21-61-05PROC. REF: AMM 21-61-05, AMM 21-61-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-61-06-001	^S	OPERATIONAL CHECK OF E-BAY OVERTEMPERATURE SENSOR						Service ATA:21
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-61-06PROC. REF: AMM 21-61-06								PKG:60
ATA 22 - AUTO FLIGHT								
22-11-00-001		FUNCTIONAL CHECK AILERON GSM 86 AUTOPILOT SERVO MOUNT GSA 81 LOW TORQUE AUTOPILOT SERVO						Service ATA:22
PN:011-01904-00	MOS	13-Mar-26	12 (+30d/-30d)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	AIRWORTHINESS
SN:1GK024781	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								
22-11-00-001		FUNCTIONAL CHECK ELEVATOR GSM 86 AUTOPILOT SERVO MOUNT GSA 81 LOW TORQUE AUTOPILOT SERVO						Service ATA:22
PN:011-01904-00	MOS	13-Mar-26	12 (+30d/-30d)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	AIRWORTHINESS
SN:1GK027854	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								
22-11-00-001		FUNCTIONAL CHECK RUDDER GSM 86 AUTOPILOT SERVO MOUNT GSA 81 LOW TORQUE AUTOPILOT SERVO						Service ATA:22
PN:011-01904-00	MOS	13-Mar-26	12 (+30d/-30d)		13-Mar-27	12-Apr-27	159 d (+30)	AIRWORTHINESS
SN:1GK027854	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								
22-11-00-001		FUNCTIONAL CHECK TAILCONE GSM 86 AUTOPILOT SERVO (VENTRAL-RUDDER) MOUNT GSA 80 HIGH SPEED AUTOPILOT SERVO						Service ATA:22
PN:011-01904-00	MOS	13-Mar-26	12 (+30d/-30d)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	AIRWORTHINESS
SN:1GK028239	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-11-00-002	^S	LUBRICATION OF SERVO ACTUATORS						Service ATA:22
	MOS	13-Mar-26	12 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								PKG:80
22-11-00-003	^S	DETAILED INSPECTION OF AUTOPILOT SERVO CABLE						Service ATA:22
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24	3200 (+30/-30)					
	AFL	456						
PROC. REF: AMM 22-11-00PROC. REF: AMM 22-11-00								PKG:42
22-11-01		TAIL CONE GSA 80 HIGH SPEED AUTOPILOT SERVO						Component ATA:22
PN:011-00877-21	MOS/MSC	04-Mar-26	O/C	TSN 71				
SN:1A0007670	HRS	1221:24		TSN 1221:24				
	AFL	564		TSN 564				
PROC. REF: AMM 22-11-02, AMM 22-11-02PROC. REF: AMM 22-11-02, AMM 22-11-02								
22-11-02		AILERON GSA 81 LOW TORQUE AUTOPILOT SERVO						Component ATA:22
PN:011-00878-20	MOS/MSC	04-Mar-26	O/C	TSN 71				
SN:1A1022477	HRS	1221:24		TSN 1221:24				
	AFL	564		TSN 564				
PROC. REF: AMM 22-11-02, AMM 22-11-02PROC. REF: AMM 22-11-02, AMM 22-11-02								
22-11-02		ELEVATOR GSA 81 LOW TORQUE AUTOPILOT SERVO						Component ATA:22
PN:011-00878-20	MOS/MSC	04-Mar-26	O/C	TSN 71				
SN:1A1025844	HRS	1221:24		TSN 1221:24				
	AFL	564		TSN 564				
PROC. REF: AMM 22-11-02, AMM 22-11-02PROC. REF: AMM 22-11-02, AMM 22-11-02								
22-11-02		RUDDER GSA 81 LOW TORQUE AUTOPILOT SERVO						Component ATA:22
PN:011-00878-20	MOS/MSC	04-Mar-26	O/C	TSN 71				
SN:1A1025867	HRS	1221:24		TSN 1221:24				
	AFL	564		TSN 564				
PROC. REF: AMM 22-11-02, AMM 22-11-02PROC. REF: AMM 22-11-02, AMM 22-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-11-03	AILERON GSM 86 AUTOPILOT SERVO MOUNT							Component ATA:22
PN:011-01904-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1GK024781	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-03, AMM 22-11-03PROC. REF: AMM 22-11-03, AMM 22-11-03								
22-11-03-001 ^S	DISCARD OF AILERON CLUTCH RETAINING BOLT AND WASHER							Service ATA:22
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 22-11-03PROC. REF: AMM 22-11-03								
PKG:82								
22-11-04	GMC 725 GUIDANCE PANEL							Component ATA:22
PN:011-04214-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4WC000425	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-01, AMM 22-11-01PROC. REF: AMM 22-11-01, AMM 22-11-01								
22-11-06	ELEVATOR GSM 86 AUTOPILOT SERVO MOUNT							Component ATA:22
PN:011-01904-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1GK027854	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-06, AMM 22-11-06PROC. REF: AMM 22-11-06, AMM 22-11-06								
22-11-09	RUDDER GSM 86 AUTOPILOT SERVO MOUNT							Component ATA:22
PN:011-01904-00	MOS/MSC	13-Mar-26	O/C					
SN:1GK027854	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 22-11-09, AMM 22-11-09PROC. REF: AMM 22-11-09, AMM 22-11-09								
22-11-12	TAILCONE GSM 86 AUTOPILOT SERVO (VENTRAL-RUDDER) MOUNT							Component ATA:22
PN:011-01904-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1GK028239	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PROC. REF: AMM 22-11-12, AMM 22-11-12PROC. REF: AMM 22-11-12, AMM 22-11-12								
ATA 23 - COMMUNICATIONS								
23-11-02	REAR FUS KRX1053 W/SELCA HF COMMUNICATION TRANSCEIVER						Component	ATA:23
PN:064-01073-0102	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:KRX1053-9770	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-02, AMM 23-11-02PROC. REF: AMM 23-11-02, AMM 23-11-02								
23-11-03	KPA 1052 POWER AMPLIFIER						Component	ATA:23
PN:064-01072-0101	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:KPA1052-9103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-03, AMM 23-11-03PROC. REF: AMM 23-11-03, AMM 23-11-03								
23-11-04	HF ANTENNA COUPLER						Component	ATA:23
PN:064-01074-0101	MOS/MSC	13-Mar-26	O/C					
SN:KAC1052-11557	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 23-11-04, AMM 23-11-04PROC. REF: AMM 23-11-04, AMM 23-11-04								
23-12-01	VHF 1 (UPPER FUSELAGE) ANTENNA						Component	ATA:23
PN:S65-8280-41	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:322-6577	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-02, AMM 23-12-02PROC. REF: AMM 23-12-02, AMM 23-12-02								
23-12-03	VHF 3 (LOWER AFT FUSELAGE) ANTENNA						Component	ATA:23
PN:S65-8280-41	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:322-6581	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-02, AMM 23-12-02PROC. REF: AMM 23-12-02, AMM 23-12-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-34-01	WLAN ACCESS POINT - WAP							Component ATA:23
PN:WAP3212-005-002	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000099	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
23-50-03	LH CONSOLE COCKPIT HAND MICROPHONE							Component ATA:23
PN:85-03-12369-04	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:542128	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
23-51-00-001 ^S	OPERATIONAL CHECK OF AIRBORNE AUDIO SYSTEM FAIL-SAFE MODE							Service ATA:23
	MOS	23-Apr-20						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 23-51-00PROC. REF: AMM 23-51-00								
23-51-05	LEFT CONTROL PANEL							Component ATA:23
PN:441-40943-002	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-05, AMM 23-51-05PROC. REF: AMM 23-51-05, AMM 23-51-05								
23-51-05	RIGHT CONTROL PANEL							Component ATA:23
PN:441-40943-002	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-05, AMM 23-51-05PROC. REF: AMM 23-51-05, AMM 23-51-05								
23-61-00-001 ^S	FUNCTIONAL CHECK OF STATIC DISCHARGERS							Service ATA:23
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 23-61-00PROC. REF: AMM 23-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
ATA 24 - ELECTRICAL POWER								
24-01-01	LEFT CONSOLE CONTROL PANEL							Component ATA:24
PN:441-40929-002	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1016	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-01-01, AMM 24-01-01PROC. REF: AMM 24-01-01, AMM 24-01-01								
24-01-02	4.3 PASSENGER CONTROL UNIT							Component ATA:24
PN:PSM2410-004-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000945	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
24-01-03	PCU CORE MODULE TWO							Component ATA:24
PN:PCS3009-201-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:500744	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-03, AMM 44-23-03PROC. REF: AMM 44-23-03, AMM 44-23-03								
24-31-01	NO. 1 ENGINE STARTER/GENERATOR							Component ATA:24
PN:400SG180Q-6	MOS/MSC	12-Dec-25	O/C	TSO 0				
SN:S00641XL	HRS	1179:24		TSO 0				
	AFL	546		TSO 0				
PROC. REF: AMM 24-31-01, AMM 24-31-01PROC. REF: AMM 24-31-01, AMM 24-31-01								
24-31-01	NO. 2 ENGINE STARTER/GENERATOR							Component ATA:24
PN:400SG180Q-6	MOS/MSC	13-Mar-26	O/C	TSN 42, TSO 0				
SN:S04182	HRS	1221:24		TSO 0				
	AFL	564		TSO 0				
PROC. REF: AMM 24-31-01, AMM 24-31-01PROC. REF: AMM 24-31-01, AMM 24-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-01-001	NO. 1 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 505 ACFT WITH STARTER GENERATOR PN MG103C-4 OR PN 400SG180Q SERIES OR POST-MOD SB 505-24-0017							Service ATA:24
PN:400SG180Q-6	MOS	12-Dec-25						
SN:S00641XL	HRS	1179:24	800 (+30/-30)		1979:24	2009:24	628:55 (+30)	
	AFL	546						
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
24-31-01-001	NO. 2 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 505 ACFT WITH STARTER GENERATOR PN MG103C-4 OR PN 400SG180Q SERIES OR POST-MOD SB 505-24-0017							Service ATA:24
PN:400SG180Q-6	MOS	13-Mar-26						
SN:S04182	HRS	1221:24	800 (+30/-30)		2021:24	2051:24	670:55 (+30)	
	AFL	564						
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
24-31-01-003	RESTORATION NO. 1 ENGINE STARTER/GENERATOR - (FOR STARTER GENERATOR P/N MG103C-3 OR PRE MOD SB 505-24-0017)							Service ATA:24
PN:400SG180Q-6	MOS/MSC		N/A					
SN:S00641XL	HRS							
	AFL							
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
24-31-01-003	RESTORATION NO. 2 ENGINE STARTER/GENERATOR - (FOR STARTER GENERATOR P/N MG103C-3 OR PRE MOD SB 505-24-0017)							Service ATA:24
PN:400SG180Q-6	MOS/MSC		N/A					
SN:S04182	HRS							
	AFL							
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
24-31-02	LEFT 28V DC GENERATOR CONTROL UNIT							Component ATA:24
PN:GCSG550-12B	MOS/MSC	27-Jun-25	O/C					
SN:61797	HRS	1046						
	AFL	485						
PROC. REF: AMM 24-31-02, AMM 24-31-02PROC. REF: AMM 24-31-02, AMM 24-31-02								
24-31-02	RIGHT 28V DC GENERATOR CONTROL UNIT							Component ATA:24
PN:GCSG550-12B	MOS/MSC	27-Jun-25	O/C					
SN:61970	HRS	1046						
	AFL	485						
PROC. REF: AMM 24-31-02, AMM 24-31-02PROC. REF: AMM 24-31-02, AMM 24-31-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-07-001	^S	RESTORATION (CLEANING) OF LH SHUNT GENERATOR						Service ATA:24
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 24-31-07PROC. REF: AMM 24-31-07								PKG:84
24-31-07-001	^S	RESTORATION (CLEANING) OF RH SHUNT GENERATOR						Service ATA:24
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 24-31-07PROC. REF: AMM 24-31-07								PKG:84
24-36-01		AFT MAIN BATTERY						Component ATA:24
PN:7638-48P	MOS/MSC	13-Mar-26	H/T					
SN:G03307963	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 24-36-01, AMM 24-36-01PROC. REF: AMM 24-36-01, AMM 24-36-01								
24-36-01		FORWARD MAIN BATTERY						Component ATA:24
PN:7639-34	MOS/MSC	13-Mar-26	H/T	TSN 7				
SN:G03309959	HRS	1221:24		TSN 79:12				
	AFL	564		TSN 35				
PROC. REF: AMM 24-36-01, AMM 24-36-01PROC. REF: AMM 24-36-01, AMM 24-36-01								
24-36-01-003		DISCARD AFT MAIN BATTERY						Service ATA:24
PN:7638-48P	MOS	17-Oct-25	24 (+1m/-1m)		23-Jun-27 (M)	23-Jul-27	261 d (+30)	LIFE LIMIT
SN:G03307963	HRS	1142:12						
	AFL	529	600 (+30/-30)		1129	1159	504 (+30)	
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-36-01-003	DISCARD FORWARD MAIN BATTERY							Service ATA:24
PN:7639-34	MOS	17-Oct-25	24 (+1m/-1m)		17-Oct-27	17-Nov-27	377 d (+31)	LIFE LIMIT
SN:G03309959	HRS	1142:12						
	AFL	529	600 (+30/-30)		1129	1159	504 (+30)	
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-004	FUNCTIONAL CHECK AFT MAIN BATTERY - (PRE-MOD SB 505-24-0015)							Service ATA:24
PN:7638-48P	MOS/MSC		N/A					
SN:G03307963	HRS							
	AFL							
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-004	FUNCTIONAL CHECK FORWARD MAIN BATTERY - (PRE-MOD SB 505-24-0015)							Service ATA:24
PN:7639-34	MOS/MSC		N/A					
SN:G03309959	HRS							
	AFL							
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-005	FUNCTIONAL CHECK AFT MAIN BATTERY - (POST-MOD SB 505-24-0015)							Service ATA:24
PN:7638-48P	MOS	13-Mar-26	6 (+1m/-1m)		13-Sep-26	13-Oct-26	TOL (+8 d)	
SN:G03307963	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-005	FUNCTIONAL CHECK FORWARD MAIN BATTERY - (POST-MOD SB 505-24-0015)							Service ATA:24
PN:7639-34	MOS	13-Mar-26	6 (+1m/-1m)		13-Sep-26	13-Oct-26	TOL (+8 d)	
SN:G03309959	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 24-36-01PROC. REF: AMM 24-36-01								
24-36-01-006	FUNCTIONAL CHECK OF MAIN BATTERIES - AFT MAIN BATTERY							Service ATA:24
PN:7638-48P	MOS/MSC		N/A					
SN:G03307963	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-36-01-006	FUNCTIONAL CHECK OF MAIN BATTERIES - FORWARD MAIN BATTERY							Service ATA:24
PN:7639-34	MOS/MSC		N/A					
SN:G03309959	HRS							
	AFL							
24-36-02-001 ^S	OPERATIONAL CHECK OF BATTERY CURRENT SENSOR (HB2)							Service ATA:24
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 24-36-02PROC. REF: AMM 24-36-02								PKG:60
24-50-01	PAX CAB DC/AC POWER SUPPLY 28VD INVERTER							Component ATA:24
PN:1215-30	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:003200	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-54-05, AMM 24-54-05PROC. REF: AMM 24-54-05, AMM 24-54-05								
24-50-02	PAX CAB DC/AC POWER SUPPLY 28VD INVERTER							Component ATA:24
PN:1215-30	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:003399	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-54-05, AMM 24-54-05PROC. REF: AMM 24-54-05, AMM 24-54-05								
24-50-03	PAX CAB DC/AC POWER SUPPLY 28VD INVERTER							Component ATA:24
PN:1215-30	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:003398	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-54-05, AMM 24-54-05PROC. REF: AMM 24-54-05, AMM 24-54-05								
24-61-03-001	OPERATIONAL CHECK OF THE ELECTRICAL-EMERGENCY TRANSFER CIRCUIT							Service ATA:24
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	20000 (+30/-30)		20000	20030	18649:31 (+30)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-65-01	LEFT POWER DISTRIBUTION BOX							Component ATA:24
PN: SX7EG20-3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN: 0610	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-65-01, AMM 24-65-01PROC. REF: AMM 24-65-01, AMM 24-65-01								
24-65-02	RIGHT POWER DISTRIBUTION BOX							Component ATA:24
PN: SX7EG21-3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN: 0595	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-65-02, AMM 24-65-02PROC. REF: AMM 24-65-02, AMM 24-65-02								
24-65-04	NOSE POWER DISTRIBUTION BOX							Component ATA:24
PN: SX7EG22-3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN: 0603	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-65-04, AMM 24-65-04PROC. REF: AMM 24-65-04, AMM 24-65-04								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-11-01	COPILOT SEAT							Component ATA:25
PN: 1419-04HM	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN: 1469-1419	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-11-01, AMM 25-11-01PROC. REF: AMM 25-11-01, AMM 25-11-01								
25-11-01	PILOT SEAT							Component ATA:25
PN: 1419-03HM	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN: 1468-1419	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-11-01, AMM 25-11-01PROC. REF: AMM 25-11-01, AMM 25-11-01								
25-11-01-001 ^S	DETAILED INSPECTION COPILOT SEAT							Service ATA:25
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								
25-11-01-001	^S	DETAILED INSPECTION PILOT SEAT						Service ATA:25
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								PKG:20
25-11-01-002	^S	DETAILED VISUAL INSPECTION OF COCKPIT SEAT BELTS						Service ATA:25
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01								PKG:20
25-21-01-001	^S	DETAILED INSPECTION OF PASSENGER SEATS						Service ATA:25
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:20
25-21-01-002	^S	DETAILED INSPECTION OF PASSENGER SEAT BELTS						Service ATA:25
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								PKG:20
25-21-02		DIVAN						Component ATA:25
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-21-02, AMM 25-21-02PROC. REF: AMM 25-21-02, AMM 25-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-02-001	^S	DETAILED INSPECTION OF DIVAN						Service ATA:25
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-21-02PROC. REF: AMM 25-21-02								PKG:40
25-21-02-002	^S	DETAILED INSPECTION OF DIVAN SEAT BELTS						Service ATA:25
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-21-02PROC. REF: AMM 25-21-02								PKG:40
25-21-04		(DIVAN AIRBAG SYSTEM)ELECTRONIC MODULE ASSY						Component ATA:25
PN:508358-415	MOS/MSC	13-Mar-26	O/C	TSN 3				
SN:A04DEC25-17	HRS	1221:24		TSN 0				
	AFL	564		TSN 0				
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04								
25-21-04-001		RESTORATION (REPAIR) OF SEAT BELT AIRBAG ELECTRONIC MODULE ASSEMBLY (EMA)						Service ATA:25
PN:508358-415	MOS	13-Mar-26	84		01-Dec-32		2249 d	
SN:A04DEC25-17	HRS	1221:24						
	AFL	564						
OverHaul Date:: 01-Dec-25								
PROC. REF: AMM 25-21-04, AMM 25-21-04PROC. REF: AMM 25-21-04, AMM 25-21-04								
25-21-04-002		DISCARD OF SEAT BELT AIRBAG INFLATOR GAS CYLINDER						Service ATA:25
PN:PN	MOS	01-Jul-19	120		01-Jul-29		1000 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 01-Jul-19								
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-04-003	DETAILED VISUAL INSPECTION OF SEAT BELT AIRBAG ASSEMBLY							Service ATA:25
	MOS	19-Mar-24	48 (+1m/-1m)		19-Mar-28	19-Apr-28	531 d (+31)	
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04								
25-21-04-004	OPERATIONAL CHECK OF SEAT BELT AIRBAG ASSEMBLY							Service ATA:25
	MOS	19-Mar-24	48 (+1m/-1m)		19-Mar-28	19-Apr-28	531 d (+31)	
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 25-21-04PROC. REF: AMM 25-21-04								
25-21-05 ^U	LH FWD PAX SEAT GOLD LUGANO CARBON THIGH DRAWER							Component ATA:25
PN:71203-11-107- ADBDSRQAIA	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:10392	HRS	0		TSN 0				
	AFL	0		TSN 0				
25-21-05 ^U	RH FWD PAX SEAT GOLD LUGANO CARBON THIGH DRAWER							Component ATA:25
PN:71204-12-207- ADBDSRQAIA	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:10212	HRS	0		TSN 0				
	AFL	0		TSN 0				
25-43-01-001 ^S	DETAILED VISUAL INSPECTION OF BELTED TOILET UNIT							Service ATA:25
	MOS	23-Apr-20						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-43-02PROC. REF: AMM 25-43-02								PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-43-01-002 ^S	DETAILED VISUAL INSPECTION OF BELTED TOILET SEAT BELT							Service ATA:25
	MOS	23-Apr-20						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 25-43-02PROC. REF: AMM 25-43-02								PKG:40
25-60-01	EMERGENCY LOCATOR TRANSMITTER							Component ATA:25
PN:S1821502-02	MOS/MSC	31-Mar-25	O/C	TSN 59				
SN:LX1100843446	HRS	987:24		TSN 987:24				
	AFL	456		TSN 456				
PROC. REF: AMM 25-61-01, AMM 25-61-01PROC. REF: AMM 25-61-01, AMM 25-61-01								
25-60-03	ELT ANTENNA							Component ATA:25
PN:S65-8282-406	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:401-3899	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-03, AMM 25-61-03PROC. REF: AMM 25-61-03, AMM 25-61-03								
25-60-11	EMERGENCY LOCATOR TRANSMITTER BATTERY							Component ATA:25
PN:S1820506-01	MOS/MSC	13-Mar-26	H/T	TSN 6				
SN:2513 0337	HRS	1221:24		TSN 0				
	AFL	564		TSN 0				
PROC. REF: AMM 25-61-01, AMM 25-61-01PROC. REF: AMM 25-61-01, AMM 25-61-01								
25-61-00-001	OPERATIONAL CHECK OF ELT SYSTEM							Service ATA:25
PN:S1821502-02	MOS	13-Mar-26	12	13-Mar-27			159 d	
SN:LX1100843446	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 25-61-00PROC. REF: AMM 25-61-00								
25-61-00-002	GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER							Service ATA:25
PN:S1821502-02	MOS	13-Mar-26	12	13-Mar-27			159 d	
SN:LX1100843446	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 25-61-00PROC. REF: AMM 25-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-61-04-001	DISCARD OF ELT BATTERY							Service ATA:25
PN:S1820506-01	MOS/MSC	13-Mar-26	DUE		30-Mar-32 (M)		2003 d	LIFE LIMIT
SN:2513 0337	HRS	1221:24						
	AFL	564						
			Expiry Date: : 30-Mar-32					
PROC. REF: AMM 25-61-04PROC. REF: AMM 25-61-04								
25-61-05	CS144-A ELT/NAV INTERFACE MODULE							Component ATA:25
PN:S1825502-02	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:TM0000175887	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-05, AMM 25-61-05PROC. REF: AMM 25-61-05, AMM 25-61-05								
25-61-05-001	RESTORATION (REPAIR) OF ELT/NAV INTERFACEMODULE							Service ATA:25
PN:S1825502-02	MOS	01-May-19	120		01-May-29		939 d	
SN:TM0000175887	HRS	0	16000		16000		14649:31	
	AFL							
PROC. REF: AMM 25-61-07PROC. REF: AMM 25-61-07								
25-62-01	#1 FIRST AID KIT							Component ATA:25
PN:39N814	MOS/MSC	18-Sep-25	H/T	TSN 0				
SN:2251285	HRS	1117:18		TSN 0				
	AFL	518		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-62-01-001	VISUAL CHECK #1 FIRST AID KIT							Service ATA:25
PN:39N814	MOS/MSC	12-Dec-25	DUE		31-Aug-27 (M)		330 d	
SN:2251285	HRS	1179:24						
	AFL	546						
			Expiry Date: : 31-Aug-27					
PROC. REF: AMM 25-62-01PROC. REF: AMM 25-62-01								
25-62-02	COPILOT LIFE VEST							Component ATA:25
PN:66601-505	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4899811	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	DIVAN NO. 1 LIFE VEST							Component ATA:25
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	DIVAN NO. 2 LIFE VEST							Component ATA:25
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO. 1 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4996441	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO. 2 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4996440	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO. 3 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4996439	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO. 4 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4886624	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO. 5 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4998222	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO. 6 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4998236	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO. 7 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4998235	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	NO. 8 PASSENGER LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4998231	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	PILOT LIFE VEST							Component ATA:25
PN:66601-505	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4899810	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02	TOILET PAX LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L4998227	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PROC. REF: AMM 25-62-02, AMM 25-62-02PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF CO-PILOT LIFE VEST							Service	ATA:25
PN:66601-505	MOS	01-Oct-19	120		01-Oct-29		1092 d	OVERHAUL	
SN:L4899811	HRS								
	AFL								
		OverHaul Date:: 01-Oct-19							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF DIVAN NO. 1 LIFE VEST							Service	ATA:25
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF DIVAN NO. 2 LIFE VEST							Service	ATA:25
PN:PN	MOS/MSC		N/A					OVERHAUL	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 1 LIFE VEST							Service	ATA:25
PN:66601-105	MOS	01-Jan-20	120		01-Jan-30		1184 d	OVERHAUL	
SN:L4996441	HRS								
	AFL								
		OverHaul Date:: 01-Jan-20							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 2 LIFE VEST							Service	ATA:25
PN:66601-105	MOS	01-Jan-20	120		01-Jan-30		1184 d	OVERHAUL	
SN:L4996440	HRS								
	AFL								
		OverHaul Date:: 01-Jan-20							
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 3 LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Jan-20	120		01-Jan-30		1184 d	OVERHAUL
SN:L4996439	HRS							
	AFL							
		OverHaul Date:: 01-Jan-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 4 LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Sep-19	120		01-Sep-29		1062 d	OVERHAUL
SN:L4886624	HRS							
	AFL							
		OverHaul Date:: 01-Sep-19						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 5 LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Jan-20	120		01-Jan-30		1184 d	OVERHAUL
SN:L4998222	HRS							
	AFL							
		OverHaul Date:: 01-Jan-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 6 LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Jan-20	120		01-Jan-30		1184 d	OVERHAUL
SN:L4998236	HRS							
	AFL							
		OverHaul Date:: 01-Jan-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 7 LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Jan-20	120		01-Jan-30		1184 d	OVERHAUL
SN:L4998235	HRS							
	AFL							
		OverHaul Date:: 01-Jan-20						
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 8 LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Jan-20	120		01-Jan-30		1184 d	OVERHAUL
SN:L4998231	HRS							
	AFL							
OverHaul Date:: 01-Jan-20								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS	01-Oct-19	120		01-Oct-29		1092 d	OVERHAUL
SN:L4899810	HRS							
	AFL							
OverHaul Date:: 01-Oct-19								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-001	RESTORATION (OVERHAUL) OF TOILET LIFE VEST							Service ATA:25
PN:66601-105	MOS	01-Jan-20	120		01-Jan-30		1184 d	OVERHAUL
SN:L4998227	HRS							
	AFL							
OverHaul Date:: 01-Jan-20								
PROC. REF: AMM 25-62-02PROC. REF: AMM 25-62-02								
25-62-02-003 ^U	DISCARD NO. 8 VEST							Service ATA:25
PN:66601-105	MOS/MSC	01-Jan-20	O/C					
SN:L4998231	HRS							
	AFL							
25-62-02-003 ^U	DISCARD TOILET LIFE VEST							Service ATA:25
PN:66601-105	MOS/MSC	01-Jan-20	O/C					
SN:L4998227	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-04-001	^S	DETAILED DIMENSIONAL INSPECTION OF WATER BARRIER						Service ATA:25
	MOS	13-Mar-26	24 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 25-62-04PROC. REF: AMM 25-62-04								PKG:81
25-66-01		LIFE RAFT						Component ATA:25
PN:913FASA-690-1-103	MOS/MSC	22-Jan-24	O/C	TSO 0				
SN:9UL-00895	HRS			TSO 0				
	AFL			TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-66-01-001		RESTORATION (OVERHAUL) OF LIFE RAFT						Service ATA:25
PN:913FASA-690-1-103	MOS	22-Jan-24	36		22-Jan-27		109 d	
SN:9UL-00895	HRS							
	AFL							
Restoration Date:: 22-Jan-24								
PROC. REF: AMM 25-66-01PROC. REF: AMM 25-66-01								
25-99-01		REAR FUS INTERCONNECTION CABLE						Component ATA:25
PN:S1825503-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:TM0000153795	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 26 - FIRE PROTECTION								
26-11-01		LEFT ENGINE FIRE DETECTOR						Component ATA:26
PN:3951-51-565/215C-5.1M	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:55658	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-01, AMM 26-11-01PROC. REF: AMM 26-11-01, AMM 26-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-11-01	RIGHT ENGINE FIRE DETECTOR							Component ATA:26
PN:3951-51-565/215C-5.1M	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:56035	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-01, AMM 26-11-01PROC. REF: AMM 26-11-01, AMM 26-11-01								
26-11-01-001 ^S	DETAILED VISUAL INSPECTION LEFT ENGINE FIRE DETECTOR							Service ATA:26
	MOS	23-Apr-20						
	HRS	0	1600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 26-11-01PROC. REF: AMM 26-11-01								PKG:10
26-11-01-001 ^S	DETAILED VISUAL INSPECTION RIGHT ENGINE FIRE DETECTOR							Service ATA:26
	MOS	23-Apr-20						
	HRS	0	1600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 26-11-01PROC. REF: AMM 26-11-01								PKG:10
26-11-01-002 ^S	OPERATIONAL CHECK LEFT ENGINE FIRE DETECTOR							Service ATA:26
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 26-11-01PROC. REF: AMM 26-11-01								PKG:1
26-11-01-002 ^S	OPERATIONAL CHECK RIGHT ENGINE FIRE DETECTOR							Service ATA:26
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 26-11-01PROC. REF: AMM 26-11-01								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-15-01	MODEL 602 SMOKE DETECTOR							Component ATA:26
PN:8930-223B60L014	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:28582	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-15-01, AMM 26-15-01PROC. REF: AMM 26-15-01, AMM 26-15-01								
26-21-01	ENGINE FIRE EXTINGUISHER BOTTLE							Component ATA:26
PN:33000073-1	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:92968A1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-21-03, AMM 26-21-03PROC. REF: AMM 26-21-03, AMM 26-21-03								
26-21-01-001	FUNCTIONAL CHECK OF ENGINE FIRE EXTINGUISHING PANEL							Service ATA:26
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	2400 (+30/-30)		2400	2430	1049:31 (+30)	
	AFL	0						
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
26-21-01A	FIRE/ENGINE/TRIM/IGNITION CONTROL PANEL							Component ATA:26
PN:441-44278-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1442	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-21-01, AMM 26-21-01PROC. REF: AMM 26-21-01, AMM 26-21-01								
26-21-03-001	FUNCTIONAL CHECK OF ENGINE FIRE EXTINGUISHER BOTTLE							Service ATA:26
PN:33000073-1	MOS	01-Sep-19	120		01-Sep-29		1062 d	AIRWORTHINESS
SN:92968A1	HRS							
	AFL							
PROC. REF: AMM 26-21-03PROC. REF: AMM 26-21-03								
26-21-05-001 ^S	OPERATIONAL CHECK OF TEMPERATURE COMPENSATED PRESSURE SWITCH (TCPS)							Service ATA:26
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 26-21-05PROC. REF: AMM 26-21-05								
								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-07	NO. 1 CARTRIDGE							Component ATA:26
PN:30903962-1	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:1893YC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-21-07, AMM 26-21-07PROC. REF: AMM 26-21-07, AMM 26-21-07								
26-21-07	NO. 2 CARTRIDGE							Component ATA:26
PN:30903963-1	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:0235YG	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-21-07, AMM 26-21-07PROC. REF: AMM 26-21-07, AMM 26-21-07								
26-21-07-001	DISCARD NO. 1 CARTRIDGE							Service ATA:26
PN:30903962-1	MOS	01-Oct-19	120		01-Oct-29		1092 d	LIFE LIMIT
SN:1893YC	HRS							
	AFL							
Manufacture Date:: 01-Oct-19								
PROC. REF: AMM 26-21-07PROC. REF: AMM 26-21-07								
26-21-07-001	DISCARD NO. 2 CARTRIDGE							Service ATA:26
PN:30903963-1	MOS	01-Oct-19	120		01-Oct-29		1092 d	LIFE LIMIT
SN:0235YG	HRS							
	AFL							
PROC. REF: AMM 26-21-07PROC. REF: AMM 26-21-07								
26-21-09-001 ^S	DETAILED VISUAL INSPECTION OF ENGINE FIRE EXTINGUISHING DISCHARGE PIPING							Service ATA:26
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PKG:20								
PROC. REF: AMM 26-21-09PROC. REF: AMM 26-21-09								
26-24-01	CABIN PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:P3APP003010D	MOS/MSC	19-Mar-24	H/T	TSN 12				
SN:064491	HRS	781:30		TSN 0				
	AFL	364		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PROC. REF: AMM 26-24-01, AMM 26-24-01PROC. REF: AMM 26-24-01, AMM 26-24-01								
26-24-01	COCKPIT PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:P3APP003010A	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:017954	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-24-01, AMM 26-24-01PROC. REF: AMM 26-24-01, AMM 26-24-01								
26-24-01-001	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER							Service ATA:26
PN:P3APP003010D	MOS/MSC		N/A					
SN:064491	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-001	WEIGHT CHECK OF COCKPIT PORTABLE FIRE EXTINGUISHER							Service ATA:26
PN:P3APP003010A	MOS/MSC		N/A					
SN:017954	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-002	DISCARD CABIN PORTABLE FIRE EXTINGUISHER							Service ATA:26
PN:P3APP003010D	MOS	01-Mar-23	144		01-Mar-35		3069 d	LIFE LIMIT
SN:064491	HRS	781:30						
	AFL	364						
Manufacture Date:: 01-Mar-23								
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-002	DISCARD OF COCKPIT PORTABLE FIRE EXTINGUISHER							Service ATA:26
PN:P3APP003010A	MOS	01-Sep-19	144		01-Sep-31		1792 d	LIFE LIMIT
SN:017954	HRS							
	AFL							
Manufacture Date:: 01-Sep-19								
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-24-01-003		DISCARD CABIN PORTABLE FIRE EXTINGUISHER						Service ATA:26
PN:P3APP003010D	MOS/MSC		N/A					
SN:064491	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-003		DISCARD OF COCKPIT PORTABLE FIRE EXTINGUISHER						Service ATA:26
PN:P3APP003010A	MOS/MSC		N/A					
SN:017954	HRS							
	AFL							
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-004		WEIGHT CHECK OF CABIN PORTABLE FIRE EXTINGUISHER						Service ATA:26
PN:P3APP003010D	MOS	31-Mar-25	24		31-Mar-27		177 d	
SN:064491	HRS	987:24						
	AFL	456						
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
26-24-01-004		WEIGHT CHECK OF COCKPIT PORTABLE FIRE EXTINGUISHER						Service ATA:26
PN:P3APP003010A	MOS	31-Mar-25	24		31-Mar-27		177 d	
SN:017954	HRS	987:24						
	AFL	456						
PROC. REF: AMM 26-24-01PROC. REF: AMM 26-24-01								
ATA 27 - FLIGHT CONTROLS								
27-001		DISCARD LEFT NO. 3 OUTBOARD FLAP ACTUATOR						Service ATA:27
PN:475100-1013	MOS/MSC	23-Apr-20	N/A					
SN:1210	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-001		DISCARD RIGHT NO. 3 OUTBOARD FLAP ACTUATOR						Service ATA:27
PN:475100-1013	MOS/MSC	23-Apr-20	N/A					
SN:1216	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-002	DISCARD LEFT NO. 2 OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-2013	MOS/MSC	23-Apr-20	N/A					
SN:2425	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-002	DISCARD RIGHT NO. 2 OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-2013	MOS/MSC	23-Apr-20	N/A					
SN:2426	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-003	DISCARD LEFT NO. 1 INBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-1013	MOS/MSC	23-Apr-20	N/A					
SN:2432	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-003	DISCARD RIGHT NO. 1 INBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-1013	MOS/MSC	23-Apr-20	N/A					
SN:2430	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-004	ROLL TRIM ACTUATOR							Component ATA:27
PN:470500-1005	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:0590	HRS	0	12000	TSN 0	12000		10649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-14-02, AMM 27-14-02PROC. REF: AMM 27-14-02, AMM 27-14-02								
27-005	YAW TRIM ACTUATOR							Component ATA:27
PN:470600-1005	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:0593	HRS	0	12000	TSN 0	12000		10649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-24-02, AMM 27-24-02PROC. REF: AMM 27-24-02, AMM 27-24-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-006	PITCH TRIM ACTUATOR							Component ATA:27
PN:467500-1003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:0605	HRS	0	35000	TSN 0	35000		33649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-41-01, AMM 27-41-01PROC. REF: AMM 27-41-01, AMM 27-41-01								
27-007	LEFT SPOILER ACTUATOR							Component ATA:27
PN:456800-1003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1156	HRS	0	35000	TSN 0	35000		33649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-64-01, AMM 27-64-01, AMM 27-64-02, AMM 27-64-02PROC. REF: AMM 27-64-01, AMM 27-64-01, AMM 27-64-02, AMM 27-64-02								
27-007	RIGHT SPOILER ACTUATOR							Component ATA:27
PN:456800-1003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1157	HRS	0	35000	TSN 0	35000		33649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-64-01, AMM 27-64-01, AMM 27-64-02, AMM 27-64-02PROC. REF: AMM 27-64-01, AMM 27-64-01, AMM 27-64-02, AMM 27-64-02								
27-008	ELECTRO - RUDDER GUST LOCK ACTUATOR							Component ATA:27
PN:SYLC-53058	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1991	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-70-01, AMM 27-70-01PROC. REF: AMM 27-70-01, AMM 27-70-01								
27-009	RUDDER BOOSTER ACTUATOR							Component ATA:27
PN:9125-3	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:0567T	HRS	0	35000	TSN 0	35000		33649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-23-02, AMM 27-23-02PROC. REF: AMM 27-23-02, AMM 27-23-02								
27-01-01	LEFT CONTROL WHEEL							Component ATA:27
PN:83912139	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01261	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-01-01, AMM 27-01-01PROC. REF: AMM 27-01-01, AMM 27-01-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-01-01	RIGHT CONTROL WHEEL							Component ATA:27
PN:83912141	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01206	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-01-01, AMM 27-01-01PROC. REF: AMM 27-01-01, AMM 27-01-01								
27-01-02	LH PEDAL ASSEMBLY							Component ATA:27
PN:505-15420-427	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001047479	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-01-02, AMM 27-01-02PROC. REF: AMM 27-01-02, AMM 27-01-02								
27-01-03-001 ^S	LUBRICATION OF ROTARY BALL SPLINE							Service ATA:27
	MOS	13-Mar-26	24 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								
27-01-05-001	DISCARD OF ARTIFICIAL FEEL UNIT (AFU)							Service ATA:27
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
27-010	LEFT TOGGLE LINK							Component ATA:27
PN:456870-1001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1273	HRS	0	35000	TSN 0	35000		33649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-65-02, AMM 27-65-02PROC. REF: AMM 27-65-02, AMM 27-65-02								
27-010	RIGHT TOGGLE LINK							Component ATA:27
PN:456870-1001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1274	HRS	0	35000	TSN 0	35000		33649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-65-02, AMM 27-65-02PROC. REF: AMM 27-65-02, AMM 27-65-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-011	STICK PUSHER ACTUATOR							Component ATA:27
PN:9124-1	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:0545T	HRS	0	35000	TSN 0	35000		33649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-36-02, AMM 27-36-02PROC. REF: AMM 27-36-02, AMM 27-36-02								
27-012	POWER DRIVE UNIT							Component ATA:27
PN:467700-1003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:0619	HRS	0	35000	TSN 0	35000		33649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-07, AMM 27-51-07PROC. REF: AMM 27-51-07, AMM 27-51-07								
27-013	LEFT FLAP POSITION SENSOR UNIT							Component ATA:27
PN:457310-1001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1218	HRS	0	35000	TSN 0	35000		33649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-03, AMM 27-53-03PROC. REF: AMM 27-53-03, AMM 27-53-03								
27-013	RIGHT FLAP POSITION SENSOR UNIT							Component ATA:27
PN:457310-1001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1220	HRS	0	35000	TSN 0	35000		33649:31	
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-03, AMM 27-53-03PROC. REF: AMM 27-53-03, AMM 27-53-03								
27-014	DISCARD LEFT CENTER FLAP FLEXIBLE 2 SHAFT							Service ATA:27
PN:457360-1007	MOS/MSC	23-Apr-20	N/A					
SN:SSW1147	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-014	DISCARD LEFT INBOARD FLAP FLEXIBLE 1 SHAFT							Service ATA:27
PN:457360-1005	MOS	19-Mar-24						LIFE LIMIT
SN:SSW3513	HRS	781:30	35000		35781:30		34431:01	
	AFL	364						
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-014	DISCARD LEFT OUTBOARD FLAP FLEXIBLE 1 SHAFT							Service ATA:27
PN:457360-1005	MOS	23-Apr-20						LIFE LIMIT
SN:SSW2329	HRS	0	35000		35000		33649:31	
	AFL	0						
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-014	DISCARD RIGHT CENTER FLAP FLEXIBLE 2 SHAFT							Service ATA:27
PN:457360-1007	MOS/MSC	23-Apr-20	N/A					
SN:SSW1167	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-014	DISCARD RIGHT INBOARD FLAP FLEXIBLE 1 SHAFT							Service ATA:27
PN:457360-1005	MOS	19-Mar-24						LIFE LIMIT
SN:SSW3541	HRS	781:30	35000		35781:30		34431:01	
	AFL	364						
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-014	DISCARD RIGHT OUTBOARD FLAP FLEXIBLE 1 SHAFT							Service ATA:27
PN:457360-1005	MOS	23-Apr-20						LIFE LIMIT
SN:SSW2336	HRS	0	35000		35000		33649:31	
	AFL	0						
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-015	DISCARD LEFT CENTER FLAP FLEXIBLE 2 SHAFT							Service ATA:27
PN:457360-1007	MOS	23-Apr-20						LIFE LIMIT
SN:SSW1147	HRS	0	35000		35000		33649:31	
	AFL	0						
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-015	DISCARD LEFT INBOARD FLAP FLEXIBLE 1 SHAFT							Service ATA:27
PN:457360-1005	MOS/MSC		N/A					
SN:SSW3513	HRS							
	AFL							
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-015	DISCARD LEFT OUTBOARD FLAP FLEXIBLE 1 SHAFT							Service ATA:27
PN:457360-1005	MOS/MSC	23-Apr-20	N/A					
SN:SSW2329	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-015	DISCARD RIGHT CENTER FLAP FLEXIBLE 2 SHAFT							Service ATA:27
PN:457360-1007	MOS	23-Apr-20						LIFE LIMIT
SN:SSW1167	HRS	0	35000		35000		33649:31	
	AFL	0						
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-015	DISCARD RIGHT INBOARD FLAP FLEXIBLE 1 SHAFT							Service ATA:27
PN:457360-1005	MOS/MSC		N/A					
SN:SSW3541	HRS							
	AFL							
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-015	DISCARD RIGHT OUTBOARD FLAP FLEXIBLE 1 SHAFT							Service ATA:27
PN:457360-1005	MOS/MSC	23-Apr-20	N/A					
SN:SSW2336	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-016	DISCARD LEFT NO. 3 OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:475100-1013	MOS	23-Apr-20						LIFE LIMIT
SN:1210	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-016	DISCARD RIGHT NO. 3 OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:475100-1013	MOS	23-Apr-20						LIFE LIMIT
SN:1216	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-017	DISCARD LEFT NO. 2 OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-2013	MOS	23-Apr-20						LIFE LIMIT
SN:2425	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-017	DISCARD RIGHT NO. 2 OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-2013	MOS	23-Apr-20						LIFE LIMIT
SN:2426	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-018	DISCARD LEFT NO. 1 INBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-1013	MOS	23-Apr-20						LIFE LIMIT
SN:2432	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-018	DISCARD RIGHT NO. 1 INBOARD FLAP ACTUATOR							Service ATA:27
PN:475000-1013	MOS	23-Apr-20						LIFE LIMIT
SN:2430	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-019	DISCARD RUDDER ELECTROMECHANICAL ACTUATOR							Service ATA:27
PN:PN	MOS/MSC	23-Apr-20	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
27-03-01	NO. 1 ELECTRONICS FLIGHT CONTROL							Component ATA:27
PN:462900-1017	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2039	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-01, AMM 27-03-01PROC. REF: AMM 27-03-01, AMM 27-03-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-03-01	NO. 2 ELECTRONICS FLIGHT CONTROL							Component ATA:27
PN:462900-1017	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2041	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-03-01, AMM 27-03-01PROC. REF: AMM 27-03-01, AMM 27-03-01								
27-03-01-002 ^S	FUNCTIONAL CHECK OF PITCH TRIM ELECTRICAL STOP							Service ATA:27
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-03-01PROC. REF: AMM 27-03-01								
PKG:50								
27-03-01-003 ^S	FUNCTIONAL CHECK OF PITCH TRIM ACTUATION TIME LIMITER							Service ATA:27
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-03-01PROC. REF: AMM 27-03-01								
PKG:50								
27-03-01-004	OPERATIONAL CHECK OF SPOILER SURFACE POSITION MONITOR							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	5049:31 (+30)	
	AFL	0						
PROC. REF: AMM 27-03-01PROC. REF: AMM 27-03-01								
27-04-01	TRIM ACTUATOR CONTROLLER							Component ATA:27
PN:475200-1009	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2116	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-04-01, AMM 27-04-01PROC. REF: AMM 27-04-01, AMM 27-04-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-04-01-001	^S	FUNCTIONAL CHECK OF TRIM ACTUATION TIME LIMITER						Service ATA:27
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-04-01PROC. REF: AMM 27-04-01								PKG:50
27-04-01-002	^S	FUNCTIONAL CHECK OF TRIM ACTUATION ELECTRICAL STOP						Service ATA:27
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-04-01PROC. REF: AMM 27-04-01								PKG:50
27-04-02-001		OPERATIONAL CHECK OF TRIM CONTROL PANEL (NORMAL MODE SWITCH)						Service ATA:27
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
27-11-00		AILERON CABLES ASSY.						Component ATA:27
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-11-02, AMM 27-11-02PROC. REF: AMM 27-11-02, AMM 27-11-02								
27-11-00-001	^S	GENERAL VISUAL INSPECTION OF AILERON ACTUATING SYSTEM MECHANICAL COMPONENTS						Service ATA:27
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24	3200 (+30/-30)					
	AFL	456						
PROC. REF: AMM 27-11-00PROC. REF: AMM 27-11-00								PKG:42
27-11-01		LEFT AILERON						Component ATA:27
PN:505-14721-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001054077	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 27-11-01, AMM 27-11-01PROC. REF: AMM 27-11-01, AMM 27-11-01								
27-11-01	RIGHT AILERON							Component ATA:27
PN:505-14719-409	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001056342	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-11-01, AMM 27-11-01PROC. REF: AMM 27-11-01, AMM 27-11-01								
27-11-02-001	FUNCTIONAL CHECK OF AILERON CONTROL CABLES TENSION							Service ATA:27
	MOS	31-Mar-25	60 (+1m/-1m)	Adj 23d	23-Apr-30	23-May-30	1296 d (+30)	
	HRS	987:24	3200 (+30/-30)		4187:24	4217:24	2836:55 (+30)	
	AFL	456						
PROC. REF: AMM 27-11-02PROC. REF: AMM 27-11-02								
27-11-02-001(INITIAL)	FUNCTION CHECK OF AILERON CONTROL CABLES TENSION - INITIAL 12 MOS CHECK							Service ATA:27
	MOS/MSC	02-May-21	-	Adj -9d				
	HRS	115:30						
	AFL	57						
PROC. REF: AMM 27-11-02PROC. REF: AMM 27-11-02								
27-11-02-002 ^S	DETAILED INSPECTION OF AILERON CONTROL CABLES							Service ATA:27
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24	3200 (+30/-30)					
	AFL	456						
								PKG:42
PROC. REF: AMM 27-11-02PROC. REF: AMM 27-11-02								
27-14-02-001	FUNCTIONAL CHECK OF AILERON TRIM BACKLASH/ INTEGRITY							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	6000 (+30/-30)		6000	6030	4649:31 (+30)	
	AFL	0						
PROC. REF: AMM 27-14-03PROC. REF: AMM 27-14-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-14-02-002	DETAILED INSPECTION OF ROLL TRIM ACTUATING MECHANISM							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	5049:31 (+30)	
	AFL	0						
PROC. REF: AMM 27-14-02PROC. REF: AMM 27-14-02								
27-14-03	LEFT AILERON TAB							Component ATA:27
PN:505-14720-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001054068	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-14-03, AMM 27-14-03PROC. REF: AMM 27-14-03, AMM 27-14-03								
27-14-04	LEFT BALANCED AILERON ASSY							Component ATA:27
PN:505-14735-641	MOS/MSC	31-Mar-25	O/C					
SN:0001057854	HRS	987:24						
	AFL	456						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-21-00	RUDDER CABLES ASSY.							Component ATA:27
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-21-02, AMM 27-21-02PROC. REF: AMM 27-21-02, AMM 27-21-02								
27-21-00-001 ^S	GENERAL VISUAL INSPECTION OF RUDDER CONTROL SYSTEM MECHANICAL COMPONENTS							Service ATA:27
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24	3200 (+30/-30)					
	AFL	456						
PROC. REF: AMM 27-21-00PROC. REF: AMM 27-21-00								PKG:42
27-21-00-002	GENERAL VISUAL INSPECTION OF RUDDER ELECTRIC-CONTROL SYSTEM MECHANICAL COMPONENTS							Service ATA:27
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-21-01	RUDDER ASSEMBLY							Component ATA:27
PN:505-39061-623	MOS/MSC	31-Mar-25	O/C					
SN:0001062099	HRS	987:24						
	AFL	456						
PROC. REF: AMM 27-21-01, AMM 27-21-01PROC. REF: AMM 27-21-01, AMM 27-21-01								
27-21-02-001	FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION							Service ATA:27
	MOS	31-Mar-25	60 (+1m/-1m)	Adj 23d	23-Apr-30	23-May-30	1296 d (+30)	
	HRS	987:24	3200 (+30/-30)		4187:24	4217:24	2836:55 (+30)	
	AFL	456						
PROC. REF: AMM 27-21-02PROC. REF: AMM 27-21-02								
27-21-02-001(INITIAL)	FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION - INITIAL 12 MOS CHECK							Service ATA:27
	MOS/MSC	02-May-21	-	Adj -9d				
	HRS	115:30						
	AFL	57						
PROC. REF: AMM 27-21-02PROC. REF: AMM 27-21-02								
27-21-02-002 ^S	DETAILED INSPECTION OF RUDDER CONTROL CABLES							Service ATA:27
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24	3200 (+30/-30)					
	AFL	456						
PROC. REF: AMM 27-21-02PROC. REF: AMM 27-21-02								
PKG:42								
27-22-01-001	GENERAL VISUAL INSPECTION OF RUDDER ELECTROMECHANICAL ACTUATOR							Service ATA:27
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
27-22-01-002	OPERATIONAL CHECK OF RUDDER ELECTROMECHANICAL ACTUATOR (DAMPING)							Service ATA:27
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-22-01-003	OPERATIONAL CHECK OF RUDDER ELECTROMECHANICAL ACTUATOR (POWER DRIVER)							Service ATA:27
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
27-22-01-004	OPERATIONAL CHECK OF RUDDER ELECTROMECHANICAL ACTUATOR (TORQUE LIMITER)							Service ATA:27
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
27-22-01-900-801-01	NO. 1 RUDDER ELECTROMECHANICAL ACTUATOR							Component ATA:27
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
27-23-00-001 ^S	OPERATIONAL CHECK OF SPRING LOADED RUDDER BOOST SYSTEM							Service ATA:27
	MOS	23-Apr-20						
	HRS	0	1600 (+30/-30)					
	AFL	0						
								PKG:10
PROC. REF: AMM 27-23-00PROC. REF: AMM 27-23-00								
27-24-02-001	FUNCTIONAL CHECK OF RUDDER TRIM BACKLASH							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	6000 (+30/-30)		6000	6030	4649:31 (+30)	
	AFL	0						
PROC. REF: AMM 27-24-03PROC. REF: AMM 27-24-03								
27-24-02-002	DETAILED INSPECTION OF YAW TRIM ACTUATING MECHANISM							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	5049:31 (+30)	
	AFL	0						
PROC. REF: AMM 27-24-02PROC. REF: AMM 27-24-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-24-03	RUDDER TRIM TAB							Component ATA:27
PN:505-10450-409	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001060101	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-24-03, AMM 27-24-03PROC. REF: AMM 27-24-03, AMM 27-24-03								
27-26-01	VENTRAL RUDDER							Component ATA:27
PN:505-07540-417	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001060961	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-26-01, AMM 27-26-01PROC. REF: AMM 27-26-01, AMM 27-26-01								
27-31-00	ELEVATOR CABLES ASSY							Component ATA:27
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-02, AMM 27-31-02PROC. REF: AMM 27-31-02, AMM 27-31-02								
27-31-00-001 ^S	GENERAL VISUAL INSPECTION OF ELEVATOR ACTUATING SYSTEM MECHANICAL COMPONENTS							Service ATA:27
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24	3200 (+30/-30)					
	AFL	456						
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00								PKG:42
27-31-02-001	FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION							Service ATA:27
	MOS	31-Mar-25	60 (+1m/-1m)	Adj 23d	23-Apr-30	23-May-30	1296 d (+30)	
	HRS	987:24	3200 (+30/-30)		4187:24	4217:24	2836:55 (+30)	
	AFL	456						
PROC. REF: AMM 27-31-02PROC. REF: AMM 27-31-02								
27-31-02-001(INITIAL)	FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION - INITIAL 12 MOS CHECK							Service ATA:27
	MOS/MSC	02-May-21	-	Adj -9d				
	HRS	115:30						
	AFL	57						
PROC. REF: AMM 27-31-02PROC. REF: AMM 27-31-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-31-02-002	^S	DETAILED INSPECTION OF ELEVATOR CONTROL CABLES						Service ATA:27
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24	3200 (+30/-30)					
	AFL	456						
PROC. REF: AMM 27-31-02PROC. REF: AMM 27-31-02								PKG:42
27-31-03		LEFT HAND ELEVATOR ASSEMBLY						Component ATA:27
PN:505-11083-403	MOS/MSC	31-Mar-25	O/C					
SN:0001057103	HRS	987:24						
	AFL	456						
PROC. REF: AMM 27-31-03, AMM 27-31-03PROC. REF: AMM 27-31-03, AMM 27-31-03								
27-31-03		RIGHT HAND ELEVATOR ASSEMBLY						Component ATA:27
PN:505-11083-404	MOS/MSC	31-Mar-25	O/C					
SN:0001057105	HRS	987:24						
	AFL	456						
PROC. REF: AMM 27-31-03, AMM 27-31-03PROC. REF: AMM 27-31-03, AMM 27-31-03								
27-31-03-001	^S	FUNCTIONAL CHECK OF ELEVATOR AUTO-TRIM BACKLASH						Service ATA:27
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-31-03PROC. REF: AMM 27-31-03								PKG:50
27-31-03-002	^S	DETAILED INSPECTION OF ELEVATOR AUTO-TAB MECHANISM						Service ATA:27
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-31-03PROC. REF: AMM 27-31-03								PKG:50
27-31-05		MID CONTROL PANEL						Component ATA:27
PN:441-44280-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1353	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 23-51-05, AMM 23-51-05PROC. REF: AMM 23-51-05, AMM 23-51-05								
27-36-03-001 ^S	OPERATIONAL CHECK OF PUSHER CUTOUT SWITCH							Service ATA:27
	MOS	23-Apr-20						
	HRS	0	1600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-36-03PROC. REF: AMM 27-36-03								PKG:10
27-41-01-001	DETAILED INSPECTION OF PITCH TRIM ACTUATOR							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	5049:31 (+30)	
	AFL	0						
PROC. REF: AMM 27-41-01PROC. REF: AMM 27-41-01								
27-41-01-002	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR BACKLASH							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	6000 (+30/-30)		6000	6030	4649:31 (+30)	
	AFL	0						
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
27-41-01-003 ^S	LUBRICATION OF PITCH TRIM ACTUATOR							Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								PKG:83
27-41-01-004	OPERATIONAL CHECK OF PITCH TRIM ACTUATOR NO- BACK							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	5049:31 (+30)	
	AFL	0						
PROC. REF: AMM 27-41-01PROC. REF: AMM 27-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-41-01-005	^S	SERVICING OF PITCH TRIM ACTUATOR GEAR BOXES						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 12-18-00PROC. REF: AMM 12-18-00								PKG:83
27-41-01-006	^S	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR MECHANICAL STOP						Service ATA:27
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-41-01PROC. REF: AMM 27-41-01								PKG:50
27-43-02		COCKPIT PITCH TRIM SYS - INSC ILLUM PANEL						Component ATA:27
PN:441-44422-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1430	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50-01-01-901		DETAILED INSPECTION OF ACTUATOR PINS. FLAP MECHANICAL COMPONENT - INTERNAL						Service ATA:27
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 27-51-00PROC. REF: NDT PART 5 27-51-00								
27-51-01-001	^S	LUBRICATION OF FLAP ACTUATORS BALL SCREWS						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								PKG:83

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-01-002	DETAILED INSPECTION LEFT NO. 1 INBOARD FLAP ACTUATOR							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01								
27-51-01-002	DETAILED INSPECTION LEFT NO. 2 OUTBOARD FLAP ACTUATOR							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01								
27-51-01-002	DETAILED INSPECTION LEFT NO. 3 OUTBOARD FLAP ACTUATOR							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01								
27-51-01-002	DETAILED INSPECTION RIGHT NO. 1 INBOARD FLAP ACTUATOR							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01								
27-51-01-002	DETAILED INSPECTION RIGHT NO. 2 OUTBOARD FLAP ACTUATOR							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01								
27-51-01-002	DETAILED INSPECTION RIGHT NO. 3 OUTBOARD FLAP ACTUATOR							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-01-004	FUNCTIONAL CHECK OF FLAP ACTUATOR TORQUE LIMITER							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	7200		7200		5849:31	
	AFL	0						
PROC. REF: AMM 27-51-01PROC. REF: AMM 27-51-01								
27-51-01-005 ^S	SERVICING OF FLAP ACTUATOR GEAR BOXES							Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PKG:83								
PROC. REF: AMM 12-18-00PROC. REF: AMM 12-18-00								
27-51-01-900-801-01	LEFT NO. 3 OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:475100-1013	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:1210	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-02	RIGHT NO. 3 OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:475100-1013	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:1216	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-03	LEFT NO. 2 OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:475000-2013	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:2425	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-04	RIGHT NO. 2 OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:475000-2013	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:2426	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-01-900-801-05		LEFT NO. 1 INBOARD FLAP ACTUATOR					Component	ATA:27
PN:475000-1013	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:2432	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-06		RIGHT NO. 1 INBOARD FLAP ACTUATOR					Component	ATA:27
PN:475000-1013	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:2430	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-05		LEFT INBOARD FLAP					Component	ATA:27
PN:505-14358-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001072637	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05								
27-51-05		LEFT OUTBOARD FLAP					Component	ATA:27
PN:505-14349-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001061926	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05								
27-51-05		RIGHT INBOARD FLAP					Component	ATA:27
PN:505-14358-406	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001066746	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05								
27-51-05		RIGHT OUTBOARD FLAP					Component	ATA:27
PN:505-14349-406	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001065571	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-06-001	^S	LUBRICATION LEFT CENTER FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								PKG:83
27-51-06-001	^S	LUBRICATION LEFT OUTBOARD FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								PKG:83
27-51-06-001	^S	LUBRICATION LH INBOARD FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								PKG:83
27-51-06-001	^S	LUBRICATION RH INBOARD FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								PKG:83
27-51-06-001	^S	LUBRICATION RIGHT CENTER FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								PKG:83

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-06-001	^S	LUBRICATION RIGHT OUTBOARD FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								PKG:83
27-51-06-002	^S	DETAILED VISUAL INSPECTION LEFT CENTER FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 27-51-06PROC. REF: AMM 27-51-06								PKG:83
27-51-06-002	^S	DETAILED VISUAL INSPECTION LEFT OUTBOARD FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 27-51-06PROC. REF: AMM 27-51-06								PKG:83
27-51-06-002	^S	DETAILED VISUAL INSPECTION LH INBOARD FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 27-51-06PROC. REF: AMM 27-51-06								PKG:83
27-51-06-002	^S	DETAILED VISUAL INSPECTION RH INBOARD FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 27-51-06PROC. REF: AMM 27-51-06								PKG:83

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-06-002 ^S		DETAILED VISUAL INSPECTION RIGHT CENTER FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 27-51-06PROC. REF: AMM 27-51-06								PKG:83
27-51-06-002 ^S		DETAILED VISUAL INSPECTION RIGHT OUTBOARD FLAP FLEXIBLE SHAFT						Service ATA:27
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 27-51-06PROC. REF: AMM 27-51-06								PKG:83
27-51-06-900-801-01		RIGHT OUTBOARD FLAP FLEXIBLE 1 SHAFT						Component ATA:27
PN:457360-1005	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:SSW2336	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-51-06-900-801-02		RIGHT INBOARD FLAP FLEXIBLE 1 SHAFT						Component ATA:27
PN:457360-1005	MOS/MSC	19-Mar-24	H/T	TSN 0				
SN:SSW3541	HRS	781:30		TSN 0				
	AFL	364		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-51-06-900-801-03		LEFT OUTBOARD FLAP FLEXIBLE 1 SHAFT						Component ATA:27
PN:457360-1005	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:SSW2329	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-51-06-900-801-04		LEFT INBOARD FLAP FLEXIBLE 1 SHAFT						Component ATA:27
PN:457360-1005	MOS/MSC	19-Mar-24	H/T	TSN 0				
SN:SSW3513	HRS	781:30		TSN 0				
	AFL	364		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-06-900-801-05	LEFT CENTER FLAP FLEXIBLE 2 SHAFT							Component ATA:27
PN:457360-1007	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:SSW1147	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-51-06-900-801-06	RIGHT CENTER FLAP FLEXIBLE 2 SHAFT							Component ATA:27
PN:457360-1007	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:SSW1167	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-06, AMM 27-51-06PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-53-01	FLAP SELECTOR, PRODUCTION, LEVER							Component ATA:27
PN:780501-9	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1972	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-53-01, AMM 27-53-01PROC. REF: AMM 27-53-01, AMM 27-53-01								
27-60-00-001	OPERATIONAL CHECK OF SPOILER MSV OVERRIDE TEST							Service ATA:27
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
27-64-01-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF LUG OF BELL CRANK. MULTIFUNCTION SPOILER MECHANICAL COMPONENTS-INTERNAL							Service ATA:27
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 27-64-00PROC. REF: NDT PART 6 27-64-00								
27-64-01-01-902	DETAILED INSPECTION OF BELL CRANK AND FASTENERS. MULTIFUNCTION SPOILER MECHANICAL COMPONENTS - INTERNAL							Service ATA:27
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: NDT PART 5 27-64-00PROC. REF: NDT PART 5 27-64-00								
27-64-01-02-901	SPECIAL DETAILED INSPECTION (MAGNETIC PARTICLE) OF BELL CRANK SAFE PINS. MULTIFUNCTION SPOILER MECHANICAL COMPONENTS- INTERNAL							Service ATA:27
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 7 27-64-00PROC. REF: NDT PART 7 27-64-00								
27-65-00-001 ^S	FUNCTIONAL CHECK OF MULTIFUNCTION SPOILER SYSTEM							Service ATA:27
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PKG:60								
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								
27-65-00-002	FUNCTIONAL CHECK OF MULTIFUNCTION SPOILER SYSTEM							Service ATA:27
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
27-65-01-001 ^S	GENERAL VISUAL INSPECTION OF MULTIFUNCTION SPOILER POWER CONTROL UNIT (PCU)							Service ATA:27
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PKG:60								
PROC. REF: AMM 27-65-00PROC. REF: AMM 27-65-00								
27-66-01	NO. 1 CONTROL WHEEL POSITION SENSOR							Component ATA:27
PN:456896-1001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:387082	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-66-01, AMM 27-66-01PROC. REF: AMM 27-66-01, AMM 27-66-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-66-01	NO. 2 CONTROL WHEEL POSITION SENSOR							Component ATA:27
PN:456896-1001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:387084	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-66-01, AMM 27-66-01PROC. REF: AMM 27-66-01, AMM 27-66-01								
27-66-02	LEFT SPOILER SURFACE POSITION SENSOR							Component ATA:27
PN:456897-1001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:405299	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-66-02, AMM 27-66-02PROC. REF: AMM 27-66-02, AMM 27-66-02								
27-66-02	RIGHT SPOILER SURFACE POSITION SENSOR							Component ATA:27
PN:456897-1001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:405300	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-66-02, AMM 27-66-02PROC. REF: AMM 27-66-02, AMM 27-66-02								
ATA 28 - FUEL								
28-11-00-001 ^S	FUNCTIONAL CHECK OF FUEL TANKS FOR MICROORGANISMS							Service ATA:28
	MOS	13-Mar-26	12 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PKG:80								
PROC. REF: AMM 28-11-00PROC. REF: AMM 28-11-00								
28-11-01	LH WING ASSEMBLY - EQUIPED							Component ATA:28
PN:505-11984-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001063275	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-11-03	LEFT WING HALF ASSEMBLY							Component ATA:28
PN:505-12200-439	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001055762	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-11-03	RIGHT WING HALF ASSEMBLY							Component ATA:28
PN:505-12200-440	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001056769	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-11-03-001 ^S	FUNCTIONAL CHECK (TORQUE) OF WING TANK SPAR 1 COVERS ATTACHING BOLTS							Service ATA:28
	MOS	23-Apr-20	60 (+1m/-1m)					
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 28-11-03PROC. REF: AMM 28-11-03								
28-11-05	LEFT WING WATER DRAIN VALVE							Component ATA:28
PN:L83A13-628	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M29895	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-05, AMM 28-11-05PROC. REF: AMM 28-11-05, AMM 28-11-05								
28-11-05	RIGHT WING WATER DRAIN VALVE							Component ATA:28
PN:L83A13-628	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M37649	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-05, AMM 28-11-05PROC. REF: AMM 28-11-05, AMM 28-11-05								
28-11-07	LEFT WING DUMP VALVE							Component ATA:28
PN:V98A32-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M29419	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-07, AMM 28-11-07PROC. REF: AMM 28-11-07, AMM 28-11-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-11-07	RIGHT WING DUMP VALVE							Component ATA:28
PN:V98A32-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M29418	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-07, AMM 28-11-07PROC. REF: AMM 28-11-07, AMM 28-11-07								
28-11-09	RIGHT WING JUNCTION							Component ATA:28
PN:505-12066-401	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001056931	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-12-01-001 ^S	SPECIAL DETAILED INSPECTION OF FUEL VENT NACA							Service ATA:28
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 28-12-01PROC. REF: AMM 28-12-01								
28-12-03	LEFT FUEL TANK FLOAT VENT VALVE							Component ATA:28
PN:L87-19-001P2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M31231	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-03, AMM 28-12-03PROC. REF: AMM 28-12-03, AMM 28-12-03								
28-12-03	RIGHT FUEL TANK FLOAT VENT VALVE							Component ATA:28
PN:L87-19-001P2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M31217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-03, AMM 28-12-03PROC. REF: AMM 28-12-03, AMM 28-12-03								
28-12-03-001 ^S	OPERATIONAL CHECK LEFT FLOAT VENT VALVE							Service ATA:28
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 28-12-03PROC. REF: AMM 28-12-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-12-03-001	S	OPERATIONAL CHECK RIGHT FLOAT VENT VALVE						Service ATA:28
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 28-12-03PROC. REF: AMM 28-12-03								
28-21-01		LEFT WING FUEL SYSTEM - ENGINE FEED 3/4 IN CHECK VALVE						Component ATA:28
PN:L96-19-007P4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M27671	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01PROC. REF: AMM 28-21-01, AMM 28-21-01								
28-21-01		RIGHT WING FUEL SYSTEM - ENGINE FEED 3/4 IN CHECK VALVE						Component ATA:28
PN:L96-19-007P4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M27190	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01PROC. REF: AMM 28-21-01, AMM 28-21-01								
28-21-02		RIGHT WING DC AUXILIARY BOOST PUMP CARTRIDGE						Component ATA:28
PN:P99C25-606P2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L38541	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								
28-21-03		LEFT WING DC AUXILIARY BOOST PUMP CANISTER						Component ATA:28
PN:C93R25-606P2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L49368	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								
28-21-03		RIGHT WING DC AUXILIARY BOOST PUMP CANISTER						Component ATA:28
PN:C93R25-606P2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L49363	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: AMM 28-21-03, AMM 28-21-03PROC. REF: AMM 28-21-03, AMM 28-21-03								
28-21-05	LEFT WING JET PUMP FEED LINE							Component ATA:28
PN:T99A19-602	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L44415	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-05, AMM 28-21-05PROC. REF: AMM 28-21-05, AMM 28-21-05								
28-21-05	RIGHT WING JET PUMP FEED LINE							Component ATA:28
PN:T99A19-602	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L44412	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-05, AMM 28-21-05PROC. REF: AMM 28-21-05, AMM 28-21-05								
28-21-07	LEFT 0.75 SHUTOFF VALVE							Component ATA:28
PN:B97-15-601	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M29665	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-07	RIGHT 0.75 SHUTOFF VALVE							Component ATA:28
PN:B97-15-601	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M29661	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-07-001	OPERATIONAL CHECK LEFT ENGINE FUEL SOV SYSTEM							Service ATA:28
	MOS	19-Mar-24						AIRWORTHINESS
	HRS	781:30	800 (+30/-30)	Adj 18:30	1600	1630	249:31 (+30)	
	AFL	364						
PROC. REF: AMM 28-21-07PROC. REF: AMM 28-21-07								
28-21-07-001	OPERATIONAL CHECK RIGHT ENGINE FUEL SOV SYSTEM							Service ATA:28
	MOS	19-Mar-24						AIRWORTHINESS
	HRS	781:30	800 (+30/-30)	Adj 18:30	1600	1630	249:31 (+30)	
	AFL	364						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: AMM 28-21-07PROC. REF: AMM 28-21-07								
28-21-08	FORWARD LEFT 28 VDC SOV ACTUATOR							Component ATA:28
PN:D97C00-644P2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:C703131	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-08	LEFT WING 28 VDC SOV ACTUATOR							Component ATA:28
PN:D97C00-644P2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:C703122	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-08	REAR RIGHT 28 VDC SOV ACTUATOR							Component ATA:28
PN:D97C00-644P2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:C703117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-09	LEFT WING SCAVENGER JET PUMP							Component ATA:28
PN:T99A19-603	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L42734	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-09, AMM 28-21-09PROC. REF: AMM 28-21-09, AMM 28-21-09								
28-21-09	RIGHT WING SCAVENGER JET PUMP							Component ATA:28
PN:T99A19-603	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L40077	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-09, AMM 28-21-09PROC. REF: AMM 28-21-09, AMM 28-21-09								
28-21-10	3/4" (CROSSFEED) SHUT OFF VALVE							Component ATA:28
PN:B97H19-608P2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:L42542	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: AMM 28-21-10, AMM 28-21-10PROC. REF: AMM 28-21-10, AMM 28-21-10								
28-21-10-001		OPERATIONAL CHECK OF FUEL XFEED VALVE						Service ATA:28
	MOS	23-Apr-20						
	HRS	0	12000 (+30/-30)		12000	12030	10649:31 (+30)	
	AFL	0						
PROC. REF: AMM 28-21-10PROC. REF: AMM 28-21-10								
28-21-11		LEFT WING 1/2 INCH CHECK VALVE VALVE						Component ATA:28
PN:L96-13-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M33061	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-11, AMM 28-21-11PROC. REF: AMM 28-21-11, AMM 28-21-11								
28-21-11		RIGHT WING 1/2 INCH CHECK VALVE VALVE						Component ATA:28
PN:L96-13-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M33067	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-11, AMM 28-21-11PROC. REF: AMM 28-21-11, AMM 28-21-11								
28-21-13		INSC ILLUM PANEL						Component ATA:28
PN:441-42621-003	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1084	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-13, AMM 28-21-13PROC. REF: AMM 28-21-13, AMM 28-21-13								
28-23-01		REFUEL CONTROL PANEL						Component ATA:28
PN:742388-1-2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:742388IN00697	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-01, AMM 28-23-01PROC. REF: AMM 28-23-01, AMM 28-23-01								
28-23-03		LEFT WING PRESSURE REFUELING SOLENOID VALVE						Component ATA:28
PN:L94E31-653P3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M31702	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: AMM 28-23-03, AMM 28-23-03PROC. REF: AMM 28-23-03, AMM 28-23-03								
28-23-03	RIGHT WING PRESSURE REFUELING SOLENOID VALVE							Component ATA:28
PN:L94E31-653P3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M31697	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-03, AMM 28-23-03PROC. REF: AMM 28-23-03, AMM 28-23-03								
28-23-04-001 ^S	GENERAL VISUAL INSPECTION OF PRESSURE REFUELING ADAPTER							Service ATA:28
	MOS	23-Apr-20						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PKG:40								
PROC. REF: AMM 28-23-05PROC. REF: AMM 28-23-05								
28-23-07	LEFT HIGH LEVEL SENSOR							Component ATA:28
PN:722860-2-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2537	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-07, AMM 28-23-07PROC. REF: AMM 28-23-07, AMM 28-23-07								
28-23-07	RIGHT HIGH LEVEL SENSOR							Component ATA:28
PN:722860-2-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2545	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-07, AMM 28-23-07PROC. REF: AMM 28-23-07, AMM 28-23-07								
28-23-09	FUEL PORT AND CAP							Component ATA:28
PN:K97-63-613	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:M39259	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-23-09, AMM 28-23-09PROC. REF: AMM 28-23-09, AMM 28-23-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-41-01	NO. 1 LEFT PROBE							Component ATA:28
PN:765896-1-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:765896IN01285	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 1 RIGHT PROBE							Component ATA:28
PN:765896-1-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:765896IN01282	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 2 LEFT PROBE							Component ATA:28
PN:765873-1-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:765873IN01318	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 2 RIGHT PROBE							Component ATA:28
PN:765873-1-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:765873IN01333	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 3 LEFT PROBE							Component ATA:28
PN:765874-1-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:765874IN01293	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 3 RIGHT PROBE							Component ATA:28
PN:765874-1-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:765874IN01298	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-41-01	NO. 4 LEFT PROBE							Component ATA:28
PN:765875-1-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:765875IN01293	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-01	NO. 4 RIGHT PROBE							Component ATA:28
PN:765875-1-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:765875IN01290	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01PROC. REF: AMM 28-41-01, AMM 28-41-01								
28-41-05	EFCU ELECTRICAL FUEL CONTROL UNIT							Component ATA:28
PN:738742-1-4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:738790IN01430	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-05, AMM 28-41-05PROC. REF: AMM 28-41-05, AMM 28-41-05								
28-43-01	TEMPERATURE SENSOR							Component ATA:28
PN:798840-1-0	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:05741	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-43-01, AMM 28-43-01PROC. REF: AMM 28-43-01, AMM 28-43-01								
28-43-01-001 ^S	FUNCTIONAL CHECK OF FUEL TEMPERATURE SENSOR							Service ATA:28
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 28-43-01PROC. REF: AMM 28-43-01								
PKG:60								
28-45-01	LEFT PRESSURE SWITCH							Component ATA:28
PN:D98C07-611	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2268	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-45-01, AMM 28-45-01PROC. REF: AMM 28-45-01, AMM 28-45-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-45-01	RIGHT PRESSURE SWITCH							Component ATA:28
PN:D98C07-611	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2269	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-45-01, AMM 28-45-01PROC. REF: AMM 28-45-01, AMM 28-45-01								
ATA 29 - HYDRAULIC POWER								
29-12-02	CENTER FUSELAGE HYDRAULIC SYSTEM FLUID BOOTSTRAP RESERVOIR							Component ATA:29
PN:3032763-003	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:MX827783	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02								
29-12-02	LEFT ENGINE DRIVEN HYDRAULIC PUMP							Component ATA:29
PN:3032249-002	MOS/MSC	13-Mar-26	O/C	TSO 3				
SN:MX858527	HRS	1221:24		TSO 0				
	AFL	564		TSO 0				
PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02								
29-12-02	RIGHT ENGINE DRIVEN HYDRAULIC PUMP							Component ATA:29
PN:3032249-002	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:MX829338	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02								
29-12-02-001 ^S	VISUAL CHECK OF MANIFOLD/ RESERVOIR							Service ATA:29
	MOS	13-Mar-26	12 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 29-12-02PROC. REF: AMM 29-12-02								
PKG:80								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-12-02-002	^S	OPERATIONAL CHECK LEFT EDP CHECK VALVE						Service ATA:29
	MOS	01-Nov-19						
	HRS	0	5600 (+30/-30)					
	AFL							
PROC. REF: AMM 29-10-00PROC. REF: AMM 29-10-00								PKG:50
29-12-02-002	^S	OPERATIONAL CHECK RIGHT EDP CHECK VALVE						Service ATA:29
	MOS	01-Nov-19						
	HRS	0	5600 (+30/-30)					
	AFL							
PROC. REF: AMM 29-10-00PROC. REF: AMM 29-10-00								PKG:50
29-15-03		HYDRAULIC ACCUMULATOR						Component ATA:29
PN:11172-2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:11172-0477	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-03, AMM 29-15-03PROC. REF: AMM 29-15-03, AMM 29-15-03								
29-15-03-001	^S	SERVICING OF HYDRAULIC ACCUMULATOR						Service ATA:29
PN:11172-2	MOS	13-Mar-26	12 (+1m/-1m)					
SN:11172-0477	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 12-13-00PROC. REF: AMM 12-13-00								PKG:80
29-15-04		NO. 1 FSOV FIRE SHUT OFF VALVE						Component ATA:29
PN:3032428-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:AA729491	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-04, AMM 29-15-04PROC. REF: AMM 29-15-04, AMM 29-15-04								
29-15-04		NO. 2 FSOV FIRE SHUT OFF VALVE						Component ATA:29
PN:3032428-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:AA729480	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: AMM 29-15-04, AMM 29-15-04PROC. REF: AMM 29-15-04, AMM 29-15-04								
29-15-04-001	OPERATIONAL CHECK NO. 1 FSOV FIRE SHUT OFF VALVE ENGINE HYDRAULIC SHUT-OFF VALVE							Service ATA:29
PN:3032428-001	MOS	17-Nov-23	48 (+30d/-30d)	Adj 14d	01-Dec-27	31-Dec-27	422 d (+30)	AIRWORTHINESS
SN:AA729491	HRS	673:54	3200 (+30/-30)		3873:54	3903:54	2523:25 (+30)	
	AFL	316						
PROC. REF: AMM 29-15-04PROC. REF: AMM 29-15-04								
29-15-04-001	OPERATIONAL CHECK NO. 2 FSOV FIRE SHUT OFF VALVE ENGINE HYDRAULIC SHUT-OFF VALVE							Service ATA:29
PN:3032428-001	MOS	17-Nov-23	48 (+30d/-30d)	Adj 14d	01-Dec-27	31-Dec-27	422 d (+30)	AIRWORTHINESS
SN:AA729480	HRS	673:54	3200 (+30/-30)		3873:54	3903:54	2523:25 (+30)	
	AFL	316						
PROC. REF: AMM 29-15-04PROC. REF: AMM 29-15-04								
29-15-05	PRIORITY VALVE							Component ATA:29
PN:2217-0030-401	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00128	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-05, AMM 29-15-05PROC. REF: AMM 29-15-05, AMM 29-15-05								
29-31-02-001 ^S	FUNCTIONAL CHECK OF DIFFERENTIAL PRESSURE INDICATOR, RETURN FILTER BYPASS VALVE AND HP RELIEF VALVE							Service ATA:29
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 29-31-02PROC. REF: AMM 29-31-02								PKG:50
ATA 30 - ICE AND RAIN PROTECTION								
30-01-01	MD INSC ILLUM PANEL							Component ATA:30
PN:441-45072-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1099	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-01-01, AMM 30-01-01PROC. REF: AMM 30-01-01, AMM 30-01-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-12-00-001	^S	OPERATIONAL CHECK OF WING/H-STAB ANTI-ICING SYSTEM						Service ATA:30
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								PKG:60
30-12-01-001	^S	FUNCTIONAL CHECK OF WING/H-STAB ANTI-ICING VALVE PRESSURE TRANSDUCERS						Service ATA:30
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-01PROC. REF: AMM 30-12-01								PKG:60
30-12-02		LEFT WING AND HORIZONTAL STABILIZER ANTI-ICE VALVE						Component ATA:30
PN:RYLB-53534-3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0750	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-02, AMM 30-12-02PROC. REF: AMM 30-12-02, AMM 30-12-02								
30-12-02		RIGHT WING AND HORIZONTAL STABILIZER ANTI-ICE VALVE						Component ATA:30
PN:RYLB-53534-4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0751	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-02, AMM 30-12-02PROC. REF: AMM 30-12-02, AMM 30-12-02								
30-12-05		LEFT HORIZONTAL STABILIZER ANTI-ICE PRESSURE TRANSDUCER						Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:8496-2-426	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05		LEFT PYLON ANTI-ICE PRESSURE TRANSDUCER						Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:8496-2-451	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-12-05	LEFT WING TIP ANTI-ICE PRESSURE TRANSDUCER							Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:8496-2-181	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05	RIGHT HORIZONTAL STABILIZER ANTI-ICE PRESSURE TRANSDUCER							Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:8496-2-441	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05	RIGHT PYLON ANTI-ICE PRESSURE TRANSDUCER							Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:8496-2-461	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05	RIGHT WING TIP ANTI-ICE PRESSURE TRANSDUCER							Component ATA:30
PN:APTE-485F-1000-50G	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:8496-2-180	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05								
30-12-05-001 ^S	FUNCTIONAL CHECK LEFT WING TIP ANTI-ICING PRESSURE TRANSDUCER							Service ATA:30
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-05PROC. REF: AMM 30-12-05								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-12-05-001 ^S	FUNCTIONAL CHECK RIGHT WING TIP ANTI-ICING PRESSURE TRANSDUCER							Service ATA:30
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-05PROC. REF: AMM 30-12-05								PKG:60
30-12-05-002 ^S	FUNCTIONAL CHECK LEFT HORIZONTAL STABILIZER ANTI-ICING PRESSURE TRANSDUCER							Service ATA:30
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-05PROC. REF: AMM 30-12-05								PKG:60
30-12-05-002 ^S	FUNCTIONAL CHECK RIGHT HORIZONTAL STABILIZER ANTI-ICING PRESSURE TRANSDUCER							Service ATA:30
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-05PROC. REF: AMM 30-12-05								PKG:60
30-21-01	LEFT ENGINE ANTI-ICE PRESUURE VALVE							Component ATA:30
PN:CW30-10040-1	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0000272	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-01, AMM 30-21-01PROC. REF: AMM 30-21-01, AMM 30-21-01								
30-21-01	RIGHT ENGINE ANTI-ICE PRESUURE VALVE							Component ATA:30
PN:CW30-10040-1	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0266	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-01, AMM 30-21-01PROC. REF: AMM 30-21-01, AMM 30-21-01								
30-21-02	LEFT ENGINE ANTI-ICE PRESSURE TRANSDUCER							Component ATA:30
PN:APTE-477F-1000-100GMOS/MSC		23-Apr-20	O/C	TSN 0				
SN:8613-12-179	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PROC. REF: AMM 30-21-02, AMM 30-21-02PROC. REF: AMM 30-21-02, AMM 30-21-02								
30-21-02	RIGHT ENGINE ANTI-ICE PRESSURE TRANSDUCER							Component ATA:30
PN:APTE-477F-1000-100G	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:8613-12-175	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-02, AMM 30-21-02PROC. REF: AMM 30-21-02, AMM 30-21-02								
30-21-02-001	FUNCTIONAL CHECK OF LEFT ENGINE ANTI-ICING PRESSURE TRANSDUCER							Service ATA:30
	MOS	23-Apr-20						
	HRS	0	12000 (+30/-30)		12000	12030	10649:31 (+30)	
	AFL	0						
PROC. REF: AMM 30-21-02PROC. REF: AMM 30-21-02								
30-21-02-001	FUNCTIONAL CHECK OF RIGHT ENGINE ANTI-ICING PRESSURE TRANSDUCER							Service ATA:30
	MOS	23-Apr-20						
	HRS	0	12000 (+30/-30)		12000	12030	10649:31 (+30)	
	AFL	0						
PROC. REF: AMM 30-21-02PROC. REF: AMM 30-21-02								
30-21-02-720-801-A	TROUBLE SHOOTING ENGINE OPERATING PROBLEMS - ENGINE ANTI-ICING PRESSURE TRANSDUCER FUNCTIONAL CHECK							Service ATA:30
	MOS/MSC	23-Apr-20	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-21-02PROC. REF: AMM 30-21-02								
30-21-03-001 ^S	BORESCOPE INSPECTION OF PICCOLO TUBE							Service ATA:30
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-21-03PROC. REF: AMM 30-21-03								
PKG:50								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-21-04-001	^S	DETAILED INSPECTION OF ENGINE ANTI-ICE DUCTS						Service ATA:30
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-21-00PROC. REF: AMM 30-21-00								PKG:20
30-31-00-002		OPERATIONAL CHECK IASP PROBE AND PITOT STATIC HEATING						Service ATA:30
	MOS	13-Mar-26	24 (+1m/-1m)	Adj 6d	19-Mar-28	19-Apr-28	531 d (+31)	
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 30-30-00PROC. REF: AMM 30-30-00								PKG:81
30-41-01-002	^S	DISCARD OF WINDSHIELD RAIN REPELLENT COATING (RRC)						Service ATA:30
	MOS	13-Mar-26	12 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 30-41-01PROC. REF: AMM 30-41-01								PKG:80
30-41-01-003	^S	FUNCTIONAL CHECK OF RAIN REPELLENT COATING (RRC) LAYER ON WINDSHIELD SURFACE						Service ATA:30
	MOS	13-Mar-26	12 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 30-41-01PROC. REF: AMM 30-41-01								PKG:80
30-42-00-001	^S	OPERATIONAL CHECK OF WINDSHIELD HEATING SYSTEM						Service ATA:30
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 30-42-00PROC. REF: AMM 30-42-00								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-42-01	LH PANEL WINDSHIELD HEATER (OVERLENGTH) CONTROL							Component ATA:30
PN:EPM-112-4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:03311	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-42-01, AMM 30-42-01PROC. REF: AMM 30-42-01, AMM 30-42-01								
30-42-01	RH PANEL WINDSHIELD HEATER (OVERLENGTH) CONTROL							Component ATA:30
PN:EPM-112-4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:03260	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-42-01, AMM 30-42-01PROC. REF: AMM 30-42-01, AMM 30-42-01								
30-81-02	LEFT NOSE ICE DETECTOR							Component ATA:30
PN:0871LM3-1	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2353	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-81-02, AMM 30-81-02PROC. REF: AMM 30-81-02, AMM 30-81-02								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30-02	CVDR ACCELEROMETER							Component ATA:31
PN:3001-01-111	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0419-DT1793N	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-05, AMM 31-31-05PROC. REF: AMM 31-31-05, AMM 31-31-05								
31-31-00-002	OPERATIONAL CHECK OF CVDR (COCKPIT VOICE RECORDER)							Service ATA:31
	MOS	13-Mar-26	12 (+1m/-1m)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 31-31-00PROC. REF: AMM 31-31-00								
31-31-01	(CVR / CVDR) COCKPIT VOICE RECORDER							Component ATA:31
PN:5013-6100-50	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:002013549	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-31-01, AMM 31-31-01PROC. REF: AMM 31-31-01, AMM 31-31-01								
31-31-02-001	FUNCTIONAL CHECK OF RIPS (RECORDER INDEPENDENT POWER SUPPLY)							Service ATA:31
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 31-31-02PROC. REF: AMM 31-31-02								
31-31-03	CVDR/ULB - COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON							Component ATA:31
PN:DK120/90	MOS/MSC	12-Dec-25	H/T	TSN 8				
SN:AT222913	HRS	1179:24		TSN 0				
	AFL	546		TSN 0				
PROC. REF: AMM 31-31-03, AMM 31-31-03PROC. REF: AMM 31-31-03, AMM 31-31-03								
31-31-03-001	DISCARD OF CVDR/ULB BATTERY							Service ATA:31
PN:DK120/90	MOS/MSC	12-Dec-25	DUE		30-Apr-32 (M)		2034 d	LIFE LIMIT
SN:AT222913	HRS	1179:24						
	AFL	546						
Expiry Date: : 30-Apr-32								
PROC. REF: AMM 31-31-03PROC. REF: AMM 31-31-03								
31-33-03	FDR/ULB - FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON							Component ATA:31
PN:PN	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-33-03, AMM 31-33-03PROC. REF: AMM 31-33-03, AMM 31-33-03								
31-33-04	FORWARD CVDR IMPACT SWITCH							Component ATA:31
PN:5930-4-000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:8192	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-33-04, AMM 31-33-04PROC. REF: AMM 31-33-04, AMM 31-33-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-33-05 ELEVATOR FDR (RVDT) ROTATORY VARIABLE DIFFERENTIAL TRANSDUCER								Component ATA:31
PN:3K2222B	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:C1447	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-33-05, AMM 31-33-05PROC. REF: AMM 31-33-05, AMM 31-33-05								
31-33-05 RUDDER FDR (RVDT) ROTATORY VARIABLE DIFFERENTIAL TRANSDUCER								Component ATA:31
PN:3K2222B	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:C1486	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-33-05, AMM 31-33-05PROC. REF: AMM 31-33-05, AMM 31-33-05								
31-33-05-001 ^S FUNCTIONAL CHECK OF RUDDER FDR RVDT								Service ATA:31
PN:3K2222B	MOS	13-Mar-26	12 (+1m/-1m)					
SN:C1486	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 31-33-05PROC. REF: AMM 31-33-05								PKG:80
31-33-05-002 ^S FUNCTIONAL CHECK OF ELEVATOR FDR RVDT								Service ATA:31
PN:3K2222B	MOS	13-Mar-26	12 (+1m/-1m)					
SN:C1447	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 31-33-05PROC. REF: AMM 31-33-05								PKG:80
31-40-01 LH DCU UNIT								Component ATA:31
PN:011-01457-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:16907464	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-01, AMM 31-41-01PROC. REF: AMM 31-41-01, AMM 31-41-01								
31-40-01 RH DCU UNIT								Component ATA:31
PN:011-01457-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:16907565	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-01, AMM 31-41-01PROC. REF: AMM 31-41-01, AMM 31-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-40-02	LEFT GIA 63W INTEGRATED AVIONICS UNIT							Component ATA:31
PN:011-03711-40	MOS/MSC	03-Mar-22	O/C	TSN 16				
SN:4SM005739	HRS	278:18		TSN 0				
	AFL	139		TSN 0				
PROC. REF: AMM 31-41-05, AMM 31-41-05, AMM 31-41-05PROC. REF: AMM 31-41-05, AMM 31-41-05, AMM 31-41-05								
31-40-02	RIGHT GIA 63W INTEGRATED AVIONICS UNIT							Component ATA:31
PN:011-03711-40	MOS/MSC	10-Jul-25	O/C	TSR 0				
SN:4SM006830	HRS	1062:18		TSR 0				
	AFL	493		TSR 0				
PROC. REF: AMM 31-41-05, AMM 31-41-05, AMM 31-41-05PROC. REF: AMM 31-41-05, AMM 31-41-05, AMM 31-41-05								
31-42-00-001 ^S	OPERATIONAL CHECK OF HSDB SWITCH REVERSION							Service ATA:31
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 31-42-00PROC. REF: AMM 31-42-00								PKG:60
31-42-01	COCKPIT PARTITION MAINTENANCE SYSTEM INSC ILLUM							Component ATA:31
PN:441-5430-000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1010	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
31-50-01	1 (GEA) ENGINE AIRFRAME INTERFACE UNIT							Component ATA:31
PN:011-03682-00	MOS/MSC	13-Mar-26	O/C					
SN:497003170	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 31-41-03, AMM 31-41-03PROC. REF: AMM 31-41-03, AMM 31-41-03								
31-50-01	2 (GEA) ENGINE AIRFRAME INTERFACE UNIT							Component ATA:31
PN:011-03682-00	MOS/MSC	13-Mar-26	O/C	TSN 71				
SN:497003316	HRS	1221:24		TSN 1221:24				
	AFL	564		TSN 564				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-41-03, AMM 31-41-03PROC. REF: AMM 31-41-03, AMM 31-41-03								
31-50-01	3 (GEA) ENGINE AIRFRAME INTERFACE UNIT							Component ATA:31
PN:011-03682-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:497003170	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-03, AMM 31-41-03PROC. REF: AMM 31-41-03, AMM 31-41-03								
31-61-00-001 ^S	OPERATIONAL CHECK MFD FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service ATA:31
PN:011-04187-10	MOS	23-Apr-20						
SN:4VS105036	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 31-61-00PROC. REF: AMM 31-61-00								PKG:40
31-61-00-001 ^S	OPERATIONAL CHECK PFD 1 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service ATA:31
PN:011-04187-10	MOS	23-Apr-20						
SN:4VS105037	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 31-61-00PROC. REF: AMM 31-61-00								PKG:40
31-61-00-001 ^S	OPERATIONAL CHECK PFD 2 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service ATA:31
PN:011-04187-10	MOS	23-Apr-20						
SN:4VS105042	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 31-61-00PROC. REF: AMM 31-61-00								PKG:40
31-61-01	MFD (MULTI-FUNCTION FLIGHT DISPLAY)							Component ATA:31
PN:011-04187-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4VS105036	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-61-01	PFD 1 (PRIMARY FLIGHT DISPLAY)							Component ATA:31
PN:011-04187-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4VS105037	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01								
31-61-01	PFD 2 (PRIMARY FLIGHT DISPLAY)							Component ATA:31
PN:011-04187-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4VS105042	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-01, AMM 31-61-01PROC. REF: AMM 31-61-01, AMM 31-61-01								
31-61-06	NO. 1 BARO INSC ILLUMINATED PANEL							Component ATA:31
PN:441-44282-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1859	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-06, AMM 31-61-06PROC. REF: AMM 31-61-06, AMM 31-61-06								
31-61-06	NO. 2 BARO INSC ILLUMINATED PANEL							Component ATA:31
PN:441-44282-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1861	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-06, AMM 31-61-06PROC. REF: AMM 31-61-06, AMM 31-61-06								
316104-0101	PAX NO.1 GTC570 TOUCHSCREEN CONTROLLER							Component ATA:31
PN:011-03759-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4MT101786	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-04, AMM 31-61-04PROC. REF: AMM 31-61-04, AMM 31-61-04								
316104-0101	PAX NO.2 GTC570 TOUCHSCREEN CONTROLLER							Component ATA:31
PN:011-03759-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4MT101905	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-61-04, AMM 31-61-04PROC. REF: AMM 31-61-04, AMM 31-61-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-00-00-001	^S	GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR POLYURETHANE FILMS						Service ATA:32
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 32-00-20PROC. REF: AMM 32-00-20								PKG:1
32-001	LEFT MLG SHOCK STRUT LEFT MAIN FITTING							Component ATA:32
PN:2317-1201-503	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1765086/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-002	RIGHT MLG SHOCK STRUT RIGHT MAIN FITTING							Component ATA:32
PN:2317-1201-504	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1758922/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-003	LEFT PINTLE PIN							Component ATA:32
PN:2317-1101-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1765799/007	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-003	RIGHT PINTLE PIN							Component ATA:32
PN:2317-1101-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1765799/009	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-004	LEFT PINTLE PIN							Component ATA:32
PN:2317-1102-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1762708/002	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-004	RIGHT PINTLE PIN							Component ATA:32
PN:2317-1102-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1762708/004	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-005	LEFT MLG SHOCK STRUT (MF - AS) AXLE							Component ATA:32
PN:2317-1103-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1765873/005	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-005	RIGHT MLG SHOCK STRUT (MF - AS) AXLE							Component ATA:32
PN:2317-1103-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1765873/008	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-006	LEFT MLG SHOCK STRUT (TR - AS) AXLE							Component ATA:32
PN:2317-1107-005	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1756684/010	HRS	0		TSN 0				
	AFL	0	15300	TSN 0	15300		14675	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-006	RIGHT MLG SHOCK STRUT (TR - AS) AXLE							Component ATA:32
PN:2317-1107-005	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1756684/002	HRS	0		TSN 0				
	AFL	0	15300	TSN 0	15300		14675	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-007	LEFT MAIN LANDING GEAR SHOCK STRUT (LOCKING ACT) PIN							Component ATA:32
PN:2317-1109-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1770543/004	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-007	RIGHT MAIN LANDING GEAR SHOCK STRUT (LOCKING ACT) PIN							Component ATA:32
PN:2317-1109-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1770543/011	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-008	LEFT MAIN LANDING GEAR SHOCK STRUT (TRAILING) BOLT							Component ATA:32
PN:2317-1126-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1754824/015	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-008	RIGHT MAIN LANDING GEAR SHOCK STRUT (TRAILING) BOLT							Component ATA:32
PN:2317-1126-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1754678/006	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-10-00	LEFT MAIN LANDING GEAR							Component ATA:32
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-10-00	RIGHT MAIN LANDING GEAR							Component ATA:32
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-10-01	LEFT MAIN LANDING GEAR LEG STRUT ASSY							Component ATA:32
PN:2317-1100-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00569	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-01	RIGHT MAIN LANDING GEAR LEG STRUT ASSY							Component ATA:32
PN:2317-1100-406	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00576	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-100	LEFT MAIN LANDING GEAR TRAILING ARM ASSY							Component ATA:32
PN:2317-1500-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00583	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-100	RIGHT MAIN LANDING GEAR TRAILING ARM ASSY							Component ATA:32
PN:2317-1500-406	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00585	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-101	LEFT MAIN LANDING GEAR TRAILING ARM WHEEL AXLE							Component ATA:32
PN:2317-1502-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1701285/001	HRS	0		TSN 0				
	AFL	0	15300	TSN 0	15300		14675	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-101	RIGHT MAIN LANDING GEAR TRAILING ARM WHEEL AXLE							Component ATA:32
PN:2317-1502-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1767328/009	HRS	0		TSN 0				
	AFL	0	15300	TSN 0	15300		14675	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-102	LEFT MAIN LANDING GEAR TRAILING ARM AXLE							Component ATA:32
PN:2317-1503-005	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1766442/003	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-102	RIGHT MAIN LANDING GEAR TRAILING ARM AXLE							Component ATA:32
PN:2317-1503-005	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1764708/004	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-103	LEFT MAIN LANDING GEAR TRAILING ARM BOLT							Component ATA:32
PN:2317-1509-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1737345/004	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-103	RIGHT MAIN LANDING GEAR TRAILING ARM BOLT							Component ATA:32
PN:2317-1509-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1737345/018	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-104	LEFT MAIN LANDING GEAR TRAILING ARM							Component ATA:32
PN:2317-1513-501	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1754494/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-105	RIGHT MAIN LANDING GEAR TRAILING ARM							Component ATA:32
PN:2317-1513-502	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1759189/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-106	LEFT MAIN LANDING GEAR TRAILING ARM JACKING PIN							Component ATA:32
PN:2317-1505-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1770264/002	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-106	RIGHT MAIN LANDING GEAR TRAILING ARM JACKING PIN							Component ATA:32
PN:2317-1505-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1770264/012	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-04, AMM 32-11-04PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-11-00-001 ^S	GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR							Service ATA:32
	MOS	13-Mar-26	12 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-00-003	LUBRICATION OF MAIN LANDING GEAR							Service ATA:32
	MOS	13-Mar-26	12 (+1m/-1m)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	
	HRS	1221:24						
	AFL	564	650 (+30/-30)		1214	1244	589 (+30)	
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								
32-11-01-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (LH)							Service ATA:32
PN:2317-1100-405	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:00569	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-01-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (RH)							Service ATA:32
PN:2317-1100-406	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:00576	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-02-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (LH)							Service ATA:32
PN:2117-3000-409	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:01246	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-02-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (RH)							Service ATA:32
PN:2117-3000-409	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:01244	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-02-900-801-05	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON							Component ATA:32
PN:2117-3001-003	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:1766216/006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-11-02-900-801-06	LEFT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON							Component ATA:32
PN:2117-3001-003	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:1766216/004	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-11-02-900-801-07	LEFT MAIN LANDING GEAR LOCKING ACTUATOR FINGER							Component ATA:32
PN:2117-3027-901	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:17023	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-11-02-900-801-08	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR FINGER							Component ATA:32
PN:2117-3027-901	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:17022	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-11-02-900-801-13	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR PIN							Component ATA:32
PN:2117-3019-003	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:1754045/008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-02-900-801-14	LEFT MAIN LANDING GEAR LOCKING ACTUATOR PIN							Component ATA:32
PN:2117-3019-003	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:1754045/002	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-11-02-900-801-15	LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE							Component ATA:32
PN:2117-3007-003	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:1757625/005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-11-02-900-801-16	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE							Component ATA:32
PN:2117-3007-003	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:1757625/015	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-11-03-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (LH)							Service ATA:32
PN:2317-3000-405	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:01294	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-03-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (RH)							Service ATA:32
PN:2317-3000-405	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:01298	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-03-004	SERVICING OF MAIN LANDING GEAR SHOCK ABSORBER							Service ATA:32
	MOS	13-Mar-26	12 (+1m/-1m)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	
	HRS	1221:24						
	AFL	564	650 (+30/-30)		1214	1244	589 (+30)	
PROC. REF: AMM 12-14-02PROC. REF: AMM 12-14-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-04-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (LH)							Service ATA:32
PN:2317-1500-405	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:00583	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-11-04-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (RH)							Service ATA:32
PN:2317-1500-406	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:00585	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-11-00PROC. REF: AMM 32-11-00								
32-20-01	NOSE LANDING GEAR							Component ATA:32
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-200	LEFT MAIN LANDING GEAR MLG SHOCK ABSORBER							Component ATA:32
PN:2317-3000-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01294	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-200	RIGHT MAIN LANDING GEAR MLG SHOCK ABSORBER							Component ATA:32
PN:2317-3000-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01298	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-201	LEFT MAIN LANDING GEAR SHOCK ABSORBER CYLINDER							Component ATA:32
PN:2317-3011-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1744790/003	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-201	RIGHT MAIN LANDING GEAR SHOCK ABSORBER CYLINDER							Component ATA:32
PN:2317-3011-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1757984/006	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-202	LEFT MAIN LANDING GEAR SHOCK ABSORBER SLIDING TUBE							Component ATA:32
PN:2317-3021-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1677720/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-202	RIGHT MAIN LANDING GEAR SHOCK ABSORBER SLIDING TUBE							Component ATA:32
PN:2317-3021-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1768952/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-203	LEFT MAIN LANDING GEAR SHOCK ABSORBER BEARING							Component ATA:32
PN:2317-3001-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1765731/013	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-203	RIGHT MAIN LANDING GEAR SHOCK ABSORBER BEARING							Component ATA:32
PN:2317-3001-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1759273/002	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-204	LEFT MAIN LANDING GEAR SHOCK ABSORBER NUT							Component ATA:32
PN:2317-3004-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1759849/014	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-204	RIGHT MAIN LANDING GEAR SHOCK ABSORBER NUT							Component ATA:32
PN:2317-3004-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1768437/006	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		16175	
PROC. REF: AMM 32-11-03, AMM 32-11-03PROC. REF: AMM 32-11-03, AMM 32-11-03								
32-21-00-001 ^S	GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR							Service ATA:32
	MOS	13-Mar-26	12 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PKG:80								
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-21-00-003	LUBRICATION OF NOSE LANDING GEAR							Service ATA:32
	MOS	13-Mar-26	12 (+1m/-1m)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	
	HRS	1221:24						
	AFL	564	650 (+30/-30)		1214	1244	589 (+30)	
PROC. REF: AMM 12-21-00PROC. REF: AMM 12-21-00								
32-21-01-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - STRUT ASSY							Service ATA:32
PN:2317-5100-403	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:00592	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-21-02	NLG RETRACTION ACTUATOR							Component ATA:32
PN:2117-1000-401	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00587	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-02, AMM 32-21-02PROC. REF: AMM 32-21-02, AMM 32-21-02								
32-21-03	NLG DOWNLOCK ACTUATOR							Component ATA:32
PN:2117-2000-401	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00575	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-03, AMM 32-21-03PROC. REF: AMM 32-21-03, AMM 32-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-04-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - LOCKING STAY							Service ATA:32
PN:2317-6500-403	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:00569	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-21-05-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - SHOCK ABSORBER							Service ATA:32
PN:2317-5170-403	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:00595	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-21-05-004	SERVICING OF NOSE LANDING GEAR SHOCK ABSORBER							Service ATA:32
	MOS	13-Mar-26	12 (+1m/-1m)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	
	HRS	1221:24						
	AFL	564	650 (+30/-30)		1214	1244	589 (+30)	
PROC. REF: AMM 12-14-03PROC. REF: AMM 12-14-03								
32-21-06-005 ^S	VISUAL CHECK OF NOSE LANDING GEAR SHIMMY DAMPER							Service ATA:32
	MOS	13-Mar-26	12 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
								PKG:80
PROC. REF: AMM 32-21-06PROC. REF: AMM 32-21-06								
32-21-09-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRAG BRACE ASSY							Service ATA:32
PN:2317-6000-403	MOS	EFF	120 (+1m/-1m)		23-Apr-30 *	23-May-30	1296 d (+30)	OVERHAUL
SN:000578	HRS							
	AFL	EFF	12000 (+30/-30)		12000 *	12030	11375 (+30)	
PROC. REF: AMM 32-21-00PROC. REF: AMM 32-21-00								
32-23-03	NLG DOOR - TORQUE TUBE ASSEMBLY							Component ATA:32
PN:505-19741-403	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001064418	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-300	LEFT MAIN LANDING GEAR MLG LOCKING ACTUATOR							Component ATA:32
PN:2117-3000-409	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01246	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-300	RIGHT MAIN LANDING GEAR MLG LOCKING ACTUATOR							Component ATA:32
PN:2117-3000-409	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01244	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-301	LEFT MAIN LANDING GEAR LOCKING ACTUATOR CYLINDER							Component ATA:32
PN:2117-3034-501	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1745624/004	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-301	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR CYLINDER							Component ATA:32
PN:2117-3034-501	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1770309/002	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-302	DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON							Service ATA:32
PN:2117-3001-003	MOS/MSC	23-Apr-20	N/A					
SN:1766216/004	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-302	DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON							Service ATA:32
PN:2117-3001-003	MOS/MSC	23-Apr-20	N/A					
SN:1766216/006	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-303	DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR FINGER							Service ATA:32
PN:2117-3027-901	MOS/MSC	23-Apr-20	N/A					
SN:17023	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-303	DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR FINGER							Service ATA:32
PN:2117-3027-901	MOS/MSC	23-Apr-20	N/A					
SN:17022	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-304	LEFT MAIN LANDING GEAR LOCKING ACTUATOR ROD							Component ATA:32
PN:2117-3008-901	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:87006/0035	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-304	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR ROD							Component ATA:32
PN:2117-3008-901	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:87006/0013	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-305	LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING PISTON							Component ATA:32
PN:2117-3009-007	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1755710/005	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-305	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING PISTON							Component ATA:32
PN:2117-3009-007	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1755710/018	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-306	DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR PIN							Service ATA:32
PN:2117-3019-003	MOS/MSC	23-Apr-20	N/A					LIFE LIMIT
SN:1754045/002	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-306	DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR PIN							Service ATA:32
PN:2117-3019-003	MOS/MSC	23-Apr-20	N/A					LIFE LIMIT
SN:1754045/008	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-307	DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE							Service ATA:32
PN:2117-3007-003	MOS/MSC	23-Apr-20	N/A					LIFE LIMIT
SN:1757625/005	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-307	DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE							Service ATA:32
PN:2117-3007-003	MOS/MSC	23-Apr-20	N/A					LIFE LIMIT
SN:1757625/015	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-308	LEFT MAIN LANDING GEAR LOCKING ACTUATOR STOP							Component ATA:32
PN:2117-3011-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1753671/016	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-308	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR STOP							Component ATA:32
PN:2117-3011-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1753671/004	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-309	LEFT MAIN LANDING GEAR LOCKING ACTUATOR CAP BEARING							Component ATA:32
PN:2117-3013-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1759064/002	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-309	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR CAP BEARING							Component ATA:32
PN:2117-3013-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1759064/005	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-31-01	LANDING GEAR CONTROL LEVER							Component ATA:32
PN:827101-13	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0377	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01, AMM 32-31-01PROC. REF: AMM 32-31-01, AMM 32-31-01								
32-31-04	CENTER FUSELAGE LANDING GEAR SELECTOR VALVE							Component ATA:32
PN:7342-1	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0582T	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-04, AMM 32-31-04PROC. REF: AMM 32-31-04, AMM 32-31-04								
32-31-05	LH MLG UPLOCK BOX ASSY							Component ATA:32
PN:2617-1000-403	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01415	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								
32-31-05	NLG UPLOCK BOX ASSY							Component ATA:32
PN:2617-1000-403	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01416	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-31-05	RH MLG UPLOCK BOX ASSY							Component ATA:32
PN:2617-1000-404	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00730	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05PROC. REF: AMM 32-31-05, AMM 32-31-05								
32-310	LEFT MAIN LANDING GEAR LOCKING ACTUATOR (ROD) NUT							Component ATA:32
PN:2117-3015-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1768960/011	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-310	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR (ROD) NUT							Component ATA:32
PN:2117-3015-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1759924/015	HRS	0		TSN 0				
	AFL	0	12000	TSN 0	12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-311	LEFT MAIN LANDING GEAR LOCKING ACTUATOR ROD END							Component ATA:32
PN:MTMKS14ALGA1	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:01244	HRS	0		TSN 0				
	AFL	0	10500	TSN 0	10500		9875	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-311	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR ROD END							Component ATA:32
PN:MTMKS14ALGA1	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:01243	HRS	0		TSN 0				
	AFL	0	10500	TSN 0	10500		9875	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-312	DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR FINGER							Service ATA:32
PN:2117-3027-901	MOS	23-Apr-20						LIFE LIMIT
SN:17023	HRS	0						
	AFL	0	12000		12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-312	DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR FINGER							Service ATA:32
PN:2117-3027-901	MOS	23-Apr-20						LIFE LIMIT
SN:17022	HRS	0						
	AFL	0	12000		12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-313	LEFT MAIN LANDING GEAR LOCKING ACTUATOR (CYLINDER) NUT							Component ATA:32
PN:2117-3029-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:02518	HRS	0		TSN 0				
	AFL	0	28000	TSN 0	28000		27375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-313	RIGHT MAIN LANDING GEAR LOCKING ACTUATOR (CYLINDER) NUT							Component ATA:32
PN:2117-3029-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:02511	HRS	0		TSN 0				
	AFL	0	28000	TSN 0	28000		27375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-314	DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR PIN							Service ATA:32
PN:2117-3019-003	MOS	23-Apr-20						LIFE LIMIT
SN:1754045/002	HRS	0						
	AFL	0	12000		12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-314	DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR PIN							Service ATA:32
PN:2117-3019-003	MOS	23-Apr-20						LIFE LIMIT
SN:1754045/008	HRS	0						
	AFL	0	12000		12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-315	DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE							Service ATA:32
PN:2117-3007-003	MOS	23-Apr-20						LIFE LIMIT
SN:1757625/005	HRS	0						
	AFL	0	12000		12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-315	DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE							Service ATA:32
PN:2117-3007-003	MOS	23-Apr-20						LIFE LIMIT
SN:1757625/015	HRS	0						
	AFL	0	12000		12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-316	DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON							Service ATA:32
PN:2117-3001-003	MOS	23-Apr-20						LIFE LIMIT
SN:1766216/004	HRS	0						
	AFL	0	12000		12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-316	DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON							Service ATA:32
PN:2117-3001-003	MOS	23-Apr-20						LIFE LIMIT
SN:1766216/006	HRS	0						
	AFL	0	12000		12000		11375	
PROC. REF: AMM 32-11-02, AMM 32-11-02PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-35-00-001	FUNCTIONAL CHECK OF LANDING GEAR EMERGENCY EXTENSION SYSTEM							Service ATA:32
	MOS	13-Mar-26	24 (+30d/-30d)	Adj 6d	19-Mar-28	18-Apr-28	531 d (+30)	AIRWORTHINESS
	HRS	1221:24	1600 (+30/-30)		2821:24	2851:24	1470:55 (+30)	
	AFL	564						
PROC. REF: AMM 32-35-00PROC. REF: AMM 32-35-00								
32-35-00-002	GENERAL VISUAL INSPECTION OF EMERGENCY EXTENSION SYSTEM LINKAGES							Service ATA:32
	MOS	13-Mar-26	24 (+30d/-30d)	Adj 6d	19-Mar-28	18-Apr-28	531 d (+30)	AIRWORTHINESS
	HRS	1221:24	1600 (+30/-30)		2821:24	2851:24	1470:55 (+30)	
	AFL	564						
PROC. REF: AMM 32-35-00PROC. REF: AMM 32-35-00								
32-35-02	CENTER FUSELAGE FREE FALL VALVE							Component ATA:32
PN:7343-2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0537T	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-35-02, AMM 32-35-02PROC. REF: AMM 32-35-02, AMM 32-35-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-400	NOSE LANDING GEAR SHOCK STRUT							Component ATA:32
PN:2317-5100-403	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00592	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-01, AMM 32-21-01PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-401	NOSE LANDING GEAR SHOCK STRUT AXLE BOLT							Component ATA:32
PN:2310-1144-005	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:00977	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-01, AMM 32-21-01PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-402	NOSE LANDING GEAR SHOCK STRUT SHIMMY DAMPER BOLT							Component ATA:32
PN:2310-1173-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1758365/004	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-06, AMM 32-21-06PROC. REF: AMM 32-21-06, AMM 32-21-06								
32-403	LEFT NOSE LANDING GEAR SHOCK STRUT PINTLE PIN							Component ATA:32
PN:2317-5105-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1743175/004	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-01, AMM 32-21-01PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-403	RIGHT NOSE LANDING GEAR SHOCK STRUT PINTLE PIN							Component ATA:32
PN:2317-5105-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1743175/016	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-01, AMM 32-21-01PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-404	NOSE LANDING GEAR SHOCK STRUT MAIN FITTING							Component ATA:32
PN:2317-5301-503	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1755200/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-11-01, AMM 32-11-01PROC. REF: AMM 32-11-01, AMM 32-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-405	NOSE LANDING GEAR SHOCK STRUT SHIMMY DAMPER							Component ATA:32
PN:2117-4000-403	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:00637	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-06, AMM 32-21-06PROC. REF: AMM 32-21-06, AMM 32-21-06								
32-406	NOSE LANDING GEAR SHOCK STRUT WHEEL AXLE							Component ATA:32
PN:2317-5101-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1762689/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-01, AMM 32-21-01PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-407	LOWER NOSE LANDING GEAR SHOCK STRUT TORQUE LINK							Component ATA:32
PN:2317-5201-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1774000/008	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-07, AMM 32-21-07PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-407	UPPER NOSE LANDING GEAR SHOCK STRUT TORQUE LINK							Component ATA:32
PN:2317-5201-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1770247/005	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-07, AMM 32-21-07PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-408	NOSE LANDING GEAR SHOCK STRUT DRAG BRACE PIN							Component ATA:32
PN:2317-6003-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1729581/010	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-409	NOSE LANDING GEAR SHOCK STRUT TORQUE LINK AXLE							Component ATA:32
PN:2310-1165-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1738364/015	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-07, AMM 32-21-07PROC. REF: AMM 32-21-07, AMM 32-21-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-00	BRAKE CONTROL UNIT							Component ATA:32
PN:DAP00100-11	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:501760706	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01, AMM 32-41-01PROC. REF: AMM 32-41-01, AMM 32-41-01								
32-41-00-001 ^S	FUNCTIONAL CHECK OF MAIN BRAKE SYSTEM							Service ATA:32
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
PKG:50								
32-41-01	BRAKE CONTROL UNIT TRAY							Component ATA:32
PN:DAP00134-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1387	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01, AMM 32-41-01PROC. REF: AMM 32-41-01, AMM 32-41-01								
32-41-02	LH BRAKE PEDAL TRANSDUCER							Component ATA:32
PN:Q3008	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:345897	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-02, AMM 32-41-02PROC. REF: AMM 32-41-02, AMM 32-41-02								
32-41-02	RH BRAKE PEDAL TRANSDUCER							Component ATA:32
PN:Q3008	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:345898	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-02, AMM 32-41-02PROC. REF: AMM 32-41-02, AMM 32-41-02								
32-41-02-001	OPERATIONAL CHECK LH BRAKE PEDAL TRANSDUCER							Service ATA:32
	MOS/MSC	23-Apr-20	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-02-001	OPERATIONAL CHECK RH BRAKE PEDAL TRANSDUCER							Service ATA:32
	MOS/MSC	23-Apr-20	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
32-41-02-002 ^S	FUNCTIONAL CHECK LH BRAKE PEDAL TRANSDUCER							Service ATA:32
	MOS	01-Mar-20						
	HRS	0	1600 (+30/-30)					
	AFL							
PROC. REF: AMM 32-41-02PKG:10								
32-41-02-002 ^S	FUNCTIONAL CHECK RH BRAKE PEDAL TRANSDUCER							Service ATA:32
	MOS	01-Mar-20						
	HRS	0	1600 (+30/-30)					
	AFL							
PROC. REF: AMM 32-41-02PKG:10								
32-41-06	LH MLG WHEEL SPEED TRANSDUCER							Component ATA:32
PN:DAP00103-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:002TJ	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-06, AMM 32-41-06PROC. REF: AMM 32-41-06, AMM 32-41-06								
32-41-06	RH MLG WHEEL SPEED TRANSDUCER							Component ATA:32
PN:DAP00103-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:001TJ	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-06, AMM 32-41-06PROC. REF: AMM 32-41-06, AMM 32-41-06								
32-41-07	BRAKE CONTROL MODULE							Component ATA:32
PN:DAP00101-02	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:148TK	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-07, AMM 32-41-07PROC. REF: AMM 32-41-07, AMM 32-41-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-410	NOSE LANDING GEAR SHOCK STRUT TORQUE LINK LOCK PIN							Component ATA:32
PN:57675-1	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:01309	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-07, AMM 32-21-07PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-411	NOSE LANDING GEAR SHOCK STRUT TORQUE LINK BOLT							Component ATA:32
PN:2310-1183-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:00788	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-07, AMM 32-21-07PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-412	NOSE LANDING GEAR SHOCK STRUT STEERING BELLCRANK							Component ATA:32
PN:2317-5191-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1770668/004	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-01, AMM 32-21-01, AMM 32-23-03, AMM 32-23-03PROC. REF: AMM 32-21-01, AMM 32-21-01, AMM 32-23-03, AMM 32-23-03								
32-43-00-001 ^S	FUNCTIONAL CHECK OF EMERGENCY/ PARKING BRAKE SYSTEM							Service ATA:32
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00								PKG:50
32-43-01-001 ^S	GENERAL VISUAL INSPECTION OF EMERGENCY/PARKING BRAKE SYSTEM							Service ATA:32
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00								PKG:50

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-43-02		PRESSURE SWITCH					Component	ATA:32
PN:DAP00108-01	MOS/MSC	12-Dec-25	O/C	TSN 6				
SN:183ZA	HRS	1179:24		TSN 0				
	AFL	546		TSN 0				
PROC. REF: AMM 29-12-03, AMM 29-12-03PROC. REF: AMM 29-12-03, AMM 29-12-03								
32-43-04		EMERGENCY/PARKING BRAKE ACCUMULATOR					Component	ATA:32
PN:DAP00106-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:609	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-43-04, AMM 32-43-04PROC. REF: AMM 32-43-04, AMM 32-43-04								
32-43-05		EMERGENCY/PARKING BRAKE VALVE					Component	ATA:32
PN:DAP00107-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:100TD	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-43-02PROC. REF: AMM 32-43-02								
32-43-08		THERMAL RELIEF VALVE					Component	ATA:32
PN:DAP00110-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:737	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-43-08, AMM 32-43-08PROC. REF: AMM 32-43-08, AMM 32-43-08								
32-43-10		EMERGENCY/PARKING BRAKE SUPPLY CHECK VALVE					Component	ATA:32
PN:DAP00202-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:596	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-43-02, AMM 32-43-02PROC. REF: AMM 32-43-02, AMM 32-43-02								
32-43-11		FORWARD FUSELAGE 2 WAY 2 POSITION SHUT-OFF VALVE					Component	ATA:32
PN:2216-0001-401	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00980	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-43-11, AMM 32-43-11PROC. REF: AMM 32-43-11, AMM 32-43-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-43-11-001	OPERATIONAL CHECK OF EMERGENCY/PARKING BRAKE HYDRAULIC LINE SHUT-OFF VALVE							Service ATA:32
	MOS	19-Mar-24						AIRWORTHINESS
	HRS	781:30	800 (+30/-30)	Adj 18:30	1600	1630	249:31 (+30)	
	AFL	364						
PROC. REF: AMM 32-43-11PROC. REF: AMM 32-43-11								
32-45-00	LH MAIN WHEEL AND TIRE ASSY							Component ATA:32
PN:505-19517-611	MOS/MSC	19-Mar-24	O/C	TSO 0				
SN:5080RK	HRS	781:30		TSO 0				
	AFL	364		TSO 0				
PROC. REF: AMM 32-45-02, AMM 32-45-02PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-00	NOSE WHEEL AND TIRE ASSY							Component ATA:32
PN:505-19601-607	MOS/MSC	10-Dec-24	O/C	TSR 2				
SN:5038XL	HRS	915:06		TSR 0				
	AFL	425		TSN 0, TSR 0				
PROC. REF: AMM 32-45-02, AMM 32-45-02PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-00	RH MAIN WHEEL AND TIRE ASSY							Component ATA:32
PN:505-19517-611	MOS/MSC	12-Dec-25	O/C	TSR 0				
SN:5117YF	HRS	1179:24		TSR 0				
	AFL	546		TSN 282, TSR 0				
PROC. REF: AMM 32-45-02, AMM 32-45-02PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-01	LEFT MAIN WHEEL							Component ATA:32
PN:PN-UNKNOWN	MOS/MSC	19-Mar-24	O/C	TSO 0				
SN:5080RK	HRS	781:30		TSO 0				
	AFL	364		TSO 0				
PROC. REF: AMM 32-45-01, AMM 32-45-01PROC. REF: AMM 32-45-01, AMM 32-45-01								
32-45-01	RIGHT MAIN WHEEL							Component ATA:32
PN:DAP00098-02	MOS/MSC	12-Dec-25	O/C	TSR 0				
SN:5117YF	HRS	1179:24		TSR 0				
	AFL	546		TSN 282, TSR 0				
PROC. REF: AMM 32-45-01, AMM 32-45-01PROC. REF: AMM 32-45-01, AMM 32-45-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-45-01-003	RESTORATION (OVERHAUL) OF LH MAIN LANDING GEAR WHEEL ASSEMBLY							Service ATA:32
PN:PN-UNKNOWN	MOS	19-Mar-24						
SN:5080RK	HRS	781:30						
	AFL	364	1500		1864		1239	
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								
32-45-01-003	RESTORATION (OVERHAUL) OF RH MAIN LANDING GEAR WHEEL ASSEMBLY							Service ATA:32
PN:DAP00098-02	MOS	12-Dec-25						
SN:5117YF	HRS	1179:24						
	AFL	546	1500	TAC 282	1764		1139	
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								
32-45-02	LEFT MAIN WHEEL TIRE							Component ATA:32
PN:258K63-2	MOS/MSC	19-Mar-24	O/C	TSN 0				
SN:30050592	HRS	781:30		TSN 0				
	AFL	364		TSN 0				
PROC. REF: AMM 32-45-02, AMM 32-45-02PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-02	RIGHT MAIN WHEEL TIRE							Component ATA:32
PN:258K63-2	MOS/MSC	12-Dec-25	O/C	TSN 0				
SN:50760555	HRS	1179:24		TSN 0				
	AFL	546		TSN 0				
PROC. REF: AMM 32-45-02, AMM 32-45-02PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-03	LH MLG HUB CAP							Component ATA:32
PN:DAP00131-02	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:086TB	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-45-03, AMM 32-45-03PROC. REF: AMM 32-45-03, AMM 32-45-03								
32-45-03	RH MLG HUB CAP							Component ATA:32
PN:DAP00131-02	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:087TB	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-45-03, AMM 32-45-03PROC. REF: AMM 32-45-03, AMM 32-45-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-45-11		NOSE WHEEL					Component	ATA:32
PN:DAP00099-02	MOS/MSC	10-Dec-24	O/C	TSR 2				
SN:5038XL	HRS	915:06		TSR 0				
	AFL	425		TSN 0, TSR 0				
PROC. REF: AMM 32-45-11, AMM 32-45-11PROC. REF: AMM 32-45-11, AMM 32-45-11								
32-45-11-003		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR WHEEL ASSEMBLY					Service	ATA:32
PN:DAP00099-02	MOS	10-Dec-24						
SN:5038XL	HRS	915:06						
	AFL	425	1500		1925		1300	
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								
32-45-12		NOSE TIRE					Component	ATA:32
PN:156E23-1	MOS/MSC	10-Dec-24	O/C	TSN 0				
SN:33180656	HRS	915:06		TSN 0				
	AFL	425		TSN 0				
PROC. REF: AMM 32-45-11, AMM 32-45-11PROC. REF: AMM 32-45-11, AMM 32-45-11								
32-45-21		LH MLG CARBON BRAKE ASSY					Component	ATA:32
PN:DAP00097-04	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:5036TF	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-45-21, AMM 32-45-21PROC. REF: AMM 32-45-21, AMM 32-45-21								
32-45-21		RH MLG CARBON BRAKE ASSY					Component	ATA:32
PN:DAP00097-04	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:5037TF	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-45-21, AMM 32-45-21PROC. REF: AMM 32-45-21, AMM 32-45-21								
32-500		NOSE LANDING GEAR SHOCK ABSORBER					Component	ATA:32
PN:2317-5170-403	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00595	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-501	NOSE LANDING GEAR SHOCK ABSORBER STEEL FORK							Component ATA:32
PN:2317-5227-501	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1755953/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-502	NOSE LANDING GEAR SHOCK ABSORBER LOWER BEARING							Component ATA:32
PN:2317-5113-005	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1768337/004	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-503	NOSE LANDING GEAR SHOCK ABSORBER TURNING CYLINDER							Component ATA:32
PN:2317-5237-501	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1724654/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-600	NOSE LANDING GEAR DRAG BRACE							Component ATA:32
PN:2317-6000-403	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000578	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-601	NOSE LANDING GEAR UPPER DRAG BRACE							Component ATA:32
PN:2317-6114-501	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1769028/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-602	NOSE LANDING GEAR LOWER DRAG BRACE							Component ATA:32
PN:2317-6201-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1650822/007	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-603	LEFT NOSE LANDING GEAR DRAG BRACE PINTLE PIN							Component ATA:32
PN:2317-6001-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1739860/006	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-603	RIGHT NOSE LANDING GEAR DRAG BRACE PINTLE PIN							Component ATA:32
PN:2317-6001-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1739860/007	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-604	NOSE LANDING GEAR DRAG BRACE PIN							Component ATA:32
PN:2317-6003-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1729581/012	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-09, AMM 32-21-09PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-61-01	LH WING PROXIMITY SWITCH							Component ATA:32
PN:80-057-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:51542	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-61-01	NO. 1 LEFT MLG PROXIMITY SWITCH							Component ATA:32
PN:80-057-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:51553	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-61-01	NO. 1 NLG PROXIMITY SWITCH							Component ATA:32
PN:80-057-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:52284	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-61-01	NO. 1 RIGHT MLG PROXIMITY SWITCH							Component ATA:32
PN:80-057-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:51549	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-61-01	NO. 2 NLG PROXIMITY SWITCH							Component ATA:32
PN:80-057-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:51871	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-61-01	RH WING PROXIMITY SWITCH							Component ATA:32
PN:80-057-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:51547	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-700	NOSE LANDING GEAR LOCKING STAY							Component ATA:32
PN:2317-6500-403	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00569	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-04, AMM 32-21-04PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-701	NOSE LANDING GEAR UPPER LOCKING STAY							Component ATA:32
PN:2317-6521-003	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1756699/003	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-04, AMM 32-21-04PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-702	NOSE LANDING GEAR LOWER LOCKING STAY							Component ATA:32
PN:2317-6531-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1769845/005	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-04, AMM 32-21-04PROC. REF: AMM 32-21-04, AMM 32-21-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-703	LOWER NOSE LANDING GEAR LOCKING STAY BOLT							Component ATA:32
PN:2310-1734-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1744779/009	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-04, AMM 32-21-04PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-703	UPPER NOSE LANDING GEAR LOCKING STAY BOLT							Component ATA:32
PN:2310-1734-001	MOS	23-Apr-20		TSN 0				LIFE LIMIT
SN:1744779/006	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10575	
PROC. REF: AMM 32-21-04, AMM 32-21-04PROC. REF: AMM 32-21-04, AMM 32-21-04								
ATA 33 - LIGHTS								
33-01-01	OVERHEAD LIGHTS CONTROL PANEL							Component ATA:33
PN:441-45393-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1086	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-01-01, AMM 33-01-01PROC. REF: AMM 33-01-01, AMM 33-01-01								
33-12-01	COCKPIT DIMMER							Component ATA:33
PN:81-01760-002	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1068	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-12-01, AMM 33-12-01PROC. REF: AMM 33-12-01, AMM 33-12-01								
33-12-02	INSC ILLUM - TEST PANEL							Component ATA:33
PN:441-42631-003	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-12-02, AMM 33-12-02PROC. REF: AMM 33-12-02, AMM 33-12-02								
33-13-01	LH WING POSITION,28VDC,RED COLOR,TYPE LED,WING TIP LIGHT ASSY							Component ATA:33
PN:84075-1	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000556	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-13-01	RH WING POSITION,28VDC,RED COLOR,TYPE LED,WING TIP LIGHT ASSY							Component ATA:33
PN:84075-2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000587	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-42-01	LH LWR FWD TAXI LIGHT ASSY							Component ATA:33
PN:81017-3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000788	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-42-01, AMM 33-42-01, AMM 33-42-01, AMM 33-42-01PROC. REF: AMM 33-42-01, AMM 33-42-01, AMM 33-42-01, AMM 33-42-01								
33-42-01	RH LWR FWD TAXI LIGHT ASSY							Component ATA:33
PN:81017-4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000803	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-42-01, AMM 33-42-01, AMM 33-42-01, AMM 33-42-01PROC. REF: AMM 33-42-01, AMM 33-42-01, AMM 33-42-01, AMM 33-42-01								
33-47-01	LEFT LANDING LIGHT ASSY							Component ATA:33
PN:81017-5	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000756	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-47-01, AMM 33-47-01, AMM 33-47-01, AMM 33-47-01PROC. REF: AMM 33-47-01, AMM 33-47-01, AMM 33-47-01, AMM 33-47-01								
33-47-01	RIGHT LANDING LIGHT ASSY							Component ATA:33
PN:81017-6	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000752	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-47-01, AMM 33-47-01, AMM 33-47-01, AMM 33-47-01PROC. REF: AMM 33-47-01, AMM 33-47-01, AMM 33-47-01, AMM 33-47-01								
33-48-00	LEFT WING AFT NAVIGATION LIGHT							Component ATA:33
PN:84004-7	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:001343	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-48-00	LEFT WING FWD NAVIGATION LIGHT							Component ATA:33
PN:PN	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02								
33-48-00	RIGHT WING AFT NAVIGATION LIGHT							Component ATA:33
PN:84004-7	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:001351	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02								
33-48-00	RIGHT WING FWD NAVIGATION LIGHT							Component ATA:33
PN:PN	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02								
33-48-00-001	DISCARD LEFT WING AFT NAVIGATION LIGHT							Service ATA:33
PN:84004-7	MOS	23-Apr-20						
SN:001343	HRS	0	12000 (+30/-30)		12000	12030	10649:31 (+30)	
	AFL	0						
PROC. REF: AMM 33-48-00PROC. REF: AMM 33-48-00								
33-48-00-001	DISCARD LEFT WING FWD NAVIGATION LIGHT							Service ATA:33
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	12000 (+30/-30)		12000	12030	10649:31 (+30)	
	AFL	0						
PROC. REF: AMM 33-48-00PROC. REF: AMM 33-48-00								
33-48-00-001	DISCARD RIGHT WING AFT NAVIGATION LIGHT							Service ATA:33
PN:84004-7	MOS	23-Apr-20						
SN:001351	HRS	0	12000 (+30/-30)		12000	12030	10649:31 (+30)	
	AFL	0						
PROC. REF: AMM 33-48-00PROC. REF: AMM 33-48-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-48-00-001	DISCARD RIGHT WING FWD NAVIGATION LIGHT							Service ATA:33
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	12000 (+30/-30)		12000	12030	10649:31 (+30)	
	AFL	0						
PROC. REF: AMM 33-48-00PROC. REF: AMM 33-48-00								
33-48-00-002 ^S	GENERAL VISUAL INSPECTION LEFT WING AFT NAVIGATION LIGHT							Service ATA:33
	MOS	13-Mar-26						
	HRS	1221:24	2400 (+30/-30)					
	AFL	564						
PROC. REF: AMM 33-48-00PROC. REF: AMM 33-48-00								
33-48-00-002 ^S	GENERAL VISUAL INSPECTION LEFT WING FWD NAVIGATION LIGHT							Service ATA:33
	MOS	13-Mar-26						
	HRS	1221:24	2400 (+30/-30)					
	AFL	564						
PROC. REF: AMM 33-48-00PROC. REF: AMM 33-48-00								
33-48-00-002 ^S	GENERAL VISUAL INSPECTION RIGHT WING AFT NAVIGATION LIGHT							Service ATA:33
	MOS	13-Mar-26						
	HRS	1221:24	2400 (+30/-30)					
	AFL	564						
PROC. REF: AMM 33-48-00PROC. REF: AMM 33-48-00								
33-48-00-002 ^S	GENERAL VISUAL INSPECTION RIGHT WING FWD NAVIGATION LIGHT							Service ATA:33
	MOS	13-Mar-26						
	HRS	1221:24	2400 (+30/-30)					
	AFL	564						
PROC. REF: AMM 33-48-00PROC. REF: AMM 33-48-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-49-00	NO. 1 STROBE LIGHT							Component ATA:33
PN:84036-3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000703	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-49-01, AMM 33-49-01, AMM 33-49-01, AMM 33-49-01, AMM 33-49-02, AMM 33-49-02, AMM 33-49-02, AMM 33-49-02PROC. REF: AMM 33-49-01, AMM 33-49-01, AMM 33-49-01, AMM 33-49-01, AMM 33-49-02, AMM 33-49-02, AMM 33-49-02, AMM 33-49-02								
33-49-00	NO. 2 STROBE LIGHT							Component ATA:33
PN:84036-4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:001277	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-49-01, AMM 33-49-01, AMM 33-49-01, AMM 33-49-01, AMM 33-49-02, AMM 33-49-02, AMM 33-49-02, AMM 33-49-02PROC. REF: AMM 33-49-01, AMM 33-49-01, AMM 33-49-01, AMM 33-49-01, AMM 33-49-02, AMM 33-49-02, AMM 33-49-02, AMM 33-49-02								
33-49-00-001	DISCARD NO. 1 STROBE LIGHT							Service ATA:33
PN:84036-3	MOS	23-Apr-20						
SN:000703	HRS	0	8000 (+30/-30)		8000	8030	6649:31 (+30)	
	AFL	0						
PROC. REF: AMM 33-49-00PROC. REF: AMM 33-49-00								
33-49-00-001	DISCARD NO. 2 STROBE LIGHT							Service ATA:33
PN:84036-4	MOS	23-Apr-20						
SN:001277	HRS	0	8000 (+30/-30)		8000	8030	6649:31 (+30)	
	AFL	0						
PROC. REF: AMM 33-49-00PROC. REF: AMM 33-49-00								
33-49-00-002 ^S	GENERAL VISUAL INSPECTION NO. 1 STROBE LIGHT							Service ATA:33
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 33-49-00PROC. REF: AMM 33-49-00								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-49-00-002 ^S		GENERAL VISUAL INSPECTION NO. 2 STROBE LIGHT						Service ATA:33
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 33-49-00PROC. REF: AMM 33-49-00								PKG:20
33-52-01		EMERGENCY LIGHT BATTERY 1 (COCKPIT UNDERFLOOR)						Component ATA:33
PN:7450LS-00	MOS/MSC	05-Jun-25	O/C	TSR 1				
SN:005514	HRS	1036:06		TSR 0				
	AFL	481		TSR 0				
PROC. REF: AMM 33-52-01, AMM 33-52-01PROC. REF: AMM 33-52-01, AMM 33-52-01								
33-52-01		EMERGENCY LIGHT BATTERY 2 (CENTER COMPT)						Component ATA:33
PN:7450LS-00	MOS/MSC	10-Dec-24	O/C	TSR 1				
SN:005277	HRS	915:06		TSR 0				
	AFL	425		TSR 0				
PROC. REF: AMM 33-52-01, AMM 33-52-01PROC. REF: AMM 33-52-01, AMM 33-52-01								
33-52-01-001		FUNCTIONAL CHECK OF EMERGENCY LIGHT BATTERY 1 (COCKPIT UNDERFLOOR) (AIRCRAFT WITH BE AEROSPACE BATTERY)						Service ATA:33
PN:7450LS-00	MOS	13-Mar-26	12		13-Mar-27		159 d	
SN:005514	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01								
33-52-01-001		FUNCTIONAL CHECK OF EMERGENCY LIGHT BATTERY 2 (CENTER COMPT) (AIRCRAFT WITH BE AEROSPACE BATTERY)						Service ATA:33
PN:7450LS-00	MOS	13-Mar-26	12		13-Mar-27		159 d	
SN:005277	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01								
33-52-01-002		FUNCTIONAL CHECK OF EMERGENCY LIGHT BATTERY 1 (COCKPIT UNDERFLOOR) (AIRCRAFT WITH DLE BATTERY)						Service ATA:33
PN:7450LS-00	MOS/MSC		N/A					
SN:005514	HRS							
	AFL							
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-52-01-002	FUNCTIONAL CHECK OF EMERGENCY LIGHT BATTERY 2 (CENTER COMPT) (AIRCRAFT WITH DLE BATTERY)							Service ATA:33
PN:7450LS-00	MOS/MSC		N/A					
SN:005277	HRS							
	AFL							
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01								
33-52-01-003	DISCARD OF EMERGENCY LIGHT BATTERY 1 (COCKPIT UNDERFLOOR)							Service ATA:33
PN:7450LS-00	MOS/MSC		N/A					
SN:005514	HRS							
	AFL							
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01								
33-52-01-003	DISCARD OF EMERGENCY LIGHT BATTERY 2 (CENTER COMPT)							Service ATA:33
PN:7450LS-00	MOS/MSC		N/A					
SN:005277	HRS							
	AFL							
PROC. REF: AMM 33-52-01PROC. REF: AMM 33-52-01								
33-52-17	EMERGENCY LIGHTING IMPACT SWITCH							Component ATA:33
PN:7212-4-000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0470	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-52-17-001 ^S	OPERATIONAL CHECK OF INERTIAL SWITCH							Service ATA:33
	MOS	01-Nov-19						
	HRS	0	1600 (+30/-30)					
	AFL							
PROC. REF: AMM 33-52-17PROC. REF: AMM 33-52-17								
PKG:10								
ATA 34 - NAVIGATION								
34-00-03	NO.1 IASP SMART PROBE							Component ATA:34
PN:2015L-4B	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1374	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-15-07, AMM 34-15-07PROC. REF: AMM 34-15-07, AMM 34-15-07								
34-00-03	NO.2 IASP SMART PROBE							Component ATA:34
PN:2015L-4B	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1375	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-15-07, AMM 34-15-07PROC. REF: AMM 34-15-07, AMM 34-15-07								
34-10-01	RADIO ALTIMETER							Component ATA:34
PN:066-01153-0101	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:KRA405B-21396	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01, AMM 34-31-01, AMM 34-31-01, AMM 34-31-01PROC. REF: AMM 34-31-01, AMM 34-31-01, AMM 34-31-01, AMM 34-31-01								
34-10-02	LEFT RADIO ALTIMETER TRANSMIT ANTENNA							Component ATA:34
PN:S67-2002-45	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:553-12353	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-31-02, AMM 34-31-02PROC. REF: AMM 34-31-02, AMM 34-31-02								
34-10-02	RIGHT RADIO ALTIMETER RECEIVE ANTENNA							Component ATA:34
PN:S67-2002-45	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:553-11970	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-31-02, AMM 34-31-02PROC. REF: AMM 34-31-02, AMM 34-31-02								
34-11-00	IESI - INTEGRATED ELECTRONIC STANDBY INSTRUMENT							Component ATA:34
PN:C16786DA01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:C16786031446	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-11-01, AMM 34-11-01PROC. REF: AMM 34-11-01, AMM 34-11-01								
34-11-00-001	FUNCTIONAL CHECK OF INTEGRATED ELECTRONIC STANDBY INSTRUMENT							Service ATA:34
PN:C16786DA01	MOS	13-Mar-26	24 (+1m/-1m)	13-Mar-28	13-Apr-28	525 d (+31)		
SN:C16786031446	HRS	1221:24						
	AFL	564						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00								
34-11-02	PITOT/STATIC PROBE							Component ATA:34
PN:0856UT4	MOS/MSC	03-Mar-22	O/C	TSN 23				
SN:313286	HRS	278:18		TSN 278:18				
	AFL	139		TSN 139				
PROC. REF: AMM 34-11-02, AMM 34-11-02PROC. REF: AMM 34-11-02, AMM 34-11-02								
34-11-02-001	RESTORATION (CLEANING) OF PITOT-STATIC PROBE							Service ATA:34
PN:0856UT4	MOS	12-Dec-25	24 (+1m/-1m)		12-Dec-27	12-Jan-28	433 d (+31)	
SN:313286	HRS	1179:24						
	AFL	546						
PROC. REF: AMM 34-11-02PROC. REF: AMM 34-11-02								
34-15-00-001 ^S	FUNCTIONAL CHECK OF AIR DATA SYSTEM							Service ATA:34
	MOS	13-Mar-26	24 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 34-15-00PROC. REF: AMM 34-15-00								
34-15-00-002	SPECIAL DETAILED INSPECTION OF RVSM CRITICAL REGION (SKIN) FOR WAVINESS							Service ATA:34
	MOS	31-Mar-25	60 (+1m/-1m)	Adj 23d	23-Apr-30	23-May-30	1296 d (+30)	
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 34-15-00PROC. REF: AMM 34-15-00								
34-15-00-003	DETAILED INSPECTION OF IASP							Service ATA:34
	MOS	13-Mar-26	24 (+1m/-1m)	Adj 6d	19-Mar-28	19-Apr-28	531 d (+31)	
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 34-15-07PROC. REF: AMM 34-15-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-20-01	LH GRS-77 ATTITUDE AND HEADING REFERENCE SYSTEM							Component ATA:34
PN:011-03732-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:45T002935	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01, AMM 34-21-01PROC. REF: AMM 34-21-01, AMM 34-21-01								
34-20-01	RH GRS-77 ATTITUDE AND HEADING REFERENCE SYSTEM							Component ATA:34
PN:011-03732-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:45T002997	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01, AMM 34-21-01PROC. REF: AMM 34-21-01, AMM 34-21-01								
34-20-02	LEFT MAGNETOMETER							Component ATA:34
PN:011-00870-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1CM026387	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-02, AMM 34-21-02PROC. REF: AMM 34-21-02, AMM 34-21-02								
34-20-02	RIGHT MAGNETOMETER							Component ATA:34
PN:011-00870-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1CM026290	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-02, AMM 34-21-02PROC. REF: AMM 34-21-02, AMM 34-21-02								
34-21-00-001 ^S	FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE LH WING MAGNETOMETER							Service ATA:34
PN:011-00870-10	MOS	13-Mar-26	36 (+1m/-1m)					
SN:1CM026387	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 34-21-02PROC. REF: AMM 34-21-02								PKG:82
34-21-00-001 ^S	FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE RH WING MAGNETOMETER							Service ATA:34
PN:011-00870-10	MOS	13-Mar-26	36 (+1m/-1m)					
SN:1CM026290	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 34-21-02PROC. REF: AMM 34-21-02								PKG:82

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-23-00	MAGNETIC COMPASS							Component ATA:34
PN:KCA0120W	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:BU9940919	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-23-01, AMM 34-23-01PROC. REF: AMM 34-23-01, AMM 34-23-01								
34-23-00-001 ^S	FUNCTIONAL CHECK OF STANDBY COMPASS							Service ATA:34
PN:KCA0120W	MOS	13-Mar-26	36 (+1m/-1m)					
SN:BU9940919	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 34-23-00PROC. REF: AMM 34-23-00								
PKG:82								
34-30-01	LEFT VOR/LOC 2 & 3 BLADE ANTENNA							Component ATA:34
PN:S65-247170	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:173-6397	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-03, AMM 34-32-03PROC. REF: AMM 34-32-03, AMM 34-32-03								
34-30-01	RIGHT VOR/LOC 2 AND 3 ANTENNA BLADE							Component ATA:34
PN:S65-247170	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:173-6402	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-03, AMM 34-32-03PROC. REF: AMM 34-32-03, AMM 34-32-03								
34-40-01	GDL-69A SATELLITE WEATHER AND RADIO RECEIVER							Component ATA:34
PN:011-03177-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:3NV004606	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-57-01, AMM 34-57-01PROC. REF: AMM 34-57-01, AMM 34-57-01								
34-40-02	AFT GA 37 GPS WAAS & SATELLITE WEATHER AND RADIO ANTENNA							Component ATA:34
PN:013-00245-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:20203	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-53-02, AMM 34-56-02, AMM 34-56-02PROC. REF: AMM 34-53-02, AMM 34-56-02, AMM 34-56-02								
34-40-02 FWD GA 37 GPS WAAS & SATELLITE WEATHER AND RADIO ANTENNA								Component ATA:34
PN:013-00245-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:19903	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-53-02, AMM 34-56-02, AMM 34-56-02PROC. REF: AMM 34-53-02, AMM 34-56-02, AMM 34-56-02								
34-40-03 WEATHER RADAR RECEIVER/TRANSMITTER ANTENNA								Component ATA:34
PN:011-03997-00	MOS/MSC	14-Sep-26	O/C	TSR 0				
SN:4RR001603	HRS	1350:29		TSR 0				
	AFL	625		TSR 0				
PROC. REF: AMM 34-42-01, AMM 34-42-01PROC. REF: AMM 34-42-01, AMM 34-42-01								
34-40-07 NOSE WEATHER RADAR ANTENNA								Component ATA:34
PN:117-00254-01	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:3656	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-42-01, AMM 34-42-01PROC. REF: AMM 34-42-01, AMM 34-42-01								
34-43-01 TRAFFIC PROCESSOR UNIT - GTS 8XXX								Component ATA:34
PN:011-01997-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:20S011160	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-01, AMM 34-43-01PROC. REF: AMM 34-43-01, AMM 34-43-01								
34-43-02 LOWER TCAS L BAND ANTENNA								Component ATA:34
PN:011-01346-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:124016041	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-02, AMM 34-43-02PROC. REF: AMM 34-43-02, AMM 34-43-02								
34-43-05 TOP TCAS DIRECTIONAL ANTENNA								Component ATA:34
PN:011-01346-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:124015963	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-43-05, AMM 34-43-05PROC. REF: AMM 34-43-05, AMM 34-43-05								
34-50-02	BOTTOM DME/XPDR/TCAS NON-DIRECTIONAL ANTENNA							Component ATA:34
PN:S65-5366-7L	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:261-133858	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-02, AMM 34-52-02PROC. REF: AMM 34-52-02, AMM 34-52-02								
34-50-02	TOP XPDR L BAND ANTENNA							Component ATA:34
PN:S65-5366-7L	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:261-133756	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-02, AMM 34-52-02PROC. REF: AMM 34-52-02, AMM 34-52-02								
34-50-03	KN 63 DISTANCE MEASURING UNIT							Component ATA:34
PN:066-01070-0001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:43761	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-01, AMM 34-51-01PROC. REF: AMM 34-51-01, AMM 34-51-01								
34-50-05	PHASING COUPLER							Component ATA:34
PN:SSPD-113-10	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:9967	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-01, AMM 34-32-01PROC. REF: AMM 34-32-01, AMM 34-32-01								
34-50-06	MARKER BEACON ANTENNA							Component ATA:34
PN:S35-1000-2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:102-13714	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-04, AMM 34-32-04PROC. REF: AMM 34-32-04, AMM 34-32-04								
34-50-10	GSR 56 IRIDIUM UNIT							Component ATA:34
PN:011-02268-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1NZ008425	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 23-15-01, AMM 23-15-01, AMM 23-15-01, AMM 23-15-01PROC. REF: AMM 23-15-01, AMM 23-15-01, AMM 23-15-01, AMM 23-15-01								
34-50-11	IRIDIUM SATCOM ANTENNA							Component ATA:34
PN:S67-1575-109	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:430-16381	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-15-03, AMM 23-15-03PROC. REF: AMM 23-15-03, AMM 23-15-03								
34-50-12	GDL 59 DATALINK MANAGEMENT UNIT							Component ATA:34
PN:011-01746-03	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:57F000207	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-23-01, AMM 23-23-01PROC. REF: AMM 23-23-01, AMM 23-23-01								
34-50-13	WI-FI - DATALINK ANTENNA							Component ATA:34
PN:S65-5366-71S	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:258-6654	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-23-03, AMM 23-23-03, AMM 44-31-09, AMM 44-31-09, AMM 44-32-11, AMM 44-32-11PROC. REF: AMM 23-23-03, AMM 23-23-03, AMM 44-31-09, AMM 44-31-09, AMM 44-32-11, AMM 44-32-11								
34-51-02	NO. 1 DME L BAND ANTENNA							Component ATA:34
PN:S65-5366-7L	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:261-133859	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-02, AMM 34-51-02PROC. REF: AMM 34-51-02, AMM 34-51-02								
34-52-00	NO. 1 TRANSPONDER							Component ATA:34
PN:011-01997-00	MOS/MSC	19-Mar-24	O/C					
SN:20S011204	HRS	781:30						
	AFL	364						
PROC. REF: AMM 34-52-01, AMM 34-52-01PROC. REF: AMM 34-52-01, AMM 34-52-01								
34-52-00	NO. 2 TRANSPONDER							Component ATA:34
PN:011-01997-00	MOS/MSC	19-Mar-24	O/C					
SN:20S011160	HRS	781:30						
	AFL	364						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-52-01, AMM 34-52-01PROC. REF: AMM 34-52-01, AMM 34-52-01								
34-52-00-001	FUNCTIONAL CHECK OF NO. 1 TRANSPONDER SYSTEM							Service ATA:34
PN:011-01997-00	MOS	13-Mar-26	24		04-Mar-28		516 d	
SN:20S011204	HRS	1221:24						
	AFL	564						
Calibration Date: : 04-Mar-26								
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								
34-52-00-001	FUNCTIONAL CHECK OF NO. 2 TRANSPONDER SYSTEM							Service ATA:34
PN:011-01997-00	MOS	13-Mar-26	24		04-Mar-28		516 d	
SN:20S011160	HRS	1221:24						
	AFL	564						
Calibration Date: : 04-Mar-26								
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								
34-52-04	LOWER COAXIAL UNIT							Component ATA:34
PN:D2-729B005	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:595411	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-04, AMM 34-52-04PROC. REF: AMM 34-52-04, AMM 34-52-04								
34-52-04	UPPER COAXIAL UNIT							Component ATA:34
PN:D2-729B005	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:595398	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-04, AMM 34-52-04PROC. REF: AMM 34-52-04, AMM 34-52-04								
ATA 35 - OXYGEN								
35-00-00-001	FUNCTIONAL CHECK OF OXYGEN SYSTEM PRESSURE LINES FOR LEAKAGE							Service ATA:35
	MOS	13-Mar-26	36 (+30d/-30d)	Adj 4d	17-Mar-29	16-Apr-29	894 d (+30)	AIRWORTHINESS
	HRS	1221:24	2400 (+30/-30)		3621:24	3651:24	2270:55 (+30)	
	AFL	564						
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-01-00-001	^S	FUNCTIONAL CHECK OF CREW OXYGEN PRESSURE INDICATION						Service ATA:35
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 35-01-02PROC. REF: AMM 35-01-02								PKG:84
35-01-02		OXYGEN CYLINDER TRANSDUCER						Component ATA:35
PN:4441125-000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:8527-4-5	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-02, AMM 35-01-02PROC. REF: AMM 35-01-02, AMM 35-01-02								
35-01-05		CREW OXYGEN SYSTEM LOW PRESSURE SWITCH						Component ATA:35
PN:P24151	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0733	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-05, AMM 35-01-05PROC. REF: AMM 35-01-05, AMM 35-01-05								
35-01-06		OXYGEN SYSTEM CONTROL PANEL						Component ATA:35
PN:441-40945-002	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1012	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-06, AMM 35-01-06PROC. REF: AMM 35-01-06, AMM 35-01-06								
35-01-07		COCKPIT SENSOR						Component ATA:35
PN:P24099	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:D19082237	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-07, AMM 35-01-07PROC. REF: AMM 35-01-07, AMM 35-01-07								
35-01-09		ALTITUDE COMPENSATING REGULATOR						Component ATA:35
PN:4421135-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:00578	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-09, AMM 35-01-09PROC. REF: AMM 35-01-09, AMM 35-01-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-01-10	LOW PRESSURE OXYGEN VALVE							Component ATA:35
PN:4421132-109	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01129	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-10, AMM 35-01-10PROC. REF: AMM 35-01-10, AMM 35-01-10								
35-02-01	OXYGEN CYLINDER							Component ATA:35
PN:4441122-077	MOS/MSC	19-Mar-24	H/T	TSN 96, TSO 1				
SN:788632601	HRS	781:30		TSO 0				
	AFL	364		TSO 0				
PROC. REF: AMM 35-02-01, AMM 35-02-01PROC. REF: AMM 35-02-01, AMM 35-02-01								
35-02-01-001	FUNCTIONAL CHECK OF OXYGEN CYLINDER REGULATOR							Service ATA:35
PN:4441122-077	MOS	01-Jan-24	60		01-Jan-29		819 d	
SN:788632601	HRS	781:30						
	AFL	364						
HydroCheck Date: : 01-Jan-24								
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01								
35-02-01-003	DISCARD OF OXYGEN CYLINDER							Service ATA:35
PN:4441122-077	MOS	01-Mar-16	180		01-Mar-31		1608 d	LIFE LIMIT
SN:788632601	HRS	781:30						
	AFL	364						
Manufacture Date:: 01-Mar-16								
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01								
35-02-01-004	RESTORATION (HYDROSTATIC TEST) OF OXYGEN CYLINDER							Service ATA:35
PN:4441122-077	MOS	01-Jan-24	60		01-Jan-29		819 d	
SN:788632601	HRS	781:30						
	AFL	364						
HydroCheck Date: : 01-Jan-24								
PROC. REF: AMM 35-02-01PROC. REF: AMM 35-02-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-02-05	OXYGEN PRESSURE REGULATOR							Component ATA:35
PN:2421-14	MOS/MSC	19-Mar-24	O/C					
SN:0938	HRS	781:30						
	AFL	364						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-11-00-001	OPERATIONAL CHECK OF CREW OXYGEN MASK AND STOWAGE BOX							Service ATA:35
	MOS	13-Mar-26	12 (+30d/-30d)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	AIRWORTHINESS
	HRS	1221:24	800 (+30/-30)		2021:24	2051:24	670:55 (+30)	
	AFL	564						
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								
35-11-01	COPILOT OXYGEN MASK STOWAGE BOX							Component ATA:35
PN:MXP603	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:SE110426	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-11-01, AMM 35-11-01PROC. REF: AMM 35-11-01, AMM 35-11-01								
35-11-01	PILOT OXYGEN MASK STOWAGE BOX							Component ATA:35
PN:MXP603	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:SE110423	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-11-01, AMM 35-11-01PROC. REF: AMM 35-11-01, AMM 35-11-01								
35-11-02	LEFT CREW OXYGEN MASK							Component ATA:35
PN:MC40-011	MOS/MSC	31-Mar-25	O/C	TSN 79, TSO 6				
SN:918	HRS	987:24		TSO 0				
	AFL	456		TSO 0				
PROC. REF: AMM 35-11-02, AMM 35-11-02PROC. REF: AMM 35-11-02, AMM 35-11-02								
35-11-02	RIGHT CREW OXYGEN MASK							Component ATA:35
PN:MC40-011	MOS/MSC	31-Mar-25	O/C	TSN 105, TSO 5				
SN:1542	HRS	987:24		TSO 0				
	AFL	456		TSO 0				
PROC. REF: AMM 35-11-02, AMM 35-11-02PROC. REF: AMM 35-11-02, AMM 35-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-11-02-001	DETAILED VISUAL INSPECTION OF LEFT CREW OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS/MSC		N/A					
SN:918	HRS							
	AFL							
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								
35-11-02-001	DETAILED VISUAL INSPECTION OF RIGHT CREW OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS/MSC		N/A					
SN:1542	HRS							
	AFL							
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								
35-11-02-002	RESTORATION (OVERHAUL) OF LEFT CREW OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS	31-Mar-25	72 (+1m/-1m)	TAC 6	30-Sep-30	31-Oct-30	1456 d (+31)	
SN:918	HRS	987:24	3600 (+30/-30)	TAC 0	4587:24	4617:24	3236:55 (+30)	
	AFL	456		TAC 0				
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								
35-11-02-002	RESTORATION (OVERHAUL) OF RIGHT CREW OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS	31-Mar-25	72 (+1m/-1m)	TAC 5	31-Oct-30	30-Nov-30	1487 d (+30)	
SN:1542	HRS	987:24	3600 (+30/-30)	TAC 0	4587:24	4617:24	3236:55 (+30)	
	AFL	456		TAC 0				
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								
35-11-02-003	DETAILED VISUAL INSPECTION OF LEFT CREW OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS	13-Mar-26	12 (+1m/-1m)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	
SN:918	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								
35-11-02-003	DETAILED VISUAL INSPECTION OF RIGHT CREW OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS	13-Mar-26	12 (+1m/-1m)	Adj 18d	31-Mar-27	30-Apr-27	177 d (+30)	
SN:1542	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 35-11-02PROC. REF: AMM 35-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-11-04	#1 CREW GOGGLES							Component ATA:35
PN:MXG14001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:NSN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-11-04	#2 CREW GOGGLES							Component ATA:35
PN:MXG14001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:NSN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-11-04-001 ^S	DETAILED INSPECTION OF CREW GOGGLES							Service ATA:35
	MOS	13-Mar-26	36 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 35-11-04PROC. REF: AMM 35-11-04								
35-21-00-001	FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN AUTO MODE							Service ATA:35
	MOS	31-Mar-25	36 (+30d/-30d)	31-Mar-28	30-Apr-28	543 d (+30)	AIRWORTHINESS	
	HRS	987:24	2400 (+30/-30)	3387:24	3417:24	2036:55 (+30)		
	AFL	456						
PROC. REF: AMM 35-21-00PROC. REF: AMM 35-21-00								
35-21-00-002	OPERATIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN MANUAL MODE							Service ATA:35
	MOS	31-Mar-25	36 (+30d/-30d)	31-Mar-28	30-Apr-28	543 d (+30)	AIRWORTHINESS	
	HRS	987:24	2400 (+30/-30)	3387:24	3417:24	2036:55 (+30)		
	AFL	456						
PROC. REF: AMM 35-21-00PROC. REF: AMM 35-21-00								
35-21-01	AFT ONE MASK DEPLOYMENT OXYGEN CONTAINER							Component ATA:35
PN:EB1-421048	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:D19090649	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-21-01	CENTER FUSELAGE ONE MASK DEPLOYMENT SYSTEM							Component ATA:35
PN:EB1-421048	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:D19090658	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								
35-21-01	FWD ONE MASK DEPLOYMENT OXYGEN CONTAINER							Component ATA:35
PN:EB1-421048	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:D19090657	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								
35-21-01	NO. 1 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component ATA:35
PN:EB2-421048	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:D19101494	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								
35-21-01	NO. 2 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component ATA:35
PN:EB2-421048	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:D19101492	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								
35-21-01	NO. 3 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component ATA:35
PN:EB2-421048	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:D19110778	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								
35-21-01	NO. 4 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component ATA:35
PN:EB2-421048	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:D19101491	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01PROC. REF: AMM 35-21-01, AMM 35-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-21-01-001	^S	DETAILED INSPECTION OF PASSENGER OXYGEN-MASKS ASSEMBLY						Service ATA:35
	MOS	13-Mar-26	36 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 35-21-01PROC. REF: AMM 35-21-01								PKG:82
35-31-01		PBE - PROTECTIVE BREATHING EQUIPMENT						Component ATA:35
PN:MR-10022NEMB	MOS/MSC	01-Apr-19	H/T	TSN 0				
SN:E1900850	HRS			TSN 0				
	AFL			TSN 0				
Manufacture Date:: 01-Apr-19								
PROC. REF: AMM 35-31-01, AMM 35-31-01, AMM 35-31-01PROC. REF: AMM 35-31-01, AMM 35-31-01, AMM 35-31-01								
35-31-01-001		DISCARD OF PROTECTIVE BREATHING EQUIPMENT (PBE)						Service ATA:35
PN:MR-10022NEMB	MOS	01-Apr-19	126 (+1m/-1m)		01-Oct-29	01-Nov-29	1092 d (+31)	LIFE LIMIT
SN:E1900850	HRS							
	AFL							
PROC. REF: AMM 35-31-01PROC. REF: AMM 35-31-01								
ATA 36 - PNEUMATIC								
36-00-00-710-801-A		TROUBLE SHOOT ENGINE OPERATING PROBLEMS - PNEUMATIC SYSTEM OPERATIONAL CHECK						Service ATA:36
	MOS/MSC	23-Apr-20	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 36-00-00PROC. REF: AMM 36-00-00								
36-01-01		PNEUMATIC INSC ILLUM PANEL						Component ATA:36
PN:441-42633-002	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1584	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-01-01, AMM 36-01-01PROC. REF: AMM 36-01-01, AMM 36-01-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-01	LEFT PYLON BLEED PRESSURE REGULATING SHUTOFF VALVE							Component ATA:36
PN:RYLB-53505-5	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0841	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01, AMM 36-11-01PROC. REF: AMM 36-11-01, AMM 36-11-01								
36-11-01	RIGHT PYLON BLEED PRESSURE REGULATING SHUTOFF VALVE							Component ATA:36
PN:RYLB-53505-6	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0834	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01, AMM 36-11-01PROC. REF: AMM 36-11-01, AMM 36-11-01								
36-11-01-001 ^S	RESTORATION (CLEANING) OF BLEED PRESSURE REGULATING SHUTOFF VALVE (PRSOV) INLET FILTER							Service ATA:36
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								
36-11-01-002 ^S	OPERATIONAL CHECK OF BLEED MANUAL SHUT-OFF FUNCTION							Service ATA:36
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 36-11-00PROC. REF: AMM 36-11-00								
36-11-01-003 ^S	DISCARD OF PRESSURE REGULATING SHUTOFF VALVE (PRSOV) VENT FILTER							Service ATA:36
	MOS	23-Apr-20					LIFE LIMIT	
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-01PROC. REF: AMM 36-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-02-001 ^S	DETAILED INSPECTION OF BLEED LINE WATER DRAINS							Service ATA:36
	MOS	13-Mar-26	24 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 36-11-02PROC. REF: AMM 36-11-02								PKG:81
36-11-03	AMS CONTROLLER							Component ATA:36
PN:SYLZ-53632-205	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0660A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-03, AMM 36-11-03PROC. REF: AMM 36-11-03, AMM 36-11-03								
36-11-04	NO. 1 ENGINE FAN AIR VALVE							Component ATA:36
PN:RYLB-53527-2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1178	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-04, AMM 36-11-04PROC. REF: AMM 36-11-04, AMM 36-11-04								
36-11-04	NO. 2 ENGINE FAN AIR VALVE							Component ATA:36
PN:RYLB-53527-2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1214	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-04, AMM 36-11-04PROC. REF: AMM 36-11-04, AMM 36-11-04								
36-11-04-001 ^S	DISCARD OF FAN-AIR VALVE (FAV) VENT FILTER							Service ATA:36
	MOS	23-Apr-20					LIFE LIMIT	
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-04PROC. REF: AMM 36-11-04								PKG:20
36-11-05	LH INCONEL 625 BLEED PRE-COOLER							Component ATA:36
PN:381256000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:T0687	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-05, AMM 36-11-05PROC. REF: AMM 36-11-05, AMM 36-11-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-05	RH INCONEL 625 BLEED PRE-COOLER							Component ATA:36
PN:381257000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:T0695	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-05, AMM 36-11-05PROC. REF: AMM 36-11-05, AMM 36-11-05								
36-11-06	CROSS BLEED VALVE							Component ATA:36
PN:RYLB-53506-1	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0530	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-06, AMM 36-11-06PROC. REF: AMM 36-11-06, AMM 36-11-06								
36-11-06-001 ^S	OPERATIONAL CHECK OF CROSS-BLEED MANUAL SHUT-OFF FUNCTION							Service ATA:36
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 36-11-06PROC. REF: AMM 36-11-06								PKG:1
36-11-06-002 ^S	RESTORATION (CLEANING) OF CROSS-BLEED VALVE (XBV) INLET FILTER							Service ATA:36
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-06PROC. REF: AMM 36-11-06								PKG:60
36-11-06-003 ^S	DISCARD OF CROSS-BLEED VALVE (XBV) VENT FILTER							Service ATA:36
	MOS	23-Apr-20					LIFE LIMIT	
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-06PROC. REF: AMM 36-11-06								PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-07	NO. 1 BLEED PRESSURE TRANSDUCER							Component ATA:36
PN:APTE-479F-1000-200GMOS/MSC		23-Apr-20	O/C	TSN 0				
SN:8613-7-185	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-07, AMM 36-11-07PROC. REF: AMM 36-11-07, AMM 36-11-07								
36-11-07	NO. 2 BLEED PRESSURE TRANSDUCER							Component ATA:36
PN:APTE-479F-1000-200GMOS/MSC		23-Apr-20	O/C	TSN 0				
SN:8448-10-724	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-07, AMM 36-11-07PROC. REF: AMM 36-11-07, AMM 36-11-07								
36-11-08	NO. 1 BLEED TEMPERATURE SENSOR							Component ATA:36
PN:103-00264	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01674	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-08, AMM 36-11-08PROC. REF: AMM 36-11-08, AMM 36-11-08								
36-11-08	NO. 2 BLEED TEMPERATURE SENSOR							Component ATA:36
PN:103-00264	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01631	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-08, AMM 36-11-08PROC. REF: AMM 36-11-08, AMM 36-11-08								
36-11-08	NO. 3 BLEED TEMPERATURE SENSOR							Component ATA:36
PN:103-00264	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01629	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-08, AMM 36-11-08PROC. REF: AMM 36-11-08, AMM 36-11-08								
36-11-08	NO. 4 BLEED TEMPERATURE SENSOR							Component ATA:36
PN:103-00264	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01673	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-08, AMM 36-11-08PROC. REF: AMM 36-11-08, AMM 36-11-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-08-001	^S	FUNCTIONAL CHECK NO. 1 BLEED AIR TEMPERATURE SENSOR						Service ATA:36
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-08PROC. REF: AMM 36-11-08								PKG:60
36-11-08-001	^S	FUNCTIONAL CHECK NO. 2 BLEED AIR TEMPERATURE SENSOR						Service ATA:36
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-08PROC. REF: AMM 36-11-08								PKG:60
36-11-08-001	^S	FUNCTIONAL CHECK NO. 3 BLEED AIR TEMPERATURE SENSOR						Service ATA:36
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-08PROC. REF: AMM 36-11-08								PKG:60
36-11-08-001	^S	FUNCTIONAL CHECK NO. 4 BLEED AIR TEMPERATURE SENSOR						Service ATA:36
	MOS	23-Apr-20						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 36-11-08PROC. REF: AMM 36-11-08								PKG:60
36-21-01-001		OPERATIONAL CHECK OF BLEED LEAKAGE SENSORS						Service ATA:36
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	5049:31 (+30)	
	AFL	0						
PROC. REF: AMM 36-21-01PROC. REF: AMM 36-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-32-33-001	DISCARD OF WASTE TANK WATER SEPARATOR FILTER							Service ATA:38
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
38-33-07	WASTE DRAIN VALVE							Component ATA:38
PN:0218-0032-1	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:310858	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-33-07, AMM 38-33-07, AMM 38-32-61, AMM 38-32-61PROC. REF: AMM 38-33-07, AMM 38-33-07, AMM 38-32-61, AMM 38-32-61								
ATA 44 - CABIN SYSTEMS								
44-21-09	IFE INSC ILLUM PANEL							Component ATA:44
PN:441-44843-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1374	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-21-09, AMM 44-21-09PROC. REF: AMM 44-21-09, AMM 44-21-09								
44-21-12	HDMI / USB CABIN JACK MODULE							Component ATA:44
PN:ADT-1810-007-000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000838	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-15, AMM 44-23-15PROC. REF: AMM 44-23-15, AMM 44-23-15								
44-21-14	RJ45 / USB CABIN JACK MODULE							Component ATA:44
PN:ADT-1810-005-000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000854	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-07, AMM 44-23-07PROC. REF: AMM 44-23-07, AMM 44-23-07								
44-21-15	AUDIO VOLUME CONTROLLER							Component ATA:44
PN:APA3009-001-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:500315	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-21-15, AMM 44-21-15PROC. REF: AMM 44-21-15, AMM 44-21-15								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-21-16		PAX 1 GMA 36 REMOTE AUDIO CONTROLLER						Component ATA:44
PN:011-04093-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4RK110586	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
44-21-16		PAX 2 GMA 36 REMOTE AUDIO CONTROLLER						Component ATA:44
PN:011-04093-00	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:4RK111413	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
44-21-18 ^U		AUDIO POWER AMPLIFIER / APA						Component ATA:44
PN:APA3009-001-001	MOS/MSC		O/C					
SN:500315	HRS							
	AFL							
44-21-23		NO. 1 WIRELESS HEADPHONE						Component ATA:44
PN:ADT1810-013-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000164	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
44-21-23		NO. 2 WIRELESS HEADPHONE						Component ATA:44
PN:ADT1810-013-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000161	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
44-22-01		CABIN ENTERTAINMENT - MOVING MAP/CD/DVD PLAYER						Component ATA:44
PN:BDP3009-203-001	MOS/MSC	31-Mar-25	O/C	TSR 0				
SN:500582	HRS	987:24		TSR 0				
	AFL	456		TSR 0				
PROC. REF: AMM 44-22-01, AMM 44-22-01PROC. REF: AMM 44-22-01, AMM 44-22-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-22-02	LEFT AFT CABIN SPEAKER							Component ATA:44
PN:SPK4615-001-000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000364	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-12-01, AMM 44-12-01PROC. REF: AMM 44-12-01, AMM 44-12-01								
44-22-02	LEFT FORWARD CABIN SPEAKER							Component ATA:44
PN:SPK4615-001-000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000368	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-12-01, AMM 44-12-01PROC. REF: AMM 44-12-01, AMM 44-12-01								
44-22-02	RIGHT AFT CABIN SPEAKER							Component ATA:44
PN:SPK4615-001-000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000361	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-12-01, AMM 44-12-01PROC. REF: AMM 44-12-01, AMM 44-12-01								
44-22-02	RIGHT FORWARD CABIN SPEAKER							Component ATA:44
PN:SPK4615-001-000	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000358	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-12-01, AMM 44-12-01PROC. REF: AMM 44-12-01, AMM 44-12-01								
44-22-03	NO. 1 10.4 INCH FOLD DOWN MONITOR-							Component ATA:44
PN:DIS0716-002-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:000185	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-22-03, AMM 44-22-03PROC. REF: AMM 44-22-03, AMM 44-22-03								
44-23-13	PASSENGER CABIN FOLD-DOWN MONITOR / FDM							Component ATA:44
PN:DIS0716-002-001	MOS/MSC	12-Dec-25	O/C	TSN 36				
SN:000443	HRS	1179:24		TSN 0				
	AFL	546		TSN 0				
PROC. REF: AMM 44-23-13, AMM 44-23-13PROC. REF: AMM 44-23-13, AMM 44-23-13								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
44-60-01	ETHERNET INTERFACE UNIT							Component ATA:44
PN:EIU3009-201-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:500151	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-01, AMM 44-23-01PROC. REF: AMM 44-23-01, AMM 44-23-01								
44-60-02	ETHERNET ENCODER UNIT							Component ATA:44
PN:EEU0910-201-001	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:500803	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-05, AMM 44-23-05PROC. REF: AMM 44-23-05, AMM 44-23-05								
442321-0101	XM RADIO (2-CHANNEL) RECEIVER							Component ATA:44
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 44-23-21, AMM 44-23-21PROC. REF: AMM 44-23-21, AMM 44-23-21								
ATA 52 - DOORS								
52-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR STRUCTURE							Service ATA:52
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PKG:84								
PROC. REF: NDT PART 5 52-10-00PROC. REF: NDT PART 5 52-10-00								
52-10-00-01A	PAX DOOR EQUIPPED MAIN DOOR ASSY							Component ATA:52
PN:505-09910-469	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001059395	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-00, AMM 52-10-00PROC. REF: AMM 52-10-00, AMM 52-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-01-001	^S	EXTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR STRUCTURE						Service ATA:52
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 52-10-00PROC. REF: NDT PART 5 52-10-00								PKG:84
52-10-01-01-901		GENERAL VISUAL INSPECTION OF DOOR, FUSELAGE HINGES AND FASTENERS. MAIN DOOR STRUCTURE - EXTERNAL						Service ATA:52
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 52-10-00PROC. REF: NDT PART 5 52-10-00								
52-10-01-02-901		GENERAL VISUAL INSPECTION OF FRAMES, BEAMS AND INTERCOSTALS. MAIN DOOR STRUCTURE - INTERNAL						Service ATA:52
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 52-10-00PROC. REF: NDT PART 5 52-10-00								
52-10-01-02-902		DETAILED VISUAL INSPECTION OF DOOR SKIN, VENT FLAP SKIN, SKIN/VENT FLAP SKIN AND ALL SKIN FASTENERS. MAIN DOOR STRUCTURE - EXTERNAL						Service ATA:52
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 52-10-00PROC. REF: NDT PART 5 52-10-00								
52-10-02-01-901		GENERAL VISUAL INSPECTION OF LATCH PINS AND LATCH BOX. MAIN DOOR LATCH MECHANISM - EXTERNAL						Service ATA:52
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 52-10-00PROC. REF: NDT PART 5 52-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10-20-001	^S	GENERAL VISUAL INSPECTION OF MAIN DOOR RUBBER SEAL						Service ATA:52
	MOS	13-Mar-26	12 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 52-10-20PROC. REF: AMM 52-10-20								PKG:80
52-11-00-001	^S	INTERNAL GENERAL VISUAL INSPECTION OF MAIN DOOR LOCKING AND ACTUATING MECHANISM						Service ATA:52
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 52-11-00PROC. REF: AMM 52-11-00								PKG:83
52-11-00-003	^S	FUNCTIONAL CHECK OF MAIN-DOOR INTERNAL HANDLE STRENGTH						Service ATA:52
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 52-11-23PROC. REF: AMM 52-11-23								PKG:1
52-13-00		MAIN DOOR BALANCE ASSY. GEAR SECTOR						Component ATA:52
PN:PN	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-13-01		MAIN DOOR BALANCE ASSY. PINION SHAFT						Component ATA:52
PN:PN	MOS/MSC	23-Apr-20	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-13-21-001	^S	DISCARD OF MAIN DOOR BALANCING MECHANISM GEAR SECTOR						Service ATA:52
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 52-13-21PROC. REF: AMM 52-13-21								PKG:50
52-13-22		MAIN DOOR BALANCING MECHANISM						Component ATA:52
PN:PN	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-13-00, AMM 52-13-00, AMM 52-13-22, AMM 52-13-22PROC. REF: AMM 52-13-00, AMM 52-13-00, AMM 52-13-22, AMM 52-13-22								
52-13-22-001	^S	DISCARD OF MAIN DOOR BALANCING MECHANISM CABLE						Service ATA:52
PN:PN	MOS/MSC	19-Mar-24	O/C					
SN:UNKNOWN	HRS	781:30						
	AFL	364						
PROC. REF: AMM 52-13-22PROC. REF: AMM 52-13-22								PKG:1
52-13-22-004	^S	DISCARD OF MAIN DOOR BALANCING MECHANISM CABLES						Service ATA:52
	MOS	23-Apr-20						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 52-13-22PROC. REF: AMM 52-13-22								PKG:40
52-13-23-001	^S	DISCARD OF MAIN DOOR BALANCING MECHANISM PINION SHAFT						Service ATA:52
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 52-13-23PROC. REF: AMM 52-13-23								PKG:50

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-20-00	EMERGENCY DOOR							Component ATA:52
PN:505-09700-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001059540	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-20-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR STRUCTURE							Service ATA:52
	MOS/MSC	23-Apr-20	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 52-20-00PROC. REF: NDT PART 5 52-20-00								
52-20-01-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR STRUCTURE							Service ATA:52
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 52-20-00, NDT PART 5 52-20-00PROC. REF: NDT PART 5 52-20-00, NDT PART 5 52-20-00								PKG:90
52-20-01-01-901	GENERAL VISUAL INSPECTION OF SPAR AND FRAMES. EMERGENCY DOOR STRUCTURE - INTERNAL							Service ATA:52
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 52-20-00PROC. REF: NDT PART 5 52-20-00								
52-20-01-01-902	DETAILED INSPECTION OF DOOR SKIN AND FASTENERS. EMERGENCY DOOR STRUCTURE - EXTERNAL							Service ATA:52
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 52-20-00PROC. REF: NDT PART 5 52-20-00								
52-20-20-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR LOCKING AND ACTUATING MECHANISM							Service ATA:52
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
								PKG:83

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: AMM 52-20-20PROC. REF: AMM 52-20-20								
52-20-21-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR RUBBER SEAL						Service ATA:52
	MOS	13-Mar-26	24 (+1m/-1m)					
	HRS	1221:24						
	AFL	564						
PROC. REF: AMM 52-20-21PROC. REF: AMM 52-20-21								PKG:81
52-31-20-001	^S	GENERAL VISUAL INSPECTION OF FORWARD BAGGAGE DOOR LOCKING AND ACTUATING MECHANISM						Service ATA:52
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 52-31-20PROC. REF: AMM 52-31-20								PKG:83
52-32-20-001	^S	GENERAL VISUAL INSPECTION OF AFT BAGGAGE DOOR LOCKING ACTUATING MECHANISM						Service ATA:52
	MOS	19-Mar-24	48 (+1m/-1m)					
	HRS	781:30						
	AFL	364						
PROC. REF: AMM 52-32-20PROC. REF: AMM 52-32-20								PKG:83
ATA 53 - FUSELAGE								
53-00-00-001	^S	GENERAL VISUAL INSPECTION OF FUSELAGE POLYURETHANE FILMS						Service ATA:53
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 53-00-20PROC. REF: AMM 53-00-20								PKG:1
53-05-00-001	^S	DETAILED INSPECTION OF FUSELAGE DRAINS						Service ATA:53
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: AMM 53-05-00PROC. REF: AMM 53-05-00								PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-001	^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE STRUCTURES						Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								PKG:90
53-10-00-002		EXTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE SKIN PANELS AND SKIN SPLICES						Service ATA:53
	MOS/MSC	23-Apr-20	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								
53-10-00-003	^S	INTERNAL DETAILED VISUAL INSPECTION OF NOSE LANDING GEAR WHEELWELL STRUCTURE						Service ATA:53
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								PKG:87
53-10-01-01-901		DETAILED INSPECTION OF FRAMES, BEAMS, POSTS, GUSSET (SPLICES). FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT - INTERNAL						Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								
53-10-01-01-902		DETAILED INSPECTION OF SKIN AND FASTENERS. FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT - EXTERNAL						Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-02-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SKIN AND SPLICES. FORWARD FUSELAGE LEFT AND RIGHT SIDESKIN PANELS - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								
53-10-02-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								
53-10-03-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND SPLICES. FORWARD FUSELAGE LOWER SKIN PANEL - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								
53-10-03-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. FORWARD FUSELAGE LOWER SKIN PANEL - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								
53-10-04-01-901	DETAILED INSPECTION OF LONGITUDINAL SPLICE. FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-04-01-902	DETAILED INSPECTION OF SKIN-TO-SPLICE AREA. FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								
53-10-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FORWARD PRESSURE BULKHEAD							Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								PKG:90
53-10-05-01-901	DETAILED VISUAL INSPECTION OF PRESSURE BULKHEAD. FORWARD FUSELAGE PRESSURE BULKHEAD - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								
53-10-07-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR WHEELWELL STRUCTURE							Service ATA:53
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								PKG:84
53-10-07-01-901	SPECIAL DETAILED INSPECTION (BOREScope) OF TRUNNIONS, DRAG LOCKING STRUT AND FASTENERS. NOSE LANDING GEAR WHEEL WELL METALLIC STRUCTURE - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:15000		15000		13649:31	
	AFL	0	T:12000		12000		11375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-07-02-901	DETAILED INSPECTION OF WHEEL WEEL STRUCTURE. NOSE LANDING GEAR WHEEL WELL METALLIC STRUCTURE - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:15000		15000		13649:31	
	AFL	0	T:12000		12000		11375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								
53-10-07-02-902	DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE - INTERNAL OF WHEEL WELL STRUCTURE.							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:15000		15000		13649:31	
	AFL	0	T:12000		12000		11375	
PROC. REF: NDT PART 5 53-10-00PROC. REF: NDT PART 5 53-10-00								
53-11-00	FORWARD FUSELAGE ASSEMBLY							Component ATA:53
PN:507-01000-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001060037	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-14-00	NOSE RADOME							Component ATA:53
PN:5190-102-1	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:1034	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-14-00, AMM 53-14-00PROC. REF: AMM 53-14-00, AMM 53-14-00								
53-20-00	CENTER FUSELAGE JUNCTION ASSY							Component ATA:53
PN:507-03600-415	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001056732	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-20-00	CENTRAL FUSELAGE ASSY							Component ATA:53
PN:507-03500-415	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001059142	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-00	COMPLETE FUSELAGE ASSY							Component ATA:53
PN:507-09001-435	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001060036	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-20-00	FUSELAGE JUNCTION ALIGNMENT							Component ATA:53
PN:507-08700-417	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001059141	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-20-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE STRUCTURES							Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PKG:90								
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE STRUCTURES							Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PKG:90								
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-01-01-901	DETAILED INSPECTION OF FRAMES, SPLICES/DOUBLERS AND STRINGERS. CENTER FUSELAGE UPPER SKIN PANEL - INTERNAL							Service ATA:53
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-01-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE UPPER SKIN PANEL - EXTERNAL							Service ATA:53
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-02-01-901	DETAILED INSPECTION OF FRAMES, DOUBLERS, STRINGERS AND SKIN OVER WING AREA. CENTER FUSELAGE SIDE SKIN PANEL - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-02-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE SIDE SKIN PANEL - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-03-01-901	DETAILED INSPECTION OF FRAMES, DOUBLERS, STRINGERS AND SKIN OVER WING AREA. CENTER FUSELAGE LOWER SKIN PANEL - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-03-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE LOWER SKIN PANEL - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-04-01-901	DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICE. CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-04-01-902	DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL. CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-04-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF 2ND FASTENER ROW OF SKIN SPLICE (INNER SKIN). CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 53-20-00PROC. REF: NDT PART 6 53-20-00								
53-20-04-02-902	GENERAL VISUAL INSPECTION OF FRAMES. CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER-TO-AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND AFT PRESSURE BULKHEAD FRONT SIDE							Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:90
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-05-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER-TO-AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND AFT PRESSURE BULKHEAD BACK SIDE							Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:90
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-05-01-901	GENERAL VISUAL INSPECTION OF BEAMS, FRAMES, SPLICES/ DOUBLERS AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-05-02-901	DETAILED INSPECTION OF AFT PRESSURE BULKHEAD WEB AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-05-03-901	DETAILED INSPECTION OF CIRCUMFERENTIAL T WEB SECTION AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-05-04-901	DETAILED INSPECTION OF SKIN-TO-SPLICE AREA AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-05-05-901	GENERAL VISUAL INSPECTION OF END-FITTINGS AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-06-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE						Service ATA:53
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								PKG:84
53-20-06-002	^S	INTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE						Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								PKG:90
53-20-06-01-901		DETAILED INSPECTION OF SKIN, DOUBLER AND FASTENERS. PASSENGER DOOR CUTOUT STRUCTURE - EXTERNAL						Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-06-01-902		DETAILED INSPECTION OF THE FRAMES, STRINGERS, BEAMS, INTERCOSTALS, SPLICES, SKIN AND ATTACHMENTS. PASSENGER DOOR CUTOUT STRUCTURE - INTERNAL						Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:8750		8750		7399:31	
	AFL	0	T:7000		7000		6375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-07-01-901		DETAILED INSPECTION OF FRAMES, DOUBLERS, BEAMS, INTERCOSTALS, SPLICE AND ATTACHMENTS. EMERGENCY DOOR CUTOUT STRUCTURE - INTERNAL						Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-07-01-902	DETAILED INSPECTION OF THE SKIN AND FASTENERS TO EMERGENCY DOOR CUTOUT STRUCTURE. EMERGENCY DOOR CUTOUT STRUCTURE - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-08-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF PASSENGER WINDOW CUTOUT STRUCTURE							Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PKG:90								
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-08-01-901	GENERAL VISUAL INSPECTION OF WINDOW FRAME AND ATTACHMENTS. PASSENGER WINDOW CUTOUT STRUCTURE - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-08-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS AT WINDOW AREA. PASSENGER WINDOW CUTOUT STRUCTURE - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-10-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE-TOWING CONNECTIONS							Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PKG:90								
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-20-10-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, DOUBLERS AND ATTACHMENTS. CENTER FUSELAGE-TO-WING CONNECTIONS - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-10-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE-TO-WING CONNECTIONS - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-20-10-02-901	GENERAL VISUAL INSPECTION OF FUSELAGE-TO-WING FITTINGS CENTER FUSELAGE-TO-WING CONNECTIONS - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-20-00PROC. REF: NDT PART 5 53-20-00								
53-30-00	REAR FUSELAGE ASSY							Component ATA:53
PN:507-06000-409	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001059145	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-30-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE SKINS AND BAGGAGE DOOR CUTOUT STRUCTURE							Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-00-002	^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE STRUCTURES						Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								PKG:90
53-30-01-01-901		GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, DOUBLERS, SPLICES AND ATTACHMENTS. AFT FUSELAGE UPPER SKIN PANEL - INTERNAL						Service ATA:53
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-01-01-902		DETAILED INSPECTION OF SKIN AND FASTENERS. AFT FUSELAGE UPPER SKIN PANEL - EXTERNAL						Service ATA:53
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-02-002		INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL						Service ATA:53
	MOS/MSC	23-Apr-20	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-02-01-901		DETAILED INSPECTION OF FRAMES, FRAMES SPLICES AND ATTACHMENTS AFT FUSELAGE SIDE SKIN PANEL - INTERNAL						Service ATA:53
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:12500		12500		11149:31	
	AFL	0	T:10000		10000		9375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-02-01-902		GENERAL VISUAL INSPECTION OF STRINGERS, DOUBLERS AND ATTACHMENTS. AFT FUSELAGE SIDE SKIN PANEL - INTERNAL						Service ATA:53
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-02-01-903	DETAILED INSPECTION OF SKIN AND FASTENERS. AFT FUSELAGE SIDE SKIN PANEL - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-03-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SPLICES AND ATTACHMENTS AFT FUSELAGE LOWER SKIN PANEL - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-03-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. AFT FUSELAGE LOWER SKIN PANEL - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-04-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SKIN SPLICES							Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								PKG:90
53-30-04-01-901	DETAILED INSPECTION OF SKIN TO LONGITUDINAL AND CIRCUMFERENTIAL SPLICE. AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-04-01-902	DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL SPLICES. AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-05-02-901	DETAILED INSPECTION OF BAGGAGE DOOR CUTOUT STRUCTURE. AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:10000		10000		8649:31	
	AFL	0	T:8000		8000		7375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-06-01-901	DETAILED INSPECTION OF FRAMES, FRAMES SPLICES AND ATTACHMENTS. AFT FUSELAGE TO PYLON CUTOUT STRUCTURES - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:12500		12500		11149:31	
	AFL	0	T:10000		10000		9375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-06-01-902	GENERAL VISUAL INSPECTION OF STRINGERS, DOUBLERS AND ATTACHMENTS. AFT FUSELAGE TO PYLON CUTOUT STRUCTURES - INTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-06-01-903	DETAILED INSPECTION OF SKIN, SKIN SPLICES AND FASTENERS. AFT FUSELAGE TO PYLON CUTOUT STRUCTURES - EXTERNAL							Service ATA:53
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-07-001	^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE-TO-VERTICAL STABILIZER JUNCTION						Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								PKG:90
53-30-07-002	^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE-TO-VERTICAL STABILIZER JUNCTION						Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								PKG:90
53-30-07-01-901		GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND FASTENERS. AFT FUSELAGE TO VERTICAL STABILIZER CONNECTION - INTERNAL						Service ATA:53
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-07-01-902		DETAILED INSPECTION OF SKIN, BEDPLATES AND FASTENERS. AFT FUSELAGE TO VERTICAL STABILIZER CONNECTION - EXTERNAL						Service ATA:53
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								
53-30-08-001	^S	EXTERNAL DETAILED VISUAL INSPECTION OF FRAME 46						Service ATA:53
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-30-08-002	^S	INTERNAL DETAILED VISUAL INSPECTION OF FRAME 46						Service ATA:53
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 53-30-00PROC. REF: NDT PART 5 53-30-00								PKG:90
ATA 54 - NACELLES/PYLONS								
54-00-00-001	^S	GENERAL VISUAL INSPECTION OF PYLON POLYURETHANE FILMS						Service ATA:54
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 54-51-20PROC. REF: AMM 54-51-20								PKG:1
54-50-00-001	^S	INTERNAL DETAILED INSPECTION OF PYLON BEAMS - INTERNAL TO FUSELAGE						Service ATA:54
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 54-50-00PROC. REF: NDT PART 5 54-50-00								PKG:90
54-50-00-002	^S	INTERNAL DETAILED INSPECTION OF PYLON MAIN BOX						Service ATA:54
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 54-52-00, NDT PART 5 54-52-00PROC. REF: NDT PART 5 54-52-00, NDT PART 5 54-52-00								PKG:90
54-50-01-01-901		GENERAL VISUAL INSPECTION OF PYLON FRONT, REAR SPARS AND ATTACHMENTS. PYLON FORWARD BEAM - INTERNAL						Service ATA:54
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 54-50-00PROC. REF: NDT PART 5 54-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-50-02-01-901	GENERAL VISUAL INSPECTION OF PYLON SPARS 3, 4 AND ATTACHMENTS. PYLON AFT BEAM - INTERNAL							Service ATA:54
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 54-50-00PROC. REF: NDT PART 5 54-50-00								
54-50-03-001 ^S	EXTERNAL - DETAILED INSPECTION OF PYLON MAIN BOX AND LEADING EDGE.							Service ATA:54
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 54-52-00PROC. REF: NDT PART 5 54-52-00								
54-50-03-01-901	GENERAL VISUAL INSPECTION OF MAIN BOX SKIN, ANGLE BRACKETS AND FASTENERS. PYLON MAIN BOX - EXTERNAL							Service ATA:54
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 54-52-00PROC. REF: NDT PART 5 54-52-00								
54-50-03-01-902	DETAILED INSPECTION OF STRINGERS AND FIREWALL. PYLON MAIN BOX - INTERNAL							Service ATA:54
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 54-52-00PROC. REF: NDT PART 5 54-52-00								
54-50-04-01-901	GENERAL VISUAL INSPECTION OF SPARS AND BOLTS INTEGRITY. PYLON-TO-FUSELAGE CONNECTIONS - INTERNAL							Service ATA:54
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 54-52-00PROC. REF: NDT PART 5 54-52-00								
54-50-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF PYLON YOKES							Service ATA:54
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						

PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
PROC. REF: NDT PART 5 54-55-00PROC. REF: NDT PART 5 54-55-00								
54-50-05-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF YOKE LUGS. PYLON YOKES - INTERNAL							Service ATA:54
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:15000		15000		13649:31	
	AFL	0	T:12000		12000		11375	
PROC. REF: NDT PART 6 54-55-00PROC. REF: NDT PART 6 54-55-00								
54-50-05-02-901	DETAILED INSPECTION OF YOKES, FRONT SPARS, GUSSET AND SHIELD PLATES. PYLON YOKES - INTERNAL							Service ATA:54
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 54-55-00PROC. REF: NDT PART 5 54-55-00								
54-50-06-01-901	DETAILED INSPECTION OF AFT MOUNT FITTING. AFT MOUNT FITTINGS - INTERNAL							Service ATA:54
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:15000		15000		13649:31	
	AFL	0	T:12000		12000		11375	
PROC. REF: NDT PART 5 54-55-00PROC. REF: NDT PART 5 54-55-00								
54-50-06-01-902	DETAILED INSPECTION OF AFT MOUNT FITTING. AFT MOUNT FITTINGS - EXTERNAL							Service ATA:54
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:15000		15000		13649:31	
	AFL	0	T:12000		12000		11375	
PROC. REF: NDT PART 5 54-55-00PROC. REF: NDT PART 5 54-55-00								
ATA 55 - STABILIZERS								
55-00-00-001 ^S	GENERAL VISUAL INSPECTION OF STABILIZER POLYURETHANE FILMS							Service ATA:55
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 55-00-20PROC. REF: AMM 55-00-20								
								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-03-00	HORIZONTAL TAIL - EQUIPED							Component ATA:55
PN:505-10983-403	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001062622	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-10-00	HORIZONTAL STABILIZER (COMPLETION)							Component ATA:55
PN:505-10700-421	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001059745	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-10-00-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF HORIZONTAL-STABILIZER SPARS AND RIBS							Service ATA:55
	MOS	31-Mar-25	120 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-00-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION ON HORIZONTAL-STABILIZER-TO-ELEVATOR HINGE FITTING							Service ATA:55
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS							Service ATA:55
	MOS	31-Mar-25	120 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-01-01-901	DETAILED INSPECTION OF LUG, FITTING AND ATTACHMENTS. FIN-TO-HORIZONTAL STABILIZER CONNECTIONS IN HORIZONTAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-02-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FRONT, REAR SPARS AND FASTENERS. HORIZONTAL STABILIZER FRONT AND REAR SPARS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-02-01-902	DETAILED INSPECTION OF FRONT, REAR SPAR AND FASTENERS. HORIZONTAL STABILIZER FRONT AND REAR SPARS - EXTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION ON HORIZONTAL-STABILIZER UPPER AND LOWER SKIN							Service ATA:55
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								PKG:87
55-10-03-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) ON HORIZONTAL-STABILIZER UPPER AND LOWER SKIN							Service ATA:55
	MOS	31-Mar-25	120 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-03-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, STRINGERS AND STRAPS. HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKIN - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-03-01-902	DETAILED INSPECTION OF SKIN AND ATTACHMENTS. HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKIN - EXTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-04-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIBS AND ATTACHMENTS. HORIZONTAL STABILIZER COMPOSITE RIBS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-05-001 ^S	INTERNAL DETAILED INSPECTION ON HORIZONTAL STABILIZER METALLIC RIBS							Service ATA:55
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								PKG:90
55-10-05-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIBS 1 AND ATTACHMENTS. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-05-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF INTERCOSTALS RIBS ACCESS HOLES. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 55-10-00PROC. REF: NDT PART 6 55-10-00								
55-10-05-02-902	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERCOSTALS RIBS. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-05-03-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF TIP RIB. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-05-04-901	DETAILED INSPECTION OF RIB 1 FITTING AND REINFORCEMENTS. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-05-05-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RIB 1 ACCESS HOLE. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 55-10-00PROC. REF: NDT PART 6 55-10-00								
55-10-07-01-901	GENERAL VISUAL INSPECTION OF HINGES. HORIZONTAL STABILIZER ELEVATOR HINGE FITTING - EXTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-08-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS						Service ATA:55
	MOS	31-Mar-25	120 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								PKG:87
55-10-08-01-901		DETAILED INSPECTION OF FITTING, INCLUDING HINGES, PINS, FLANGES, WEBS AND FASTENERS. HORIZONTAL STABILIZER ACTUATOR SUPPORT FITTINGS - INTERNAL						Service ATA:55
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-09-001		EXTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER-TO-ELEVATOR TORQUE-TUBE SUPPORT						Service ATA:55
	MOS/MSC	23-Apr-20	O/C					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-09-01-901		DETAILED INSPECTION OF COMPOSITE SUPPORT AND ATTACHMENTS. HORIZONTAL STABILIZER COMPOSITE COMMAND BOX - EXTERNAL						Service ATA:55
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-10-09-01-902		DETAILED INSPECTION OF COMPOSITE SUPPORT AND ATTACHMENTS. HORIZONTAL STABILIZER COMPOSITE COMMAND BOX - INTERNAL						Service ATA:55
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-10-001	^S	EXTERNAL GENERAL VISUAL INSPECTION OF ELEVATOR TRIM-TAB FITTINGS						Service ATA:55
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								PKG:90
55-10-10-01-901		DETAILED INSPECTION OF FITTING AND ATTACHMENTS. HORIZONTAL STABILIZER TAB ACTUATOR SUPPORT FITTINGS - EXTERNAL						Service ATA:55
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-10-00PROC. REF: NDT PART 5 55-10-00								
55-20-01-002	^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF ELEVATOR MAIN BOX						Service ATA:55
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-20-00, NDT PART 5 55-20-00PROC. REF: NDT PART 5 55-20-00, NDT PART 5 55-20-00								PKG:87
55-20-01-01-901		SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, SPARS, RIBS AND FASTENERS. ELEVATOR MAIN BOX - INTERNAL						Service ATA:55
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-20-00PROC. REF: NDT PART 5 55-20-00								
55-20-01-01-902		DETAILED INSPECTION OF SKIN AND FASTENERS, INCLUDING MAIN BOX, TRAILING EDGE, LEADING EDGE. ELEVATOR MAIN BOX - EXTERNAL						Service ATA:55
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-20-00PROC. REF: NDT PART 5 55-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20-02-01-901	DETAILED INSPECTION OF ELEVATOR HINGE PINS. ELEVATOR HINGE FITTINGS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-20-00PROC. REF: NDT PART 5 55-20-00								
55-20-02-02-901	GENERAL VISUAL INSPECTION OF ELEVATOR HINGES. ELEVATOR HINGE FITTINGS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-20-00PROC. REF: NDT PART 5 55-20-00								
55-20-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF ELEVATOR TORQUE TUBE ASSEMBLY							Service ATA:55
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-20-00PROC. REF: NDT PART 5 55-20-00								PKG:87
55-20-03-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF ELEVATOR TORQUE TUBE FLANGE. ELEVATOR TORQUE TUBE ASSY - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 55-20-00PROC. REF: NDT PART 6 55-20-00								
55-20-03-02-901	SPECIAL DETAILED INSPECTION (DYE PENETRANT) OF ELEVATOR TORQUE TUBE. ELEVATOR TORQUE TUBE ASSY - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 8 55-20-00PROC. REF: NDT PART 8 55-20-00								
55-20-04-001	INTERNAL GENERAL VISUAL INSPECTION OF ELEVATOR MASS-BALANCE WEIGHT AND ATTACHMENTS							Service ATA:55
	MOS	31-Mar-25	60		31-Mar-30		1273 d	ALI
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-20-00, NDT PART 5 55-20-00PROC. REF: NDT PART 5 55-20-00, NDT PART 5 55-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20-04-002	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF MASS-BALANCE WEIGHT ATTACHMENTS							Service ATA:55
	MOS	31-Mar-25	60		31-Mar-30		1273 d	ALI
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-20-00PROC. REF: NDT PART 5 55-20-00								
55-22-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF ELEVATOR TRIM-TAB							Service ATA:55
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-22-00PROC. REF: NDT PART 5 55-22-00								
55-30-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-AFT FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER							Service ATA:55
	MOS	31-Mar-25	120 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF VERTICAL-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER							Service ATA:55
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-01-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FITTING ATTACHMENTS TO COMPOSITE. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 55-30-00PROC. REF: NDT PART 6 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-01-02-901	DETAILED INSPECTION OF CHANNEL FITTING AND BARREL NUT. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-01-03-901	DETAILED INSPECTION OF BOLT. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-01-04-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF METALLIC RIBS ATTACHMENTS. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 55-30-00PROC. REF: NDT PART 6 55-30-00								
55-30-02-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER							Service ATA:55
	MOS	31-Mar-25	120 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								PKG:87
55-30-02-01-901	DETAILED INSPECTION OF FITTING, LUG AND ATTACHMENTS. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-02-03-901	DETAILED INSPECTION OF PIN VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-02-04-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RIB 5. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 55-30-00PROC. REF: NDT PART 6 55-30-00								
55-30-02-05-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIB 7. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-02-06-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIB 6 AND RIB 8. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-02-07-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIB 5 , L PROFILES AND SHROUDS. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-03-001	^S	INTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER MAIN BOX SKIN AND SPARS						Service ATA:55
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								PKG:87
55-30-03-002	^S	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER MAIN BOX						Service ATA:55
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-30-00, NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00, NDT PART 5 55-30-00								PKG:87
55-30-03-01-901		DETAILED INSPECTION OF SKIN, SPAR AND ATTACHMENTS. VERTICAL STABILIZER MAIN BOX - EXTERNAL						Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-03-01-902		SPECIAL DETAILED INSPECTION (BORESCOPE) OF SPAR, STRINGER, RIBS, FLANGES AND ATTACHMENTS. VERTICAL STABILIZER MAIN BOX - INTERNAL						Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-04-001	^S	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-RUDDER HINGE FITTING						Service ATA:55
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-04-01-901	GENERAL VISUAL INSPECTION OF HINGES. VERTICAL STABILIZER RUDDER HINGE FITTINGS - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-04-01-902	SPECIAL DETAILED INSPECTION (BORESCOPE) OF HINGES. RUDDER HINGE FITTINGS - INTERNAL							Service ATA:55
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
55-30-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF HORIZONTAL-STABILIZER ACTUATOR SUPPORT FITTING ON VERTICAL STABILIZER							Service ATA:55
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-30-00PKG:84								
55-30-05-01-901	DETAILED INSPECTION OF FITTING 1 AND FASTENERS. HORIZONTAL STABILIZER ACTUATOR SUPPORT FITTING ON VERTICAL STABILIZER - EXTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00								
55-30-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TRIM-TAB ACTUATOR FITTING							Service ATA:55
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-30-00PKG:90								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30-06-01-901	DETAILED INSPECTION OF FITTINGS, LUGS AND ATTACHMENTS. HORIZONTAL TAIL TRIM ACTUATOR SUPPORT FITTINGS ON VERTICAL TAIL - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-30-00PROC. REF: NDT PART 5 55-30-00								
55-30-07-001	INTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER RUDDER ACTUATOR FITTING FRONT SIDE							Service ATA:55
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
55-40-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF RUDDER MAIN BOX							Service ATA:55
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-40-00PROC. REF: NDT PART 5 55-40-00								PKG:87
55-40-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, SPARS, RIBS AND FASTENERS. RUDDER MAIN BOX - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-40-00PROC. REF: NDT PART 5 55-40-00								
55-40-01-01-902	DETAILED INSPECTION OF MAIN BOX, TRAILING EDGE AND LEADING EDGE SKINS, INCLUDING FASTENERS. RUDDER MAIN BOX - EXTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-40-00PROC. REF: NDT PART 5 55-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40-02-001	^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER HINGE FITTINGS						Service ATA:55
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-40-00PROC. REF: NDT PART 5 55-40-00								PKG:87
55-40-02-01-901		DETAILED INSPECTION OF PINS OF RUDDER HINGES. RUDDER HINGE FITTINGS - INTERNAL						Service ATA:55
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-40-00, NDT PART 5 55-40-00PROC. REF: NDT PART 5 55-40-00, NDT PART 5 55-40-00								
55-40-02-02-901		GENERAL VISUAL INSPECTION OF RUDDER HINGES FITTINGS. RUDDER HINGE FITTINGS - INTERNAL						Service ATA:55
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-40-00PROC. REF: NDT PART 5 55-40-00								
55-40-02-02-902		DETAILED INSPECTION OF RUDDER HINGES FITTINGS. RUDDER HINGE FITTINGS - INTERNAL						Service ATA:55
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
55-40-03-001	^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TORQUE TUBE ASSEMBLY						Service ATA:55
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-40-00PROC. REF: NDT PART 5 55-40-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40-03-01-901	GENERAL VISUAL INSPECTION OF RUDDER TORQUE TUBE, TORQUE TUBE HINGE FITTINGS AND PINS. RUDDER TORQUE TUBE ASSEMBLY - INTERNAL							Service ATA:55
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 55-40-00PROC. REF: NDT PART 5 55-40-00								
55-40-04-002	INTERNAL GENERAL VISUAL INSPECTION OF RUDDER ADJUSTABLE MASS-BALANCE WEIGHT AND ATTACHMENTS							Service ATA:55
	MOS	31-Mar-25	60		31-Mar-30		1273 d	ALI
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-40-00PROC. REF: NDT PART 5 55-40-00								
55-40-04-003	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF RUDDER FIXED MASS-BALANCE WEIGHT AND ATTACHMENTS							Service ATA:55
	MOS	31-Mar-25	60		31-Mar-30		1273 d	ALI
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 55-40-00PROC. REF: NDT PART 5 55-40-00								
55-42-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TRIM-TAB							Service ATA:55
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 55-42-00PROC. REF: NDT PART 5 55-42-00								
PKG:90								
ATA 56 - WINDOWS								
56-10-00	COPILOT HEATED GLASS WINDSHIELD ASSY							Component ATA:56
PN:NP-195301-6	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:19068H6151	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-11-00, AMM 56-11-00PROC. REF: AMM 56-11-00, AMM 56-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-10-00	PILOT HEATED GLASS WINDSHIELD ASSY							Component ATA:56
PN:NP-195301-5	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:19098H9247	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-11-00, AMM 56-11-00PROC. REF: AMM 56-11-00, AMM 56-11-00								
56-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF SIDE WINDOWS PANE (BOTH SIDES)							Service ATA:56
	MOS	31-Mar-25	120 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 56-12-00PROC. REF: NDT PART 5 56-12-00								
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF COPILOT SIDE WINDOW ATTACHING BOLTS							Service ATA:56
PN:NP-195302-4	MOS	19-Mar-24						
SN:19155H4636	HRS	781:30	1600 (+30/-30)	2381:30	2411:30	1031:01 (+30)		
	AFL	364						
PROC. REF: AMM 56-10-00PROC. REF: AMM 56-10-00								
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF COPILOT WINDSHIELD ATTACHING BOLTS							Service ATA:56
PN:NP-195301-6	MOS	19-Mar-24						
SN:19068H6151	HRS	781:30	1600 (+30/-30)	2381:30	2411:30	1031:01 (+30)		
	AFL	364						
PROC. REF: AMM 56-10-00PROC. REF: AMM 56-10-00								
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF PILOT SIDE WINDOW ATTACHING BOLTS							Service ATA:56
PN:NP-195302-3	MOS	19-Mar-24						
SN:19135H2809	HRS	781:30	1600 (+30/-30)	2381:30	2411:30	1031:01 (+30)		
	AFL	364						
PROC. REF: AMM 56-10-00PROC. REF: AMM 56-10-00								
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF PILOT WINDSHIELD ATTACHING BOLTS							Service ATA:56
PN:NP-195301-5	MOS	19-Mar-24						
SN:19098H9247	HRS	781:30	1600 (+30/-30)	2381:30	2411:30	1031:01 (+30)		
	AFL	364						
PROC. REF: AMM 56-10-00PROC. REF: AMM 56-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-10-03-001	^S	EXTERNAL DETAILED VISUAL INSPECTION COCKPIT L/H SIDE WINDOW STRUCTURE						Service ATA:56
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 56-10-00PROC. REF: NDT PART 5 56-10-00								PKG:90
56-10-03-001	^S	EXTERNAL DETAILED VISUAL INSPECTION COCKPIT R/H SIDE WINDOW STRUCTURE						Service ATA:56
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 56-10-00PROC. REF: NDT PART 5 56-10-00								PKG:90
56-10-03-001	^S	EXTERNAL DETAILED VISUAL INSPECTION LEFT WINDSHIELD STRUCTURE						Service ATA:56
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 56-10-00PROC. REF: NDT PART 5 56-10-00								PKG:90
56-10-03-001	^S	EXTERNAL DETAILED VISUAL INSPECTION RIGHT WINDSHIELD STRUCTURE						Service ATA:56
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 56-10-00PROC. REF: NDT PART 5 56-10-00								PKG:90
56-10-03-01-901		SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FRAMES AND FASTENERS. WINDSHIELD FRAME AND FASTENERS - EXTERNAL						Service ATA:56
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 56-10-00PROC. REF: NDT PART 6 56-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-12-00	COPILOT ACRYLIC SIDE WINDOW							Component ATA:56
PN:NP-195302-4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:19155H4636	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00, AMM 56-12-00PROC. REF: AMM 56-12-00, AMM 56-12-00								
56-12-00	PILOT ACRYLIC SIDE WINDOW							Component ATA:56
PN:NP-195302-3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:19135H2809	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-12-00, AMM 56-12-00PROC. REF: AMM 56-12-00, AMM 56-12-00								
56-20-00	NO. 1 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:842643	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	NO. 10 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:868189	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	NO. 11 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:856007	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	NO. 2 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:842640	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-20-00	NO. 3 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:856004	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	NO. 4 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:856005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	NO. 5 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:856006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	NO. 6 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:888685	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	NO. 7 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:856010	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-00	NO. 8 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:856013	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-20-00	NO. 9 WINDOW TRANSPARENCY							Component ATA:56
PN:14024	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:868187	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-00, AMM 56-20-00PROC. REF: AMM 56-20-00, AMM 56-20-00								
56-20-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE PASSENGER WINDOW PANELS							Service ATA:56
	MOS	31-Mar-25	120 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 56-20-00PROC. REF: NDT PART 5 56-20-00								PKG:87
ATA 57 - WINGS								
57-00-00-001 ^S	GENERAL VISUAL INSPECTION OF WINGLET POLYURETHANE FILMS							Service ATA:57
	MOS	19-Mar-24						
	HRS	781:30	800 (+30/-30)					
	AFL	364						
PROC. REF: AMM 57-35-21PROC. REF: AMM 57-35-21								PKG:1
57-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING MAIN BOX							Service ATA:57
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								PKG:90
57-10-00-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF WING CENTER UPPER SKIN							Service ATA:57
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-01	LEFT WING LOWER SKIN							Component ATA:57
PN:505-12400-419	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001050561	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-10-01	RIGHT WING LOWER SKIN							Component ATA:57
PN:505-12400-420	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001050391	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-10-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING-TO-CENTER FUSELAGE CONNECTIONS							Service ATA:57
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 57-00-00PROC. REF: NDT PART 5 57-00-00								
57-10-01-01-901	DETAILED INSPECTION OF WING-TO-FUSELAGE LINKS. WING TO CENTER FUSELAGE CONNECTIONS - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-02 ^U	SKIN LOWER, MACHINED-WING, AL							Component ATA:57
PN:505-37111-901	MOS/MSC		O/C	TSO 0				
SN:RA-0041552-1	HRS			TSN 0, TSO 0				
	AFL			TSO 0				
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-02-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING FRONT SPAR							Service ATA:57
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-02-01-901	DETAILED INSPECTION OF WING FRONT SPAR LOWER CAP, SPLICES AND ATTACHMENTS. WING FRONT SPAR - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-03 ^U	SKIN-LOWER, MACHINED-WING, AL							Component ATA:57
PN:505-37111-902	MOS/MSC		O/C	TSO 0				
SN:RA-0041877-2	HRS			TSN 0, TSO 0				
	AFL			TSO 0				
57-10-03-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING REAR SPAR							Service ATA:57
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
PKG:90								
57-10-03-01-901	DETAILED INSPECTION OF WING REAR SPAR LOWER CAP, THIRD CAP, SPLICES AND ATTACHMENTS. WING REAR SPAR - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-04-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING ROOT SPAR							Service ATA:57
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 57-20-00PROC. REF: NDT PART 5 57-20-00								
PKG:84								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-04-01-901	DETAILED INSPECTION OF WING ROOT SPAR. WING ROOT SPAR - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-05-01-901	GENERAL VISUAL INSPECTION OF MIDDLE SPAR, SPLICES AND ATTACHMENTS. WING MIDDLE SPAR - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING UPPER PANEL							Service ATA:57
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								PKG:87
57-10-07-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL							Service ATA:57
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								PKG:84
57-10-07-01-901	GENERAL VISUAL INSPECTION OF ACCESS WINDOWS FRAMES AND STRINGERS. WING LOWER SKIN PANEL - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-07-01-902	DETAILED INSPECTION OF WING SKIN. WING LOWER SKIN PANEL - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-08-01-901	DETAILED INSPECTION OF MACHINED RIBS. WING RIBS - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-08-02-901	DETAILED INSPECTION OF MAIN LANDING GEAR RIBS. WING RIBS - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-11-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING CENTER SPLICE							Service ATA:57
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
								PKG:84
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-11-01-901	DETAILED INSPECTION OF SPAR SPLICES, LOWER SKIN SPLICES, INCLUDING FASTENERS. WING CENTRAL SPLICES - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-11-01-902	SPECIAL DETAILED INSPECTION (BOREScope) OF UPPER SKIN SPLICES, INCLUDING FASTENERS. WING CENTRAL SPLICES - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-12-01-901	DETAILED INSPECTION OF SKIN SPLICES, INCLUDING FASTENERS. KINK LOWER SKIN SPLICE - INTERNAL							Service ATA:57
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 57-10-00PROC. REF: NDT PART 5 57-10-00								
57-10-30	LEFT WING ASSEMBLY							Component ATA:57
PN:505-11900-459	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001059112	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-50-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING-EDGE TORQUE BOX AND CONTROL SURFACES FITTINGS							Service ATA:57
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 57-50-00PROC. REF: NDT PART 5 57-50-00								
57-50-01-01-901	DETAILED INSPECTION OF TORSION BOXES RIBS AND ATTACHMENTS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-50-00PROC. REF: NDT PART 5 57-50-00								
57-50-01-01-902	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RIBS ROLLERS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:11250		11250		9899:31	
	AFL	0	T:9000		9000		8375	
PROC. REF: NDT PART 6 57-50-00PROC. REF: NDT PART 6 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-01-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF TORSION BOXES RIBS LUG RAILS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 57-50-00PROC. REF: NDT PART 6 57-50-00								
57-50-01-03-901	DETAILED INSPECTION OF TORSION BOXES SKINS AND FASTENERS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-50-00PROC. REF: NDT PART 5 57-50-00								
57-50-01-04-901	DETAILED INSPECTION OF AILERON AND FLAP HINGES FITTINGS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-50-00PROC. REF: NDT PART 5 57-50-00								
57-50-01-05-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF BELL CRANK SUPPORT FITTING. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTING - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 57-50-00PROC. REF: NDT PART 6 57-50-00								
57-50-01-05-902	DETAILED INSPECTION OF BELL CRANK SUPPORT FITTING. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTING - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-50-00PROC. REF: NDT PART 5 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-50-02-001	^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING EDGE MLG TRUNNION, ACTUATOR FITTINGS AND UPLOCK						Service ATA:57
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 57-20-00PROC. REF: NDT PART 5 57-20-00								PKG:84
57-50-02-01-901		SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF MLG ACTUATOR SUPPORT FITTING. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL						Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 57-50-00PROC. REF: NDT PART 6 57-50-00								
57-50-02-01-902		DETAILED INSPECTION OF MLG ACTUATOR SUPPORT FITTING. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL						Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-50-00PROC. REF: NDT PART 5 57-50-00								
57-50-02-02-901		SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF MLG TRUNNIONS. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL						Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 57-50-00PROC. REF: NDT PART 6 57-50-00								
57-50-02-02-902		DETAILED INSPECTION OF MLG TRUNNIONS. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL						Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-50-00PROC. REF: NDT PART 5 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-52-00-001	^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF THE INBOARD FLAP						Service ATA:57
	MOS	23-Apr-20	T:120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 5 57-52-00PROC. REF: NDT PART 5 57-52-00								PKG:90
57-52-00-002	^S	EXTERNAL DETAILED VISUAL INSPECTION OF THE INBOARD FLAP						Service ATA:57
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 57-52-00PROC. REF: NDT PART 5 57-52-00								PKG:84
57-52-01-01-901		SPECIAL DETAILED INSPECTION (BORESCOPE) OF MAIN BOX AND VANE. FLAP INBOARD COMPOSITE STRUCTURE - INTERNAL						Service ATA:57
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-52-00PROC. REF: NDT PART 5 57-52-00								
57-52-01-01-902		DETAILED INSPECTION OF MAIN BOX AND VANE. FLAP INBOARD COMPOSITE STRUCTURE - EXTERNAL						Service ATA:57
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-52-00PROC. REF: NDT PART 5 57-52-00								
57-52-02-01-901		SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP RIBS. FLAP INBOARD RIBS - INTERNAL						Service ATA:57
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-52-00PROC. REF: NDT PART 5 57-52-00								
57-52-03-01-901		SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FLAP TRACKS. FLAP INBOARD TRACKS - EXTERNAL						Service ATA:57
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:11250		11250		9899:31	
	AFL	0	T:9000		9000		8375	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: NDT PART 6 57-52-00PROC. REF: NDT PART 6 57-52-00								
57-52-04-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP ACTUATOR FITTING. FLAP INBOARD ACTUATOR SUPPORT FITTING - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-52-00PROC. REF: NDT PART 5 57-52-00								
57-52-04-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FLAP ACTUATOR FITTING. FLAP INBOARD ACTUATOR SUPPORT FITTING - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 57-52-00PROC. REF: NDT PART 6 57-52-00								
57-53-00-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF THE OUTBOARD FLAP							Service ATA:57
	MOS	23-Apr-20	120 (+1m/-1m)					
	HRS	0						
	AFL	0						
PKG:87								
PROC. REF: NDT PART 5 57-53-00PROC. REF: NDT PART 5 57-53-00								
57-53-00-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF THE OUTBOARD FLAP							Service ATA:57
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PKG:84								
PROC. REF: NDT PART 5 57-53-00PROC. REF: NDT PART 5 57-53-00								
57-53-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF MAIN BOX AND VANE. FLAP OUTBOARD COMPOSITE STRUCTURE - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-53-00PROC. REF: NDT PART 5 57-53-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-53-01-01-902	DETAILED INSPECTION OF MAIN BOX AND VANE. FLAP OUTBOARD COMPOSITE STRUCTURE - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-53-00PROC. REF: NDT PART 5 57-53-00								
57-53-02-01-901	SPECIAL DETAILED INSPECTION (BOREScope) OF FLAP RIBS. FLAP OUTBOARD RIBS - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-53-00PROC. REF: NDT PART 5 57-53-00								
57-53-03-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FLAP TRACKS. FLAP OUTBOARD TRACKS - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:11250		11250		9899:31	
	AFL	0	T:9000		9000		8375	
PROC. REF: NDT PART 6 57-53-00PROC. REF: NDT PART 6 57-53-00								
57-53-04-01-901	DETAILED INSPECTION OF PIN OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-53-00PROC. REF: NDT PART 5 57-53-00								
57-53-04-02-901	DETAILED INSPECTION OF LUG OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-53-00PROC. REF: NDT PART 5 57-53-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-53-04-03-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLANGES OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - INTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-53-00PROC. REF: NDT PART 5 57-53-00								
57-53-04-04-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF NECK OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 6 57-53-00PROC. REF: NDT PART 6 57-53-00								
57-56-00	LEFT HAND INBOARD FLAP ASSEMBLY							Component ATA:57
PN:505-14334-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001067523	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-56-00	RIGHT HAND INBOARD FLAP ASSEMBLY							Component ATA:57
PN:505-14334-406	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001061930	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-60-00	RIGHT HAND WING AUTO 0% AILERON							Component ATA:57
PN:505-14718-409	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:0001061364	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-60-00-001	EXTERNAL DETAILED VISUAL INSPECTION OF THE AILERON							Service ATA:57
	MOS	31-Mar-25	60		31-Mar-30		1273 d	ALI
	HRS	987:24						
	AFL	456						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: NDT PART 5 57-60-00PROC. REF: NDT PART 5 57-60-00								
57-60-00-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF AILERON AND TAB							Service ATA:57
	MOS	31-Mar-25	120 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 57-60-00PROC. REF: NDT PART 5 57-60-00								
57-60-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, SPARS, RIBS AND FASTENERS. AILERON MAIN BOX - INTERNAL							Service ATA:57
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-60-00PROC. REF: NDT PART 5 57-60-00								
57-60-01-01-902	DETAILED INSPECTION OF SKIN, SPARS, RIBS AND FASTENERS. AILERON MAIN BOX - EXTERNAL							Service ATA:57
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-60-00PROC. REF: NDT PART 5 57-60-00								
57-60-01-02-901	DETAILED INSPECTION OF AILERON ROOT RIBS. AILERON MAIN BOX - EXTERNAL							Service ATA:57
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-60-00PROC. REF: NDT PART 5 57-60-00								
57-60-02-01-901	DETAILED INSPECTION OF AILERON HINGES PINS. AILERON HINGE FITTINGS - EXTERNAL							Service ATA:57
	MOS	23-Apr-20					AIRWORTHINESS	
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-60-00PROC. REF: NDT PART 5 57-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-60-02-02-901	DETAILED INSPECTION OF AILERON HINGES FITTINGS. AILERON HINGE FITTINGS - EXTERNAL							Service ATA:57
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:17500		17500		16149:31	
	AFL	0	T:14000		14000		13375	
PROC. REF: NDT PART 5 57-60-00PROC. REF: NDT PART 5 57-60-00								
57-60-04-001 ^U	INTERNAL DETAILED VISUAL INSPECTION OF AILERON MASS-BALANCE WEIGHTS AND ATTACHMENTS							Service ATA:57
	MOS/MSC	23-Apr-20	O/C					
	HRS	0						
	AFL	0						
57-70-02-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF SPOILER HINGE FITTINGS							Service ATA:57
	MOS	31-Mar-25	60 (+1m/-1m)					
	HRS	987:24						
	AFL	456						
PROC. REF: NDT PART 5 57-70-00PROC. REF: NDT PART 5 57-70-00								
ATA 70 - STANDARD PRACTICES - ENGINES								
700010	NO. 1 ENGINE - TREATMENT MAGNESIUM CORROSION							Service ATA:70
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 70-00-00PROC. REF: MM 70-00-00								
700010	NO. 2 ENGINE - TREATMENT MAGNESIUM CORROSION							Service ATA:70
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 70-00-00PROC. REF: MM 70-00-00								
ATA 71 - POWER PLANT								
70-00-00-200-801	NO. 1 ENGINE - INSPECT FOR CORROSION ON STRUCTURAL CASES, DUCTS							Service ATA:71
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
	ENC	0						
PROC. REF: MM 70-00-00PROC. REF: MM 70-00-00								
70-00-00-200-801	NO. 2 ENGINE - INSPECT FOR CORROSION ON STRUCTURAL CASES, DUCTS							Service ATA:71
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 70-00-00PROC. REF: MM 70-00-00								
71-00-00-160-805	NO. 1 ENGINE - COMPRESSOR WASH							Service ATA:71
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-160-805	NO. 2 ENGINE - COMPRESSOR WASH							Service ATA:71
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-160-806	NO. 1 ENGINE - PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-160-806	NO. 2 ENGINE - PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-760-810	NO. 1 ENGINE - PERFORM A PERFORMANCE CALIBRATION RUN							Service ATA:71
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-810	NO. 2 ENGINE - PERFORM A PERFORMANCE CALIBRATION RUN							Service ATA:71
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-814	NO. 1 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - BLEED VALVE OPERATIONAL CHECK							Service ATA:71
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-814	NO. 2 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - BLEED VALVE OPERATIONAL CHECK							Service ATA:71
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-817	NO. 1 ENGINE - DOWNLOAD ENGINE DCU DATA							Service ATA:71
	MOS/MSC	06-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-817	NO. 2 ENGINE - DOWNLOAD ENGINE DCU DATA							Service ATA:71
	MOS/MSC	05-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-00-760-823	NO. 1 ENGINE - CLEARING TLD (TIME LIMITED DISPATCH)							Service ATA:71
	MOS	13-Mar-26	12 (+30d)		13-Mar-27	12-Apr-27	159 d (+30)	
	HRS	1221:24	630 (+10%)		(1851:24) 1851:24	1914:24	500:55 (+63)	
	ENC	564						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-00-00-760-823	NO. 2 ENGINE - CLEARING TLD (TIME LIMITED DISPATCH)							Service ATA:71
	MOS	13-Mar-26	12 (+30d)		13-Mar-27	12-Apr-27	159 d (+30)	
	HRS	1221:24	630 (+10%)		(1851:24) 1851:24	1914:24	500:55 (+63)	
	ENC	564						
PROC. REF: MM 71-00-00PROC. REF: MM 71-00-00								
71-11-00-001 ^S	GENERAL VISUAL INSPECTION OF UPPER MID COWL							Service ATA:71
	MOS	23-Apr-20						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 71-11-00PROC. REF: AMM 71-11-00								PKG:50
71-20-00	LEFT AFT ENGINE MOUNT ISOLATOR							Component ATA:71
PN:LM-475-SA4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:LK1525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00, AMM 71-22-00PROC. REF: AMM 71-22-00, AMM 71-22-00								
71-20-00	LEFT INBOARD FORWARD ENGINE MOUNT ISOLATOR							Component ATA:71
PN:LM-475-SA3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:LK2957	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00PROC. REF: AMM 71-21-00, AMM 71-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-00	LEFT OUTBOARD FORWARD ENGINE MOUNT ISOLATOR							Component ATA:71
PN:LM-475-SA3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:LK2984	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00PROC. REF: AMM 71-21-00, AMM 71-21-00								
71-20-00	RIGHT AFT ENGINE MOUNT ISOLATOR							Component ATA:71
PN:LM-475-SA4	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:LK1533	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00, AMM 71-22-00PROC. REF: AMM 71-22-00, AMM 71-22-00								
71-20-00	RIGHT INBOARD FORWARD ENGINE MOUNT ISOLATOR							Component ATA:71
PN:LM-475-SA3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:LK2939	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00PROC. REF: AMM 71-21-00, AMM 71-21-00								
71-20-00	RIGHT OUTBOARD FORWARD ENGINE MOUNT ISOLATOR							Component ATA:71
PN:LM-475-SA3	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:LK2969	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00PROC. REF: AMM 71-21-00, AMM 71-21-00								
71-20-00-001	RESTORATION (OVERHAUL) OF ENGINE LEFT AFT MOUNT ASSEMBLY AND ATTACHMENTS							Service ATA:71
PN:LM-475-SA4	MOS/MSC	23-Apr-20	O/C					
SN:LK1525	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-001	RESTORATION (OVERHAUL) OF ENGINE LEFT INBOARD MOUNT ASSEMBLY AND ATTACHMENTS							Service ATA:71
PN:LM-475-SA3	MOS/MSC	23-Apr-20	O/C					
SN:LK2957	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-00-001	RESTORATION (OVERHAUL) OF ENGINE LEFT OUTBOARD MOUNT ASSEMBLY AND ATTACHMENTS							Service ATA:71
PN:LM-475-SA3	MOS/MSC	23-Apr-20	O/C					
SN:LK2984	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-001	RESTORATION (OVERHAUL) OF ENGINE RIGHT AFT MOUNT ASSEMBLY AND ATTACHMENTS							Service ATA:71
PN:LM-475-SA4	MOS/MSC	23-Apr-20	O/C					
SN:LK1533	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-001	RESTORATION (OVERHAUL) OF ENGINE RIGHT INBOARD MOUNT ASSEMBLY AND ATTACHMENTS							Service ATA:71
PN:LM-475-SA3	MOS/MSC	23-Apr-20	O/C					
SN:LK2939	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-20-00-001	RESTORATION (OVERHAUL) OF ENGINE RIGHT OUTBOARD MOUNT ASSEMBLY AND ATTACHMENTS							Service ATA:71
PN:LM-475-SA3	MOS/MSC	23-Apr-20	O/C					
SN:LK2969	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-21-01-01-901	RESTORATION (OVERHAUL) OF ENGINE MOUNT ASSEMBLY AND ATTACHMENTS (INCLUDING BOLTS). NOTE: THE FLIGHT CYCLES / FLIGHT HOURS ACCUMULATED SHALL BE BASED ON THE ENGINE MOUNT COMPONENTS. ENGINE FORWARD MOUNTING ASSEMBLY							Service ATA:71
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:7500		7500		6149:31	
	AFL	0	T:6000		6000		5375	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-22-01-01-901	DETAILED VISUAL INSPECTION OF AFT MOUNTS BOLTS TORQUE SEAL							Service ATA:71
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:4500		4500		3149:31	
	AFL	0	T:3600		3600		2975	
PROC. REF: NDT PART 5 71-22-00, NDT PART 5 71-22-00PROC. REF: NDT PART 5 71-22-00, NDT PART 5 71-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-22-01-01-902	RESTORATION (OVERHAUL) OF ENGINE MOUNT ASSEMBLY AND ATTACHMENTS (INCLUDING BOLTS). NOTE: THE FLIGHT CYCLES / FLIGHT HOURS ACCUMULATED SHALL BE BASED ENGINE AFT MOUNTING ASSEMBLY							Service ATA:71
	MOS	23-Apr-20						AIRWORTHINESS
	HRS	0	T:7500		7500		6149:31	
	AFL	0	T:6000		6000		5375	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
71-31-00-001 ^S	DETAILED INSPECTION OF PYLON FIREWALL SEAL							Service ATA:71
	MOS	23-Apr-20						
	HRS	0	2400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 71-31-00PROC. REF: AMM 71-31-00								PKG:20
71-60-01	LEFT ENGINE AIR INLET							Component ATA:71
PN:505-43420-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:CPI563	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-60-01, AMM 71-60-01PROC. REF: AMM 71-60-01, AMM 71-60-01								
71-60-01	RIGHT ENGINE AIR INLET							Component ATA:71
PN:505-43430-405	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:CPI562	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-60-01, AMM 71-60-01PROC. REF: AMM 71-60-01, AMM 71-60-01								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:3072913-01	MOS/MSC		E/C					
SN:PCE-DG1117	HRS							
WC#: 71.EN1	AFL							
PROC. REF: AMM 71-00-00, AMM 71-00-00PROC. REF: AMM 71-00-00, AMM 71-00-00								
71EN2	NO. 2 ENGINE							Component ATA:71
PN:3072913-01	MOS/MSC		E/C					
SN:PCE-DG1116	HRS							
WC#: 71.EN2	AFL							
PROC. REF: AMM 71-00-00, AMM 71-00-00PROC. REF: AMM 71-00-00, AMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
72-00-02-810-801	NO. 1 ENGINE - CHECK ELECTRONIC ENGINE CONTROL (EEC) FAULT ISOLATION							Service ATA:71
	MOS	13-Mar-26	12		13-Mar-27		159 d	
	HRS	1221:24	630		(1851:24) 1851:24		500:55	
	ENC	564						
PROC. REF: MM 72-00-02PROC. REF: MM 72-00-02								
72-00-02-810-801	NO. 2 ENGINE - CHECK ELECTRONIC ENGINE CONTROL (EEC) FAULT ISOLATION							Service ATA:71
	MOS	13-Mar-26	12		13-Mar-27		159 d	
	HRS	1221:24	630		(1851:24) 1851:24		500:55	
	ENC	564						
PROC. REF: MM 72-00-02PROC. REF: MM 72-00-02								
ATA 72 - ENGINE								
72-00-00-000-802	NO. 1 ENGINE -		LP COMPRESSOR SHAFT - DISCARD AT SCHEDULED OVERHAUL					Service ATA:72
PN:3073356-01	MOS/MSC	06-Dec-19	A/R					
SN:PKAAA838946	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-00-00-000-802	NO. 2 ENGINE -		LP COMPRESSOR SHAFT - DISCARD AT SCHEDULED OVERHAUL					Service ATA:72
PN:3073356-01	MOS/MSC	05-Dec-19	A/R					
SN:PKAAA838944	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-00-00-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE INLET AREA							Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-212-801	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE INLET AREA						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-802	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE INTERMEDIATE CASE AND AGB						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-802	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE INTERMEDIATE CASE AND AGB						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-803	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-803	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-212-804	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-804	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-805	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-805	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-806	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-212-806	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-807	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET COMPONENTS						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-807	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET COMPONENTS						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-808	^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-808	^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-212-809	^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANE (RETAINING) CLAMP						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-212-809	^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANE (RETAINING) CLAMP						Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-280-802		NO. 1 ENGINE - BORESCOPE INSPECT HP COMPRESSOR AND DIFFUSER EXIT DUCTS						Service ATA:72
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
72-00-00-280-802		NO. 2 ENGINE - BORESCOPE INSPECT HP COMPRESSOR AND DIFFUSER EXIT DUCTS						Service ATA:72
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
72-00-00-280-818		NO. 1 ENGINE - INSPECT LOW UTILIZATION PROGRAM (IF REQUIRED - SEE NOTES)						Service ATA:72
	MOS	06-Dec-19	T:120 (+1m)		06-Dec-29	06-Jan-30	1158 d (+31)	
	HRS	0						
	ENC	0						
PROC. REF: MM 05-20-00PROC. REF: MM 05-20-00								
72-00-00-280-818		NO. 2 ENGINE - INSPECT LOW UTILIZATION PROGRAM (IF REQUIRED - SEE NOTES)						Service ATA:72
	MOS	05-Dec-19	T:120 (+1m)		05-Dec-29	05-Jan-30	1157 d (+31)	
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: MM 05-20-00PROC. REF: MM 05-20-00								
72-00-00-280-820 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANES							Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-280-820 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANES							Service ATA:72
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-640-802	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service ATA:72
	MOS/MSC	04-Mar-24	BF/F					
	HRS							
	ENC							
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
72-00-00-640-802	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service ATA:72
	MOS/MSC	04-Mar-24	BF/F					
	HRS							
	ENC							
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
72-00-00-640-806	NO. 1 ENGINE - OIL ANALYSIS							Service ATA:72
	MOS/MSC	19-Mar-24	A/R					
	HRS	781:30						
	ENC	364						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-640-806	NO. 2 ENGINE - OIL ANALYSIS							Service ATA:72
	MOS/MSC	19-Mar-24	A/R					
	HRS	781:30						
	ENC	364						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
72-00-01-810-822	NO. 1 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - FAULT ISOLATION 3 (FIGURE 115)							Service ATA:72
	MOS/MSC	06-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-01PROC. REF: MM 72-00-01								
72-00-01-810-822	NO. 2 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - FAULT ISOLATION 3 (FIGURE 115)							Service ATA:72
	MOS/MSC	05-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-01PROC. REF: MM 72-00-01								
72-00-34-030-802	NO. 1 ENGINE - DISCARD GAS GENERATOR CASE							Service ATA:72
PN:3136412	MOS	06-Dec-19						
SN:RWA84F423	HRS	0						
	ENC	0	10000		(10000) 10000		9375	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-00-34-030-802	NO. 2 ENGINE - DISCARD GAS GENERATOR CASE							Service ATA:72
PN:3136412	MOS	05-Dec-19						
SN:RWA84F217	HRS	0						
	ENC	0	10000		(10000) 10000		9375	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-51-030-002	NO. 1 ENGINE - DISCARD HP TURBINE NUT AND KEYWASHER							Service ATA:72
	MOS	06-Dec-19						LIFE LIMIT
	HRS	0	5000 (+100)		(5000) 5000 (M)	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: MM 72-50-01, MM 72-50-01PROC. REF: MM 72-50-01, MM 72-50-01								
72-00-51-030-002	NO. 2 ENGINE - DISCARD HP TURBINE NUT AND KEYWASHER							Service ATA:72
	MOS	05-Dec-19						LIFE LIMIT
	HRS	0	5000 (+100)		(5000) 5000 (M)	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: MM 72-50-01, MM 72-50-01PROC. REF: MM 72-50-01, MM 72-50-01								
72-34-01-040-801	NO. 1 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:3056210-01	MOS	06-Dec-19		TSN 0				LIFE LIMIT
SN:EAAE000W527	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12875	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-34-01-040-801	NO. 2 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:3056210-01	MOS	05-Dec-19		TSN 0				LIFE LIMIT
SN:EAAE000W864	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12875	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-60-01-212-801	NO. 1 ENGINE - INSPECT THE AGB HYDRAULIC PUMP GEARSHAFT SPLINES							Service ATA:72
	MOS	12-Dec-25						
	HRS	1179:24	1200 (+100)		(2379:24) 2379:24	2479:24	1028:55 (+100)	
	ENC	546						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-60-01-212-801	NO. 2 ENGINE - INSPECT THE AGB HYDRAULIC PUMP GEARSHAFT SPLINES							Service ATA:72
	MOS	12-Dec-25						
	HRS	1179:24	1200 (+100)		(2379:24) 2379:24	2479:24	1028:55 (+100)	
	ENC	546						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-60-02-212-801 ^U	NO. 1 ENGINE - DO AN INSPECTION OF ENGINE HYDRAULIC PUMP SHAFT SPLINES							Service ATA:72
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	ENC	0						
72-60-02-212-801 ^U	NO. 2 ENGINE - DO AN INSPECTION OF ENGINE HYDRAULIC PUMP SHAFT SPLINES							Service ATA:72
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	ENC	0						
720001	NO. 1 ENGINE - ENGINE PRESERVATION - 0 TO 7 DAYS							Service ATA:72
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
720001	NO. 2 ENGINE - ENGINE PRESERVATION - 0 TO 7 DAYS							Service ATA:72
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
720002	NO. 1 ENGINE - ENGINE PRESERVATION - 8 TO 28 DAYS							Service ATA:72
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720002	NO. 2 ENGINE - ENGINE PRESERVATION - 8 TO 28 DAYS							Service ATA:72
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
720003	NO. 1 ENGINE - ENGINE PRESERVATION - 29 TO 90 DAYS							Service ATA:72
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
720003	NO. 2 ENGINE - ENGINE PRESERVATION - 29 TO 90 DAYS							Service ATA:72
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
720004	NO. 1 ENGINE - ENGINE PRESERVATION - 90 DAYS AND OVER							Service ATA:72
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
720004	NO. 2 ENGINE - ENGINE PRESERVATION - 90 DAYS AND OVER							Service ATA:72
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
720005	NO. 1 ENGINE - ENGINE DEPRESERVATION							Service ATA:72
	MOS/MSC	06-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720005	NO. 2 ENGINE - ENGINE DEPRESERVATION							Service ATA:72
	MOS/MSC	05-Dec-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
720010	NO. 1 ENGINE - OVERHAUL							Service ATA:72
	MOS	23-Apr-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720010	NO. 2 ENGINE - OVERHAUL							Service ATA:72
	MOS	23-Apr-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720060	NO. 1 ENGINE - HOT SECTION INSPECTION							Service ATA:72
	MOS	23-Apr-20						
	HRS	0	2500 (+50)		(2500) 2500	2550	1149:31 (+50)	
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								
720060	NO. 2 ENGINE - HOT SECTION INSPECTION							Service ATA:72
	MOS	23-Apr-20						
	HRS	0	2500 (+50)		(2500) 2500	2550	1149:31 (+50)	
	ENC	0						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
722001	NO. 1 ENGINE - OIL PUMP							Component ATA:72
PN:3073477-02	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:EC01A006A593	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 79-20-02, MM 79-20-02PROC. REF: MM 79-20-02, MM 79-20-02								
722001	NO. 2 ENGINE - OIL PUMP							Component ATA:72
PN:3073477-02	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:EC01A006A592	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 79-20-02, MM 79-20-02PROC. REF: MM 79-20-02, MM 79-20-02								
723004	NO. 1 ENGINE - LP SHAFT ASSEMBLY							Component ATA:72
PN:3073356-01	MOS	06-Dec-19		TSN 0				LIFE LIMIT
SN:PKAAA838946	HRS	0		TSN 0				
	ENC	0		TSN 0	(30000) 30000 (M)		29375	
	ACCCYC	0	30000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723004	NO. 2 ENGINE - LP SHAFT ASSEMBLY							Component ATA:72
PN:3073356-01	MOS	05-Dec-19		TSN 0				LIFE LIMIT
SN:PKAAA838944	HRS	0		TSN 0				
	ENC	0		TSN 0	(30000) 30000 (M)		29375	
	ACCCYC	0	30000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723010	NO. 1 ENGINE - LP COMPRESSOR FAN ROTOR							Component ATA:72
PN:3073311-01	MOS	06-Dec-19		TSN 0				LIFE LIMIT
SN:A004L72X	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		14375	
	ACCCYC	0	15000	TSN 0				
PROC. REF: MM 72-30-01, MM 72-30-01PROC. REF: MM 72-30-01, MM 72-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723010	NO. 2 ENGINE - LP COMPRESSOR FAN ROTOR							Component ATA:72
PN:3073311-01	MOS	05-Dec-19		TSN 0				LIFE LIMIT
SN:A004LARW	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		14375	
	ACCCYC	0	15000	TSN 0				
PROC. REF: MM 72-30-01, MM 72-30-01PROC. REF: MM 72-30-01, MM 72-30-01								
723020	NO. 1 ENGINE - LP COMPRESSOR INLET ROTOR							Component ATA:72
PN:3073292-01	MOS	06-Dec-19		TSN 0				LIFE LIMIT
SN:TXA1D7550	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		14375	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723020	NO. 2 ENGINE - LP COMPRESSOR INLET ROTOR							Component ATA:72
PN:3073292-01	MOS	05-Dec-19		TSN 0				LIFE LIMIT
SN:TXA1D7549	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		14375	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723030	NO. 1 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:3072981-01	MOS	06-Dec-19		TSN 0				LIFE LIMIT
SN:A004KTNP	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12875	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723030	NO. 2 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component ATA:72
PN:3072981-01	MOS	05-Dec-19		TSN 0				LIFE LIMIT
SN:A004HRAE	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12875	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723050	NO. 1 ENGINE - FAN CASE ASSEMBLY							Component ATA:72
PN:3075221-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:EDA1823H	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-30-02, MM 72-30-02PROC. REF: MM 72-30-02, MM 72-30-02								
723050	NO. 2 ENGINE - FAN CASE ASSEMBLY							Component ATA:72
PN:3075221-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:EDA1822W	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-30-02, MM 72-30-02PROC. REF: MM 72-30-02, MM 72-30-02								
723051	NO. 1 ENGINE - FAN CASE							Component ATA:72
PN:3074676-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:EDA1823H	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-30-02, MM 72-30-02PROC. REF: MM 72-30-02, MM 72-30-02								
723051	NO. 2 ENGINE - FAN CASE							Component ATA:72
PN:3074676-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:EDA1822W	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-30-02, MM 72-30-02PROC. REF: MM 72-30-02, MM 72-30-02								
723060	NO. 1 ENGINE - COMPRESSOR ROTOR BALANCING ASSEMBLY - CYLINDRICAL ROLLER BEARING							Component ATA:72
PN:3079044-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:FCN519533	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723060	NO. 2 ENGINE - COMPRESSOR ROTOR BALANCING ASSEMBLY - CYLINDRICAL ROLLER BEARING							Component ATA:72
PN:3079044-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:FCN519531	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723070	NO. 1 ENGINE - INTERMEDIATE CASE ASSEMBLY							Component ATA:72
PN:3079507-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HBA0489	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723070	NO. 2 ENGINE - INTERMEDIATE CASE ASSEMBLY							Component ATA:72
PN:3079617-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:A004LXBT	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723080	NO. 1 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component ATA:72
PN:3136412	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:RWA84F423	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723080	NO. 2 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component ATA:72
PN:3136412	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:RWA84F217	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723090	NO. 1 ENGINE - GAS GENERATOR DIFFUSER							Component ATA:72
PN:3073236-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:A004L5BE	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723090	NO. 2 ENGINE - GAS GENERATOR DIFFUSER							Component ATA:72
PN:3073236-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:A004LDRK	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723095	NO. 1 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component ATA:72
PN:3052673-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:PKAAA851978	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723095	NO. 2 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component ATA:72
PN:3052673-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:PKAAA851981	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723110	NO. 1 ENGINE - NO. 3 SEAL BEARING RUNNER							Component ATA:72
PN:3052668-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:AFD01E503	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723110	NO. 2 ENGINE - NO. 3 SEAL BEARING RUNNER							Component ATA:72
PN:3052668-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:AFD01E724	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723120	NO. 1 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component ATA:72
PN:3072571-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:MDA18005814	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723120	NO. 2 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component ATA:72
PN:3072571-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:MDA18005801	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723130	NO. 1 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component ATA:72
PN:3072572-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:MDA18004886	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723130	NO. 2 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component ATA:72
PN:3072572-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:MDA18004900	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723140	NO. 1 ENGINE - NO. 4 SCOOP OIL BEARING							Component ATA:72
PN:3052737-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:LPA000026412	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723140	NO. 2 ENGINE - NO. 4 SCOOP OIL BEARING							Component ATA:72
PN:3052737-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:LPA000026374	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723150	NO. 1 ENGINE - HIGH PRESSURE SHAFT COMPRESSOR							Component ATA:72
PN:3072574-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:EAAE000T806	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723150	NO. 2 ENGINE - HIGH PRESSURE SHAFT COMPRESSOR							Component ATA:72
PN:3072574-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:EAAE000T704	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723160	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR ROTOR BALANCING ASSEMBLY - ANNULAR BALL BEARING							Component ATA:72
PN:3052670-02	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:FCN521105	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723160	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR ROTOR BALANCING ASSEMBLY - ANNULAR BALL BEARING							Component ATA:72
PN:3052670-02	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:FCN522694	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723161	NO. 1 ENGINE - LOW PRESSURE SHAFT ASSEMBLY - ANNULAR BALL BEARING							Component ATA:72
PN:3052634-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:FCN515418	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723161	NO. 2 ENGINE - LOW PRESSURE SHAFT ASSEMBLY - ANNULAR BALL BEARING							Component ATA:72
PN:3071046-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:FAA1801302	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723170	NO. 1 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component ATA:72
PN:3072280-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:PKAAA846383	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723170	NO. 2 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component ATA:72
PN:3072280-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:PKAAA846370	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723180	NO. 1 ENGINE - FORWARD LOW PRESSURE SHAFT ASSEMBLY BALL ANNULAR BEARING							Component ATA:72
PN:3052616-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:FCN518765	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723180	NO. 2 ENGINE - FORWARD LOW PRESSURE SHAFT ASSEMBLY BALL ANNULAR BEARING							Component ATA:72
PN:3052616-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:FCN518759	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723705	NO. 1 ENGINE - 1ST STAGE LOW PRESSURE TURBINE DISK							Component ATA:72
PN:3053812-01	MOS	06-Dec-19		TSN 0				LIFE LIMIT
SN:A004KX4T	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12875	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723705	NO. 2 ENGINE - 1ST STAGE LOW PRESSURE TURBINE DISK							Component ATA:72
PN:3053812-01	MOS	05-Dec-19		TSN 0				LIFE LIMIT
SN:A004KKN5	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12875	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723706	NO. 1 ENGINE - 2ND STAGE LOW PRESSURE TURBINE DISK							Component ATA:72
PN:3053743-01	MOS	06-Dec-19		TSN 0				LIFE LIMIT
SN:A004KWBB	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12875	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723706	NO. 2 ENGINE - 2ND STAGE LOW PRESSURE TURBINE DISK							Component ATA:72
PN:3053743-01	MOS	05-Dec-19		TSN 0				LIFE LIMIT
SN:A004EYTA	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12875	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724001	NO. 1 ENGINE - INNER COMBUSTION LINER							Component ATA:72
PN:3123695-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:A004LTL5	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-40-01, MM 72-40-01PROC. REF: MM 72-40-01, MM 72-40-01								
724001	NO. 2 ENGINE - INNER COMBUSTION LINER							Component ATA:72
PN:3123695-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:A004LTA1	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-40-01, MM 72-40-01PROC. REF: MM 72-40-01, MM 72-40-01								
724002	NO. 1 ENGINE - OUTER COMBUSTION LINER							Component ATA:72
PN:3079976-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:A004L84K	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-40-01, MM 72-40-01PROC. REF: MM 72-40-01, MM 72-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724002	NO. 2 ENGINE - OUTER COMBUSTION LINER							Component ATA:72
PN:3079976-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:A004L607	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-40-01, MM 72-40-01PROC. REF: MM 72-40-01, MM 72-40-01								
724003	NO. 1 ENGINE - HP TURBINE AIR SEAL							Component ATA:72
PN:3052756-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:ECB8504	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724003	NO. 2 ENGINE - HP TURBINE AIR SEAL							Component ATA:72
PN:3052756-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:ECB8501	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724010	NO. 1 ENGINE - TURBINE SUPPORT CASE ASSEMBLY							Component ATA:72
PN:3075468-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:ACM222195735	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724010	NO. 2 ENGINE - TURBINE SUPPORT CASE ASSEMBLY							Component ATA:72
PN:3075468-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:ACM222205612	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724706	NO. 1 ENGINE - HIGH PRESSURE TURBINE DISK							Component ATA:72
PN:3053331-01	MOS	06-Dec-19		TSN 0				LIFE LIMIT
SN:A004KW91	HRS	0		TSN 0				
	ENC	0		TSN 0	(10000) 10000 (M)		9375	
	ACCCYC	0	10000	TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: MM 72-50-01, MM 72-50-01PROC. REF: MM 72-50-01, MM 72-50-01								
724706	NO. 2 ENGINE - HIGH PRESSURE TURBINE DISK							Component ATA:72
PN:3053331-01	MOS	05-Dec-19		TSN 0				LIFE LIMIT
SN:A004KKR8	HRS	0		TSN 0				
	ENC	0		TSN 0	(10000) 10000 (M)		9375	
	ACCCYC	0	10000	TSN 0				
PROC. REF: MM 72-50-01, MM 72-50-01PROC. REF: MM 72-50-01, MM 72-50-01								
724825	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3052661-01	MOS	06-Dec-19		TSN 0				LIFE LIMIT
SN:A004LPT2	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12875	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724825	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3052661-01	MOS	05-Dec-19		TSN 0				LIFE LIMIT
SN:A004FT72	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12875	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 1 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXN0658	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 10 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY7710	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO. 11 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY7711	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 12 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY7724	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 13 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY7725	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 14 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY7729	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 15 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0131	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 16 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0137	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO. 17 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0139	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 18 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0341	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 19 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0345	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 2 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXN1173	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 20 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0420	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 21 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0423	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO. 22 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0424	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 23 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0430	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 24 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0432	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 25 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0437	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 26 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0496	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 27 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0510	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO. 28 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0519	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 29 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0535	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 3 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY3157	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 30 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0536	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 31 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0539	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 32 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0544	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO. 33 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0640	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 34 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0890	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 35 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0894	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 36 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0901	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 37 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA0902	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 38 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA1055	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO. 39 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA1063	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 4 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY3162	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 40 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA1084	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 41 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA1086	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 42 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA1110	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 43 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2427	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO. 44 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2431	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 45 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2441	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 46 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2497	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 47 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2500	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 48 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2507	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 49 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2509	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO. 5 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY3198	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 50 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2574	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 51 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2586	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 52 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2589	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 53 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2597	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 54 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2686	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO. 55 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2701	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 56 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA2843	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 57 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA3813	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 58 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA3816	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 59 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA4665	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 6 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY3200	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO. 60 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5037	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 7 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY3221	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 8 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY3405	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO. 9 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWXY7708	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO.61 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5039	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO.62 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5056	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO.63 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5059	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO.64 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5096	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO.65 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5101	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO.66 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5117	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO.67 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5187	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO.68 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5193	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - NO.69 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5242	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - NO.70 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:HWYA5250	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 1 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXR9575	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 10 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9149	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 11 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9202	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 12 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9208	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO. 13 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9210	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 14 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9221	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 15 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9226	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 16 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9229	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 17 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9234	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 18 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9235	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO. 19 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9238	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 2 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX0468	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 20 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9240	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 21 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9243	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 22 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9507	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 23 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9508	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO. 24 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9524	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 25 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9528	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 26 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9529	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 27 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9587	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 28 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9589	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 29 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9596	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO. 3 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9119	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 30 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY2967	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 31 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY2978	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 32 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3018	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 33 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3022	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 34 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3029	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO. 35 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3035	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 36 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3040	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 37 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3050	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 38 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3053	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 39 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3106	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 4 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9122	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO. 40 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3132	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 41 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3135	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 42 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3189	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 43 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3204	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 44 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3208	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 45 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3210	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO. 46 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3220	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 47 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY3422	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 48 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9229	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 49 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9231	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 5 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9128	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 50 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9252	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO. 51 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9462	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 52 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9472	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 53 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9488	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 54 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9579	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 55 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9582	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 56 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9587	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO. 57 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9652	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 58 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9654	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 59 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9660	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 6 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9133	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 60 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9668	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 7 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9134	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO. 8 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9135	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO. 9 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXX9138	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO.61 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9675	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO.62 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9797	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO.63 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9801	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO.64 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9802	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - NO.65 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9803	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO.66 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9811	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO.67 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWXY9974	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO.68 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWYA0176	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO.69 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWYA0237	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 2 ENGINE - NO.70 HIGH PRESSURE TURBINE BLADE							Component ATA:72
PN:3077471-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:HWYA0248	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725015	NO. 1 ENGINE - LOW PRESSURE TURBINE ROTOR ASSEMBLY ROLLER CYLINDRICAL BEARING							Component ATA:72
PN:3073355-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:FCN518846	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725015	NO. 2 ENGINE - LOW PRESSURE TURBINE ROTOR ASSEMBLY ROLLER CYLINDRICAL BEARING							Component ATA:72
PN:3073355-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:FCN518849	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725020	NO. 1 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component ATA:72
PN:3076552-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:RWA86F923	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-50-03PROC. REF: MM 72-50-03								
725020	NO. 2 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component ATA:72
PN:3076552-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:RWA86F496	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-50-03PROC. REF: MM 72-50-03								
725025	NO. 1 ENGINE - NO. 5 CARBON SEAL BEARING RUNNER							Component ATA:72
PN:3073353-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:MDA19008252	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725025	NO. 2 ENGINE - NO. 5 CARBON SEAL BEARING RUNNER							Component ATA:72
PN:3073353-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:MDA19008246	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725030	NO. 1 ENGINE - LOW PRESSURE (CASTING) TURBINE VANE RING							Component ATA:72
PN:3053163CL01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:PDAMW3TP01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725030	NO. 2 ENGINE - LOW PRESSURE (CASTING) TURBINE VANE RING							Component ATA:72
PN:3053163CL01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:PDAMX27W01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725035	NO. 1 ENGINE - TURBINE (CASTING) VANE RING							Component ATA:72
PN:3073821CL01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:PDAM294M01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725035	NO. 2 ENGINE - TURBINE (CASTING) VANE RING							Component ATA:72
PN:3073821CL01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:PDAM4L9M01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725040	NO. 1 ENGINE - LOW PRESSURE TURBINE VANE ASSEMBLY							Component ATA:72
PN:3073262CL02	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:BHAMBRHP01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725040	NO. 2 ENGINE - LOW PRESSURE TURBINE VANE ASSEMBLY							Component ATA:72
PN:3073262CL02	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:BHAMCMYB01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725041	NO. 1 ENGINE - LP TURBINE VANE RING							Component ATA:72
PN:3053173CL01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:PDAMW3TP01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725041	NO. 2 ENGINE - LP TURBINE VANE RING							Component ATA:72
PN:3053173CL01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:PDAMX27W01	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726010	NO. 1 ENGINE - ROLLER CYLINDRICAL BEARING							Component ATA:72
PN:3052549-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:FCN517275	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726010	NO. 2 ENGINE - ROLLER CYLINDRICAL BEARING							Component ATA:72
PN:3052549-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:FCN517281	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726020	NO. 1 ENGINE - FORWARD HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING							Component ATA:72
PN:3073908-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:AEB0320218	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726020	NO. 2 ENGINE - FORWARD HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING							Component ATA:72
PN:3073908-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:AEB0320170	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726030	NO. 1 ENGINE - REAR HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING							Component ATA:72
PN:3073908-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:AEB0320219	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726030	NO. 2 ENGINE - REAR HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING							Component ATA:72
PN:3073908-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:AEB0320173	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726040	NO. 1 ENGINE - FORWARD FUEL CONTROL DRIVE ROLLER FLANGED BEARING							Component ATA:72
PN:3073908-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:AEB0320221	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726040	NO. 2 ENGINE - FORWARD FUEL CONTROL DRIVE ROLLER FLANGED BEARING							Component ATA:72
PN:3073908-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:AEB0320177	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726050	NO. 1 ENGINE - REAR FUEL CONTROL DRIVE ROLLER FLANGED BEARING							Component ATA:72
PN:3073908-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:AEB0320225	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726050	NO. 2 ENGINE - REAR FUEL CONTROL DRIVE ROLLER FLANGED BEARING							Component ATA:72
PN:3073908-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:AEB0320178	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726051	NO. 1 ENGINE - FUEL CONTROL DRIVE GEARSHAFT SPUR							Component ATA:72
PN:3078182-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:PKAAA846475	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726051	NO. 2 ENGINE - FUEL CONTROL DRIVE GEARSHAFT SPUR							Component ATA:72
PN:3078182-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:PKAAA836552	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726060	NO. 1 ENGINE - GEARSHAFT ASSY, ACCESSORY DRIVE FLANGED ROLLER BEARING							Component ATA:72
PN:3073908-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:AEB0320228	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726060	NO. 2 ENGINE - GEARSHAFT ASSY, ACCESSORY DRIVE FLANGED ROLLER BEARING							Component ATA:72
PN:3073908-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:AEB0320179	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726070	NO. 1 ENGINE - ACCESSORY DRIVE GEARSHAFT ASSEMBLY							Component ATA:72
PN:3078183-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:PKAAA838160	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726070	NO. 2 ENGINE - ACCESSORY DRIVE GEARSHAFT ASSEMBLY							Component ATA:72
PN:3078183-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:PKAAA838155	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726080	NO. 1 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT							Component ATA:72
PN:3072279-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:PKAAA844367	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726080	NO. 2 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT							Component ATA:72
PN:3072279-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:PKAAA844372	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726090	NO. 1 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL FLANGED BEARING							Component ATA:72
PN:3072235-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:FAA1905521	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726090	NO. 2 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL FLANGED BEARING							Component ATA:72
PN:3072235-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:FAA1905517	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726110	NO. 1 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL ANNULAR BEARING							Component ATA:72
PN:3052605-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:FAA1912984	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726110	NO. 2 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL ANNULAR BEARING							Component ATA:72
PN:3052605-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:FAA1912987	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726120	NO. 1 ENGINE - ACCESSORY GEARBOX BALL ANNULAR BEARING							Component ATA:72
PN:3052550-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:BB0317747	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726120	NO. 2 ENGINE - ACCESSORY GEARBOX BALL ANNULAR BEARING							Component ATA:72
PN:3052550-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:BB0305352	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726130	NO. 1 ENGINE - SPLINED BEVEL GEARBOX DRIVE GEAR SHAFT							Component ATA:72
PN:3072282-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:PKAAA842408	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726130	NO. 2 ENGINE - SPLINED BEVEL GEARBOX DRIVE GEAR SHAFT							Component ATA:72
PN:3072282-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:PKAAA842405	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727010	NO. 1 ENGINE - FRONT OUTER BYPASS DUCT ASSEMBLY							Component ATA:72
PN:3075013-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:KYAA028A047	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727010	NO. 2 ENGINE - FRONT OUTER BYPASS DUCT ASSEMBLY							Component ATA:72
PN:3075013-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:KYAA026A033	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727020	NO. 1 ENGINE - REAR BYPASS DUCT ASSEMBLY							Component ATA:72
PN:3074835-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:KYAA028A316	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-70-01PROC. REF: MM 72-70-01								
727020	NO. 2 ENGINE - REAR BYPASS DUCT ASSEMBLY							Component ATA:72
PN:3074835-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:KYAA028A305	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-70-01PROC. REF: MM 72-70-01								
ATA 73 - ENGINE FUEL AND CONTROL								
72-00-00-280-819 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service ATA:73
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
72-00-00-280-819 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service ATA:73
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 72-00-00PROC. REF: MM 72-00-00								PKG:1
73-10-01-212-801	NO. 1 ENGINE - EXAMINE - FUEL MANIFOLD TRANSFER TUBES							Service ATA:73
	MOS	23-Apr-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-01-212-801	NO. 2 ENGINE - EXAMINE - FUEL MANIFOLD TRANSFER TUBES							Service ATA:73
	MOS	23-Apr-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-10-04-000-801	NO. 1 ENGINE - DISCARD THE FUEL MANIFOLD PAD							Service ATA:73
	MOS	06-Dec-19						
	HRS	0						
	ENC	0	9900		(9900) 9900		9275	
PROC. REF: MM 73-10-04PROC. REF: MM 73-10-04								
73-10-04-000-801	NO. 2 ENGINE - DISCARD THE FUEL MANIFOLD PAD							Service ATA:73
	MOS	05-Dec-19						
	HRS	0						
	ENC	0	9900		(9900) 9900		9275	
PROC. REF: MM 73-10-04PROC. REF: MM 73-10-04								
73-10-05-212-801	NO. 1 ENGINE - GENERAL VISUAL INSPECTION (GVI) OF THE FUEL FILTER ELEMENT							Service ATA:73
	MOS	13-Mar-26	12 (+30d)		13-Mar-27	12-Apr-27	159 d (+30)	
	HRS	1221:24						
	ENC	564						
PROC. REF: MM 73-10-05PROC. REF: MM 73-10-05								
73-10-05-212-801	NO. 2 ENGINE - GENERAL VISUAL INSPECTION (GVI) OF THE FUEL FILTER ELEMENT							Service ATA:73
	MOS	13-Mar-26	12 (+30d)		13-Mar-27	12-Apr-27	159 d (+30)	
	HRS	1221:24						
	ENC	564						
PROC. REF: MM 73-10-05PROC. REF: MM 73-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-05-960-801	NO. 1 ENGINE - DISCARD THE FUEL FILTER							Service ATA:73
PN:3052624-01	MOS	19-Mar-24						
SN:N/A	HRS	781:30	800 (+10%)		(1581:30) 1581:30	1661:30	231:01 (+80)	
	ENC	364						
PROC. REF: MM 73-10-05, MM 73-10-05PROC. REF: MM 73-10-05, MM 73-10-05								
73-10-05-960-801	NO. 2 ENGINE - DISCARD THE FUEL FILTER							Service ATA:73
PN:3052624-01	MOS	19-Mar-24						
SN:N/A	HRS	781:30	800 (+10%)		(1581:30) 1581:30	1661:30	231:01 (+80)	
	ENC	364						
PROC. REF: MM 73-10-05, MM 73-10-05PROC. REF: MM 73-10-05, MM 73-10-05								
73-10-07-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE							Service ATA:73
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 73-10-07PROC. REF: MM 73-10-07								PKG:1
73-10-07-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE							Service ATA:73
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 73-10-07PROC. REF: MM 73-10-07								PKG:1
73-20-01-212-801	NO. 1 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - FUEL METERING UNIT							Service ATA:73
PN:3071682-05	MOS	23-Apr-20						
SN:F85602	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: MM 73-20-01PROC. REF: MM 73-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-20-01-212-801	NO. 2 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - FUEL METERING UNIT							Service ATA:73
PN:3071682-05	MOS	23-Apr-20						
SN:F85863	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: MM 73-20-01PROC. REF: MM 73-20-01								
73-20-02-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS							Service ATA:73
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 73-20-02PROC. REF: MM 73-20-02								PKG:1
73-20-02-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS							Service ATA:73
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 73-20-02PROC. REF: MM 73-20-02								PKG:1
73-20-10-212-801	NO. 1 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - ENGINE WIRING HARNESS							Service ATA:73
PN:3073237-05	MOS	23-Apr-20						
SN:ADXBA001698	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-20-10-212-801	NO. 2 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - ENGINE WIRING HARNESS							Service ATA:73
PN:3073237-05	MOS	23-Apr-20						
SN:ADXBA001677	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-20-20-212-801	NO. 1 ENGINE - OVERHAUL OR REFURBISH - FUEL NOZZLES							Service ATA:73
	MOS	23-Apr-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-20-20-212-801	NO. 2 ENGINE - OVERHAUL OR REFURBISH - FUEL NOZZLES							Service ATA:73
	MOS	23-Apr-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-20-30-212-801	NO. 1 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:73
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-20-30-212-801	NO. 2 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:73
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-21-01	LEFT FADEC							Component ATA:73
PN:3073593-08	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2019080466	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-21-01, AMM 73-21-01PROC. REF: AMM 73-21-01, AMM 73-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-21-01	RIGHT FADEC							Component ATA:73
PN:3073593-08	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2019081373	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-21-01, AMM 73-21-01PROC. REF: AMM 73-21-01, AMM 73-21-01								
73-30-02-212-801 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FUEL PRESSURE TRANSDUCER SENSOR							Service ATA:73
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 73-30-02PROC. REF: MM 73-30-02								
73-30-02-212-801 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FUEL PRESSURE TRANSDUCER SENSOR							Service ATA:73
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 73-30-02PROC. REF: MM 73-30-02								
73-33-01	LEFT ENGINE LOW ACCURACY ENGINE FUEL MASS FLOW FLOWMETER							Component ATA:73
PN:8TJ300AAB2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:DT6895N	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-33-01, AMM 73-33-01PROC. REF: AMM 73-33-01, AMM 73-33-01								
73-33-01	RIGHT ENGINE LOW ACCURACY ENGINE FUEL MASS FLOW FLOWMETER							Component ATA:73
PN:8TJ300AAB2	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:DT8299N	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-33-01, AMM 73-33-01PROC. REF: AMM 73-33-01, AMM 73-33-01								
731005	NO. 1 ENGINE - FUEL FILTER							Component ATA:73
PN:3052624-01	MOS/MSC	19-Mar-24	O/C	TSN 29				
SN:N/A	HRS	781:30		TSN 0				
	ENC	364		TSN 0				
PROC. REF: MM 73-10-05PROC. REF: MM 73-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731005	NO. 2 ENGINE - FUEL FILTER							Component ATA:73
PN:3052624-01	MOS/MSC	19-Mar-24	O/C	TSN 29				
SN:N/A	HRS	781:30		TSN 0				
	ENC	364		TSN 0				
PROC. REF: MM 73-10-05PROC. REF: MM 73-10-05								
731010	NO. 1 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46256	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46265	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46266	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - NO. 12 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46267	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46257	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46258	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731010	NO. 1 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46259	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46260	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46261	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46262	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46263	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 1 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:DEAAB46264	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731010	NO. 2 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB46303	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 2 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB47049	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 2 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB47061	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 2 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB46304	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 2 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB46305	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 2 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB46306	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731010	NO. 2 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB46307	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 2 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB46308	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 2 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB46309	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 2 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB46310	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731010	NO. 2 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY							Component ATA:73
PN:3057135-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:DEAAB46311	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732002	NO. 1 ENGINE - FUEL METERING UNIT (FMU)							Component ATA:73
PN:3071682-05	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:F85602	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 73-20-01, MM 73-20-01PROC. REF: MM 73-20-01, MM 73-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732002	NO. 2 ENGINE - FUEL METERING UNIT (FMU)							Component ATA:73
PN:3071682-05	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:F85863	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 73-20-01, MM 73-20-01PROC. REF: MM 73-20-01, MM 73-20-01								
732010	NO. 1 ENGINE - ELECTRICAL WIRING HARNESS							Component ATA:73
PN:3073237-05	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:ADXBA001698	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 73-20-02, MM 73-20-02, MM 73-20-02, MM 73-20-02PROC. REF: MM 73-20-02, MM 73-20-02, MM 73-20-02, MM 73-20-02								
732010	NO. 2 ENGINE - ELECTRICAL WIRING HARNESS							Component ATA:73
PN:3073237-05	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:ADXBA001677	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 73-20-02, MM 73-20-02, MM 73-20-02, MM 73-20-02PROC. REF: MM 73-20-02, MM 73-20-02, MM 73-20-02, MM 73-20-02								
732030	NO. 1 ENGINE - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Component ATA:73
PN:PN	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732030	NO. 2 ENGINE - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Component ATA:73
PN:PN	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 74 - IGNITION								
74-00-01-750-801 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF IGNITION SYSTEM							Service ATA:74
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						

PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
PROC. REF: MM 74-00-01PROC. REF: MM 74-00-01								
74-00-01-750-801 ^S	NO. 2 ENGINE - DO A FUNCTIONAL TEST OF IGNITION SYSTEM							Service ATA:74
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 74-00-01PROC. REF: MM 74-00-01								PKG:1
74-10-01-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION EXCITER IGNITION OF THE IGNITION EXCITER							Service ATA:74
PN:31J2807-07	MOS	13-Mar-26	12 (+30d)					
SN:NNA19320003	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 74-10-01PROC. REF: MM 74-10-01								PKG:1
74-10-01-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION EXCITER IGNITION OF THE IGNITION EXCITER							Service ATA:74
PN:31J2807-07	MOS	13-Mar-26	12 (+30d)					
SN:NNA19320005	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 74-10-01PROC. REF: MM 74-10-01								PKG:1
74-20-01-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES							Service ATA:74
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 74-20-01PROC. REF: MM 74-20-01								PKG:1
74-20-01-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES							Service ATA:74
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 74-20-01PROC. REF: MM 74-20-01								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-20-02-210-801	^S	NO. 1 ENGINE - VISUAL INSPECTION OF THE 5 O'CLOCK IGNITION IGNITOR						Service ATA:74
PN:PN	MOS	13-Mar-26	12 (+30d)					
SN:UNKNOWN	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 74-20-02PROC. REF: MM 74-20-02								PKG:1
74-20-02-210-801	^S	NO. 1 ENGINE - VISUAL INSPECTION OF THE 7 O'CLOCK IGNITION IGNITOR						Service ATA:74
PN:PN	MOS	13-Mar-26	12 (+30d)					
SN:UNKNOWN	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 74-20-02PROC. REF: MM 74-20-02								PKG:1
74-20-02-210-801	^S	NO. 2 ENGINE - VISUAL INSPECTION OF THE 5 O'CLOCK IGNITION IGNITOR						Service ATA:74
PN:PN	MOS	13-Mar-26	12 (+30d)					
SN:UNKNOWN	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 74-20-02PROC. REF: MM 74-20-02								PKG:1
74-20-02-210-801	^S	NO. 2 ENGINE - VISUAL INSPECTION OF THE 7 O'CLOCK IGNITION IGNITOR						Service ATA:74
PN:PN	MOS	13-Mar-26	12 (+30d)					
SN:UNKNOWN	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 74-20-02PROC. REF: MM 74-20-02								PKG:1
74-20-02-960-801		NO. 1 ENGINE - DISCARD 5 O'CLOCK IGNITER						Service ATA:74
PN:PN	MOS/MSC	06-Dec-19	O/C					
SN:UNKNOWN	HRS	0						
	ENC	0						
PROC. REF: MM 74-20-02, MM 74-20-02PROC. REF: MM 74-20-02, MM 74-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-20-02-960-801	NO. 1 ENGINE - DISCARD 7 OCLOCK IGNITER							Service ATA:74
PN:PN	MOS/MSC	06-Dec-19	O/C					
SN:UNKNOWN	HRS	0						
	ENC	0						
PROC. REF: MM 74-20-02, MM 74-20-02PROC. REF: MM 74-20-02, MM 74-20-02								
74-20-02-960-801	NO. 2 ENGINE - DISCARD 5 O'CLOCK IGNITER							Service ATA:74
PN:PN	MOS/MSC	05-Dec-19	O/C					
SN:UNKNOWN	HRS	0						
	ENC	0						
PROC. REF: MM 74-20-02, MM 74-20-02PROC. REF: MM 74-20-02, MM 74-20-02								
74-20-02-960-801	NO. 2 ENGINE - DISCARD 7 OCLOCK IGNITER							Service ATA:74
PN:PN	MOS/MSC	05-Dec-19	O/C					
SN:UNKNOWN	HRS	0						
	ENC	0						
PROC. REF: MM 74-20-02, MM 74-20-02PROC. REF: MM 74-20-02, MM 74-20-02								
741001	NO. 1 ENGINE - EXCITER IGNITION							Component ATA:74
PN:31J2807-07	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:NNA19320003	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-10-01, MM 74-10-01PROC. REF: MM 74-10-01, MM 74-10-01								
741001	NO. 2 ENGINE - EXCITER IGNITION							Component ATA:74
PN:31J2807-07	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:NNA19320005	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-10-01, MM 74-10-01PROC. REF: MM 74-10-01, MM 74-10-01								
742000	NO. 1 ENGINE - 5 O'CLOCK IGNITER							Component ATA:74
PN:PN	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-20-02, MM 74-20-02PROC. REF: MM 74-20-02, MM 74-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
742000	NO. 2 ENGINE - 5 O'CLOCK IGNITER							Component ATA:74
PN:PN	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-20-02, MM 74-20-02PROC. REF: MM 74-20-02, MM 74-20-02								
742001	NO. 1 ENGINE - 7 O'CLOCK IGNITER							Component ATA:74
PN:PN	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-20-02, MM 74-20-02PROC. REF: MM 74-20-02, MM 74-20-02								
742001	NO. 2 ENGINE - 7 O'CLOCK IGNITER							Component ATA:74
PN:PN	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-20-02, MM 74-20-02PROC. REF: MM 74-20-02, MM 74-20-02								
742002	NO. 1 ENGINE - INBOARD SHORT IGNITOR LEAD							Component ATA:74
PN:3127408-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:NNA17520072	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-20-01, MM 74-20-01PROC. REF: MM 74-20-01, MM 74-20-01								
742002	NO. 2 ENGINE - INBOARD SHORT IGNITOR LEAD							Component ATA:74
PN:3127408-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:NNAS19130008	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-20-01, MM 74-20-01PROC. REF: MM 74-20-01, MM 74-20-01								
742003	NO. 1 ENGINE - OUTBOARD LONG IGNITOR LEAD							Component ATA:74
PN:3127408-02	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:NNA17430105	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-20-01, MM 74-20-01PROC. REF: MM 74-20-01, MM 74-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
742003	NO. 2 ENGINE - OUTBOARD LONG IGNITOR LEAD							Component ATA:74
PN:3127408-02	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:NNA17410094	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-20-01, MM 74-20-01PROC. REF: MM 74-20-01, MM 74-20-01								
ATA 75 - AIR								
75-30-01-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BOV ASSY AND BOV SERVO VALVE							Service ATA:75
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 75-30-01PROC. REF: MM 75-30-01								PKG:1
75-30-01-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BOV ASSY AND BOV SERVO VALVE							Service ATA:75
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 75-30-01PROC. REF: MM 75-30-01								PKG:1
75-30-01-212-802	NO. 1 ENGINE - EXAMINE - P3 AIR INERTIAL SEPARATOR							Service ATA:75
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: MM 75-30-01PROC. REF: MM 75-30-01								
75-30-01-212-802	NO. 2 ENGINE - EXAMINE - P3 AIR INERTIAL SEPARATOR							Service ATA:75
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: MM 75-30-01PROC. REF: MM 75-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-01-212-803	NO. 1 ENGINE - EXAMINE - COMPRESSOR AIR BLEED VALVE							Service ATA:75
PN:3053367-01	MOS	23-Apr-20						
SN:AHX0501012	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-30-01-212-803	NO. 2 ENGINE - EXAMINE - COMPRESSOR AIR BLEED VALVE							Service ATA:75
PN:3053367-01	MOS	23-Apr-20						
SN:AHX0501016	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-30-01-900-802	NO. 1 ENGINE - BLEED OFF VALVE (BOV) AND BOV SERVO VALVE							Component ATA:75
PN:PN	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-900-802	NO. 2 ENGINE - BLEED OFF VALVE (BOV) AND BOV SERVO VALVE							Component ATA:75
PN:PN	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-900-803	NO. 1 ENGINE - LINEAR TRANSFORMER							Component ATA:75
PN:3071811-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:117032449	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-900-803	NO. 2 ENGINE - LINEAR TRANSFORMER							Component ATA:75
PN:3071811-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:117032454	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
PROC. REF: MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-960-801	NO. 1 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED AIR SYSTEM INTERCONNECTING TUBES							Service ATA:75
	MOS/MSC	06-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-960-801	NO. 2 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED AIR SYSTEM INTERCONNECTING TUBES							Service ATA:75
	MOS/MSC	05-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-960-802	NO. 1 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Service ATA:75
PN:3075987-01	MOS/MSC	06-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
SN:TRAXY000333	HRS	0						
	ENC	0						
PROC. REF: MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-960-802	NO. 2 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Service ATA:75
PN:3075987-01	MOS/MSC	05-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
SN:TRAXY000329	HRS	0						
	ENC	0						
PROC. REF: MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-960-803	NO. 1 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED VALVE AND THE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service ATA:75
PN:3071811-01	MOS/MSC	06-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
SN:117032449	HRS	0						
	ENC	0						
PROC. REF: MM 75-30-01, MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01, MM 75-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-01-960-803	NO. 2 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED VALVE AND THE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service ATA:75
PN:3071811-01	MOS/MSC	05-Dec-19	A/R					UNSCHEDULED MAINTENANCE CHECK
SN:117032454	HRS	0						
	ENC	0						
PROC. REF: MM 75-30-01, MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01, MM 75-30-01								
75-30-02-212-801	NO. 1 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service ATA:75
PN:3071811-01	MOS	23-Apr-20						
SN:117032449	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-30-02-212-801	NO. 2 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service ATA:75
PN:3071811-01	MOS	23-Apr-20						
SN:117032454	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-30-20-212-801	NO. 1 ENGINE - REPLACED WITH NEW OR EXAMINE AND REFURBISH - THE BOV TORQUE MOTOR							Service ATA:75
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
75-30-20-212-801	NO. 2 ENGINE - REPLACED WITH NEW OR EXAMINE AND REFURBISH - THE BOV TORQUE MOTOR							Service ATA:75
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
750010	NO. 1 ENGINE - P3 AIR INERTIAL SEPARATOR							Component ATA:75
PN:PN	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 75-00-00PROC. REF: MM 75-00-00								
750010	NO. 2 ENGINE - P3 AIR INERTIAL SEPARATOR							Component ATA:75
PN:PN	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 75-00-00PROC. REF: MM 75-00-00								
753010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE ASSEMBLY							Component ATA:75
PN:3053367-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:AHX0501012	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 75-30-01PROC. REF: MM 75-30-01								
753010	NO. 2 ENGINE - COMPRESSOR BLEED VALVE ASSEMBLY							Component ATA:75
PN:3053367-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:AHX0501016	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 75-30-01PROC. REF: MM 75-30-01								
753020	NO. 1 ENGINE - BOV TORQUE MOTOR							Component ATA:75
PN:PN	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753020	NO. 2 ENGINE - BOV TORQUE MOTOR							Component ATA:75
PN:PN	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
753030	NO. 1 ENGINE - INTERCOMPRESSOR BLEED VALVE - VALVE SERVO							Component ATA:75
PN:3075987-01	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:TRAXY000333	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01								
753030	NO. 2 ENGINE - INTERCOMPRESSOR BLEED VALVE - VALVE SERVO							Component ATA:75
PN:3075987-01	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:TRAXY000329	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 75-30-01, MM 75-30-01PROC. REF: MM 75-30-01, MM 75-30-01								
ATA 76 - ENGINE CONTROLS								
76-11-03	THROTTLE CONTROL QUADRANT ASSEMBLY							Component ATA:76
PN:6990010-11	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:2031	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 76-11-01, AMM 76-11-01PROC. REF: AMM 76-11-01, AMM 76-11-01								
ATA 77 - ENGINE INDICATING								
77-20-02-750-801	NO. 1 ENGINE - OPERATIONAL CHECK T6 TEMPERATURE INDICATING SYSTEM							Service ATA:77
	MOS	13-Mar-26	36 (+30d)		13-Mar-29	12-Apr-29	890 d (+30)	
	HRS	1221:24	1600 (+100)		(2821:24) 2821:24	2921:24	1470:55 (+100)	
	ENC	564						
PROC. REF: MM 77-20-02PROC. REF: MM 77-20-02								
77-20-02-750-801	NO. 2 ENGINE - OPERATIONAL CHECK T6 TEMPERATURE INDICATING SYSTEM							Service ATA:77
	MOS	13-Mar-26	36 (+30d)		13-Mar-29	12-Apr-29	890 d (+30)	
	HRS	1221:24	1600 (+100)		(2821:24) 2821:24	2921:24	1470:55 (+100)	
	ENC	564						
PROC. REF: MM 77-20-02PROC. REF: MM 77-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-40-01-212-801	NO. 1 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - DATA COLLECTION UNIT							Service ATA:77
PN:3075878-02	MOS	23-Apr-20						
SN:19072046	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
77-40-01-212-801	NO. 2 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - DATA COLLECTION UNIT							Service ATA:77
PN:3075878-02	MOS	23-Apr-20						
SN:19072745	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
774001	NO. 1 ENGINE - DATA COLLECTION UNIT							Component ATA:77
PN:3075878-02	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:19072046	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 77-40-01, MM 77-40-01PROC. REF: MM 77-40-01, MM 77-40-01								
774001	NO. 2 ENGINE - DATA COLLECTION UNIT							Component ATA:77
PN:3075878-02	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:19072745	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 77-40-01, MM 77-40-01PROC. REF: MM 77-40-01, MM 77-40-01								
ATA 79 - OIL								
79-10-02-212-801	NO. 1 ENGINE - OVERHAUL OR REFURBISH - FUEL-TO-OIL HEAT EXCHANGER (FOHE)							Service ATA:79
PN:3052640-04	MOS	23-Apr-20						
SN:0025503117	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-10-02-212-801	NO. 2 ENGINE - OVERHAUL OR REFURBISH - FUEL-TO-OIL HEAT EXCHANGER (FOHE)							Service ATA:79
PN:3052640-04	MOS	23-Apr-20						
SN:0025343038	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-20-00-212-801	NO. 1 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:79
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-20-00-212-801	NO. 2 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service ATA:79
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-20-01-210-801	NO. 1 ENGINE - EXAMINE AND REPLACE - OIL FILTER							Service ATA:79
	MOS	23-Apr-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: MM 79-20-01PROC. REF: MM 79-20-01								
79-20-01-210-801	NO. 2 ENGINE - EXAMINE AND REPLACE - OIL FILTER							Service ATA:79
	MOS	23-Apr-20						
	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: MM 79-20-01PROC. REF: MM 79-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-20-01-960-801	NO. 1 ENGINE - DISCARD THE OIL FILTER							Service ATA:79
PN:3052590-01	MOS	19-Mar-24						DISCARD
SN:N/A	HRS	781:30	800 (+10%)		(1581:30) 1581:30	1661:30	231:01 (+80)	
	ENC	364						
PROC. REF: MM 79-20-01, MM 79-20-01PROC. REF: MM 79-20-01, MM 79-20-01								
79-20-01-960-801	NO. 2 ENGINE - DISCARD THE OIL FILTER							Service ATA:79
PN:3052590-01	MOS	19-Mar-24						DISCARD
SN:N/A	HRS	781:30	800 (+10%)		(1581:30) 1581:30	1661:30	231:01 (+80)	
	ENC	364						
PROC. REF: MM 79-20-01, MM 79-20-01PROC. REF: MM 79-20-01, MM 79-20-01								
79-30-01-210-801	NO. 1 ENGINE - EXAMINE - CHIP DETECTOR							Service ATA:79
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: MM 79-30-01PROC. REF: MM 79-30-01								
79-30-01-210-801	NO. 2 ENGINE - EXAMINE - CHIP DETECTOR							Service ATA:79
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: MM 79-30-01PROC. REF: MM 79-30-01								
79-30-01-770-801 ^S	NO. 1 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service ATA:79
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 79-30-01PROC. REF: MM 79-30-01								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-01-770-801	^S	NO. 2 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR						Service ATA:79
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 79-30-01PROC. REF: MM 79-30-01								PKG:1
79-30-02-210-801	^S	NO. 1 ENGINE - SPECIAL DETAIL INSPECTION OF THE OIL FILTER IMPENDING BYPASS SWITCH						Service ATA:79
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 79-30-02PROC. REF: MM 79-30-02								PKG:1
79-30-02-210-801	^S	NO. 2 ENGINE - SPECIAL DETAIL INSPECTION OF THE OIL FILTER IMPENDING BYPASS SWITCH						Service ATA:79
	MOS	13-Mar-26	12 (+30d)					
	HRS	1221:24	800 (+10%)					
	ENC	564						
PROC. REF: MM 79-30-02PROC. REF: MM 79-30-02								PKG:1
79-30-03-212-801		NO. 1 ENGINE - OVERHAUL OR REFURBISH - OIL TANK FILLER CAP						Service ATA:79
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-30-03-212-801		NO. 2 ENGINE - OVERHAUL OR REFURBISH - OIL TANK FILLER CAP						Service ATA:79
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-30-20-212-801	NO. 1 ENGINE - INSPECT - OIL LEVEL INDICATOR (SIGHT GLASS)							Service ATA:79
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-30-20-212-801	NO. 2 ENGINE - INSPECT - OIL LEVEL INDICATOR (SIGHT GLASS)							Service ATA:79
PN:PN	MOS	23-Apr-20						
SN:UNKNOWN	HRS	0	5000 (+100)		(5000) 5000	5100	3649:31 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-31-05	LEFT ENGINE MAIN OIL PRESSURE SENSOR							Component ATA:79
PN:APTE-478A-1000-270D	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01144	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-31-05, AMM 79-31-05PROC. REF: AMM 79-31-05, AMM 79-31-05								
79-31-05	RIGHT ENGINE MAIN OIL PRESSURE SENSOR							Component ATA:79
PN:APTE-478A-1000-270D	MOS/MSC	23-Apr-20	O/C	TSN 0				
SN:01145	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-31-05, AMM 79-31-05PROC. REF: AMM 79-31-05, AMM 79-31-05								
790000	NO. 1 ENGINE - OIL FILTER							Component ATA:79
PN:3052590-01	MOS/MSC	19-Mar-24	O/C	TSN 29				
SN:N/A	HRS	781:30		TSN 0				
	ENC	364		TSN 0				
PROC. REF: MM 79-20-01, MM 79-20-01PROC. REF: MM 79-20-01, MM 79-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790000	NO. 2 ENGINE - OIL FILTER							Component ATA:79
PN:3052590-01	MOS/MSC	19-Mar-24	O/C	TSN 41				
SN:N/A	HRS	781:30		TSN 0				
	ENC	364		TSN 0				
PROC. REF: MM 79-20-01, MM 79-20-01PROC. REF: MM 79-20-01, MM 79-20-01								
790020	NO. 1 ENGINE - CHANGE OIL							Service ATA:79
	MOS/MSC	19-Mar-20	A/R					
	HRS	4:54						
	ENC	3						
PROC. REF: MM 72-00-00, MM 72-00-00PROC. REF: MM 72-00-00, MM 72-00-00								
790020	NO. 2 ENGINE - CHANGE OIL							Service ATA:79
	MOS/MSC	19-Mar-20	A/R					
	HRS	4:54						
	ENC	3						
PROC. REF: MM 72-00-00, MM 72-00-00PROC. REF: MM 72-00-00, MM 72-00-00								
792010	NO. 1 ENGINE - TEMPERATURE SENSOR							Component ATA:79
PN:ATS-9-800	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:061219-6	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
792010	NO. 2 ENGINE - TEMPERATURE SENSOR							Component ATA:79
PN:ATS-9-800	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:061219-4	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793001	NO. 1 ENGINE - CHIP DETECTOR							Component ATA:79
PN:PN	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 79-30-01, MM 79-30-01PROC. REF: MM 79-30-01, MM 79-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793001	NO. 2 ENGINE - CHIP DETECTOR							Component ATA:79
PN:PN	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 79-30-01, MM 79-30-01PROC. REF: MM 79-30-01, MM 79-30-01								
793003	NO. 1 ENGINE - FUEL OIL HEAT EXCHANGER							Component ATA:79
PN:3052640-04	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:0025503117	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 73-10-02, MM 73-10-02PROC. REF: MM 73-10-02, MM 73-10-02								
793003	NO. 2 ENGINE - FUEL OIL HEAT EXCHANGER							Component ATA:79
PN:3052640-04	MOS/MSC	30-Jan-20	O/C	TSN 0				
SN:0025343038	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 73-10-02, MM 73-10-02PROC. REF: MM 73-10-02, MM 73-10-02								
793004	NO. 1 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR							Component ATA:79
PN:PN	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 79-30-02, MM 79-30-02PROC. REF: MM 79-30-02, MM 79-30-02								
793004	NO. 2 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR							Component ATA:79
PN:PN	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 79-30-02, MM 79-30-02PROC. REF: MM 79-30-02, MM 79-30-02								
793020	NO. 1 ENGINE - OIL TANK FILLER CAP							Component ATA:79
PN:PN	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500559 RegNo: N303TG HRS: 1350:29 AFL: 625 As Of: 14-Sep-2026

05-Oct-2026 11:06 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793020	NO. 2 ENGINE - OIL TANK FILLER CAP							Component ATA:79
PN:PN	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793025	NO. 1 ENGINE - OIL LEVEL INDICATOR (SIGHT GLASS)							Component ATA:79
PN:PN	MOS/MSC	06-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793025	NO. 2 ENGINE - OIL LEVEL INDICATOR (SIGHT GLASS)							Component ATA:79
PN:PN	MOS/MSC	05-Dec-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 90 - MISC								
90-31-00-001	OPERATIONAL CHECK OF EMERGENCY AUTOLAND ACTIVATION							Service ATA:90
	MOS/MSC	23-Apr-20	N/A					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task