OWNER:	WHISKEY TANGO L.L.C.	OPERATOR:	BASIN AVIATION INC.	OPERATOR:	WHISKEY TANGO L.L.C.
ADDRESS:	C/O BASIN AVIATION MIDLAND TX 79710	ADDRESS:	P. O. BOX 50547 MIDLAND TX 79710	ADDRESS:	C/O BASIN AVIATION MIDLAND TX 79710
OFFICE:	432-685-7000	OFFICE:	432-685-7000	OFFICE:	432-685-7000
FAX:	432-683-8851	FAX:	432-683-8851	FAX:	432-683-8851

ANALYST:	KIRK WILLIAMS	+1-316-462-2403 (DIRECT)	800-787-9749 (EFAX-CARDS)	PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).
EMAIL:	KWILLIAMS@CAMPSYSTEMS.COM	+1-631-588-3200 (MAIN)	631-980-4222 (EFAX-CARDS)	
		WWW.CAMPSYSTEMS.COM		

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT

SERIAL/REGNO: 45-456/N157MW MODEL: LEARJET 75 MANUFACTURER: BOMBARDIER AVIATION

CERTIFICATION DATE: 21-NOV-2013

LAST ACTUALS:

1931.28	A/C HRS	as of 28-SEP-2026
1750	AFL	as of 28-SEP-2026
876.75	APH	as of 24-JUN-2026
1899	APS	as of 24-JUN-2026

APU

SERIAL/PART: P-494/3800726-1 MODEL: RE100 (CIMMS) MANUFACTURER: HONEYWELL

INSTALLED ON: 20-NOV-2013

0	APU HRS	0 A/C HRS
0	APUS	

LAST ACTUALS:

876.75	APU HRS	as of 24-JUN-2026
1899	APUS	as of 24-JUN-2026

ENGINE NO. 1

SERIAL/PART: P-137153/3062075-1 MODEL: TFE731-40BR-1B MANUFACTURER: HONEYWELL

INSTALLED ON: 08-JUL-2014

89	ENG. HRS	89 A/C HRS
87	ENC	

LAST ACTUALS:

1931.3	ENG. HRS	as of 28-SEP-2026
1753	ENC	as of 28-SEP-2026

ENGINE NO. 2

SERIAL/PART: P-137154/3062075-1 MODEL: TFE731-40BR-1B MANUFACTURER: HONEYWELL

INSTALLED ON: 08-JUL-2014

89	ENG. HRS	89 A/C HRS
87	ENC	

LAST ACTUALS:

1931.3	ENG. HRS	as of 28-SEP-2026
1753	ENC	as of 28-SEP-2026

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
CA75-160608	REVIEW LEARJET 75 EINSPECTOR REVISION 08JUN2016							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CA75PROC. REF: RCF CA75								
CA75-161207	REVIEW LEARJET 75 EINSPECTOR REVISION 2016.12.07							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CA75PROC. REF: RCF CA75								
CA75-170110	REVIEW LEARJET 75 EINSPECTOR REVISION 2017.01.10							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CA75PROC. REF: RCF CA75								
CA75-181109	REVIEW LEARJET 75 EINSPECTOR REVISION 2018.11.09							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CA75PROC. REF: RCF CA75								
CA75-190429	REVIEW LEARJET 75 EINSPECTOR REV 2019.04.29							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CA75PROC. REF: RCF CA75								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EC04-130830 U	NO. 1 ENGINE - REVIEW LIGHT MAINTENANCE MANUAL TFE731-20/-40/-50/-60 TEMPORARY REVISION NO. 72-215 DATED FROM 26 JUNE 2013 - CAMP CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EC04PROC. REF: RCF EC04								
EC04-130830 U	NO. 2 ENGINE - REVIEW LIGHT MAINTENANCE MANUAL TFE731-20/-40/-50/-60 TEMPORARY REVISION NO. 72-215 DATED FROM 26 JUNE 2013 - CAMP CHANGE FORM							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EC04PROC. REF: RCF EC04								
EC04-180802	NO. 1 ENGINE - REVIEW TFE731-20/-40/-60 (CIMMS) LMM TR 5-17							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EC04-180802PROC. REF: RCF EC04-180802								
EC04-180802	NO. 2 ENGINE - REVIEW TFE731-20/-40/-60 (CIMMS) LMM TR 5-17							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EC04-180802PROC. REF: RCF EC04-180802								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
0000001	12 MONTH SERVICING CHECKS							Package ATA:05
	MOS	07-Nov-25	12 (+14d/-14d)		07-Nov-26	21-Nov-26	38 d (+14)	
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
0000002	36 MONTH ZONAL INSPECTIONS							Package ATA:05
	MOS	07-Nov-25	36 (+14d/-14d)		07-Nov-28	21-Nov-28	769 d (+14)	
	HRS	1642.2						
	AFL	1509						
								PKG:2
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
0000003	72 MONTH ZONAL INSPECTIONS							Package ATA:05
	MOS	07-Nov-25	72 (+14d/-14d)	Adj 14d	21-Nov-31	05-Dec-31	1878 d (+14)	
	HRS	1642.2						
	AFL	1509						
								PKG:3
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
0000004	108 MONTH ZONAL INSPECTIONS							Package ATA:05
	MOS	20-Feb-23	108 (+14d/-14d)	Adj -91d	21-Nov-31	05-Dec-31	1878 d (+14)	
	HRS	1067.8						
	AFL	1012						
								PKG:4
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
0000005	600 HOUR / 36 MONTH INSPECTIONS							Package ATA:05
	MOS	07-Nov-25	36 (+14d/-14d)		07-Nov-28	21-Nov-28	769 d (+14)	
	HRS	1642.2	600 (+25/-25)		2242.2	2267.2	310.9 (+25)	
	AFL	1509						
								PKG:5
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
0000006	1,200 HOUR / 72 MONTH INSPECTIONS							Package ATA:05
	MOS	07-Nov-25	72 (+14d/-14d)	Adj 14d	21-Nov-31	05-Dec-31	1878 d (+14)	
	HRS	1642.2	1200 (+25/-25)		2842.2	2867.2	910.9 (+25)	
	AFL	1509						
								PKG:6
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
0000007	2,400 HOUR / 108 MONTH INSPECTIONS							Package ATA:05
	MOS	20-Feb-23	108 (+14d/-14d)	Adj -91d	21-Nov-31	05-Dec-31	1878 d (+14)	
	HRS	1067.8	2400 (+25/-25)		3467.8	3492.8	1536.5 (+25)	
	AFL	1012						
								PKG:7
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
0000008	4800 HOUR INSPECTIONS							Package ATA:05
	MOS	21-Nov-13						
	HRS	0	4800		4800		2868.7	
	AFL	0						
								PKG:8
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
0000009	10000 HOUR INSPECTIONS							Package ATA:05
	MOS	21-Nov-13						
	HRS	0	10000		10000		8068.7	
	AFL	0						
								PKG:9
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
0000010	RVSM INSPECTIONS							Package ATA:05
	MOS	07-Nov-25	24 (+14d/-14d)	Adj 10d	17-Nov-27	01-Dec-27	413 d (+14)	
	HRS	1642.2						
	AFL	1509						
								PKG:10
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
0000011	2400 HOUR - 4800 HOUR INITIAL INSPECTIONS							Package ATA:05
	MOS	21-Nov-13						
	HRS	0	T:4800		4800		2868.7	
	AFL	0						
								PKG:11
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
0000012	2400 HOUR - 10000 HOUR INITIAL INSPECTIONS							Package ATA:05
	MOS	21-Nov-13						
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
								PKG:12
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
0000013	4800 HOUR - 10000 HOUR INITIAL INSPECTIONS							Package ATA:05
	MOS	21-Nov-13						
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
								PKG:13
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
0000014	6000 HOUR - 10000 HOUR INITIAL INSPECTIONS							Package ATA:05
	MOS	21-Nov-13						
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
								PKG:14
PROC. REF: EMP PACKAGES, EMP PACKAGESPROC. REF: EMP PACKAGES, EMP PACKAGES								
057110	NO. 1 ENGINE - 150 TO 250 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	07-Jan-26						
	HRS	1680.3	150 (+100)		(1830.3) 1830.28	1930.3	OVD	
	ENC	1539						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057110	NO. 2 ENGINE - 150 TO 250 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	07-Jan-26						
	HRS	1680.3	150 (+100)		(1830.3) 1830.28	1930.3	OVD	
	ENC	1538						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
057120	NO. 1 ENGINE - 300 TO 440 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS/MSC	01-Aug-13	N/A					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057120	NO. 2 ENGINE - 300 TO 440 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS/MSC	07-Aug-13	N/A					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057130	NO. 1 ENGINE - 500 TO 650 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	12-Dec-24						
	HRS	1447	600 (+50/-100)		(2047) 2046.98	2097	115.7 (+50)	
	ENC	1344						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057130	NO. 2 ENGINE - 500 TO 650 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	12-Dec-24						
	HRS	1447	600 (+50/-100)		(2047) 2046.98	2097	115.7 (+50)	
	ENC	1343						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057140	NO. 1 ENGINE - 500 TO 850 HOUR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	07-Nov-25						
	HRS	1642.2	800 (+50/-300)		(2442.2) 2442.18	2492.2	510.9 (+50)	
	ENC	1509						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
057140	NO. 2 ENGINE - 500 TO 850 HOUR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	07-Nov-25						
	HRS	1642.2	800 (+50/-300)		(2442.2) 2442.18	2492.2	510.9 (+50)	
	ENC	1508						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057150	NO. 1 ENGINE - 1000 TO 1300 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+100/-200)		(2432.6) 2432.58	2532.6	501.3 (+100)	
	ENC	1163						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057150	NO. 2 ENGINE - 1000 TO 1300 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+100/-200)		(2432.6) 2432.58	2532.6	501.3 (+100)	
	ENC	1162						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057160	NO. 1 ENGINE - 1500 TO 1650 HOUR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	06-Oct-25						
	HRS	1630.2	1600 (+50/-100)		(3230.2) 3230.18	3280.2	1298.9 (+50)	
	ENC	1495						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057160	NO. 2 ENGINE - 1500 TO 1650 HOUR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	06-Oct-25						
	HRS	1630.2	1600 (+50/-100)		(3230.2) 3230.18	3280.2	1298.9 (+50)	
	ENC	1494						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 08 - LEVELING AND WEIGHING								
082000	REWEIGH AIRCRAFT							Service ATA:08
	MOS	23-Sep-25	36		30-Sep-28		731 d	
	HRS	1619.5						
	AFL	1486						
PROC. REF: GENERIC NO REF, FAR 135.185PROC. REF: GENERIC NO REF, FAR 135.185								
ATA 11 - PLACARDS AND MARKINGS								
1130000 S	CHECK BRIGHTNESS LEVEL OF ALL SELF-LUMINOUS PLACARDS.							Service ATA:11
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 11-30-00PROC. REF: AMM 11-30-00								
ATA 12 - SERVICING								
1210002 S	CHECK FLAP ACTUATORS - CHECK OIL LEVEL.							Service ATA:12
	MOS	07-Nov-25	36 (+14d/-14d)					
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								
1210003 S	LUBRICATE FLAP ACTUATOR BALLNUT							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								
1210004 S	LUBRICATE FLAP FLEXIBLE DRIVE SHAFTS - HAND LUBRICATE.							Service ATA:12
	MOS	21-Nov-13						
	HRS	0	4800 (+25/-25)					
	AFL	0						
								PKG:8
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
1210005 S	LUBRICATE NOSE LANDING GEAR TRUNNION PIN							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
1210006 S	LUBRICATE NOSE LANDING GEAR ACTUATOR ATTACH FITTING							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
1210009 S	LUBRICATE NOSE GEAR DOOR HINGE							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210011 S	LUBRICATE MAIN LANDING GEAR ACTUATOR JOINTS							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
1210012 S	LUBRICATE MAIN LANDING GEAR AXLE BEAM/PISTON JOINTS							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
1210013 S	LUBRICATE MAIN LANDING GEAR TORQUE LINKS							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
1210014 S	LUBRICATE MAIN LANDING GEAR DOOR HINGE							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210016 S	LUBRICATE PASSENGER/CREW DOOR HINGE							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210017 S	LUBRICATE PASSENGER/CREW DOOR PINS							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210018 S	LUBRICATE PASSENGER/CREW DOOR TENSION BOLTS							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
1210019 S	LUBRICATE EMERGENCY EXIT DOOR LATCHING MECHANISM							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210020 S	LUBRICATE EMERGENCY EXIT DOOR PINS							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210021 S	LUBRICATE BAGGAGE COMPARTMENT DOOR LATCH PINS							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210022 S	LUBRICATE BAGGAGE COMPARTMENT DOOR HINGE							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210023 S	LUBRICATE OXYGEN SYSTEM SERVICING DOOR HINGE							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
1210024 S		LUBRICATE TOILET SERVICING DOOR HINGE						Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210025 S		LUBRICATE PRESSURE REFUELING STATION DOOR HINGE						Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210026 S		LUBRICATE FUSELAGE FUEL FILLER DOOR HINGE						Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210027 S		LUBRICATE TAILCONE ACCESS DOOR PINS						Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
1210028 S		LUBRICATE TAILCONE ACCESS DOOR HINGE						Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
1210029 S	LUBRICATE MAIN LANDING GEAR TRUNNION PIN							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
1210060 S	MAIN LANDING GEAR UPLOCK ACTUATOR - LUBRICATE							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
1210061 S	NOSE GEAR SHOCK STRUT - SERVICE							Service ATA:12
	MOS	07-Nov-25	36 (+14d/-14d)					
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 12-10-02PROC. REF: AMM 12-10-02								
1210062 S	MAIN GEAR SHOCK STRUT - SERVICE							Service ATA:12
	MOS	07-Nov-25	36 (+14d/-14d)					
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 12-10-03PROC. REF: AMM 12-10-03								
1221037 S	LUBRICATE ROLLING SURFACES OF MAIN AND NOSE FLAP ROLLER TRACKS							Service ATA:12
	MOS/MSC	07-Nov-25	N/A					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
1221042 S	LUBRICATE HORIZONTAL STABILIZER UPPER AND LOWER TORQUE LINKS							Service ATA:12
	MOS	07-Nov-25	36 (+14d/-14d)					
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								
1227000 S	LUBRICATE EMERGENCY PARK BRAKE HANDLE SHAFT							Service ATA:12
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-27-00PROC. REF: AMM 12-27-00								
ATA 21 - AIR CONDITIONING								
212001	LH CHECK VALVE							Component ATA:21
PN:3202744-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:3187	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-03PROC. REF: AMM 21-20-03								
212002	RH CHECK VALVE							Component ATA:21
PN:3202744-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:3188	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-03PROC. REF: AMM 21-20-03								
212009	LEFT PLENUM ASSEMBLY CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-09PROC. REF: AMM 21-20-09								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212009	RIGHT PLENUM ASSEMBLY CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-09PROC. REF: AMM 21-20-09								
2130000 S	INSPECT PRIMARY AND SECONDARY OUTFLOW VALVES							Service ATA:21
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 21-30-01, AMM 21-30-02PROC. REF: AMM 21-30-01, AMM 21-30-02								
2130001 S	REPLACE OUTFLOW VALVE AIR FILTER							Service ATA:21
	MOS	20-Feb-23	108 (+14d/-14d)					
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 21-30-04PROC. REF: AMM 21-30-04								
2130002 S	** PRESSURIZATION CONTROL SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:21
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
213001	LH EMERGENCY PRESSURIZATION VALVE							Component ATA:21
PN:3291224-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1317	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								
213002	RH EMERGENCY PRESSURIZATION VALVE							Component ATA:21
PN:3291224-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1319	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01								
213003	CABIN PRESSURE CONTROLLER							Component ATA:21
PN:2119858-10	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:92-K0149	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-30-03PROC. REF: AMM 21-30-03								
213031	PRIMARY OUTFLOW VALVE ASSY							Component ATA:21
PN:103858-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:42-A630	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-30-01PROC. REF: AMM 21-30-01								
213032	SECONDARY OUTFLOW VALVE ASSY							Component ATA:21
PN:103858-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:32-C0420	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
213055	ABSOLUTE BAROMETRIC PRESSURE SWITCH							Component ATA:21
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213056	ABSOLUTE BAROMETRIC PRESSURE (OPTION) SWITCH							Component ATA:21
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213110	CABIN PRESSURE CHECK VALVE							Component ATA:21
PN:130158-3-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:22-A1582	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-30-07PROC. REF: AMM 21-30-07								
2140001	TEST/CLEAN LEFT OZONE CONVERTER							Service ATA:21
PN:53A405-4	MOS	21-Nov-13						
SN:1610/3213	HRS	0	3600 (+25/-25)		3600	3625	1668.7 (+25)	
	AFL	0						
PROC. REF: AMM 21-20-12PROC. REF: AMM 21-20-12								
2140001	TEST/CLEAN RIGHT OZONE CONVERTER							Service ATA:21
PN:53A405-4	MOS	21-Nov-13						
SN:1481/3018	HRS	0	3600 (+25/-25)		3600	3625	1668.7 (+25)	
	AFL	0						
PROC. REF: AMM 21-20-12PROC. REF: AMM 21-20-12								
2140002	LEFT OZONE CONVERTER							Component ATA:21
PN:53A405-4	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1610/3213	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-12PROC. REF: AMM 21-20-12								
2140002	RIGHT OZONE CONVERTER							Component ATA:21
PN:53A405-4	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1481/3018	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-12PROC. REF: AMM 21-20-12								
2141001 S	VISUAL INSPECTION WATER SEPARATOR COALESCER BAG . CLEAN IF NECESSARY.							Service ATA:21
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 21-50-03PROC. REF: AMM 21-50-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
2145000 S	VISUAL INSPECTION ECS PLENUM ASSEMBLY CHECK VALVES . VERIFY FREEDOM OF MOVEMENT OF BUTTERFLY ASSEMBLY.							Service ATA:21
	MOS	20-Feb-23	108 (+14d/-14d)					
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 21-20-09PROC. REF: AMM 21-20-09								
215001	ENVIRONMENTAL CONTROL UNIT							Component ATA:21
PN:2215150-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:737	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
215003	WATER SEPARATOR ASSY							Component ATA:21
PN:2341168-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:406	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-03PROC. REF: AMM 21-50-03								
2150054	PERFORM COMPRESSOR DRIVE MOTOR WEAR INSPECTION ON BRUSHES							Service ATA:21
PN:PN	MOS/MSC	21-Nov-13	-					NOT INSTALLED
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2150055	OVERHAUL COMPRESSOR DRIVE MOTOR							Service ATA:21
PN:PN	MOS/MSC	21-Nov-13	-					NOT INSTALLED
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2150056 S	** AUXILIARY HEAT SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:21
	MOS/MSC	07-Nov-25	N/A					
	HRS	1642.2						
	AFL	1509						
								PKG:5
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
2150057 S	** AUXILIARY HEAT SYSTEM - PERFORM AUXILIARY HEATER ELECTRICAL AND TEMPERATURE SWITCH TEST							Service ATA:21
	MOS/MSC	07-Nov-25	N/A					
	HRS	1642.2						
	AFL	1509						
								PKG:6
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2150059 S	CHECK AIR CONDITIONING SYSTEM - PERFORM LOAD SHED ASSEMBLY CHECK.							Service ATA:21
	MOS/MSC	07-Nov-25	N/A					
	HRS	1642.2						
	AFL	1509						
								PKG:6
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215102	COMPRESSOR DRIVE MOTOR							Component ATA:21
PN:PN	MOS/MSC	21-Nov-13	N/A	TSN 0				N/A EQUIPMENT NOT INSTALLED
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2160008 S	INSPECT TEMPERATURE CONTROL SYSTEM - INSPECT AND CLEAN CABIN AND COCKPIT TEMPERATURE CONTROL VALVE SERVO AIR FILTERS.							Service ATA:21
	MOS	07-Nov-25	36 (+14d/-14d)					
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 21-60-11PROC. REF: AMM 21-60-11								
216001	TEMPERATURE, ECS CONTROLLER							Component ATA:21
PN:1151830-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1151830-00984	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-10PROC. REF: AMM 21-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216003 U	CABIN TEMP 28VDC FAN SENSOR							Component ATA:21
PN:6621600011-001	MOS/MSC	21-Nov-13	O/C					
SN:694	HRS	20.3						
	AFL	15						
216013	LH / CABIN TEMPERATURE CONTROL VALVE							Component ATA:21
PN:3291222-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1322	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-04, AMM 21-60-05PROC. REF: AMM 21-60-04, AMM 21-60-05								
216014	RH / COCKPIT TEMPERATURE CONTROL VALVE							Component ATA:21
PN:3291222-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1323	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-04, AMM 21-60-05PROC. REF: AMM 21-60-04, AMM 21-60-05								
216025	TEMP SELECTOR							Component ATA:21
PN:1151502-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:NSN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-01PROC. REF: AMM 21-60-01								
216081	COCKPIT TEMPERATURE DUCT SENSOR							Component ATA:21
PN:627962-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:627962-24462	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-07PROC. REF: AMM 21-60-07								
216084	CABIN TEMPERATURE DUCT SENSOR							Component ATA:21
PN:627962-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:627962-24184	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-06PROC. REF: AMM 21-60-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221002	ELEVATOR GSA 9000 SERVO ACTUATOR							Component ATA:22
PN:011-02213-10	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2JL005105	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-02PROC. REF: AMM 22-10-02								
2210030 S	TENSION CHECK PITCH SERVO CABLES							Service ATA:22
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
2210031 S	TENSION CHECK ROLL SERVO CABLES							Service ATA:22
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 22-10-05PROC. REF: AMM 22-10-05								
2210032 S	TENSION CHECK YAW SERVO CABLES							Service ATA:22
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 22-10-07PROC. REF: AMM 22-10-07								
2210034 S	** AUTOPILOT AUTOTRIM FUNCTION AND MISTRIM ANNUNCIATION - PERFORM FUNCTIONAL TEST							Service ATA:22
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 22-10-00PROC. REF: AMM 22-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
2210036 S	** RUDDER BOOST - PERFORM THE FLAP POSITION FAIL CONTROL COMPARISON MONITOR CHECK							Service ATA:22
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 22-50-00PROC. REF: AMM 22-50-00								
2210037	** AUTOPILOT PITCH SERVO GEARBOX - REPLACE							Component ATA:22
PN:011-02214-10	MOS	21-Nov-13	240 (+14d/-14d)	TSN 0	21-Nov-33	05-Dec-33	2609 d (+14)	CMR**
SN:2Q7005124	HRS			TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
2210038	** AUTOPILOT ROLL SERVO GEARBOX - REPLACE							Component ATA:22
PN:011-02214-10	MOS	21-Nov-13	240 (+14d/-14d)	TSN 0	21-Nov-33	05-Dec-33	2609 d (+14)	CMR**
SN:2Q7005111	HRS			TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-05PROC. REF: AMM 22-10-05								
2210039	** AUTOPILOT YAW SERVO GEARBOX - REPLACE							Component ATA:22
PN:011-02214-11	MOS	21-Nov-13	240 (+14d/-14d)	TSN 0	21-Nov-33	05-Dec-33	2609 d (+14)	CMR**
SN:2Q8005073	HRS			TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-07PROC. REF: AMM 22-10-07								
221004	AILERON GSA 9000 SERVO ACTUATOR							Component ATA:22
PN:011-02213-10	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2JL005160	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-04PROC. REF: AMM 22-10-04								
221006	RUDDER GSA 9000 SERVO ACTUATOR							Component ATA:22
PN:011-02213-10	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2JL005092	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-06PROC. REF: AMM 22-10-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221008	PRIMARY AUTOPILOT TRIM, GTA 82 ADAPTER							Component ATA:22
PN:011-00960-20	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1A2000533	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-08	PROC. REF: AMM 22-10-08							
221009	SECONDARY AUTOPILOT TRIM, GTA 82 ADAPTER							Component ATA:22
PN:011-00960-20	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1A2000521	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-08	PROC. REF: AMM 22-10-08							
221040	GMC 7250 CONTROLLER							Component ATA:22
PN:011-02544-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:26E010124	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-01	PROC. REF: AMM 22-10-01							
221061	YAW (SM-205) SERVO ASSY							Component ATA:22
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-06	PROC. REF: AMM 22-10-06							
ATA 23 - COMMUNICATIONS								
230001	UNILINK UL-701 TRANSCEIVER							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
230002	CONFIGURATION (OPTION) MODULE							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
230003	CONFIGURATION MODULE							Component ATA:23
PN:P14126	MOS/MSC	29-Jul-15	O/C	TSN 0				
SN:1412613951	HRS	288.3		TSN 0				
	AFL	267		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
230004	CONFIGURATION (ACID #) MODULE							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
230005	SWIFT BROADBAND CONFIGURATION MODULE SBU MODULE							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
230006	SWIFT BROADBAND CONFIGURATION MODULE SBU (SOFTWARE OPT) MODULE							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2310000 S	** EMER COM SWITCH - PERFORM OPERATIONAL CHECK							Service ATA:23
	MOS	20-Feb-23	108 (+14d/-14d)					CMR**
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 23-10-00PROC. REF: AMM 23-10-00								
231001	GMA 36 (LH) AUDIO PANEL							Component ATA:23
PN:011-01793-00	MOS/MSC	16-Feb-16	O/C	TSO 0				
SN:1HF005047	HRS	379.5		TSO 0				
	AFL	367		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231002	GMA 36 (RH) AUDIO PANEL							Component ATA:23
PN:011-01793-00	MOS/MSC	16-Feb-16	O/C	TSO 0				
SN:1HF005372	HRS	379.5		TSO 0				
	AFL	367		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231011	NO. 2 KPA 1052 (OPTION) POWER AMPLIFIER							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231012	NO. 1 KPA 1052 (OPTION) POWER AMPLIFIER							Component ATA:23
PN:064-01072-0101	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:5409	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231030	KRX 1053 NO 1 (OPTION) HF RECEIVER							Component ATA:23
PN:064-01073-0102	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:5890	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-01PROC. REF: AMM 23-12-01								
231031	KRX 1053 NO 2 (OPTION) HF RECEIVER							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-01PROC. REF: AMM 23-12-01								
231032	VHF COMM (OPTION) ANTENNA ASSY							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-10-02PROC. REF: AMM 23-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231033	UPPER VHF ANTENNA ASSY							Component ATA:23
PN:DMC60-17-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:16688	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-02PROC. REF: AMM 34-51-02								
231034	LOWER VHF ANTENNA ASSY							Component ATA:23
PN:DMC60-17-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:16689	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-02PROC. REF: AMM 34-51-02								
231035	AFT AIR TO GROUND ANTENNA							Component ATA:23
PN:P12949	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:400153	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231036	FWD AIR TO GROUND ANTENNA							Component ATA:23
PN:P12949	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:400083	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231037	FWD WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1691710022	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231038	MID WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1691710028	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231039	AFT WIFI ANTENNA							Component ATA:23
PN:P16917-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1691710025	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231040	UCS 5000 SERVER							Component ATA:23
PN:P17000-001 REVD	MOS/MSC	29-Jul-15	O/C	TSR 1				
SN:1700000080	HRS	288.3		TSR 0				
	AFL	267		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2312003 S	PERFORM VISUAL INSPECTION HF ANTENNA - CHECK FOR PROPER TENSION OF HF ANTENNA WIRE.							Service ATA:23
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 23-12-06PROC. REF: AMM 23-12-06								
231202	KAC 1052 NO 1 (OPTION) ANTENNA COUPLER							Component ATA:23
PN:064-01074-0101	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:5497	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-02PROC. REF: AMM 23-12-02								
231203	KAC 1052 NO 2 (OPTION) ANTENNA COUPLER							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-02PROC. REF: AMM 23-12-02								
231300	AIR TO GROUND (ATG 5000) TRANSCEIVER							Component ATA:23
PN:P15864-001 REVK	MOS/MSC	29-Jul-15	O/C	TSN 0				
SN:1586415645	HRS	288.3		TSN 0				
	AFL	267		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231301	IRIDIUM TRANSCEIVER							Component ATA:23
PN:011-02268-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2HU005007	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-13-01PROC. REF: AMM 23-13-01								
231303	VHF DATALINK RADIO, GDR 66 UNIT							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231330	FWD IRIDIUM ANTENNA							Component ATA:23
PN:500644-1	MOS/MSC	23-Dec-14	O/C	TSN 6				
SN:434447	HRS	186.2		TSN 0				
	AFL	172		TSN 0				
PROC. REF: AMM 23-13-02PROC. REF: AMM 23-13-02								
231331	AFT IRIDIUM ANTENNA							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-13-02PROC. REF: AMM 23-13-02								
231501	LH AIRCELL CORDED SMART PHONE							Component ATA:23
PN:P17783-001	MOS/MSC	10-Jul-14	O/C	TSN 0				
SN:1778310660	HRS	89.1		TSN 0				
	AFL	88		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231502	RH AIRCELL CORDED SMART PHONE							Component ATA:23
PN:P17783-001	MOS/MSC	10-Jul-14	O/C	TSN 0				
SN:1778310652	HRS	89.1		TSN 0				
	AFL	88		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
233005	AUDIO POWER AMPLIFIER							Component ATA:23
PN:APA3009-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
233006	PASSENGER ADDRESS AMPLIFIER							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-02PROC. REF: AMM 23-30-02								
233101	LH NO.1 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
233102	LH NO.2 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
233103	LH NO.3 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
233104	LH NO.4 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
233105	LH NO.5 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
233106	LH NO.6 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
233107	LH NO.7 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
233108	LH NO.8 CABIN WINDOW PANEL (LAV)							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
233109	RH NO.1 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
233110	RH NO.2 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
233111	RH NO.3 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
233112	RH NO.4 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
233113	RH NO.5 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
233114	RH NO.6 CABIN (EMERGENCY EXIT DOOR) WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
233115	RH NO.7 CABIN WINDOW PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
233116	RH NO.8 CABIN WINDOW PANEL (LAV)							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
233117	SPEAKER KIT PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01	PROC. REF: AMM 23-30-01							
233118	SPEAKER KIT PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01	PROC. REF: AMM 23-30-01							
233119	SPEAKER KIT PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01	PROC. REF: AMM 23-30-01							
233120	SPEAKER KIT PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01	PROC. REF: AMM 23-30-01							
233121	SPEAKER KIT PANEL							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01	PROC. REF: AMM 23-30-01							
2360020	FUNCTIONAL TEST AIRCRAFT STATIC DISCHARGERS							Service ATA:23
	MOS	03-Jan-22	96 (+14d/-14d)		03-Jan-30	17-Jan-30	1191 d (+14)	
	HRS	850.9						
	AFL	828						
PROC. REF: AMM 23-60-00	PROC. REF: AMM 23-60-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
236004	2 CHANNEL SATELLITE DIGITAL AUDIO RECEIVER							Component ATA:23
PN:XMR200-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:802000419	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
236005	2 CHANNEL SATELLITE DIGITAL AUDIO (ID# CHANNEL 1) RECEIVER							Component ATA:23
PN:XMR200-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:PC6BT041	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
236006	2 CHANNEL SATELLITE DIGITAL AUDIO (ID# CHANNEL 2) RECEIVER							Component ATA:23
PN:XMR200-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:AU8CT08D	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
236007	2-CHANNEL (OPTION) XM-RADIO INSTALLATION KIT							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
236010	XM WEATHER RADIO DATA PORT							Component ATA:23
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2370000 S	FUNCTIONAL TEST COCKPIT VOICE RECORDER							Service ATA:23
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
237001	COCKPIT VOICE (120 MIN) RECORDER							Component ATA:23
PN:2100-1025-22	MOS/MSC	30-Jun-26	O/C	TSO 1				
SN:002101574	HRS	1800.3		TSO 0				
	AFL	1640		TSO 0				
PROC. REF: AMM 23-70-01	PROC. REF: AMM 23-70-01							
237005	MULTI AXIS INERTIA SWITCH							Component ATA:23
PN:3LO-453/8	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:93097	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-70-05	PROC. REF: AMM 23-70-05							
237019	SURFACE MOUNT, BLK MICROPHONE							Component ATA:23
PN:S056-1048-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000824542	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
237031	CVR PREAMPLIFIER							Component ATA:23
PN:S160-0030-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000852198	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-70-03	PROC. REF: AMM 23-70-03							
ATA 24 - ELECTRICAL POWER								
2420000	** LEFT ALTERNATOR - PERFORM BEARING REPLACEMENT							Service ATA:24
PN:90278-2	MOS	07-Nov-23						CMR**
SN:540	HRS	1232.6	1200 (+25/-25)		2432.6	2457.6	501.3 (+25)	
	AFL	1163						
PROC. REF: AMM 24-20-01	PROC. REF: AMM 24-20-01							
2420000	** RIGHT ALTERNATOR - PERFORM BEARING REPLACEMENT							Service ATA:24
PN:90278-2	MOS	20-Mar-24						CMR**
SN:1501	HRS	1320.1	1200 (+25/-25)		2520.1	2545.1	588.8 (+25)	
	AFL	1233						
PROC. REF: AMM 24-20-01	PROC. REF: AMM 24-20-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
242001	LH AC 5 KVA ALTERNATOR							Component ATA:24
PN:90278-2	MOS/MSC	07-Nov-23	O/C	TSO 0				
SN:540	HRS	1232.6		TSO 0				
	AFL	1163		TSO 0				
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01								
242002	RH AC 5 KVA ALTERNATOR							Component ATA:24
PN:90278-2	MOS/MSC	20-Mar-24	O/C	TSO 0				
SN:1501	HRS	1320.1		TSO 0				
	AFL	1233		TSO 0				
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01								
242050	RC 25 AMP CIRCUIT AFT (OPTION) BREAKER							Component ATA:24
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242052	NO. 1 REMOTE CONTROL CIRCUIT BREAKER							Component ATA:24
PN:SM600BA35N1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:97825	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242054	NO. 2 REMOTE CONTROL CIRCUIT BREAKER							Component ATA:24
PN:SM600BA5N1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:98410	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242055	RC 5 AMP REMOTE CIRCUITCB5035 (OPTION) BREAKER							Component ATA:24
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
242056	RC 35 AMP REMOTE CIRCUIT CB5036 (OPTION) BREAKER							Component ATA:24
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242082	STATIC 1200 VA 115 VAC 60H INVERTER							Component ATA:24
PN:PN	MOS/MSC	21-Nov-13	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242083	STATIC 1200 VA 230 60H (OPTION) INVERTER							Component ATA:24
PN:PN	MOS/MSC	21-Nov-13	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2430003	OVERHAUL LH STARTER/GENERATOR							Service ATA:24
PN:23280-067	MOS	07-Nov-23						
SN:P14701CA	HRS	1232.6	1200 (+25/-25)		2432.6	2457.6	501.3 (+25)	
	AFL	1163						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2430003	OVERHAUL RH STARTER/GENERATOR							Service ATA:24
PN:23280-067	MOS	25-Oct-23						
SN:Y30428	HRS	1232.6	1200 (+25/-25)		2432.6	2457.6	501.3 (+25)	
	AFL	1163						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243001	LH STARTER/GENERATOR							Component ATA:24
PN:23280-067	MOS/MSC	07-Nov-23	O/C	TSO 0				
SN:P14701CA	HRS	1232.6		TSO 0				
	AFL	1163		TSO 0				
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243002	RH STARTER/GENERATOR							Component ATA:24
PN:23280-067	MOS/MSC	25-Oct-23	O/C	TSO 2				
SN:Y30428	HRS	1232.6		TSO 0				
	AFL	1163		TSO 0				
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
243003	APU STARTER/GENERATOR							Component ATA:24
PN:23080-023B	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:P1198	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-40-01PROC. REF: AMM 49-40-01								
243019	UPPER STARTING TURBINE LEAD ACID BATTERY							Component ATA:24
PN:RG-380E/40L	MOS/MSC	07-Aug-25	O/C	TSN 0				
SN:70056572	HRS	1570.6		TSN 0				
	AFL	1445		TSN 0				
PROC. REF: AMM 24-31-06, CMM 24-30-71PROC. REF: AMM 24-31-06, CMM 24-30-71								
243020	LOWER STARTING TURBINE LEAD ACID BATTERY							Component ATA:24
PN:RG-380E/40L	MOS/MSC	07-Aug-25	O/C	TSN 0				
SN:70056573	HRS	1570.6		TSN 0				
	AFL	1445		TSN 0				
PROC. REF: AMM 24-31-06, CMM 24-30-71PROC. REF: AMM 24-31-06, CMM 24-30-71								
2431003 S	** BATTERY TEMPERATURE CONTROL AND INDICATION - PERFORM INSPECTION CHECK							Service ATA:24
	MOS	20-Feb-23	108 (+14d/-14d)					CMR**
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
2431066	CAPACITY CHECK EMERGENCY BATTERY							Service ATA:24
PN:100-2692-02	DAYS	08-Jun-26	550 (+55/-55)		10-Dec-27	03-Feb-28	436 d (+55)	
SN:14223W0001	HRS	1778.4	4000 (+400/-400)		5778.4	6178.4	3847.1 (+400)	
	AFL	1621						
PROC. REF: CMM 24-30-17PROC. REF: CMM 24-30-17								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
2431067	EMERGENCY BATTERY							Component ATA:24
PN:100-2692-02	MOS/MSC	08-Jun-26	O/C	TSO 17				
SN:14223W0001	HRS	1778.4		TSO 0				
	AFL	1621		TSO 0				
PROC. REF: AMM 24-32-01PROC. REF: AMM 24-32-01								
2431068	BATTERY - PERFORM CAPACITY CHECK							Service ATA:24
PN:RG-380E/40L	MOS	05-Aug-26	6 (+1m/-1m)		05-Feb-27	05-Mar-27	128 d (+28)	
SN:70056572	HRS	1855.6						
	AFL	1685						
PROC. REF: AMM 24-31-06, CMM 24-30-71PROC. REF: AMM 24-31-06, CMM 24-30-71								
2431068	BATTERY - PERFORM CAPACITY CHECK							Service ATA:24
PN:RG-380E/40L	MOS	05-Aug-26	6 (+1m/-1m)		05-Feb-27	05-Mar-27	128 d (+28)	
SN:70056573	HRS	1855.6						
	AFL	1685						
PROC. REF: AMM 24-31-06, CMM 24-30-71PROC. REF: AMM 24-31-06, CMM 24-30-71								
244001	IN-SEAT (COCKPIT) (OPTION) INVERTER POWER SUPPLY							Component ATA:24
PN:1215-20	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000967	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
244002	IN-SEAT (FWD CABIN) INVERTER POWER SUPPLY							Component ATA:24
PN:1215-20	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000965	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
244003	IN-SEAT (AFT CABIN) INVERTER POWER SUPPLY							Component ATA:24
PN:1215-20	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000963	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
2450001 S	** AUXILIARY POWER SUPPLIES - PERFORM FUNCTIONAL TEST							Service ATA:24
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 24-00-00PROC. REF: AMM 24-00-00								
2450002 S	** ELECTRICAL SYSTEM CONTROL - PERFORM OPERATIONAL CHECK							Service ATA:24
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 24-00-00PROC. REF: AMM 24-00-00								
2450023 S	** EMER BATT LOW AND GEN AMPS HIGH INDICATION - PERFORM OPERATIONAL CHECK							Service ATA:24
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 24-00-00PROC. REF: AMM 24-00-00								
2460001 S	** POWER DISTRIBUTION SYSTEM - PERFORM SQUAT SWITCH CHECK.							Service ATA:24
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 24-60-00PROC. REF: AMM 24-60-00								
246001	23B001 (LH FWD) POWER DISTRIBUTION PANEL							Component ATA:24
PN:650GC02Y03	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:645	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-02PROC. REF: AMM 24-60-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246002	23B001 (RH FWD) POWER DISTRIBUTION PANEL							Component ATA:24
PN:655GC02Y03	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:665	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-02PROC. REF: AMM 24-60-02								
246003	AFT POWER DISTRIBUTION (LH AFT) PANEL							Component ATA:24
PN:660GC02Y07	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:752	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-03PROC. REF: AMM 24-60-03								
246004	AFT POWER DISTRIBUTION (RH AFT) PANEL							Component ATA:24
PN:665GC02Y07	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:766	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-03PROC. REF: AMM 24-60-03								
ATA 25 - EQUIPMENT/FURNISHINGS								
2510001 S	VISUAL INSPECTION CREW SEATS AND SEAT BELTS							Service ATA:25
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 25-10-50PROC. REF: AMM 25-10-50								
2510003	HYDROSTATIC TEST CABIN FIRE EXTINGUISHER							Service ATA:25
PN:C352TS	MOS	01-Sep-20	144 (+14d/-14d)		01-Sep-32	15-Sep-32	2163 d (+14)	
SN:G-12764404	HRS							
	AFL							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
2510003	HYDROSTATIC TEST COPILOT FIRE EXTINGUISHER							Service ATA:25
PN:A344T	MOS	01-Aug-20	144 (+14d/-14d)		01-Aug-32	15-Aug-32	2132 d (+14)	
SN:G-17522437	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
2510003	HYDROSTATIC TEST PILOT FIRE EXTINGUISHER							Service ATA:25
PN:A344T	MOS	01-Aug-20	144 (+14d/-14d)		01-Aug-32	15-Aug-32	2132 d (+14)	
SN:G-17522436	HRS							
	AFL							
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
251001	LH FLT DECK SIDEWALL PANEL							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-05PROC. REF: AMM 25-10-05								
251002	RH FLT DECK SIDEWALL PANEL							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-05PROC. REF: AMM 25-10-05								
251003	LH FLT DECK SIDEWALL PANEL							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-05PROC. REF: AMM 25-10-05								
251004	RH FLT DECK SIDEWALL PANEL							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-05PROC. REF: AMM 25-10-05								
251005	COVER							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-10-40PROC. REF: AMM 25-10-40								
251007	FLT-DECK (LH) LWR SIDEWALL PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-10PROC. REF: AMM 25-10-10								
251008	FLT-DECK (RH) LWR SIDEWALL PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-10PROC. REF: AMM 25-10-10								
251009	PEDESTAL COVER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-03PROC. REF: AMM 25-10-03								
251011	LH FLT DECK							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251012	RH FLT DECK							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251013	LH FLT DECK TOP CAP							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251014	RH FLT DECK TOP CAP							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251101	LH FLT DECK WINDOW TRIM							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251102	RH FLT DECK WINDOW TRIM							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251201	FLT DECK CENTER POST							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-40PROC. REF: AMM 25-10-40								
251202	ENTRYWAY HEADLINER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-01PROC. REF: AMM 25-30-01								
251203	CABIN DOOR-UPPER PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251204	CABIN DOOR-UPPER COVER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251205	LIGHT HOUSING							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251206	BRKT-LIGHT HOUSING							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251207	CABIN HEADLINER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-01PROC. REF: AMM 25-20-01								
251303	OXYGEN LID COVER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251304	OXYGEN LID COVER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251305	OXYGEN LID COVER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251306	OXYGEN LID COVER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251307	OXYGEN LID COVER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251308	OXYGEN LID COVER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251401	LH CABIN WINDOW PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
251403	RH FWD CABIN WINDOW PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
251405	RH AFT CABIN WINDOW PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
251407	LH FWD WINDOW CLOSEOUT PANEL							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
251409	ESC HATCH WINDOW PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
251410	ESC HATCH ESCUTCHEON ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
251421	LH CONVENIENCE PANEL POD ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251422	LH CONVENIENCE PANEL POD ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251423	LH CONVENIENCE PANEL POD ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251424	LH CONVENIENCE PANEL POD ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251426	CABIN DOWNWASH LIGHT LENS							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251427	CABIN DOWNWASH LIGHT LENS							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251428	CABIN DOWNWASH LIGHT LENS							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251429	CABIN DOWNWASH LIGHT LENS							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251513	CABIN (LH) FWD CONVENIENCE PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251515	CABIN (LH) AFT CONVENIENCE PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251517	CABIN (RH) FWD CONVENIENCE PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251519	CONVENIENCE PANEL POD ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251520	CONVENIENCE PANEL POD ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251521	CONVENIENCE PANEL POD ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251522	CONVENIENCE PANEL POD ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251523	CABIN (RH) AFT CONVENIENCE PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-05PROC. REF: AMM 25-20-05								
251531	CABIN TABLE (LEATHER) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251532	CABIN TABLE (VENEER) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251533	CABIN TABLE (VENEER) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251534	CABIN TABLE (VENEER) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251535	CABIN TABLE (VENEER W/INLAY) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251536	MID CABIN LH AIRCELL, USB (FWD/AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251537	MID CABIN LH WIRELESS AIRCELL, USB (FWD/AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251538	MID CABIN RH AIRCELL, 4.3-USB (FWD/AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251539	MID CABIN RH WIRELESS AIRCELL, 4.3-USB (FWD/AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251540	LH MID CABIN, BOX, USB (FWD/AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251541	RH MID CABIN, BOX, 4.3 -HDMI (FWD) - USB (AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251542	LH FWD USB SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251543	RH FWD/LH AFT, USB SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251544	MID CABIN LH, USB (FWD/AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251545	MID CABIN RH, 4.3-USB (FWD/AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251546	ESC HATCH SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251547	RH AFT SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251548	CABIN TABLE (VENEER) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251549	LH FWD USB-HDMI SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251550	RH FWD/LH AFT, HDMI SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251551	MID CABIN LH, HDMI (FWD) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251552	MID CABIN RH, 4.3-HDMI (FWD) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251553	MID CABIN LH, HDMI (AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251554	MID CABIN LH AIRCELL, HDMI (FWD) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251555	MID CABIN LH AIRCELL, HDMI (AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251556	MID CABIN LH WIRELESS AIRCELL, HDMI (FWD) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251557	MID CABIN LH WIRELESS AIRCELL, HDMI (AFT) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251558	MID CABIN RH AIRCELL, 4.3 HDMI (FWD) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251559	MID CABIN RH WIRELESS AIRCELL, 4.3 HDMI (FWD) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251560	ESC HATCH (LEATHER) TABLE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251561	ESC HATCH (VENEER) TABLE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251562	ESC HATCH (VENEER W/INLAY) TABLE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251601	COVER DOOR MECHANISM							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251602	ANGLE							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251603	BUMPER							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251604	BUMPER							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251611	IPOD DOCKING HARNESS							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251612	IPOD AUTHENTICATION DONGLE							Component ATA:25
PN:IDS1116-001-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000020	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251613	FWD 12" LCD BULKHEAD MONITOR-							Component ATA:25
PN:LCD1209-001-001	MOS/MSC	29-Oct-15	O/C					
SN:000157	HRS	334.9						
	AFL	313						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251614	#1 15" LCD BULKHEAD MONITOR-							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251615	LOWER LH FWD LEARJET, 28 VDC RECT. EXIT SIGN							Component ATA:25
PN:LJ60-ELES-02	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:123741-7-2	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251615	RH AFT LEARJET, 28 VDC RECT. EXIT SIGN							Component ATA:25
PN:LJ60-ELES-02	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:84819-13	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251615	UPPER LH FWD LEARJET, 28 VDC RECT. EXIT SIGN							Component ATA:25
PN:LJ60-ELES-02	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251616	BEZEL FOR MSP3009 1 BUTTON							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251617	BEZEL FOR MSP3009 5 BUTTON							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251618	BEZEL FOR SCW1010-001-000 RH SCROLL WHEEL							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251619	BEZEL FOR SCW1010-002-000 LH SCROLL WHEEL							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251631	MEMBRANE (DOOR/LIGHT) SWITCH PANEL							Component ATA:25
PN:MSP3009-101-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000016	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251632	MEMBRANE (LAVATORY) SWITCH PANEL							Component ATA:25
PN:MSP3009-501-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000031	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251633	CORE MODULE TWO (LH FWD) PCU							Component ATA:25
PN:PCS3009-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000046	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251634	CORE MODULE TWO (RH FWD) PCU							Component ATA:25
PN:PCS3009-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000032	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251635	CORE MODULE TWO (LH AFT) PCU							Component ATA:25
PN:PCS3009-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000024	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251636	CORE MODULE TWO (RH AFT) PCU							Component ATA:25
PN:PCS3009-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000026	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251637	4.3" PASSENGER CONTROL UNIT							Component ATA:25
PN:PSM2410-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000014	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251638	4.3" PASSENGER CONTROL UNIT							Component ATA:25
PN:PSM2410-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000090	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251639	4.3" PASSENGER CONTROL UNIT							Component ATA:25
PN:PSM2410-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000017	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251640	REMOTE MAINTENANCE UNIT							Component ATA:25
PN:RMU3009-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00028	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251651	LH SCROLL WHEEL							Component ATA:25
PN:SCW1010-002-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000029	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251652	LH SCROLL WHEEL							Component ATA:25
PN:SCW1010-002-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000032	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251653	LH SCROLL WHEEL							Component ATA:25
PN:SCW1010-002-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000031	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251654	LH SCROLL WHEEL							Component ATA:25
PN:SCW1010-002-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251655	RH SCROLL WHEEL							Component ATA:25
PN:SCW1010-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000026	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251656	RH SCROLL WHEEL							Component ATA:25
PN:SCW1010-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000025	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251657	RH SCROLL WHEEL							Component ATA:25
PN:SCW1010-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000033	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251658	RH SCROLL WHEEL							Component ATA:25
PN:SCW1010-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251901	HEADPHONE-USB JACK							Component ATA:25
PN:ADT1810-001-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000037	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251902	HEADPHONE-USB JACK							Component ATA:25
PN:ADT1810-001-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000036	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251903	HEADPHONE-USB JACK							Component ATA:25
PN:ADT1810-001-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000033	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251904	HEADPHONE-USB JACK							Component ATA:25
PN:ADT1810-001-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000035	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251905	HEADPHONE-USB JACK							Component ATA:25
PN:ADT1810-001-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000034	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251906	HEADPHONE-USB JACK							Component ATA:25
PN:ADT1810-001-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000040	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251907	HEADPHONE-USB JACK							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251908	HEADPHONE-USB-HDMI JACK							Component ATA:25
PN:ADT1810-003-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000046	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251909	ETHERNET-USB JACK							Component ATA:25
PN:ADT1810-005-000	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000003	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2520000 S	VISUAL INSPECTION PASSENGER SEAT AND SEAT BELTS							Service ATA:25
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252003	ASHTRAY ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252004	ASHTRAY ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252005	FLT DECK CUP HOLDER							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252006	FLT DECK CUP HOLDER							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252007	FLT DECK CUP HOLDER							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252008	FLT DECK CUP HOLDER							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252011	(POS 1) PASSENGER SEAT ASSY							Component ATA:25
PN:4525204033-009	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:120911-05	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45	PROC. REF: AMM 25-20-45							
252012	(POS 2) PASSENGER SEAT ASSY							Component ATA:25
PN:4525204033-010	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:120911-11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45	PROC. REF: AMM 25-20-45							
252013	(POS 3) PASSENGER SEAT ASSY							Component ATA:25
PN:4525204033-009	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:120911-07	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45	PROC. REF: AMM 25-20-45							
252014	(POS 4) PASSENGER SEAT ASSY							Component ATA:25
PN:4525204033-010	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:120911-08	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45	PROC. REF: AMM 25-20-45							
252015	(POS 5) PASSENGER SEAT ASSY							Component ATA:25
PN:4525204033-009	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:120911-06	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45	PROC. REF: AMM 25-20-45							
252016	(POS 6) PASSENGER SEAT ASSY							Component ATA:25
PN:4525204033-010	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:120911-10	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45	PROC. REF: AMM 25-20-45							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252017	(POS 7) PASSENGER SEAT ASSY							Component ATA:25
PN:4525204033-009	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:120911-04	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45	PROC. REF: AMM 25-20-45							
252018	(POS 8) PASSENGER SEAT ASSY							Component ATA:25
PN:4525204033-010	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:120911-09	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45	PROC. REF: AMM 25-20-45							
252090	AC OUTLET UNIT WITH WHITE (LAV) LED							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
252091	AC OUTLET UNIT WITH WHITE (LH FWD) LED							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
252092	AC OUTLET UNIT WITH WHITE (RH FWD) LED							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
252093	AC OUTLET UNIT WITH WHITE (LH AFT) LED							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252094	AC OUTLET UNIT WITH WHITE (RH AFT) LED							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252101	LH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
252102	RH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
252103	LH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
252104	RH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								
252105	LH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15PROC. REF: AMM 25-20-15								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252106	RH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
252107	LH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
252108	RH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
252109	LH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
252110	RH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
252111	LH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252112	RH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
252113	LH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
252114	RH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
252115	LH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
252116	ESC HATCH WINDOW SHADE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-15	PROC. REF: AMM 25-20-15							
252210	BLU-RAY DISC PLAYER							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252215	SEAT DISPLAY CONNECTION BRACKET							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252216	SEAT DISPLAY CONNECTION BRACKET							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252217	SEAT DISPLAY CONNECTION BRACKET							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252221	LH 7" SEAT TOUCH DISPLAY							Component ATA:25
PN:DIS1010-002-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252222	RH 7" SEAT TOUCH DISPLAY							Component ATA:25
PN:DIS1010-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000016	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252223	LH 7" SEAT TOUCH DISPLAY							Component ATA:25
PN:DIS1010-002-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000011	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252224	RH 7" SEAT TOUCH DISPLAY							Component ATA:25
PN:DIS1010-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000132	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252225	LH 7" SEAT TOUCH DISPLAY							Component ATA:25
PN:DIS1010-002-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252226	RH 7" SEAT TOUCH DISPLAY							Component ATA:25
PN:DIS1010-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000010	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252303	LH FWD HDMI (M70) SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252341	FWD ETHERNET DECODER UNIT							Component ATA:25
PN:EDU3009-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000044	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252342	FWD ETHERNET ENCODER UNIT							Component ATA:25
PN:EEU0910-001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:000010	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252343	ETHERNET INTERFACE UNIT							Component ATA:25
PN:EIU3009-001-001	MOS/MSC	22-Nov-16	O/C	TSN 0				
SN:000576	HRS	444.2		TSN 0				
	AFL	428		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252401	LH FLT DECK HEADLINER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252402	RH FLT DECK HEADLINER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252601	EXT RANGE O2 CLOSE OUT ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252701	LAV FLOOR CLOSEOUT ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252703	FLOOR CLOSEOUT PANEL							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252801	LH LAV CONVENIENCE PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-15PROC. REF: AMM 25-40-15								
252802	RH LAV CONVENIENCE PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-15PROC. REF: AMM 25-40-15								
252803	LAV DOWNWASH LIGHT LENS							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-15PROC. REF: AMM 25-40-15								
252804	LAV DOWNWASH LIGHT LENS							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-15PROC. REF: AMM 25-40-15								
252901	LH AFT WALL PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252903	RH AFT WALL PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252905	CENTER AFT WALL PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252907	UPPER AFT WALL PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
253101	FWD STORAGE (LH) CABINET ASSY							Component ATA:25
PN:GA4525204024-05	MOS/MSC	22-Nov-16	O/C	TSR 0				
SN:45-456	HRS	444.2		TSR 0				
	AFL	428		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
253105	FWD STORAGE (LH) (W/GALLEY REST) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
253203	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05PROC. REF: AMM 25-30-05								
253207	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05PROC. REF: AMM 25-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
253209	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253211	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253213	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253215	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253217	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253219	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
253221	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253223	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253225	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253227	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253229	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253231	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
253233	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253235	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253237	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253239	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253241	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253243	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
253245	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253247	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253249	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253251	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253253	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							
253255	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05	PROC. REF: AMM 25-30-05							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
253257	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05PROC. REF: AMM 25-30-05								
253259	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05PROC. REF: AMM 25-30-05								
253261	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05PROC. REF: AMM 25-30-05								
253263	FWD GALLEY (RH) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-30-05PROC. REF: AMM 25-30-05								
253301	TABLE STORAGE (LEATHER) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
253303	TABLE STORAGE (VENEER) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
253305	TABLE STORAGE (VENEER W/INLAY) CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
253701	LH LAV WINDOW PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-20PROC. REF: AMM 25-40-20								
253702	RH LAV WINDOW PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-20PROC. REF: AMM 25-40-20								
253801	TOILET SHROUD ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-35PROC. REF: AMM 25-40-35								
253901	LH LAV SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-26PROC. REF: AMM 25-40-26								
253913	RH LAV SIDELEDGE ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-26PROC. REF: AMM 25-40-26								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
253915	LH LAV DADO PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-25	PROC. REF: AMM 25-40-25							
253917	RH FWD LAV DADO PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-25	PROC. REF: AMM 25-40-25							
253919	RH AFT LAV DADO PANEL ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-25	PROC. REF: AMM 25-40-25							
254001	LAV HEADLINER ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-10	PROC. REF: AMM 25-40-10							
254002	LAV VANITY ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-40	PROC. REF: AMM 25-40-40							
254003	LAV W/O SINK VANITY ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-40	PROC. REF: AMM 25-40-40							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
254004	LAV VANITY ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-40PROC. REF: AMM 25-40-40								
254007	LH AFT PARTITION ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-01PROC. REF: AMM 25-40-01								
254009	RH AFT PARTITION ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-01PROC. REF: AMM 25-40-01								
254011	LH AFT (W/MONITOR) PARTITION ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-40-01PROC. REF: AMM 25-40-01								
254101	LAV							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
254111	LAV SHELF ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
254112	FIRST AID KIT CABINET ASSY							Component ATA:25
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
255001	PILOT CONTROL WHEEL LIGHTED CHART HOLDER							Component ATA:25
PN:10-62EH-W01C	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0104	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
255002	CO-PILOT CONTROL WHEEL LIGHTED CHART HOLDER							Component ATA:25
PN:10-62EH-W01C	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2560000	CLEAN CVR BEACON SWITCH, PERFORM FUNCTIONAL TEST OF BEACON, AND PERFORM TEST OF ULB BATTERY.							Service ATA:25
	MOS	07-Nov-25	24 (+14d/-14d)		07-Nov-27	21-Nov-27	403 d (+14)	
	HRS	1642.2						
	AFL	1509						
	APH							
	APS							
PROC. REF: AMM 25-61-01PROC. REF: AMM 25-61-01								
256001	PILOT SEAT ASSY							Component ATA:25
PN:0820-0-L-1L05L1130	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0218	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-50PROC. REF: AMM 25-10-50								
256002	CO-PILOT SEAT ASSY							Component ATA:25
PN:0820-0-R-1L05L1130	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0213	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-10-50PROC. REF: AMM 25-10-50								
256061	PILOT LIFE VEST							Component ATA:25
PN:63600-105	MOS	10-Oct-22	120	TSN 0	10-Oct-32		2202 d	OVERHAUL
SN:L5472774	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
256062	CO-PILOT LIFE VEST							Component ATA:25
PN:63600-105	MOS	10-Oct-22	120	TSN 0	10-Oct-32		2202 d	OVERHAUL
SN:L5472778	HRS							
	AFL							
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
256063	NO. 1 LIFE VEST							Component ATA:25
PN:63600-105	MOS	10-Oct-22	120	TSN 0	10-Oct-32		2202 d	OVERHAUL
SN:L5472774	HRS							
	AFL							
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
256064	NO. 2 LIFE VEST							Component ATA:25
PN:63600-105	MOS	10-Oct-22	120	TSN 0	10-Oct-32		2202 d	OVERHAUL
SN:L5472776	HRS							
	AFL							
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
256065	NO. 3 LIFE VEST							Component ATA:25
PN:63600-105	MOS	10-Oct-22	120	TSN 0	10-Oct-32		2202 d	OVERHAUL
SN:L5472773	HRS							
	AFL							
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256066	NO. 4 LIFE VEST							Component ATA:25
PN:63600-101	MOS	07-Nov-23	120	TSN 19, TSO 0	07-Nov-33		2595 d	OVERHAUL
SN:L5472771	HRS	1232.6		TSO 0				
	AFL	1163		TSO 0				
PROC. REF: AMM 25-60-01	PROC. REF: AMM 25-60-01							
256067	NO. 5 LIFE VEST							Component ATA:25
PN:63600-105	MOS	10-Oct-22	120	TSN 0	10-Oct-32		2202 d	OVERHAUL
SN:L5472775	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 25-60-01	PROC. REF: AMM 25-60-01							
256068	NO. 6 LIFE VEST							Component ATA:25
PN:63600-105	MOS	10-Oct-22	120	TSN 0	10-Oct-32		2202 d	OVERHAUL
SN:L5472777	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 25-60-01	PROC. REF: AMM 25-60-01							
256069	NO. 7 LIFE VEST							Component ATA:25
PN:63600-105	MOS	10-Oct-22	120	TSN 0	10-Oct-32		2202 d	
SN:L5472779	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 25-60-01	PROC. REF: AMM 25-60-01							
256070	NO. 8 LIFE VEST							Component ATA:25
PN:63600-105	MOS	10-Oct-22	120	TSN 0	10-Oct-32		2202 d	OVERHAUL
SN:L5472778	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 25-60-01	PROC. REF: AMM 25-60-01							
256071	LAV LIFE VEST							Component ATA:25
PN:63600-105	MOS	10-Oct-22	120	TSN 0	10-Oct-32		2202 d	OVERHAUL
SN:L5472772	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 25-60-01	PROC. REF: AMM 25-60-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 75 Serial: 45-456 RegNo: N157MW HRS: 1931.28 AFL: 1750 As Of: 28-Sep-2026

30-Sep-2026 10:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256076	FIRST AID KIT							Component ATA:25
PN:AFAK 1.0	MOS	23-Sep-25	12		30-Sep-26 (M)		0 d	CUSTOMER OPTION
SN:011422004	HRS	1619.5						
	AFL	1486						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2561002	INSPECT CO-PILOT LIFE VEST							Service ATA:25
PN:63600-105	MOS	07-Jan-26	12		07-Jan-27		99 d	
SN:L5472778	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
2561002	INSPECT LAV LIFE VEST							Service ATA:25
PN:63600-105	MOS	07-Jan-26	12		06-Jan-27		98 d	
SN:L5472772	HRS	1680.3						
	AFL	1539						
			Inspection Date: : 06-Jan-26					
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
2561002	INSPECT NO. 1 LIFE VEST							Service ATA:25
PN:63600-105	MOS	07-Jan-26	12		06-Jan-27		98 d	
SN:L5472774	HRS	1680.3						
	AFL	1539						
			Inspection Date: : 06-Jan-26					
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
2561002	INSPECT NO. 2 LIFE VEST							Service ATA:25
PN:63600-105	MOS	07-Jan-26	12		06-Jan-27		98 d	
SN:L5472776	HRS	1680.3						
	AFL	1539						
			Inspection Date: : 06-Jan-26					
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
2561002	INSPECT NO. 3 LIFE VEST							Service ATA:25
PN:63600-105	MOS	07-Jan-26	12		06-Jan-27		98 d	
SN:L5472773	HRS	1680.3						
	AFL	1539						
			Inspection Date: : 06-Jan-26					
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
2561002	INSPECT NO. 4 LIFE VEST							Service ATA:25
PN:63600-101	MOS	07-Jan-26	12		06-Jan-27		98 d	
SN:L5472771	HRS	1680.3						
	AFL	1539						
			Inspection Date: : 06-Jan-26					
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
2561002	INSPECT NO. 5 LIFE VEST							Service ATA:25
PN:63600-105	MOS	07-Jan-26	12		06-Jan-27		98 d	
SN:L5472775	HRS	1680.3						
	AFL	1539						
			Inspection Date: : 06-Jan-26					
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
2561002	INSPECT NO. 6 LIFE VEST							Service ATA:25
PN:63600-105	MOS	07-Jan-26	12		06-Jan-27		98 d	
SN:L5472777	HRS	1680.3						
	AFL	1539						
			Inspection Date: : 06-Jan-26					
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
2561002	INSPECT NO. 7 LIFE VEST							Service ATA:25
PN:63600-105	MOS	07-Jan-26	12		06-Jan-27		98 d	
SN:L5472779	HRS	1680.3						
	AFL	1539						
			Inspection Date: : 06-Jan-26					
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 75 Serial: 45-456 RegNo: N157MW HRS: 1931.28 AFL: 1750 As Of: 28-Sep-2026

30-Sep-2026 10:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
2561002	INSPECT NO. 8 LIFE VEST							Service ATA:25
PN:63600-105	MOS	07-Jan-26	12		06-Jan-27		98 d	
SN:L5472778	HRS	1680.3						
	AFL	1539						
			Inspection Date: : 06-Jan-26					
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
2561002	INSPECT PILOT LIFE VEST							Service ATA:25
PN:63600-105	MOS	07-Jan-26	12		06-Jan-27		98 d	
SN:L5472774	HRS	1680.3						
	AFL	1539						
			Inspection Date: : 06-Jan-26					
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
256101	CVR ACCOUSTIC UNDERWATER BEACON							Component ATA:25
PN:DK120/90	MOS/MSC	19-Dec-19	O/C	TSN 0				
SN:AT128891	HRS	683.2		TSN 0				
	AFL	665		TSN 0				
PROC. REF: AMM 25-61-01PROC. REF: AMM 25-61-01								
256109	C406-N EMERGENCY LOCATOR TRANSMITTER (ELT)							Component ATA:25
PN:453-5060	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:12892	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-01PROC. REF: AMM 25-62-01								
256109B	INSPECT EMERGENCY LOCATOR TRANSMITTER (ELT)							Service ATA:25
PN:453-5060	MOS	07-Jan-26	12		07-Jan-27		99 d	
SN:12892	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: GENERIC NO REF, FAR 91.207PROC. REF: GENERIC NO REF, FAR 91.207								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 75 Serial: 45-456 RegNo: N157MW HRS: 1931.28 AFL: 1750 As Of: 28-Sep-2026

30-Sep-2026 10:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256109F U		RENEW C406-N ELT EMERGENCY LOCATOR TRANSMITTER ELT REGISTRATION						Service ATA:25
PN:453-5060	MOS	14-Jan-25	22 (+2m)		14-Nov-26	14-Jan-27	45 d (+61)	INFORMATIONAL
SN:12892	HRS	1465.1						
	AFL	1355						
			Service Date: : 14-Jan-25					
256115		ELT 406 ANTENNA BLADE						Component ATA:25
PN:110-340	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:386834	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-03PROC. REF: AMM 25-62-03								
256201		EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY						Component ATA:25
PN:452-0133	MOS/MSC	23-Sep-22	DUE	TSN 0	10-Aug-27 (M)		314 d	
SN:375557-014	HRS			TSN 0				
	AFL			TSN 0				
			Expiry Date: : 10-Aug-27					
PROC. REF: GENERIC NO REF, FAR 91.207PROC. REF: GENERIC NO REF, FAR 91.207								
2566001		REPLACE CVR ULB BATTERY.						Service ATA:25
	MOS	07-Nov-25	72 (+14d/-14d)	Adj 14d	21-Nov-31	05-Dec-31	1878 d (+14)	
	HRS	1642.2						
	AFL	1509						
	APH							
	APS							
PROC. REF: AMM 25-61-01PROC. REF: AMM 25-61-01								
ATA 26 - FIRE PROTECTION								
2610001		VISUAL INSPECTION LEFT ENGINE HOT SECTION FIRE DETECTOR ELEMENT						Service ATA:26
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
2610001	VISUAL INSPECTION RIGHT ENGINE HOT SECTION FIRE DETECTOR ELEMENT							Service ATA:26
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
261057	FIRE DETECT CONTROL (NO 1) UNIT							Component ATA:26
PN:877-01032	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1225-327	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-01PROC. REF: AMM 26-11-01								
261058	FIRE DETECT CONTROL (NO 2) UNIT							Component ATA:26
PN:877-01032	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1225-323	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-01PROC. REF: AMM 26-11-01								
261069	ANTI-ICE LEAK DETECT (LH BLEED AIR) UNIT							Component ATA:26
PN:35009-39	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2793	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-12-01PROC. REF: AMM 26-12-01								
261070	ANTI-ICE LEAK DETECT (RH BLEED AIR) UNIT							Component ATA:26
PN:35009-39	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2760	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-12-01PROC. REF: AMM 26-12-01								
261071	ANTI-ICE LEAK DETECT UNIT							Component ATA:26
PN:35009-39	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2800	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-12-01PROC. REF: AMM 26-12-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
261075	FIRE/OVERHEAT DETECTOR							Component ATA:26
PN:10-1093	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:12-0431	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-13-01PROC. REF: AMM 26-13-01								
2620000 S	** ENGINE FIRE EXTINGUISHING SYSTEM FIRE SWITCH - PERFORM FUNCTIONAL TEST							Service ATA:26
	MOS	21-Nov-13						CMR**
	HRS	0	4800 (+25/-25)					
	AFL	0						
								PKG:8
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
2620001 S	** FIREWALL SHUT-OFF VALVES - PERFORM OPERATIONAL CHECK							Service ATA:26
	MOS	20-Feb-23	108 (+14d/-14d)					CMR**
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
2620006	HYDROSTATIC TEST NO. 1							Service ATA:26
PN:33100021-1	MOS	25-Oct-23	60 (+14d/-14d)		25-Oct-28	08-Nov-28	756 d (+14)	
SN:78041B1	HRS							
	AFL							
			HydroCheck Date: : 25-Oct-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2620006	HYDROSTATIC TEST NO. 2							Service ATA:26
PN:33100021-1	MOS	25-Oct-23	60 (+14d/-14d)		25-Oct-28	08-Nov-28	756 d (+14)	
SN:50795B1	HRS							
	AFL							
			HydroCheck Date: : 25-Oct-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
2620007		NO. 1/LEFT/LOWER FIRE EXTINGUISHER, LEFT SQUIB						Component ATA:26
PN:30903856	MOS	07-Nov-23	120 (+14d/-14d)	TSN 0	07-Nov-33	21-Nov-33	2595 d (+14)	SERVICE LIFE LIMIT
SN:1196BG	HRS	1232.6		TSN 0				
	AFL	1163		TSN 0				
PROC. REF: AMM 26-21-02PROC. REF: AMM 26-21-02								
2620007		NO. 1/LEFT/LOWER FIRE EXTINGUISHER, RIGHT SQUIB						Component ATA:26
PN:30903859	MOS	14-Nov-23	120 (+14d/-14d)	TSO 0	01-Oct-33 (M)	15-Oct-33	2558 d (+14)	SERVICE LIFE LIMIT
SN:3026WH	HRS			TSO 0				
	AFL			TSO 0				
PROC. REF: AMM 26-21-02PROC. REF: AMM 26-21-02								
2620007		NO. 2/RIGHT/UPPER FIRE EXTINGUISHER, LEFT SQUIB						Component ATA:26
PN:30903856	MOS	01-Sep-18	120 (+14d/-14d)	TSN 0	01-Sep-28	15-Sep-28	702 d (+14)	SERVICE LIFE LIMIT
SN:3085WF	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 26-21-02PROC. REF: AMM 26-21-02								
2620007		NO. 2/RIGHT/UPPER FIRE EXTINGUISHER, RIGHT SQUIB						Component ATA:26
PN:30903859	MOS	01-Sep-18	120 (+14d/-14d)	TSN 0	01-Sep-28	15-Sep-28	702 d (+14)	SERVICE LIFE LIMIT
SN:2970WE	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 26-21-02PROC. REF: AMM 26-21-02								
2620009 S		INSPECT CABIN FIRE EXTINGUISHER FOR CONDITION AND DATE OF MANUFACTURE. CHECK OPERATING PRESSURE AND WEIGHT PER MAINTENANCE INSTRUCTIONS ON FIRE EXTINGUISHER BOTTLE.						Service ATA:26
PN:C352TS	MOS	07-Nov-25	12 (+14d/-14d)					
SN:G-12764404	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
2620009 S		INSPECT COPILOT FIRE EXTINGUISHER FOR CONDITION AND DATE OF MANUFACTURE. CHECK OPERATING PRESSURE AND WEIGHT PER MAINTENANCE INSTRUCTIONS ON FIRE EXTINGUISHER BOTTLE.						Service ATA:26
PN:A344T	MOS	07-Nov-25	12 (+14d/-14d)					
SN:G-17522437	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
2620009 S		INSPECT PILOT FIRE EXTINGUISHER FOR CONDITION AND DATE OF MANUFACTURE. CHECK OPERATING PRESSURE AND WEIGHT PER MAINTENANCE INSTRUCTIONS ON FIRE EXTINGUISHER BOTTLE.						Service ATA:26
PN:A344T	MOS	07-Nov-25	12 (+14d/-14d)					
SN:G-17522436	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
262001		NO. 1/LEFT/LOWER FIRE EXTINGUISHER BOTTLE						Component ATA:26
PN:33100021-1	MOS/MSC	07-Nov-23	O/C	TSO 0				
SN:78041B1	HRS	1232.6		TSO 0				
	AFL	1163		TSO 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262002		NO. 2/RIGHT/UPPER FIRE EXTINGUISHER BOTTLE						Component ATA:26
PN:33100021-1	MOS/MSC	07-Nov-23	O/C	TSO 0				
SN:50795B1	HRS	1232.6		TSO 0				
	AFL	1163		TSO 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
2620021 S		NO. 1 ENGINE FIRE EXTINGUISHER CONTAINER PLUMBING - PERFORM DETAILED INSPECTION						Service ATA:26
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
2620021 S	NO. 2 ENGINE FIRE EXTINGUISHER CONTAINER PLUMBING - PERFORM DETAILED INSPECTION							Service ATA:26
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2620046 S	VISUAL INSPECTION NO. 1 ENGINE FIRE EXTINGUISHER DISCHARGE LINES							Service ATA:26
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2620046 S	VISUAL INSPECTION NO. 2 ENGINE FIRE EXTINGUISHER DISCHARGE LINES							Service ATA:26
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262040	WARNING HORN							Component ATA:26
PN:430-M1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23765	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-13-02PROC. REF: AMM 26-13-02								
262041	PILOT FIRE EXTINGUISHER							Component ATA:26
PN:A344T	MOS/MSC	22-Dec-20	O/C	TSN 0				
SN:G-17522436	HRS	733.1		TSN 0				
	AFL	716		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262042	COPILOT FIRE EXTINGUISHER							Component ATA:26
PN:A344T	MOS/MSC	22-Dec-20	O/C	TSN 0				
SN:G-17522437	HRS	733.1		TSN 0				
	AFL	716		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262051	CABIN FIRE EXTINGUISHER							Component ATA:26
PN:C352TS	MOS/MSC	22-Dec-20	O/C	TSN 0				
SN:G-12764404	HRS	733.1		TSN 0				
	AFL	716		TSN 0				
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01								
262075	APU FIRE EXTINGUISHER CONTAINER							Component ATA:26
PN:51600-2	MOS/MSC	07-Nov-23	O/C	TSO 2				
SN:0441	HRS	1232.6		TSO 0				
	AFL	1163		TSO 0				
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01								
ATA 27 - FLIGHT CONTROLS								
2700000 S	AILERON CONTROL CABLE SYSTEM - WITH COCKPIT AND CABIN FLOORBOARDS REMOVED, PERFORM VISUAL INSPECTION OF CABLES							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
2700001 S	RUDDER CONTROL CABLE SYSTEM - WITH COCKPIT AND CABIN FLOORBOARDS REMOVED, PERFORM VISUAL INSPECTION OF CABLES							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
2700002 S	ELEVATOR CONTROL CABLE SYSTEM - WITH COCKPIT AND CABIN FLOORBOARDS REMOVED, PERFORM VISUAL INSPECTION OF CABLES							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
2700003 S		VISUAL INSPECTION AILERON CONTROL CABLE SYSTEM - PERFORM VISUAL INSPECTION OF CABLES WITHIN WING.						Service	ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)						
	HRS	1642.2	1200 (+25/-25)						
	AFL	1509							
									PKG:6
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
2700004 S		VISUAL INSPECTION RUDDER CONTROL CABLE SYSTEM - PERFORM VISUAL INSPECTION OF ACCESSIBLE UPPER AND LOWER CABLES.						Service	ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)						
	HRS	1642.2	1200 (+25/-25)						
	AFL	1509							
									PKG:6
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
2700005 S		VISUAL INSPECTION ELEVATOR CONTROL CABLE SYSTEM - PERFORM VISUAL INSPECTION OF ACCESSIBLE UPPER AND LOWER CABLES.						Service	ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)						
	HRS	1642.2	1200 (+25/-25)						
	AFL	1509							
									PKG:6
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
2700006 S		VISUAL INSPECTION RUDDER AND ELEVATOR CONTROL CABLES AND ASSOCIATED PULLEYS, LOCATED IN AFT PRESSURE BULKHEAD SUPPORT CHANNEL - PERFORM VISUAL INSPECTION.						Service	ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)						
	HRS	1642.2	1200 (+25/-25)						
	AFL	1509							
									PKG:6
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
2700007 S		* AILERON CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION (FUSELAGE).						Service	ATA:27
	MOS	21-Nov-13						CMR*	
	HRS	0	4800						
	AFL	0							
									PKG:8
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
2700008 S	* ELEVATOR CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION (FUSELAGE).							Service	ATA:27
	MOS	21-Nov-13						CMR*	
	HRS	0	4800						
	AFL	0							
									PKG:8
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
2700009 S	* RUDDER CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION (FUSELAGE).							Service	ATA:27
	MOS	21-Nov-13						CMR*	
	HRS	0	4800						
	AFL	0							
									PKG:8
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
2700010 S	* ELEVATOR CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION (AFT FUSELAGE).							Service	ATA:27
	MOS	21-Nov-13						CMR*	
	HRS	0	4800						
	AFL	0							
									PKG:8
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
2700012 S	* RUDDER CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION (AFT FUSELAGE).							Service	ATA:27
	MOS	21-Nov-13						CMR*	
	HRS	0	4800						
	AFL	0							
									PKG:8
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
2700014 S	* AILERON CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION (WING).							Service	ATA:27
	MOS	21-Nov-13						CMR*	
	HRS	0	4800						
	AFL	0							
									PKG:8
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
2710003 S	TENSION CHECK AILERON CONTROL SYSTEM CABLES (LOCATED IN WING)							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
2710004 S	TENSION CHECK AILERON CONTROL SYSTEM CABLES (LOCATED IN FUSELAGE)							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
2710050	* AILERON LEADING EDGE (INTERNAL) - PERFORM BORESCOPE INSPECTION							Service ATA:27
	MOS	26-Jun-26	72		26-Jun-32		2096 d	
	HRS	1800.3						
	AFL	1640						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2710052	* AILERON BALANCE WEIGHT SUPPORT BRACKETS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:27
	MOS	EFF	T:6		30-Dec-26 * (M)		91 d	AIRWORTHINESS
	HRS							
	AFL							
271045	LH INBOARD AILERON CONTROL CABLE ASSY							Component ATA:27
PN:4527103077-013	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1199958-4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05PROC. REF: AMM 27-10-05								
271046	RH INBOARD AILERON CONTROL CABLE ASSY							Component ATA:27
PN:4527103076-017	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1199959-4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05PROC. REF: AMM 27-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
271051	LH OUTBOARD UPPER AILERON CONTROL CABLE ASSY							Component ATA:27
PN:4527103078-011	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1199960-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271052	RH OUTBOARD UPPER AILERON CONTROL CABLE ASSY							Component ATA:27
PN:4527103078-011	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1199960-2	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271053	LH OUTBOARD LOWER AILERON CONTROL CABLE ASSY							Component ATA:27
PN:4527103079-011	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1199957-2	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271054	RH OUTBOARD LOWER AILERON CONTROL CABLE ASSY							Component ATA:27
PN:4527103079-011	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1199957-4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
2711001 S	** AILERON TRIM TAB CONTROL SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 27-10-04	PROC. REF: AMM 27-10-04							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
2712000 S	** ROLL DISCONNECT SWITCHES - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 27-60-09PROC. REF: AMM 27-60-09								
2720003 S	TENSION CHECK RUDDER CONTROL CABLES							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								
2720004 S	VISUAL INSPECTION RUDDER PEDALS, PEDAL PUSHRODS, ADJUSTMENT ACTUATOR, AND SECTORS . CHECK DURING FULL TRAVEL OF RUDDER.							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2720030	VISUAL INSPECTION RUDDER TORQUE TUBE AND SPINDLE - PERFORM DETAILED VISUAL INSPECTION.							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)	Adj 14d	21-Nov-31	05-Dec-31	1878 d (+14)	
	HRS	1642.2						
	AFL	1509						
	APH							
	APS							
PROC. REF: AMM 27-20-01PROC. REF: AMM 27-20-01								
272021	RUDDER TRIM TAB ACTUATOR ASSY							Component ATA:27
PN:4323322	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:663	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-03PROC. REF: AMM 27-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
272022	AILERON TRIM TAB ACTUATOR ASSY							Component ATA:27
PN:4323338A	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:654	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-09	PROC. REF: AMM 27-10-09							
272031	LH LINEAR-RUDDER PEDAL ADJUST ACTUATOR							Component ATA:27
PN:4389596	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1381	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-05	PROC. REF: AMM 27-20-05							
272032	RH LINEAR-RUDDER PEDAL ADJUST ACTUATOR							Component ATA:27
PN:4389596	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1383	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-05	PROC. REF: AMM 27-20-05							
2721001 S	** RUDDER TRIM SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 27-20-00	PROC. REF: AMM 27-20-00							
2730003 S	TENSION CHECK ELEVATOR CONTROL CABLES							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 27-30-00	PROC. REF: AMM 27-30-00							
273003	LH ELEVATOR CONTROL SYS PUSHROD							Component ATA:27
PN:6627300101-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2134117-0051	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
2730037 S	PERFORM DETAILED VISUAL INSPECTION OF THE ELEVATOR UP/DOWN SPRING ASSEMBLY, YOKE ASSEMBLY AND ASSOCIATED PARTS FOR FREE MOVEMENT, LOOSE FASTENERS AND SECURITY OF LOCKING DEVICES.							Service ATA:27
	MOS	07-Nov-25	72					
	HRS	1642.2	1200					
	AFL	1509						
								PKG:6
273004	RH ELEVATOR CONTROL SYS PUSHROD							Component ATA:27
PN:6627300101-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2134117-0052	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273005	LH ELEVATOR CONTROL SYS PUSHROD							Component ATA:27
PN:6627300101-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2133769-0044	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273006	RH ELEVATOR CONTROL SYS PUSHROD							Component ATA:27
PN:6627300101-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2133769-0043	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273063	LH ACTUATOR STICK SHAKER							Component ATA:27
PN:0050R	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2077	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-03PROC. REF: AMM 27-31-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273064	RH ACTUATOR STICK SHAKER							Component ATA:27
PN:0050R	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2079	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-03PROC. REF: AMM 27-31-03								
273075	LH ANGLE OF ATTACK TRANSMITTER							Component ATA:27
PN:C-38817-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1483	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01PROC. REF: AMM 27-31-01								
273076	RH ANGLE OF ATTACK TRANSMITTER							Component ATA:27
PN:6627308500?803	MOS/MSC	21-Apr-16	O/C					
SN:UNKNOWN	HRS	414.5						
	AFL	398						
PROC. REF: AMM 27-31-01PROC. REF: AMM 27-31-01								
2731001 S	** PITCH TRIM - PERFORM OPERATIONAL CHECK OF ELEVATOR OVERRIDE ACTUATOR							Service ATA:27
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 27-30-14PROC. REF: AMM 27-30-14								
2731002 S	** ELEVATOR DISCONNECT SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
273101	LH STATIC (A20)(A21) INVERTER							Component ATA:27
PN:SC3(A)	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:667	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-05PROC. REF: AMM 27-31-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273102	RH STATIC (A20)(A21) INVERTER							Component ATA:27
PN:SC3(A)	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:669	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-05PROC. REF: AMM 27-31-05								
273201	ELEVATOR DISCONNECT CURRENT LIMITER							Component ATA:27
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-13PROC. REF: AMM 27-30-13								
273220	ELEVATOR AFT DISCONNECT ACTUATOR							Component ATA:27
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-09PROC. REF: AMM 27-30-09								
273420	ELEVATOR OVERRIDE ACTUATOR ASSY							Component ATA:27
PN:778D100-11	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1372	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-14PROC. REF: AMM 27-30-14								
2740003 S	** SECONDARY PITCH TRIM SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 27-40-00, AMM 27-40-02PROC. REF: AMM 27-40-00, AMM 27-40-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
2740004 S	** PRIMARY PITCH TRIM SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:27
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 27-40-00, AMM 27-40-02PROC. REF: AMM 27-40-00, AMM 27-40-02								
2740032	HORIZONTAL STABILIZER ACTUATOR ASSY * HORIZONTAL STABILIZER ACTUATOR (6627401000-009) - PERFORM INSPECTION							Service ATA:27
PN:6627401000-009	MOS	07-Nov-23						CMR*
SN:B0802	HRS	1232.6	1200		2432.6		501.3	
	AFL	1163						
PROC. REF: AMM 27-40-02PROC. REF: AMM 27-40-02								
2740033	HORIZONTAL STABILIZER ACTUATOR ASSY * HORIZONTAL STABILIZER ACTUATOR (6627401000-009) - PERFORM DETAILED STRUCTURAL INSPECTION							Service ATA:27
PN:6627401000-009	MOS	07-Nov-23						CMR*
SN:B0802	HRS	1232.6	2400	TAC 1200	2432.6		501.3	
	AFL	1163						
PROC. REF: AMM 27-40-02PROC. REF: AMM 27-40-02								
274011	HORIZONTAL STABILIZER ACTUATOR ASSY							Component ATA:27
PN:6627401000-009	MOS/MSC	07-Nov-23	O/C	TSO 0				
SN:B0802	HRS	1232.6		TSO 0				
	AFL	1163		TSO 0				
PROC. REF: AMM 27-40-02PROC. REF: AMM 27-40-02								
274051	HORIZ STAB ACTUATOR CONTROL BOX ASSY							Component ATA:27
PN:E6D201C	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0681	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-40-03PROC. REF: AMM 27-40-03								
275020	LH OUTBD FLAP DRIVE ACTUATOR							Component ATA:27
PN:C144488-4	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2246	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-06PROC. REF: AMM 27-50-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275021	LH INBD FLAP DRIVE ACTUATOR							Component ATA:27
PN:C144487-4	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2251	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-06	PROC. REF: AMM 27-50-06							
275022	RH FLAP DRIVE, INBD ACTUATOR							Component ATA:27
PN:C144487-4	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2250	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-06	PROC. REF: AMM 27-50-06							
275023	RH FLAP DRIVE, OTBD ACTUATOR							Component ATA:27
PN:C144488-4	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2263	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-06	PROC. REF: AMM 27-50-06							
275057	FPU, FLAP POWER UNIT							Component ATA:27
PN:C144483-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1667	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-08	PROC. REF: AMM 27-50-08							
275058	FLAP CONTROL UNIT FCU							Component ATA:27
PN:C144486-3-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1745	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-05	PROC. REF: AMM 27-50-05							
275069	FLAP POSITION INDICATION UNIT							Component ATA:27
PN:C145159-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1720	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-07	PROC. REF: AMM 27-50-07							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275081	LH ROTARY VAR DIFF TRANSFORMER							Component ATA:27
PN:C144489-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A1307	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03	PROC. REF: AMM 27-50-03							
275082	RH ROTARY VAR DIFF TRANSFORMER							Component ATA:27
PN:C144489-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A1306	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03	PROC. REF: AMM 27-50-03							
2760001 S	** SPOILER ACTUATOR CHECK VALVE - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 27-60-04	PROC. REF: AMM 27-60-04							
2760002 S	** SPOILER SYSTEM - PERFORM SPOILER AUTHORITY WITH FLAPS CHECK							Service ATA:27
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 27-60-00	PROC. REF: AMM 27-60-00							
276001	RH SPOILERON ACTUATOR ASSY							Component ATA:27
PN:P455A0001-04	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:AAA410P455	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-04	PROC. REF: AMM 27-60-04							
276002	LH SPOILERON ACTUATOR ASSY							Component ATA:27
PN:P455A0001-04	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:AAA411P455	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-04	PROC. REF: AMM 27-60-04							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
2760021	LEFT SPOILER HYDRAULIC PRESSURE SWIVEL - REPLACE							Service ATA:27
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+25/-25)	Adj -32.6	2400	2425	468.7 (+25)	
	AFL	1163						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2760021	LEFT SPOILER HYDRAULIC RETURN SWIVEL - REPLACE							Service ATA:27
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+25/-25)	Adj -32.6	2400	2425	468.7 (+25)	
	AFL	1163						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2760021	RIGHT SPOILER HYDRAULIC PRESSURE SWIVEL - REPLACE							Service ATA:27
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+25/-25)	Adj -32.6	2400	2425	468.7 (+25)	
	AFL	1163						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2760021	RIGHT SPOILER HYDRAULIC RETURN SWIVEL - REPLACE							Service ATA:27
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+25/-25)	Adj -32.6	2400	2425	468.7 (+25)	
	AFL	1163						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
2760085 S	SPOILER LEVER ARM - PERFORM DETAILED VISUALINSPECTION TO ENSURE SPOILER LEVER ARM ISPROPERLY SEATED AND SECURED ON SPOILERRVDT SHAFT.							Service ATA:27
	MOS	07-Nov-25	36 (+14d/-14d)					
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276013	SPOILER SHUT-OFF VALVE ASSY							Component ATA:27
PN:100291000-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0347TK	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-07	PROC. REF: AMM 27-60-07							
276031	LH ROTARY VAR DIFF, SPOILER TRANSFORMER							Component ATA:27
PN:3A2-249A	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A1248	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-05	PROC. REF: AMM 27-60-05							
276032	RH ROTARY VAR DIFF, SPOILER TRANSFORMER							Component ATA:27
PN:3A2-249A	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A1243	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-05	PROC. REF: AMM 27-60-05							
276073	SPOILERON COMPUTER							Component ATA:27
PN:402800-07-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00976	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-02	PROC. REF: AMM 27-60-02							
276076	ROTARY VAR DIFF CTL WHEEL TRANSFORMER							Component ATA:27
PN:3G4-211A	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0645/1217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-06	PROC. REF: AMM 27-60-06							
ATA 28 - FUEL								
281001	LH BAY 1 FWD EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23120174	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281002	RH BAY 1 EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23120187	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281003	LH BAY 2 FWD EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23120177	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281004	RH BAY 2 FWD EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23120173	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281005	LH BAY 3 EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23120180	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281006	RH BAY 3 EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23120179	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281007	LH BAY 2 AFT EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23120176	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281008	RH BAY 2 AFT EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23120191	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281009	LH BAY 9 EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23120182	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281010	RH BAY 9 EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:23120181	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281051	LH MOTIVE FLOW CHECK VALVE							Component ATA:28
PN:6628200106-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:22125709	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-05	PROC. REF: AMM 28-20-05							
281052	RH MOTIVE FLOW CHECK VALVE							Component ATA:28
PN:6628200106-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:19125094	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-05	PROC. REF: AMM 28-20-05							
281102	FUSELAGE FUEL CELL BAG TANK							Component ATA:28
PN:506877	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:T000626	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-10-02	PROC. REF: AMM 28-10-02							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281521	LH CHECK, FUEL TRANSFER VALVE							Component ATA:28
PN:HTE460072	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:06125344	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-03	PROC. REF: AMM 28-12-03							
281522	RH CHECK, FUEL TRANSFER VALVE							Component ATA:28
PN:HTE460072	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:17125355	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-03	PROC. REF: AMM 28-12-03							
2820000 S	INSPECT LOW PRESSURE FUEL FILTER - REMOVE AND INSPECT FOR CONTAMINATION. CLEAN IF NECESSARY.							Service ATA:28
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
282011	SHUTOFF, REFUEL VALVE							Component ATA:28
PN:HTE980056-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:12126127	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-10	PROC. REF: AMM 28-20-10							
282031	CHECK, FUEL SUPPLY (LH) NO 1 VALVE							Component ATA:28
PN:HTE460071	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:18126509	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03	PROC. REF: AMM 28-20-03							
282032	CHECK, FUEL SUPPLY (LH) NO 2 VALVE							Component ATA:28
PN:HTE460071	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:18126507	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03	PROC. REF: AMM 28-20-03							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282033	CHECK, FUEL SUPPLY (RH) NO 1 VALVE							Component ATA:28
PN:HTE460071	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:18126508	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03	PROC. REF: AMM 28-20-03							
282034	CHECK, FUEL SUPPLY (RH) NO 2 VALVE							Component ATA:28
PN:HTE460071	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:13126412	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03	PROC. REF: AMM 28-20-03							
282037	SHUTOFF, FUEL SUPPLY (LH NO 1) VALVE ASSY							Component ATA:28
PN:EM91-102-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2270	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-06	PROC. REF: AMM 28-20-06							
282038	SHUTOFF, FUEL SUPPLY (LH NO 2) VALVE ASSY							Component ATA:28
PN:EM91-102-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2265	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-06	PROC. REF: AMM 28-20-06							
282039	SHUTOFF, FUEL SUPPLY (CTR) VALVE ASSY							Component ATA:28
PN:EM91-102-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2251	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-06	PROC. REF: AMM 28-20-06							
282040	RH SHUTOFF, FUEL SUPPLY VALVE ASSY							Component ATA:28
PN:EM91-102-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2266	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-06	PROC. REF: AMM 28-20-06							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282041	CONTROL, REFUELING PANEL ASSY							Component ATA:28
PN:4528408000V5-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:12051147BA	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-14	PROC. REF: AMM 28-20-14							
282063	1/4" PRE CHECK VALVE							Component ATA:28
PN:HTE940032-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:13120744	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-12	PROC. REF: AMM 28-20-12							
282064	PILOT VALVE							Component ATA:28
PN:61087-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:629	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-11	PROC. REF: AMM 28-20-11							
282075	LH MAIN EJECTOR PUMP							Component ATA:28
PN:HTE230009	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:13120733	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-01	PROC. REF: AMM 28-20-01							
282076	RH MAIN EJECTOR PUMP							Component ATA:28
PN:HTE230009	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:19120627	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-01	PROC. REF: AMM 28-20-01							
282087	LH STANDBY PUMP ASSY							Component ATA:28
PN:1C12-39	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:8BG33	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-02	PROC. REF: AMM 28-20-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282088	RH STANDBY PUMP ASSY							Component ATA:28
PN:1C12-39	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:3BH3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-02	PROC. REF: AMM 28-20-02							
282815	SHUTOFF, APU FUEL VALVE							Component ATA:28
PN:7086048-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:102203000034C	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-04	PROC. REF: AMM 28-20-04							
2840003 S	** FUEL QUANTITY SIGNAL CONDITIONER - PERFORM FUNCTIONAL TEST TO VERIFY WEIGHT ON WHEELS (WOW) INPUTS							Service ATA:28
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 28-40-00	PROC. REF: AMM 28-40-00							
284001	LH FUEL (C1) PROBE ASSY							Component ATA:28
PN:10552T01Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28339	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284002	LH FUEL (C2) PROBE ASSY							Component ATA:28
PN:10665T03Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28305	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284003	LH FUEL (C3) PROBE ASSY							Component ATA:28
PN:10552T03Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28331	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284004	LH FUEL (C4) PROBE ASSY							Component ATA:28
PN:10552T04Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN27816	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284005	LH FUEL (C5) PROBE ASSY							Component ATA:28
PN:10552T05Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28010	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284006	LH FUEL (C15) PROBE ASSY							Component ATA:28
PN:10552T06Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28367	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284008	RH FUEL (C8) PROBE ASSY							Component ATA:28
PN:10552T01Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28342	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284009	RH FUEL (C9) PROBE ASSY							Component ATA:28
PN:10665T03Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28308	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284010	RH FUEL (C10) PROBE ASSY							Component ATA:28
PN:10552T03Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28335	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284011	RH FUEL (C11) PROBE ASSY							Component ATA:28
PN:10552T04Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN27817	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284012	RH FUEL (C12) PROBE ASSY							Component ATA:28
PN:10552T05Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28013	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284013	RH FUEL (C17) PROBE ASSY							Component ATA:28
PN:10552T06Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28370	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284014	RH FUEL (C13) PROBE ASSY							Component ATA:28
PN:10552T06Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28373	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284015	LH FUEL (C14) PROBE ASSY							Component ATA:28
PN:10665T01Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28259	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284016	RH FUEL (C16) PROBE ASSY							Component ATA:28
PN:10552T06Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28374	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284017	LH FUEL (C6) PROBE ASSY							Component ATA:28
PN:10665T01Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MN28260	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284033	FUSELAGE FUEL (C7) PROBE ASSY							Component ATA:28
PN:10554T02Y00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:DTJ2929	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284104	FUEL QUANTITY SIGNAL CONDITIONER							Component ATA:28
PN:10551B08Y09	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1227	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-04	PROC. REF: AMM 28-40-04							
ATA 29 - HYDRAULIC POWER								
2910005	REPLACE AUXILIARY HYDRAULIC FILTER MANIFOLD ELEMENTS							Service ATA:29
	MOS	12-Dec-14						
	HRS	183.2	2400 (+25/-25)		2583.2	2608.2	651.9 (+25)	
	AFL	168						
PROC. REF: AMM 29-20-02	PROC. REF: AMM 29-20-02							
2910018	REPLACE MAIN HYDRAULIC FILTER MANIFOLD ELEMENTS							Service ATA:29
	MOS	12-Dec-25						
	HRS	1667.5	300 (+25/-25)	Adj .3	1967.8	1992.8	36.5 (+25)	
	AFL	1529						
PROC. REF: AMM 29-10-03	PROC. REF: AMM 29-10-03							
2910026 S	FUNCTIONAL TEST RELIEF FUNCTION OF THE PRESSURIZATION CONTROL MODULE							Service ATA:29
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: AMM 29-10-06PROC. REF: AMM 29-10-06								
291033	RESERVOIR PRESSURIZATION CONTROL MODULE							Component ATA:29
PN:ZVM11-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:12-030538	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-06PROC. REF: AMM 29-10-06								
291034	HYD RESERVOIR FLUID LEVEL SENSOR							Component ATA:29
PN:3L14F-17	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:883	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-30-02PROC. REF: AMM 29-30-02								
291045	LH ENGINE DRIVEN HYDRAULIC PUMP ASSY							Component ATA:29
PN:848888	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MX769009A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-01PROC. REF: AMM 29-10-01								
291046	RH ENGINE DRIVEN HYDRAULIC PUMP ASSY							Component ATA:29
PN:848888	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:MX769762A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-01PROC. REF: AMM 29-10-01								
291057	MAIN HYD PRESSURE ACCUMULATOR							Component ATA:29
PN:88746-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:607	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-04PROC. REF: AMM 29-10-04								
291069	THERMAL SHUTOFF VALVE							Component ATA:29
PN:98050	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0892	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: AMM 29-10-07	PROC. REF: AMM 29-10-07							
292011	AUXILIARY HYDRAULIC PUMP ASSY							Component ATA:29
PN:66157-02	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:K0675	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-20-01	PROC. REF: AMM 29-20-01							
293001	CONTROL BOX ASSY							Component ATA:29
PN:4529308000-013	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:M0346	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-30-01	PROC. REF: AMM 29-30-01							
293011	HYDRAULIC PRESSURE TRANSDUCER							Component ATA:29
PN:APTE-196-1000-4000A	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:8010-3-59	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-30-04	PROC. REF: AMM 29-30-04							
293012	HYDRAULIC PRESSURE TRANSDUCER							Component ATA:29
PN:APTE-196-1000-4000A	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:7974-2-197	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-30-04	PROC. REF: AMM 29-30-04							
ATA 30 - ICE AND RAIN PROTECTION								
3010000 S	** WING/STAB ANTI-ICE SWITCH - PERFORM OPERATIONAL CHECK							Service ATA:30
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 30-10-00	PROC. REF: AMM 30-10-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
3010006 S	** ANTI-ICE MANIFOLD - PERFORM BORESCOPE INSPECTION							Service ATA:30
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 30-10-07PROC. REF: AMM 30-10-07								
301063	LEFT (L13) ANTI-ICE PRESSURE REGULATING AND SHUTOFF VALVE							Component ATA:30
PN:3215616-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1419	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01								
301064	RIGHT (L12) ANTI-ICE PRESSURE REGULATING AND SHUTOFF VALVE							Component ATA:30
PN:3215616-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1420	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01								
3020000 S	** NACELLE ANTI-ICE SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:30
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								
3020005	LEFT * ENGINE INLET ANTI-ICE TUBE ASSEMBLY FROM THE AFT INLET BULKHEAD CONNECTION POINT FORWARD TO SPRAY RING CONNECTION, PERFORM DETAILED VISUAL/BORESCOPE INSPECTION OF THE WELDS INSIDE AND OUTSIDE OF THE TUBE AT BOTH FORWARD AND AFT ENDS.							Service ATA:30
	MOS	24-Mar-26						CMR*
	HRS	1716.5	250		1966.5		35.2	
	AFL	1563						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
3020005		RIGHT * ENGINE INLET ANTI-ICE TUBE ASSEMBLY FROM THE AFT INLET BULKHEAD CONNECTION POINT FORWARD TO SPRAY RING CONNECTION, PERFORM DETAILED VISUAL/BORESCOPE INSPECTION OF THE WELDS INSIDE AND OUTSIDE OF THE TUBE AT BOTH FORWARD AND AFT ENDS.						Service ATA:30
	MOS	24-Mar-26						CMR*
	HRS	1716.5	250		1966.5		35.2	
	AFL	1563						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3020006		LEFT ENGINE INLET ANTI-ICE TUBE ASSEMBLY FROM THE AFT INLET BULKHEAD CONNECTION POINT FORWARD TO SPRAY RING CONNECTION, PERFORM DETAILED VISUAL/BORESCOPE INSPECTION OF THE WELDS INSIDE AND OUTSIDE OF THE TUBE AT BOTH FORWARD AND AFT ENDS						Service ATA:30
	MOS/MSC	21-Nov-13	N/A					NOT APPLICABLE
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								
3020006		RIGHT ENGINE INLET ANTI-ICE TUBE ASSEMBLY FROM THE AFT INLET BULKHEAD CONNECTION POINT FORWARD TO SPRAY RING CONNECTION, PERFORM DETAILED VISUAL/BORESCOPE INSPECTION OF THE WELDS INSIDE AND OUTSIDE OF THE TUBE AT BOTH FORWARD AND AFT ENDS						Service ATA:30
	MOS/MSC	21-Nov-13	N/A					NOT APPLICABLE
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								
3030000 S		** PITOT-STATIC HEAT SYSTEM - PERFORM OPERATIONAL CHECK						Service ATA:30
	MOS	20-Feb-23	108 (+14d/-14d)					CMR**
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 30-30-00PROC. REF: AMM 30-30-00								
3040000 S		** WINDSHIELD ANTI-ICE SYSTEM - PERFORM FUNCTIONAL TEST OF THE WINDSHIELD ANTI-ICE SYSTEM						Service ATA:30
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 30-40-00PROC. REF: AMM 30-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
304021	WINDSHIELD ANTI-ICE CONTROLLER							Component ATA:30
PN:90825-7	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:693	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-40-01PROC. REF: AMM 30-40-01								
308005	ICE DETECTOR PROBE							Component ATA:30
PN:0871HN2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0607	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-80-01PROC. REF: AMM 30-80-01								
ATA 31 - INDICATING/RECORDING SYSTEMS								
3100002 S	** ELECTRONIC FLIGHT INSTRUMENT SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:31
	MOS	20-Feb-23	108 (+14d/-14d)					CMR**
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 31-60-00PROC. REF: AMM 31-60-00								
313001	FLIGHT DATA RECORDER							Component ATA:31
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-30-01PROC. REF: AMM 31-30-01								
313003	TRIAXIAL ACCELEROMETER							Component ATA:31
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
314011	DATA CONCENTRATION, GSD 41 (#1) UNIT							Component ATA:31
PN:011-01457-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:16905643	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-41-03PROC. REF: AMM 31-41-03								
314012	DATA CONCENTRATION, GSD 41 (#2) UNIT							Component ATA:31
PN:011-01457-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:16905647	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-03PROC. REF: AMM 31-41-03								
314023	LH INTEGRATED AV, NAV/COM GIA 63W UNIT							Component ATA:31
PN:011-01105-40	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2DC000913	HRS	20.3		TSN 0				
	AFL	15		TSN 0				
PROC. REF: AMM 31-41-01PROC. REF: AMM 31-41-01								
314024	RH INTEGRATED AV, NAV/COM GIA 63W UNIT							Component ATA:31
PN:011-01105-40	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2DC000537	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-01PROC. REF: AMM 31-41-01								
314051	I/O, ENGINE AND AIRFRAME, GEA71 (PILOT) UNIT							Component ATA:31
PN:011-00831-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:46714805	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02PROC. REF: AMM 31-41-02								
314052	I/O, ENGINE AND AIRFRAME, GEA71 (CENTER RH) UNIT							Component ATA:31
PN:011-00831-00	MOS/MSC	20-Oct-14	O/C	TSO 0				
SN:46717517	HRS	169.6		TSO 0				
	AFL	153		TSO 0				
PROC. REF: AMM 31-41-02PROC. REF: AMM 31-41-02								
314053	I/O, ENGINE AND AIRFRAME, GEA71 (CENTER LH) UNIT							Component ATA:31
PN:011-00831-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:46717042	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 31-41-02PROC. REF: AMM 31-41-02								
314054	I/O, ENGINE AND AIRFRAME, GEA71 (CO-PILOT) UNIT							Component ATA:31
PN:011-00831-00	MOS/MSC	09-Jul-14	O/C	TSN 0				
SN:46717494	HRS	89		TSN 0				
	AFL	87		TSN 0				
PROC. REF: AMM 31-41-02PROC. REF: AMM 31-41-02								
3151002 S	** AURAL WARNING - PERFORM INSPECTION CHECK							Service ATA:31
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 31-51-00PROC. REF: AMM 31-51-00								
3151003 S	** TAKEOFF CONFIGURATION WARNING - PERFORM INSPECTION CHECK							Service ATA:31
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 31-51-00PROC. REF: AMM 31-51-00								
316001	(PILOT) GDU 1400W COLOR W SCRN LDSCAPE DISPLAY							Component ATA:31
PN:011-01910-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:IF1000339	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-01PROC. REF: AMM 31-60-01								
316002	CO-PILOT GDU 1400W COLOR W SCRN LDSCAPE DISPLAY							Component ATA:31
PN:011-01910-00	MOS/MSC	15-Jul-19	O/C					
SN:1F1000409	HRS	620.9						
	AFL	589						
PROC. REF: AMM 31-60-01PROC. REF: AMM 31-60-01								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
316003	(MFD) GDU 1400W COLOR W SCRN LDSCAPE DISPLAY							Component ATA:31
PN:011-01910-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:IF1000425	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-01	PROC. REF: AMM 31-60-01							
316005	LH TOUCHSCREEN, GTC 570 CONTROLLER							Component ATA:31
PN:011-01924-10	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1MB500757	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-02	PROC. REF: AMM 31-60-02							
316006	RH TOUCHSCREEN, GTC 570 CONTROLLER							Component ATA:31
PN:011-01924-10	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1MB500779	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-02	PROC. REF: AMM 31-60-02							
316007	LH BACKUP, GCU 275 CONTROLLER							Component ATA:31
PN:011-01983-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1U7105060	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-03	PROC. REF: AMM 31-60-03							
316008	RH BACKUP, GCU 275 CONTROLLER							Component ATA:31
PN:011-01983-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1U7105216	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-03	PROC. REF: AMM 31-60-03							
316091	AFIS DATA TRANSFER (OPTION) UNIT							Component ATA:31
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321001	LH MLG GEAR INSTALLATION							Component ATA:32
PN:4532101000V102-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H71354800590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3210015 S	CORROSION INSPECTION NOSE LANDING GEAR AND WHEEL WELL							Service ATA:32
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321002	RH MLG GEAR INSTALLATION							Component ATA:32
PN:4532101000V102-002	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H67652100590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321011	LH MLG SHOCK STRUT CYLINDER ASSY							Component ATA:32
PN:200-0201-005	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H0759	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
321012	RH MLG SHOCK STRUT CYLINDER ASSY							Component ATA:32
PN:200-0201-006	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H0771	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
321073	LH DISPLACEMENT MLG ACTUATOR TUBE							Component ATA:32
PN:200-0305-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H1695	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321074	RH DISPLACEMENT MLG ACTUATOR TUBE							Component ATA:32
PN:200-0305-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H1668	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321085	LH FWD MLG TRUNNION ASSY							Component ATA:32
PN:4532103011-011	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:CMI-305	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
321086	RH FWD MLG TRUNNION ASSY							Component ATA:32
PN:4532103011-012	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:CMI-300	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
321087	LH AFT MLG TRUNNION ASSY							Component ATA:32
PN:4532103021-009	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:CMI-281	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
321088	RH AFT MLG TRUNNION ASSY							Component ATA:32
PN:4532103021-010	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:CMI-422	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
321301	LH OUTBD MLG DOOR ASSY							Component ATA:32
PN:4552803003-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H621202	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-80-01PROC. REF: AMM 52-80-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321302	LH INBD MLG DOOR ASSY							Component ATA:32
PN:4552803004-005	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H545666	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-80-01	PROC. REF: AMM 52-80-01							
321303	RH INBD MLG DOOR ASSY							Component ATA:32
PN:4552803004-006	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H625695	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-80-01	PROC. REF: AMM 52-80-01							
321304	RH OUTBD MLG DOOR ASSY							Component ATA:32
PN:4552803003-004	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H621213	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-80-01	PROC. REF: AMM 52-80-01							
3220003	NOSE GEAR SHOCK STRUT - REMOVE AND REPLACE RETAINER RING LOCKSCREW							Service ATA:32
	MOS	19-Jul-26						
	HRS	1834.7	600 (+25/-25)	Adj -34.7	2400	2425	468.7 (+25)	
	AFL	1674						
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
3220007	LEFT * MAIN LANDING GEAR AXLE - PERFORM MAIN LANDING GEAR AXLE BEAM ASSEMBLY BORESCOPE INSPECTION (P/N 200-0203-001)							Service ATA:32
	MOS	07-Jan-26	48		07-Jan-30		1195 d	CMR*
	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220007	RIGHT * MAIN LANDING GEAR AXLE - PERFORM MAIN LANDING GEAR AXLE BEAM ASSEMBLY BORESCOPE INSPECTION (P/N 200-0203-001)							Service ATA:32
	MOS	07-Jan-26	48		07-Jan-30		1195 d	CMR*
	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220009	* NOSE LANDING GEAR STRUT ASSEMBLY - REPLACE (CMR*)							Component ATA:32
PN:2342100-035	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:055	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18250	
PROC. REF: AMM 32-20-01	PROC. REF: AMM 32-20-01							
322001	NOSE GEAR STEERING AND STRUT ASSY							Component ATA:32
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-20-01	PROC. REF: AMM 32-20-01							
3220010	* NOSE LANDING GEAR ACTUATOR ASSEMBLY - REPLACE (CMR*)							Component ATA:32
PN:30460-7	MOS	20-Apr-23						LIFE LIMIT
SN:EFS444	HRS	1106.2						
	AFL	1041	20000	TSN 3104	17937		16187	
PROC. REF: AMM 32-32-01	PROC. REF: AMM 32-32-01							
3220011	* NOSE LANDING GEAR ACTUATOR UPPER PIN - REPLACE (CMR*)							Component ATA:32
PN:4532302043-007	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:878	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18250	
PROC. REF: AMM 32-32-01	PROC. REF: AMM 32-32-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220012	LEFT * MAIN LANDING GEAR STRUT ASSEMBLY - REPLACE (CMR*)							Component ATA:32
PN:200-0200-013	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H0633	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
3220012	RIGHT * MAIN LANDING GEAR STRUT ASSEMBLY - REPLACE (CMR*)							Component ATA:32
PN:200-0200-014	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1641	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
3220013	LEFT * MAIN LANDING GEAR SIDE BRACE ACTUATOR, EXCLUDING THE END CAP - REPLACE (CMR*)							Component ATA:32
PN:200-0300-003	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H0657	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15250	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220013	RIGHT * MAIN LANDING GEAR SIDE BRACE ACTUATOR, EXCLUDING THE END CAP - REPLACE (CMR*)							Component ATA:32
PN:200-0300-004	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1654	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15250	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220014	LEFT UPPER * MAIN LANDING GEAR ACTUATOR UPPER PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0325-101	MOS	03-Jan-22	96	TSN 0	03-Jan-30		1191 d	LIFE LIMIT
SN:CPS0C-3755	HRS	850.9		TSN 0				
	AFL	828		TSN 0				
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220014	RIGHT UPPER * MAIN LANDING GEAR ACTUATOR UPPER PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0325-101	MOS	03-Jan-22	96	TSN 0	03-Jan-30		1191 d	LIFE LIMIT
SN:HER08U5423	HRS	850.9		TSN 0				
	AFL	828		TSN 0				
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220016	INSPECT NOSE LANDING GEAR STRUT ASSEMBLY - PERFORM SPECIAL DETAILED INSPECTION.							Service ATA:32
	MOS	21-Nov-13						
	HRS	0						
	AFL	0	10000 (+25/-25)		10000	10025	8250 (+25)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3220017	VISUAL INSPECTION NOSE LANDING GEAR TRUNNION AXLE							Service ATA:32
	MOS	21-Nov-13						
	HRS	0						
	AFL	0	10000 (+25/-25)		10000	10025	8250 (+25)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3220018	NDT INSPECT LMLG SPECIAL DETAILED INSPECTION ON SHOCK STRUT							Service ATA:32
	MOS	03-Jan-22	96 (+14d/-14d)		03-Jan-30	17-Jan-30	1191 d (+14)	
	HRS	850.9						
	AFL	828	6600 (+25/-25)		7428	7453	5678 (+25)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3220018	NDT INSPECT RMLG SPECIAL DETAILED INSPECTION ON SHOCK STRUT							Service ATA:32
	MOS	03-Jan-22	96 (+14d/-14d)		03-Jan-30	17-Jan-30	1191 d (+14)	
	HRS	850.9						
	AFL	828	6600 (+25/-25)		7428	7453	5678 (+25)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3220019	NDT INSPECT NOSE LANDING GEAR ACTUATOR ATTACHMENT PIN - REMOVE PIN AND PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:32
	MOS	21-Nov-13						
	HRS	0						
	AFL	0	10000 (+25/-25)		10000	10025	8250 (+25)	
PROC. REF: NDT 32-30-02PROC. REF: NDT 32-30-02								
322002	NOSE GEAR CYLINDER ASSY							Component ATA:32
PN:2342102-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:T955	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220020	* MAIN LANDING GEAR TRUNNION FITTINGS ON MID AND REAR SPAR - PERFORM EDDY CURRENT INSPECTION							Service ATA:32
	MOS	21-Nov-13						CMR*
	HRS	0						
	AFL	0	T:10000		10000		8250	
PROC. REF: NDT 32-11-00PROC. REF: NDT 32-11-00								
3220022	NDT INSPECT LEFT AFT MAIN LANDING GEAR TRUNNION PIN - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:32
	MOS	03-Jan-22	96 (+14d/-14d)	Adj -43d	21-Nov-29	05-Dec-29	1148 d (+14)	
	HRS	850.9						
	AFL	828	10000 (+25/-25)		10828	10853	9078 (+25)	
PROC. REF: NDT 32-10-07, NDT 32-10-08PROC. REF: NDT 32-10-07, NDT 32-10-08								
3220022	NDT INSPECT LEFT FORWARD MAIN LANDING GEAR TRUNNION PIN - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:32
	MOS	03-Jan-22	96 (+14d/-14d)	Adj -43d	21-Nov-29	05-Dec-29	1148 d (+14)	
	HRS	850.9						
	AFL	828	10000 (+25/-25)		10828	10853	9078 (+25)	
PROC. REF: NDT 32-10-07, NDT 32-10-08PROC. REF: NDT 32-10-07, NDT 32-10-08								
3220022	NDT INSPECT RIGHT AFT MAIN LANDING GEAR TRUNNION PIN - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:32
	MOS	03-Jan-22	96 (+14d/-14d)	Adj -43d	21-Nov-29	05-Dec-29	1148 d (+14)	
	HRS	850.9						
	AFL	828	10000 (+25/-25)		10828	10853	9078 (+25)	
PROC. REF: NDT 32-10-07, NDT 32-10-08PROC. REF: NDT 32-10-07, NDT 32-10-08								
3220022	NDT INSPECT RIGHT FORWARD MAIN LANDING GEAR TRUNNION PIN - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:32
	MOS	03-Jan-22	96 (+14d/-14d)	Adj -43d	21-Nov-29	05-Dec-29	1148 d (+14)	
	HRS	850.9						
	AFL	828	10000 (+25/-25)		10828	10853	9078 (+25)	
PROC. REF: NDT 32-10-07, NDT 32-10-08PROC. REF: NDT 32-10-07, NDT 32-10-08								
3220023	LEFT AFT * MAIN LANDING GEAR TRUNNION PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0213-103	MOS	03-Jan-22		TSN 98				LIFE LIMIT
SN:H1248	HRS	850.9		TSN 850.9				
	AFL	828	10000	TSN 828	10000		8250	
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220023	LEFT FORWARD * MAIN LANDING GEAR TRUNNION PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0212-103	MOS	03-Jan-22		TSN 98				LIFE LIMIT
SN:H1431	HRS	850.9		TSN 850.9				
	AFL	828	10000	TSN 828	10000		8250	
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
3220023	RIGHT AFT * MAIN LANDING GEAR TRUNNION PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0213-103	MOS	03-Jan-22		TSN 98				LIFE LIMIT
SN:H1247	HRS	850.9		TSN 850.9				
	AFL	828	10000	TSN 828	10000		8250	
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
3220023	RIGHT FORWARD * MAIN LANDING GEAR TRUNNION PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0212-103	MOS	03-Jan-22		TSN 98				LIFE LIMIT
SN:H1430	HRS	850.9		TSN 850.9				
	AFL	828	10000	TSN 828	10000		8250	
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
3220024	LEFT LOWER * MAIN LANDING GEAR SIDE-STAY ACTUATOR PIN - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:32
PN:200-0217-101	MOS	07-Jan-26	48		07-Jan-30		1195 d	CMR*
SN:HER08U5407	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: NDT 32-10-02, NDT 32-30-01PROC. REF: NDT 32-10-02, NDT 32-30-01								
3220024	LEFT UPPER * MAIN LANDING GEAR SIDE-STAY ACTUATOR PIN - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:32
PN:200-0325-101	MOS	07-Jan-26	48		07-Jan-30		1195 d	CMR*
SN:CPS0C-3755	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: NDT 32-10-02, NDT 32-30-01PROC. REF: NDT 32-10-02, NDT 32-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220024		RIGHT LOWER * MAIN LANDING GEAR SIDE-STAY ACTUATOR PIN - PERFORM MAGNETIC PARTICLE INSPECTION.						Service ATA:32
PN:200-0217-101	MOS	07-Jan-26	48		07-Jan-30		1195 d	CMR*
SN:HER08U5411	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: NDT 32-10-02, NDT 32-30-01PROC. REF: NDT 32-10-02, NDT 32-30-01								
3220024		RIGHT UPPER * MAIN LANDING GEAR SIDE-STAY ACTUATOR PIN - PERFORM MAGNETIC PARTICLE INSPECTION.						Service ATA:32
PN:200-0325-101	MOS	07-Jan-26	48		07-Jan-30		1195 d	CMR*
SN:HER08U5423	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: NDT 32-10-02, NDT 32-30-01PROC. REF: NDT 32-10-02, NDT 32-30-01								
3220028		LEFT * NOSE LANDING GEAR TRUNNION PIN - REPLACE (CMR*)						Component ATA:32
PN:2342108-003	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:MTI093	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18250	
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01								
3220028		RIGHT * NOSE LANDING GEAR TRUNNION PIN - REPLACE (CMR*)						Component ATA:32
PN:2342108-003	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:MTI319	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18250	
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01								
3220029		* NOSE LANDING GEAR TRUNNION AXLE - REPLACE (CMR*)						Component ATA:32
PN:2342110-003	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:R1038	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18250	
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322003	NOSE LANDING GEAR PISTON							Component ATA:32
PN:2342104-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:E-142	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-32-01	PROC. REF: AMM 32-32-01							
3220035	LEFT * MAIN LANDING GEAR SHOCK STRUT PISTON - REPLACE (CMR*)							Component ATA:32
PN:200-0202-003	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1957	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220035	RIGHT * MAIN LANDING GEAR SHOCK STRUT PISTON - REPLACE (CMR*)							Component ATA:32
PN:200-0202-003	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1955	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220036	LEFT * MAIN LANDING GEAR AXLE BEAM - REPLACE (CMR*)							Component ATA:32
PN:200-0203-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1455	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220036	RIGHT * MAIN LANDING GEAR AXLE BEAM - REPLACE (CMR*)							Component ATA:32
PN:200-0203-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1440	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220037	LEFT * MAIN LANDING GEAR SHOCK STRUT LINK - REPLACE (CMR*)							Component ATA:32
PN:200-0204-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1617	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220037	RIGHT * MAIN LANDING GEAR SHOCK STRUT LINK - REPLACE (CMR*)							Component ATA:32
PN:200-0204-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1616	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220038	LEFT LOWER * MAIN LANDING GEAR ACTUATOR LOWER PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0217-101	MOS	03-Jan-22	96	TSN 0	03-Jan-30		1191 d	LIFE LIMIT
SN:HER08U5407	HRS	850.9		TSN 0				
	AFL	828		TSN 0				
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							
3220038	RIGHT LOWER * MAIN LANDING GEAR ACTUATOR LOWER PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0217-101	MOS	03-Jan-22	96	TSN 0	03-Jan-30		1191 d	LIFE LIMIT
SN:HER08U5411	HRS	850.9		TSN 0				
	AFL	828		TSN 0				
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							
322004	NOSE GEAR STEERING AND STRUT INSTL BRACKET							Component ATA:32
PN:2342111-005	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:R638	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-20-01	PROC. REF: AMM 32-20-01							
322005	NOSE LANDING GEAR FORK							Component ATA:32
PN:2342116-004	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:R932	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
3220101	LEFT AFT * MAIN LANDING GEAR LINK PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0214-101	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H2834	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220101	LEFT FORWARD * MAIN LANDING GEAR LINK PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0214-101	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H2835	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220101	RIGHT AFT * MAIN LANDING GEAR LINK PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0214-101	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H2833	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220101	RIGHT FORWARD * MAIN LANDING GEAR LINK PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0214-101	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H2832	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220102	LEFT * MAIN LANDING GEAR PISTON PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0215-101	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1386	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220102	RIGHT * MAIN LANDING GEAR PISTON PIN - REPLACE (CMR*)							Component ATA:32
PN:200-0215-101	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1385	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220103	LEFT * MAIN LANDING GEAR ACTUATOR PISTON - REPLACE (CMR*)							Component ATA:32
PN:200-0301-103	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H2268	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15250	
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220103	RIGHT * MAIN LANDING GEAR ACTUATOR PISTON - REPLACE (CMR*)							Component ATA:32
PN:200-0301-103	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H2258	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15250	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220104	LEFT * MAIN LANDING GEAR ACTUATOR CYLINDER - REPLACE (CMR*)							Component ATA:32
PN:200-0302-101	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1752	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15250	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220104	RIGHT * MAIN LANDING GEAR ACTUATOR CYLINDER - REPLACE (CMR*)							Component ATA:32
PN:200-0302-101	MOS	21-Nov-13		TSN 0				CMR*
SN:H1720	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15250	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220105	LEFT * MAIN LANDING GEAR ACTUATOR END CAP - REPLACE (CMR*)							Component ATA:32
PN:200-0303-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H2369	HRS	0		TSN 0				
	AFL	0	2387	TSN 0	2387		637	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220105	RIGHT * MAIN LANDING GEAR ACTUATOR END CAP - REPLACE (CMR*)							Component ATA:32
PN:200-0303-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H2362	HRS	0		TSN 0				
	AFL	0	2387	TSN 0	2387		637	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220106	LEFT * MAIN LANDING GEAR ACTUATOR HOUSING - REPLACE (CMR*)							Component ATA:32
PN:200-0304-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1945	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15250	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220106	RIGHT * MAIN LANDING GEAR ACTUATOR HOUSING - REPLACE (CMR*)							Component ATA:32
PN:200-0304-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:H1971	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15250	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220109	VISUAL INSPECTION NOSE LANDING GEAR ACTUATOR ASSEMBLY - DISASSEMBLE ACTUATOR AND PERFORM DETAILED VISUAL INSPECTION.							Service ATA:32
	MOS	21-Nov-13						
	HRS	0						
	AFL	0	10000 (+25/-25)		10000	10025	8250 (+25)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3220111	VISUAL INSPECTION LEFT MAIN LANDING GEAR SIDE-STAY ACTUATOR - DISASSEMBLE ACTUATOR AND PERFORM DETAILED VISUAL INSPECTION.							Service ATA:32
	MOS	03-Jan-22	96 (+14d/-14d)		03-Jan-30	17-Jan-30	1191 d (+14)	
	HRS	850.9						
	AFL	828	10000 (+25/-25)		10828	10853	9078 (+25)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3220111	VISUAL INSPECTION RIGHT MAIN LANDING GEAR SIDE-STAY ACTUATOR - DISASSEMBLE ACTUATOR AND PERFORM DETAILED VISUAL INSPECTION.							Service ATA:32
	MOS	03-Jan-22	96 (+14d/-14d)		03-Jan-30	17-Jan-30	1191 d (+14)	
	HRS	850.9						
	AFL	828	10000 (+25/-25)		10828	10853	9078 (+25)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3220116	LEFT * MAIN LANDING GEAR SHOCK STRUT CYLINDER - REPLACE (CMR*)							Component ATA:32
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220116	RIGHT * MAIN LANDING GEAR SHOCK STRUT CYLINDER - REPLACE (CMR*)							Component ATA:32
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		8250	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
3220126	LEFT * MAIN LANDING GEAR SIDE-STAY ACTUATOR FITTING - REPLACE (CMR*)							Component ATA:32
PN:4532103041-010PP	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:27796/1-04	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18250	
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							
3220126	RIGHT * MAIN LANDING GEAR SIDE-STAY ACTUATOR FITTING - REPLACE (CMR*)							Component ATA:32
PN:4532103041-010PP	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:27796/1-04	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		18250	
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							
3220135	LEFT LOWER * MAIN LANDING GEAR SIDE-STAY ACTUATOR PIN - PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
PN:200-0217-101	MOS	07-Jan-26	48		07-Jan-30		1195 d	CMR*
SN:HER08U5407	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
3220135	LEFT UPPER * MAIN LANDING GEAR SIDE-STAY ACTUATOR PIN - PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
PN:200-0325-101	MOS	07-Jan-26	48		07-Jan-30		1195 d	CMR*
SN:CPS0C-3755	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220135	RIGHT LOWER * MAIN LANDING GEAR SIDE-STAY ACTUATOR PIN - PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
PN:200-0217-101	MOS	07-Jan-26	48		07-Jan-30		1195 d	CMR*
SN:HER08U5411	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
3220135	RIGHT UPPER * MAIN LANDING GEAR SIDE-STAY ACTUATOR PIN - PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
PN:200-0325-101	MOS	07-Jan-26	48		07-Jan-30		1195 d	CMR*
SN:HER08U5423	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
3220139	LEFT FORWARD LOWER * MAIN LANDING GEAR TRUNNION SHEAR PIN (CMR*)							Component ATA:32
PN:4532103201-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:CMI-2814	HRS	0		TSN 0				
	AFL	0	5000	TSN 0	5000		3250	
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
3220139	LEFT FORWARD UPPER * MAIN LANDING GEAR TRUNNION SHEAR PIN (CMR*)							Component ATA:32
PN:4532103201-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:CMI-2806	HRS	0		TSN 0				
	AFL	0	5000	TSN 0	5000		3250	
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
3220139	RIGHT FORWARD LOWER * MAIN LANDING GEAR TRUNNION SHEAR PIN (CMR*)							Component ATA:32
PN:4532103201-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:CMI-2735	HRS	0		TSN 0				
	AFL	0	5000	TSN 0	5000		3250	
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220139	RIGHT FORWARD UPPER * MAIN LANDING GEAR TRUNNION SHEAR PIN (CMR*)							Component ATA:32
PN:4532103201-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:CMI-2757	HRS	0		TSN 0				
	AFL	0	5000	TSN 0	5000		3250	
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
3220140	LEFT AFT UPPER * MAIN LANDING GEAR TRUNNION SHEAR PIN (CMR*)							Component ATA:32
PN:4532103202-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:CMI-971	HRS	0		TSN 0				
	AFL	0	5000	TSN 0	5000		3250	
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
3220140	RIGHT AFT UPPER * MAIN LANDING GEAR TRUNNION SHEAR PIN (CMR*)							Component ATA:32
PN:4532103202-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:CMI-1202	HRS	0		TSN 0				
	AFL	0	5000	TSN 0	5000		3250	
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
3220141	LEFT AFT LOWER * MAIN LANDING GEAR TRUNNION SHEAR PIN (CMR*)							Component ATA:32
PN:4532103203-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:CMI-1220	HRS	0		TSN 0				
	AFL	0	5000	TSN 0	5000		3250	
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
3220141	RIGHT AFT LOWER * MAIN LANDING GEAR TRUNNION SHEAR PIN (CMR*)							Component ATA:32
PN:4532103203-001	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:CMI-1163	HRS	0		TSN 0				
	AFL	0	5000	TSN 0	5000		3250	
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
3220146	LEFT * MAIN LANDING GEAR SHOCK STRUT CYLINDER (P/N 200-0201-109 AND 200-0201-110) - PERFORM ULTRASONIC INSPECTION OF THE FORGING PARTING LINE.							Service ATA:32
	MOS	21-Nov-13						CMR*
	HRS	0						
	AFL	0	T:4800		4800		3050	
PROC. REF: NDT 32-10-01	PROC. REF: NDT 32-10-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3220146		RIGHT * MAIN LANDING GEAR SHOCK STRUT CYLINDER (P/N 200-0201-109 AND 200-0201-110) - PERFORM ULTRASONIC INSPECTION OF THE FORGING PARTING LINE.						Service ATA:32
	MOS	21-Nov-13						CMR*
	HRS	0						
	AFL	0	T:4800		4800		3050	
PROC. REF: NDT 32-10-01PROC. REF: NDT 32-10-01								
3220148 S		CORROSION INSPECTION MAIN LANDING GEAR AND WHEEL WELLS						Service ATA:32
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3220149		LEFT * MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - REPLACE (P/N 200-0300-005, -006) (CMR*)						Component ATA:32
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15250	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220149		RIGHT * MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - REPLACE (P/N 200-0300-005, -006) (CMR*)						Component ATA:32
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		15250	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220150		LEFT * MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY (P/N 200-0300-005, -006) (EASA ONLY) (CMR*)						Component ATA:32
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	13700	TSN 0	13700		11950	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220150		RIGHT * MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY (P/N 200-0300-005, -006) (EASA ONLY) (CMR*)						Component ATA:32
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	13700	TSN 0	13700		11950	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
3220151	LEFT MAIN LANDING GEAR STRUT ASSEMBLY REBOUND RING							Component ATA:32
PN:PN	MOS	03-Jan-22	96	TSN 0	03-Jan-30		1191 d	LIFE LIMIT
SN:UNKNOWN	HRS	850.9						
	AFL	828						
3220151	RIGHT MAIN LANDING GEAR STRUT ASSEMBLY REBOUND RING							Component ATA:32
PN:PN	MOS	03-Jan-22	96	TSN 0	03-Jan-30		1191 d	LIFE LIMIT
SN:UNKNOWN	HRS	850.9						
	AFL	828						
322095	LH NOSE GEAR DOOR ASSY							Component ATA:32
PN:4552800001-009	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:616	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-81-01PROC. REF: AMM 52-81-01								
322096	RH NOSE GEAR DOOR ASSY							Component ATA:32
PN:4552800002-009	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:617	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-81-01PROC. REF: AMM 52-81-01								
322098	AXLE							Component ATA:32
PN:2342117-002	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:R1160	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
322121	NLG UPLOCK							Component ATA:32
PN:2269H000-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1659	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-32-02PROC. REF: AMM 32-32-02								
3230001 S	** LANDING GEAR - PERFORM EMERGENCY GEAR EXTENSION FUNCTIONAL TEST							Service ATA:32
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 32-33-00PROC. REF: AMM 32-33-00								
323001	LEFT MLG SIDE BRACE ACTUATOR ASSY							Component ATA:32
PN:4532101000V82-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H69509200590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
323002	RIGHT MLG SIDE BRACE ACTUATOR ASSY							Component ATA:32
PN:4532101000V82-002	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:PPMFH77731700590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
323037	MLG (LH) INBOARD DOOR UPLOCK							Component ATA:32
PN:3000H000-005	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2303	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-02PROC. REF: AMM 32-31-02								
323038	MLG (RH) INBOARD DOOR UPLOCK							Component ATA:32
PN:3000H000-006	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2301	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-02PROC. REF: AMM 32-31-02								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3231024	* LEFT MAIN LANDING GEAR INBOARD DOOR ACTUATOR (P/N 7469-1) CAP SCREWS - REPLACE							Service ATA:32
PN:7469-1	MOS	21-Nov-13						LIFE LIMIT
SN:1221	HRS	0	2400		2400		468.7	
	AFL	0						
PROC. REF: AMM 32-31-02	PROC. REF: AMM 32-31-02							
3231024	* RIGHT MAIN LANDING GEAR INBOARD DOOR ACTUATOR (P/N 7469-1) CAP SCREWS - REPLACE							Service ATA:32
PN:7469-1	MOS	21-Nov-13						LIFE LIMIT
SN:1264	HRS	0	2400		2400		468.7	
	AFL	0						
PROC. REF: AMM 32-31-02	PROC. REF: AMM 32-31-02							
323220	LH DOWN AND LOCK SWITCH							Component ATA:32
PN:604HE162	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1975	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-60-02	PROC. REF: AMM 32-60-02							
323221	RH DOWN AND LOCK SWITCH							Component ATA:32
PN:604HE162	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1952	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-60-02	PROC. REF: AMM 32-60-02							
323735	CONTROL, MANIFOLD, LANDING GEAR VALVE							Component ATA:32
PN:2245H000-002	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1641	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-30-01	PROC. REF: AMM 32-30-01							
3240004 S	** EMERGENCY/PARKING BRAKE POSITION INDICATING SWITCH - PERFORM FUNCTIONAL TEST							Service ATA:32
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 32-42-01	PROC. REF: AMM 32-42-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3240005 S	** BRAKE HYDRAULIC FUSES - PERFORM FUNCTIONAL TEST							Service ATA:32
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 32-41-09PROC. REF: AMM 32-41-09								
3240006 S	** BRAKE SHUTTLE MODULE - PERFORM FUNCTIONAL TEST							Service ATA:32
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 32-41-04PROC. REF: AMM 32-41-04								
3240007 S	** BRAKE SHUTTLE VALVES - PERFORM FUNCTIONAL TEST							Service ATA:32
	MOS	20-Feb-23	108 (+14d/-14d)					CMR
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 32-42-04PROC. REF: AMM 32-42-04								
3240008 S	** EMERGENCY/PARKING BRAKE CONTROL SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:32
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 32-42-02PROC. REF: AMM 32-42-02								
3240009 S	** BRAKE PRESSURE TRANSDUCERS - PERFORM FUNCTIONAL TEST							Service ATA:32
	MOS	21-Nov-13						CMR**
	HRS	0	4800 (+25/-25)					
	AFL	0						
								PKG:8
PROC. REF: AMM 32-41-08PROC. REF: AMM 32-41-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324001	NO. 1 (LH OB) MLG WHEEL ASSY							Component ATA:32
PN:3-1545-1	MOS/MSC	06-Oct-25	O/C					
SN:2874	HRS	1630.2						
	AFL	1495						
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324002	NO. 2 (LH IB) MLG WHEEL ASSY							Component ATA:32
PN:3-1545-1	MOS/MSC	08-May-26	O/C					
SN:3060	HRS	1737.8						
	AFL	1584						
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324003	NO. 3 (RH IB) MLG WHEEL ASSY							Component ATA:32
PN:3-1545-1	MOS/MSC	08-May-26	O/C					
SN:3427	HRS	1737.8						
	AFL	1584						
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324003A	NON DESTRUCTIVE TEST NO. 3 (RH IB) MLG WHEEL ASSY REFER TO GOODRICH PUBLICATION NO. 3-1545-1							Service ATA:32
PN:3-1545-1	MOS/MSC	08-May-26	T/C					
SN:3427	HRS	1737.8						
	AFL	1584						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324004	NO. 4 (RH OB) MLG WHEEL ASSY							Component ATA:32
PN:3-1545-1	MOS/MSC	12-Jan-26	O/C					
SN:2575	HRS	1686.6						
	AFL	1542						
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324005	NOSE GEAR WHEEL ASSY							Component ATA:32
PN:9544207-4	MOS/MSC	15-Jul-24	O/C	TSR 4				
SN:JAN02-9622	HRS	1415.2		TSR 0				
	AFL	1320		TSR 0				
	APH							
	APS							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01								
324021	NO. 1 (LH OB) MLG TIRE							Component ATA:32
PN:226K08-4	MOS/MSC	06-Oct-25	O/C	TSN 0				
SN:40120560	HRS	1630.2		TSN 0				
	AFL	1495		TSN 0				
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324022	NO. 2 (LH IB) MLG TIRE							Component ATA:32
PN:226K08-4	MOS/MSC	08-May-26	O/C	TSN 0				
SN:52280591	HRS	1737.8		TSN 0				
	AFL	1584		TSN 0				
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324023	NO. 3 (RH IB) MLG TIRE							Component ATA:32
PN:226K08-4	MOS/MSC	08-May-26	O/C	TSN 0				
SN:33530879	HRS	1737.8		TSN 0				
	AFL	1584		TSN 0				
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324024	NO. 4 (RH OB) MLG TIRE							Component ATA:32
PN:226K08-4	MOS/MSC	12-Jan-26	O/C	TSN 0				
SN:40690555	HRS	1686.6		TSN 0				
	AFL	1542		TSN 0				
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324025	NOSE GEAR TIRE							Component ATA:32
PN:031-613-8	MOS/MSC	31-May-26	O/C	TSN 3				
SN:6038T00362	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01								
324061	LH ANTI-SKID VALVE							Component ATA:32
PN:39-787	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1366	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-41-07PROC. REF: AMM 32-41-07								
324062	RH ANTI-SKID VALVE							Component ATA:32
PN:39-787	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:396	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-07PROC. REF: AMM 32-41-07								
324097	BCU, BRAKE CONTROL UNIT							Component ATA:32
PN:42-933-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:757A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
324111	(LH OUTBD) MLG GEAR BRAKE ASSY							Component ATA:32
PN:2-1579-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2812	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01								
324112	(LH INBD) MLG GEAR BRAKE ASSY							Component ATA:32
PN:2-1579-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2797	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01								
324113	(RH INBD) MLG GEAR BRAKE ASSY							Component ATA:32
PN:2-1579-2	MOS/MSC	13-Aug-25	O/C	TSO 5				
SN:2397	HRS	1573		TSO 0				
	AFL	1447		TSO 0				
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01								
324114	(RH OUTBD) MLG GEAR BRAKE ASSY							Component ATA:32
PN:2-1579-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2789	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01								
324201	SHUTTLE, BRAKE (LH OTBD) VALVE							Component ATA:32
PN:5116-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2460	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-04PROC. REF: AMM 32-42-04								
324202	SHUTTLE, BRAKE (LH INBD) VALVE							Component ATA:32
PN:5116-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2462	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-04PROC. REF: AMM 32-42-04								
324203	SHUTTLE, BRAKE (RH INBD) VALVE							Component ATA:32
PN:5116-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2461	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-04PROC. REF: AMM 32-42-04								
324204	SHUTTLE, BRAKE (RH OTBD) VALVE							Component ATA:32
PN:5116-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2463	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-04PROC. REF: AMM 32-42-04								
324805	BRAKE ACCUMULATOR ASSY							Component ATA:32
PN:88744-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:649	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-02PROC. REF: AMM 32-42-02								
324806	EMERGENCY PARKING BRAKE VALVE ASSY							Component ATA:32
PN:8196-5	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0715	HRS	0		TSN 0				
	AFL	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								
325011	NOSE WHEEL STEERING SERVO ACTUATOR							Component ATA:32
PN:JR5208C	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A0656	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-02PROC. REF: AMM 32-50-02								
325021	NOSE WHEEL STEER GEARBOX							Component ATA:32
PN:2W3-201D	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0656	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-03PROC. REF: AMM 32-50-03								
325031	NOSE WHEEL STEERING COMPUTER							Component ATA:32
PN:498000-03-03	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00788	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-01PROC. REF: AMM 32-50-01								
325041	LH NWS TRANSDUCER							Component ATA:32
PN:3A1-279A	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1279	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-04PROC. REF: AMM 32-50-04								
325042	RH NWS TRANSDUCER							Component ATA:32
PN:3A1-279A	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1281	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-04PROC. REF: AMM 32-50-04								
325054	LH ACTUATOR, INBD DOOR, MAIN LANDING GEAR ACTUATOR							Component ATA:32
PN:7469-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1221	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-31-02PROC. REF: AMM 32-31-02								
325055	RH ACTUATOR, INBD DOOR, MAIN LANDING GEAR ACTUATOR							Component ATA:32
PN:7469-1	MOS/MSC	20-Feb-23	O/C	TSO 1				
SN:1264	HRS	1067.8		TSO 0				
	AFL	1012		TSO 0				
PROC. REF: AMM 32-31-02PROC. REF: AMM 32-31-02								
3260005 S	LUBRICATE NOSE LANDING GEAR SQUAT SWITCH ROTATING DISC ASSEMBLY							Service ATA:32
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
ATA 33 - LIGHTS								
330000	PULSE LIGHT 2401S CONTROL UNIT							Component ATA:33
PN:020P0015-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:AR01627	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3310000 S	OPERATIONAL CHECK FLIGHT COMPARTMENT LIGHTING							Service ATA:33
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 33-10-00PROC. REF: AMM 33-10-00								
331005	CO-PILOT SIDE CB PANEL OVERLAY							Component ATA:33
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-05PROC. REF: AMM 33-10-05								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
331005-DS58	PRESSURIZATION PANEL OVERLAY							Component ATA:33
PN:76210080501-003	MOS/MSC	21-Nov-13	O/C					
SN:0044	HRS	20.3						
	AFL	15						
PROC. REF: AMM 33-10-05	PROC. REF: AMM 33-10-05							
331020	DIMMER							Component ATA:33
PN:LT-48G	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2668	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
3320000 S	OPERATIONAL CHECK PASSENGER COMPARTMENT LIGHTING							Service ATA:33
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 33-20-00	PROC. REF: AMM 33-20-00							
3340000 S	OPERATIONAL CHECK EXTERIOR LIGHTING SYSTEMS							Service ATA:33
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 33-40-00	PROC. REF: AMM 33-40-00							
334002	WHITE NAV LIGHT ASSY							Component ATA:33
PN:01-0771011-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00418	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-02	PROC. REF: AMM 33-40-02							
334332	(LWR) ANTI-COLLISION/STROBE LIGHT ASSY							Component ATA:33
PN:GE16386-12-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2012263	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01	PROC. REF: AMM 33-40-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334333	(UPR) ANTI-COLLISION/STROBE LIGHT ASSY							Component ATA:33
PN:GE16386-12-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:2022777	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01PROC. REF: AMM 33-40-01								
3350003 S	OPERATIONAL CHECK EMERGENCY LIGHTING SYSTEM							Service ATA:33
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
ATA 34 - NAVIGATION								
340000 S	CHECK VOR EQUIPMENT FOR IFR OPERATIONS							Service ATA:34
	DAYS	25-Nov-13	30					
	HRS	10.6						
	AFL							
PROC. REF: GENERIC NO REF, FAR 91.171PROC. REF: GENERIC NO REF, FAR 91.171								
340001-RVSM	CHECK RVSM HEIGHT MONITORING							Service ATA:34
	MOS	14-Jan-25	24		14-Jan-27	106 d		
	HRS	1465.1						
	AFL	1355						
PROC. REF: GENERIC NO REF, FAR AGHME - ADSB HEIGHT MONITORINGPROC. REF: GENERIC NO REF, FAR AGHME - ADSB HEIGHT MONITORING								
341001	LH GDC7400 ELSP AIR DATA COMPUTER							Component ATA:34
PN:011-02337-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1U6100108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-17-01PROC. REF: AMM 34-17-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341001A	TEST/INSPECT LH GDC7400 ELSP AIR DATA COMPUTER (91.411)							Service ATA:34
PN:011-02337-01	MOS	07-Nov-25	24		06-Nov-27		402 d	
SN:1U6100108	HRS	1642.2						
	AFL	1509						
			Calibration Date: : 06-Nov-25					
PROC. REF: AMM 34-17-01, FAR 91.411PROC. REF: AMM 34-17-01, FAR 91.411								
341002	RH GDC7400 ELSP AIR DATA COMPUTER							Component ATA:34
PN:011-02337-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1U6100015	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-17-01PROC. REF: AMM 34-17-01								
341002A	TEST/INSPECT RH GDC7400 ELSP AIR DATA COMPUTER (91.411)							Service ATA:34
PN:011-02337-01	MOS	07-Nov-25	24		06-Nov-27		402 d	
SN:1U6100015	HRS	1642.2						
	AFL	1509						
			Calibration Date: : 06-Nov-25					
PROC. REF: AMM 34-17-01, FAR 91.411PROC. REF: AMM 34-17-01, FAR 91.411								
341073	FWD RADIO ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002-4	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:552-18794	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-14-02PROC. REF: AMM 34-14-02								
341074	AFT RADIO ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002-4	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:552-18540	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-14-02PROC. REF: AMM 34-14-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
3411000 S	VISUAL INSPECTION PITOT-STATIC PROBES - PERFORM VISUAL INSPECTION. ENSURE DRAIN HOLES ARE CLEAR OF OBSTRUCTIONS							Service ATA:34
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
3411052	VERIFY PITCH, ROLL, AND YAW ALIGNMENT OF PRIMARY PITOT-STATIC PROBES							Service ATA:34
	MOS	07-Nov-25	24 (+14d/-14d)		07-Nov-27	21-Nov-27	403 d (+14)	
	HRS	1642.2						
	AFL	1509						
	APH							
	APS							
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
3411053	LH PITOT-STATIC PROBE							Component ATA:34
PN:0856TJ1	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:275217	HRS	0	15000 (+25/-25)	TSN 0	15000	15025	13068.7 (+25)	
	AFL	0		TSN 0				
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
3411054	RH PITOT-STATIC PROBE							Component ATA:34
PN:0856TJ2	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:276211	HRS	0	15000 (+25/-25)	TSN 0	15000	15025	13068.7 (+25)	
	AFL	0		TSN 0				
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
3411060	FUNCTIONAL TEST AIR DATA SYSTEM							Service ATA:34
	MOS	07-Nov-25	24 (+14d/-14d)		07-Nov-27	21-Nov-27	403 d (+14)	
	HRS	1642.2						
	AFL	1509						
	APH							
	APS							
PROC. REF: AMM 34-17-00, FAR 91.411PROC. REF: AMM 34-17-00, FAR 91.411								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
3411062	VISUAL INSPECTION PITOT-STATIC PROBE - PERFORM DETAILED VISUAL INSPECTION. ENSURE DRAIN HOLES ARE CLEAR OF OBSTRUCTIONS.							Service ATA:34
	MOS	07-Nov-25	24 (+14d/-14d)		07-Nov-27	21-Nov-27	403 d (+14)	
	HRS	1642.2						
	AFL	1509						
	APH							
	APS							
PROC. REF: AMM 34-11-01	PROC. REF: AMM 34-11-01							
341110	STANDBY PITOT-STATIC PROBE							Component ATA:34
PN:0856TJ4	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:275421	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-11-01	PROC. REF: AMM 34-11-01							
341110A	TEST/INSPECT PITOT/STATIC SYSTEM							Service ATA:34
	MOS	07-Nov-25	24		07-Nov-27		403 d	
	HRS	1642.2						
	AFL	1509						
	APH							
	APS							
PROC. REF: AMM 34-11-00, AMM 34-11-01, FAR 91.411	PROC. REF: AMM 34-11-00, AMM 34-11-01, FAR 91.411							
341401	ALT-4000 ALTIMETER							Component ATA:34
PN:822-0615-207	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:4960K	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-14-01	PROC. REF: AMM 34-14-01							
341401A	TEST/INSPECT ALT-4000 ALTIMETER							Service ATA:34
PN:822-0615-207	MOS/MSC	29-Nov-17	A/R					
SN:4960K	HRS							
	AFL							
			Calibration Date: : 29-Nov-17					
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341901	TOTAL AIR TEMPERATURE SENSOR							Component ATA:34
PN:102AU1AG	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:B11124	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-17-02PROC. REF: AMM 34-17-02								
342103	STANDBY COMPASS WITH LIGHT ASSY							Component ATA:34
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342103A	CALIBRATION CHECK STANDBY COMPASS WITH LIGHT ASSY (FAR 25.1327)							Service ATA:34
PN:PN	MOS/MSC	21-Nov-13	C/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342401	ELECTRONIC STANDBY INSTRUMENT GH-3900 SYSTEM							Component ATA:34
PN:9200-34400-0201	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1036	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-24-01PROC. REF: AMM 34-24-01								
342401A	FUNCTIONAL TEST ELECTRONIC STANDBY INSTRUMENT GH-3900 SYSTEM (91.411)							Service ATA:34
PN:9200-34400-0201	MOS	07-Nov-25	24		07-Nov-27		403 d	
SN:1036	HRS	1642.2						
	AFL	1509						
	APH							
	APS							
PROC. REF: AMM 34-24-01, FAR 91.411PROC. REF: AMM 34-24-01, FAR 91.411								
342402	3100 MAGNETOMETER							Component ATA:34
PN:9200-21200-0102	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:80000	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-24-02PROC. REF: AMM 34-24-02								
342601	LH GMU 44 MAGNETOMETER							Component ATA:34
PN:011-00870-10	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:ICM007721	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-26-02PROC. REF: AMM 34-26-02								
342602	RH GMU 44 MAGNETOMETER							Component ATA:34
PN:011-00870-10	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:ICM007726	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-26-02PROC. REF: AMM 34-26-02								
342605	LH GRS 7800 COMPUTER							Component ATA:34
PN:011-02278-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:25M000319	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342606	RH GRS 7800 COMPUTER							Component ATA:34
PN:011-02278-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:25M000316	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
343005	MARKER BEACON ANTENNA							Component ATA:34
PN:DMN27-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:17913	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-30-01PROC. REF: AMM 34-30-01								
343030	ANTENNA (DIPLEXER) COUPLER							Component ATA:34
PN:DMH21-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:50183	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-51-03PROC. REF: AMM 34-51-03								
343031	ANTENNA (DIPLEXER) COUPLER							Component ATA:34
PN:DMH21-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:49977	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-03PROC. REF: AMM 34-51-03								
344111	UPPER TCAS ANTENNA							Component ATA:34
PN:S72-1735-24	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:833-0119	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-02PROC. REF: AMM 34-43-02								
344112	LOWER TCAS ANTENNA							Component ATA:34
PN:S72-1735-24	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:833-0118	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-02PROC. REF: AMM 34-43-02								
344143	TCAS II, GTS 8000 PROCESSOR							Component ATA:34
PN:011-02571-00	MOS/MSC	07-Jan-26	O/C					
SN:28P000901	HRS	1680.3						
	AFL	1539						
	APH							
	APS							
PROC. REF: AMM 34-43-01PROC. REF: AMM 34-43-01								
344209	ANTENNA (LIGHTNING SENSOR OPTION) ANTENNA							Component ATA:34
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344211	WEATHER RADAR ANTENNA							Component ATA:34
PN:117-00254-01	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:039	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-42-03	PROC. REF: AMM 34-42-03							
344212	WEATHER, BASE, GWX 70 RADAR							Component ATA:34
PN:011-01768-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1DP005009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
345013	DUAL ADF, ANT-462B ANTENNA							Component ATA:34
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-57-02	PROC. REF: AMM 34-57-02							
345037	ATC LOWER NO 2 ANTENNA							Component ATA:34
PN:DMN150-2-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:130888	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-56-02	PROC. REF: AMM 34-56-02							
345038	ATC LOWER NO 1 ANTENNA							Component ATA:34
PN:DMN150-2-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:131058	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-56-02	PROC. REF: AMM 34-56-02							
345049	DME NO 1 ANTENNA							Component ATA:34
PN:DMN150-2-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:131055	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-55-02	PROC. REF: AMM 34-55-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345050	DME NO 2 ANTENNA							Component ATA:34
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-55-02	PROC. REF: AMM 34-55-02							
345083	LH VOR/ILS ANTENNA							Component ATA:34
PN:DMN4-17-1/N	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:31531	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
345084	RH VOR/ILS ANTENNA							Component ATA:34
PN:DMN4-17-1/N	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:31532	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
345260	PHASING COUPLER							Component ATA:34
PN:DMN4-17-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:22985	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
345501	DME (DME-4000) TRANSCEIVER							Component ATA:34
PN:822-1466-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:4BH4K	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-55-01	PROC. REF: AMM 34-55-01							
345502	DME (DME-4000) TRANSCEIVER							Component ATA:34
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-55-01	PROC. REF: AMM 34-55-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345601	LH GTX 3000 TRANSPONDER							Component ATA:34
PN:011-01997-00	MOS/MSC	17-Nov-17	O/C					
SN:20S000323	HRS	509.6						
	AFL	484						
PROC. REF: AMM 34-56-01PROC. REF: AMM 34-56-01								
345601A	TEST/INSPECT LH GTX 3000 TRANSPONDER							Service ATA:34
PN:011-01997-00	MOS	07-Nov-25	24		06-Nov-27		402 d	
SN:20S000323	HRS	1642.2						
	AFL	1509						
			Calibration Date: : 06-Nov-25					
PROC. REF: AMM 34-56-01, FAR 91.413PROC. REF: AMM 34-56-01, FAR 91.413								
345602	RH GTX 3000 TRANSPONDER							Component ATA:34
PN:011-01997-00	MOS/MSC	17-Nov-17	O/C					
SN:20S005001	HRS	509.6						
	AFL	484						
PROC. REF: AMM 34-56-01PROC. REF: AMM 34-56-01								
345602A	TEST/INSPECT RH GTX 3000 TRANSPONDER							Service ATA:34
PN:011-01997-00	MOS	07-Nov-25	24		06-Nov-27		402 d	
SN:20S005001	HRS	1642.2						
	AFL	1509						
			Calibration Date: : 06-Nov-25					
PROC. REF: AMM 34-56-01, FAR 91.413PROC. REF: AMM 34-56-01, FAR 91.413								
345605	ATC UPPER NO 1 ANTENNA							Component ATA:34
PN:DMN150-2-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:131052	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-56-02PROC. REF: AMM 34-56-02								
345606	ATC UPPER NO 2 ANTENNA							Component ATA:34
PN:DMN150-2-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:131056	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 34-56-02PROC. REF: AMM 34-56-02								
345701	ADF (#1) RECEIVER							Component ATA:34
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-57-01PROC. REF: AMM 34-57-01								
345702	ADF (#2) RECEIVER							Component ATA:34
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-57-01PROC. REF: AMM 34-57-01								
346090	DATA MANAGEMENT (OPTION) UNIT							Component ATA:34
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
347510	LH GPS WAASXM ANTENNA							Component ATA:34
PN:013-00245-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:9826	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								
347511	RH GPS WAASXM ANTENNA							Component ATA:34
PN:013-00245-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:9818	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								
ATA 35 - OXYGEN								
3500024	HYDROSTATIC TEST PORTABLE OXYGEN DOT 3AA1800 (OPTION) CYLINDER (IF INSTALLED).							Service ATA:35
	MOS/MSC	21-Nov-13	-					N/A EQUIPMENT NOT INSTALLED

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350230	PRESSURE INDICATOR							Component ATA:35
PN:P24071-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:666	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-00-05PROC. REF: AMM 35-00-05								
3510002 S	** OXYGEN SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:35
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								
3510003 S	** CABIN LOW PRESSURE OXYGEN DISTRIBUTION FLEX HOSES - PERFORM FUNCTIONAL TEST							Service ATA:35
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								
351001	PILOT CREW OXYGEN MASK							Component ATA:35
PN:MC10-15-166	MOS/MSC	01-Oct-24	O/C	TSO 0				
SN:101929	HRS			TSO 0				
	AFL			TSO 0				
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
3510013	** OXYGEN CYLINDER AND REMOTE OXYGEN FILL VALVES - PERFORM PERIODIC CHECK							Service ATA:35
	MOS	18-Jun-25						CMR**
	HRS	1531.9	1500 (+25/-25)	Adj -31.9	3000	3025	1068.7 (+25)	
	AFL	1413						
	APH							
	APS							
PROC. REF: AMM 35-00-01PROC. REF: AMM 35-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
3510014 S	** OXYGEN SYSTEM ALTITUDE COMPENSATING REGULATOR - PERFORM FUNCTIONAL TEST							Service ATA:35
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								
351002	CO-PILOT CREW OXYGEN MASK							Component ATA:35
PN:MC10-15-166	MOS/MSC	12-May-23	O/C	TSN 2				
SN:B192904	HRS	1110.2		TSN 0				
	AFL	1043		TSN 0				
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
3510022	OVERHAUL OXYGEN CYLINDER REGULATOR							Service ATA:35
	MOS	14-Apr-22						
	HRS	889.9	4800 (+25/-25)		5689.9	5714.9	3758.6 (+25)	
	AFL	870						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3510024	OVERHAUL CO-PILOT CREW OXYGEN MASK							Service ATA:35
PN:MC10-15-166	MOS	30-Mar-23	72 (+14d/-14d)		30-Mar-29	13-Apr-29	912 d (+14)	
SN:B192904	HRS							
	AFL							
			OverHaul Date:: 30-Mar-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3510024	OVERHAUL PILOT CREW OXYGEN MASK							Service ATA:35
PN:MC10-15-166	MOS	14-Feb-24	72 (+14d/-14d)		01-Feb-30 (M)	15-Feb-30	1220 d (+14)	
SN:101929	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
3510025	HYDROSTATIC TEST 40 CU FT, W/GAUGE CYLINDER (PER DOT 3HT-1850).							Service ATA:35
PN:806385-55	MOS	18-Jun-25	36 (+14d/-14d)		14-Jun-28	28-Jun-28	623 d (+14)	
SN:ST290604	HRS	1531.9						
	AFL	1413						
			HydroCheck Date: : 14-Jun-25					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
3510026 S	** OXYGEN CYLINDER LOW PRESSURE RELIEF VALVE - PERFORM FUNCTIONAL TEST							Service ATA:35
	MOS	21-Nov-13						CMR**
	HRS	0	4800 (+25/-25)					
	AFL	0						
								PKG:8
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								
3510029	40 CU FT, W/GAUGE CYLINDER							Component ATA:35
PN:806385-55	MOS	14-Apr-22	288 (+14d/-14d)		01-Feb-37 (M)	15-Feb-37	3777 d (+14)	LIFE LIMIT
SN:ST290604	HRS	889.9		TSN 889.9				
	AFL	870		TSN 870				
			Manufacture Date:: 01-Feb-13					
PROC. REF: AMM 35-00-01PROC. REF: AMM 35-00-01								
352002	ALTITUDE COMPENSATING REGULATOR							Component ATA:35
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-06PROC. REF: AMM 35-20-06								
352011	OXYGEN CONTROL VALVE							Component ATA:35
PN:806370-24	MOS/MSC	18-Jun-25	O/C					
SN:C 13020563	HRS	1531.9						
	AFL	1413						
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
353001	PORTABLE OXYGEN DOT 3AA1800 (OPTION) CYLINDER							Component ATA:35
PN:PN	MOS/MSC	21-Nov-13	N/A	TSN 0				NOT INSTALLED
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
353005	INTERCOSTAL ASSY							Component ATA:35
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 36 - PNEUMATIC								
3610000 S	** BLEED AIR SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:36
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
3610001 S	** PYLON OVERHEAT THERMOSTAT AND ELECTRICAL SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:36
	MOS	07-Nov-25	36 (+14d/-14d)					CMR**
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 36-20-01PROC. REF: AMM 36-20-01								
3610048	LEFT HP BLEED MANIFOLD ASSEMBLY - PERFORM VISUAL INSPECTION.							Service ATA:36
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
3610048	RIGHT HP BLEED MANIFOLD ASSEMBLY - PERFORM VISUAL INSPECTION.							Service ATA:36
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361006	LH HIGH PRESSURE SWITCH							Component ATA:36
PN:642019-5	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1051	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-06PROC. REF: AMM 36-10-06								
361006	RH HIGH PRESSURE SWITCH							Component ATA:36
PN:642019-5	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1052	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-06PROC. REF: AMM 36-10-06								
3610061 S	CLEAN HIGH PRESSURE BLEED AIR SHUT-OFF VALVE IN-LINE FILTER							Service ATA:36
	MOS	07-Nov-25	36 (+14d/-14d)					
	HRS	1642.2	600 (+25/-25)					
	AFL	1509						
								PKG:5
PROC. REF: AMM 36-10-02PROC. REF: AMM 36-10-02								
361031	ECS, DUAL CHANNEL CONTROLLER							Component ATA:36
PN:1165-1-6	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:4H27J	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-01PROC. REF: AMM 36-10-01								
361040	CHECK VALVE							Component ATA:36
PN:4011-14	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0397	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-04PROC. REF: AMM 36-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361050	SHUTOFF, BLEED AIR VALVE							Component ATA:36
PN:3876322-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0457	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-02, AMM 36-10-10PROC. REF: AMM 36-10-02, AMM 36-10-10								
361053	LH ECS SHUTOFF VALVE							Component ATA:36
PN:3215468-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1315	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-03PROC. REF: AMM 36-10-03								
361054	RH ECS SHUTOFF VALVE							Component ATA:36
PN:3215468-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1316	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-03PROC. REF: AMM 36-10-03								
361055	LH SHUTOFF, BUTTERFLY, 2.0 DIA VALVE							Component ATA:36
PN:3291216-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1413	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361056	RH SHUTOFF, BUTTERFLY, 2.0 DIA VALVE							Component ATA:36
PN:3291216-3	MOS/MSC	28-Jun-24	O/C	TSR 0				
SN:265C	HRS	1393.3		TSN 3160.3, TSR 0				
	AFL	1294		TSN 3261, TSR 0				
	APH							
	APS							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361215	LH HP MANIFOLD ASSY							Component ATA:36
PN:LJ01212-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:250613-001	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
PROC. REF: AMM 36-10-07PROC. REF: AMM 36-10-07								
361216	RH HP MANIFOLD ASSY							Component ATA:36
PN:LJ01212-002	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:050713-001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-07PROC. REF: AMM 36-10-07								
361301	CHECK - APU VALVE							Component ATA:36
PN:6C1005	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:4054	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-09PROC. REF: AMM 36-10-09								
361302	LH CHECK - SERVO AIR VALVE							Component ATA:36
PN:6C1005	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:4003	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-15-02PROC. REF: AMM 36-15-02								
361303	RH CHECK - SERVO AIR VALVE							Component ATA:36
PN:6C1005	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:4008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-15-02PROC. REF: AMM 36-15-02								
361501	PRESSURE SERVO AIR REGULATOR							Component ATA:36
PN:60810-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1535	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-15-01PROC. REF: AMM 36-15-01								
361502 U	RH OVERHAET SWITCH							Component ATA:36
PN:64179-4	MOS	30-Jul-24	0	TSN 0				
SN:1897	HRS	1429.4		TSN 0				
	AFL	1332		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
381009	FWD HEATED DRAIN MAST							Component ATA:38
PN:116393-101	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:3349	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-30-03, AMM 38-30-04PROC. REF: AMM 38-30-03, AMM 38-30-04								
381010	AFT HEATED DRAIN MAST							Component ATA:38
PN:116393-101	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:3347	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-30-03, AMM 38-30-04PROC. REF: AMM 38-30-03, AMM 38-30-04								
383001	TOILET ASSY							Component ATA:38
PN:9600-1B	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:U4508	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-30-01PROC. REF: AMM 38-30-01								
383002	TIMER BOX ASSY							Component ATA:38
PN:9600-12D	MOS/MSC	09-Mar-17	O/C					
SN:T6007	HRS	462		TSN 2143.8				
	AFL	443		TSN 1921				
PROC. REF: AMM 38-30-02PROC. REF: AMM 38-30-02								
383005	WATER TANK ASSY							Component ATA:38
PN:AR9062-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1075877	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
383200 U	TOILET MACERATOR UNIT MACERATOR							Component ATA:38
PN:5250-11A	MOS/MSC	16-Aug-23	O/C	TSN 0				
SN:P12091	HRS	1173		TSN 0				
	AFL	1102		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 45 - CENTRAL MAINT SYSTEM								
454502	WIFI DATA LINK							Component ATA:45
PN:011-01746-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1EJ005263	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 45-45-02	PROC. REF: AMM 45-45-02							
454503	L-BAND ANTENNA							Component ATA:45
PN:S65-5366-715	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:784-0763	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 45-45-03	PROC. REF: AMM 45-45-03							
ATA 46 - INFORMATION SYSTEMS								
462001	XM GRAPHICAL WEATHER RECEIVER							Component ATA:46
PN:011-00986-00	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:47708122	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 46-20-01	PROC. REF: AMM 46-20-01							
462002	GDL69A RECEIVER							Component ATA:46
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
ATA 49 - AIRBORNE AUXILIARY POWER								
4900002 S	FUNCTIONAL TEST AUXILIARY POWER UNIT FIRE EXTINGUISHER CONTAINER WIRING							Service ATA:49
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 26-22-00	PROC. REF: AMM 26-22-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
4900003	OVERHAUL APU STARTER/GENERATOR (REPLACE BRUSHES)							Service ATA:49
PN:23080-023B	MOS	21-Nov-13						OVERHAUL
SN:P1198	HRS	0						
	AFL	0						
	APH	0	1200 (+25/-25)		1200	1225	323.3 (+25)	
PROC. REF: AMM 49-40-01PROC. REF: AMM 49-40-01								
4900004	APU - ENGINE OIL FILTER							Component ATA:49
PN:3609088-1	MOS	31-May-23		TSN 0				
SN:UNKNOWN	HRS	506.33	750	TSN 0	1256.33		379.6	
	APUS	1151		TSN 0				
PROC. REF: AMM 49-90-04, SIL SIL-49, SIL SIL-49PROC. REF: AMM 49-90-04, SIL SIL-49, SIL SIL-49								
4900005	APU - ENGINE FUEL FILTER							Component ATA:49
PN:3882440-1	MOS	07-Nov-25		TSN 0				
SN:N/A	HRS	785.95	750	TSN 0	1535.95		659.2	
	APUS	1731		TSN 0				
PROC. REF: AMM 49-30-03PROC. REF: AMM 49-30-03								
4900006	VISUAL INSPECTION APU STARTER/GENERATOR GEAR BOX DRIVE SPLINES							Service ATA:49
PN:23080-023B	MOS/MSC	21-Nov-13	C/C					
SN:P1198	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
4900008	APU - INSPECT APU ENGINE CHIP DETECTOR FOR CONTAMINATION							Service ATA:49
	MOS	07-Nov-25						
	HRS	785.95	750		1535.95		659.2	
	APUS	1731						
PROC. REF: AMM 49-90-05PROC. REF: AMM 49-90-05								
4900009	APU - PERFORM APU ENGINE OIL CHANGE							Service ATA:49
	MOS	07-Nov-25						
	HRS	785.95	750		1535.95		659.2	
	APUS	1731						
PROC. REF: SIL SIL-49, SIL SIL-49PROC. REF: SIL SIL-49, SIL SIL-49								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
4900011 S	** APU GENERATOR - PERFORM OVERVOLTAGE PROTECTION CHECK.							Service ATA:49
	MOS	07-Nov-25	72 (+14d/-14d)					CMR**
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 49-40-01, EMP PACKAGESPROC. REF: AMM 49-40-01, EMP PACKAGES								
4900014	HYDROSTATIC TEST APU FIRE EXTINGUISHER CONTAINER							Service ATA:49
PN:51600-2	MOS	19-Sep-23	60 (+14d/-14d)		19-Sep-28	03-Oct-28	720 d (+14)	
SN:0441	HRS							
	AFL							
			HydroCheck Date: : 19-Sep-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
4900015	APU FIRE EXTINGUISHER CONTAINER CARTRIDGE							Component ATA:49
PN:30600-22	MOS	10-Oct-23	144 (+14d/-14d)	TSN 7	01-Mar-33 (M)	15-Mar-33	2344 d (+14)	LIFE LIMIT
SN:NSN	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01								
4900018	APU - AUXILIARY POWER UNIT TURBINE ROTOR							Component ATA:49
PN:PN	MOS	11-Jul-12		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0	4000	TSN 0	4000		2101	
PROC. REF: AMM 49-10-01PROC. REF: AMM 49-10-01								
4900020	APU - AUXILIARY POWER UNIT COMPRESSOR ROTOR							Component ATA:49
PN:PN	MOS	11-Jul-12		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0	12000	TSN 0	12000		10101	
PROC. REF: AMM 49-10-01PROC. REF: AMM 49-10-01								
490060	APU CONTROLLER							Component ATA:49
PN:2119560-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:42-N0076	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
PROC. REF: AMM 49-60-04	PROC. REF: AMM 49-60-04							
491000	APU - DOWNLOAD APU ECU (TIMES/CYCLES)							Service ATA:49
	MOS/MSC	11-Jul-12	A/R					
	HRS	0						
	APUS	0						
PROC. REF: AMM 49-60-04	PROC. REF: AMM 49-60-04							
491011	APU MAINTENANCE CONTROL PANEL							Component ATA:49
PN:7088001-2	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:DC409	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-60-02	PROC. REF: AMM 49-60-02							
491020	APU CTLR PANEL ASSY							Component ATA:49
PN:6011-1	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A00D6H	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-10-01	PROC. REF: AMM 49-10-01							
492001	APU - AUXILIARY POWER UNIT (APU) COMPRESSOR ROTOR. (P/N 3822523-2 - IRN H4900019) (P/N 3822523-003 OR 70722359-1 - IRN AE4900020) - REPLACE							Component ATA:49
PN:3822523-003	MOS	11-Jul-12		TSN 0				LIFE LIMIT
SN:08-162053-21759	HRS	0		TSN 0				
	APUS	0	12000	TSN 0	12000		10101	
PROC. REF: AMM 49-10-01	PROC. REF: AMM 49-10-01							
492005	APU - AUXILIARY POWER UNIT (APU) TURBINE ROTOR (P/N 3842340 OR 70722360-1)(IRN AE4900018) - CHANGE							Component ATA:49
PN:3842340-2	MOS	11-Jul-12		TSN 0				LIFE LIMIT
SN:12-156101-02779	HRS	0		TSN 0				
	APUS	0	4000	TSN 0	4000		2101	
PROC. REF: AMM 49-10-01	PROC. REF: AMM 49-10-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
493011	APU - APU PRESSURIZING VALVE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493021	APU - APU FILTER BYPASS VALVE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493031	APU - APU PRESSURE RELIEF VALVE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493041	APU - APU DIFFERENTIAL PRESSURE VALVE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493051	APU - APU FUEL PUMP							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-04PROC. REF: AMM 49-30-04								
493061	APU - APU DIFFERENTIAL PRESSURE INDICATOR							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
493071	APU - APU ASSEMBLY, FUEL CONTROL							Component ATA:49
PN:3883900-1	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:0601717	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-04	PROC. REF: AMM 49-30-04							
494001	APU - (LOW VOLTAGE) IGNITION UNIT							Component ATA:49
PN:3888000-7	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:J12140100	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-40-04	PROC. REF: AMM 49-40-04							
494011	APU - APU IGNITION EXCITER							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-40-04	PROC. REF: AMM 49-40-04							
494021	APU - APU LOW VOLTAGE IGNITER PLUG							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-40-02	PROC. REF: AMM 49-40-02							
494031	APU - APU IGNITION LEAD							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-40-03	PROC. REF: AMM 49-40-03							
494060	APU - APU GROUND CONTROL UNIT CHANGE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
495001	APU - APU ISOLATION VALVE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-50-01, AMM 49-50-01PROC. REF: AMM 49-50-01, AMM 49-50-01								
495002	ACCESS DOOR TAILCONE FAN							Component ATA:49
PN:011809500	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:11510923	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-50-01PROC. REF: AMM 49-50-01								
495101	LH TAILCONE FAN							Component ATA:49
PN:011809500	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:11510927	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-50-01PROC. REF: AMM 49-50-01								
496001	APU - APU REMOTELY LOCATED (ECU) CONTROLLER							Component ATA:49
PN:2119560-3	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:42-N0076	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-60-04PROC. REF: AMM 49-60-04								
496010	APU - APU FUEL LINE REPLACE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
496011	APU - APU FUEL SHUTOFF VALVE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
496021	APU - APU FLOW DIVIDER VALVE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-06	PROC. REF: AMM 49-30-06							
496031	APU - APU FUEL SOLENOID VALVE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-01	PROC. REF: AMM 49-30-01							
496041	APU - APU - BLEED AIR SHUTOFF VALVE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
497001	APU - APU SPEED SENSOR							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-70-04	PROC. REF: AMM 49-70-04							
497011	APU - APU EGT THERMOCOUPLE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-70-07	PROC. REF: AMM 49-70-07							
499025	APU - APU ASSEMBLY, LUBE OIL-PUMP							Component ATA:49
PN:3881825-1	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:P-1767	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-90-03	PROC. REF: AMM 49-90-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
499037	APU - APU LOW OIL PRESSURE SENSOR							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-90-02	PROC. REF: AMM 49-90-02							
499048	APU - INLET TEMP SENSOR							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-70-06	PROC. REF: AMM 49-70-06							
499049	APU - APU OIL TEMPERATURE BULB							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
499061	APU - APU OIL LEVEL SENSOR							Component ATA:49
PN:3876318-3	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:1116222101175	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-90-01	PROC. REF: AMM 49-90-01							
499071	APU - APU ULTIMATE RELIEF VALVE							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
499081	APU - APU MANIFOLD AND PRIMARY ATOMIZER							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-05	PROC. REF: AMM 49-30-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
499082	APU - APU MANIFOLD AND SECONDARY ATOMIZER							Component ATA:49
PN:PN	MOS/MSC	11-Jul-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-05PROC. REF: AMM 49-30-05								
499110	APU - SOAP CHECK OIL							Service ATA:49
	MOS							
	HRS		500 (+20%/-20%)		1006.33 (M)	1106.33	129.6 (+100)	
	APUS							
PROC. REF: SIL SIL-49, SIL SIL-49PROC. REF: SIL SIL-49, SIL SIL-49								
49APU1	APU							Component ATA:49
PN:3800726-1	MOS/MSC		E/C					
SN:P-494	HRS							
WC#: 49.APU1	AFL							
PROC. REF: AMM 49-10-01PROC. REF: AMM 49-10-01								
ATA 52 - DOORS								
5210003 S	VISUAL INSPECTION EXTERNAL LOWER PASSENGER/CREW DOOR CABLES - PERFORM VISUAL INSPECTION OF VISIBLE PORTION OF CABLES AND HANDLE AREA.							Service ATA:52
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5210006 S	VISUAL INSPECTION UPPER PASSENGER/CREW DOOR VENT DOOR SPRINGS							Service ATA:52
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
5210008 S	PERFORM OPERATIONAL CHECK - EMERGENCY EXIT DOOR INTERNAL AND EXTERNAL HANDLE LATCHING MECHANISM.							Service ATA:52
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 52-20-07PROC. REF: AMM 52-20-07								
5210009 S	* EMERGENCY EXIT DOOR RETAINERS - PERFORM VISUAL INSPECTION. INSPECT DOOR STOP FITTINGS ON EMERGENCY EXIT DOOR FRAMES IN FLANGE RADII. (F.S. 374 AND 394).							Service ATA:52
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
521001	UPPER PASSENGER/CREW DOOR ASSY							Component ATA:52
PN:4552101000-005	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:W591	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
5210010	* LOWER PASSENGER DOOR TENSION BOLTS, BOLT RETAINERS, TENSION FITTINGS, AND DOOR ATTACHMENTS - PERFORM VISUAL INSPECTION							Service ATA:52
	MOS	21-Nov-13						CMR*
	HRS	0	T:9600		9600		7668.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5210011	* UPPER AND LOWER PASSENGER DOOR LATCH PINS - PERFORM VISUAL INSPECTION. INSPECT BOLTS AND DOOR END RIB STRUCTURE AT LOCK PINS.							Service ATA:52
	MOS	21-Nov-13						CMR*
	HRS	0	T:9600		9600		7668.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
5210012 S	* LOWER PASSENGER DOOR HINGE - PERFORM VISUAL INSPECTION. INSPECT PIANO HINGE LUGS AND FASTENERS.							Service ATA:52
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5210013 S	* UPPER AND LOWER PASSENGER DOOR LATCH ARMS AND DOOR ATTACHMENTS - PERFORM VISUAL INSPECTION							Service ATA:52
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:14
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5210014 S	* UPPER PASSENGER DOOR TENSION FITTINGS - PERFORM VISUAL INSPECTION. INSPECT THE FOLLOWING: A. TENSION STUDS AT RETAINING FLANGES. B. RADII AROUND FLANGE PERIPHERY.							Service ATA:52
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5210015 S	* EMERGENCY EXIT DOOR - PERFORM VISUAL INSPECTION. PAY PARTICULAR ATTENTION TO FLANGES AND FASTENER HOLES OF DOOR STOP FITTINGS.							Service ATA:52
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:14
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5210016 S	* UPPER PASSENGER DOOR HINGE - PERFORM VISUAL INSPECTION. INSPECT UPPER SURFACE OF HINGE FINGERS AT BASE OF LUG.							Service ATA:52
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
5210017	* UPPER PASSENGER DOOR TENSION BOLTS, BOLT RETAINERS, TENSION FITTINGS, AND DOOR ATTACHMENTS - PERFORM VISUAL INSPECTION							Service ATA:52
	MOS	21-Nov-13						CMR*
	HRS	0	T:9600		9600		7668.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
521002	LOWER PASSENGER/CREW DOOR ASSY							Component ATA:52
PN:4552100050V109-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:W577	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
5210053	CABIN DOOR HANDLE - REPLACE							Service ATA:52
	MOS/MSC	21-Nov-13	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 52-10-08, AMM 52-10-13PROC. REF: AMM 52-10-08, AMM 52-10-13								
5210055 S	CABIN DOOR HANDLE RAMP ROLLER WHEEL - LUBRICATE							Service ATA:52
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
522001	EMERGENCY EXIT DOOR ASSY							Component ATA:52
PN:4552200076-V44-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:L456	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01								
523001	TAILCONE BAGGAGE DOOR ASSY							Component ATA:52
PN:12045-558V3-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:610	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-30-01PROC. REF: AMM 52-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
5240004		INSPECT AVIONIC ACCESS DOORS - PERFORM AVIONICS DOOR GAP AND MISMATCH INSPECTION						Service ATA:52
	MOS	07-Nov-25	24 (+14d/-14d)		07-Nov-27	21-Nov-27	403 d (+14)	
	HRS	1642.2						
	AFL	1509						
	APH							
	APS							
PROC. REF: AMM 52-40-01PROC. REF: AMM 52-40-01								
524001		TAILCONE ACCESS DOOR ASSY						Component ATA:52
PN:4552405151-017	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:616	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-40-02PROC. REF: AMM 52-40-02								
ATA 53 - FUSELAGE								
530001		FUSELAGE ASSEMBLY						Component ATA:53
PN:4553000010-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:L456	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5310001 S		* LONGERON, INTERNAL (BETWEEN F.S. 384 AND F.S. 433) - PERFORM VISUAL INSPECTION						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5310002 S		* FLIGHT DECK LONGERON (F.S. 149 - F.S. 196) - PERFORM VISUAL INSPECTION. INSPECT FLIGHT DECK LONGERON STIFFENERS, WEBS, AND CUTOUTS						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
5310003 S	* AFT PRESSURE BULKHEAD SUPPORT POST (F.S. 457) - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-30-18PROC. REF: NDT 53-30-18								
5310004 S	* AFT PRESSURE BULKHEAD FRAME PERIPHERY - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 53-30-21PROC. REF: NDT 53-30-21								
5310005 S	* FUSELAGE FUEL CELL CANTED BULKHEAD (F.S. 495) - PERFORM VISUAL INSPECTION, PAYING PARTICULAR ATTENTION TO MAIN CROSS MEMBER. INSPECT FLANGES AND ATTACHMENTS FOR CRACKING.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5310006 S	* FORWARD PRESSURE BULKHEAD - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-30-07PROC. REF: NDT 53-30-07								
5310007 S	* AFT PRESSURE BULKHEAD BOTTOM SHEAR DIAPHRAGM - PERFORM DETAILED VISUAL INSPECTION. INSPECT BULKHEAD POST ATTACHMENT FASTENER HOLES AND CONTROL CABLE SLOT.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
5310017 S		* AFT PRESSURE BULKHEAD BOTTOM CROSSMEMBER (F.S. 457) - PERFORM DETAILED VISUAL INSPECTION. INSPECT TEE-SECTION AT F.S. 457 FLANGE AT ATTACHMENT TO PRESSURE FLOOR						Service	ATA:53
	MOS	21-Nov-13						CMR*	
	HRS	0	10000						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5310018 S		* AFT PRESSURE BULKHEAD PANEL FACING SHEETS (F.S. 457) - PERFORM VISUAL INSPECTION - INSPECT BOTH FRONT AND AFT OF FACING SHEETS.						Service	ATA:53
	MOS	21-Nov-13						CMR*	
	HRS	0	10000						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5310023 S		VISUAL INSPECTION FORWARD AND AFT FUEL CELL BAY STRUCTURE, ANGLE REINFORCEMENT, STRINGER 1, LH & RH - PERFORM DETAILED VISUAL INSPECTION OF HI-LITE COLLARS.						Service	ATA:53
	MOS	21-Nov-13							
	HRS	0	10000 (+25/-25)						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5310025 S		VISUAL INSPECTION AFT FUSELAGE KEELBEAM LONGERON (LH & RH, BL 5.15, FS 466.30 - 495.12) AND AFT FUSELAGE KEELBEAM LOWER FRAME (FS 466.30, BL 9.55 LH THRU BL 9.55 RH)- PERFORM DETAILED VISUAL INSPECTION OF HI-LITE COLLARS.						Service	ATA:53
	MOS	21-Nov-13							
	HRS	0	10000 (+25/-25)						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5310027 S		* AFT PRESSURE BULKHEAD TOP MOUNTING STRUCTURE - PERFORM EDDY CURRENT INSPECTION.						Service	ATA:53
	MOS	21-Nov-13						CMR*	
	HRS	0	10000						
	AFL	0							
									PKG:9
PROC. REF: NDT 53-30-17PROC. REF: NDT 53-30-17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
5311002		* NOSE LANDING GEAR ACTUATOR ATTACHMENT ON FORWARD PRESSURE BULKHEAD - PERFORM EDDY CURRENT INSPECTION. INSPECT ACTUATOR ATTACHMENT BRACKET LUGS, RADII, AND FASTENER HOLES.						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0						
	AFL	0	10000		10000		8250	
PROC. REF: NDT 32-12-00PROC. REF: NDT 32-12-00								
5311004		* NOSE LANDING GEAR TRUNNION FITTINGS - PERFORM VISUAL INSPECTION OF THE TRUNNION FITTINGS AND ATTACHMENT BOLTS.						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0						
	AFL	0	10000		10000		8250	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5311005		* NOSE LANDING GEAR TRUNNION FITTINGS AND SUPPORT STRUCTURE - PERFORM EDDY CURRENT INSPECTION OF THE TRUNNION SUPPORT STRUCTURE AT THE FORWARD PRESSURE BULKHEAD FLANGE.						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0						
	AFL	0	10000		10000		8250	
PROC. REF: NDT 32-12-05PROC. REF: NDT 32-12-05								
5313001		CHECK FORWARD FUSELAGE SKIN - PERFORM PITOT-STATIC PROBE ZONE SKIN CONTOUR CHECK.						Service ATA:53
	MOS	07-Nov-25	24 (+14d/-14d)		07-Nov-27	21-Nov-27	403 d (+14)	
	HRS	1642.2						
	AFL	1509						
	APH							
	APS							
PROC. REF: AMM 53-00-01PROC. REF: AMM 53-00-01								
5314000 S		* EMERGENCY EXIT DOOR SKIN CUTOUT CORNERS AND DOUBLERS (F.S. 370 - F.S. 398) - PERFORM EDDY CURRENT INSPECTION.						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:4800					
	AFL	0						
								PKG:11
PROC. REF: NDT 53-30-01PROC. REF: NDT 53-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
5320001 S		* FUSELAGE PRESSURE FLOOR STEP (F.S. 433 - F.S. 457) - PERFORM EDDY CURRENT INSPECTION.						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-20-01PROC. REF: NDT 53-20-01								
5323021 S		* EXTERNAL LONGERON, FASTENER LOCATIONS, AND AREA AROUND WING ATTACHMENTS - PERFORM VISUAL INSPECTION - INSPECT LONGERON BETWEEN F.S. 398 AND F.S. 486, STRINGER 13 LHS & RHS.						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323022 S		* NOSE LANDING GEAR AFT WHEELBOX CLOSING STRUCTURE (F.S. 150 TO F.S.162) - PERFORM VISUAL INSPECTION - INSPECT THE FOLLOWING: A. PANEL. B. CHANNEL STIFFENERS. C. SUPPORT ANGLE. D. ANGLE STIFFENER. E. ZEE STIFFENER.						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323023 S		* DRAG LINK ATTACHMENT LUG - PERFORM VISUAL INSPECTION						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323024 S		* FUSELAGE SKIN CUT-OUTS ABOVE FUEL CELL - PERFORM EDDY CURRENT INSPECTION.						Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 53-30-12PROC. REF: NDT 53-30-12								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
5323025 S	* FORWARD/AFT WHEELBOX JOINT (F.S. 150) - PERFORM VISUAL INSPECTION - INSPECT SPLICE STRAP AFT OF FORWARD PRESSURE BULKHEAD AT INTERSECTION OF ATTACHMENT ANGLE AND FLIGHT DECK LONGERON.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323026 S	* UPPER AND LOWER PASSENGER/CREW DOOR SKIN CUTOUT CORNERS (F.S. 224 - F.S. 256) - PERFORM EDDY CURRENT INSPECTION. INSPECT SKIN AT CORNERS OF PASSENGER/CREW DOOR CUTOUT.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:4800					
	AFL	0						
								PKG:11
PROC. REF: NDT 53-30-02PROC. REF: NDT 53-30-02								
5323027 S	* FUSELAGE FRAME AT F.S. 412 - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 53-30-20PROC. REF: NDT 53-30-20								
5323028 S	* FUSELAGE TO WING ATTACH FITTINGS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 53-30-16PROC. REF: NDT 53-30-16								
5323029 S	* MACHINED SPAR FRAMES SYSTEMS CUTOUTS (F.S. 398, F.S. 412, F.S. 432, F.S. 466) - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 53-30-15PROC. REF: NDT 53-30-15								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 75 Serial: 45-456 RegNo: N157MW HRS: 1931.28 AFL: 1750 As Of: 28-Sep-2026

30-Sep-2026 10:19 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
5323032	* EXTERIOR CABIN WINDOW COAMINGS (UNPAINTED) - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	07-Jan-26	24		07-Jan-28		464 d	CMR*
	HRS	1680.3	2400		4080.3		2149	
	AFL	1539						
	APH							
	APS							
PROC. REF: NDT 56-20-01PROC. REF: NDT 56-20-01								
5323033 S	* FUSELAGE SKIN AT EMERGENCY DOOR EGRESS LIGHT AND WING INSPECTION LIGHT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-40-02PROC. REF: NDT 53-40-02								
5323034 S	* UPPER AND LOWER COUPE RAIL AND CENTER POST/WINDSHIELD RETAINER ATTACHMENT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-30-03PROC. REF: NDT 53-30-03								
5323037 S	* WINDSHIELD COUPE RAIL TIE ROD BRACKET - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-30-09PROC. REF: NDT 53-30-09								
5323038 S	* WINDSHIELD CENTER POST TO UPPER COUPE RAIL JOINT ATTACHMENT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:14
PROC. REF: NDT 53-30-22PROC. REF: NDT 53-30-22								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
5323047 S	* PRESSURE CABIN FUSELAGE CROWN SKIN - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:12
PROC. REF: NDT 53-10-04PROC. REF: NDT 53-10-04								
5323048 S	* FUSELAGE (PRESSURE CABIN) - PERFORM EDDY CURRENT INSPECTION. INSPECT PRESSURE CABIN SKIN (LONGITUDINAL SKIN CRACKING).							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:14
PROC. REF: NDT 53-30-05PROC. REF: NDT 53-30-05								
5323049 S	* FUSELAGE SKIN AT UPPER AND LOWER COUPE RAIL RUN-OUT JOINTS - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-30-11PROC. REF: NDT 53-30-11								
5323050 S	* AFT POST/WINDSHIELD RETAINER ATTACHMENT - WITH HEADLINER REMOVED, PERFORM EDDY CURRENT INSPECTION. INSPECT WINDSHIELD AFT POST AT WINDSHIELD RETAINER FASTENER HOLES.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:14
PROC. REF: NDT 53-30-04PROC. REF: NDT 53-30-04								
5323051 S	* LONGITUDINAL JOINTS INSIDE PRESSURE CABIN (F.S. 220 - F.S. 457) AND SKIN WITHIN ONE STRINGER BAY OF JOINT - PERFORM EDDY CURRENT INSPECTION. INSPECT SKIN FASTENER HOLES ALONG JOINTS AT STRINGER 10 LH & RH AND STRINGER 2 RH AND STRINGER 18 RH.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:14
PROC. REF: NDT 53-30-05PROC. REF: NDT 53-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
5323053 S	* FRAME ATTACHMENTS TO UPPER AND LOWER COUPE RAILS (F.S. 171 TO F.S. 204) - PERFORM VISUAL INSPECTION - INSPECT THE FOLLOWING: A. FRAME ATTACHMENTS TO LOWER COUPE RAILS AT F.S. 171, F.S. 182, F.S. 196 AND F.S. 204. B. FRAME ATTACHMENTS TO UPPER COUPE RAIL							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:9
5323055	* TIE-ROD ASSEMBLY (F.S. 162) (TITANIUM ENDS) - PERFORM VISUAL INSPECTION - INSPECT TIE-ROD ENDS, TIE-ROD TUBES, AND TIE -ROD BOLTS.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	9600		9600		7668.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323057 S	* PRESSURE CABIN SKIN AT FUSELAGE STATION 451 - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
PROC. REF: NDT 53-30-06PROC. REF: NDT 53-30-06								PKG:12
5323058 S	* FUSELAGE SKIN AT F.S. 504 - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
PROC. REF: NDT 53-30-13PROC. REF: NDT 53-30-13								PKG:13
5323059 S	* STRINGER TO FRAME JOINTS (F.S. 162 TO F.S. 213) - PERFORM EDDY CURRENT INSPECTION. INSPECT SKIN, STRINGERS, AND FRAMES AT JOINTS.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
PROC. REF: NDT 53-30-05PROC. REF: NDT 53-30-05								PKG:9

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
5323068 S	* STRINGER 1RH BETWEEN F.S. 533 AND F.S. 543 - PERFORM VISUAL INSPECTION - INSPECT STRINGER 1 FLANGE AND SKIN ALONG STRINGER 1 BETWEEN F.S. 533 AND F.S. 543.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323069 S	* CIRCUMFERENTIAL SKIN JOINT AT FORWARD PRESSURE BULKHEAD - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-30-08PROC. REF: NDT 53-30-08								
5323073 S	* FUSELAGE BOTTOM SKIN PANEL - PERFORM VISUAL INSPECTION - INSPECT CORNER RADIUS AT JUNCTION OF EXTERNAL LONGERON AND MID SPAR FRAME (F.S. 435).							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323074 S	* AUXILIARY SKIN PANEL - PERFORM VISUAL INSPECTION - INSPECT CORNER RADIUS AT JUNCTION OF KEEL BEAM AND REAR SPAR FRAME (F.S. 466).							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323081	* TIE-ROD FORK ENDS (TITANIUM, P/N R24889) - PERFORM FLUORESCENT PENETRANT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	9600		9600		7668.7	
	AFL	0						
PROC. REF: NDT 53-10-01PROC. REF: NDT 53-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
5323092	* EXTERIOR CABIN WINDOW COAMINGS (PAINTED) - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	03-Jan-22	96		03-Jan-30		1191 d	CMR*
	HRS	850.9	4800		5650.9		3719.6	
	AFL	828						
PROC. REF: NDT 56-20-01PROC. REF: NDT 56-20-01								
5323164 S	* FUSELAGE SKIN AND DOUBLER AROUND ECS DUCT CUTOUT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-40-01PROC. REF: NDT 53-40-01								
5323165 S	* WINDSHIELD CENTER POST TO LOWER COUPE RAIL JOINT ATTACHMENT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-30-10PROC. REF: NDT 53-30-10								
5323166	* EXTERNAL SKIN CUT-OUTS/PENETRATIONS (PRESSURE CABIN) - PERFORM DETAILED VISUAL INSPECTION. INSPECT SKIN AND DOUBLERS AT ANTENNAS, ELECTRICAL COMPONENTS, AND ACCESS PANELS (EXCLUDING PITOT/STATIC PROBES, AOA STALL VANES, AND WING INSPECTION LIGHT).							Service ATA:53
	MOS	07-Nov-25	144		07-Nov-37		4056 d	CMR*
	HRS	1642.2	10000		11642.2		9710.9	
	AFL	1509						
	APH							
	APS							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323168	* LH AND RH LOWER COUPE RAIL RADIUS/WINDSCREEN RETAINER ATTACH - PERFORM EDDY CURRENT INSPECTION (P/N'S 4553130001-802 THRU 4553130001-809)							Service ATA:53
	MOS/MSC	21-Nov-13	N/A					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
5323173	* SKIN CUT-OUT FOR IRIDIUM ANTENNAS, FS 283.88 TO FS 308.39 - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	21-Nov-13	N/A					CMR*
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323174	* SKIN CUT-OUT FOR IRIDIUM ANTENNAS, FS 283.88 TO FS 308.39 - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	21-Nov-13	N/A					CMR*
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5323175	* SKIN CUT-OUT FOR IRIDIUM ANTENNAS, FS 283.88 TO FS 308.39 - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	21-Nov-13	N/A					CMR*
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5331021 S	* FORWARD CANTED BULKHEAD (F.S. 630) - PERFORM VISUAL INSPECTION - INSPECT AT FRONT SPAR UPPER ATTACHMENT FASTENERS.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5331022 S	* MID CANTED BULKHEAD (F.S. 657) - PERFORM VISUAL INSPECTION AT MID SPAR UPPER ATTACHMENT FASTENERS.							Service ATA:53
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
5331023 S	* AFT CANTED BULKHEAD (F.S. 682) - PERFORM VISUAL INSPECTION - INSPECT AT REAR SPAR ATTACHMENT FASTENERS.							Service	ATA:53
	MOS	21-Nov-13						CMR*	
	HRS	0	10000						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5331024 S	* VERTICAL STABILIZER FRONT SPAR ROOT BULKHEAD ATTACHMENT (F.S. 630) - PERFORM VISUAL INSPECTION - INSPECT FRONT SPAR ROOT BULKHEAD ATTACHMENT AT FASTENER HOLES.							Service	ATA:53
	MOS	21-Nov-13						CMR*	
	HRS	0	10000						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5331025 S	* VERTICAL STABILIZER MID SPAR ROOT BULKHEAD ATTACHMENT (F.S. 657) - PERFORM VISUAL INSPECTION - INSPECT MID SPAR ROOT BULKHEAD ATTACHMENT AT FASTENER HOLES.							Service	ATA:53
	MOS	21-Nov-13						CMR*	
	HRS	0	10000						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5331026 S	* VERTICAL STABILIZER REAR SPAR ROOT BULKHEAD ATTACHMENT (F.S. 682) - PERFORM VISUAL INSPECTION - INSPECT REAR SPAR ROOT BULKHEAD ATTACHMENT AT FASTENER HOLES.							Service	ATA:53
	MOS	21-Nov-13						CMR*	
	HRS	0	10000						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5350000 S	* BOTTOM KEEL BEAM END PADS (F.S. 384 - F.S. 486) - INSPECT END PADS AROUND BOLT HOLES AND IN RADII AT F.S. 433.							Service	ATA:53
	MOS	21-Nov-13						CMR*	
	HRS	0	10000						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
535001	RADOME ASSEMBLY							Component ATA:53
PN:H0601-5	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:0684	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-50-01PROC. REF: AMM 53-50-01								
535601	LH DELTA FIN ASSY							Component ATA:53
PN:4555501000-017	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A0358	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-56-01PROC. REF: AMM 53-56-01								
535602	RH DELTA FIN ASSY							Component ATA:53
PN:4555501000-018	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A0374	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-56-01PROC. REF: AMM 53-56-01								
5360001 S	VISUAL INSPECTION DELTA FINS - WITH DELTA FINS REMOVED, VISUALLY INSPECT THE FOLLOWING: A. DELTA FIN AFT SPAR. B. DELTA FIN SUPPORT ANGLE. C. INSPECT STIFFENERS CONNECTING TO ATTACH FITTINGS.							Service ATA:53
	MOS	21-Nov-13						
	HRS	0	10000 (+25/-25)					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5360006 S	NDT INSPECT DELTA FIN ATTACH BOLT - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:53
	MOS	21-Nov-13						
	HRS	0	10000 (+25/-25)					
	AFL	0						
								PKG:9
PROC. REF: NDT 53-10-02PROC. REF: NDT 53-10-02								
ATA 54 - NACELLES/PYLONS								
5410002 S	VISUAL INSPECTION PYLONS - INSPECT HILITE COLLARS COMMON TO MAIN ENGINE BEAM EXTERNAL TO FUSELAGE.							Service ATA:54
	MOS	20-Feb-23	108 (+14d/-14d)					
	HRS	1067.8	2400 (+25/-25)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
	AFL	1012						
								PKG:7
PROC. REF: AMM 54-00-01PROC. REF: AMM 54-00-01								
545001	LH FIREWALL ASSY							Component ATA:54
PN:457130000-017	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:89439	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01								
5450011 S	* DRAG STRUT ATTACHMENT FITTINGS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 53-10-03PROC. REF: NDT 53-10-03								
5450012 S	* FRAMES 39/40 (F.S. 512/518) AT ENGINE BEAM ATTACHMENT - PERFORM EDDY CURRENT INSPECTION. INSPECT OUTER FLANGE AND FRAME WEB AT ENGINE BEAM ATTACHMENT.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 54-50-03PROC. REF: NDT 54-50-03								
5450015 S	* FORWARD ENGINE BEAM, SPAR CAP, AND WEB - PERFORM EDDY CURRENT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 54-50-05PROC. REF: NDT 54-50-05								
5450016 S	* FORWARD ENGINE BEAM END FITTING - PERFORM EDDY CURRENT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
PROC. REF: NDT 54-50-02PROC. REF: NDT 54-50-02								
5450017 S	LEFT * FORWARD ENGINE BEAM TO FRAME ATTACH BOLT - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 53-40-01PROC. REF: NDT 53-40-01								
5450017 S	RIGHT * FORWARD ENGINE BEAM TO FRAME ATTACH BOLT - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 53-40-01PROC. REF: NDT 53-40-01								
5450018 S	LEFT * FORWARD ENGINE MOUNT ATTACHMENT BOLTS - PERFORM FLUORESCENT LIQUID PENETRANT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 71-20-01PROC. REF: NDT 71-20-01								
5450018 S	RIGHT * FORWARD ENGINE MOUNT ATTACHMENT BOLTS - PERFORM FLUORESCENT LIQUID PENETRANT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 71-20-01PROC. REF: NDT 71-20-01								
5450019 S	* AFT ENGINE BEAM ATTACHMENT TO FRAMES - PERFORM VISUAL INSPECTION - INSPECT AFT ENGINE BEAM ATTACHMENT TO FRAMES.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
545002	RH FIREWALL ASSY							Component ATA:54
PN:457130000-018	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:89438	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01								
5450020 S	LEFT * AFT ENGINE BEAM TO FRAME ATTACHMENT BOLT - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 54-30-01PROC. REF: NDT 54-30-01								
5450020 S	RIGHT * AFT ENGINE BEAM TO FRAME ATTACHMENT BOLT - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 54-30-01PROC. REF: NDT 54-30-01								
5450021 S	LEFT * ENGINE AFT ISOLATOR MOUNT FITTINGS - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 71-20-03PROC. REF: NDT 71-20-03								
5450021 S	RIGHT * ENGINE AFT ISOLATOR MOUNT FITTINGS - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 71-20-03PROC. REF: NDT 71-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
5450022 S	LEFT * AFT ENGINE MOUNT TO END FITTING ATTACH BOLT - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 71-20-01PROC. REF: NDT 71-20-01								
5450022 S	RIGHT * AFT ENGINE MOUNT TO END FITTING ATTACH BOLT - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 71-20-01PROC. REF: NDT 71-20-01								
5450023 S	LEFT * ENGINE TO AFT ENGINE MOUNT ATTACH BOLT - PERFORM LIQUID PENETRANT INSPECTION							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 54-30-02PROC. REF: NDT 54-30-02								
5450023 S	RIGHT * ENGINE TO AFT ENGINE MOUNT ATTACH BOLT - PERFORM LIQUID PENETRANT INSPECTION							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 54-30-02PROC. REF: NDT 54-30-02								
5450024 S	* FUSELAGE FRAMES AT FS 543.55 AND 546.15 TO AFT ENGINE BEAM ATTACHMENT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 53-30-14PROC. REF: NDT 53-30-14								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
5450025 S	* FORWARD ENGINE BEAM AND FRAMES AT ATTACH HOLES - PERFORM EDDY CURRENT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 54-50-03PROC. REF: NDT 54-50-03								
5450026 S	LEFT * ENGINE DRAG STRUT - PERFORM EDDY CURRENT INSPECTION							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 54-50-01PROC. REF: NDT 54-50-01								
5450026 S	RIGHT * ENGINE DRAG STRUT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 54-50-01PROC. REF: NDT 54-50-01								
5450029 S	* AFT ENGINE BEAM - PERFORM VISUAL INSPECTION. INSPECT UPPER CAPPING PLATE, AROUND FASTENER HOLES IN THE CAPPING PLATE, AND CHANNEL FLANGE.							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5450030 S	* AFT ENGINE BEAM END FITTING - PERFORM EDDY CURRENT INSPECTION							Service ATA:54
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 54-50-04PROC. REF: NDT 54-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
5450054		VISUAL INSPECTION LEFT FORWARD ENGINE BEAM AND BEAM FITTING - PERFORM VISUAL INSPECTION, PAYING PARTICULAR ATTENTION OF THE FOLLOWING: A. UPPER CAPPING PLATE AT FASTENER HOLES, AND CHANNEL FLANGE AT FASTENER HOLES. B. BOLT HOLES, ESPECIALLY UPPER BOLT HOLE ON AFT FLANGE.						Service ATA:54
	MOS	21-Nov-13						
	HRS	0	6000 (+100/-100)		6000	6100	4068.7 (+100)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5450054		VISUAL INSPECTION RIGHT FORWARD ENGINE BEAM AND BEAM FITTING - PERFORM VISUAL INSPECTION, PAYING PARTICULAR ATTENTION OF THE FOLLOWING: A. UPPER CAPPING PLATE AT FASTENER HOLES, AND CHANNEL FLANGE AT FASTENER HOLES. B. BOLT HOLES, ESPECIALLY UPPER BOLT HOLE ON AFT FLANGE.						Service ATA:54
	MOS	21-Nov-13						
	HRS	0	6000 (+100/-100)		6000	6100	4068.7 (+100)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 55 - STABILIZERS								
5510000 S		* HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTING - PERFORM EDDY CURRENT INSPECTION.						Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	4800					
	AFL	0						
								PKG:8
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01								
5510002 S		VISUAL INSPECTION ELEVATOR HINGES ON HORIZONTAL STABILIZER - INSPECT HINGE LUGS ON HORIZONTAL TAIL SIDE OF JOINT. INSPECT HILITE COLLARS AT BL 0.0 AND OUTBOARD ELEVATOR HINGE.						Service ATA:55
	MOS	20-Feb-23	108 (+14d/-14d)					
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5510003 S		VISUAL INSPECTION VISUAL INSPECTION VERTICAL STABILIZER PIVOT FITTING - PERFORM VISUAL INSPECTION. INSPECT HI-LITE COLLARS COMMON TO THE PIVOT FITTING (MID SPAR, AFT SPAR, TOP PLATE, AND UP/DOWN SPRING BRACKET)						Service ATA:55
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2	1200 (+25/-25)					
	AFL	1509						
								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5510004 S	* RUDDER HINGE FITTINGS - PERFORM VISUAL INSPECTION - CONTROL SURFACE REMOVAL NOT REQUIRED.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5510005 S	* HORIZONTAL STABILIZER REAR SPAR CAP - PERFORM EDDY CURRENT INSPECTION. INSPECT REAR SPAR CAP AND WEB AT CENTER SPLICE.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	T:4800					
	AFL	0						
								PKG:11
PROC. REF: NDT 55-10-05PROC. REF: NDT 55-10-05								
5510006 S	* VERTICAL STABILIZER FRONT SPAR AND MID SPAR - PERFORM RADIOGRAPHIC INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 55-30-01PROC. REF: NDT 55-30-01								
5510007 S	* VERTICAL STABILIZER SKIN AND LOWER AFT SPAR CAP - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 55-30-06PROC. REF: NDT 55-30-06								
5510008 S	* HORIZONTAL STABILIZER PRIMARY AND SECONDARY ATTACH BOLTS - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 55-30-02, NDT 55-30-03PROC. REF: NDT 55-30-02, NDT 55-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
5510009 S	* HORIZONTAL STABILIZER MID SPAR UPPER CAP B.L. 0.0 TO B.L. 4.0 - PERFORM X-RAY INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:12
PROC. REF: NDT 55-10-03PROC. REF: NDT 55-10-03								
5510010	* HORIZONTAL STABILIZER AFT ROOT RIB - PERFORM EDDY CURRENT INSPECTION. INSPECT AFT ROOT RIB INTERNAL BETWEEN MID SPAR AND AFT SPAR AND UPPER AND LOWER SKINS EXTERNAL AT ATTACHMENT FASTENERS.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	T:4800		4800		2868.7	
	AFL	0						
PROC. REF: NDT 55-10-03PROC. REF: NDT 55-10-03								
5510011	* HORIZONTAL STABILIZER MID SPAR AND REAR SPAR UPPER FLANGE AT ROOT RIB - PERFORM RADIOGRAPHIC INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000	10000	8068.7	
	AFL	0						
PROC. REF: NDT 55-10-01PROC. REF: NDT 55-10-01								
5510014 S	* VERTICAL STABILIZER PIVOT FITTING BOTTOM PLATE - PERFORM DETAILED VISUAL INSPECTION. INSPECT AFT PORTION OF BOTTOM PLATE THROUGH LIGHTENING HOLE IN TOP PLATE, FORWARD PORTION OF BOTTOM PLATE THROUGH TOP PLATE CUTOUTS, AND BOTTOM OF OUTSIDE EXPOSED SURFACE OF PIVOT FITTING							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5510015 S	* VERTICAL STABILIZER PIVOT FITTING TOP PLATE - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	T:4800					
	AFL	0						
								PKG:11
PROC. REF: NDT 55-30-02PROC. REF: NDT 55-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
5510016 S	* VERTICAL STABILIZER PIVOT FITTING TOWER SECTION FORWARD RADIUS - PERFORM EDDY CURRENT INSPECTION. INSPECT PIVOT FITTING AT TOWER SECTION RADIUS, PIVOT FITTING AND TOP PLATE AROUND ADJACENT FASTENERS, AND PIVOT FITTING SIDES AT TOWER SECTION RADIUS.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	T:4800					
	AFL	0						
								PKG:11
PROC. REF: NDT 55-30-03PROC. REF: NDT 55-30-03								
5510017 S	* VERTICAL STABILIZER PIVOT FITTING TOWER SECTION - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:12
PROC. REF: NDT 55-30-05PROC. REF: NDT 55-30-05								
5510018 S	* VERTICAL STABILIZER PIVOT FITTING LUGS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 55-30-04PROC. REF: NDT 55-30-04								
5510019 S	* ELEVATOR HINGES ON HORIZONTAL STABILIZER - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 55-20-02PROC. REF: NDT 55-20-02								
5510020 S	* HORIZONTAL MID SPAR UPPER CAP - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
5510021 S	* HORIZONTAL MID SPAR FROM CANTED RIB #2 TO CANTED RIB #3 - PERFORM DETAILED VISUAL INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5510023 S	* HORIZONTAL STABILIZER ACTUATOR VERTICAL TAIL ATTACHMENT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	4800					
	AFL	0						
								PKG:8
PROC. REF: NDT 55-30-01PROC. REF: NDT 55-30-01								
5510024 S	* ELEVATOR CONTROL HORN - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 55-20-01PROC. REF: NDT 55-20-01								
5510033 S	* HORIZONTAL STABILIZER ACTUATOR ATTACHMENT BOLTS - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	4800					
	AFL	0						
								PKG:8
PROC. REF: NDT 27-40-01PROC. REF: NDT 27-40-01								
5510034	HORIZONTAL STABILIZER PRIMARY AND SECONDARY BOLTS AND BUSHINGS - PERFORM DETAILED INSPECTION							Service ATA:55
	MOS							
	HRS	EFF	4800 (+25/-25)		4800 *	4825	2868.7 (+25)	
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
551005	HORIZONTAL STABILIZER ASSY							Component ATA:55
PN:4555101001V46-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A0334	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-40-01PROC. REF: AMM 27-40-01								
5510069 S	* HORIZONTAL STABILIZER MID SPAR FLANGE ROOT RIB ATTACHMENT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	T:4800					
	AFL	0						
								PKG:11
PROC. REF: NDT 55-10-02PROC. REF: NDT 55-10-02								
5510070 S	* HORIZONTAL STABILIZER FRONT SPAR - PERFORM RADIOGRAPHIC INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 55-10-02PROC. REF: NDT 55-10-02								
5510073 S	* HORIZONTAL REAR SPAR UPPER CAP - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 55-10-07PROC. REF: NDT 55-10-07								
5510074 S	* HORIZONTAL STABILIZER REAR SPAR FROM CANTED RIB #2 TO CANTED RIB #3 - PERFORM VISUAL INSPECTION - INSPECT REAR SPAR CAP AND FASTENERS.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
5510075 S	* HORIZONTAL STABILIZER OUTBOARD SPARS AND SKINS OUTBOARD OF CANTED RIB #3 - PERFORM VISUAL INSPECTION - INSPECT SPAR CAPS AND FASTENERS							Service	ATA:55
	MOS	21-Nov-13						CMR*	
	HRS	0	10000						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5510076 S	* HORIZONTAL STABILIZER FRONT SPAR FROM CANTED RIB #2 TO CANTED RIB #3 - PERFORM VISUAL INSPECTION - INSPECT FRONT SPAR CAP AND FASTENERS.							Service	ATA:55
	MOS	21-Nov-13						CMR*	
	HRS	0	10000						
	AFL	0							
									PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5510082 S	* HORIZONTAL STABILIZER REAR SPAR FLANGE ROOT RIB ATTACHMENT - PERFORM EDDY CURRENT INSPECTION.							Service	ATA:55
	MOS	21-Nov-13						CMR*	
	HRS	0	T:4800						
	AFL	0							
									PKG:11
PROC. REF: NDT 55-10-04PROC. REF: NDT 55-10-04									
5510091	* HORIZONTAL STABILIZER HINGE PRIMARY AND SECONDARY PIVOT PIN INSTALLATION AND ATTACHING HARDWARE - PERFORM DETAILED VISUAL INSPECTION.							Service	ATA:55
	MOS	10-Aug-26						CMR*	
	HRS	1859.5	625		2484.5		553.2		
	AFL	1692							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									
5510092 S	* HORIZONTAL STABILIZER UPPER SPAR SPLICE DOUBLER - PERFORM EDDY CURRENT INSPECTION							Service	ATA:55
	MOS	21-Nov-13						CMR*	
	HRS	0	T:10000						
	AFL	0							
									PKG:12
PROC. REF: NDT 55-10-06PROC. REF: NDT 55-10-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
5510093 S	VISUAL INSPECTION HORIZONTAL STABILIZER - PERFORM VISUAL INSPECTION OF HI-LITE COLLARS IN THE FOLLOWING AREAS: - FORWARD SPAR TO BL 0.0 RIB. - CENTER SPAR TO BL 0.0 RIB. - CENTER SPAR SPLICE PLATE. - AFT SPAR SPLICE PLATE. - ROOT RIBS AT BL 3.70 (RIGHT AND LEFT). - UPPER							Service ATA:55
	MOS	20-Feb-23	108 (+14d/-14d)					
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 55-00-01PROC. REF: AMM 55-00-01								
5510094 S	BORESCOPE INSPECTION LOWER BRACKET, HORIZONTAL STABILIZER TRIM ACTUATOR - PERFORM BORESCOPE INSPECTION OF HI-LITE COLLARS COMMON TO RIB# 6 AND MID SPAR.							Service ATA:55
	MOS	20-Feb-23	108 (+14d/-14d)					
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								
5520001	* ELEVATOR HINGE ATTACH BOLT - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 27-30-01PROC. REF: NDT 27-30-01								
5520003 S	* ELEVATOR FRONT SPAR - PERFORM VISUAL INSPECTION - INSPECT SPAR CAP AT FASTENER HOLES.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5520004 S	* ELEVATOR RIB #1 CAP- PERFORM VISUAL INSPECTION OF RIB #1 CAP CROSS SECTION AND RIB CAP FLANGES AT TORQUE TUBE.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
5520021 S	* ELEVATOR HINGE FITTINGS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 55-30-07PROC. REF: NDT 55-30-07								
5520022 S	* ELEVATOR HINGE PRIMARY AND SECONDARY ATTACH BOLTS - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 27-30-01, NDT 27-30-02PROC. REF: NDT 27-30-01, NDT 27-30-02								
552031	LH ELEVATOR ASSEMBLY							Component ATA:55
PN:4555201005-011	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A0324	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-01PROC. REF: AMM 27-30-01								
552032	RH ELEVATOR ASSEMBLY							Component ATA:55
PN:4555201005-012	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A0342	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-01PROC. REF: AMM 27-30-01								
553000	TAILCONE/VERTICAL STABILIZER ASSY							Component ATA:55
PN:4555301001-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A0331	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
553001	BULLET FAIRING SKIN ASSY INSTALLATION							Component ATA:55
PN:4555311001-043	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A0331	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 55-30-01PROC. REF: AMM 55-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
5530011	* VERTICAL STABILIZER SKIN AND UPPER AFT SPAR CAP - PERFORM EDDY CURRENT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	T:9600		9600		7668.7	
	AFL	0						
PROC. REF: NDT 55-30-06PROC. REF: NDT 55-30-06								
5540000 S	* RUDDER RIB CAP (F.S. 698) - PERFORM VISUAL INSPECTION - INSPECT AROUND FASTENER HOLES AND LIGHTENING HOLES.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5540001 S	* RUDDER SPAR - PERFORM DETAILED VISUAL INSPECTION. INSPECT SPAR CAPS AND FASTENERS.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5540002	* RUDDER ATTACH BOLT - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:55
	MOS	21-Nov-13						CMR*
	HRS	0	9600		9600		7668.7	
	AFL	0						
PROC. REF: NDT 55-30-02PROC. REF: NDT 55-30-02								
554005	RUDDER ASSEMBLY							Component ATA:55
PN:4555401000-025	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A0343	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-01PROC. REF: AMM 27-20-01								
ATA 56 - WINDOWS								
5600002 S	** WINDSHIELD - PERFORM RAIN REMOVAL COATING EFFECTIVENESS TEST.							Service ATA:56
	MOS	07-Nov-25	12 (+14d/-14d)					CMR**

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 56-10-01, AMM 56-10-01PROC. REF: AMM 56-10-01, AMM 56-10-01								
5600003	LEFT * WINDSHIELD - PERFORM ULTRASONIC INSPECTION OF THE STRUCTURAL PLIES - (SIERRACIN WINDSHIELD)							Service ATA:56
	MOS	EFF						
	HRS	EFF	4800		4800 *		2868.7	
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5600003	RIGHT * WINDSHIELD - PERFORM ULTRASONIC INSPECTION OF THE STRUCTURAL PLIES - (SIERRACIN WINDSHIELD)							Service ATA:56
	MOS	EFF						
	HRS	EFF	4800		4800 *		2868.7	
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5600010 S	* CABIN WINDOWS (INCLUDING THE EMERGENCY EXIT WINDOW) - PERFORM DETAILED VISUAL INSPECTION.							Service ATA:56
	MOS	21-Nov-13						CMR*
	HRS	0	4800					
	AFL	0						
								PKG:8
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5600012	LH- * WINDSHIELDS - PERFORM BOLT HOLE INSPECTION - (GKN WINDSHIELD)							Service ATA:56
PN:P01400-5	MOS	21-Nov-13						CMR*
SN:1465	HRS	0	4800		4800		2868.7	
	AFL	0						
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01								
5600012	RH- * WINDSHIELDS - PERFORM BOLT HOLE INSPECTION - (GKN WINDSHIELD)							Service ATA:56
PN:P01400-6	MOS	21-Nov-13						CMR*
SN:1416	HRS	0	4800		4800		2868.7	
	AFL	0						
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
561001	LH WINDSHIELD ASSY							Component ATA:56
PN:P01400-5	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1465	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-10-01, AMM 56-10-01PROC. REF: AMM 56-10-01, AMM 56-10-01								
561002	RH WINDSHIELD ASSY							Component ATA:56
PN:P01400-6	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1416	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-10-01, AMM 56-10-01PROC. REF: AMM 56-10-01, AMM 56-10-01								
ATA 57 - WINGS								
5710001 S	* WING DRAG LINK ATTACH FITTING - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:9,12
PROC. REF: NDT 57-30-02PROC. REF: NDT 57-30-02								
5710002	* WING BOX MID SPAR LOWER CAP, OUTBOARD OF JOINT AT WS 137 BETWEEN RIB# 7 AND 8 - PERFORM DETAILED VISUAL INSPECTION. INSPECT MID SPAR LOWER CAP AND LOWER SKIN PANELS.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:6448		6448		4516.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5710004	* WING CENTER SECTION REAR SPAR - PERFORM EDDY CURRENT INSPECTION. INSPECT REAR SPAR LOWER CAP FROM CENTER LINE TO WS 33.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 57-20-02PROC. REF: NDT 57-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5710005 S	* WING CENTER SECTION SPAR UPPER CAPS - PERFORM VISUAL INSPECTION - INSPECT FRONT, MID, AND REAR SPAR UPPER CAPS FROM CENTERLINE TO SKIN TERMINATION AT WS 33.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5710006	* WING CENTER SECTION FORWARD AND AFT RIBS AT WS 6 AND FORWARD RIBS AT WS 17 - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 57-10-06PROC. REF: NDT 57-10-06								
5710007 S	* WING TO FUSELAGE ATTACH FITTINGS AND LINKS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
PROC. REF: NDT 57-10-12PROC. REF: NDT 57-10-12								
5710008	* WING BOX MID SPAR LOWER CAP - PERFORM ULTRASONIC INSPECTION. INSPECT MID SPAR LOWER CAP AND LOWER SKIN PANELS BETWEEN WS 99 AND WS 137.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:6730		6730		4798.7	
	AFL	0						
PROC. REF: NDT 57-30-03PROC. REF: NDT 57-30-03								
5710009	* WING BOX MID SPAR LOWER CAP JOINT AT WS 137 - PERFORM X-RAY INSPECTION. INSPECT MID SPAR CENTER/OUTER JOINT.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:6730		6730		4798.7	
	AFL	0						
PROC. REF: NDT 57-10-02PROC. REF: NDT 57-10-02								
571001	WING ASSEMBLY							Component ATA:57
PN:4557000004-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
5710010	* WING BOX REAR SPAR LOWER CAP INBOARD OF JOINT AT WS 81 - PERFORM ULTRASONIC INSPECTION. INSPECT REAR SPAR LOWER CAP BETWEEN SKIN TERMINATION AT WS 48 AND CLOSING RIB AT WS 60.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:6943		6943		5011.7	
	AFL	0						
PROC. REF: NDT 57-30-01PROC. REF: NDT 57-30-01								
5710011	* WING BOX REAR SPAR LOWER CAP JOINT AT WS 81 - PERFORM X-RAY INSPECTION. INSPECT CENTER AND OUTER REAR SPARS, LOWER SPLICE PLATE, AND LOWER SKIN BETWEEN WS 60 AND WS 90.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 57-10-03PROC. REF: NDT 57-10-03								
5710012	* WING BOX REAR SPAR LOWER CAP OUTBOARD OF JOINT AT WS 81 TO RIB# 6 - PERFORM DETAILED VISUAL INSPECTION. INSPECT OUTER REAR SPAR LOWER CAP AND AFT LOWER SKIN PANEL OUTBOARD OF REAR SPLICE AT WS 90.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:6859		6859		4927.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5710013	* WING BOX REAR SPAR LOWER CAP SKIN TERMINATION AT MS 48 - PERFORM EDDY CURRENT INSPECTION. INSPECT REAR SPAR LOWER CAP BETWEEN WS 33 AND WS 48.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:7885		7885		5953.7	
	AFL	0						
PROC. REF: NDT 57-20-04PROC. REF: NDT 57-20-04								
5710014	* WING BOX REAR SPAR FLAP TRACK CUT-OUTS - PERFORM EDDY CURRENT INSPECTION. INSPECT FLAP TRACK CUT-OUTS AT WS 65, WS 126, AND WS 184 ON REAR SPAR.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:9903		9903		7971.7	
	AFL	0						
PROC. REF: NDT 57-20-01PROC. REF: NDT 57-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5710015 S	* WING REAR SPAR AT AILERON HINGE - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-10-20PROC. REF: NDT 57-10-20								
5710016	* WING BOX BASIC SKIN/STRINGER, LOWER SKIN - PERFORM VISUAL INSPECTION - INSPECT OUTBOARD WING FORWARD AND AFT LOWER SKIN PANELS AND STRINGERS.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:7312		7312		5380.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5710017	* WING BOX BASIC SKIN/STRINGER AT STRINGER RUN-OUT, LOWER SKIN - PERFORM VISUAL INSPECTION - INSPECT STRINGER RUN-OUTS IN FORWARD AND AFT LOWER SKIN PANELS.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5710018	* WING LOWER SKIN AT MID SPAR SPAN WISE JOINT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 57-10-09PROC. REF: NDT 57-10-09								
5710019 S	* WING BOX, UPPER SKIN, SKIN/STRINGER AND SPAR CAPS - PERFORM VISUAL INSPECTION - INSPECT UPPER WING SPAR CAPS, SKIN PANEL, AND STRINGERS OF OUTER WING.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5710020 S	* WING BOX RIBS - PERFORM VISUAL INSPECTION - INSPECT ALL WING BOX RIBS EXCEPT CLOSING RIB BETWEEN FRONT AND MID SPARS AND CLOSING RIB BETWEEN MID AND REAR SPAR.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5710021	* CENTER SECTION MID SPAR LOWER CAP - PERFORM EDDY CURRENT INSPECTION. INSPECT MID SPAR FROM CENTER-LINE SPLICE PLATE TO SKIN TERMINATION AT MS 33.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 57-10-02PROC. REF: NDT 57-10-02								
5710022	* CENTER SECTION MID SPAR CENTER-LINE JOINT - PERFORM EDDY CURRENT INSPECTION. INSPECT CENTER MID SPAR (CENTER-LINE TO WS 17), LOWER SPLICE PLATE, AND CENTER MID SPAR JOINT FITTING LOWER CAP.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:7974		7974		6042.7	
	AFL	0						
PROC. REF: NDT 57-10-08, NDT 57-10-10PROC. REF: NDT 57-10-08, NDT 57-10-10								
5710023	* CENTER SECTION FRONT SPAR LOWER CAP - PERFORM EDDY CURRENT INSPECTION. INSPECT CENTER WING FRONT SPAR LOWER CAP BETWEEN SKIN TERMINATIONS (WS 31 LEFT TO WS 31 RIGHT).							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 57-10-03PROC. REF: NDT 57-10-03								
5710024 S	* WING REAR SPAR SIDE STAY FITTING SUPPORT STRUCTURE - EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-20-06PROC. REF: NDT 57-20-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5710025	* WING FRONT SPAR LOWER CAP FROM WS 33.0 TO WS 60.0 - PERFORM RADIOGRAPHIC INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 57-10-01PROC. REF: NDT 57-10-01								
5710026	* WING BOX MID SPAR LOWER CAP - PERFORM ULTRASONIC INSPECTION. INSPECT MID SPAR LOWER CAP OUTBOARD OF ROOT RIB AT WS 33 TO WS 99.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:8242		8242		6310.7	
	AFL	0						
PROC. REF: NDT 57-30-03PROC. REF: NDT 57-30-03								
5710028	* WING BOX MID SPAR LOWER CAP, SKIN TERMINATION AT WS 33 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION. INSPECT MID SPAR LOWER CAP UNDERNEATH ROOT RIB (WS 33) AT POINT OF SKIN TERMINATION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:7811		7811		5879.7	
	AFL	0						
PROC. REF: NDT 57-10-11PROC. REF: NDT 57-10-11								
5710029 S	* WING MID SPAR VERTICAL WEB - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 57-10-07PROC. REF: NDT 57-10-07								
5710030 S	* WING REAR SPAR VERTICAL WEB - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 57-20-05PROC. REF: NDT 57-20-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5710031	* WING BOX SKIN ACCESS COVER HOLES - PERFORM EDDY CURRENT INSPECTION. INSPECT ACCESS HOLES IN FORWARD AND AFT LOWER SKIN PANELS.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 57-30-01PROC. REF: NDT 57-30-01								
5710032	* WING RIB UPPER AFT FLANGE FILLET RADIUS AT WS 33.0 - PERFORM ULTRASONIC INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 57-30-02PROC. REF: NDT 57-30-02								
5710033 S	* WING ACCESS HOLE IN CLOSING RIB BETWEEN MID SPAR AND REAR SPAR - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-10-05PROC. REF: NDT 57-10-05								
5710034	* WING BOX JOINT TO WINGLET - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:6451		6451		4519.7	
	AFL	0						
PROC. REF: NDT 57-10-13PROC. REF: NDT 57-10-13								
5710035 S	* WING LOWER SKIN AT DRAIN HOLE (4 LOCATIONS) - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-30-02PROC. REF: NDT 57-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5710037		* WING BOX FRONT SPAR LOWER CAP - PERFORM VISUAL INSPECTION - INSPECT FRONT SPAR LOWER CAP AND LOWER FORWARD SKIN OUTBOARD OF MID-SPAR STATION (MS) 55.						Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:8780		8780		6848.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5710039 S		WINGLET SKIN - PERFORM EDDY CURRENT INSPECTION.						Service ATA:57
	MOS	21-Nov-13						
	HRS	0	T:10000 (+25/-25)					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-10-18PROC. REF: NDT 57-10-18								
5710083 S		* FLAP BOX STRUCTURE - PERFORM EDDY CURRENT INSPECTION.						Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-40-02PROC. REF: NDT 57-40-02								
5710084 S		NDT INSPECT SPOILER, CENTER HINGE SPOILER SIDE - PERFORM EDDY CURRENT INSPECTION.						Service ATA:57
	MOS	21-Nov-13						
	HRS	0	T:4800 (+25/-25)					
	AFL	0						
								PKG:11
PROC. REF: NDT 57-40-01PROC. REF: NDT 57-40-01								
5710085 S		NDT INSPECT SPOILER UPPER SKIN - PERFORM EDDY CURRENT INSPECTION.						Service ATA:57
	MOS	21-Nov-13						
	HRS	0	T:10000 (+25/-25)					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-10-16PROC. REF: NDT 57-10-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5710086 S		NDT INSPECT SPOILER BOLTS AND HINGE PINS - PERFORM MAGNETIC PARTICLE INSPECTION.						Service ATA:57
	MOS	21-Nov-13						
	HRS	0	T:10000 (+25/-25)					
	AFL	0						
								PKG:13
PROC. REF: NDT 27-10-01PROC. REF: NDT 27-10-01								
5710121		* WING BOX MID SPAR, OUTBOARD OF RIB #8 - PERFORM VISUAL INSPECTION AT WS 156 AND OUTBOARD TO WS 260.						Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:8107		8107		6175.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5710122		* WING BOX REAR SPAR, OUTBOARD OF RIB #6 - PERFORM VISUAL INSPECTION AT WS 118 AND OUTBOARD TO WS 260.						Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5710123		* WING BOX MID SPAR LOWER CAP - PERFORM EDDY CURRENT INSPECTION AT TRUNNION FITTING.						Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:7167		7167		5235.7	
	AFL	0						
PROC. REF: NDT 57-10-01PROC. REF: NDT 57-10-01								
5710124 S		* AILERON DRIVE SUPPORT - PERFORM ULTRASONIC INSPECTION.						Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	4800					
	AFL	0						
								PKG:8
PROC. REF: NDT 27-10-01PROC. REF: NDT 27-10-01								
5710137		* MID SPAR AT RIB #2 NEAR WS 48 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION.						Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:8242		8242		6310.7	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: NDT 57-10-11APROC. REF: NDT 57-10-11A								
5710138	* MID SPAR AT RIB #3 NEAR WS 60 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:8242		8242		6310.7	
	AFL	0						
PROC. REF: NDT 57-10-11APROC. REF: NDT 57-10-11A								
5710139	* FORWARD FLANGE FASTENERS AT REAR SPAR BETWEEN WS 52 AND WS 60 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:6943		6943		5011.7	
	AFL	0						
PROC. REF: NDT 57-20-03PROC. REF: NDT 57-20-03								
5710172	* WING BOX MID SPAR LOWER CAP - PERFORM ULTRASONIC INSPECTION AT TRUNNION FITTING.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:7167		7167		5235.7	
	AFL	0						
PROC. REF: NDT 57-10-00PROC. REF: NDT 57-10-00								
5710176	* WING MID SPAR (CENTER SECTION) LOWER CAP AND CENTER JOINT FITTING - PERFORM ULTRASONIC INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: NDT 57-30-05PROC. REF: NDT 57-30-05								
5710181 S	* WING DRAG LINK TUBE - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:12
PROC. REF: NDT 57-30-01PROC. REF: NDT 57-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5710182 S	* WING DRAG LINK ATTACH BOLTS - PERFORM LIQUID PENETRANT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:12
PROC. REF: NDT 57-10-01PROC. REF: NDT 57-10-01								
5710183 S	* WING DRAG LINK CLEVIS - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:12
PROC. REF: NDT 57-10-01PROC. REF: NDT 57-10-01								
5710184 S	* WING ATTACH BOLTS - PERFORM FLUORESCENT PENETRANT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-10-02PROC. REF: NDT 57-10-02								
5710185 S	* WING ATTACH LINKS - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-10-03PROC. REF: NDT 57-10-03								
5710186 S	* WING ATTACH FITTINGS AT MID SPAR AND REAR SPAR - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-10-02PROC. REF: NDT 57-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5710187	* LOWER WING FUEL DRAIN HOLES (4 LOCATIONS) - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	EFF	72		18-Dec-31 *		1905 d	
	HRS							
	AFL							
PROC. REF: NDT 57-30-03	PROC. REF: NDT 57-30-03							
5710190	* LEFT WING CENTER SECTION (PANELS 510AC, 510BC, 510BL AND 610BR REMOVED AND PANELS 510AL, 610AR, 720BL, AND 730BR LOWERED) - PERFORM VISUAL INSPECTION. INSPECT STRUCTURE FOR CORROSION OR DETERIORATION OF PROTECTIVE TREATMENT.							Service ATA:57
	MOS	03-Jan-22	96		03-Jan-30		1191 d	
	HRS	850.9						
	AFL	828						
PROC. REF: AMM 57-10-00	PROC. REF: AMM 57-10-00							
5710190	* RIGHT WING CENTER SECTION (PANELS 510AC, 510BC, 510BL AND 610BR REMOVED AND PANELS 510AL, 610AR, 720BL, AND 730BR LOWERED) - PERFORM VISUAL INSPECTION. INSPECT STRUCTURE FOR CORROSION OR DETERIORATION OF PROTECTIVE TREATMENT.							Service ATA:57
	MOS	03-Jan-22	96		03-Jan-30		1191 d	
	HRS	850.9						
	AFL	828						
PROC. REF: AMM 57-10-00	PROC. REF: AMM 57-10-00							
5730014 S	AILERON BRUSH SEALS - PERFORM DETAILED INSPECTION							Service ATA:57
	MOS	07-Nov-25	12 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:1
PROC. REF: AMM 12-21-03	PROC. REF: AMM 12-21-03							
573090	LH WINGLET ASSY							Component ATA:57
PN:4557300201-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:W004	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-30-01	PROC. REF: AMM 57-30-01							
573092	RH WINGLET ASSY							Component ATA:57
PN:4557300201-002	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:W004	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-30-01PROC. REF: AMM 57-30-01								
574005	LH INBD LEADING EDGE ASSY							Component ATA:57
PN:4557400005-049	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01PROC. REF: AMM 57-40-01								
574007	RH INBD LEADING EDGE ASSY							Component ATA:57
PN:4557400005-050	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01PROC. REF: AMM 57-40-01								
574011	LH INBD LEADING EDGE ACCESS SECTION							Component ATA:57
PN:4557400005-051	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01PROC. REF: AMM 57-40-01								
574013	RH INBD LEADING EDGE ACCESS SECTION							Component ATA:57
PN:4557400005-052	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01PROC. REF: AMM 57-40-01								
574033	LH CTR LEADING EDGE ASSY							Component ATA:57
PN:4557400005-041	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01PROC. REF: AMM 57-40-01								
574035	RH CTR LEADING EDGE ASSY							Component ATA:57
PN:4557400005-042	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-40-01PROC. REF: AMM 57-40-01								
574039	LH OUTBD LEADING EDGE ACCESS SECTION							Component ATA:57
PN:4557400005-043	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01PROC. REF: AMM 57-40-01								
574041	RH OUTBD LEADING EDGE ACCESS SECTION							Component ATA:57
PN:4557400005-044	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01PROC. REF: AMM 57-40-01								
574050	LH OTBD ACCESS LEADING EDGE ASSY							Component ATA:57
PN:4557400005-045	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01PROC. REF: AMM 57-40-01								
574051	RH OTBD LEADING EDGE ASSY							Component ATA:57
PN:4557400005-046	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01PROC. REF: AMM 57-40-01								
5750002 S	* FLAP FRONT SPAR CUTOUTS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:12
PROC. REF: NDT 57-10-15PROC. REF: NDT 57-10-15								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5750003 S	* FLAP NOSE ROLLER RIBS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-10-14PROC. REF: NDT 57-10-14								
5750004 S	* FLAP ACTUATOR SUPPORT RIBS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 57-10-21PROC. REF: NDT 57-10-21								
5750005 S	* FLAP MAIN TRACK HINGE FITTINGS, TRACK, AND FLAP BOX SIDES - PERFORM VISUAL INSPECTION. INSPECT MAIN TRACK HINGE FITTINGS ON TRACK AND FLAP BOX SIDES.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:12
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
575001	LH FLAP ASSY							Component ATA:57
PN:4557500006-009	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-01PROC. REF: AMM 27-50-01								
575002	RH FLAP ASSY							Component ATA:57
PN:4557500006-010	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-01PROC. REF: AMM 27-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5750048 S	* FLAP TRACKS - PERFORM MAGNETIC PARTICLE INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 57-71-01PROC. REF: NDT 57-71-01								
5750049 S	* FLAP NOSE ROLLER TRACKS - PERFORM MAGNETIC PARTICLE INSPECTION WITH FLAPS REMOVED.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 57-10-04PROC. REF: NDT 57-10-04								
5750051	* FLAP MAIN TRACK ROLLERS - PERFORM VISUAL INSPECTION WITH FLAPS REMOVED.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000		10000		8068.7	
	AFL	0						
PROC. REF: AMM 27-50-01PROC. REF: AMM 27-50-01								
5750052	* FLAP NOSE ROLLERS - PERFORM VISUAL INSPECTION WITH FLAPS REMOVED.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:7200		7200		5268.7	
	AFL	0						
PROC. REF: AMM 27-50-01PROC. REF: AMM 27-50-01								
5750053 S	* FLAP TRACK SUPPORT RIBS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 57-10-17PROC. REF: NDT 57-10-17								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5750068 S	* FLAP FRONT SPAR RIB SUPPORT STRUCTURE - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-10-26PROC. REF: NDT 57-10-26								
5760000 S	* AILERON ACTUATOR HINGE FITTING - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 57-10-25PROC. REF: NDT 57-10-25								
5760001 S	* AILERON SKIN - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 57-10-19PROC. REF: NDT 57-10-19								
5760002 S	* AILERON BALANCE TAB HINGE FITTINGS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:12
PROC. REF: NDT 57-60-01PROC. REF: NDT 57-60-01								
5760003 S	* AILERON TRIM AND BALANCE TAB FRONT SPARS - PERFORM RADIOGRAPHIC INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-60-01PROC. REF: NDT 57-60-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
5760004 S	* AILERON BOLTS - PERFORM MAGNETIC PARTICLE INSPECTION (NAS6204-16H)							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:12
PROC. REF: NDT 57-60-01PROC. REF: NDT 57-60-01								
5760005 S	* AILERON HINGE LUGS AND FITTINGS - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 57-10-24PROC. REF: NDT 57-10-24								
5760006 S	* AILERON BASIC STRUCTURE - PERFORM VISUAL INSPECTION							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
576001	LH AILERON ASSEMBLY							Component ATA:57
PN:4557600003-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-02PROC. REF: AMM 27-10-02								
5760014 S	* AILERON HINGE SUPPORT STRUCTURE - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						CMR*
	HRS	0	10000					
	AFL	0						
								PKG:9
PROC. REF: NDT 57-10-23PROC. REF: NDT 57-10-23								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
576002	RH AILERON ASSEMBLY							Component ATA:57
PN:4557600003-002	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-02PROC. REF: AMM 27-10-02								
5770000 S	NDT INSPECT SPOILER HINGE ASSEMBLIES AND ACTUATOR FITTING - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	21-Nov-13						
	HRS	0	T:10000 (+25/-25)					
	AFL	0						
								PKG:13
PROC. REF: NDT 57-10-22PROC. REF: NDT 57-10-22								
577001	LH SPOILERON ASSY							Component ATA:57
PN:4557700003-043	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:H721758	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-01PROC. REF: AMM 27-60-01								
577002	RH SPOILERON ASSY							Component ATA:57
PN:4557700003-044	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:M647450	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-01PROC. REF: AMM 27-60-01								
ATA 71 - POWER PLANT								
710100	NO. 1 ENGINE - MAIN ENGINE WIRING HARNESS ASSEMBLY							Component ATA:71
PN:3060757-3	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-150262-34071	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-02, LMM 72-00-02PROC. REF: LMM 72-00-02, LMM 72-00-02								
710100	NO. 2 ENGINE - MAIN ENGINE WIRING HARNESS ASSEMBLY							Component ATA:71
PN:3060757-3	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-150262-33918	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: LMM 72-00-02, LMM 72-00-02PROC. REF: LMM 72-00-02, LMM 72-00-02								
710130 S	NO. 1 ENGINE - INSPECT TAILPIPE/LPT3 ROTOR ASSEMBLY-VISUALLY INSPECT FOR FOREIGN OBJECT DAMAGE, THERMAL DISTRESS, AND LEAKS.							Service ATA:71
	MOS	07-Nov-25						
	HRS	1642.2	850 (-350)					
	ENC	1509						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
710130 S	NO. 2 ENGINE - INSPECT TAILPIPE/LPT3 ROTOR ASSEMBLY-VISUALLY INSPECT FOR FOREIGN OBJECT DAMAGE, THERMAL DISTRESS, AND LEAKS.							Service ATA:71
	MOS	07-Nov-25						
	HRS	1642.2	850 (-350)					
	ENC	1508						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
710140 S	NO. 1 ENGINE - INSPECT INLET/FAN AREA - INSPECT FOR FOREIGN OBJECT DAMAGE AND LEAKAGE (REFER TO PARAGRAPH 4.B)							Service ATA:71
	MOS	07-Nov-25						
	HRS	1642.2	850 (-350)					
	ENC	1509						
								PKG:0
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								
710140 S	NO. 2 ENGINE - INSPECT INLET/FAN AREA - INSPECT FOR FOREIGN OBJECT DAMAGE AND LEAKAGE (REFER TO PARAGRAPH 4.B)							Service ATA:71
	MOS	07-Nov-25						
	HRS	1642.2	850 (-350)					
	ENC	1508						
								PKG:0
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								
7110004	TEST LEFT ENGINE ENGINE INLETS - PERFORM TAP-TEST.							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-10-01PROC. REF: AMM 71-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
7110004	TEST RIGHT ENGINE ENGINE INLETS - PERFORM TAP-TEST.							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-10-01	PROC. REF: AMM 71-10-01							
711001	LH UPPER ENGINE COWL ASSY							Component ATA:71
PN:2652023-193	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:89411	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-02	PROC. REF: AMM 71-10-02							
711002	RH UPPER ENGINE COWL ASSY							Component ATA:71
PN:2652023-194	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:89212	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-02	PROC. REF: AMM 71-10-02							
711003	LH LOWER ENGINE COWL ASSY							Component ATA:71
PN:4554300013-037	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:89247	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-02	PROC. REF: AMM 71-10-02							
711004	RH LOWER ENGINE COWL ASSY							Component ATA:71
PN:4554300013-039	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:89245	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-02	PROC. REF: AMM 71-10-02							
711101	LH FWD ENGINE MOUNT							Component ATA:71
PN:4571200011-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:CDF1235	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
711102	RH FWD ENGINE MOUNT							Component ATA:71
PN:4571200011-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:CDF-1242	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120001 S	LEFT * FORWARD ENGINE MOUNT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:71
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 71-10-01PROC. REF: NDT 71-10-01								
7120001 S	RIGHT * FORWARD ENGINE MOUNT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:71
	MOS	21-Nov-13						CMR*
	HRS	0	T:10000					
	AFL	0						
								PKG:13
PROC. REF: NDT 71-10-01PROC. REF: NDT 71-10-01								
7120004	REPLACE NO. 1 ENGINE AFT ENGINE MOUNT ISOLATOR HOUSING							Component ATA:71
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	15000 (+25/-25)	TSN 0	15000	15025	13068.7 (+25)	
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120004	REPLACE NO. 1 ENGINE FORWARD LOWER ENGINE MOUNT ISOLATOR HOUSING							Component ATA:71
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	15000 (+25/-25)	TSN 0	15000	15025	13068.7 (+25)	
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120004	REPLACE NO. 1 ENGINE FORWARD UPPER ENGINE MOUNT ISOLATOR HOUSING							Component ATA:71
	MOS	21-Nov-13						
	HRS	0	15000 (+25/-25)		15000	15025	13068.7 (+25)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120004	REPLACE NO. 2 ENGINE AFT ENGINE MOUNT ISOLATOR HOUSING							Component ATA:71
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	15000 (+25/-25)	TSN 0	15000	15025	13068.7 (+25)	
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120004	REPLACE NO. 2 ENGINE FORWARD LOWER ENGINE MOUNT ISOLATOR HOUSING							Component ATA:71
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	15000 (+25/-25)	TSN 0	15000	15025	13068.7 (+25)	
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120004	REPLACE NO. 2 ENGINE FORWARD UPPER ENGINE MOUNT ISOLATOR HOUSING							Component ATA:71
	MOS	21-Nov-13						
	HRS	0	15000 (+25/-25)		15000	15025	13068.7 (+25)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120006	REPLACE NO. 1 ENGINE AFT ENGINE MOUNT ISOLATOR							Component ATA:71
PN:PN	MOS/MSC	21-Nov-13	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120006	REPLACE NO. 1 ENGINE FORWARD LOWER ENGINE MOUNT ISOLATOR BONDED MOUNTING							Component ATA:71
PN:PN	MOS/MSC	21-Nov-13	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120006	REPLACE NO. 1 ENGINE FORWARD UPPER ENGINE MOUNT ISOLATOR BONDED MOUNTING							Component ATA:71
PN:PN	MOS/MSC	21-Nov-13	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120006	REPLACE NO. 2 ENGINE AFT ENGINE MOUNT ISOLATOR							Component ATA:71
PN:PN	MOS/MSC	21-Nov-13	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120006	REPLACE NO. 2 ENGINE FORWARD LOWER ENGINE MOUNT ISOLATOR BONDED MOUNTING							Component ATA:71
PN:PN	MOS/MSC	21-Nov-13	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120006	REPLACE NO. 2 ENGINE FORWARD UPPER ENGINE MOUNT ISOLATOR BONDED MOUNTING							Component ATA:71
PN:PN	MOS/MSC	21-Nov-13	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712005	NO. 1 AFT ENGINE ISOLATOR							Component ATA:71
PN:LM-833-SA18	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:LK2101	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712006	NO. 2 AFT ENGINE ISOLATOR							Component ATA:71
PN:LM-833-SA18	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:LK2096	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120069	NO. 1 ENGINE AFT ISOLATOR - PERFORM VISUAL INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120069	NO. 1 ENGINE FORWARD LOWER ISOLATOR - PERFORM VISUAL INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120069	NO. 1 ENGINE FORWARD UPPER ISOLATOR - PERFORM VISUAL INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120069	NO. 2 ENGINE AFT ISOLATOR - PERFORM VISUAL INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120069	NO. 2 ENGINE FORWARD LOWER ISOLATOR - PERFORM VISUAL INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120069	NO. 2 ENGINE FORWARD UPPER ISOLATOR - PERFORM VISUAL INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	3000 (+100/-100)		3000	3100	1068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712007	NO. 1 FORWARD UPPER ENGINE ISOLATOR							Component ATA:71
PN:LM-833-45	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:LK7367	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120070	REPLACE NO. 1 ENGINE AFT ENGINE MOUNT ISOLATOR							Component ATA:71
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	6000 (+100/-100)	TSN 0	6000	6100	4068.7 (+100)	
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120070	REPLACE NO. 1 ENGINE FORWARD LOWER ENGINE MOUNT ISOLATOR BONDED MOUNTING							Component ATA:71
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	6000 (+100/-100)	TSN 0	6000	6100	4068.7 (+100)	
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120070	REPLACE NO. 1 ENGINE FORWARD UPPER ENGINE MOUNT ISOLATOR BONDED MOUNTING							Component ATA:71
	MOS	21-Nov-13						LIFE LIMIT
	HRS	0	6000 (+100/-100)		6000	6100	4068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120070	REPLACE NO. 2 ENGINE AFT ENGINE MOUNT ISOLATOR							Component ATA:71
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	6000 (+100/-100)	TSN 0	6000	6100	4068.7 (+100)	
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120070	REPLACE NO. 2 ENGINE FORWARD LOWER ENGINE MOUNT ISOLATOR BONDED MOUNTING							Component ATA:71
PN:PN	MOS	21-Nov-13		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	6000 (+100/-100)	TSN 0	6000	6100	4068.7 (+100)	
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
7120070	REPLACE NO. 2 ENGINE FORWARD UPPER ENGINE MOUNT ISOLATOR BONDED MOUNTING							Component ATA:71
	MOS	21-Nov-13						LIFE LIMIT
	HRS	0	6000 (+100/-100)		6000	6100	4068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120073	NO. 1 ENGINE AFT ISOLATOR - PERFORM INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	6000 (+100/-100)		6000	6100	4068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120073	NO. 1 ENGINE FORWARD LOWER ISOLATOR - PERFORM INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	6000 (+100/-100)		6000	6100	4068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120073	NO. 1 ENGINE FORWARD UPPER ISOLATOR - PERFORM INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	6000 (+100/-100)		6000	6100	4068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120073	NO. 2 ENGINE AFT ISOLATOR - PERFORM INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	6000 (+100/-100)		6000	6100	4068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120073	NO. 2 ENGINE FORWARD LOWER ISOLATOR - PERFORM INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	6000 (+100/-100)		6000	6100	4068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
7120073	NO. 2 ENGINE FORWARD UPPER ISOLATOR - PERFORM INSPECTION OF ISOLATOR AND ASSOCIATED PARTS							Service ATA:71
	MOS	21-Nov-13						
	HRS	0	6000 (+100/-100)		6000	6100	4068.7 (+100)	
	AFL	0						
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
7120074	* NO. 1 AFT ENGINE MOUNT BOLT - REPLACE							Service ATA:71
	MOS/MSC	21-Nov-13	E/C					CMR*
	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
7120074	* NO. 2 AFT ENGINE MOUNT BOLT - REPLACE							Service ATA:71
	MOS/MSC	21-Nov-13	E/C					CMR*
	HRS	0						
	AFL	0						
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
712008	NO. 2 FORWARD UPPER ENGINE ISOLATOR							Component ATA:71
PN:LM-833-45	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:LK7405	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
712009	NO. 1 FORWARD LOWER ENGINE ISOLATOR							Component ATA:71
PN:LM-833-45	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:LK7375	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
712010	NO. 2 FORWARD LOWER ENGINE ISOLATOR							Component ATA:71
PN:LM-833-45	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:LK7377	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
714010 S	NO. 1 ENGINE - CHECK ELECTRICAL WIRES AND CONNECTIONS - VISUALLY INSPECT FOR SECURITY AND DAMAGE							Service ATA:71
	MOS	07-Nov-25						
	HRS	1642.2	850 (-350)					
	ENC	1509						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
714010 S	NO. 2 ENGINE - CHECK ELECTRICAL WIRES AND CONNECTIONS - VISUALLY INSPECT FOR SECURITY AND DAMAGE							Service ATA:71
	MOS	07-Nov-25						
	HRS	1642.2	850 (-350)					
	ENC	1508						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
715010 S	NO. 1 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS - VISUALLY INSPECT FOR SECURITY, LOOSE OR BROKEN CLAMPS OR BRACKETS, LEAKS, CRACKS, CUTS, OR RUBBING							Service ATA:71
	MOS	07-Nov-25						
	HRS	1642.2	850 (-350)					
	ENC	1509						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
715010 S	NO. 2 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS - VISUALLY INSPECT FOR SECURITY, LOOSE OR BROKEN CLAMPS OR BRACKETS, LEAKS, CRACKS, CUTS, OR RUBBING							Service ATA:71
	MOS	07-Nov-25						
	HRS	1642.2	850 (-350)					
	ENC	1508						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
716005	LH NACELLE INLET ASSY							Component ATA:71
PN:2652000V25-001	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:89198	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-01PROC. REF: AMM 71-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
716006	RH NACELLE INLET ASSY							Component ATA:71
PN:2652000V25-003	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:88985	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-01PROC. REF: AMM 71-10-01								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:3062075-1	MOS/MSC	08-Jul-14	E/C					
SN:P-137153	HRS	89		TSN 89				
WC#: 71.EN1	AFL	87						
PROC. REF: SIL F731-88, AMM 71-00-01PROC. REF: SIL F731-88, AMM 71-00-01								
71EN2	NO. 2 ENGINE							Component ATA:71
PN:3062075-1	MOS/MSC	08-Jul-14	E/C					
SN:P-137154	HRS	89		TSN 89				
WC#: 71.EN2	AFL	87						
PROC. REF: SIL F731-88, AMM 71-00-01PROC. REF: SIL F731-88, AMM 71-00-01								
ATA 72 - ENGINE								
72-AS-720005	NO. 1 ENGINE - INSPECT MAJOR PERIODIC PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	01-Aug-13						
	HRS	0	3000 (+100)		(3000) 2999.98	3100	1068.7 (+100)	
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-AS-720005	NO. 2 ENGINE - INSPECT MAJOR PERIODIC PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	07-Aug-13						
	HRS	0	3000 (+100)		(3000) 2999.98	3100	1068.7 (+100)	
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-AS-720006 S	NO. 1 ENGINE - INSPECT COMB CHAMBER PLENUM CASE INSP PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	01-Aug-13						
	HRS	0	3000 (+100/-100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-AS-720006 S	NO. 2 ENGINE - INSPECT COMB CHAMBER PLENUM CASE INSP PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	07-Aug-13						
	HRS	0	3000 (+100/-100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-AS-720007	NO. 1 ENGINE - INSPECT COMPRESSOR ZONE PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	01-Aug-13						
	HRS	0	5000 (+200)		(5000) 4999.98	5200	3068.7 (+200)	
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-AS-720007	NO. 2 ENGINE - INSPECT COMPRESSOR ZONE PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	07-Aug-13						
	HRS	0	5000 (+200)		(5000) 4999.98	5200	3068.7 (+200)	
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-AS-720008 S	NO. 1 ENGINE - INSPECT AGB PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	01-Aug-13						
	HRS	0	5000 (+200/-200)					
	ENC	0						
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								
72-AS-720008 S	NO. 2 ENGINE - INSPECT AGB PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	07-Aug-13						
	HRS	0	5000 (+200/-200)					
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02								
72-AS-720010	NO. 1 ENGINE - ANALYSIS OIL AND FILTER (BASELINE/SPECIAL REQUIREMENT) (SOAP)							Service ATA:72
	MOS/MSC	28-Dec-15	A/R					
	HRS	354.6						
	ENC	339						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-AS-720010	NO. 2 ENGINE - ANALYSIS OIL AND FILTER (BASELINE/SPECIAL REQUIREMENT) (SOAP)							Service ATA:72
	MOS/MSC	26-Nov-13	A/R					
	HRS	20.3						
	ENC	15						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-AS-720011	NO. 1 ENGINE - REPLACE FUEL FILTER ELEMENT (25-HR INITIAL)							Service ATA:72
	MOS/MSC	26-Nov-13	A/R					
	HRS	20.3						
	ENC	15						
PROC. REF: LMM 73-21-02PROC. REF: LMM 73-21-02								
72-AS-720011	NO. 2 ENGINE - REPLACE FUEL FILTER ELEMENT (25-HR INITIAL)							Service ATA:72
	MOS/MSC	26-Nov-13	A/R					
	HRS	20.3						
	ENC	15						
PROC. REF: LMM 73-21-02PROC. REF: LMM 73-21-02								
720110	NO. 1 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:3060827-4	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:S-4197	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-60-02, LMM 72-60-02PROC. REF: LMM 72-60-02, LMM 72-60-02								
720110	NO. 2 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:3060827-4	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:S-4194	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-60-02, LMM 72-60-02PROC. REF: LMM 72-60-02, LMM 72-60-02								
720244	NO. 1 ENGINE - NO. 6 CARBON SEAL ASSEMBLY							Component ATA:72
PN:3071383-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-150211-00141	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720244	NO. 2 ENGINE - NO. 6 CARBON SEAL ASSEMBLY							Component ATA:72
PN:3071383-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-150211-00136	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720245	NO. 1 ENGINE - NO. 6 BEARING ASSEMBLY							Component ATA:72
PN:358750-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-162111-10964	HRS	0		TSN 0				
	ENC	0		TSN 0				
720245	NO. 2 ENGINE - NO. 6 BEARING ASSEMBLY							Component ATA:72
PN:358750-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-162111-00261	HRS	0		TSN 0				
	ENC	0		TSN 0				
722001	NO. 1 ENGINE - FAN INLET HOUSING ASSEMBLY							Component ATA:72
PN:3060435-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722001	NO. 2 ENGINE - FAN INLET HOUSING ASSEMBLY							Component ATA:72
PN:3060435-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723002	NO. 1 ENGINE - NO. 3 CARBON SEAL ASSEMBLY							Component ATA:72
PN:3060150-3	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:12-169020-02542	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-01, LMM 72-30-01PROC. REF: LMM 72-30-01, LMM 72-30-01								
723002	NO. 2 ENGINE - NO. 3 CARBON SEAL ASSEMBLY							Component ATA:72
PN:3060150-3	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-169020-00127	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-01, LMM 72-30-01PROC. REF: LMM 72-30-01, LMM 72-30-01								
723010	NO. 1 ENGINE - CHECK CARBON SEAL HEALTH							Service ATA:72
	MOS	06-Oct-25						
	HRS	1630.2	1600 (+50/-100)		(3230.2) 3230.18	3280.2	1298.9 (+50)	
	ENC	1495						
								PKG:0
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								
723010	NO. 2 ENGINE - CHECK CARBON SEAL HEALTH							Service ATA:72
	MOS	06-Oct-25						
	HRS	1630.2	1600 (+50/-100)		(3230.2) 3230.18	3280.2	1298.9 (+50)	
	ENC	1494						
								PKG:0
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								
723011	NO. 1 ENGINE - NO. 4 CARBON SEAL RUNNER							Component ATA:72
PN:3075639-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-162397-08586	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723011	NO. 2 ENGINE - NO. 4 CARBON SEAL RUNNER							Component ATA:72
PN:3075639-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-162397-08583	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723012	NO. 1 ENGINE - NO. 4 CARBON SEAL ASSEMBLY							Component ATA:72
PN:3060437-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-152826-32374	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723012	NO. 2 ENGINE - NO. 4 CARBON SEAL ASSEMBLY							Component ATA:72
PN:3060437-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-152826-29217	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723013	NO. 1 ENGINE - NO. 5 CARBON SEAL RUNNER							Component ATA:72
PN:3075633-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-162397-07267	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723013	NO. 2 ENGINE - NO. 5 CARBON SEAL RUNNER							Component ATA:72
PN:3075633-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-162397-07262	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723014	NO. 1 ENGINE - NO. 5 CARBON SEAL ASSEMBLY							Component ATA:72
PN:3060436-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-152826-34402	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723014	NO. 2 ENGINE - NO. 5 CARBON SEAL ASSEMBLY							Component ATA:72
PN:3060436-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-152826-34389	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723081	NO. 1 ENGINE - ROTATING, AIR 2ND STAGE SEAL							Component ATA:72
PN:3074108-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:11-169025-00839	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723081	NO. 2 ENGINE - ROTATING, AIR 2ND STAGE SEAL							Component ATA:72
PN:3074108-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:11-169025-00868	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725007	NO. 1 ENGINE - HIGH PRESSURE TURBINE (HPT) NOZZLE ASSEMBLY							Component ATA:72
PN:3061704-2	MOS/MSC	01-Aug-13	A/R	TSN 0				
SN:13P04298	HRS	0		TSN 0				
WC#: 72.500	ENC	0		TSN 0				
PROC. REF: LMM 72-50-07, LMM 72-50-07PROC. REF: LMM 72-50-07, LMM 72-50-07								
725007	NO. 2 ENGINE - HIGH PRESSURE TURBINE (HPT) NOZZLE ASSEMBLY							Component ATA:72
PN:3061704-2	MOS/MSC	07-Aug-13	A/R	TSN 0				
SN:13P04345	HRS	0		TSN 0				
WC#: 72.500	ENC	0		TSN 0				
PROC. REF: LMM 72-50-07, LMM 72-50-07PROC. REF: LMM 72-50-07, LMM 72-50-07								
725010	NO. 1 ENGINE - 1ST-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060625-1	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:12-156103-00272	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11997		10247	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - 1ST-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060625-1	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:11-156103-00990	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11997		10247	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725017	NO. 1 ENGINE - HPT SHROUD SLEEVE							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-07, LMM 72-50-07PROC. REF: LMM 72-50-07, LMM 72-50-07								
725017	NO. 2 ENGINE - HPT SHROUD SLEEVE							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-07, LMM 72-50-07PROC. REF: LMM 72-50-07, LMM 72-50-07								
725020	NO. 1 ENGINE - 2ND-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060611-1	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:12-156103-00165	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11997		10247	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725020	NO. 2 ENGINE - 2ND-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060611-1	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:12-156103-00175	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11997		10247	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725021	NO. 1 ENGINE - 2ND-STAGE LPT NOZZLE RETAINER							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725021	NO. 2 ENGINE - 2ND-STAGE LPT NOZZLE RETAINER							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725022	NO. 1 ENGINE - 2ND-STAGE LPT NOZZLE SHROUD							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725022	NO. 2 ENGINE - 2ND-STAGE LPT NOZZLE SHROUD							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725030	NO. 1 ENGINE - 3RD-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060671-2	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:12-156103-00238	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11997		10247	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725030	NO. 2 ENGINE - 3RD-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060671-2	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:12-156103-00556	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11997		10247	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725031	NO. 1 ENGINE - 3RD-STAGE LTP BLADES							Component ATA:72
PN:3061823-2	MOS/MSC	01-Aug-13	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725031	NO. 2 ENGINE - 3RD-STAGE LTP BLADES							Component ATA:72
PN:3061823-2	MOS/MSC	07-Aug-13	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725040	NO. 1 ENGINE - HIGH PRESSURE TURBINE (HPT) DISC							Component ATA:72
PN:3060841-1	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:12-156111-00080	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9997		8247	
PROC. REF: LMM 72-50-07, LMM 72-50-07PROC. REF: LMM 72-50-07, LMM 72-50-07								
725040	NO. 2 ENGINE - HIGH PRESSURE TURBINE (HPT) DISC							Component ATA:72
PN:3060841-1	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:12-156111-00305	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9997		8247	
PROC. REF: LMM 72-50-07, LMM 72-50-07PROC. REF: LMM 72-50-07, LMM 72-50-07								
725045	NO. 1 ENGINE - HIGH PRESSURE TURBINE (HPT) ASSY							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725045	NO. 2 ENGINE - HIGH PRESSURE TURBINE (HPT) ASSY							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
725050	NO. 1 ENGINE - FAN DISC							Component ATA:72
PN:3060287-2	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:13-162246-00740	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19997		18247	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - FAN DISC							Component ATA:72
PN:3060287-2	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:12-162246-04281	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19997		18247	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725060	NO. 1 ENGINE - 1ST-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3060372-1	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:12-162045-01368	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9997		8247	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725060	NO. 2 ENGINE - 1ST-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3060372-1	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:12-162045-02197	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9997		8247	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725070	NO. 1 ENGINE - 2ND-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3075839-1	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:12-162045-02172	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19997		18247	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725070	NO. 2 ENGINE - 2ND-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3075839-1	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:12-162045-02169	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19997		18247	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725071	NO. 1 ENGINE - COMBUSTION LINER							Component ATA:72
PN:3060766-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-3300-01507	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-03, LMM 72-40-03PROC. REF: LMM 72-40-03, LMM 72-40-03								
725071	NO. 2 ENGINE - COMBUSTION LINER							Component ATA:72
PN:3060766-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-3300-01506	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-03, LMM 72-40-03PROC. REF: LMM 72-40-03, LMM 72-40-03								
725080	NO. 1 ENGINE - 3RD-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3060374-1	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:12-162045-01472	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19997		18247	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725080	NO. 2 ENGINE - 3RD-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3060374-1	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:12-162045-01474	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19997		18247	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725081	NO. 1 ENGINE - OUTER TRANSITION LINER							Component ATA:72
PN:3060573-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-3300-01076	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-03, LMM 72-40-03PROC. REF: LMM 72-40-03, LMM 72-40-03								
725081	NO. 2 ENGINE - OUTER TRANSITION LINER							Component ATA:72
PN:3060573-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-3300-01237	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-03, LMM 72-40-03PROC. REF: LMM 72-40-03, LMM 72-40-03								
725090	NO. 1 ENGINE - 4TH-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3075326-5	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:12-162053-48886	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19997		18247	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725090	NO. 2 ENGINE - 4TH-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3075326-5	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:12-162053-48990	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19997		18247	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725110	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component ATA:72
PN:3074744-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13P57686	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-10, LMM 72-30-10PROC. REF: LMM 72-30-10, LMM 72-30-10								
725110	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component ATA:72
PN:3074744-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13P57189	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-10, LMM 72-30-10PROC. REF: LMM 72-30-10, LMM 72-30-10								
725120	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR ROTOR IMPELLER							Component ATA:72
PN:3060371-1	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:13-182449-08843	HRS	0		TSN 0				
	ENC	0	8000	TSN 0	(8000) 7997		6247	
PROC. REF: LMM 72-50-06, LMM 72-50-06PROC. REF: LMM 72-50-06, LMM 72-50-06								
725120	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR ROTOR IMPELLER							Component ATA:72
PN:3060371-1	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:13-182449-08837	HRS	0		TSN 0				
	ENC	0	8000	TSN 0	(8000) 7997		6247	
PROC. REF: LMM 72-50-06, LMM 72-50-06PROC. REF: LMM 72-50-06, LMM 72-50-06								
725130	NO. 1 ENGINE - FAN SPINNER							Component ATA:72
PN:3060156-2	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:13-5060-00082	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19997		18247	
PROC. REF: LMM 72-70-01, LMM 72-70-01PROC. REF: LMM 72-70-01, LMM 72-70-01								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725130	NO. 2 ENGINE - FAN SPINNER							Component ATA:72
PN:3060156-2	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:13-5060-00084	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19997		18247	
PROC. REF: LMM 72-70-01, LMM 72-70-01PROC. REF: LMM 72-70-01, LMM 72-70-01								
725140	NO. 1 ENGINE - FAN DRIVE SHAFT							Component ATA:72
PN:3060180-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:1215611408300	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725140	NO. 2 ENGINE - FAN DRIVE SHAFT							Component ATA:72
PN:3060180-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:1215611408321	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725141	NO. 1 ENGINE - FAN ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725141	NO. 2 ENGINE - FAN ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725160	NO. 1 ENGINE - FORWARD ROTOR HIGH PRESSURE SEAL							Component ATA:72
PN:3060698-1	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:12-162246-06381	HRS	0		TSN 0				
	ENC	0	7000	TSN 0	(7000) 6997		5247	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-70-03, LMM 72-70-03PROC. REF: LMM 72-70-03, LMM 72-70-03								
725160	NO. 2 ENGINE - FORWARD ROTOR HIGH PRESSURE SEAL							Component ATA:72
PN:3060698-1	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:12-162246-06380	HRS	0		TSN 0				
	ENC	0	7000	TSN 0	(7000) 6997		5247	
PROC. REF: LMM 72-70-03, LMM 72-70-03PROC. REF: LMM 72-70-03, LMM 72-70-03								
725170	NO. 1 ENGINE - HIGH PRESSURE SHOULDERED SHAFT							Component ATA:72
PN:3060366-3	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13P59101	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725170	NO. 2 ENGINE - HIGH PRESSURE SHOULDERED SHAFT							Component ATA:72
PN:3060366-3	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13P59095	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725180	NO. 1 ENGINE - COMBUSTION PLENUM CASE							Component ATA:72
PN:3060534-4	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-3300-01153	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-04, LMM 72-40-04PROC. REF: LMM 72-40-04, LMM 72-40-04								
725180	NO. 2 ENGINE - COMBUSTION PLENUM CASE							Component ATA:72
PN:3060534-4	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-3300-01375	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-04, LMM 72-40-04PROC. REF: LMM 72-40-04, LMM 72-40-04								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725210	NO. 1 ENGINE - HIGH PRESSURE TURBINE FORWARD SEAL PLATE							Component ATA:72
PN:3060514-1	MOS	01-Aug-13		TSN 0				LIFE LIMIT
SN:13-182449-08352	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9997		8247	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725210	NO. 2 ENGINE - HIGH PRESSURE TURBINE FORWARD SEAL PLATE							Component ATA:72
PN:3060514-1	MOS	07-Aug-13		TSN 0				LIFE LIMIT
SN:13-182449-08349	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9997		8247	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725220	NO. 1 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component ATA:72
PN:3060694-8	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-3300-00526	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725220	NO. 2 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component ATA:72
PN:3060694-8	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-3300-00533	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725230	NO. 1 ENGINE - LOW PRESSURE TURBINE (LPT) 1 NOZZLE SEAL SUPPORT							Component ATA:72
PN:3060693-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-3300-01113	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725230	NO. 2 ENGINE - LOW PRESSURE TURBINE (LPT) 1 NOZZLE SEAL SUPPORT							Component ATA:72
PN:3060693-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-3300-01117	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725240	NO. 1 ENGINE - LOW PRESSURE TURBINE (LPT) 1 NOZZLE ASSEMBLY							Component ATA:72
PN:3060666-11	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-3300-00137	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725240	NO. 2 ENGINE - LOW PRESSURE TURBINE (LPT) 1 NOZZLE ASSEMBLY							Component ATA:72
PN:3060666-11	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-3300-00134	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725250	NO. 1 ENGINE - FORWARD SHAFT HIGH PRESSURE TURBINE (HPT) COUPLING							Component ATA:72
PN:3060502-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-1034-38055	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725250	NO. 2 ENGINE - FORWARD SHAFT HIGH PRESSURE TURBINE (HPT) COUPLING							Component ATA:72
PN:3060502-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-1034-38567	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725260	NO. 1 ENGINE - AFT HIGH PRESSURE TURBINE (HPT) SHAFT COUPLING							Component ATA:72
PN:3060599-3	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-1034-38047	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725260	NO. 2 ENGINE - AFT HIGH PRESSURE TURBINE (HPT) SHAFT COUPLING							Component ATA:72
PN:3060599-3	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-1034-38217	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725270	NO. 1 ENGINE - NOZZLE LOW PRESSURE TURBINE (LPT) (A5) SEAL							Component ATA:72
PN:3073765-12	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-3300-01478	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725270	NO. 2 ENGINE - NOZZLE LOW PRESSURE TURBINE (LPT) (A5) SEAL							Component ATA:72
PN:3073765-12	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-3300-01479	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726005	NO. 1 ENGINE - TRANSFER GEARBOX ASSEMBLY							Component ATA:72
PN:3070093-16	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13P59599	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-60-03, LMM 72-60-03PROC. REF: LMM 72-60-03, LMM 72-60-03								
726005	NO. 2 ENGINE - TRANSFER GEARBOX ASSEMBLY							Component ATA:72
PN:3070093-16	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13P59600	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-60-03, LMM 72-60-03PROC. REF: LMM 72-60-03, LMM 72-60-03								
726010	NO. 1 ENGINE - FORWARD OIL PUMP SPUR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
726010	NO. 2 ENGINE - FORWARD OIL PUMP SPUR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
726011	NO. 1 ENGINE - AFT OIL PUMP SPUR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726011	NO. 2 ENGINE - AFT OIL PUMP SPUR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726012	NO. 1 ENGINE - FORWARD ALTERNATOR SPU ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726012	NO. 2 ENGINE - FORWARD ALTERNATOR SPU ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726013	NO. 1 ENGINE - AFT ALTERNATOR SPU ANNULAR BEARING							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726013	NO. 2 ENGINE - AFT ALTERNATOR SPU ANNULAR BEARING							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726014	NO. 1 ENGINE - FORWARD AIR-OIL SEPARATOR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726014	NO. 2 ENGINE - FORWARD AIR-OIL SEPARATOR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726015	NO. 1 ENGINE - AFT AIR-OIL SEPARATOR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726015	NO. 2 ENGINE - AFT AIR-OIL SEPARATOR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726016	NO. 1 ENGINE - FORWARD STARTER/GENERATOR SPU ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726016	NO. 2 ENGINE - FORWARD STARTER/GENERATOR SPU ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726017	NO. 1 ENGINE - AFT STARTER/GENERATOR SPU ANNULAR BEARING							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726017	NO. 2 ENGINE - AFT STARTER/GENERATOR SPU ANNULAR BEARING							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727001	NO. 1 ENGINE - BYPASS FAN STATOR							Component ATA:72
PN:3060163-5	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13P52769	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-04, LMM 72-70-04PROC. REF: LMM 72-70-04, LMM 72-70-04								
727001	NO. 2 ENGINE - BYPASS FAN STATOR							Component ATA:72
PN:3060163-5	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13P58430	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-04, LMM 72-70-04PROC. REF: LMM 72-70-04, LMM 72-70-04								
727005	NO. 1 ENGINE - UPPER FAN DUCT ASSEMBLY							Component ATA:72
PN:3061300-7	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-181898-00911	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05								
727005	NO. 2 ENGINE - UPPER FAN DUCT ASSEMBLY							Component ATA:72
PN:3061300-7	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-181898-00917	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05								
727006	NO. 1 ENGINE - LOWER FAN DUCT ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05								
727006	NO. 2 ENGINE - LOWER FAN DUCT ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05								
727010 S	NO. 1 ENGINE - INSPECT BYPASS STATOR VANE ASSEMBLY.							Service ATA:72
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+100/-200)					
	ENC	1163						
								PKG:0
PROC. REF: LMM 72-70-04, LMM 72-70-04, LMM 72-70-04PROC. REF: LMM 72-70-04, LMM 72-70-04, LMM 72-70-04								
727010 S	NO. 2 ENGINE - INSPECT BYPASS STATOR VANE ASSEMBLY.							Service ATA:72
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+100/-200)					
	ENC	1162						
								PKG:0
PROC. REF: LMM 72-70-04, LMM 72-70-04, LMM 72-70-04PROC. REF: LMM 72-70-04, LMM 72-70-04, LMM 72-70-04								
727101	NO. 1 ENGINE - NO. 1 CARBON SEAL ASSEMBLY							Component ATA:72
PN:3060457-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-152826-31234	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727101	NO. 2 ENGINE - NO. 1 CARBON SEAL ASSEMBLY							Component ATA:72
PN:3060457-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-152826-32206	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727102	NO. 1 ENGINE - NO. 1 CARBON SEAL RUNNER							Component ATA:72
PN:3075657-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-162397-03818	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727102	NO. 2 ENGINE - NO. 1 CARBON SEAL RUNNER							Component ATA:72
PN:3075657-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-162397-03813	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727103	NO. 1 ENGINE - NO. 1 BEARING ASSEMBLY							Component ATA:72
PN:3061510-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-162111-11198	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727103	NO. 2 ENGINE - NO. 1 BEARING ASSEMBLY							Component ATA:72
PN:3061510-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-162111-11206	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727105	NO. 1 ENGINE - HELICAL RING GEAR							Component ATA:72
PN:3060277-4	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:1215611408380	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727105	NO. 2 ENGINE - HELICAL RING GEAR							Component ATA:72
PN:3060277-4	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:1215611408361	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727107	NO. 1 ENGINE - SUN GEAR							Component ATA:72
PN:3060272-3	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-1034-38107	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727107	NO. 2 ENGINE - SUN GEAR							Component ATA:72
PN:3060272-3	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-1034-38109	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727203	NO. 1 ENGINE - NO. 3 BALL BEARING							Component ATA:72
PN:358753-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:12-162255-09522	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-01, LMM 72-30-01PROC. REF: LMM 72-30-01, LMM 72-30-01								
727203	NO. 2 ENGINE - NO. 3 BALL BEARING							Component ATA:72
PN:358753-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:12-162255-09437	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-01, LMM 72-30-01PROC. REF: LMM 72-30-01, LMM 72-30-01								
727210	NO. 1 ENGINE - PLANET HOUSING ASSEMBLY							Component ATA:72
PN:3060121-8	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:1216224301182	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727210	NO. 2 ENGINE - PLANET HOUSING ASSEMBLY							Component ATA:72
PN:3060121-8	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:1216224301141	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-1	NO. 1 ENGINE - NO. 1 PLANET GEAR ASSEMBLY							Component ATA:72
PN:3060129-7	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13P59381	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-1	NO. 2 ENGINE - NO. 1 PLANET GEAR ASSEMBLY							Component ATA:72
PN:3060129-7	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13P59377	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-2	NO. 1 ENGINE - NO. 2 PLANET GEAR ASSEMBLY							Component ATA:72
PN:3060129-7	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13P59553	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-2	NO. 2 ENGINE - NO. 2 PLANET GEAR ASSEMBLY							Component ATA:72
PN:3060129-7	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13P59383	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-3	NO. 1 ENGINE - NO. 3 PLANET GEAR ASSEMBLY							Component ATA:72
PN:3060129-7	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13P59555	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727210-3	NO. 2 ENGINE - NO. 3 PLANET GEAR ASSEMBLY							Component ATA:72
PN:3060129-7	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13P59472	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-4	NO. 1 ENGINE - NO. 4 PLANET GEAR ASSEMBLY							Component ATA:72
PN:3060129-7	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13P59556	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-4	NO. 2 ENGINE - NO. 4 PLANET GEAR ASSEMBLY							Component ATA:72
PN:3060129-7	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13P59474	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-5	NO. 1 ENGINE - NO. 5 PLANET GEAR ASSEMBLY							Component ATA:72
PN:3060129-7	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13P59557	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-5	NO. 2 ENGINE - NO. 5 PLANET GEAR ASSEMBLY							Component ATA:72
PN:3060129-7	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13P59554	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
ATA 73 - ENGINE FUEL AND CONTROL								
730110	NO. 1 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:3070800-47	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:20335	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
730110	NO. 2 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:3070800-47	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:20334	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
730120 S	NO. 1 ENGINE - REPLACE FUEL FILTER ELEMENT							Service ATA:73
	MOS	12-Dec-24						
	HRS	1447	600 (+50/-100)					
	ENC	1344						
								PKG:0
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02								
730120 S	NO. 2 ENGINE - REPLACE FUEL FILTER ELEMENT							Service ATA:73
	MOS	12-Dec-24						
	HRS	1447	600 (+50/-100)					
	ENC	1343						
								PKG:0
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02								
730130	NO. 1 ENGINE - ENGINE FUEL PUMP ASSEMBLY							Component ATA:73
PN:3060760-4	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:3500	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01, LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01, LMM 73-20-01, LMM 73-20-01								
730130	NO. 2 ENGINE - ENGINE FUEL PUMP ASSEMBLY							Component ATA:73
PN:3060760-4	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:3499	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01, LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01, LMM 73-20-01, LMM 73-20-01								
731001	NO. 1 ENGINE - MOTIVE FLOW FUEL PUMP ASSEMBLY							Component ATA:73
PN:70060003-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-30003-00049	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-21-02PROC. REF: LMM 73-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731001	NO. 2 ENGINE - MOTIVE FLOW FUEL PUMP ASSEMBLY							Component ATA:73
PN:70060003-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-30003-00069	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-21-02PROC. REF: LMM 73-21-02								
731005-1	NO. 1 ENGINE - NO. 1 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00352	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-1	NO. 2 ENGINE - NO. 1 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00589	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-10	NO. 1 ENGINE - NO. 10 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00391	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-10	NO. 2 ENGINE - NO. 10 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00678	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-11	NO. 1 ENGINE - NO. 11 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00394	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731005-11	NO. 2 ENGINE - NO. 11 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00679	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-12	NO. 1 ENGINE - NO. 12 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00398	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-12	NO. 2 ENGINE - NO. 12 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00580	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-2	NO. 1 ENGINE - NO. 2 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00354	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-2	NO. 2 ENGINE - NO. 2 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00590	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-3	NO. 1 ENGINE - NO. 3 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00355	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731005-3	NO. 2 ENGINE - NO. 3 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00591	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-4	NO. 1 ENGINE - NO. 4 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00359	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-4	NO. 2 ENGINE - NO. 4 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00592	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-5	NO. 1 ENGINE - NO. 5 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00360	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-5	NO. 2 ENGINE - NO. 5 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00593	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-6	NO. 1 ENGINE - NO. 6 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00361	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731005-6	NO. 2 ENGINE - NO. 6 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00594	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-7	NO. 1 ENGINE - NO. 7 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00362	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-7	NO. 2 ENGINE - NO. 7 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00673	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-8	NO. 1 ENGINE - NO. 8 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00364	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-8	NO. 2 ENGINE - NO. 8 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00676	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-9	NO. 1 ENGINE - NO. 9 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13163498-00365	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731005-9	NO. 2 ENGINE - NO. 9 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:3060540-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-163498-00677	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731015	NO. 1 ENGINE - FUEL PUMP PRESSURE DIFFERENTIAL INDICATOR							Component ATA:73
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
731015	NO. 2 ENGINE - FUEL PUMP PRESSURE DIFFERENTIAL INDICATOR							Component ATA:73
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
731110	NO. 1 ENGINE - PRESSURE LIMITER (PCD) VALVE							Component ATA:73
PN:3070685-11	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:18860	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
731110	NO. 2 ENGINE - PRESSURE LIMITER (PCD) VALVE							Component ATA:73
PN:3070685-11	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:18862	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
731120	NO. 1 ENGINE - FUEL FLOW DIVIDER/DRAIN VALVE							Component ATA:73
PN:394476-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:3676	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731120	NO. 2 ENGINE - FUEL FLOW DIVIDER/DRAIN VALVE							Component ATA:73
PN:394476-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:3677	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732102	NO. 1 ENGINE - RELIEF VALVE							Component ATA:73
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732102	NO. 2 ENGINE - RELIEF VALVE							Component ATA:73
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732120 S	NO. 1 ENGINE - INSPECT MOTIVE FLOW FUEL PUMP DRIVE SPLINE							Service ATA:73
	MOS	12-Dec-24						
	HRS	1447	600 (+50/-100)					
	ENC	1344						
								PKG:0
PROC. REF: LMM 72-00-00, LMM 73-21-04PROC. REF: LMM 72-00-00, LMM 73-21-04								
732120 S	NO. 2 ENGINE - INSPECT MOTIVE FLOW FUEL PUMP DRIVE SPLINE							Service ATA:73
	MOS	12-Dec-24						
	HRS	1447	600 (+50/-100)					
	ENC	1343						
								PKG:0
PROC. REF: LMM 72-00-00, LMM 73-21-04PROC. REF: LMM 72-00-00, LMM 73-21-04								
733013	FUEL FLOW, DUAL CONVERTER							Component ATA:73
PN:10540B08F07	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:12051295A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-31-02PROC. REF: AMM 73-31-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733031	ELECTRICAL RESISTANCE (FUEL - LH) TEMPERATURE BULB							Component ATA:73
PN:MS28034-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:CY677	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-31-03	PROC. REF: AMM 73-31-03							
733032	ELECTRICAL RESISTANCE (FUEL - RH) TEMPERATURE BULB							Component ATA:73
PN:MS28034-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:CY172	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-31-03	PROC. REF: AMM 73-31-03							
ATA 74 - IGNITION								
740110	NO. 1 ENGINE - IGNITION UNIT							Component ATA:74
PN:3061186-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:J13120034	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01	PROC. REF: LMM 74-00-01, LMM 74-00-01							
740110	NO. 2 ENGINE - IGNITION UNIT							Component ATA:74
PN:3061186-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:J13130199	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01	PROC. REF: LMM 74-00-01, LMM 74-00-01							
740130	NO. 1 ENGINE - 5 O'CLOCK IGNITER (#1 POSITION) PLUG							Component ATA:74
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01	PROC. REF: LMM 74-00-01, LMM 74-00-01							
740130	NO. 2 ENGINE - 5 O'CLOCK IGNITER (#1 POSITION) PLUG							Component ATA:74
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
740140 S	NO. 1 ENGINE - REMOVE AND INSPECT 5 O'CLOCK IGNITER PLUG AND LEAD							Service ATA:74
	MOS	06-Oct-25						
	HRS	1630.2	1600 (+50/-100)					
	ENC	1495						
								PKG:0
740140 S	NO. 2 ENGINE - REMOVE AND INSPECT 5 O'CLOCK IGNITER PLUG AND LEAD							Service ATA:74
	MOS	06-Oct-25						
	HRS	1630.2	1600 (+50/-100)					
	ENC	1494						
								PKG:0
740150	NO. 1 ENGINE - 7 O'CLOCK IGNITER (#2 POSITION) PLUG							Component ATA:74
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
740150	NO. 2 ENGINE - 7 O'CLOCK IGNITER (#2 POSITION) PLUG							Component ATA:74
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
740160 S	NO. 1 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEAD							Service ATA:74
	MOS	06-Oct-25						
	HRS	1630.2	1600 (+50/-100)					
	ENC	1495						
								PKG:0
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
740160 S	NO. 2 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEAD							Service ATA:74
	MOS	06-Oct-25						
	HRS	1630.2	1600 (+50/-100)					
	ENC	1494						
								PKG:0
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
742011	NO. 1 ENGINE - NO. 1 IGNITION (IPC 20 REFERENCE) LEAD							Component ATA:74
PN:3060722-11	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:S13030010	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
742011	NO. 2 ENGINE - NO. 1 IGNITION (IPC 20 REFERENCE) LEAD							Component ATA:74
PN:3060722-11	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:S13030005	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
742012	NO. 1 ENGINE - NO. 2 IGNITION (IPC 25 REFERENCE) LEAD							Component ATA:74
PN:3060722-12	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:S12480022	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
742012	NO. 2 ENGINE - NO. 2 IGNITION (IPC 25 REFERENCE) LEAD							Component ATA:74
PN:3060722-12	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:S12470004	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
742020	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:3060601-2	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
742020	NO. 2 ENGINE - IGNITION EXCITER							Component ATA:74
PN:3060601-2	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 75 - AIR								
754210	NO. 1 ENGINE - INLET PRESSURE AND TEMPERATURE SENSOR							Component ATA:75
PN:3070816-14	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:1316901724191	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-40-01, LMM 75-40-01, LMM 75-40-01, LMM 75-40-01PROC. REF: LMM 75-40-01, LMM 75-40-01, LMM 75-40-01, LMM 75-40-01								
754210	NO. 2 ENGINE - INLET PRESSURE AND TEMPERATURE SENSOR							Component ATA:75
PN:3070816-14	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:1316901724228	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-40-01, LMM 75-40-01, LMM 75-40-01, LMM 75-40-01PROC. REF: LMM 75-40-01, LMM 75-40-01, LMM 75-40-01, LMM 75-40-01								
ATA 76 - ENGINE CONTROLS								
7600001 S	FUNCTIONAL TEST THRUST LEVER CONTROL MODULE							Service ATA:76
	MOS	20-Feb-23	108 (+14d/-14d)					
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02								
761005	THRUST LEVER CONTROL MODULE							Component ATA:76
PN:69011-21	MOS/MSC	17-Sep-25	O/C	TSR 0				
SN:1136165	HRS	1612		TSR 0				
	AFL	1478		TSR 0				
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
761310	NO. 1 ENGINE - SURGE BLEED VALVE							Component ATA:76
PN:978812-7-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:14772	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
761310	NO. 2 ENGINE - SURGE BLEED VALVE							Component ATA:76
PN:978812-7-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:14773	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
761320	NO. 1 ENGINE - SOLENOID CONTROLLER VALVE							Component ATA:76
PN:109696-6-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:14138	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
761320	NO. 2 ENGINE - SOLENOID CONTROLLER VALVE							Component ATA:76
PN:109696-6-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:14140	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
761330	NO. 1 ENGINE - ENGINE (DEEC) COMPUTER							Component ATA:76
PN:2118882-8001	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:53-BP0033	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-02, LMM 76-10-02, LMM 76-10-02, LMM 76-10-02PROC. REF: LMM 76-10-02, LMM 76-10-02, LMM 76-10-02, LMM 76-10-02								
761330	NO. 2 ENGINE - ENGINE (DEEC) COMPUTER							Component ATA:76
PN:2118882-8001	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:53-BP0034	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-02, LMM 76-10-02, LMM 76-10-02, LMM 76-10-02PROC. REF: LMM 76-10-02, LMM 76-10-02, LMM 76-10-02, LMM 76-10-02								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
761330A	NO. 1 ENGINE - DOWNLOAD ENGINE (DEEC) COMPUTER ECTM							Service ATA:76
PN:2118882-8001	MOS	19-Jul-26						
SN:53-BP0033	HRS	1834.7	150		(1984.7) 1984.68		53.4	
	ENC	1677						
PROC. REF: MSC CAMP EHM ADENDUMPROC. REF: MSC CAMP EHM ADENDUM								
761330A	NO. 2 ENGINE - DOWNLOAD ENGINE (DEEC) COMPUTER ECTM							Service ATA:76
PN:2118882-8001	MOS	19-Jul-26						
SN:53-BP0034	HRS	1834.7	150		(1984.7) 1984.68		53.4	
	ENC	1677						
PROC. REF: MSC CAMP EHM ADENDUMPROC. REF: MSC CAMP EHM ADENDUM								
ATA 77 - ENGINE INDICATING								
770101	NO. 1 ENGINE - N1 MONOPOLE							Component ATA:77
PN:3060714-5	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:12910300076	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-02PROC. REF: LMM 77-10-02								
770101	NO. 2 ENGINE - N1 MONOPOLE							Component ATA:77
PN:3060714-5	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:12910300077	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-02PROC. REF: LMM 77-10-02								
770110	NO. 1 ENGINE - N1 LEAD MONOPOLE							Component ATA:77
PN:3060718-4	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:12-150262-32815	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-02PROC. REF: LMM 77-10-02								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
770110	NO. 2 ENGINE - N1 LEAD MONOPOLE							Component ATA:77
PN:3060718-4	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:12-150262-32825	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-02PROC. REF: LMM 77-10-02								
771210	NO. 1 ENGINE - N1 COMPENSATOR							Component ATA:77
PN:3060735-5	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:1316909400304	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03, LMM 77-10-03, LMM 77-10-03, LMM 77-10-03PROC. REF: LMM 77-10-03, LMM 77-10-03, LMM 77-10-03, LMM 77-10-03								
771210	NO. 2 ENGINE - N1 COMPENSATOR							Component ATA:77
PN:3060735-4	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:0916909400838	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03, LMM 77-10-03, LMM 77-10-03, LMM 77-10-03PROC. REF: LMM 77-10-03, LMM 77-10-03, LMM 77-10-03, LMM 77-10-03								
771220	NO. 1 ENGINE - N2 MONOPOLE							Component ATA:77
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05, LMM 77-10-05, LMM 77-10-05, LMM 77-10-05PROC. REF: LMM 77-10-05, LMM 77-10-05, LMM 77-10-05, LMM 77-10-05								
771220	NO. 2 ENGINE - N2 MONOPOLE							Component ATA:77
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05, LMM 77-10-05, LMM 77-10-05, LMM 77-10-05PROC. REF: LMM 77-10-05, LMM 77-10-05, LMM 77-10-05, LMM 77-10-05								
772210	NO. 1 ENGINE - ITT HARNESS ASSEMBLY							Component ATA:77
PN:3060763-3	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:1316901740368	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01, LMM 77-20-01, LMM 77-20-01PROC. REF: LMM 77-20-01, LMM 77-20-01, LMM 77-20-01, LMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
772210	NO. 2 ENGINE - ITT HARNESS ASSEMBLY							Component ATA:77
PN:3060763-3	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:1316901740620	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01, LMM 77-20-01, LMM 77-20-01PROC. REF: LMM 77-20-01, LMM 77-20-01, LMM 77-20-01, LMM 77-20-01								
774001	ENGINE VIBRATION SIGNAL CONDITIONER BOX							Component ATA:77
PN:241-241-000-501	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:AH64685	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-41-01PROC. REF: AMM 77-41-01								
774010	TAILCONE/VERT STAB ASSY RELAY BOX							Component ATA:77
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-41-03PROC. REF: AMM 77-41-03								
7741000 S	FUNCTIONAL TEST ENGINE VIBRATION MONITORING SYSTEM							Service ATA:77
	MOS	20-Feb-23	108 (+14d/-14d)					
	HRS	1067.8	2400 (+25/-25)					
	AFL	1012						
								PKG:7
PROC. REF: AMM 77-41-00PROC. REF: AMM 77-41-00								
774103	GSC46 (PRIMARY) SIGNAL CONDITIONER							Component ATA:77
PN:013-00337-10	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:209	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-41-04PROC. REF: AMM 77-41-04								
774104	GSC46 (SECONDARY) SIGNAL CONDITIONER							Component ATA:77
PN:013-00337-10	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:206	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-41-04PROC. REF: AMM 77-41-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
7830007	CHECK THRUST REVERSER - PERFORM CONDUCTIVITY CHECK OF RH THRUST REVERSER DOOR SKIN AND COWL ADJACENT TO APU EXHAUST.							Service ATA:78
	MOS	21-Nov-13						
	HRS	0						
	AFL	0						
	APH	0	1200 (+25/-25)		1200	1225	323.3 (+25)	
PROC. REF: NDT 78-30-01PROC. REF: NDT 78-30-01								
783001	LEFT LOWER THRUST REVERSER ASSY							Component ATA:78
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								
783001	LEFT UPPER THRUST REVERSER ASSY							Component ATA:78
PN:LJ7833100-3	MOS/MSC	20-Feb-23	O/C	TSO 20				
SN:A30041738	HRS	1067.8		TSO 0				
	AFL	1012		TSO 0				
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								
783002	RIGHT LOWER THRUST REVERSER ASSY							Component ATA:78
PN:PN	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								
783002	RIGHT UPPER THRUST REVERSER ASSY							Component ATA:78
PN:LJ7830101-6	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:A30040627	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
7830078 S		** THRUST REVERSER SYSTEM THROTTLE RETARD ACTUATOR - PERFORM OPERATIONAL CHECK						Service	ATA:78
	MOS	20-Feb-23	108 (+14d/-14d)					CMR**	
	HRS	1067.8	2400 (+25/-25)						
	AFL	1012							
									PKG:7
PROC. REF: AMM 78-32-40PROC. REF: AMM 78-32-40									
7830081 S		NDT INSPECT LEFT ENGINE THRUST REVERSERS - REMOVE LINK ROD ASSEMBLIES AND PERFORM MAGNETIC PARTICLE INSPECTION.						Service	ATA:78
	MOS	20-Feb-23	108 (+14d/-14d)						
	HRS	1067.8	2400 (+25/-25)						
	AFL	1012							
									PKG:7
PROC. REF: NDT 78-30-01PROC. REF: NDT 78-30-01									
7830081 S		NDT INSPECT RIGHT ENGINE THRUST REVERSERS - REMOVE LINK ROD ASSEMBLIES AND PERFORM MAGNETIC PARTICLE INSPECTION.						Service	ATA:78
	MOS	20-Feb-23	108 (+14d/-14d)						
	HRS	1067.8	2400 (+25/-25)						
	AFL	1012							
									PKG:7
PROC. REF: NDT 78-30-01PROC. REF: NDT 78-30-01									
7830082 S		NDT INSPECT LEFT ENGINE THRUST REVERSERS - REMOVE THRUST REVERSER DOOR ASSEMBLIES AND PERFORM EDDY CURRENT INSPECTION OF PIVOT FITTING AND DOOR HINGES.						Service	ATA:78
	MOS	20-Feb-23	108 (+14d/-14d)						
	HRS	1067.8	2400 (+25/-25)						
	AFL	1012							
									PKG:7
PROC. REF: NDT 78-30-02, NDT 78-30-03PROC. REF: NDT 78-30-02, NDT 78-30-03									
7830082 S		NDT INSPECT RIGHT ENGINE THRUST REVERSERS - REMOVE THRUST REVERSER DOOR ASSEMBLIES AND PERFORM EDDY CURRENT INSPECTION OF PIVOT FITTING AND DOOR HINGES.						Service	ATA:78
	MOS	20-Feb-23	108 (+14d/-14d)						
	HRS	1067.8	2400 (+25/-25)						
	AFL	1012							
									PKG:7
PROC. REF: NDT 78-30-02, NDT 78-30-03PROC. REF: NDT 78-30-02, NDT 78-30-03									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783101	LEFT THRUST REVERSER ISOLATION VALVE							Component ATA:78
PN:LJ7835200-5	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-30-02	PROC. REF: AMM 78-30-02							
783102	RIGHT THRUST REVERSER ISOLATION VALVE							Component ATA:78
PN:LJ7835200-5	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:1330	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-30-02	PROC. REF: AMM 78-30-02							
783301	LEFT THRUST REVERSER CONTROL UNIT							Component ATA:78
PN:LJ7836706-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00811	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-33-10	PROC. REF: AMM 78-33-10							
783302	RIGHT THRUST REVERSER CONTROL UNIT							Component ATA:78
PN:LJ7836706-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:00822	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-33-10	PROC. REF: AMM 78-33-10							
ATA 79 - OIL								
790110	NO. 1 ENGINE - OIL PUMP							Component ATA:79
PN:3060785-3	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:1316225400167	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03	PROC. REF: LMM 79-20-03, LMM 79-20-03							
790110	NO. 2 ENGINE - OIL PUMP							Component ATA:79
PN:3060785-3	MOS/MSC	06-Oct-25	O/C	TSO 0				
SN:051405700933	HRS	1630.2		TSO 0				
	ENC	1494		TSO 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03	PROC. REF: LMM 79-20-03, LMM 79-20-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790130 S	NO. 1 ENGINE - ANALYSIS OIL AND FILTER (SOAP)							Service ATA:79
	MOS	07-Jan-26						
	HRS	1680.3	150 (+100)					
	ENC	1539						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
790130 S	NO. 2 ENGINE - ANALYSIS OIL AND FILTER (SOAP)							Service ATA:79
	MOS	07-Jan-26						
	HRS	1680.3	150 (+100)					
	ENC	1538						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
790140 S	NO. 1 ENGINE - PERFORM OIL CHANGE							Service ATA:79
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+100/-200)					
	ENC	1163						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
790140 S	NO. 2 ENGINE - PERFORM OIL CHANGE							Service ATA:79
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+100/-200)					
	ENC	1162						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
790150 S	NO. 1 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION AND PERFORM RESISTANCE CHECK							Service ATA:79
	MOS	12-Dec-24						
	HRS	1447	600 (+50/-100)					
	ENC	1344						
								PKG:0
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790150 S	NO. 2 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION AND PERFORM RESISTANCE CHECK							Service ATA:79
	MOS	12-Dec-24						
	HRS	1447	600 (+50/-100)					
	ENC	1343						
								PKG:0
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01								
790160 S	NO. 1 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION							Service ATA:79
	MOS	07-Jan-26						
	HRS	1680.3	150 (+100)					
	ENC	1539						
								PKG:0
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01								
790160 S	NO. 2 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION							Service ATA:79
	MOS	07-Jan-26						
	HRS	1680.3	150 (+100)					
	ENC	1538						
								PKG:0
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01								
791001	NO. 1 ENGINE - ENGINE OIL CHIP DETECTOR							Component ATA:79
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-10-01, LMM 79-10-01PROC. REF: LMM 79-10-01, LMM 79-10-01								
791001	NO. 2 ENGINE - ENGINE OIL CHIP DETECTOR							Component ATA:79
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-10-01, LMM 79-10-01PROC. REF: LMM 79-10-01, LMM 79-10-01								
792002	NO. 1 ENGINE - AIR BREATHER VALVE ASSEMBLY CHANGE							Component ATA:79
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: LMM 79-20-02, LMM 79-20-02PROC. REF: LMM 79-20-02, LMM 79-20-02								
792002	NO. 2 ENGINE - AIR BREATHER VALVE ASSEMBLY CHANGE							Component ATA:79
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-02, LMM 79-20-02PROC. REF: LMM 79-20-02, LMM 79-20-02								
792005	NO. 1 ENGINE - OIL TANK ASSEMBLY							Component ATA:79
PN:3060720-5	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-5040-80061	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-10-02, LMM 79-10-02PROC. REF: LMM 79-10-02, LMM 79-10-02								
792005	NO. 2 ENGINE - OIL TANK ASSEMBLY							Component ATA:79
PN:3060720-5	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-5040-80059	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-10-02, LMM 79-10-02PROC. REF: LMM 79-10-02, LMM 79-10-02								
792008	NO. 1 ENGINE - OIL FLOW REDUCTION VALVE							Component ATA:79
PN:3060769-1	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:13-182215-12037	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-08, LMM 79-20-08PROC. REF: LMM 79-20-08, LMM 79-20-08								
792008	NO. 2 ENGINE - OIL FLOW REDUCTION VALVE							Component ATA:79
PN:3060769-1	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:13-182215-12005	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-08, LMM 79-20-08PROC. REF: LMM 79-20-08, LMM 79-20-08								
792011	NO. 1 ENGINE - FUEL/OIL VALVE							Component ATA:79
PN:160512-3	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:3845	HRS	0		TSN 0				
	ENC	0		TSN 0				

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792011	NO. 2 ENGINE - FUEL/OIL VALVE							Component ATA:79
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
792012	NO. 1 ENGINE - OIL TEMPERATURE REGULATOR							Component ATA:79
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03PROC. REF: LMM 79-20-03, LMM 79-20-03								
792012	NO. 2 ENGINE - OIL TEMPERATURE REGULATOR							Component ATA:79
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03PROC. REF: LMM 79-20-03, LMM 79-20-03								
792020	NO. 1 ENGINE - OIL CHECK VALVE ASSEMBLY							Component ATA:79
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
792020	NO. 2 ENGINE - OIL CHECK VALVE ASSEMBLY							Component ATA:79
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
792220	NO. 1 ENGINE - UPPER OIL COOLER ASSEMBLY							Component ATA:79
PN:160552-3	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:2240	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792220	NO. 2 ENGINE - UPPER OIL COOLER ASSEMBLY							Component ATA:79
PN:160552-3	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:2230	HRS	0		TSN 0				
	ENC	0		TSN 0				
792230	NO. 1 ENGINE - LOWER LEFT OIL COOLER ASSEMBLY							Component ATA:79
PN:160554-5	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:3640	HRS	0		TSN 0				
	ENC	0		TSN 0				
792230	NO. 2 ENGINE - LOWER LEFT OIL COOLER ASSEMBLY							Component ATA:79
PN:160554-5	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:3642	HRS	0		TSN 0				
	ENC	0		TSN 0				
792240	NO. 1 ENGINE - LOWER RIGHT OIL COOLER ASSEMBLY							Component ATA:79
PN:160554-6	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:3630	HRS	0		TSN 0				
	ENC	0		TSN 0				
792240	NO. 2 ENGINE - LOWER RIGHT OIL COOLER ASSEMBLY							Component ATA:79
PN:160554-6	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:3628	HRS	0		TSN 0				
	ENC	0		TSN 0				
792250	NO. 1 ENGINE - PRESSURE BREATHER VALVE							Component ATA:79
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-02, LMM 79-20-02PROC. REF: LMM 79-20-02, LMM 79-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792250	NO. 2 ENGINE - PRESSURE BREATHER VALVE							Component ATA:79
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-02, LMM 79-20-02PROC. REF: LMM 79-20-02, LMM 79-20-02								
792260	NO. 1 ENGINE - OIL TEMPERATURE CONTROL VALVE							Component ATA:79
PN:158465-6	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:14006	HRS	0		TSN 0				
	ENC	0		TSN 0				
792260	NO. 2 ENGINE - OIL TEMPERATURE CONTROL VALVE							Component ATA:79
PN:158465-6	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:14004	HRS	0		TSN 0				
	ENC	0		TSN 0				
793011	ELECTRICAL RESISTANCE (OIL - LH) TEMPERATURE BULB							Component ATA:79
PN:MS28034-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:CY170	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-03PROC. REF: AMM 79-30-03								
793012	ELECTRICAL RESISTANCE (OIL - RH) TEMPERATURE BULB							Component ATA:79
PN:MS28034-3	MOS/MSC	21-Nov-13	O/C	TSN 0				
SN:CY169	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-03PROC. REF: AMM 79-30-03								
793064	NO. 1 ENGINE - TEMP BULB							Component ATA:79
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793064	NO. 2 ENGINE - TEMP BULB							Component ATA:79
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793310	NO. 1 ENGINE - OIL FILTER BYPASS VALVE							Component ATA:79
PN:3060782-2	MOS/MSC	16-Jul-19	O/C					
SN:L21854	HRS	620.9						
	ENC	589						
793310	NO. 2 ENGINE - OIL FILTER BYPASS VALVE							Component ATA:79
PN:3060782-2	MOS/MSC	11-Oct-21	O/C	TSN 0				
SN:P30326	HRS	843.4		TSN 0				
	ENC	818		TSN 0				
793315 S	NO. 1 ENGINE - CHECK OIL FILTER BYPASS VALVE CIRCUIT/THERMAL LOCKOUT SWITCH							Service ATA:79
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+100/-200)					
	ENC	1163						
								PKG:0
793315 S	NO. 2 ENGINE - CHECK OIL FILTER BYPASS VALVE CIRCUIT/THERMAL LOCKOUT SWITCH							Service ATA:79
	MOS	07-Nov-23						
	HRS	1232.6	1200 (+100/-200)					
	ENC	1162						
								PKG:0
793316	NO. 1 ENGINE - THERMO LOCKOUT VALVE SWITCH ASSEMBLY							Component ATA:79
PN:PN	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793316	NO. 2 ENGINE - THERMO LOCKOUT VALVE SWITCH ASSEMBLY							Component ATA:79
PN:PN	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793320	NO. 1 ENGINE - FUEL HEATER / OIL COOLER ASSEMBLY							Component ATA:79
PN:3060709-4	MOS/MSC	01-Aug-13	O/C	TSN 0				
SN:3698	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-07, LMM 79-20-07PROC. REF: LMM 79-20-07, LMM 79-20-07								
793320	NO. 2 ENGINE - FUEL HEATER / OIL COOLER ASSEMBLY							Component ATA:79
PN:3060709-4	MOS/MSC	07-Aug-13	O/C	TSN 0				
SN:4803	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-07, LMM 79-20-07PROC. REF: LMM 79-20-07, LMM 79-20-07								
ATA 99 - OPTIONAL KITS								
9900023	GVI OVERWEIGHT LANDING (WEIGHT IN EXCESS OF MAXIMUM LANDING WEIGHT) INSPECTION.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900023PROC. REF: EMP 9900023								
9900024	GVI HARD LANDING INSPECTION.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900024PROC. REF: EMP 9900024								
9900025	GVI SEVERE TURBULENCE AND/OR MANEUVERS INSPECTION.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900025PROC. REF: EMP 9900025								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 99 - OPTIONAL KITS								
9900026	UNSCHEDULED ENGINE CHANGE INSPECTION							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900026	PROC. REF: EMP 9900026							
9900027	DVI HIGH ENERGY STOP (LANDING AND REJECTED TAKEOFF).							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900027	PROC. REF: EMP 9900027							
9900028	OP/CK THRUSTS REVERSER INSPECTION.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 78-30-00, EMP 9900028	PROC. REF: AMM 78-30-00, EMP 9900028							
9900029	GVI OVERSPEED RECOVERY LANDING GEAR INSPECTION (LANDING GEAR EXTENSION AT HIGH SPEED).							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900029	PROC. REF: EMP 9900029							
9900030	GVI LIGHTNING STRIKE INSPECTION.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900030	PROC. REF: EMP 9900030							
9900031	GVI HIGH GROUND WIND GUST INSPECTION.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900031	PROC. REF: EMP 9900031							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 99 - OPTIONAL KITS								
9900032	GVI HEAT DAMAGE INSPECTION.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900032PROC. REF: EMP 9900032								
9900033	F/C NACELLE HEAT FAIL MESSAGE INSPECTION.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900033PROC. REF: EMP 9900033								
9900034	DVI ELEVATOR DISCONNECT INSPECTION.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 55-20-00, EMP 9900034PROC. REF: AMM 55-20-00, EMP 9900034								
9900035	GVI WING FLAP SYSTEM OVERSPEED CHECK.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 27-50-00, EMP 9900035PROC. REF: AMM 27-50-00, EMP 9900035								
9900036	NDT INSPECT PRESSURE CABIN SKIN THICKNESS MEASUREMENTS.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: NDT 53-10-01, EMP 9900036PROC. REF: NDT 53-10-01, EMP 9900036								
9900037	GVI VOLCANIC ASH INSPECTION AND MAINTENANCE PROCEDURES							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: EMP 9900037PROC. REF: EMP 9900037								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 99 - OPTIONAL KITS								
9900038	GVI INSPECTION OF AIRCRAFT OPERATIONS IN SALT INFLUENCED ENVIRONMENTS.							Service ATA:99
	MOS/MSC	21-Nov-13	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-24-00, EMP 9900038PROC. REF: AMM 12-24-00, EMP 9900038								
9900052	FOREIGN OBJECT DAMAGE INSPECTION							Service ATA:99
	MOS/MSC		A/R					
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
9900053	ENGINE VIBRATION INDICATION INSPECTION							Service ATA:99
	MOS/MSC		A/R					
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
9910000 S	GVI ENGINE ZONAL INSPECTION							Service ATA:99
	MOS	07-Nov-25	36 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:2
PROC. REF: EMP 9910000PROC. REF: EMP 9910000								
9910001 S	GVI EXTERIOR AIRCRAFT ZONAL INSPECTION.							Service ATA:99
	MOS	07-Nov-25	36 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:2
PROC. REF: EMP 9910001PROC. REF: EMP 9910001								
9910002 S	GVI LANDING GEAR ZONAL INSPECTION.							Service ATA:99
	MOS	07-Nov-25	36 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 99 - OPTIONAL KITS								
PROC. REF: EMP 9910002PROC. REF: EMP 9910002								
9910003 S	GVI AFT FUSELAGE ZONAL INSPECTION.							Service ATA:99
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:3
PROC. REF: EMP 9910003PROC. REF: EMP 9910003								
9910004 S	GVI NOSE ZONAL INSPECTION.							Service ATA:99
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:3
PROC. REF: EMP 9910004PROC. REF: EMP 9910004								
9910005 S	GVI WING ZONAL INSPECTION.							Service ATA:99
	MOS	07-Nov-25	72 (+14d/-14d)					
	HRS	1642.2						
	AFL	1509						
								PKG:3
PROC. REF: EMP 9910005PROC. REF: EMP 9910005								
9910006 S	GVI COCKPIT ZONAL INSPECTION.							Service ATA:99
	MOS	20-Feb-23	108 (+14d/-14d)					
	HRS	1067.8						
	AFL	1012						
								PKG:4
PROC. REF: EMP 9910006PROC. REF: EMP 9910006								
9910007 S	GVI FUSELAGE ZONAL INSPECTION.							Service ATA:99
	MOS	20-Feb-23	108 (+14d/-14d)					
	HRS	1067.8						
	AFL	1012						
								PKG:4
PROC. REF: EMP 9910007PROC. REF: EMP 9910007								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS