OWNER: WHISKEY TANGO L.L.C.
ADDRESS: C/O BASIN AVIATION
MIDLAND TX 79710
OFFICE: 432-685-7000
FAX: 432-683-8851

OPERATOR: WHISKEY TANGO L.L.C.
ADDRESS: C/O BASIN AVIATION
MIDLAND TX 79710
OFFICE: 432-685-7000
FAX: 432-683-8851

ANALYST: KIRK WILLIAMS
EMAIL: KWILLIAMS@CAMPSYSTEMS.COM

+1-316-462-2403 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT

SERIAL/REGNO: 45-400/N145MW MODEL: LEARJET 45 MANUFACTURER: BOMBARDIER AVIATION

CERTIFICATION DATE: 29-APR-2009

LAST ACTUALS:

3612.8	A/C HRS	as of 02-AUG-2026
3261	AFL	as of 02-AUG-2026
1920.37	APH	as of 23-JUN-2026

APU

SERIAL/PART: P-436/3800726-1 MODEL: RE100 (CIMMS) MANUFACTURER: HONEYWELL

INSTALLED ON: 12-JUL-2024

1713.68 APU HRS 3187 A/C HRS
2928 APUS

LAST ACTUALS:

1920.37	APU HRS	as of 23-JUN-2026
3321	APUS	as of 23-JUN-2026

ENGINE NO. 1

SERIAL/PART: P-132158C/3060084-1 MODEL: TFE731-20BR-1B MANUFACTURER: HONEYWELL

INSTALLED ON: 20-JAN-2009

0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:

3612.8	ENG. HRS	as of 02-AUG-2026
3262	ENC	as of 02-AUG-2026

ENGINE NO. 2

SERIAL/PART: P-132157C/3060084-1 MODEL: TFE731-20BR-1B MANUFACTURER: HONEYWELL

INSTALLED ON: 19-JAN-2009

0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:

3612.8	ENG. HRS	as of 02-AUG-2026
3262	ENC	as of 02-AUG-2026

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
CI45-150721	REVIEW CONCORDE EMERGENCY BATTERY CMM 5-0167 REV E							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CI45PROC. REF: RCF CI45								
CI45-160527	REVIEW LEARJET AMM REVISION 66							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CI45PROC. REF: RCF CI45								
CI45-160603	REVIEW LEARJET 45 AMM TR 4-40							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CI45PROC. REF: RCF CI45								
CI45-160613	REVIEW LEARJET 45 AMM TR 5-110							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CI45PROC. REF: RCF CI45								
CI45-161207B	REVIEW LEARJET 45 AMM REVISION 67							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CI45PROC. REF: RCF CI45								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
CI45-181109B	REVIEW LEARJET 45/45XR AMM REVISION 71							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CI45PROC. REF: RCF CI45								
CI45-190429A	REVIEW LEARJET 45/45XR AMM REV 72							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF CI45PROC. REF: RCF CI45								
CI45-200529	REVIEW AUDIT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF CI45PROC. REF: RCF CI45								
CI45-210120	REVIEW LEARJET 45/45XR AUDIT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF CI45PROC. REF: RCF CI45								
CI45-260206	REVIEW ATTACHED AUDIT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF CI45PROC. REF: RCF CI45								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EC04-180802	NO. 1 ENGINE - REVIEW TFE731-20/-40/-60 (CIMMS) LMM TR 5-17							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EC04-180802PROC. REF: RCF EC04-180802								
EC04-180802	NO. 2 ENGINE - REVIEW TFE731-20/-40/-60 (CIMMS) LMM TR 5-17							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EC04-180802PROC. REF: RCF EC04-180802								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
051101	PHASE A1-300 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	12 (+14d/-14d)		05-Sep-26	19-Sep-26	OVD	
	HRS	3327	300 (+25/-25)		3627	3652	14.2 (+25)	
WC#: 05.110	AFL	3014						
								PKG:1
PROC. REF: AMM 05-10-00, AMM 05-11-01PROC. REF: AMM 05-10-00, AMM 05-11-01								
051102	PHASE A2-300 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	12 (+14d/-14d)		05-Sep-26	19-Sep-26	OVD	
	HRS	3327	300 (+25/-25)		3627	3652	14.2 (+25)	
WC#: 05.130	AFL	3014						
								PKG:2
PROC. REF: AMM 05-10-00, AMM 05-11-02PROC. REF: AMM 05-10-00, AMM 05-11-02								
051103	PHASE A3-300 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	12 (+14d/-14d)		05-Sep-26	19-Sep-26	OVD	
	HRS	3327	300 (+25/-25)		3627	3652	14.2 (+25)	
	AFL	3014						
								PKG:3
PROC. REF: AMM 05-10-00, AMM 05-11-03PROC. REF: AMM 05-10-00, AMM 05-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
051104	PHASE A4-300 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	12 (+14d/-14d)		05-Sep-26	19-Sep-26	OVD	
	HRS	3327	300 (+25/-25)		3627	3652	14.2 (+25)	
	AFL	3014						
								PKG:4
PROC. REF: AMM 05-10-00, AMM 05-11-04PROC. REF: AMM 05-10-00, AMM 05-11-04								
051105	PHASE A5-300 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	12 (+14d/-14d)		05-Sep-26	19-Sep-26	OVD	
	HRS	3327	300 (+25/-25)		3627	3652	14.2 (+25)	
	AFL	3014						
								PKG:5
PROC. REF: AMM 05-10-00, AMM 05-11-05PROC. REF: AMM 05-10-00, AMM 05-11-05								
051106	PHASE A6-300 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	12 (+14d/-14d)		05-Sep-26	19-Sep-26	OVD	
	HRS	3327	300 (+25/-25)		3627	3652	14.2 (+25)	
	AFL	3014						
								PKG:6
PROC. REF: AMM 05-10-00, AMM 05-11-06PROC. REF: AMM 05-10-00, AMM 05-11-06								
051201	PHASE B1 600 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	24 (+14d/-14d)		05-Sep-27	19-Sep-27	339 d (+14)	
	HRS	3327	600 (+25/-25)		3927	3952	314.2 (+25)	
	AFL	3014						
								PKG:7
PROC. REF: AMM 05-10-00, AMM 05-12-01PROC. REF: AMM 05-10-00, AMM 05-12-01								
051202	PHASE B2 600 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	24 (+14d/-14d)		05-Sep-27	19-Sep-27	339 d (+14)	
	HRS	3327	600 (+25/-25)		3927	3952	314.2 (+25)	
	AFL	3014						
								PKG:8
PROC. REF: AMM 05-10-00, AMM 05-12-02PROC. REF: AMM 05-10-00, AMM 05-12-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
051203	PHASE B3 600 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	24 (+14d/-14d)		05-Sep-27	19-Sep-27	339 d (+14)	
	HRS	3327	600 (+25/-25)		3927	3952	314.2 (+25)	
	AFL	3014						
								PKG:9
PROC. REF: AMM 05-10-00, AMM 05-12-03PROC. REF: AMM 05-10-00, AMM 05-12-03								
051204	PHASE B4 600 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	24 (+14d/-14d)		05-Sep-27	19-Sep-27	339 d (+14)	
	HRS	3327	600 (+25/-25)		3927	3952	314.2 (+25)	
	AFL	3014						
								PKG:10
PROC. REF: AMM 05-10-00, AMM 05-12-04PROC. REF: AMM 05-10-00, AMM 05-12-04								
051205	PHASE B5 600 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	24 (+14d/-14d)		05-Sep-27	19-Sep-27	339 d (+14)	
	HRS	3327	600 (+25/-25)		3927	3952	314.2 (+25)	
	AFL	3014						
								PKG:11
PROC. REF: AMM 05-10-00, AMM 05-12-05PROC. REF: AMM 05-10-00, AMM 05-12-05								
051206	PHASE B6 600 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	24 (+14d/-14d)		05-Sep-27	19-Sep-27	339 d (+14)	
	HRS	3327	600 (+25/-25)		3927	3952	314.2 (+25)	
	AFL	3014						
								PKG:12
PROC. REF: AMM 05-10-00, AMM 05-12-06PROC. REF: AMM 05-10-00, AMM 05-12-06								
051301	PHASE C1 1200 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	48 (+14d/-14d)		05-Sep-29	19-Sep-29	1070 d (+14)	
	HRS	3327	1200 (+25/-25)		4527	4552	914.2 (+25)	
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00, AMM 05-13-01PROC. REF: AMM 05-10-00, AMM 05-13-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
051302	PHASE C2 1200 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	48 (+14d/-14d)		05-Sep-29	19-Sep-29	1070 d (+14)	
	HRS	3327	1200 (+25/-25)		4527	4552	914.2 (+25)	
	AFL	3014						
								PKG:14
PROC. REF: AMM 05-10-00, AMM 05-13-02PROC. REF: AMM 05-10-00, AMM 05-13-02								
051303	PHASE C3 1200 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	48 (+14d/-14d)		05-Sep-29	19-Sep-29	1070 d (+14)	
	HRS	3327	1200 (+25/-25)		4527	4552	914.2 (+25)	
	AFL	3014						
								PKG:15
PROC. REF: AMM 05-10-00, AMM 05-13-03PROC. REF: AMM 05-10-00, AMM 05-13-03								
051304	PHASE C4 1200 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	48 (+14d/-14d)		05-Sep-29	19-Sep-29	1070 d (+14)	
	HRS	3327	1200 (+25/-25)		4527	4552	914.2 (+25)	
	AFL	3014						
								PKG:16
PROC. REF: AMM 05-10-00, AMM 05-13-04PROC. REF: AMM 05-10-00, AMM 05-13-04								
051305	PHASE C5 1200 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	48 (+14d/-14d)		05-Sep-29	19-Sep-29	1070 d (+14)	
	HRS	3327	1200 (+25/-25)		4527	4552	914.2 (+25)	
	AFL	3014						
								PKG:17
PROC. REF: AMM 05-10-00, AMM 05-13-05PROC. REF: AMM 05-10-00, AMM 05-13-05								
051306	PHASE C6 1200 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	48 (+14d/-14d)		05-Sep-29	19-Sep-29	1070 d (+14)	
	HRS	3327	1200 (+25/-25)		4527	4552	914.2 (+25)	
	AFL	3014						
								PKG:18
PROC. REF: AMM 05-10-00, AMM 05-13-06PROC. REF: AMM 05-10-00, AMM 05-13-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
051401	PHASE D1 2400 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	96		05-Sep-33		2531 d	
	HRS	3327	2400		5727		2114.2	
	AFL	3014						
								PKG:19
PROC. REF: AMM 05-10-00, AMM 05-14-01PROC. REF: AMM 05-10-00, AMM 05-14-01								
051402	PHASE D2 2400 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	96		05-Sep-33		2531 d	
	HRS	3327	2400		5727		2114.2	
	AFL	3014						
								PKG:20
PROC. REF: AMM 05-10-00, AMM 05-14-02PROC. REF: AMM 05-10-00, AMM 05-14-02								
051403	PHASE D3 2400 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
	HRS	3327	2400		5727		2114.2	
	AFL	3014						
								PKG:21
PROC. REF: AMM 05-10-00, AMM 05-14-03PROC. REF: AMM 05-10-00, AMM 05-14-03								
051404	PHASE D4 2400 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	96		05-Sep-33		2531 d	
	HRS	3327	2400		5727		2114.2	
	AFL	3014						
								PKG:22
PROC. REF: AMM 05-10-00, AMM 05-14-04PROC. REF: AMM 05-10-00, AMM 05-14-04								
051405	PHASE D5 2400 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
	HRS	3327	2400		5727		2114.2	
	AFL	3014						
								PKG:23
PROC. REF: AMM 05-10-00, AMM 05-14-05PROC. REF: AMM 05-10-00, AMM 05-14-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
051406	PHASE D6 2400 HOUR CHECKS							Package ATA:05
	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
	HRS	3327	2400		5727		2114.2	
	AFL	3014						
								PKG:24
PROC. REF: AMM 05-10-00, AMM 05-14-06PROC. REF: AMM 05-10-00, AMM 05-14-06								
051500	4800 HOUR CHECKS							Package ATA:05
	MOS	29-Apr-09						
	HRS	0	4800		4800		1187.2	
	AFL	0						
								PKG:25
PROC. REF: AMM 05-15-00, AMM 05-10-00PROC. REF: AMM 05-15-00, AMM 05-10-00								
051600	9600 HOUR CHECKS							Package ATA:05
	MOS	29-Apr-09						
	HRS	0	9600		9600		5987.2	
	AFL	0						
								PKG:26
PROC. REF: AMM 05-16-00, AMM 05-10-00PROC. REF: AMM 05-16-00, AMM 05-10-00								
051700	MAJOR LANDING GEAR INSPECTION							Package ATA:05
	MOS	29-Apr-09						
	HRS	0						
	AFL	0	10000		10000		6739	
								PKG:27
PROC. REF: AMM 05-17-00, AMM 05-10-00PROC. REF: AMM 05-17-00, AMM 05-10-00								
057110	NO. 1 ENGINE - 150 TO 250 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	05-Sep-25						
	HRS	3327	150 (+100)		(3477) 3477	3577	OVD	
	ENC	3014						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
057110	NO. 2 ENGINE - 150 TO 250 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	05-Sep-25						
	HRS	3327	150 (+100)		(3477) 3477	3577	OVD	
	ENC	3014						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057120	NO. 1 ENGINE - 300 TO 440 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS/MSC	19-Dec-08	N/A					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057120	NO. 2 ENGINE - 300 TO 440 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS/MSC	18-Dec-08	N/A					
	HRS	0						
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057130	NO. 1 ENGINE - 500 TO 650 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	05-Jun-23						
	HRS	3006.7	600 (+50/-100)		(3606.7) 3606.7	3656.7	TOL (+43.9)	
	ENC	2677						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057130	NO. 2 ENGINE - 500 TO 650 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	05-Jun-23						
	HRS	3006.7	600 (+50/-100)		(3606.7) 3606.7	3656.7	TOL (+43.9)	
	ENC	2677						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
057140	NO. 1 ENGINE - 500 TO 850 HOUR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	12-Jul-24						
	HRS	3187	800 (+50/-300)		(3987) 3987	4037	374.2 (+50)	
	ENC	2876						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057140	NO. 2 ENGINE - 500 TO 850 HOUR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	12-Jul-24						
	HRS	3187	800 (+50/-300)		(3987) 3987	4037	374.2 (+50)	
	ENC	2876						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057150	NO. 1 ENGINE - 1000 TO 1300 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	16-Jul-19						
	HRS	2419.3	1200 (+100/-200)		(3619.3) 3619.3	3719.3	6.5 (+100)	
	ENC	2132						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057150	NO. 2 ENGINE - 1000 TO 1300 HR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	16-Jul-19						
	HRS	2419.3	1200 (+100/-200)		(3619.3) 3619.3	3719.3	6.5 (+100)	
	ENC	2132						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
057160	NO. 1 ENGINE - 1500 TO 1650 HOUR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	12-Jul-24						
	HRS	3187	1600 (+50/-100)		(4787) 4787	4837	1174.2 (+50)	
	ENC	2876						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
057160	NO. 2 ENGINE - 1500 TO 1650 HOUR ROUTINE PERIODIC INSP PER MANUFACTURERS INSTRUCTIONS							Package ATA:05
	MOS	12-Jul-24						
	HRS	3187	1600 (+50/-100)		(4787) 4787	4837	1174.2 (+50)	
	ENC	2876						
PROC. REF: LMM 72-00-00	PROC. REF: LMM 72-00-00							
5-50-00-02	PERFORM UNSCHEDULED MAINTENANCE CHECK - OVERWEIGHT LANDING (WEIGHT IN EXCESS OF MAXIMUM LANDING WEIGHT)							Service ATA:05
	MOS/MSC	25-Mar-16	A/R					
	HRS	2011.3						
	AFL	1821						
PROC. REF: AMM 05-50-00	PROC. REF: AMM 05-50-00							
5-50-00-03	PERFORM UNSCHEDULED MAINTENANCE CHECK - HARD LANDING							Service ATA:05
	MOS/MSC	30-Jul-14	A/R					
	HRS	1612						
	AFL	1486						
PROC. REF: AMM 05-50-00	PROC. REF: AMM 05-50-00							
5-50-00-09	PERFORM UNSCHEDULED MAINTENANCE CHECK - LIGHTNING STRIKE INSPECTION							Service ATA:05
	MOS/MSC	08-Jun-12	A/R					
	HRS	878.9						
	AFL	823						
PROC. REF: AMM 05-50-00	PROC. REF: AMM 05-50-00							
5-50-00-18	PERFORM UNSCHEDULED MAINTENANCE CHECK - FOREIGN OBJECT DAMAGE							Service ATA:05
	MOS/MSC		A/R					
	HRS							
	AFL							
PROC. REF: AMM 05-50-00	PROC. REF: AMM 05-50-00							
5-50-00-18.1	PERFORM UNSCHEDULED MAINTENANCE CHECK - FOREIGN OBJECT DAMAGE (BIRD STRIKE)							Service ATA:05
	MOS/MSC		A/R					
	HRS							
	AFL							
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-50-00-19	PERFORM UNSCHEDULED MAINTENANCE CHECK - ENGINE VIBRATION INDICATION							Service ATA:05
	MOS/MSC		A/R					
	HRS							
	AFL							
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
ATA 08 - LEVELING AND WEIGHING								
082000	WEIGH AIRCRAFT							Service ATA:08
	MOS	12-Jul-24	36		31-Jul-27		303 d	
	HRS	3187						
	AFL	2876						
	APH							
PROC. REF: AMM 08-10-00, FAR FAR 135.185PROC. REF: AMM 08-10-00, FAR FAR 135.185								
ATA 11 - PLACARDS AND MARKINGS								
112030 U	INSPECTION INTERNAL AND EXTERNAL PLACARD							Service ATA:11
	MOS/MSC	29-Apr-09	A/R					
	HRS	0						
	AFL	0						
G1130000 S	CHECK BRIGHTNESS LEVEL OF ALL SELF-LUMINOUS PLACARDS							Service ATA:11
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 11-30-00PROC. REF: AMM 11-30-00								
ATA 12 - SERVICING								
AB1210060 S	MAIN LANDING GEAR UPLOCK ACTUATOR - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
O1210002 S	FLAP ACTUATORS - CHECK OIL LEVEL							Service ATA:12
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								
Q1221064	LEFT INBOARD FLAP ACTUATOR JOINT - APPLY CORROSION PREVENTIVE COMPOUND (CPC)							Service ATA:12
	MOS/MSC	19-Apr-12	N/A					
	HRS	833.7						
	AFL	778						
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								
Q1221064	LEFT OUTBOARD FLAP ACTUATOR JOINT - APPLY CORROSION PREVENTIVE COMPOUND (CPC)							Service ATA:12
	MOS/MSC	19-Apr-12	N/A					
	HRS	833.7						
	AFL	778						
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								
Q1221064	RIGHT INBOARD FLAP ACTUATOR JOINT - APPLY CORROSION PREVENTIVE COMPOUND (CPC)							Service ATA:12
	MOS/MSC	19-Apr-12	N/A					
	HRS	833.7						
	AFL	778						
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								
Q1221064	RIGHT OUTBOARD FLAP ACTUATOR JOINT - APPLY CORROSION PREVENTIVE COMPOUND (CPC)							Service ATA:12
	MOS/MSC	19-Apr-12	N/A					
	HRS	833.7						
	AFL	778						
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								
T1222004	NO. 1 MAIN BATTERY - LEAD-ACID BATTERIES - PERFORM BATTERY CAPACITY CHECK							Service ATA:12
PN:RG-380E/40L	MOS	07-May-26	T:12 (+1m/-1m)		07-May-27	07-Jun-27	218 d (+31)	
SN:70069077	HRS	3510.2						
	AFL	3178						
PROC. REF: AMM 12-22-00, CMM 24-30-71PROC. REF: AMM 12-22-00, CMM 24-30-71								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
T1222004	NO. 2 MAIN BATTERY - LEAD-ACID BATTERIES - PERFORM BATTERY CAPACITY CHECK							Service ATA:12
PN:RG-380E/40L	MOS	26-Nov-25	T:12 (+1m/-1m)		26-Nov-26	26-Dec-26	56 d (+30)	
SN:70059664	HRS	3404.3						
	AFL	3093						
PROC. REF: AMM 12-22-00, CMM 24-30-71PROC. REF: AMM 12-22-00, CMM 24-30-71								
U1210004	FLAP FLEXIBLE TRANSMISSION SHAFTS - HAND LUBRICATE							Service ATA:12
	MOS	29-Apr-09						
	HRS	0	4800 (+25/-25)		4800	4825	1187.2 (+25)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Y1210000 S	NOSE LANDING GEAR SHOCK STRUT - CHECK FOR PROPER FLUID LEVEL AND INFLATION PRESSURE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-10-02PROC. REF: AMM 12-10-02								
Y1210001 S	MAIN LANDING GEAR SHOCK STRUTS - CHECK FOR PROPER FLUID LEVEL AND INFLATION PRESSURE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-10-03PROC. REF: AMM 12-10-03								
Y1210003 S	FLAP ACTUATOR BALLNUT - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:4
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
Y1210005 S	NOSE LANDING GEAR TRUNNION PIN - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
Y1210006 S	NOSE LANDING GEAR ACTUATOR ATTACH FITTING - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
Y1210007 S	NOSE AND MAIN TIRES - CHECK FOR PROPER INFLATION							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-10-04PROC. REF: AMM 12-10-04								
Y1210009 S	NOSE GEAR DOOR HINGE - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210011 S	MAIN LANDING GEAR ACTUATOR JOINTS - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
Y1210012 S	MAIN LANDING GEAR AXLE BEAM/PISTON JOINTS - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
Y1210013 S	MAIN LANDING GEAR TORQUE LINKS - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
Y1210014 S	MAIN LANDING GEAR DOOR HINGE - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210016 S	PASSENGER/CREW DOOR HINGE - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:6
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210017 S	PASSENGER/CREW DOOR PINS - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:6
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
Y1210018 S	PASSENGER/CREW DOOR TENSION BOLTS - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:6
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210019 S	EMERGENCY EXIT DOOR LATCHING MECHANISM - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:6
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210020 S	EMERGENCY EXIT DOOR PINS - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:6
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210021 S	BAGGAGE COMPARTMENT DOOR LATCH PINS - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:6
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210022 S	BAGGAGE COMPARTMENT DOOR HINGE - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:6
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
Y1210023 S	OXYGEN SYSTEM SERVICING DOOR HINGE - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210024 S	TOILET SERVICING DOOR HINGE - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:4
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210025 S	PRESSURE REFUELING STATION DOOR HINGE - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210026 S	FUSELAGE FUEL FILLER DOOR HINGE - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210027 S	TAILCONE ACCESS DOOR PINS - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:6
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
Y1210028 S	TAILCONE ACCESS DOOR HINGE - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:6
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
Y1210029 S	MAIN LANDING GEAR TRUNNION PIN - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								
Y1221037 S	FLAPS - LUBRICATE ROLLING SURFACES OF MAIN AND NOSE ROLLER TRACKS							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:4
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								
Y1221042 S	HORIZONTAL STABILIZER UPPER AND LOWER TORQUE LINKS - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:9
PROC. REF: AMM 12-21-03PROC. REF: AMM 12-21-03								
Y1227000 S	EMERGENCY PARK BRAKE HANDLE SHAFT - LUBRICATE							Service ATA:12
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 12-27-00PROC. REF: AMM 12-27-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
211001	SERVO AIR PRESSURE REGULATING VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-15-01	PROC. REF: AMM 36-15-01							
211011	LEFT PLENUM CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-09	PROC. REF: AMM 21-20-09							
211012	RIGHT PLENUM CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-09	PROC. REF: AMM 21-20-09							
211017	LEFT EMERGENCY PRESSURIZATION ISOLATION CHECK VALVE							Component ATA:21
PN:3202744-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2971	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-03	PROC. REF: AMM 21-20-03							
211018	RIGHT EMERGENCY PRESSURIZATION ISOLATION CHECK VALVE							Component ATA:21
PN:3202744-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:3036	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-03	PROC. REF: AMM 21-20-03							
212001	COCKPIT AIR CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-01	PROC. REF: AMM 21-20-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212007	AFT BLOWER MOTOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-09PROC. REF: AMM 21-51-09								
212008	FORWARD BLOWER MOTOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212011	LINEAR ELECTRO-MECHANICAL ACTUATOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212041	NO. 1 ENGINE OZONE CONVERTER							Component ATA:21
PN:4520000100-801	MOS/MSC	07-May-26	O/C	TSR 0				
SN:1820/3578	HRS	3510.2		TSR 0				
	AFL	3178		TSR 0				
PROC. REF: AMM 21-20-12PROC. REF: AMM 21-20-12								
212042	NO. 2 ENGINE OZONE CONVERTER							Component ATA:21
PN:4520000100-801	MOS/MSC	07-May-26	O/C	TSR 0				
SN:1879	HRS	3510.2		TSR 0				
	AFL	3178		TSR 0				
PROC. REF: AMM 21-20-12PROC. REF: AMM 21-20-12								
212101	NO. 1 THERMAL CONTROL ACTUATOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212102	NO. 2 THERMAL CONTROL ACTUATOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212105	LEFT ENVIRONMENTAL CONTROL SYSTEM TRANSITION DUCT							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212106	RIGHT ENVIRONMENTAL CONTROL SYSTEM TRANSITION DUCT							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212201	LEFT GASPER AIR CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-07PROC. REF: AMM 21-20-07								
212202	RIGHT GASPER AIR CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-07PROC. REF: AMM 21-20-07								
212213	LEFT CABIN AIR CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-02PROC. REF: AMM 21-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212214	RIGHT CABIN AIR CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-02	PROC. REF: AMM 21-20-02							
212801	AVIONICS COOLING FAN MOUNT							Component ATA:21
PN:4521208521-009	MOS/MSC	09-Aug-13	O/C					
SN:N/A	HRS	1281.4						
	AFL	1191						
PROC. REF: AMM 21-21-01	PROC. REF: AMM 21-21-01							
213000	CABIN PRESSURE CONTROLLER							Component ATA:21
PN:2119858-10	MOS/MSC	23-Sep-25	O/C	TSR 4				
SN:62-K0145	HRS			TSR 0				
	AFL	3023		TSR 0				
PROC. REF: AMM 21-30-03	PROC. REF: AMM 21-30-03							
213001	LEFT EMERGENCY PRESSURE SHUTOFF VALVE							Component ATA:21
PN:3291224-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1218	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-31-01	PROC. REF: AMM 21-31-01							
213002	RIGHT EMERGENCY PRESSURE SHUTOFF VALVE							Component ATA:21
PN:6621000000-061	MOS/MSC	23-Jul-19	O/C	TSN 123				
SN:1161	HRS							
	AFL							
PROC. REF: AMM 21-31-01	PROC. REF: AMM 21-31-01							
213021	JET PUMP EJECTOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-30-06	PROC. REF: AMM 21-30-06							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213031	PRIMARY OUTFLOW VALVE							Component ATA:21
PN:103858-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:98-A0566	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-30-01PROC. REF: AMM 21-30-01								
213032	SECONDARY OUTFLOW VALVE							Component ATA:21
PN:103858-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:98-C0356	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
213055	EMERGENCY PRESSURE ANEROID SWITCH							Component ATA:21
PN:E45C-47	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:5879	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213056	ABSOLUTE PRESSURE SWITCH							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213101	TAILCONE CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213110	CABIN PRESSURIZATION CHECK VALVE							Component ATA:21
PN:130158-3-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:88-A1182	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-30-07PROC. REF: AMM 21-30-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
214301	FOOT WARMER THERMOSTAT (S167)							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-41-02	PROC. REF: AMM 21-41-02							
214302	PILOT FOOT WARMER HEEL PLATE ASSEMBLY							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-41-01	PROC. REF: AMM 21-41-01							
214303	CO-PILOT FOOT WARMER HEEL PLATE ASSEMBLY							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-41-01	PROC. REF: AMM 21-41-01							
215001	WATER SEPARATOR ASSEMBLY							Component ATA:21
PN:83237-12	MOS/MSC	11-Aug-11	O/C	TSN 0				
SN:UNKNOWN	HRS	616.5		TSN 0				
	AFL	551		TSN 0				
PROC. REF: AMM 21-50-03	PROC. REF: AMM 21-50-03							
215002	WATER SEPARATOR BYPASS VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
215010	AIR CYCLE MACHINE PRECOOLER ASSEMBLY							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-08	PROC. REF: AMM 21-50-08							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215013	PACK BI-LEVEL PRESURE REGULATOR SHUTOFF VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-02PROC. REF: AMM 21-50-02								
215015	AIR CYCLE MACHINE BYPASS CHECK VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-07PROC. REF: AMM 21-50-07								
215019	CABIN REFRIGERATION CONDENSER							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-04PROC. REF: AMM 21-51-04								
215030	ENVIRONMENTAL CONTROL UNIT							Component ATA:21
PN:2215150-3	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:668	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
215033	AIR CYCLE MACHINE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-04PROC. REF: AMM 21-50-04								
215036	PRIMARY, SECONDARY HEAT EXCHANGER							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215039	AIR CYCLE MACHINE TURBINE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-04	PROC. REF: AMM 21-50-04							
215043	AFT EVAPORATOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-09	PROC. REF: AMM 21-51-09							
215044	FORWARD EVAPORATOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-07	PROC. REF: AMM 21-51-07							
215100	AIR CONDITIONING COMPRESSOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-01	PROC. REF: AMM 21-51-01							
215101	AIR CONDITIONING COMPRESSOR DRIVE MOTOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-02	PROC. REF: AMM 21-51-02							
216001	ENVIRONMENTAL CONTROL SYSTEM - INTEGRATED TEMPERATURE CONTROLLER							Component ATA:21
PN:1151830-3	MOS/MSC	24-May-13	O/C					
SN:1151830-00790	HRS	1206.9						
	AFL	1135						
PROC. REF: AMM 21-60-10	PROC. REF: AMM 21-60-10							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216014	COCKPIT TEMPERATURE CONTROL VALVE							Component ATA:21
PN:3291222-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1193	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-04, AMM 21-60-05PROC. REF: AMM 21-60-04, AMM 21-60-05								
216015	CABIN TEMPERATURE CONTROL VALVE							Component ATA:21
PN:3291222-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1195	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-04PROC. REF: AMM 21-60-04								
216025	COCKPIT TEMPERATURE CONTROL SELECTOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-01PROC. REF: AMM 21-60-01								
216026	CABIN TEMPERATURE CONTROL SELECTOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-01PROC. REF: AMM 21-60-01								
216036	COCKPIT DUCT OVERHEAT THERMOSTAT							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-09PROC. REF: AMM 21-60-09								
216037	CABIN DUCT OVERHEAT THERMOSTAT							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-08PROC. REF: AMM 21-60-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216040	28VDC CABIN TEMPERATURE SENSOR/FAN ASSEMBLY							Component ATA:21
PN:BYLF-52535	MOS/MSC	02-Feb-13	O/C	TSR 1				
SN:524	HRS	1123		TSR 0				
	AFL	1055		TSR 0				
PROC. REF: AMM 21-60-03	PROC. REF: AMM 21-60-03							
216047 U	TEMP CONTROL, COCKPIT VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
216049	CABIN DUCT OVERTEMP LIMITER							Component ATA:21
PN:627962-2 / N531-9056	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:22592	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-06	PROC. REF: AMM 21-60-06							
216071	LOW LIMIT TEMPERATURE CONTROL VALVE							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
216074	SERVO AIR PRESSURE REGULATING VALVE							Component ATA:21
PN:60810-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1400	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-15-01	PROC. REF: AMM 36-15-01							
216081	COCKPIT DUCT TEMPERATURE SENSOR							Component ATA:21
PN:627962-2 / N531-9056	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:22593	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-07	PROC. REF: AMM 21-60-07							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216083	COCKPIT TEMPERATURE SENSOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-02PROC. REF: AMM 21-60-02								
216084	CABIN LOW LIMIT TEMPERATURE SENSOR							Component ATA:21
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-09PROC. REF: AMM 21-50-09								
5-19-00-L2150054	WEAR INSPECTION - AIR CONDITIONING COMPRESSOR DRIVE MOTOR BRUSHES - PERFORM WEAR INSPECTION (RETURN DRIVE MOTOR TO AUTHORIZED SERVICE FACILITY FOR OVERHAUL)							Service ATA:21
	MOS/MSC	29-Apr-09	N/A					NOT INSTALLED
	HRS	0						
	AFL	0						
5-19-00-L2150055	OVERHAUL - AIR CONDITIONING COMPRESSOR MOTOR - PERFORM OVERHAUL (RETURN DRIVE MOTOR TO AUTHORIZED SERVICE FACILITY FOR OVERHAUL)							Service ATA:21
	MOS/MSC	29-Apr-09	N/A					N/A BY SERIAL NUMBER
	HRS	0						
	AFL	0						
J2160007 S	TEMPERATURE CONTROL SYSTEM - INSPECT AND CLEAN CABIN AND COCKPIT TEMPERATURE CONTROL VALVE SERVO AIR FILTERS							Service ATA:21
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:8
PROC. REF: AMM 21-60-11PROC. REF: AMM 21-60-11								
L2150054	AIR CONDITIONING COMPRESSOR DRIVE MOTOR BRUSHES - PERFORM WEAR INSPECTION							Service ATA:21
PN:PN	MOS/MSC	29-Apr-09	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
L2150055	AIR CONDITIONING COMPRESSOR DRIVE MOTOR - PERFORM OVERHAUL							Service ATA:21
PN:PN	MOS/MSC	29-Apr-09	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
L2150056 S	** AUXILIARY HEAT SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:21
	MOS/MSC	05-Sep-25	N/A					
	HRS	3327						
	AFL	3014						
								PKG:8
PROC. REF: AMM 21-51-00PROC. REF: AMM 21-51-00								
L2150057 S	** AUXILIARY HEAT SYSTEM - PERFORM AUXILIARY HEATER ELECTRICAL AND TEMPERATURE SWITCH TEST							Service ATA:21
	MOS/MSC	05-Sep-25	N/A					
	HRS	3327						
	AFL	3014						
								PKG:14
PROC. REF: AMM 21-51-00PROC. REF: AMM 21-51-00								
O2130000 S	PRIMARY AND SECONDARY OUTFLOW VALVES - PERFORM INSPECTION							Service ATA:21
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 21-30-01, AMM 21-30-02PROC. REF: AMM 21-30-01, AMM 21-30-02								
O2130001 S	OUTFLOW VALVE AIR FILTER - REMOVE AND REPLACE							Service ATA:21
	MOS	05-Sep-25	96					
	HRS	3327	2400					
	AFL	3014						
								PKG:19
PROC. REF: AMM 21-30-04PROC. REF: AMM 21-30-04								

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
O2130002 S	** PRESSURIZATION CONTROL SYSTEM - PERFORM FUNCTIONAL TEST. (AWL**)							Service ATA:21
	MOS	05-Sep-25	48 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
Y2130003 S	PRESSURIZATION CONTROL SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:21
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
Y2130065	CABIN PRESSURIZATION SYSTEM - PERFORM CABIN LEAKAGE TEST							Service ATA:21
	MOS	23-Jul-19						
	HRS	2421.5	1200 (+25/-25)		3621.5	3646.5	8.7 (+25)	
	AFL	2136						
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
Y2140000 S	AIR CYCLE MACHINE HEAT EXCHANGER INLET - PERFORM VISUAL INSPECTION							Service ATA:21
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2140001	NO. 1 ENGINE OZONE CONVERTER - PERFORM CLEANING AND EFFICIENCY TEST							Service ATA:21
PN:4520000100-801	MOS	07-May-26						
SN:1820/3578	HRS	3510.2	3600 (+25/-25)		7110.2	7135.2	3497.4 (+25)	
	AFL	3178						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
Y2140001		NO. 2 ENGINE OZONE CONVERTER - PERFORM CLEANING AND EFFICIENCY TEST						Service ATA:21
PN:4520000100-801	MOS	07-May-26						
SN:1879	HRS	3510.2	3600 (+25/-25)		7110.2	7135.2	3497.4 (+25)	
	AFL	3178						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Y2141000 S		ENVIRONMENTAL CONTROL UNIT - PERFORM VISUAL INSPECTION						Service ATA:21
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2141001 S		WATER SEPARATOR COALESCER BAG - PERFORM VISUAL INSPECTION. CLEAN IF NECESSARY.						Service ATA:21
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2141002		WATER SEPARATOR COALESCER BAG - REPLACE						Service ATA:21
	MOS/MSC	25-Mar-14	O/C					
	HRS	1497.5						
	AFL	1376						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Y2142000 S		BAGGAGE COMPARTMENT HEATING SYSTEM - PERFORM FUNCTIONAL TEST						Service ATA:21
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:20
PROC. REF: AMM 21-40-00PROC. REF: AMM 21-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
Y2145000 S		ECS PLENUM ASSEMBLY CHECK VALVES - PERFORM VISUAL INSPECTION. VERIFY FREEDOM OF MOVEMENT OF BUTTERFLY ASSEMBLY.						Service	ATA:21
	MOS	05-Sep-25	48 (+14d/-14d)						
	HRS	3327	1200 (+25/-25)						
	AFL	3014							
									PKG:14
PROC. REF: AMM 21-20-03, AMM 21-20-09PROC. REF: AMM 21-20-03, AMM 21-20-09									
Y2150058 S		PERFORM VISUAL INSPECTION OF AIR CONDITIONING SYSTEM COMPONENTS, INCLUDING COMPRESSOR MOTOR BELT FOR WEAR AND PROPER V-BELT TENSION, CONDENSER COILS FOR CLEANLINESS AND HOSES FOR CHAFING AND WEAR. IF OIL LEAKS ARE VISIBLE AND/OR REFRIGERANT DUMPED, CHECK COMPRESSOR OIL LEVEL. SOME LEAKAGE IS ALLOWABLE AROUND SHAFT.						Service	ATA:21
	MOS/MSC	05-Sep-25	N/A						
	HRS	3327							
	AFL	3014							
									PKG:14
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00									
Y2150059 S		AIR CONDITIONING SYSTEM - PERFORM LOAD SHED ASSEMBLY CHECK						Service	ATA:21
	MOS/MSC	05-Sep-25	N/A						
	HRS	3327							
	AFL	3014							
									PKG:14
PROC. REF: AMM 21-51-00PROC. REF: AMM 21-51-00									
ATA 22 - AUTO FLIGHT									
2210-RVSM		FLIGHT CHECK AUTOMATIC ALTITUDE HOLD FUNCTIONAL. RVSM COMPLIANT AIRCRAFT.						Service	ATA:22
	MOS/MSC	29-Apr-09	N/R						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
221001		AUTOPILOT FLIGHT GUIDANCE CONTROLLER						Component	ATA:22
PN:7021170-901	MOS/MSC	18-Oct-13	O/C						
SN:08111967	HRS	1340.9							
	AFL	1240							
PROC. REF: AMM 22-10-01PROC. REF: AMM 22-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221041	AUTOPILOT ROLL SERVO							Component ATA:22
PN:4006719-949	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0806J456	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-04	PROC. REF: AMM 22-10-04							
221045	AUTOPILOT ROLL SERVO BRACKET							Component ATA:22
PN:4005842	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0809J537	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-05	PROC. REF: AMM 22-10-05							
221051	AUTOPILOT PITCH SERVO							Component ATA:22
PN:4006719-923	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0805J412	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-02	PROC. REF: AMM 22-10-02							
221055	AUTOPILOT PITCH SERVO BRACKET							Component ATA:22
PN:4005842	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0804J383	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-03	PROC. REF: AMM 22-10-03							
221061	AUTOPILOT YAW SERVO							Component ATA:22
PN:7012919-904	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0802H146	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-06	PROC. REF: AMM 22-10-06							
221065	AUTOPILOT YAW SERVO BRACKET							Component ATA:22
PN:7012098-902	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0803H129	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-10-07	PROC. REF: AMM 22-10-07							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
225001	YAW INTERFACE UNIT							Component ATA:22
PN:4522108501-013	MOS/MSC	10-Dec-15	O/C	TSN 0				
SN:A00866873-01	HRS	1934.1		TSN 0				
	AFL	1766		TSN 0				
PROC. REF: AMM 22-50-01	PROC. REF: AMM 22-50-01							
225031	PILOT RUDDER BOOST SYSTEM YAW FORCE SENSOR							Component ATA:22
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-50-02	PROC. REF: AMM 22-50-02							
225032	COPILOT RUDDER BOOST SYSTEM YAW FORCE SENSOR							Component ATA:22
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-50-02	PROC. REF: AMM 22-50-02							
A2210033 S	** AUTOPILOT SYSTEM - PERFORM AUTOPILOT DISCONNECT TONE TEST							Service ATA:22
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 22-10-00	PROC. REF: AMM 22-10-00							
G2210030 S	PITCH SERVO CABLES - PERFORM CABLE TENSION CHECK							Service ATA:22
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 22-10-03	PROC. REF: AMM 22-10-03							
G2210031 S	ROLL SERVO CABLES - PERFORM CABLE TENSION CHECK							Service ATA:22
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition

ATA 22 - AUTO FLIGHT

PROC. REF: AMM 22-10-05PROC. REF: AMM 22-10-05

G2210032 S	YAW SERVO CABLES - PERFORM CABLE TENSION CHECK							Service ATA:22
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						

PKG:14

PROC. REF: AMM 22-10-07PROC. REF: AMM 22-10-07

ATA 23 - COMMUNICATIONS

230001	UNILINK PROCESSOR							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

230002	CONFIGURATION MODULE							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

231011	NO. 1 POWER AMPLIFIER/HF ANTENNA COUPLER							Component ATA:23
PN:064-01074-0101	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:3684	HRS	0		TSN 0				
	AFL	0		TSN 0				

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

231012	NO. 2 POWER AMPLIFIER/HF ANTENNA COUPLER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231021	NO. 1 VHF COMMUNICATIONS TRANSCEIVER UNIT							Component ATA:23
PN:7510733-666	MOS/MSC	20-Oct-17	O/C					
SN:0810C299	HRS	2170.3						
	AFL	1942						
PROC. REF: AMM 23-11-01PROC. REF: AMM 23-11-01								
231021A	TEST/INSPECT ATC TRANSPONDER							Service ATA:23
	MOS	12-Dec-24	24		12-Dec-26		72 d	
	HRS	3258.5						
	AFL	2945						
		Test Date: : 12-Dec-24						
PROC. REF: AMM 23-11-00, FAR FAR 91.413PROC. REF: AMM 23-11-00, FAR FAR 91.413								
231022	NO. 2 VHF COMMUNICATIONS TRANSCEIVER UNIT							Component ATA:23
PN:7510733-666	MOS/MSC	20-Oct-17	O/C					
SN:00115711	HRS	2170.3						
	AFL	1942						
PROC. REF: AMM 23-11-01, FAR FAR 91.413PROC. REF: AMM 23-11-01, FAR FAR 91.413								
231022A	TEST/INSPECT ATC TRANSPONDER							Service ATA:23
	MOS	12-Dec-24	24		12-Dec-26		72 d	
	HRS	3258.5						
	AFL	2945						
		Test Date: : 12-Dec-24						
PROC. REF: AMM 23-11-00, FAR FAR 91.413PROC. REF: AMM 23-11-00, FAR FAR 91.413								
231030	NO. 1 HF SELECTIVE CALLING (SELCAL) RECEIVER/EXCITER							Component ATA:23
PN:064-01073-0102	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:4346	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231031	NO. 2 HF SELECTIVE CALLING (SELCAL) RECEIVER/EXCITER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231032	HF SELECTIVE CALLING (SELCAL) ANTENNA							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231033	UPPER VHF ANTENNA							Component ATA:23
PN:DM C60-17-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:15592	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-02PROC. REF: AMM 23-11-02								
231034	LOWER VHF ANTENNA							Component ATA:23
PN:DM C60-17-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:15572	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-02PROC. REF: AMM 23-11-02								
231045	NO. 1 HF CONTROL (MODEL KCU-951)							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231046	NO. 2 HF CONTROL (MODEL KCU-951)							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231051	NO. 1 HF BRIDGING AMPLIFIER							Component ATA:23
PN:064-01072-0101	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:3712	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231052	NO. 2 HF BRIDGING AMPLIFIER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231090	PILOT HEADSET							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231091	COPILOT HEADSET							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231300	MAGNASTAR PHONE TRANSCEIVER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231305	MAGNASTAR ANTENNA							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231307	COCKPIT PHONE							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231308	CABIN PHONE							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231310	ARTU TRAY							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231313	NO. 1 CABIN DISTRIBUTION BUS REPEATER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231314	NO. 2 CABIN DISTRIBUTION BUS REPEATER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231315	CALL ALERTER SWITCH (CAS)							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231320	NO. 1 CABIN IRIDIUM SATCOM HANDSET							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231320A U	GENERAL VISUAL INSPECTION NO. 1 CABIN IRIDIUM SATCOM HANDSETS, BASE UNITS AND RETAINING HARDWARE FOR SECURITY OF ATTACHMENT AND OTHER DEFECTS							Service ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
231321	NO. 2 CABIN IRIDIUM SATCOM HANDSET							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231322	CABIN IRIDIUM SATCOM PHONE CRADLE							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231322A U	GENERAL VISUAL INSPECTION NO. 2 CABIN IRIDIUM SATCOM HANDSET, BASE UNIT AND RETAINGING HARDWARE FOR SECURITY OF ATTACHMENT AND OTHER DEFECTS							Service ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
231323	IRIDIUM SATCOM TRANSCEIVER							Component ATA:23
PN:500616-2-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:3829	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231323A U	GENERAL VISUAL INSPECTION IRIDIUM SATCOM TRANSCEIVER MOUNTING AND RETAINING HARDWARE FOR SECURITY OF ATTACHMENT AND OTHER DEFECTS							Service ATA:23
PN:500616-2-1	MOS/MSC	29-Apr-09	O/C					
SN:3829	HRS	0						
	AFL	0						
231325	IRIDIUM SATCOM SONALERT							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231327	COCKPIT IRIDIUM SATCOM PHONE CRADLE							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231328	COCKPIT IRIDIUM SATCOM HANDSET							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231328A U	GENERAL VISUAL INSPECTION COCKPIT IRIDIUM PHONE MOUNTING AND RETAINING HARDWARE FOR SECURITY OF ATTACHMENT AND OTHER DEFECTS							Service ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
231330	FORWARD IRIDIUM SATCOM ANTENNA							Component ATA:23
PN:CI490-1 / 500644-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:280451	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231330A U	GENERAL VISUAL INSPECTION AND RETAINING HARDWARE FOR SECURITY OF ATTACHMENT AND OTHER DEFECTS							Service ATA:23
PN:CI490-1 / 500644-1	MOS/MSC	29-Apr-09	O/C					
SN:280451	HRS	0						
	AFL	0						
231335	COCKPIT IRIDIUM SATCOM BASE UNIT							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
231336	AFT IRIDIUM SATCOM BASE UNIT							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
231351	SATELLITE DATA UNIT (SDU)							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
232120	UNILINK ANTENNA							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
233001	FORWARD CABIN VIDEO MONITOR							Component ATA:23
PN:LCD-9121-101-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900050	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
233002	AFT CABIN VIDEO MONITOR							Component ATA:23
PN:LCD-9121-101-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900049	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
233003	AUDIO DISTRIBUTION MODULE							Component ATA:23
PN:AV-4589-01-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900236	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
233005	PUBLIC ADDRESS SYSTEM AMPLIFER							Component ATA:23
PN:PA-7501-01-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:110800764	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-02PROC. REF: AMM 23-30-02								
233010	INFRARED REMOTE RECEIVER MODULE							Component ATA:23
PN:IFR-485-05-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900609	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
233015	AUDIO/VIDEO CONTROLLER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
233053	DVD PLAYER							Component ATA:23
PN:DVD-301-01-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:050800415	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
233054	CD PLAYER CHANGER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
233055	CD PLAYER CONTROL UNIT							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
233056	CASSETTE TAPE PLAYER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
233101	LEFT FORWARD CABIN SPEAKER							Component ATA:23
PN:EN-MT-45A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900390	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01PROC. REF: AMM 23-30-01								
233102	RIGHT FORWARD CABIN SPEAKER							Component ATA:23
PN:EN-MT-45A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900029	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01PROC. REF: AMM 23-30-01								
233103	LEFT AFT CABIN SPEAKER							Component ATA:23
PN:EN-MT-45A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900391	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01PROC. REF: AMM 23-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
233104	RIGHT AFT CABIN SPEAKER							Component ATA:23
PN:EN-MT-45A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900028	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01	PROC. REF: AMM 23-30-01							
233105	SUBWOOFER SPEAKER							Component ATA:23
PN:EN-646-W	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:020900151	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
233201	PASSENGER INTERFACE UNIT							Component ATA:23
PN:PIU-45-04-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:080801072	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
234000	INTERPHONE JACK BOX ASSEMBLY							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
235001	NO. 1 AUDIO CONTROL UNIT							Component ATA:23
PN:4523558501-003	MOS/MSC	25-Feb-16	O/C	TSN 82				
SN:0811D337	HRS	1985.9		TSN 1985.9				
	AFL	1799		TSN 1799				
PROC. REF: AMM 23-50-01	PROC. REF: AMM 23-50-01							
235002	NO. 2 AUDIO CONTROL UNIT							Component ATA:23
PN:4523558501-003	MOS/MSC	25-Feb-16	O/C	TSN 82				
SN:0811D339	HRS	1985.9		TSN 1985.9				
	AFL	1799		TSN 1799				
PROC. REF: AMM 23-50-01	PROC. REF: AMM 23-50-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
235013	LEFT COCKPIT SPEAKER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-50-03	PROC. REF: AMM 23-50-03							
235014	RIGHT COCKPIT SPEAKER							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-50-03	PROC. REF: AMM 23-50-03							
236005	XM RADIO WEATHER RECEIVER							Component ATA:23
PN:XMD075-01	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:805000631	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
236010	XM RADIO WEATHER DATA PORT							Component ATA:23
PN:XMDPRT-01	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:807001017	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
236015	XM RADIO ANTENNA							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
236096	NO. 1 NAVIGATION STRAP BOARD							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-05	PROC. REF: AMM 34-51-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
236097	NO. 2 NAVIGATION STRAP BOARD							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-05	PROC. REF: AMM 34-51-05							
236098	NO. 1 COMMUNICATION STRAP BOARD							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-03	PROC. REF: AMM 23-11-03							
236099	NO. 2 COMMUNICATION STRAP BOARD							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-03	PROC. REF: AMM 23-11-03							
237001	COCKPIT VOICE RECORDER (CVR)							Component ATA:23
PN:980-6020-011	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:CVR30-04537	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-70-01	PROC. REF: AMM 23-70-01							
237001A	INTELLIGIBILITY CHECK CVR							Service ATA:23
PN:980-6020-011	MOS/MSC	29-Apr-09	A/R					
SN:CVR30-04537	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
237005	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON (CVR ULB)							Component ATA:23
PN:DK120	MOS/MSC	23-Feb-26	O/C	TSO 8				
SN:AT72078	HRS	3457.5		TSO 0				
	AFL	3136		TSO 0				
PROC. REF: AMM 25-61-01	PROC. REF: AMM 25-61-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
237005C U	RECERTIFY CVR PER MANUFACTURER'S INSTRUCTIONS							Service ATA:23
PN:DK120	MOS/MSC	23-Feb-26	O/C					
SN:AT72078	HRS	3457.5						
	AFL	3136						
237018	COCKPIT VOICE RECORDER (CVR) INERTIA SWITCH							Component ATA:23
PN:3LO-453/8	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:83194	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-70-05PROC. REF: AMM 23-70-05								
237019	COCKPIT AREA MICROPHONE							Component ATA:23
PN:980-6113-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:05885	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
237030	PANEL SWITCH							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
237031	COCKPIT VOICE RECORDER PRE-AMPLIFIER							Component ATA:23
PN:980-6118-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:00803	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-70-03PROC. REF: AMM 23-70-03								
238001	NO. 1 RADIO MANAGEMENT UNIT (RMU)							Component ATA:23
PN:7013270-977	MOS/MSC	20-Oct-17	O/C					
SN:08126610	HRS	2170.3						
	AFL	1942						
PROC. REF: AMM 23-80-01PROC. REF: AMM 23-80-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
238002	NO. 2 RADIO MANAGEMENT UNIT (RMU)							Component ATA:23
PN:7013270-977	MOS/MSC	20-Oct-17	O/C					
SN:08126613	HRS	2170.3						
	AFL	1942						
PROC. REF: AMM 23-80-01PROC. REF: AMM 23-80-01								
238025	CLEARANCE DELIVERY UNIT							Component ATA:23
PN:7513000-835	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08103822	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-82-01PROC. REF: AMM 23-82-01								
239004	MASTER CONTROL SWITCH							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
239011	LAVATORY MASTER CONTROL SWITCH							Component ATA:23
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
A2300000 S	** COMMUNICATION SYSTEMS - PERFORM OPERATIONAL CHECK							Service ATA:23
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 23-00-00PROC. REF: AMM 23-00-00								
V2312003 S	HF ANTENNA - PERFORM VISUAL INSPECTION. CHECK FOR PROPER TENSION OF HF ANTENNA WIRE.							Service ATA:23
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 23-12-04PROC. REF: AMM 23-12-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition

ATA 23 - COMMUNICATIONS

Y2360020 S	AIRCRAFT STATIC DISCHARGERS - PERFORM FUNCTIONAL TEST							Service ATA:23
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:20
PROC. REF: AMM 23-60-00PROC. REF: AMM 23-60-00								
Y2360023 S	AIRCRAFT STATIC DISCHARGERS - PERFORM FUNCTIONAL TEST							Service ATA:23
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:22
PROC. REF: AMM 23-60-00PROC. REF: AMM 23-60-00								

ATA 24 - ELECTRICAL POWER

240109	AFT CIRCUIT BREAKER PANEL							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-04PROC. REF: AMM 24-60-04								
242000	NO. 1 ALTERNATOR							Component ATA:24
PN:90278-2	MOS/MSC	07-May-26	O/C	TSO 0				
SN:464	HRS	3510.2		TSO 0				
	AFL	3178		TSO 0				
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01								
242001	NO. 2 ALTERNATOR							Component ATA:24
PN:90278-2	MOS/MSC	05-Sep-25	O/C	TSO 0				
SN:1491	HRS	3327		TSO 0				
	AFL	3014		TSO 0				
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
242008	AC/DC VOLT INDICATOR							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242050	NO. 1 REMOTE CONTROL CIRCUIT BREAKER							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-01PROC. REF: AMM 24-60-01								
242052	NO. 2 REMOTE CONTROL CIRCUIT BREAKER							Component ATA:24
PN:SM600BA75N1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:95337	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-01PROC. REF: AMM 24-60-01								
242054	NO. 3 REMOTE CONTROL CIRCUIT BREAKER							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-01PROC. REF: AMM 24-60-01								
242081	CABIN ELECTRICAL INVERTER							Component ATA:24
PN:2D1200-1A-011	MOS/MSC	21-Jun-22	O/C	TSO 3				
SN:GB000856	HRS	2821.1		TSO 0				
	AFL	2505		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242082	TAILCONE ELECTRICAL INVERTER							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
242083	ELECTRICAL INVERTER							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243001	NO. 1 STARTER/GENERATOR							Component ATA:24
PN:23280-067	MOS/MSC	03-Jul-26	O/C					
SN:P1805/CA	HRS	3576.7						
	AFL	3237						
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
243002	NO. 2 STARTER/GENERATOR							Component ATA:24
PN:23280-075	MOS/MSC	03-Jul-26	O/C					
SN:P1295/CB	HRS	3576.7						
	AFL	3237						
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
243003	APU STARTER/GENERATOR							Component ATA:24
PN:6608458-010	MOS/MSC	12-Jul-24	O/C	TSO 0				
SN:P1266	HRS	3187		TSO 0				
	AFL	2876		TSO 0				
PROC. REF: AMM 49-40-01PROC. REF: AMM 49-40-01								
243005	LEFT GENERATOR CONTROL UNIT (GCU)							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243006	RIGHT GENERATOR CONTROL UNIT (GCU)							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243019	NO. 1 MAIN BATTERY							Component ATA:24
PN:RG-380E/40L	MOS/MSC	07-May-26	O/C	TSN 0				
SN:70069077	HRS	3510.2		TSN 0				
	AFL	3178		TSN 0				
PROC. REF: AMM 24-31-01, AMM 24-31-06, CMM 24-30-71PROC. REF: AMM 24-31-01, AMM 24-31-06, CMM 24-30-71								
243020	NO. 2 MAIN BATTERY							Component ATA:24
PN:RG-380E/40L	MOS/MSC	26-Nov-25	O/C	TSN 3				
SN:70059664	HRS	3404.3		TSN 0				
	AFL	3093		TSN 0				
PROC. REF: CMM 24-30-71PROC. REF: CMM 24-30-71								
243037	EMERGENCY BATTERY							Component ATA:24
PN:RG145-2	MOS/MSC	26-Aug-24	H/T	TSN 0				
SN:41368203	HRS	3188.2		TSN 0				
	AFL	2878		TSN 0				
PROC. REF: AMM 24-32-01, CMM 24-30-67PROC. REF: AMM 24-32-01, CMM 24-30-67								
246001	LEFT FORWARD POWER DISTRIBUTION PANEL							Component ATA:24
PN:650GC02Y03	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:284	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-02PROC. REF: AMM 24-60-02								
246002	RIGHT FORWARD POWER DISTRIBUTION PANEL							Component ATA:24
PN:655GC02Y03	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:592	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-02PROC. REF: AMM 24-60-02								
246003	LEFT AFT POWER DISTRIBUTION PANEL							Component ATA:24
PN:660GC02Y07	MOS/MSC	07-Feb-19	O/C	TSR 0				
SN:798	HRS	2342.3		TSR 0				
	AFL	2075		TSR 0				
PROC. REF: AMM 24-60-03PROC. REF: AMM 24-60-03								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246004	RIGHT AFT POWER DISTRIBUTION PANEL							Component ATA:24
PN:665GC02Y07	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:688	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-03PROC. REF: AMM 24-60-03								
246101	LEFT GENERATOR CONTROL UNIT PRINTED CIRCUIT BOARD							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246102	LEFT LOGIC PRINTED CIRCUIT BOARD							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246104	RIGHT GENERATOR CONTROL UNIT PRINTED CIRCUIT BOARD							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246105	RIGHT LOGIC PRINTED CIRCUIT BOARD							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246106	APU GENERATOR CONTROL UNIT PRINTED CIRCUIT BOARD							Component ATA:24
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
AB2431062		EMERGENCY BATTERY - PERFORM CAPACITY CHECK						Service ATA:24
PN:RG145-2	MOS	11-Dec-25	12		11-Dec-26		71 d	
SN:41368203	HRS	3411.6	1000 (+100/-100)		4411.6	4511.6	798.8 (+100)	
	AFL	3102						
AB2431063		EMERGENCY BATTERY - REPLACE						Service ATA:24
	MOS	29-Apr-09	48		26-Aug-29 (M)		1060 d	LIFE LIMIT
	HRS	0			8188.2 (M)		4575.4	
	AFL	0						
AC2460002 S		REMOVE ATTACHING PARTS SECURING CIRCUIT BREAKER PANEL TO STRUCTURE. CHECK FOR LOOSE CIRCUIT BREAKER TERMINALS, LOOSE WIRE TERMINALS, CORRODED TERMINALS OR BUS BARS, AND EVIDENCE OF WIRE INSULATION DAMAGE.						Service ATA:24
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
B2450002 S		** ELECTRICAL SYSTEM CONTROL - PERFORM OPERATIONAL CHECK						Service ATA:24
	MOS	05-Sep-25	48 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 24-00-00PROC. REF: AMM 24-00-00								
F2420000		** NO. 1 ALTERNATOR - PERFORM BEARING REPLACEMENT						Service ATA:24
PN:90278-2	MOS	07-May-26						AIRWORTHINESS
SN:464	HRS	3510.2	1200 (+25/-25)		4710.2	4735.2	1097.4 (+25)	
	AFL	3178						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
F2420000	** NO. 2 ALTERNATOR - PERFORM BEARING REPLACEMENT							Service ATA:24
PN:90278-2	MOS	05-Sep-25						AIRWORTHINESS
SN:1491	HRS	3327	1200 (+25/-25)		4527	4552	914.2 (+25)	
	AFL	3014						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
H2450001 S	** AUXILIARY POWER SUPPLIES - PERFORM FUNCTIONAL TEST							Service ATA:24
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 24-00-00PROC. REF: AMM 24-00-00								
H2450023 S	** EMER BATT LOW AND GEN AMPS HIGH INDICATION - PERFORM OPERATIONAL CHECK							Service ATA:24
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 24-00-00PROC. REF: AMM 24-00-00								
O2431002	EMERGENCY BATTERY - PERFORM CAPACITY CHECK							Service ATA:24
PN:RG145-2	MOS/MSC	26-Aug-24	N/A					
SN:41368203	HRS	3188.2						
	AFL	2878						
PROC. REF: CMM 24-30-67PROC. REF: CMM 24-30-67								
P2430003	NO. 1 STARTER/GENERATOR - PERFORM OVERHAUL							Service ATA:24
PN:23280-067	MOS	03-Jul-26						
SN:P1805/CA	HRS	3576.7	1200 (+25/-25)	TAC 1211	3576.7	3601.7	OVD	
	AFL	3237						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
P2430003	NO. 2 STARTER/GENERATOR - PERFORM OVERHAUL							Service ATA:24
PN:23280-075	MOS	07-May-26						
SN:P1295/CB	HRS	3510.2	1200 (+25/-25)		4710.2	4735.2	1097.4 (+25)	
	AFL	3178						
Special Properties: TRACKED ITEM								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
P2430007	NO. 1 STARTER/GENERATOR - REPLACE BEARINGS							Service ATA:24
PN:23280-067	MOS/MSC		N/A					
SN:P1805/CA	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
P2430007	NO. 2 STARTER/GENERATOR - REPLACE BEARINGS							Service ATA:24
PN:23280-075	MOS/MSC		N/A					
SN:P1295/CB	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q2460001 S	** POWER DISTRIBUTION SYSTEM - PERFORM SQUAT SWITCH CHECK							Service ATA:24
	MOS	05-Sep-25	48 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:17
PROC. REF: AMM 24-60-00PROC. REF: AMM 24-60-00								
R2431003 S	** BATTERY WARNING SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:24
	MOS	05-Sep-25	96 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:19
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
ST01639WI U		REMOVAL OF THE CONCORDE RG-443 EMERGENCY BATTERY AND REPLACING IT WITH THE CONCORDE RG-145-2 EMERGENCY BATTERY						Component ATA:24
PN:RG-145-2	MOS/MSC	05-Jul-16	O/C					STC-SUPPLEMENTAL TYPE CERTIFICATE
SN:40693194	HRS	2056.8						
	AFL	1854						
W2450000 S		** GENERATOR FAIL INDICATION - PERFORM OPERATIONAL CHECK						Service ATA:24
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 24-00-00PROC. REF: AMM 24-00-00								
Y2400001 S		SWITCH AND CIRCUIT BREAKER PANELS - PERFORM VISUAL INSPECTION						Service ATA:24
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2400002 S		ELECTRICAL WIRING - PERFORM VISUAL INSPECTION FOR ROUTING, SECURITY, CLEARANCES, CHAFING, AND ELECTRICAL COMPONENTS FOR SECURITY AND GENERAL CONDITION.						Service ATA:24
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2400025 S		ELECTRICAL WIRING - PERFORM VISUAL INSPECTION FOR ROUTING, SECURITY, CLEARANCES, CHAFING, AND ELECTRICAL COMPONENTS FOR SECURITY AND GENERAL CONDITION.						Service ATA:24
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:8
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
Y2430005 S		STARTER/GENERATOR - PERFORM GROUNDING LUG BONDING CHECK						Service ATA:24
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:9
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
Y2430006 S		STARTER/GENERATOR - PERFORM VISUAL INSPECTION OF GROUNDING LUGS						Service ATA:24
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:9
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2431000 S		BATTERY, GENERATOR, AND BUS-TIE CABLES - PERFORM VISUAL INSPECTION						Service ATA:24
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:20
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2431001 S		EMERGENCY BATTERY CABLES - PERFORM VISUAL INSPECTION						Service ATA:24
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2431005		BATTERY CABLES AND RECEPTACLES - PERFORM BATTERY CONNECTOR TOLERANCE CHECK						Service ATA:24
	MOS	05-Sep-25						
	HRS	3327	300 (+25/-25)		3627	3652	14.2 (+25)	
	AFL	3014						
	APH							
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
Y2460000 S	DC BUS ISOLATION - PERFORM OPERATIONAL CHECK							Service ATA:24
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 24-60-00PROC. REF: AMM 24-60-00								
ATA 25 - EQUIPMENT/FURNISHINGS								
250010	RELAY MODULE							Component ATA:25
PN:MSM9646-01-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900619	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252000	JUMP SEAT							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252000	NO. 1 PASSENGER SEAT							Component ATA:25
PN:M6613100-001-D	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:081231-02	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252000	NO. 2 PASSENGER SEAT							Component ATA:25
PN:M6613100-002-D	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:081231-05	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252000	NO. 3 PASSENGER SEAT							Component ATA:25
PN:M6613100-001-D	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:081231-04	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252000	NO. 4 PASSENGER SEAT							Component ATA:25
PN:M6613100-002-D	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:081231-07	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252000	NO. 5 PASSENGER SEAT							Component ATA:25
PN:M6613100-001-D	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:081231-03	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252000	NO. 6 PASSENGER SEAT							Component ATA:25
PN:M6613100-002-D	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:081231-08	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252000	NO. 7 PASSENGER SEAT							Component ATA:25
PN:M6613100-001-D	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:081231-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252000	NO. 8 PASSENGER SEAT							Component ATA:25
PN:M6613100-002-D	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:081231-06	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252001	LAVATORY PCU							Component ATA:25
PN:SP-45-55	MOS/MSC	14-Sep-12	O/C	TSN 0				
SN:041100212	HRS	994.5		TSN 0				
	AFL	930		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252001	NO. 1 PASSENGER SEAT PCU							Component ATA:25
PN:SP-45-54	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:040500176	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252001	NO. 2 PASSENGER SEAT PCU							Component ATA:25
PN:SP-45-54	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:120800377	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252001	NO. 3 PASSENGER SEAT PCU							Component ATA:25
PN:SP-45-54	MOS/MSC	07-Oct-13	O/C	TSR 1				
SN:060400343	HRS	1321.2		TSR 0				
	AFL	1227		TSR 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252001	NO. 4 PASSENGER SEAT PCU							Component ATA:25
PN:SP-45-54	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:120800360	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252001	NO. 5 PASSENGER SEAT PCU							Component ATA:25
PN:SP-45-54	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:120800359	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252001	NO. 6 PASSENGER SEAT PCU							Component ATA:25
PN:SP-45-54	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:120800102	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252001	NO. 7 PASSENGER SEAT PCU							Component ATA:25
PN:SP-45-54	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:120800361	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252001	NO. 8 PASSENGER SEAT PCU							Component ATA:25
PN:SP-45-54	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900726	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-20-45PROC. REF: AMM 25-20-45								
252005 U	AIRSHOW FLIGHT DECK CONTROLLER							Component ATA:25
PN:922000-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:H01005525	HRS	0		TSN 0				
	AFL	0		TSN 0				
252010	AIRSHOW COMPUTER							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252012	AIRSHOW SWITCH							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252015	INFRARED SENSOR							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252020	CLOSET SWITCH PANEL ASSEMBLY							Component ATA:25
PN:SP-45-21	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010900675	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252090	NO. 1 110 VOLT POWER OUTLET							Component ATA:25
PN:SP-45-26	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:120800286	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252091	NO. 2 110 VOLT POWER OUTLET							Component ATA:25
PN:SP-45-26	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:120800288	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252092	NO. 3 110 VOLT POWER OUTLET							Component ATA:25
PN:SP-45-38	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:020900298	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252095	NO. 4 110 VOLT POWER OUTLET							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252097	NO. 1 AC POWER OUTLET							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252098	NO. 2 AC POWER OUTLET							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
252099	NO. 3 AC POWER OUTLET							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
253001	MICROWAVE OVEN							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
253075	NO. 1 HEATED WATER CONTAINER							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
253076	NO. 2 HEATED WATER CONTAINER							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
253077	HEATED WATER SWITCH							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
253080	GALLEY DRAIN VALVE SOLENOID							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256001	PILOT CREW SEAT							Component ATA:25
PN:TALJ2-14PM01-02 / 4525103038-007	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:931	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-50PROC. REF: AMM 25-10-50								
256002	COPILOT CREW SEAT							Component ATA:25
PN:TALJ2-14CM01-02 / 4525103038-008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:973	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-10-50PROC. REF: AMM 25-10-50								
256061	PILOTS LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:2306148626	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								
256062	COPILOTS LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:23061480740	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05PROC. REF: CMM 25-60-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256063	NO. 1 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:23061481131	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05	PROC. REF: CMM 25-60-05							
256064	NO. 2 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:23061480760	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05	PROC. REF: CMM 25-60-05							
256065	NO. 3 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:23061481145	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05	PROC. REF: CMM 25-60-05							
256066	NO. 4 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:23061481090	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05	PROC. REF: CMM 25-60-05							
256067	NO. 5 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:23061480965	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05	PROC. REF: CMM 25-60-05							
256068	NO. 6 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:23061480686	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05	PROC. REF: CMM 25-60-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256069	NO. 7 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:23061481473	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05PROC. REF: CMM 25-60-05								
256070	NO. 8 PASSENGER LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:23061480287	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05PROC. REF: CMM 25-60-05								
256071	LAVATORY LIFE VEST							Component ATA:25
PN:P01074-101	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:23061480287	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: CMM 25-60-05PROC. REF: CMM 25-60-05								
256076	FIRST AID KIT							Component ATA:25
PN:500939	MOS/MSC	23-Feb-26	O/C	TSO 0				
SN:121902048B	HRS	3457.5		TSO 0				
	AFL	3136		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256076A	FIRST AID KIT - VISUALLY INSPECT PER MANUFACTURER INSTRUCTIONS							Service ATA:25
PN:500939	MOS	23-Feb-26	6		23-Aug-26		OVD	CUSTOMER CODE
SN:121902048B	HRS	3457.5						
	AFL	3136						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256080	INSPECT LIFE VESTS							Service ATA:25
	MOS/MSC	29-Apr-09	A/R					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF, CMM 25-60-05PROC. REF: GENERIC NO REF, CMM 25-60-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256080A	RECERTIFY LIFE VEST FOR CONTINUED SERVICE PER MANUFACTURER'S INSTRUCTIONS							Service ATA:25
	MOS/MSC	29-Apr-09	A/R					
	HRS	0						
	AFL	0						
PROC. REF: CMM 25-60-05PROC. REF: CMM 25-60-05								
256109	(ELT) EMERGENCY LOCATOR TRANSMITTER							Component ATA:25
PN:453-5000-366	MOS/MSC	11-Dec-25	O/C					
SN:170-08615	HRS	3411.6						
	AFL	3102						
PROC. REF: AMM 25-62-01PROC. REF: AMM 25-62-01								
256109A	(ELT) EMERGENCY LOCATOR TRANSMITTER - PERFORM NATIONALY REQUIRED FUNCTIONAL TEST							Service ATA:25
PN:453-5000-366	MOS	11-Dec-25	12		11-Dec-26		71 d	
SN:170-08615	HRS	3411.6						
	AFL	3102						
PROC. REF: AMM 25-62-00, FAR FAR 91.207PROC. REF: AMM 25-62-00, FAR FAR 91.207								
256109B	(ELT) EMERGENCY LOCATOR TRANSMITTER - INSPECT ELT BATTERIES							Service ATA:25
PN:453-5000-366	MOS	11-Dec-25	12		11-Dec-26		71 d	
SN:170-08615	HRS	3411.6						
	AFL	3102						
PROC. REF: AMM 25-62-00, FAR FAR 91.207PROC. REF: AMM 25-62-00, FAR FAR 91.207								
256109C	(ELT) EMERGENCY LOCATOR TRANSMITTER BATTERY - REPLACE							Service ATA:25
PN:453-5000-366	MOS	12-Jul-24	72		01-Feb-29 (M)		854 d	LIFE LIMIT
SN:170-08615	HRS	3187						
	AFL	2876						
	APH							
PROC. REF: AMM 25-62-01, FAR FAR 91.207PROC. REF: AMM 25-62-01, FAR FAR 91.207								
256109D	(ELT) EMERGENCY LOCATOR TRANSMITTER - REPLACE ARTEX 110 REMOTE SWITCH BATTERY							Service ATA:25
PN:453-5000-366	MOS/MSC		N/A					
SN:170-08615	HRS							
	AFL							
PROC. REF: GENERIC NO REF, FAR FAR 91.207PROC. REF: GENERIC NO REF, FAR FAR 91.207								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256109F	(ELT) EMERGENCY LOCATOR TRANSMITTER - RENEW REGISTRATION							Service ATA:25
PN:453-5000-366	MOS	21-Jan-25	24		06-Dec-26		66 d	
SN:170-08615	HRS	3262.2						
	AFL	2949						
		Service Date: : 06-Dec-24						
PROC. REF: MSC ELT REGISTRATIONPROC. REF: MSC ELT REGISTRATION								
256110	EMERGENCY LOCATOR TRANSMITTER (ELT)/NAVIGATION INTERFACE UNIT (C406-2)							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256115	EMERGENCY LOCATOR TRANSMITTER (ELT) ANTENNA							Component ATA:25
PN:110-337	MOS/MSC	20-Nov-15	O/C					
SN:267858	HRS	1910						
	AFL	1750						
PROC. REF: AMM 25-62-03PROC. REF: AMM 25-62-03								
256116	EMERGENCY LOCATOR TRANSMITTER (ELT) REMOTE SWITCH							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-62-04PROC. REF: AMM 25-62-04								
258001	CABIN AIRSHOW DISPLAY COMPUTER UNIT							Component ATA:25
PN:920055	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:G01005397	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
259072	AUTOMATIC ELECTRONIC DEFIBRILLATOR (AED)							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
259073	AUTOMATIC ELECTRONIC DEFIBRILLATOR (AED) BATTERIES							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
259074	AUTOMATIC ELECTRONIC DEFIBRILLATOR (AED) ELECTRODE PADS							Component ATA:25
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
5-19-01-N2561004 U	REPLACE REMOTE SWITCH BATTERY (DORNE AND MARGOLIN ELT REMOTE CONTROL BATTERY (P/N U264-1). (ZONE/ACCESS 200 IRN # N2561004)							Service ATA:25
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
AA2560000	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON - CLEAN BEACON SWITCH, PERFORM FUNCTIONAL TEST OF BEACON, AND PERFORM TEST OF ULB BATTERY							Service ATA:25
PN:DK120	MOS	23-Feb-26	24 (+14d/-14d)		23-Feb-28	08-Mar-28	510 d (+14)	
SN:AT72078	HRS	3457.5						
	AFL	3136						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
D2566001	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON - REPLACE							Service ATA:25
PN:DK120	MOS/MSC	23-Feb-26	DUE		30-Jun-31 (M)		1733 d	
SN:AT72078	HRS	3457.5						
	AFL	3136						
			Expiry Date: : 30-Jun-31					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
E2561002		COPILOTS LIFE VEST - PERFORM INSPECTION OF LIFE VESTS						Service ATA:25
PN:P01074-101	MOS	15-Sep-23	60 (+14d/-14d)		15-Sep-28	29-Sep-28	715 d (+14)	
SN:23061480740	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								
E2561002		LAVATORY LIFE VEST - PERFORM INSPECTION OF LIFE VESTS						Service ATA:25
PN:P01074-101	MOS	15-Sep-23	120 (+14d/-14d)		15-Sep-33	29-Sep-33	2541 d (+14)	
SN:23061480287	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								
E2561002		NO. 1 PASSENGER LIFE VEST - PERFORM INSPECTION OF LIFE VESTS						Service ATA:25
PN:P01074-101	MOS	15-Sep-23	60 (+14d/-14d)		15-Sep-28	29-Sep-28	715 d (+14)	
SN:23061481131	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								
E2561002		NO. 2 PASSENGER LIFE VEST - PERFORM INSPECTION OF LIFE VESTS						Service ATA:25
PN:P01074-101	MOS	15-Sep-23	60 (+14d/-14d)		15-Sep-28	29-Sep-28	715 d (+14)	
SN:23061480760	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								
E2561002		NO. 3 PASSENGER LIFE VEST - PERFORM INSPECTION OF LIFE VESTS						Service ATA:25
PN:P01074-101	MOS	15-Sep-23	60 (+14d/-14d)		15-Sep-28	29-Sep-28	715 d (+14)	
SN:23061481145	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
E2561002	NO. 4 PASSENGER LIFE VEST - PERFORM INSPECTION OF LIFE VESTS							Service ATA:25
PN:P01074-101	MOS	15-Sep-23	60		15-Sep-28		715 d	
SN:23061481090	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								
E2561002	NO. 5 PASSENGER LIFE VEST - PERFORM INSPECTION OF LIFE VESTS							Service ATA:25
PN:P01074-101	MOS	15-Sep-23	60 (+14d/-14d)		15-Sep-28	29-Sep-28	715 d (+14)	
SN:23061480965	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								
E2561002	NO. 6 PASSENGER LIFE VEST - PERFORM INSPECTION OF LIFE VESTS							Service ATA:25
PN:P01074-101	MOS	15-Sep-23	60 (+14d/-14d)		15-Sep-28	29-Sep-28	715 d (+14)	
SN:23061480686	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								
E2561002	NO. 7 PASSENGER LIFE VEST - PERFORM INSPECTION OF LIFE VESTS							Service ATA:25
PN:P01074-101	MOS	15-Sep-23	60 (+14d/-14d)		15-Sep-28	29-Sep-28	715 d (+14)	
SN:23061481473	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								
E2561002	NO. 8 PASSENGER LIFE VEST - PERFORM INSPECTION OF LIFE VESTS							Service ATA:25
PN:P01074-101	MOS	15-Sep-23	60 (+14d/-14d)		15-Sep-28	29-Sep-28	715 d (+14)	
SN:23061480287	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
E2561002	PILOTS LIFE VEST - PERFORM INSPECTION OF LIFE VESTS							Service ATA:25
PN:P01074-101	MOS	15-Sep-23	60		15-Sep-28		715 d	
SN:2306148626	HRS							
	AFL							
			Inspection Date: : 15-Sep-23					
PROC. REF: CMM 25-60-05, AMM 25-60-01PROC. REF: CMM 25-60-05, AMM 25-60-01								
N2561004	(ELT) EMERGENCY LOCATOR TRANSMITTER - REPLACE DORNE AND MARGOLIN REMOTE SWITCH BATTERY							Service ATA:25
PN:453-5000-366	MOS/MSC		N/A					
SN:170-08615	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ST00909SE	INSPECT LIFEPORT INSTALLATION							Service ATA:25
	MOS/MSC	29-Apr-09	O/C					STC-SUPPLEMENTAL TYPE CERTIFICATE
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Y2510000 S	GLARESHIELD, HEADLINER, AND TRIM STRIPS - PERFORM VISUAL INSPECTION							Service ATA:25
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2510001 S	CREW SEATS AND SEAT BELTS - PERFORM VISUAL INSPECTION							Service ATA:25
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition

ATA 25 - EQUIPMENT/FURNISHINGS

Y2520000 S	CABIN - PERFORM VISUAL INSPECTION OF THE FOLLOWING: A. CABIN SEATS AND SEAT BELTS. ENSURE THAT THE SEATS FUNCTION CORRECTLY AND LOCK IN PLACE. B. STOWAGE CABINETS. C. HEADLINER. D. SIDE PANELS. E. RUG.							Service ATA:25
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						

PKG:1

PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00

Y2540000 S	ALL LAVATORY PAPER AND LINEN WASTE RECEPTACLE ACCESS DOORS AND DISPOSAL DOORS FOR PROPER OPERATION, FIT, SEALING, LATCHING, AND LEGIBILITY OF PLACARD.							Service ATA:25
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						

PKG:7

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

Y2540009 S	AVIONICS EQUIPMENT AND WIRING LOCATED IN LAVATORY AREA - PERFORM GENERAL VISUAL INSPECTION							Service ATA:25
	MOS	29-Apr-09						
	HRS	0	4800 (+25/-25)					
	AFL	0						

PKG:25

PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00

ATA 26 - FIRE PROTECTION

261010 U	LEFT SENSING, ENGINE HOT SECTION ELEMENT							Component ATA:26
PN:744-12135	MOS/MSC	04-Feb-16	O/C	TSR 0				
SN:111605	HRS	1969.5		TSR 0				
	AFL	1786		TSR 0				

261011 U	RIGHT SENSING, ENGINE HOT SECTION ELEMENT							Component ATA:26
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
261012	NO. 1 ENGINE FIREWALL FIRE DETECTION ELEMENT							Component ATA:26
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-02PROC. REF: AMM 26-11-02								
261013	NO. 2 ENGINE FIREWALL FIRE DETECTION ELEMENT							Component ATA:26
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-02PROC. REF: AMM 26-11-02								
261014	NO. 1 ENGINE ACCESSORY GEARBOX FIRE DETECTION ELEMENT							Component ATA:26
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-02PROC. REF: AMM 26-11-02								
261015	NO. 2 ENGINE ACCESSORY GEARBOX FIRE DETECTION ELEMENT							Component ATA:26
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-02PROC. REF: AMM 26-11-02								
261016	NO. 1 ENGINE HOT SECTION FIRE DETECTION ELEMENT							Component ATA:26
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-02PROC. REF: AMM 26-11-02								
261017	NO. 2 ENGINE HOT SECTION FIRE DETECTION ELEMENT							Component ATA:26
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-02PROC. REF: AMM 26-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
261057	NO. 1 FIRE DETECT CONTROL UNIT							Component ATA:26
PN:877-01032	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0837-515	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-01	PROC. REF: AMM 26-11-01							
261058	NO. 2 FIRE DETECT CONTROL UNIT							Component ATA:26
PN:877-01032	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0837-509	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-01	PROC. REF: AMM 26-11-01							
261069	NO. 1 BLEED AIR LEAK DETECTION UNIT							Component ATA:26
PN:35009-39	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2371	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-12-01	PROC. REF: AMM 26-12-01							
261070	NO. 2 BLEED AIR LEAK DETECTION UNIT							Component ATA:26
PN:35009-39	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2374	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-12-01	PROC. REF: AMM 26-12-01							
261071	ANTI-ICE BLEED AIR LEAK DETECTION UNIT							Component ATA:26
PN:35009-39	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2377	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-12-01	PROC. REF: AMM 26-12-01							
261075	APU FIRE/OVERHEAT DETECTOR							Component ATA:26
PN:10-1093	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08-0350	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-13-01	PROC. REF: AMM 26-13-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262001	NO. 1/LEFT/LOWER FIRE EXTINGUISHER BOTTLE							Component ATA:26
PN:33100021-1	MOS/MSC	15-Sep-23	O/C	TSN 0				
SN:87845B1	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262002	NO. 2/RIGHT/UPPER FIRE EXTINGUISHER BOTTLE							Component ATA:26
PN:33100021-1	MOS/MSC	15-Sep-23	O/C	TSO 0				
SN:39973B1	HRS	3060.8		TSO 0				
	AFL	2734		TSO 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
262013	NO. 1/LEFT/LOWER FIRE EXTINGUISHER, LEFT SQUIB							Component ATA:26
PN:30903859	MOS/MSC	15-Sep-23	H/T	TSN 0				
SN:4159CH	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262014	NO. 1/LEFT/LOWER FIRE EXTINGUISHER, RIGHT SQUIB							Component ATA:26
PN:30903856	MOS/MSC	15-Sep-23	H/T	TSN 0				
SN:0100CJ	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
262015	NO. 2/RIGHT/UPPER FIRE EXTINGUISHER, LEFT SQUIB							Component ATA:26
PN:30903856	MOS/MSC	15-Sep-23	H/T	TSN 0				
SN:2365WJ	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				
262016	NO. 2/RIGHT/UPPER FIRE EXTINGUISHER, RIGHT SQUIB							Component ATA:26
PN:30903859	MOS/MSC	15-Sep-23	H/T	TSN 0				
SN:3029WH	HRS	3060.8		TSN 0				
	AFL	2734		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262040	APU FIRE WARNING HORN							Component ATA:26
PN:315-543850	MOS/MSC	07-Jan-22	O/C	TSN 0				
SN:N/A	HRS	2726.2		TSN 0				
	AFL	2429		TSN 0				
PROC. REF: AMM 26-13-02PROC. REF: AMM 26-13-02								
262041	PILOT PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:A344	MOS/MSC	09-Sep-24	O/C	TSN 0				
SN:I-28121243	HRS	3202.2		TSN 0				
	AFL	2888		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262041C U	RECHARGE PILOT PILOT PORTABLE FIRE EXTINGUISHER - PERFORM MAINTENANCE RECHARGE PROCEDURE IAW MAINTENANCE & RECHARGE SERVICE MANUAL NO: 05604							Service ATA:26
PN:A344	MOS	01-Feb-24	72		01-Feb-30		1219 d	VENDOR RECOMMENDATION
SN:I-28121243	HRS	3202.2						
	AFL	2888						
PROC. REF: CMM AMEREXPROC. REF: CMM AMEREX								
262042	COPILOT PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:A344	MOS/MSC	05-Sep-25	O/C	TSN 0				
SN:H-06919129	HRS	3327		TSN 0				
	AFL	3014		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262042C U	RECHARGE COPILOT CO-PILOT PORTABLE FIRE EXTINGUISHER - PERFORM MAINTENANCE RECHARGE PROCEDURE IAW MAINTENANCE & RECHARGE SERVICE MANUAL NO: 05604							Service ATA:26
PN:A344	MOS	05-Sep-25	72		05-Sep-31		1800 d	VENDOR RECOMMENDATION
SN:H-06919129	HRS	3327						
	AFL	3014						
PROC. REF: CMM AMEREXPROC. REF: CMM AMEREX								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262051	CABIN PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:C352	MOS/MSC	09-Sep-24	O/C	TSN 0				
SN:I-33914642	HRS	3202.2		TSN 0				
	AFL	2888		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262051C U	RECHARGE CABIN CABIN - PORTABLE FIRE EXTINGUISHER - PERFORM MAINTENANCE RECHARGE PROCEDURE IAW MAINTENANCE & RECHARGE SERVICE MANUAL NO: 05604							Service ATA:26
PN:C352	MOS	01-Apr-24	72		01-Apr-30		1278 d	VENDOR RECOMMENDATION
SN:I-33914642	HRS	3202.2						
	AFL	2888						
PROC. REF: CMM AMEREXPROC. REF: CMM AMEREX								
262075	APU FIRE EXTINGUISHER CONTAINER							Component ATA:26
PN:51600-2	MOS/MSC	12-Jul-24	O/C	TSO 4				
SN:0352	HRS	3187		TSO 0				
	AFL	2876		TSO 0				
PROC. REF: AMM 26-22-01PROC. REF: AMM 26-22-01								
262076	APU ENGINE FIRE EXTINGUISHER CONTAINER CARTRIDGE							Component ATA:26
PN:30600-22	MOS/MSC	12-Jul-24	H/T	TSN 0				
SN:LOT 130	HRS	3187		TSN 0				
	AFL	2876		TSN 0				
PROC. REF: AMM 26-21-02PROC. REF: AMM 26-21-02								
D2620007.S	NO. 1/LEFT/LOWER FIRE EXTINGUISHER, LEFT SQUIB - SERVICE LIFE LIMIT							Service ATA:26
PN:30903859	MOS	15-Sep-23	120		15-Sep-33		2541 d	SERVICE LIFE LIMIT
SN:4159CH	HRS	3060.8						
	AFL	2734						
	Installation Date: : 15-Sep-23							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
D2620007.S	NO. 1/LEFT/LOWER FIRE EXTINGUISHER, RIGHT SQUIB - SERVICE LIFE LIMIT							Service ATA:26
PN:30903856	MOS	15-Sep-23	120		15-Sep-33		2541 d	SERVICE LIFE LIMIT
SN:0100CJ	HRS	3060.8						
	AFL	2734						
			Installation Date: : 15-Sep-23					
D2620007.S	NO. 2/RIGHT/UPPER FIRE EXTINGUISHER, LEFT SQUIB - SERVICE LIFE LIMIT							Service ATA:26
PN:30903856	MOS	15-Sep-23	120		15-Sep-33		2541 d	SERVICE LIFE LIMIT
SN:2365WJ	HRS	3060.8						
	AFL	2734						
			Installation Date: : 15-Sep-23					
D2620007.S	NO. 2/RIGHT/UPPER FIRE EXTINGUISHER, RIGHT SQUIB - SERVICE LIFE LIMIT							Service ATA:26
PN:30903859	MOS	15-Sep-23	120		15-Sep-33		2541 d	SERVICE LIFE LIMIT
SN:3029WH	HRS	3060.8						
	AFL	2734						
			Installation Date: : 15-Sep-23					
D2620007.T	NO. 1/LEFT/LOWER FIRE EXTINGUISHER, LEFT SQUIB - TOTAL LIFE LIMIT							Service ATA:26
	MOS	15-Sep-23	180		26-Jul-38		4316 d	LIFE LIMIT
	HRS	3060.8						
	AFL	2734						
			Manufacture Date:: 26-Jul-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
D2620007.T	NO. 1/LEFT/LOWER FIRE EXTINGUISHER, RIGHT SQUIB - TOTAL LIFE LIMIT							Service ATA:26
	MOS	15-Sep-23	180		26-Jul-38		4316 d	LIFE LIMIT
	HRS	3060.8						
	AFL	2734						
			Manufacture Date:: 26-Jul-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
D2620007.T	NO. 2/RIGHT/UPPER FIRE EXTINGUISHER, LEFT SQUIB - TOTAL LIFE LIMIT							Service ATA:26
	MOS	15-Sep-23	180		31-Oct-33		2587 d	LIFE LIMIT
	HRS	3060.8						
	AFL	2734						
			Manufacture Date:: 31-Oct-18					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
D2620007.T	NO. 2/RIGHT/UPPER FIRE EXTINGUISHER, RIGHT SQUIB - TOTAL LIFE LIMIT							Service ATA:26
	MOS	15-Sep-23	180		30-Nov-33		2617 d	LIFE LIMIT
	HRS	3060.8						
	AFL	2734						
			Manufacture Date:: 30-Nov-18					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
J2620000 S	** ENGINE FIRE EXTINGUISHING SYSTEM FIRE SWITCH - PERFORM FUNCTIONAL TEST							Service ATA:26
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800 (+25/-25)					
	AFL	0						
								PKG:25
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
O2610001	NO. 1 ENGINE HOT SECTION FIRE DETECTOR ELEMENT - PERFORM VISUAL INSPECTION							Service ATA:26
	MOS	29-Apr-09						
	HRS	0	3500 (+100/-100)		3500	3600	OVD	
	AFL	0						
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
O2610001	NO. 2 ENGINE HOT SECTION FIRE DETECTOR ELEMENT - PERFORM VISUAL INSPECTION							Service ATA:26
	MOS	29-Apr-09						
	HRS	0	3500 (+100/-100)		3500	3600	OVD	
	AFL	0						
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
Q2510003		CABIN PORTABLE FIRE EXTINGUISHER - PERFORM ICC HYDROSTATIC TEST						Service ATA:26
PN:C352	MOS	09-Sep-24	144 (+14d/-14d)		01-Apr-36	15-Apr-36	3470 d (+14)	
SN:I-33914642	HRS	3202.2						
	AFL	2888						
			HydroCheck Date: : 01-Apr-24					
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
Q2510003		COPILOT PORTABLE FIRE EXTINGUISHER - PERFORM ICC HYDROSTATIC TEST						Service ATA:26
PN:A344	MOS	05-Sep-25	144 (+14d/-14d)		01-Jul-37	15-Jul-37	3926 d (+14)	
SN:H-06919129	HRS	3327						
	AFL	3014						
			HydroCheck Date: : 01-Jul-25					
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
Q2510003		PILOT PORTABLE FIRE EXTINGUISHER - PERFORM ICC HYDROSTATIC TEST						Service ATA:26
PN:A344	MOS	09-Sep-24	144 (+14d/-14d)		01-Feb-36	15-Feb-36	3410 d (+14)	
SN:I-28121243	HRS	3202.2						
	AFL	2888						
			HydroCheck Date: : 01-Feb-24					
PROC. REF: AMM 26-23-00PROC. REF: AMM 26-23-00								
Q2620006		NO. 1/LEFT/LOWER FIRE EXTINGUISHER BOTTLE - PERFORM ICC HYDROSTATIC TEST						Service ATA:26
PN:33100021-1	MOS	21-Aug-23	60 (+14d/-14d)		21-Aug-28	04-Sep-28	690 d (+14)	
SN:87845B1	HRS							
	AFL							
			HydroCheck Date: : 21-Aug-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q2620006		NO. 2/RIGHT/UPPER FIRE EXTINGUISHER BOTTLE - PERFORM ICC HYDROSTATIC TEST						Service ATA:26
PN:33100021-1	MOS	24-May-23	60 (+14d/-14d)		24-May-28	07-Jun-28	601 d (+14)	
SN:39973B1	HRS							
	AFL							
			HydroCheck Date: : 24-May-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
Q4900014		APU FIRE EXTINGUISHER CONTAINER - PERFORM ICC HYDROSTATIC TEST						Service ATA:26
PN:51600-2	MOS	01-Mar-24	60 (+14d/-14d)		01-Mar-29	15-Mar-29	882 d (+14)	
SN:0352	HRS	3187						
	AFL	2876						
			HydroCheck Date: : 01-Mar-24					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
T2620001 S		** FIREWALL SHUT-OFF VALVES - PERFORM OPERATIONAL CHECK						Service ATA:26
	MOS	05-Sep-25	48 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
Y2610000 S		FIREWALL AND ACCESSORY COMPARTMENT FIRE DETECTOR ELEMENTS - PERFORM VISUAL INSPECTION						Service ATA:26
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:9
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2620002 S		ENGINE FIRE EXTINGUISHER CONTAINERS - PERFORM VISUAL INSPECTION. CHECK CONTAINERS FOR CONDITION, CARTRIDGES AND CARTRIDGE WIRING FOR SECURITY AND CONDITION, CONTAINER PRESSURE GAUGE FOR PROPER PRESSURES, AND PLUMBING FOR SECURITY AND CONDITION.						Service ATA:26
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2620005 S		ENGINE FIRE EXTINGUISHING SYSTEM - PERFORM OPERATIONAL CHECK						Service ATA:26
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:19
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
Y2620009 S		CABIN PORTABLE FIRE EXTINGUISHER - INSPECT PORTABLE HAND HELD FIRE EXTINGUISHERS FOR CONDITION AND DATE OF MANUFACTURE. CHECK OPERATING PRESSURE AND WEIGHT PER MAINTENANCE INSTRUCTIONS ON FIRE EXTINGUISHER BOTTLE.						Service ATA:26
PN:C352	MOS	05-Sep-25	12 (+14d/-14d)					
SN:I-33914642	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
Y2620009 S		COPILOT PORTABLE FIRE EXTINGUISHER - INSPECT PORTABLE HAND HELD FIRE EXTINGUISHERS FOR CONDITION AND DATE OF MANUFACTURE. CHECK OPERATING PRESSURE AND WEIGHT PER MAINTENANCE INSTRUCTIONS ON FIRE EXTINGUISHER BOTTLE.						Service ATA:26
PN:A344	MOS	05-Sep-25	12 (+14d/-14d)					
SN:H-06919129	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Y2620009 S		PILOT PORTABLE FIRE EXTINGUISHER - INSPECT PORTABLE HAND HELD FIRE EXTINGUISHERS FOR CONDITION AND DATE OF MANUFACTURE. CHECK OPERATING PRESSURE AND WEIGHT PER MAINTENANCE INSTRUCTIONS ON FIRE EXTINGUISHER BOTTLE.						Service ATA:26
PN:A344	MOS	05-Sep-25	12 (+14d/-14d)					
SN:I-28121243	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Z2620021 S		NO. 1 ENGINE FIRE EXTINGUISHER CONTAINER PLUMBING - PERFORM DETAILED INSPECTION						Service ATA:26
	MOS	05-Sep-25	12					
	HRS	3327	300					
	AFL	3014						
								PKG:2
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
Z2620021 S		NO. 2 ENGINE FIRE EXTINGUISHER CONTAINER PLUMBING - PERFORM DETAILED INSPECTION						Service ATA:26
	MOS	05-Sep-25	12					
	HRS	3327	300					
	AFL	3014						
								PKG:2
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270301	TRIM SWITCH PANEL							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-00-01	PROC. REF: AMM 27-00-01							
271001	LEFT AILERON CONTROL SYSTEM CROSSOVER CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271002	RIGHT AILERON CONTROL SYSTEM CROSSOVER CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271003	LEFT AILERON CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271004	RIGHT AILERON CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271005	AFT AILERON CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
271010 U	AFT AILERON PN 4527102095-007 QUADRANT ASSEMBLY							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	-	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
271045	LEFT INBOARD AILERON CONTROL CABLE							Component ATA:27
PN:4527103077-011	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1078366-3	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271046	RIGHT INBOARD AILERON CONTROL CABLE							Component ATA:27
PN:4527103076-015	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1079893-4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271051	LEFT FORWARD OUTBOARD AILERON CONTROL CABLE							Component ATA:27
PN:4527103078-009	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1078378-22	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271052	RIGHT FORWARD OUTBOARD AILERON CONTROL CABLE							Component ATA:27
PN:4527103078-009	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1078378-25	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271053	LEFT AFT OUTBOARD AILERON CONTROL CABLE							Component ATA:27
PN:4527103079-009	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1080335-18	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
271054	RIGHT AFT OUTBOARD AILERON CONTROL CABLE							Component ATA:27
PN:4527103079-009	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1080335-17	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-05	PROC. REF: AMM 27-10-05							
271083	AILERON TRIM TAB ACTUATOR							Component ATA:27
PN:4323338A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0602	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-09	PROC. REF: AMM 27-10-09							
271088	AILERON SPINDLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-07	PROC. REF: AMM 27-10-07							
271093 U	PILOT ANGLE OF ATTACK (AOA) TRANSDUCER							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
271094 U	COPILOT ANGLE OF ATTACK (AOA) TRANSDUCER							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
271095	PILOT ANGLE OF ATTACK INDICATOR (AOA)							Component ATA:27
PN:C-38805-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:85036	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
271096	COPILOT ANGLE OF ATTACK INDICATOR (AOA)							Component ATA:27
PN:C-38805-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:8300	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
271220	TRIM, TOGGLE, AND PUSH BUTTON SWITCH							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-06PROC. REF: AMM 27-10-06								
272001	FORWARD UPPER RUDDER CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-08PROC. REF: AMM 27-20-08								
272002	FORWARD LOWER RUDDER CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-08PROC. REF: AMM 27-20-08								
272003	LEFT AFT UPPER RUDDER CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-08PROC. REF: AMM 27-20-08								
272004	RIGHT AFT UPPER RUDDER CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-08PROC. REF: AMM 27-20-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
272005	LEFT AFT LOWER RUDDER CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-08	PROC. REF: AMM 27-20-08							
272006	RIGHT AFT LOWER RUDDER CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-08	PROC. REF: AMM 27-20-08							
272021	RUDDER TRIM TAB ACTUATOR							Component ATA:27
PN:4323322	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0600	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-03	PROC. REF: AMM 27-20-03							
272031	PILOT RUDDER PEDAL ADJUST ACTUATOR							Component ATA:27
PN:4389596	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1246	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-05	PROC. REF: AMM 27-20-05							
272032	COPILOT RUDDER PEDAL ADJUST ACTUATOR							Component ATA:27
PN:4389596	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1247	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-05	PROC. REF: AMM 27-20-05							
273001	PILOT FORWARD ELEVATOR CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-05	PROC. REF: AMM 27-30-05							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273002	COPILOT FORWARD ELEVATOR CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-05	PROC. REF: AMM 27-30-05							
273003	LEFT AFT UPPER ELEVATOR CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-05	PROC. REF: AMM 27-30-05							
273004	RIGHT AFT UPPER ELEVATOR CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-05	PROC. REF: AMM 27-30-05							
273005	LEFT AFT LOWER ELEVATOR CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-05	PROC. REF: AMM 27-30-05							
273006	RIGHT AFT LOWER ELEVATOR CONTROL SYSTEM CABLE							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-05	PROC. REF: AMM 27-30-05							
273015	LEFT ANGLE OF ATTACK VANE (AOA)							Component ATA:27
PN:1714-115	MOS/MSC	14-Aug-14	O/C	TSN 3				
SN:6047	HRS	1621.3		TSN 0				
	AFL	1494		TSN 0				
PROC. REF: AMM 27-31-04	PROC. REF: AMM 27-31-04							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273016	RIGHT ANGLE OF ATTACK VANE (AOA)							Component ATA:27
PN:1714-115	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:4139	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-04	PROC. REF: AMM 27-31-04							
273022	LEFT ANGLE OF ATTACK TRANSMITTER (AOA)							Component ATA:27
PN:C-38817-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1328	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01	PROC. REF: AMM 27-31-01							
273023	RIGHT ANGLE OF ATTACK TRANSMITTER (AOA)							Component ATA:27
PN:C-38817-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1340	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01	PROC. REF: AMM 27-31-01							
273051	ELEVATOR DISCONNECT ACTUATOR							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-09	PROC. REF: AMM 27-30-09							
273063	PILOT STICK SHAKER							Component ATA:27
PN:72672-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1874	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-03	PROC. REF: AMM 27-31-03							
273064	COPILOT STICK SHAKER							Component ATA:27
PN:72672-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1869	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-03	PROC. REF: AMM 27-31-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273087	STALL WARNING COMPUTER							Component ATA:27
PN:C-38806-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:683	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-02	PROC. REF: AMM 27-31-02							
273201	ELEVATOR DISCONNECT CURRENT LIMITER							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-13	PROC. REF: AMM 27-30-13							
273220	AFT ELEVATOR DISCONNECT ASSEMBLY							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-07	PROC. REF: AMM 27-30-07							
273420	ELEVATOR OVERRIDE ACTUATOR							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-14	PROC. REF: AMM 27-30-14							
274011	HORIZONTAL STABILIZER ACTUATOR							Component ATA:27
PN:6627401000-009	MOS/MSC	07-May-26	O/C	TSO 0				
SN:B0329	HRS	3510.2		TSN 6878.67, TSO 0				
	AFL	3178		TSO 0				
PROC. REF: AMM 27-40-02	PROC. REF: AMM 27-40-02							
274031	TRIM-IN-MOTION DETECTOR							Component ATA:27
PN:1625-1-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:37NFT	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-41-01	PROC. REF: AMM 27-41-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
274041	FORWARD INTERFACE UNIT							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-40-04PROC. REF: AMM 27-40-04								
274051	HORIZONTAL STABILIZER ACTUATOR CONTROL BOX							Component ATA:27
PN:6627401000-003	MOS/MSC	19-Mar-10	O/C	TSR 0				
SN:D0479	HRS	179.7		TSR 0				
	AFL	163		TSR 0				
PROC. REF: AMM 27-40-02, AMM 27-40-03PROC. REF: AMM 27-40-02, AMM 27-40-03								
274052 U	ASSEMBLY, HORIZONTAL STAB ACTUATOR CONTROL BOX							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
275000	FLAP HYDRAULIC MOTOR							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275020	LEFT OUTOBARD FLAP ACTUATOR							Component ATA:27
PN:C144488-4	MOS/MSC	27-Apr-13	O/C	TSR 0				
SN:1452	HRS	1197.2		TSR 0				
	AFL	1122		TSR 0				
PROC. REF: AMM 27-50-06PROC. REF: AMM 27-50-06								
275021	LEFT INBOARD FLAP ACTUATOR							Component ATA:27
PN:C144487-4	MOS/MSC	27-Apr-13	O/C	TSR 0				
SN:1834	HRS	1197.2		TSR 0				
	AFL	1122		TSR 0				
PROC. REF: AMM 27-50-06PROC. REF: AMM 27-50-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275022	RIGHT INBOARD FLAP ACTUATOR							Component ATA:27
PN:C144487-4	MOS/MSC	27-Apr-13	O/C	TSR 0				
SN:1847	HRS	1197.2		TSR 0				
	AFL	1122		TSR 0				
PROC. REF: AMM 27-50-06	PROC. REF: AMM 27-50-06							
275023	RIGHT OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:C144487-4	MOS/MSC	27-Apr-13	O/C	TSR 0				
SN:1771	HRS	1197.2		TSR 0				
	AFL	1122		TSR 0				
PROC. REF: AMM 27-50-06	PROC. REF: AMM 27-50-06							
275057	FLAP DRIVE POWER UNIT							Component ATA:27
PN:C144483-3	MOS/MSC	23-Oct-13	O/C	TSR 0				
SN:1037X	HRS	1351.3		TSR 0				
	AFL	1250		TSR 0				
PROC. REF: AMM 27-50-08	PROC. REF: AMM 27-50-08							
275058	FLAP CONTROL UNIT							Component ATA:27
PN:C144486-3-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1637	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-05	PROC. REF: AMM 27-50-05							
275069	FLAP POSITION INDICATOR							Component ATA:27
PN:C145159-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1653	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-07	PROC. REF: AMM 27-50-07							
275080	FLAP CONTROL MODULE							Component ATA:27
PN:69013-17	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:RWK818714-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-02	PROC. REF: AMM 27-50-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275081	LEFT FLAP DRIVE ROTARY VARIABLE DIFFERENTIAL TRANSFORMER							Component ATA:27
PN:C144489-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A1147	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275082	RIGHT FLAP DRIVE ROTARY VARIABLE DIFFERENTIAL TRANSFORMER							Component ATA:27
PN:C144489-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A1166	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275110	LEFT INBOARD FLAP TRACK							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275112	RIGHT INBOARD FLAP TRACK							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275114	LEFT OUTBOARD FLAP TRACK							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275116	RIGHT OUTBOARD FLAP TRACK							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275120	LEFT CENTER FLAP TRACK							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275122	RIGHT CENTER FLAP TRACK							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
276001	LEFT SPOILER ACTUATOR							Component ATA:27
PN:P455A0001-04	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:AAA279P455	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04								
276002	RIGHT SPOILER ACTUATOR							Component ATA:27
PN:P455A0001-04	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:AAA277P455	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04								
276005	SPOILER CONTROL MODULE							Component ATA:27
PN:69014-9	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:556	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-03PROC. REF: AMM 27-60-03								
276010	SPOILERON CONTROLLER RESISTOR BOX							Component ATA:27
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-10PROC. REF: AMM 27-60-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276013	SPOILER SHUTOFF VALVE							Component ATA:27
PN:100291000-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0279TK	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-07	PROC. REF: AMM 27-60-07							
276020	SPOILER LOW PRESSURE SWITCH							Component ATA:27
PN:6629101004-003	MOS/MSC	11-Aug-11	O/C	TSN 0				
SN:0388	HRS	616.5		TSN 0				
	AFL	551		TSN 0				
PROC. REF: AMM 27-60-08	PROC. REF: AMM 27-60-08							
276031	LEFT SPOILER ROTARY VARIABLE DIFFERENTIAL TRANSFORMER							Component ATA:27
PN:3A2-249A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A1112	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-05	PROC. REF: AMM 27-60-05							
276032	RIGHT SPOILER ROTARY VARIABLE DIFFERENTIAL TRANSFORMER							Component ATA:27
PN:3A2-249A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A0681	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-05	PROC. REF: AMM 27-60-05							
276056	LEFT SPOILER HYDRAULIC SYSTEM PRESSURE SWIVEL							Component ATA:27
PN:7627603001-001	MOS/MSC	07-May-26	H/T	TSN 0				
SN:UNKNOWN	HRS	3510.2		TSN 0				
	AFL	3178		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
276057	LEFT SPOILER HYDRAULIC SYSTEM RETURN SWIVEL							Component ATA:27
PN:AE81507G	MOS/MSC	07-May-26	H/T	TSN 0				
SN:UNKNOWN	HRS	3510.2		TSN 0				
	AFL	3178		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276058	RIGHT SPOILER HYDRAULIC SYSTEM PRESSURE SWIVEL							Component ATA:27
PN:7627603001-001	MOS/MSC	07-May-26	H/T	TSN 0				
SN:UNKNOWN	HRS	3510.2		TSN 0				
	AFL	3178		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
276059	RIGHT SPOILER HYDRAULIC SYSTEM RETURN SWIVEL							Component ATA:27
PN:AE81507G	MOS/MSC	07-May-26	H/T	TSN 0				
SN:UNKNOWN	HRS	3510.2		TSN 0				
	AFL	3178		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
276073	SPOILERON COMPUTER							Component ATA:27
PN:402800-06-03	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:00912	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-02PROC. REF: AMM 27-60-02								
276076	CONTROL WHEEL ROTARY VARIABLE DIFFERENTIAL TRANSFORMER							Component ATA:27
PN:3G4-211A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0579/0839	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-06PROC. REF: AMM 27-60-06								
5-19-01-W2750055	* FLAP ACTUATOR JOINT (P/N 145673-1) (IRN W2750055) REPLACEMENT							Component ATA:27
PN:PN	MOS/MSC	EFF	N/A	TSN 0				NOT APPLICABLE
SN:UNKNOWN	HRS			TSN 0				
	AFL			TSN 0				
A2711001 S	** AILERON TRIM TAB CONTROL SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 27-10-04PROC. REF: AMM 27-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
A2721001 S	** RUDDER TRIM SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								
A2731002 S	** ELEVATOR DISCONNECT SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:8
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
A2760001 S	** SPOILER ACTUATOR CHECK VALVE - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04								
A2760002 S	** SPOILER SYSTEM - PERFORM SPOILER AUTHORITY WITH FLAPS CHECK							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								
AA2700000 S	AILERON CONTROL CABLE SYSTEM - WITH COCKPIT AND CABIN FLOORBOARDS REMOVED, PERFORM VISUAL INSPECTION OF CABLES							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
AA2700001 S	RUDDER CONTROL CABLE SYSTEM - WITH COCKPIT AND CABIN FLOORBOARDS REMOVED, PERFORM VISUAL INSPECTION OF CABLES							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
AA2700002 S	ELEVATOR CONTROL CABLE SYSTEM - WITH COCKPIT AND CABIN FLOORBOARDS REMOVED, PERFORM VISUAL INSPECTION OF CABLES							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
AA2760021	LEFT SPOILER HYDRAULIC SYSTEM PRESSURE SWIVEL - REPLACE							Service ATA:27
PN:7627603001-001	MOS	07-May-26						LIFE LIMIT
SN:UNKNOWN	HRS	3510.2	1200		4710.2		1097.4	
	AFL	3178						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
AA2760021	LEFT SPOILER HYDRAULIC SYSTEM RETURN SWIVEL - REPLACE							Service ATA:27
PN:AE81507G	MOS	07-May-26						LIFE LIMIT
SN:UNKNOWN	HRS	3510.2	1200		4710.2		1097.4	
	AFL	3178						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
AA2760021	RIGHT SPOILER HYDRAULIC SYSTEM PRESSURE SWIVEL - REPLACE							Service ATA:27
PN:7627603001-001	MOS	07-May-26						LIFE LIMIT
SN:UNKNOWN	HRS	3510.2	1200		4710.2		1097.4	
	AFL	3178						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
AA2760021	RIGHT SPOILER HYDRAULIC SYSTEM RETURN SWIVEL - REPLACE							Service ATA:27
PN:AE81507G	MOS	07-May-26						LIFE LIMIT
SN:UNKNOWN	HRS	3510.2	1200		4710.2		1097.4	
	AFL	3178						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
AD2760085 S	SPOILER LEVER ARM - PERFORM DETAILED VISUAL INSPECTION TO ENSURE SPOILER LEVER ARM IS PROPERLY SEATED AND SECURED ON SPOILER RVDT SHAFT						Service	ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 27-60-05PROC. REF: AMM 27-60-05								
AE2710049	* AILERON LEADING EDGE (INTERNAL) - PERFORM BORESCOPE INSPECTION						Service	ATA:27
	MOS	07-May-26	72		07-May-32	2045 d	AIRWORTHINESS	
	HRS	3510.2						
	AFL	3178						
PROC. REF: AMM 27-10-02PROC. REF: AMM 27-10-02								
AE2730037 S	PERFORM DETAILED VISUAL INSPECTION OF THE ELEVATOR UP/DOWN SPRING ASSEMBLY, YOKE ASSEMBLY AND ASSOCIATED PARTS FOR FREE MOVEMENT, LOOSE FASTENERS AND SECURITY OF LOCKING DEVICES						Service	ATA:27
	MOS	29-Apr-09	48					
	HRS	0	1200					
	AFL	0						
								PKG:14
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
AF2710051	* AILERON BALANCE WEIGHT SUPPORT BRACKETS - PERFORM EDDY CURRENT INSPECTION						Service	ATA:27
	MOS	EBT	T:6 (+14d/-14d)		28-Oct-26 *	11-Nov-26	NEW REQMT	AIRWORTHINESS
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
D2740003	** HORIZONTAL STABILIZER ACTUATOR SECONDARY TRIM - PERFORM FUNCTIONAL TEST						Service	ATA:27
PN:6627401000-009	MOS	07-May-26						AIRWORTHINESS
SN:B0329	HRS	3510.2	600 (+25/-25)	TAC 323.2	3787	3812	174.2 (+25)	
	AFL	3178						
PROC. REF: AMM 27-40-02PROC. REF: AMM 27-40-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
D2740004	** HORIZONTAL STABILIZER ACTUATOR PRIMARY TRIM - PERFORM FUNCTIONAL TEST							Service ATA:27
PN:6627401000-009	MOS	07-May-26						AIRWORTHINESS
SN:B0329	HRS	3510.2	600 (+25/-25)	TAC 323.2	3787	3812	174.2 (+25)	
	AFL	3178						
PROC. REF: AMM 27-40-02	PROC. REF: AMM 27-40-02							
G2710003 S	AILERON CONTROL SYSTEM CABLES (LOCATED IN WING) - PERFORM CABLE TENSION CHECK							Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:16
PROC. REF: AMM 27-10-00	PROC. REF: AMM 27-10-00							
G2710004 S	AILERON CONTROL SYSTEM CABLES (LOCATED IN FUSELAGE) - PERFORM CABLE TENSION CHECK							Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 27-10-00	PROC. REF: AMM 27-10-00							
G2720003 S	RUDDER CONTROL CABLES - PERFORM TENSION CHECK							Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 27-20-00	PROC. REF: AMM 27-20-00							
G2720004 S	RUDDER PEDALS, PEDAL PUSHRODS, ADJUSTMENT ACTUATOR, AND SECTORS - PERFORM VISUAL INSPECTION. CHECK DURING FULL TRAVEL OF RUDDER.							Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00	PROC. REF: AMM 05-10-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
G2730003 S	ELEVATOR CONTROL CABLES - PERFORM TENSION CHECK							Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
K2700007	* AILERON CONTROL SYSTEM PRIMARY CABLES - REMOVE FROMAIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION							Service ATA:27
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800		4800		1187.2	
	AFL	0						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
K2700008	* ELEVATOR CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION							Service ATA:27
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800		4800		1187.2	
	AFL	0						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
K2700009	* RUDDER CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION							Service ATA:27
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800		4800		1187.2	
	AFL	0						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
K2700010	* ELEVATOR CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION							Service ATA:27
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800		4800		1187.2	
	AFL	0						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
K2700012	* RUDDER CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION							Service ATA:27
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800		4800		1187.2	
	AFL	0						
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
K2700014	* AILERON CONTROL SYSTEM PRIMARY CABLES - REMOVE FROM AIRCRAFT AND PERFORM DETAILED VISUAL INSPECTION							Service ATA:27
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800		4800		1187.2	
	AFL	0						
PROC. REF: AMM 27-00-00	PROC. REF: AMM 27-00-00							
N2720030	RUDDER TORQUE TUBE AND SPINDLE - PERFORM DETAILED VISUAL INSPECTION							Service ATA:27
	MOS	24-Jun-21	72 (+14d/-14d)		24-Jun-27	08-Jul-27	266 d (+14)	AIRWORTHINESS
	HRS	2634.2						
	AFL	2341						
PROC. REF: AMM 27-20-01	PROC. REF: AMM 27-20-01							
N2740023	* HORIZONTAL STABILIZER ACTUATOR ACME SCREW - REPLACE							Service ATA:27
PN:6627401000-009	MOS/MSC		N/A					
SN:B0329	HRS							
	AFL							
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
N2740024	* HORIZONTAL STABILIZER ACTUATOR ACME NUT - REPLACE							Service ATA:27
PN:6627401000-009	MOS/MSC		N/A					
SN:B0329	HRS							
	AFL							
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
N2740025	* HORIZONTAL STABILIZER ACTUATOR - PERFORM DETAILED STRUCTURAL INSPECTION							Service ATA:27
PN:6627401000-009	MOS/MSC		N/A					
SN:B0329	HRS							
	AFL							
P2740032	* HORIZONTAL STABILIZER ACTUATOR - PERFORM INSPECTION							Service ATA:27
PN:6627401000-009	MOS	07-May-26						AIRWORTHINESS
SN:B0329	HRS	3510.2	1200		4710.2		1097.4	
	AFL	3178						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
P2740033	* HORIZONTAL STABILIZER ACTUATOR - PERFORM DETAILED STRUCTURAL INSPECTION							Service ATA:27
PN:6627401000-009	MOS	07-May-26						
SN:B0329	HRS	3510.2	2400		5910.2		2297.4	
	AFL	3178						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
R2710041	* AILERON SPINDLE - REPLACE							Service ATA:27
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 27-10-07PROC. REF: AMM 27-10-07								
S2750057	* FLAP ACTUATOR BALLNUT SLEEVE - PERFORM FLUORESCENT PENETRANT INSPECTION							Service ATA:27
	MOS/MSC	17-Oct-12	N/A					
	HRS	1014.1						
	AFL	950						
PROC. REF: NDT PART 8/27-50-01, NDT PART 8/27-50-02PROC. REF: NDT PART 8/27-50-01, NDT PART 8/27-50-02								
T2740002	* HORIZONTAL STABILIZER ACTUATOR - PERFORM INSPECTION							Service ATA:27
PN:6627401000-009	MOS/MSC		N/A					
SN:B0329	HRS							
	AFL							
PROC. REF: AMM 27-40-02PROC. REF: AMM 27-40-02								
V2712000 S	** ROLL DISCONNECT SWITCHES - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	05-Sep-25	24 (+25d/-25d)					AIRWORTHINESS
	HRS	3327	600 (+14/-14)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 27-60-09PROC. REF: AMM 27-60-09								
W2731001 S	** PITCH TRIM - PERFORM OPERATIONAL CHECK OF ELEVATOR OVERRIDE ACTUATOR							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:8
PROC. REF: AMM 27-30-14PROC. REF: AMM 27-30-14								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
W2750055	* LEFT INBOARD FLAP ACTUATOR JOINT - REPLACE							Service ATA:27
	MOS/MSC		N/A					
	HRS							
	AFL							
W2750055	* LEFT OUTBOARD FLAP ACTUATOR JOINT - REPLACE							Service ATA:27
	MOS/MSC		N/A					
	HRS							
	AFL							
W2750055	* RIGHT INBOARD FLAP ACTUATOR JOINT - REPLACE							Service ATA:27
	MOS/MSC		N/A					
	HRS							
	AFL							
W2750055	* RIGHT OUTBOARD FLAP ACTUATOR JOINT - REPLACE							Service ATA:27
	MOS/MSC		N/A					
	HRS							
	AFL							
W2750056	* LEFT INBOARD FLAP ACTUATOR JOINT - PERFORM DETAILED VISUAL INSPECTION. APPLY CORROSION PREVENTIVE COMPOUND (CPC) TO JOINT.							Service ATA:27
	MOS/MSC	19-Apr-12	N/A					
	HRS	833.7						
	AFL	778						
PROC. REF: AMM 12-21-03, AMM 27-50-06PROC. REF: AMM 12-21-03, AMM 27-50-06								
W2750056	* LEFT OUTBOARD FLAP ACTUATOR JOINT - PERFORM DETAILED VISUAL INSPECTION. APPLY CORROSION PREVENTIVE COMPOUND (CPC) TO JOINT.							Service ATA:27
	MOS/MSC	19-Apr-12	N/A					
	HRS	833.7						
	AFL	778						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-21-03, AMM 27-50-06PROC. REF: AMM 12-21-03, AMM 27-50-06								
W2750056	* RIGHT INBOARD FLAP ACTUATOR JOINT - PERFORM DETAILED VISUAL INSPECTION. APPLY CORROSION PREVENTIVE COMPOUND (CPC) TO JOINT.							Service ATA:27
	MOS/MSC	19-Apr-12	N/A					
	HRS	833.7						
	AFL	778						
PROC. REF: AMM 12-21-03, AMM 27-50-06PROC. REF: AMM 12-21-03, AMM 27-50-06								
W2750056	* RIGHT OUTBOARD FLAP ACTUATOR JOINT - PERFORM DETAILED VISUAL INSPECTION. APPLY CORROSION PREVENTIVE COMPOUND (CPC) TO JOINT.							Service ATA:27
	MOS/MSC	19-Apr-12	N/A					
	HRS	833.7						
	AFL	778						
PROC. REF: AMM 12-21-03, AMM 27-50-06PROC. REF: AMM 12-21-03, AMM 27-50-06								
Y2700003 S	AILERON CONTROL CABLE SYSTEM - PERFORM VISUAL INSPECTION OF CABLES WITHIN WING							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
Y2700004 S	RUDDER CONTROL CABLE SYSTEM - PERFORM VISUAL INSPECTION OF ACCESSIBLE UPPER AND LOWER CABLES							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:8
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
Y2700005 S	ELEVATOR CONTROL CABLE SYSTEM - PERFORM VISUAL INSPECTION OF ACCESSIBLE UPPER AND LOWER CABLES							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:8
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
Y2700006 S	RUDDER AND ELEVATOR CONTROL CABLES AND ASSOCIATED PULLEYS, LOCATED IN AFT PRESSURE BULKHEAD SUPPORT CHANNEL - PERFORM VISUAL INSPECTION							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:9
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
Y2710000 S	AILERONS, AILERON TRIM TAB AND VISIBLE PORTION OF RODS - PERFORM VISUAL INSPECTION							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2710001 S	AILERON BALANCE WEIGHT INSTALLATION AND SUPPORTING STRUCTURE - PERFORM VISUAL INSPECTION							Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:16
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2710002 S	AILERON CONTROL SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:16
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
Y2710048 S	AILERON TRIM TAB INSTALLATION - PERFORM FREE PLAY CHECK							Service ATA:27
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:22
PROC. REF: AMM 27-10-04PROC. REF: AMM 27-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
Y2720000 S		RUDDER - PERFORM VISUAL INSPECTION						Service ATA:27
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2720001 S		RUDDER BALANCE WEIGHT INSTALLATION AND SUPPORTING STRUCTURE - PERFORM VISUAL INSPECTION						Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2720002 S		RUDDER CONTROL SYSTEM - PERFORM OPERATIONAL CHECK						Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								
Y2721000 S		RUDDER TRIM TAB AND VISIBLE RODS - PERFORM VISUAL INSPECTION						Service ATA:27
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2730000 S		CONTROL COLUMNS - PERFORM VISUAL INSPECTION. PAY PARTICULAR ATTENTION TO AILERON CONTROL WHEEL CABLE DRUM AND BOTTOM CROSSOVER PULLEYS.						Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
Y2730001 S		ELEVATORS - PERFORM VISUAL INSPECTION						Service ATA:27
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2730002 S		ELEVATOR CONTROL SYSTEM - PERFORM OPERATIONAL CHECK						Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
Y2730004 S		CONTROL COLUMNS - PERFORM INSPECTION. INSPECT CABLE, PULLEYS, BEARINGS, AND ELECTRICAL WIRING						Service ATA:27
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:19
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
Y2730007 S		AFT ELEVATOR DISCONNECT - PERFORM DETAILED VISUAL INSPECTION						Service ATA:27
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:20
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2740000 S		PRIMARY PITCH TRIM SYSTEM - PERFORM OPERATIONAL CHECK						Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
Y2740001 S	SECONDARY PITCH TRIM SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:27
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
Y2750000 S	FLAP DRIVE INSTALLATION - PERFORM VISUAL INSPECTION WITH FLAPS LOWERED							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2750001 S	FLAPS - PERFORM VISUAL INSPECTION							Service ATA:27
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:4
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2750053 S	FLAP DRIVE ACTUATORS - PERFORM A VISUAL INSPECTION OF THE ACTUATOR ATTACHMENT, PAYING PARTICULAR ATTENTION TO THE GIMBAL PIN RETAINING RINGS							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2760000 S	SPOILER AND SPOILER ACTUATOR - PERFORM VISUAL INSPECTION WITH FLAPS LOWERED AND ACCESS PANELS OPENED							Service ATA:27
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281001	LEFT NO. 1 FUEL EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081553	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281002	RIGHT NO. 1 FUEL EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081565	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281003	LEFT NO. 2 FUEL EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081556	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281004	RIGHT NO. 2 FUEL EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081557	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281005	LEFT NO. 3 FUEL EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081561	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281006	RIGHT NO. 3 FUEL EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081551	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281007	LEFT NO. 4 FUEL EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081564	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281008	RIGHT NO. 4 FUEL EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081559	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281009	LEFT NO. 5 FUEL EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081567	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281010	RIGHT NO. 5 FUEL EJECTOR SCAVENGE PUMP							Component ATA:28
PN:HTE230008	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081554	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-01	PROC. REF: AMM 28-12-01							
281031	FUSELAGE FUEL CELL							Component ATA:28
PN:506878	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:105268	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-10-02	PROC. REF: AMM 28-10-02							
281051	FUEL CROSSFLOW SHUTOFF VALVE							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-02	PROC. REF: AMM 28-12-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281401	SURGE TANK FLOAT VALVE							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-02PROC. REF: AMM 28-11-02								
281501	LEFT FLEX FUEL HOSE ASSY							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
281502	RIGHT FLEX FUEL HOSE ASSY							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
281521	LEFT FUEL TRANSFER CHECK VALVE							Component ATA:28
PN:HTE460072	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081175	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-03PROC. REF: AMM 28-12-03								
281522	RIGHT FUEL TRANSFER CHECK VALVE							Component ATA:28
PN:HTE460072	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081176	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-12-03PROC. REF: AMM 28-12-03								
282001	LEFT FUEL SHUTOFF VALVE							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-06PROC. REF: AMM 28-20-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282003	RIGHT FUEL SHUTOFF VALVE							Component ATA:28
PN:EM91-102-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1994	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-06	PROC. REF: AMM 28-20-06							
282011	SHUTOFF - REFUEL VALVE							Component ATA:28
PN:980056-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43080125	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-10	PROC. REF: AMM 28-20-10							
282031	LEFT NO. 1 FUEL SUPPLY CHECK VALVE							Component ATA:28
PN:HTE460071	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:45081690	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03	PROC. REF: AMM 28-20-03							
282032	LEFT NO. 2 FUEL SUPPLY CHECK VALVE							Component ATA:28
PN:HTE460071	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:18081469	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03	PROC. REF: AMM 28-20-03							
282033	RIGHT NO. 1 FUEL SUPPLY CHECK VALVE							Component ATA:28
PN:HTE460071	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:45081693	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03	PROC. REF: AMM 28-20-03							
282034	RIGHT NO. 2 FUEL SUPPLY CHECK VALVE							Component ATA:28
PN:HTE460071	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:45081696	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03	PROC. REF: AMM 28-20-03							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282037	RIGHT FUEL SUPPLY SHUT-OFF VALVE ASSEMBLY							Component ATA:28
PN:EM91-102-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1996	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-06	PROC. REF: AMM 28-20-06							
282038	LEFT FUEL SUPPLY SHUT-OFF VALVE ASSEMBLY							Component ATA:28
PN:EM91-102-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1980	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-06	PROC. REF: AMM 28-20-06							
282041	REFUELING CONTROL PANEL							Component ATA:28
PN:10550P04Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08111067BA	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-14	PROC. REF: AMM 28-20-14							
282051	LEFT MOTIVE FLOW CHECK VALVE							Component ATA:28
PN:6628200106-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:35082229	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-05	PROC. REF: AMM 28-20-05							
282052	RIGHT MOTIVE FLOW CHECK VALVE							Component ATA:28
PN:6628200106-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:35082228	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-05	PROC. REF: AMM 28-20-05							
282063	PRE-CHECK SINGLE POINT PRESSURE REFUELING (SPPR) VALVE							Component ATA:28
PN:HTE940032-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:42080645	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-12	PROC. REF: AMM 28-20-12							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282064	PILOT OPERATED SINGLE POINT PRESSURE REFUELING (SPPR) VALVE							Component ATA:28
PN:61087-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:555	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-11	PROC. REF: AMM 28-20-11							
282075	LEFT MAIN FUEL EJECTOR PUMP ASSEMBLY							Component ATA:28
PN:HTE230009	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081573	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-01	PROC. REF: AMM 28-20-01							
282076	RIGHT MAIN FUEL EJECTOR PUMP ASSEMBLY							Component ATA:28
PN:HTE230009	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:43081571	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-01	PROC. REF: AMM 28-20-01							
282087	LEFT STANDBY FUEL PUMP							Component ATA:28
PN:1C12-39	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:11BD97	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-02	PROC. REF: AMM 28-20-02							
282088	RIGHT STANDBY FUEL PUMP							Component ATA:28
PN:1C12-39	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:11BD95	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-02	PROC. REF: AMM 28-20-02							
282601	DEFUEL SHUTOFF VALVE							Component ATA:28
PN:EM91-102-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1971	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-07	PROC. REF: AMM 28-20-07							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282602	REFUEL CHECK VALVE							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-09	PROC. REF: AMM 28-20-09							
282603	SINGLE POINT PRESSURE REFUELING (SPPR) ADAPTER							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
282815	APU FUEL SHUTOFF VALVE							Component ATA:28
PN:7086048-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:072203001273C	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-20-04	PROC. REF: AMM 28-20-04							
282829	APU FUEL LINE							Component ATA:28
PN:PN	MOS	29-Apr-09		TSN 0				
SN:UNKNOWN	HRS	0	4800	TSN 0	4800		1187.2	
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
284001	C1 FUEL PROBE							Component ATA:28
PN:10665T01Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN20250	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284002	C2 FUEL PROBE							Component ATA:28
PN:10665T03Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN21638	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284003	C3 FUEL PROBE							Component ATA:28
PN:10552T03Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN20333	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284004	C4 FUEL PROBE							Component ATA:28
PN:10552T04Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN21341	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284005	C5 FUEL PROBE							Component ATA:28
PN:6628408000-009	MOS/MSC	07-Sep-10	O/C	TSN 0				
SN:0929	HRS	298.9		TSN 0				
	AFL	259		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284006	C6 FUEL PROBE							Component ATA:28
PN:10552T06Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN20918	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284008	C7 FUEL PROBE							Component ATA:28
PN:10665T01Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN21018	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284009	C8 FUEL PROBE							Component ATA:28
PN:10665T03Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN21644	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284010	C9 FUEL PROBE							Component ATA:28
PN:10552T03Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN20335	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284011	C10 FUEL PROBE							Component ATA:28
PN:10552T04Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN21335	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284012	C11 FUEL PROBE							Component ATA:28
PN:10552T05Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN21459	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284013	C12 FUEL PROBE							Component ATA:28
PN:10552T06Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN20931	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284014	C13 FUEL PROBE							Component ATA:28
PN:10552T01Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN21370	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284015	C14 FUEL PROBE							Component ATA:28
PN:10665T010Y00 (6628408000-021)	MOS/MSC	23-Jan-10	O/C	TSN 0				
SN:0945	HRS	142.3		TSN 0				
	AFL	128		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284016	C15 FUEL PROBE							Component ATA:28
PN:10552T06Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MN21363	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284017	C16 FUEL PROBE							Component ATA:28
PN:10665T01Y00 (6628408000-021)	MOS/MSC	23-Jan-10	O/C	TSR 0				
SN:MN14021	HRS	142.3		TSR 0				
	AFL	128		TSR 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284033	FUSELAGE FUEL PROBE							Component ATA:28
PN:10554T02Y00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:DT94032	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05	PROC. REF: AMM 28-40-05							
284035	NO. 1 LOW PRESSURE FUEL SWITCH							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01	PROC. REF: AMM 28-40-01							
284036	NO. 2 LOW PRESSURE FUEL SWITCH							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01	PROC. REF: AMM 28-40-01							
284041	LEFT FUEL FLOAT SWITCH							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-02	PROC. REF: AMM 28-40-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284042	RIGHT FUEL FLOAT SWITCH							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-02	PROC. REF: AMM 28-40-02							
284045	FUEL QUANTITY SIGNAL CONDITIONER							Component ATA:28
PN:10551B08Y09	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1154	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-04	PROC. REF: AMM 28-40-04							
284047	LEFT LOW LEVEL FUEL SENSOR							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-03	PROC. REF: AMM 28-40-03							
284048	RIGHT LOW LEVEL FUEL SENSOR							Component ATA:28
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-40-03	PROC. REF: AMM 28-40-03							
D2820013	PERFORM INITIAL CLEANING AND LEAK CHECK OF LOW-PRESSURE FUEL FILTERS							Service ATA:28
	MOS/MSC	24-Jul-09	A/R					
	HRS	46.4						
	AFL	43						
PROC. REF: AMM 28-20-15	PROC. REF: AMM 28-20-15							
F2840003 S	** FUEL QUANTITY SIGNAL CONDITIONER - PERFORM FUNCTIONAL TEST TO VERIFY WEIGHT ON WHEELS (WOW) INPUTS							Service ATA:28
	MOS	05-Sep-25	48 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 28-40-00	PROC. REF: AMM 28-40-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
H2840001	* DUAL FUEL FLOW CONVERTER (DFFC) - PERFORM ACCEPTANCE TEST AND LOW TEMPERATURE SCREENING							Service ATA:28
PN:10540B08F07	MOS/MSC	29-Apr-09	N/A					
SN:08101168A	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Y2810001 S	WING TANKS - REMOVE FUEL TANK ACCESS PANELS AND PERFORM VISUAL INSPECTION							Service ATA:28
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2810002 S	WING TANKS - REMOVE FUEL TANK ACCESS PANELS AND PERFORM VISUAL INSPECTION							Service ATA:28
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:22
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2820000 S	LOW PRESSURE FUEL FILTER - REMOVE AND INSPECT FOR CONTAMINATION. CLEAN IF NECESSARY.							Service ATA:28
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 28-20-15PROC. REF: AMM 28-20-15								
ATA 29 - HYDRAULIC POWER								
291001	HYDRAULIC RESERVOIR							Component ATA:29
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-02PROC. REF: AMM 29-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291012	L8 HYDRAULIC SHUTOFF VALVE							Component ATA:29
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-05	PROC. REF: AMM 29-10-05							
291013	L9 HYDRAULIC SHUTOFF VALVE							Component ATA:29
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-05	PROC. REF: AMM 29-10-05							
291033	RESERVOIR PRESSURIZATION CONTROL MODULE							Component ATA:29
PN:ZVM11-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08-0918218	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-06	PROC. REF: AMM 29-10-06							
291034	RESERVOIR FLUID LEVEL SENSOR							Component ATA:29
PN:3L14F-17	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:791	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-30-02	PROC. REF: AMM 29-30-02							
291045	NO. 1 ENGINE DRIVEN HYDRAULIC PUMP							Component ATA:29
PN:848888	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MX727597A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-01	PROC. REF: AMM 29-10-01							
291046	NO. 2 ENGINE DRIVEN HYDRAULIC PUMP							Component ATA:29
PN:848888	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:MX726734A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-01	PROC. REF: AMM 29-10-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291051	NO. 1 MAIN HYDRAULIC SYSTEM PRESSURE SWITCH							Component ATA:29
PN:6629101004-001	MOS/MSC	11-Aug-11	O/C	TSN 0				
SN:1196	HRS	616.5		TSN 0				
	AFL	551		TSN 0				
PROC. REF: AMM 29-30-03	PROC. REF: AMM 29-30-03							
291052	NO. 2 MAIN HYDRAULIC SYSTEM PRESSURE SWITCH							Component ATA:29
PN:6629101004-001	MOS/MSC	11-Aug-11	O/C	TSN 0				
SN:1199	HRS	616.5		TSN 0				
	AFL	551		TSN 0				
PROC. REF: AMM 29-30-03	PROC. REF: AMM 29-30-03							
291057	MAIN HYDRAULIC SYSTEM ACCUMULATOR							Component ATA:29
PN:88746-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:555	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-04	PROC. REF: AMM 29-10-04							
291059	MAIN HYDRAULIC FILTER MANIFOLD							Component ATA:29
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-03	PROC. REF: AMM 29-10-03							
291069	THERMAL SHUTOFF VALVE							Component ATA:29
PN:98050	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0838	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-07	PROC. REF: AMM 29-10-07							
292001	AUXILIARY FILTER MANIFOLD ASSEMBLY							Component ATA:29
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-20-02	PROC. REF: AMM 29-20-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
292011	AUXILIARY HYDRAULIC PUMP ASSEMBLY							Component ATA:29
PN:66157-02	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:K0608	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-20-01	PROC. REF: AMM 29-20-01							
292012	AUXILIARY HYDRAULIC PUMP							Component ATA:29
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-20-01	PROC. REF: AMM 29-20-01							
292013	AUXILIARY HYDRAULIC PUMP ELECTRIC MOTOR							Component ATA:29
PN:6629201000-011	MOS/MSC	09-Oct-12	O/C	TSO 10				
SN:76A	HRS	1011.2		TSO 0				
	AFL	947		TSO 0				
PROC. REF: AMM 29-20-04	PROC. REF: AMM 29-20-04							
292025	AUXILIARY HYDRAULIC SYSTEM PRESSURE SWITCH							Component ATA:29
PN:6620101004-001	MOS/MSC	11-Aug-11	O/C	TSN 0				
SN:1198	HRS	616.5		TSN 0				
	AFL	551		TSN 0				
PROC. REF: AMM 29-30-03	PROC. REF: AMM 29-30-03							
292401	AUXILIARY HYDRAULIC PRESSURE CHECK VALVE							Component ATA:29
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
293001	GROUND SERVICE CONTROL BOX							Component ATA:29
PN:4529308000-013	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:AS0275	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-30-01	PROC. REF: AMM 29-30-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
293011	HYDRAULIC PRESSURE TRANSDUCER							Component ATA:29
PN:APTE-196-1000-4000A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:7538-5-202	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-30-04	PROC. REF: AMM 29-30-04							
D2910017	MAIN HYDRAULIC FILTER MANIFOLD ELEMENTS - REPLACE							Service ATA:29
	MOS/MSC	29-Apr-09	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-10-03	PROC. REF: AMM 29-10-03							
D2910018	MAIN HYDRAULIC FILTER MANIFOLD ELEMENTS - REPLACE							Service ATA:29
	MOS	05-Sep-25						
	HRS	3327	300 (+25/-25)		3627	3652	14.2 (+25)	
	AFL	3014						
PROC. REF: AMM 29-10-03	PROC. REF: AMM 29-10-03							
H2920002 S	HYDRAULIC SYSTEM GROUND SERVICE LEDS - PERFORM FUNCTIONAL TEST							Service ATA:29
	MOS/MSC	05-Sep-25	N/A					
	HRS	3327						
	AFL	3014						
								PKG:13
PROC. REF: AMM 29-30-00	PROC. REF: AMM 29-30-00							
O2910005	AUXILIARY HYDRAULIC FILTER MANIFOLD ELEMENTS - REPLACE							Service ATA:29
	MOS	20-May-19						LIFE LIMIT
	HRS	2376	2400 (+25/-25)		4776	4801	1163.2 (+25)	
	AFL	2099						
PROC. REF: AMM 29-20-02	PROC. REF: AMM 29-20-02							
T2910026 S	RELIEF FUNCTION OF THE PRESSURIZATION CONTROL MODULE - PERFORM FUNCTIONAL TEST							Service ATA:29
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: AMM 29-10-06PROC. REF: AMM 29-10-06								
Y2910001 S	HYDRAULIC COMPONENTS AND ASSOCIATED PLUMBING (AFT OF FUSELAGE FUEL CELL, FS 495 TO FS 512) - PERFORM VISUAL INSPECTION							Service ATA:29
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2910002 S	HYDRAULIC COMPONENTS AND ASSOCIATED PLUMBING (WHEEL WELL AND FORWARD AREA OF REAR SPAR) - PERFORM VISUAL INSPECTION							Service ATA:29
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:17
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2910003 S	HYDRAULIC COMPONENTS AND ASSOCIATED PLUMBING (AFT AREA OF REAR SPAR) - PERFORM VISUAL INSPECTION							Service ATA:29
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:19
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y2920001 S	AUXILIARY HYDRAULIC SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:29
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 29-20-00PROC. REF: AMM 29-20-00								
ATA 30 - ICE AND RAIN PROTECTION								
301006	ANTI-ICE VERTICAL STABILIZER RELAY PANEL (P40)							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-06PROC. REF: AMM 30-10-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301010	LEFT HORIZONTAL STABILIZER CONTROL SENSOR (MT47)							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-05	PROC. REF: AMM 30-10-05							
301011	RIGHT HORIZONTAL STABILIZER CONTROL SENSOR (MT46)							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-05	PROC. REF: AMM 30-10-05							
301051	LEFT ANTI-ICE 2.0 DIAMETER CHECK VALVE							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02	PROC. REF: AMM 30-10-02							
301052	RIGHT ANTI-ICE 2.0 DIAMETER CHECK VALVE							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02	PROC. REF: AMM 30-10-02							
301063	LEFT ANTI-ICE PRESSURE REGULATING SHUTOFF VALVE							Component ATA:30
PN:3215616-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1300	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-01	PROC. REF: AMM 30-10-01							
301064	RIGHT ANTI-ICE PRESSURE REGULATING SHUTOFF VALVE							Component ATA:30
PN:3215616-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1301	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-01	PROC. REF: AMM 30-10-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301065	LEFT ANTI-ICE SHUTTLE VALVE							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-70-06, AMM 30-10-08PROC. REF: AMM 49-70-06, AMM 30-10-08								
301066	RIGHT ANTI-ICE SHUTTLE VALVE							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-08PROC. REF: AMM 30-10-08								
301240	ANTI-ICE MANIFOLD ASSEMBLY							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-07PROC. REF: AMM 30-10-07								
301401	RIGHT OUTBOARD WING ANTI-ICE TUBE							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301601	LEFT INBOARD WING ANTI-ICE TUBE							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301602	RIGHT WING ANTI-ICE TUBE							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301603	LEFT FLEX SLIDE JOINT							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301604	INSULATED ANTI-ICE ELBOW DUCT							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301605	ANTI-ICE DUCT ASSEMBLY							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301606	RIGHT FLEX SLIDE JOINT							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302001	NO. 1 NACELLE INLET ANTI-ICE SHUTOFF VALVE							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-20-01PROC. REF: AMM 30-20-01								
302002	NO. 2 NACELLE INLET ANTI-ICE SHUTOFF VALVE							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-20-01PROC. REF: AMM 30-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
302013	NO. 1 NACELLE ANTI-ICE PRESSURE SWITCH							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-20-02	PROC. REF: AMM 30-20-02							
302014	NO. 2 NACELLE ANTI-ICE PRESSURE SWITCH							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-20-02	PROC. REF: AMM 30-20-02							
303501	LEFT NOSE RELAY BOX							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-30-01	PROC. REF: AMM 30-30-01							
303510	RIGHT NOSE RELAY BOX							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-30-01	PROC. REF: AMM 30-30-01							
304021	WINDSHIELD ANTI-ICE CONTROLLER							Component ATA:30
PN:90825-7	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:633	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-40-01	PROC. REF: AMM 30-40-01							
304060	NO. 1 WING SURFACE TEMPERATURE SENSOR							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-03	PROC. REF: AMM 30-10-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
304061	NO. 2 WING SURFACE TEMPERATURE SENSOR							Component ATA:30
PN:6621000000-057	MOS/MSC	13-Apr-17	O/C	TSN 1				
SN:UNKNOWN	HRS	2143.8		TSN 0				
	AFL	1921		TSN 0				
PROC. REF: AMM 30-10-03	PROC. REF: AMM 30-10-03							
304062	NO. 3 WING SURFACE TEMPERATURE SENSOR							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-03	PROC. REF: AMM 30-10-03							
304063	NO. 4 WING SURFACE TEMPERATURE SENSOR							Component ATA:30
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-03	PROC. REF: AMM 30-10-03							
308005	ICE DETECTION PROBE							Component ATA:30
PN:0871HN2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0567	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-80-01	PROC. REF: AMM 30-80-01							
A3020000 S	** NACELLE ANTI-ICE SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:30
	MOS	05-Sep-25	48 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:15
PROC. REF: AMM 30-20-00	PROC. REF: AMM 30-20-00							
A3030000 S	** PITOT-STATIC HEAT SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:30
	MOS	05-Sep-25	96 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:19
PROC. REF: AMM 30-30-00	PROC. REF: AMM 30-30-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
AC3010006	** ANTI-ICE MANIFOLD - PERFORM BORESCOPE INSPECTION							Service ATA:30
	MOS	07-May-26						AIRWORTHINESS
	HRS	3510.2	600		4110.2		497.4	
	AFL	3178						
	APH							
PROC. REF: AMM 30-10-07PROC. REF: AMM 30-10-07								
H3010000 S	** WING/STAB ANTI-ICE SWITCH - PERFORM OPERATIONAL CHECK							Service ATA:30
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								
T3040000 S	** WINDSHIELD ANTI-ICE - PERFORM FUNCTIONAL TEST OF THE WINDSHIELD ANTI-ICE SYSTEM							Service ATA:30
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 30-40-00PROC. REF: AMM 30-40-00								
Y3010007 S	WING ANTI-ICE PICCOLO TUBE - PERFORM DETAILED VISUAL INSPECTION FOR CRACKS AT W.S. 43 AND W.S. 176.							Service ATA:30
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Y3080000 S	ICE DETECTION SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:30
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 30-80-00PROC. REF: AMM 30-80-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
Z3020005	* NO. 1 ENGINE INLET ANTI-ICE TUBE ASSEMBLY FROM THE AFT INLET BULKHEAD CONNECTION POINT FORWARD TO SPRAY RING CONNECTION, PERFORM DETAILED VISUAL/BORESCOPE INSPECTION OF THE WELDS INSIDE AND OUTSIDE OF THE TUBE AT BOTH FORWARD AND AFT ENDS.							Service ATA:30
	MOS	07-May-26						AIRWORTHINESS
	HRS	3510.2	250		3760.2		147.4	
	AFL	3178						
	APH							
PROC. REF: AMM 30-20-00	PROC. REF: AMM 30-20-00							
Z3020005	* NO. 2 ENGINE INLET ANTI-ICE TUBE ASSEMBLY FROM THE AFT INLET BULKHEAD CONNECTION POINT FORWARD TO SPRAY RING CONNECTION, PERFORM DETAILED VISUAL/BORESCOPE INSPECTION OF THE WELDS INSIDE AND OUTSIDE OF THE TUBE AT BOTH FORWARD AND AFT ENDS.							Service ATA:30
	MOS	07-May-26						AIRWORTHINESS
	HRS	3510.2	250		3760.2		147.4	
	AFL	3178						
	APH							
PROC. REF: AMM 30-20-00	PROC. REF: AMM 30-20-00							
Z3020006	NO. 1 ENGINE INLET ANTI-ICE TUBE ASSEMBLY FROM THE AFT INLET BULKHEAD CONNECTION POINT FORWARD TO SPRAY RING CONNECTION, PERFORM DETAILED VISUAL/BORESCOPE INSPECTION OF THE WELDS INSIDE AND OUTSIDE OF THE TUBE AT BOTH FORWARD AND AFT ENDS							Service ATA:30
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-20-00	PROC. REF: AMM 30-20-00							
Z3020006	NO. 2 ENGINE INLET ANTI-ICE TUBE ASSEMBLY FROM THE AFT INLET BULKHEAD CONNECTION POINT FORWARD TO SPRAY RING CONNECTION, PERFORM DETAILED VISUAL/BORESCOPE INSPECTION OF THE WELDS INSIDE AND OUTSIDE OF THE TUBE AT BOTH FORWARD AND AFT ENDS							Service ATA:30
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 30-20-00	PROC. REF: AMM 30-20-00							
ATA 31 - INDICATING/RECORDING SYSTEMS								
311001	PILOT CIRCUIT BREAKER PANEL							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-01	PROC. REF: AMM 24-60-01							
311005	COPILOT CIRCUIT BREAKER PANEL							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-60-01	PROC. REF: AMM 24-60-01							
311601	GEAR UP/DOWN SWITCH							Component ATA:31
PN:7632608500-007	MOS/MSC	20-Nov-17	O/C	TSN 0				
SN:UNKNOWN	HRS	2182.9		TSN 0				
	AFL	1951		TSN 0				
PROC. REF: AMM 32-30-02	PROC. REF: AMM 32-30-02							
311805	ENGINE FUEL CONTROL PANEL							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-11-05	PROC. REF: AMM 31-11-05							
311806	ENGINE/FUEL CONTROL PANEL OVERLAY							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
311906	FORWARD QUADRANT SWITCH PANEL OVERLAY							Component ATA:31
PN:4533038502-041	MOS/MSC	11-Aug-11	O/C	TSR 0				
SN:A00808726	HRS	616.5		TSR 0				
	AFL	551		TSR 0				
PROC. REF: AMM 31-11-04	PROC. REF: AMM 31-11-04							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
311907	RUDDER BOOST SWITCH (DS48)							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
312001	PILOTS DIGITAL CLOCK							Component ATA:31
PN:M850-5V-LA	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A4789	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-21-01PROC. REF: AMM 31-21-01								
312002	COPILOTS DIGITAL CLOCK							Component ATA:31
PN:M850-5V-LA	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A4962	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-21-01PROC. REF: AMM 31-21-01								
312011	PILOTS DAVTRON M850 DIGITAL CLOCK BATTERY							Component ATA:31
PN:E90	MOS	11-Dec-25	12 (+14d/-14d)	TSN 0	11-Dec-26	25-Dec-26	71 d (+14)	LIFE LIMIT
SN:NA	HRS	3411.6		TSN 0				
	AFL	3102		TSN 0				
PROC. REF: AMM 31-21-02PROC. REF: AMM 31-21-02								
312012	COPILOTS DAVTRON M850 DIGITAL CLOCK BATTERY							Component ATA:31
PN:E90	MOS	11-Dec-25	12 (+14d/-14d)	TSN 0	11-Dec-26	25-Dec-26	71 d (+14)	LIFE LIMIT
SN:NA	HRS	3411.6		TSN 0				
	AFL	3102		TSN 0				
PROC. REF: AMM 31-21-02PROC. REF: AMM 31-21-02								
312101	LEFT INCLINOMETER ASSEMBLY							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
312102	RIGHT INCLINOMETER ASSEMBLY							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313001	FLIGHT DATA RECORDER							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313001A	DOWNLOAD							Service ATA:31
PN:PN	MOS/MSC	29-Apr-09	N/R					CUSTOMER CODE
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313003	FLIGHT DATA RECORDER (FDR) ACCELEROMETER							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313005	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON (FDR ULB)							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	N/A	TSN 0				NOT INSTALLED
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-01PROC. REF: AMM 25-61-01								
313005C U	RECERTIFY FDR ULB PER MANUFACTURER'S INSTRUCTIONS.							Service ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313010	HOBBS METER							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313018	FLIGHT DATA RECORER INERTIA SWITCH							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
314001	SELCAL DECODER							Component ATA:31
PN:1200006-102	MOS/MSC	05-Sep-25	O/C					
SN:200	HRS	3327						
	AFL	3014						
	APH							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
314011	NO. 1 DATA ACQUISITION (DAU) UNIT							Component ATA:31
PN:7013348-938	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08116896	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-42-01PROC. REF: AMM 31-42-01								
314012	NO. 2 DATA ACQUISITION (DAU) UNIT							Component ATA:31
PN:7013348-938	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08116898	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-42-01PROC. REF: AMM 31-42-01								
314023	NO. 1 INTEGRATED AVIONICS COMPUTER (IC-600)							Component ATA:31
PN:7017000-82224	MOS/MSC	01-Oct-10	O/C					
SN:08118686	HRS	327.4						
	AFL	286						
PROC. REF: AMM 31-41-01PROC. REF: AMM 31-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
314024	NO. 2 INTEGRATED AVIONICS COMPUTER (IC-600)							Component ATA:31
PN:7017000-82224	MOS/MSC	01-Oct-10	O/C					
SN:07128313	HRS	327.4						
	AFL	286						
PROC. REF: AMM 31-41-01	PROC. REF: AMM 31-41-01							
314051	NO. 1 CENTRAL COMPUTING MEMORY MODULE IM-600							Component ATA:31
PN:7025973-04214	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08066058	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02	PROC. REF: AMM 31-41-02							
314052	NO. 2 CENTRAL COMPUTING MEMORY MODULE IM-600							Component ATA:31
PN:7025973-04214	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08076078	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-02	PROC. REF: AMM 31-41-02							
315001	CREW WARNING PANEL							Component ATA:31
PN:90-42801-8	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1047	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-51-01	PROC. REF: AMM 31-51-01							
316001	NO. 1 DU870 COMPUTER							Component ATA:31
PN:7014300-901	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0811H737	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-01	PROC. REF: AMM 31-60-01							
316002	NO. 2 DU870 COMPUTER							Component ATA:31
PN:7014300-901	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0811H747	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-01	PROC. REF: AMM 31-60-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
316003	NO. 3 DU870 COMPUTER							Component ATA:31
PN:7014300-901	MOS/MSC	30-Jul-14	O/C	TSR 2				
SN:96041432	HRS	1612		TSR 0				
	AFL	1486		TSR 0				
PROC. REF: AMM 31-60-01	PROC. REF: AMM 31-60-01							
316004	NO. 4 DU870 COMPUTER							Component ATA:31
PN:7014300-901	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0811H792	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-01	PROC. REF: AMM 31-60-01							
316005	PILOT EFIS DISPLAY CONTROLLER							Component ATA:31
PN:7016986-733	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08117423	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-02	PROC. REF: AMM 31-60-02							
316006	COPILOT EFIS DISPLAY CONTROLLER							Component ATA:31
PN:7016986-733	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08117422	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-02	PROC. REF: AMM 31-60-02							
316007	PILOT NO. 1 MULTIFUNCTION DISPLAY CONTROLLER BEZEL							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-01	PROC. REF: AMM 31-60-01							
316008	PILOT NO. 2 MULTIFUNCTION DISPLAY CONTROLLER BEZEL							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-01	PROC. REF: AMM 31-60-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
316009	COPILOT NO. 1 MULTIFUNCTION DISPLAY CONTROLLER BEZEL							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-01PROC. REF: AMM 31-60-01								
316010	COPILOT NO. 2 MULTIFUNCTION DISPLAY CONTROLLER BEZEL							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-60-01PROC. REF: AMM 31-60-01								
316091	AFIS DATA TRANSFER UNIT							Component ATA:31
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
AA2560000 S	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON - CLEAN BEACON SWITCH, PERFORM FUNCTIONAL TEST OF BEACON, AND PERFORM TEST OF ULB BATTERY							Service ATA:31
PN:PN	MOS/MSC	06-May-11	A/R					
SN:UNKNOWN	HRS	527.4						
	AFL	469						
B3100000 S	** INDICATING/RECORDING SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:31
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 31-00-00PROC. REF: AMM 31-00-00								
D2566001 S	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON - REPLACE							Service ATA:31
PN:PN	MOS/MSC	29-Apr-09	N/A					NOT INSTALLED
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320041	LEFT MAIN LANDING GEAR UPPER LINK PIN							Component ATA:32
PN:200-0214-101	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:H2171	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		6739	
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
320042	RIGHT MAIN LANDING GEAR UPPER LINK PIN							Component ATA:32
PN:200-0214-101	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:H2501	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		6739	
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
320051	LEFT MAIN LANDING GEAR PISTON PIN							Component ATA:32
PN:200-0215-101	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:H1058	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		6739	
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
320052	RIGHT MAIN LANDING GEAR PISTON PIN							Component ATA:32
PN:200-0215-101	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:H1249	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		6739	
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
320061	LEFT MAIN LANDING GEAR ACTUATOR PISTON							Component ATA:32
PN:200-0301-103	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:H2081	HRS	0		TSN 0				
	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320062	RIGHT MAIN LANDING GEAR ACTUATOR PISTON							Component ATA:32
PN:200-0301-103	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:H2042	HRS	0		TSN 0				
	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							
320071	LEFT MAIN LANDING GEAR ACTUATOR CYLINDER							Component ATA:32
PN:200-0302-101	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:H1587	HRS	0		TSN 0				
	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							
320072	RIGHT MAIN LANDING GEAR ACTUATOR CYLINDER							Component ATA:32
PN:200-0302-101	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:H1607	HRS	0		TSN 0				
	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							
320081	LEFT MAIN LANDING GEAR ACTUATOR END CAP							Component ATA:32
PN:200-0072-001	MOS/MSC	01-Oct-21	H/T	TSN 0				
SN:PRE13C-0763	HRS	2659.7		TSN 0				
	AFL	2365		TSN 0				
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							
320082	RIGHT MAIN LANDING GEAR ACTUATOR END CAP							Component ATA:32
PN:200-0072-001	MOS/MSC	01-Oct-21	H/T	TSN 0				
SN:PRE13C-0779	HRS	2659.7		TSN 0				
	AFL	2365		TSN 0				
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320091	LEFT MAIN LANDING GEAR ACTUATOR HOUSING							Component ATA:32
PN:200-0304-001	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:H1613	HRS	0		TSN 0				
	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							
320092	RIGHT MAIN LANDING GEAR ACTUATOR HOUSING							Component ATA:32
PN:200-0304-001	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:H1603	HRS	0		TSN 0				
	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-31-01	PROC. REF: AMM 32-31-01							
321001	LEFT MAIN LANDING GEAR STRUT							Component ATA:32
PN:200-0200-013	MOS	27-Jun-17						LIFE LIMIT
SN:H0548	HRS	2150.2		TSN 2150.2				
	AFL	1925	10000	TSN 1925	10000		6739	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
321002 S	RIGHT MAIN LANDING GEAR STRUT							Component ATA:32
PN:200-0200-014	MOS	27-Jun-17						LIFE LIMIT
SN:H1554	HRS	2150.2		TSN 2150.2				
	AFL	1925	10000	TSN 1925				
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
321011	LEFT MAIN LANDING GEAR SHOCK STRUT CYLINDER							Component ATA:32
PN:200-0201-109	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:H0486	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00, AMM 32-10-01	PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00, AMM 32-10-01							
321012	RIGHT MAIN LANDING GEAR SHOCK STRUT CYLINDER							Component ATA:32
PN:200-0201-110	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:H0532	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00								
321025	LEFT MAIN LANDING GEAR ACTUATOR UPPER PIN							Component ATA:32
PN:200-0325-101	MOS/MSC	05-Jun-23	H/T	TSN 0				
SN:TUR16811	HRS	3006.7		TSN 0				
	AFL	2677		TSN 0				
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
321026	RIGHT MAIN LANDING GEAR ACTUATOR UPPER PIN							Component ATA:32
PN:200-0325-101	MOS/MSC	05-Jun-23	H/T	TSN 0				
SN:TUR16813	HRS	3006.7		TSN 0				
	AFL	2677		TSN 0				
321037	LEFT MAIN LANDING GEAR ACTUATOR LOWER PIN							Component ATA:32
PN:200-0217-101	MOS/MSC	05-Jun-23	H/T	TSN 0				
SN:CPS01C-4036	HRS	3006.7		TSN 0				
	AFL	2677		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321038	RIGHT MAIN LANDING GEAR ACTUATOR LOWER PIN							Component ATA:32
PN:200-0217-101	MOS/MSC	05-Jun-23	H/T	TSN 0				
SN:CPS01C-4037	HRS	3006.7		TSN 0				
	AFL	2677		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321049	LEFT MAIN LANDING GEAR AXLE BEAM							Component ATA:32
PN:200-0203-001	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:H1036	HRS	0		TSN 0				
	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321050	RIGHT MAIN LANDING GEAR AXLE BEAM							Component ATA:32
PN:200-0203-001	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:H1270	HRS	0		TSN 0				
	AFL	0		TSN 0				
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
321061	LEFT MAIN LANDING GEAR SIDE-STAY ACTUATOR PIN							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
321062	RIGHT MAIN LANDING GEAR SIDE-STAY ACTUATOR PIN							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
321073	LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR DISPLACEMENT TUBE							Component ATA:32
PN:200-0305-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:H1287	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
321074	RIGHT MAIN LANDING GEAR SIDE BRACE ACTUATOR DISPLACEMENT TUBE							Component ATA:32
PN:200-0305-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:H1286	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
321085	LEFT FORWARD TRUNNION ASSEMBLY							Component ATA:32
PN:4532103011-011	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:CMI-247	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321086	RIGHT FORWARD TRUNNION ASSEMBLY							Component ATA:32
PN:4532103011-012	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:CMI-259	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321087	LEFT AFT TRUNNION ASSEMBLY							Component ATA:32
PN:4532103021-009	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:CMI-223	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321088	RIGHT AFT TRUNNION ASSEMBLY							Component ATA:32
PN:4532103021-010	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:CMI-228	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321101	LEFT FORWARD MAIN LANDING GEAR TRUNNION PIN							Component ATA:32
PN:200-0212-103	MOS	27-Jun-17						LIFE LIMIT
SN:H1303	HRS	2150.2		TSN 2150.2				
	AFL	1925	10000	TSN 1925	10000		6739	
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
321102	RIGHT FORWARD MAIN LANDING GEAR TRUNNION PIN							Component ATA:32
PN:200-0212-103	MOS	27-Jun-17						LIFE LIMIT
SN:H1324	HRS	2150.2		TSN 2150.2				
	AFL	1925	10000	TSN 1925	10000		6739	
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
321103	LEFT AFT MAIN LANDING GEAR TRUNNION PIN							Component ATA:32
PN:200-0213-103	MOS	27-Jun-17						LIFE LIMIT
SN:H1108	HRS	2150.2		TSN 2150.2				
	AFL	1925	10000	TSN 1925	10000		6739	
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321104	RIGHT AFT MAIN LANDING GEAR TRUNNION PIN							Component ATA:32
PN:200-0213-103	MOS	27-Jun-17						LIFE LIMIT
SN:H1109	HRS	2150.2		TSN 2150.2				
	AFL	1925	10000	TSN 1925	10000		6739	
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
32111-2	NO. 1 BRAKE SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
321111	LEFT FORWARD LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN							Component ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	H/T	TSN 90				
SN:CMI1763	HRS	1612		TSN 0				
	AFL	1486		TSN 0				
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
321112	RIGHT FORWARD LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN							Component ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	H/T	TSN 90				
SN:CMI1835	HRS	1612		TSN 0				
	AFL	1486		TSN 0				
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
321113	LEFT FORWARD UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN							Component ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	H/T	TSN 90				
SN:CMI1814	HRS	1612		TSN 0				
	AFL	1486		TSN 0				
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
321114	RIGHT FORWARD UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN							Component ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	H/T	TSN 90				
SN:CMI1978	HRS	1612		TSN 0				
	AFL	1486		TSN 0				
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321117	LEFT AFT UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN							Component ATA:32
PN:4532103202-001	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:CMI-1156	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
321118	RIGHT AFT UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN							Component ATA:32
PN:4532103202-001	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:CMI-1067	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
321119	LEFT AFT LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN							Component ATA:32
PN:4532103203-001	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:CMI-1098	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
321120	RIGHT AFT LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN							Component ATA:32
PN:4532103203-001	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:CMI-1203	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-10-05	PROC. REF: AMM 57-10-05							
321201	LEFT MAIN LANDING GEAR OLEO ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
321202	RIGHT MAIN LANDING GEAR OLEO ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321215	LEFT MAIN LANDING GEAR SHOCK STRUT PISTON							Component ATA:32
PN:200-0202-003	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:H1003	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		6739	
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
321216	RIGHT MAIN LANDING GEAR SHOCK STRUT PISTON							Component ATA:32
PN:200-0202-003	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:H1788	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		6739	
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
321227	LEFT MAIN LANDING GEAR SHOCK STRUT LINK							Component ATA:32
PN:200-0204-001	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:H1328	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		6739	
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
321228	RIGHT MAIN LANDING GEAR SHOCK STRUT LINK							Component ATA:32
PN:200-0204-001	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:H1456	HRS	0		TSN 0				
	AFL	0	10000	TSN 0	10000		6739	
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
321301	LEFT MAIN LANDING GEAR OUTBOARD DOOR							Component ATA:32
PN:4552803003-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:939660800526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-80-01	PROC. REF: AMM 52-80-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321302	LEFT MAIN LANDING GEAR INBOARD DOOR							Component ATA:32
PN:4552803004-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:415080400526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-80-01	PROC. REF: AMM 52-80-01							
321303	RIGHT MAIN LANDING GEAR INBOARD DOOR							Component ATA:32
PN:4552803004-004	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:604790200526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-80-01	PROC. REF: AMM 52-80-01							
321304	RIGHT MAIN LANDING GEAR OUTBOARD DOOR							Component ATA:32
PN:4552803003-004	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:93966400526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-80-01	PROC. REF: AMM 52-80-01							
322001 S	NOSE LANDING GEAR STRUT ASSEMBLY							Component ATA:32
PN:4532201000V17-001	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:519	HRS	0		TSN 0				
	AFL	0	20000	TSN 0				
PROC. REF: AMM 32-20-01	PROC. REF: AMM 32-20-01							
322002	NOSE LANDING GEAR CYLINDER							Component ATA:32
PN:2342102-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:T746	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-32-01	PROC. REF: AMM 32-32-01							
322003	NOSE LANDING GEAR PISTON							Component ATA:32
PN:2342104-003	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:F658	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		16739	
PROC. REF: AMM 32-32-01	PROC. REF: AMM 32-32-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322004	NOSE LANDING GEAR ACTUATOR BRACKET							Component ATA:32
PN:2342111-005	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:R525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-32-01	PROC. REF: AMM 32-32-01							
322005	NOSE LANDING GEAR FORK							Component ATA:32
PN:2342116-004	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:R768	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-32-01	PROC. REF: AMM 32-32-01							
322011 S	NOSE LANDING GEAR ACTUATOR ASSEMBLY							Component ATA:32
PN:30460-7	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:EFS660	HRS	0		TSN 0				
	AFL	0	20000	TSN 0				
PROC. REF: AMM 32-32-01	PROC. REF: AMM 32-32-01							
322041 U	NOSE LANDING GEAR (P/N 2342110) IRN O3220029 AXLE							Component ATA:32
PN:2342117-002	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:R883	HRS	0		TSN 0				
	AFL	0		TSN 0				
322061 S	NOSE LANDING GEAR TRUNNION AXLE							Component ATA:32
PN:2342110-003	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:R853	HRS	0		TSN 0				
	AFL	0	20000	TSN 0				
PROC. REF: AMM 32-20-01	PROC. REF: AMM 32-20-01							
322071 S	LEFT NOSE LANDING GEAR TRUNNION PIN							Component ATA:32
PN:2342108-003	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:MTI-104	HRS	0		TSN 0				
	AFL	0	20000	TSN 0				
PROC. REF: AMM 32-20-01	PROC. REF: AMM 32-20-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322072 S	RIGHT NOSE LANDING GEAR TRUNNION PIN							Component ATA:32
PN:2342108-003	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:MTI-141	HRS	0		TSN 0				
	AFL	0	20000	TSN 0				
PROC. REF: AMM 32-20-01	PROC. REF: AMM 32-20-01							
322095	LEFT NOSE LANDING GEAR DOOR							Component ATA:32
PN:4552800001-007	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:545	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-81-01	PROC. REF: AMM 52-81-01							
322096	RIGHT NOSE LANDING GEAR DOOR							Component ATA:32
PN:4552800002-007	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:542	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-81-01	PROC. REF: AMM 52-81-01							
322111	NOSE LANDING GEAR CHASSIS ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
322121	NOSE LANDING GEAR UPLOCK MECHANISM							Component ATA:32
PN:2269H000-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-32-02	PROC. REF: AMM 32-32-02							
323001	LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY							Component ATA:32
PN:200-0300-005	MOS/MSC	01-Oct-21	H/T	TSR 0				
SN:H0585	HRS	2659.7		TSN 2659.7, TSR 0				
	AFL	2365		TSN 2365, TSR 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323002	RIGHT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY							Component ATA:32
PN:200-0300-006	MOS/MSC	01-Oct-21	H/T	TSR 0				
SN:H1577	HRS	2659.7		TSN 2659.7, TSR 0				
	AFL	2365		TSN 2365, TSR 0				
323037	LEFT MAIN LANDING GEAR INBOARD DOOR UPLOCK MECHANISM							Component ATA:32
PN:3000H000-005	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2137	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-04	PROC. REF: AMM 32-31-04							
323038	RIGHT MAIN LANDING GEAR INBOARD DOOR UPLOCK MECHANISM							Component ATA:32
PN:3000H000-006	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2176	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-04	PROC. REF: AMM 32-31-04							
323110	NOSE LANDING GEAR DOWN-LOCK SWITCH							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-60-05	PROC. REF: AMM 32-60-05							
323220	LEFT DOWN AND LOCKED SWITCH							Component ATA:32
PN:604HE162	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1571	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-60-02	PROC. REF: AMM 32-60-02							
323221	RIGHT DOWN AND LOCKED SWITCH							Component ATA:32
PN:604HE162	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1540	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-60-02	PROC. REF: AMM 32-60-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323301	LEFT MAIN LANDING GEAR INBOARD DOOR ACTUATOR CAP SCREWS							Component ATA:32
PN:7469-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1106	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-02	PROC. REF: AMM 32-31-02							
323302	RIGHT MAIN LANDING GEAR INBOARD DOOR ACTUATOR CAP SCREWS							Component ATA:32
PN:7469-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-02	PROC. REF: AMM 32-31-02							
323305	LEFT MAIN LANDING GEAR ACTUATOR GIMBAL ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-06	PROC. REF: AMM 32-31-06							
323306	RIGHT MAIN LANDING GEAR ACTUATOR GIMBAL ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-06	PROC. REF: AMM 32-31-06							
323307	LEFT MAIN LANDING GEAR SHAFT GIMBAL ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-06	PROC. REF: AMM 32-31-06							
323308	RIGHT MAIN LANDING GEAR SHAFT GIMBAL ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-06	PROC. REF: AMM 32-31-06							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323309	LEFT MAIN LANDING GEAR INBOARD DOOR GIMBAL BRACKET ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-06PROC. REF: AMM 32-31-06								
323310	RIGHT MAIN LANDING GEAR INBOARD DOOR GIMBAL BRACKET ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-06PROC. REF: AMM 32-31-06								
323735	LANDING GEAR MANIFOLD CONTROL VALVE							Component ATA:32
PN:2245H000-002	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1575	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-30-01PROC. REF: AMM 32-30-01								
324001	NO. 1 MAIN LANDING GEAR WHEEL							Component ATA:32
PN:3-1545-1	MOS/MSC	07-Nov-25	O/C					
SN:0244	HRS	3382.1						
	AFL	3076						
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324001A	NO. 1 MAIN LANDING GEAR WHEEL - PERFORM NON DESTRUCTIVE TEST							Service ATA:32
PN:3-1545-1	MOS/MSC	07-Nov-25	O/C					
SN:0244	HRS	3382.1						
	AFL	3076						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324002	NO. 2 MAIN LANDING GEAR WHEEL							Component ATA:32
PN:3-1545-1	MOS/MSC	17-Jun-26	O/C					
SN:3014	HRS	3553.7						
	AFL	3219						
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324002A	NO. 2 MAIN LANDING GEAR WHEEL - PERFORM NON-DESTRUCTIVE TEST							Service ATA:32
PN:3-1545-1	MOS/MSC	17-Jun-26	O/C					
SN:3014	HRS	3553.7						
	AFL	3219						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324003	NO. 3 MAIN LANDING GEAR WHEEL							Component ATA:32
PN:3-1545-1	MOS/MSC	27-Feb-26	O/C					
SN:1186	HRS	3457.5						
	AFL	3136						
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324003A	NO. 3 MAIN LANDING GEAR WHEEL - PERFORM NON-DESTRUCTIVE TEST							Service ATA:32
PN:3-1545-1	MOS/MSC		O/C					
SN:1186	HRS							
	AFL							
	APH							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324004	NO. 4 MAIN LANDING GEAR WHEEL							Component ATA:32
PN:3-1545-1	MOS/MSC	24-Mar-26	O/C					
SN:1553	HRS	3489.7						
	AFL	3160						
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324004A	NO. 4 MAIN LANDING GEAR WHEEL - NON-DESTRUCTIVE TEST							Service ATA:32
PN:3-1545-1	MOS/MSC	24-Mar-26	O/C					
SN:1553	HRS	3489.7						
	AFL	3160						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324005	NOSE LANDING GEAR WHEEL							Component ATA:32
PN:9544207-4	MOS/MSC	24-Mar-26	O/C					
SN:DEC08-10775	HRS	3489.7						
	AFL	3160						
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324021	NO. 1 MAIN LANDING GEAR TIRE							Component ATA:32
PN:226K08-4	MOS/MSC	07-Nov-25	O/C	TSN 21				
SN:40360619	HRS	3382.1		TSN 0				
	AFL	3076		TSN 0				
PROC. REF: AMM 32-40-02	PROC. REF: AMM 32-40-02							
324022	NO. 2 MAIN LANDING GEAR TIRE							Component ATA:32
PN:226K08-4	MOS/MSC	17-Jun-26	O/C	TSN 0				
SN:52820510	HRS	3553.7		TSN 0				
	AFL	3219		TSN 0				
PROC. REF: AMM 32-40-02	PROC. REF: AMM 32-40-02							
324023	NO. 3 MAIN LANDING GEAR TIRE							Component ATA:32
PN:226K08-4	MOS/MSC	27-Feb-26	O/C	TSN 0				
SN:40120547	HRS	3457.5		TSN 0				
	AFL	3136		TSN 0				
PROC. REF: AMM 32-40-02	PROC. REF: AMM 32-40-02							
324024	NO. 4 MAIN LANDING GEAR TIRE							Component ATA:32
PN:226K08-4	MOS/MSC	24-Mar-26	O/C	TSN 0				
SN:40120561	HRS	3489.7		TSN 0				
	AFL	3160		TSN 0				
PROC. REF: AMM 32-40-02	PROC. REF: AMM 32-40-02							
324025	NOSE LANDING GEAR TIRE							Component ATA:32
PN:031-613-8	MOS/MSC	24-Mar-26	O/C	TSN 0				
SN:4117T00484	HRS	3489.7		TSN 0				
	AFL	3160		TSN 0				
PROC. REF: AMM 32-40-01	PROC. REF: AMM 32-40-01							
324061	LEFT ANTI-SKID CONTROL VALVE							Component ATA:32
PN:39-787	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1243	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-07	PROC. REF: AMM 32-41-07							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324062	RIGHT ANTI-SKID CONTROL VALVE							Component ATA:32
PN:39-787	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1247	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-07	PROC. REF: AMM 32-41-07							
324066	LEFT ANTI-SKID SHUTOFF VALVE							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
324067	RIGHT ANTI-SKID SHUTOFF VALVE							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
324097	BRAKE CONTROL UNIT							Component ATA:32
PN:42-933-3	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:691	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-02	PROC. REF: AMM 32-41-02							
324108	EMERGENCY PARKING BRAKE CHECK VALVE							Component ATA:32
PN:1C4124	MOS/MSC	11-Aug-11	O/C	TSN 0				
SN:UNKNOWN	HRS	616.5		TSN 0				
	AFL	551		TSN 0				
PROC. REF: AMM 32-42-09	PROC. REF: AMM 32-42-09							
324109	EMERGENCY/PARK BRAKE VALVE							Component ATA:32
PN:6632401002-011	MOS/MSC	18-Nov-11	O/C					
SN:0541	HRS	718.8						
	AFL	656						
PROC. REF: AMM 32-42-01	PROC. REF: AMM 32-42-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324110	EMERGENCY/PARK BRAKE PRESSURE TRANSDUCER							Component ATA:32
PN:APTE-196-1000-4000A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:7536-6-201	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-03	PROC. REF: AMM 32-42-03							
324111	NO. 1 MAIN LANDING GEAR BRAKE ASSEMBLY							Component ATA:32
PN:2-1579-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2404	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324111-1	NO. 1 MAIN LANDING GEAR BRAKE INBOARD SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324111-2	NO. 1 MAIN LANDING GEAR BRAKE OUTBOARD SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324112	NO. 2 MAIN LANDING GEAR BRAKE ASSEMBLY							Component ATA:32
PN:2-1579-2	MOS/MSC	20-Nov-23	O/C	TSO 0				
SN:0730	HRS	3134		TSO 0				
	AFL	2817		TSO 0				
	APH							
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324112-1	NO. 2 MAIN LANDING GEAR BRAKE INBOARD SWIVEL							Component ATA:32
PN:144890-06	MOS/MSC	23-Aug-19	O/C	TSN 0				
SN:2096	HRS	2428.8		TSN 0				
	AFL	2141		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324112-2	NO. 2 MAIN LANDING GEAR BRAKE OUTBOARD SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324113	NO. 3 MAIN LANDING GEAR BRAKE ASSEMBLY							Component ATA:32
PN:2-1579-2	MOS/MSC	19-Jan-24	O/C	TSO 0				
SN:3217	HRS	3148.1		TSO 0				
	AFL	2831		TSO 0				
	APH							
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324113-1	NO. 3 MAIN LANDING GEAR BRAKE INBOARD SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324113-2	NO. 3 MAIN LANDING GEAR BRAKE OUTBOARD SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324114	NO. 4 MAIN LANDING GEAR BRAKE ASSEMBLY							Component ATA:32
PN:2-1579-2	MOS/MSC	28-Jun-25	O/C	TSO 0				
SN:1483	HRS	3326.3		TSO 0				
	AFL	3013		TSO 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324114-1	NO. 4 MAIN LANDING GEAR BRAKE INBOARD SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324114-2	NO. 4 MAIN LANDING GEAR BRAKE OUTBOARD SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324201	NO. 1 BRAKE SHUTTLE VALVE							Component ATA:32
PN:5116-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2231	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-04	PROC. REF: AMM 32-42-04							
324202	NO. 2 BRAKE SHUTTLE VALVE							Component ATA:32
PN:5116-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2216	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-04	PROC. REF: AMM 32-42-04							
324203	NO. 3 BRAKE SHUTTLE VALVE							Component ATA:32
PN:5116-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2237	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-04	PROC. REF: AMM 32-42-04							
324204	NO. 4 BRAKE SHUTTLE VALVE							Component ATA:32
PN:5116-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2228	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-04	PROC. REF: AMM 32-42-04							
324205	BRAKE SHUTTLE MODULE							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-04	PROC. REF: AMM 32-41-04							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324305	LEFT PILOT BRAKE TRANSDUCER							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-03	PROC. REF: AMM 32-41-03							
324306	RIGHT PILOT BRAKE TRANSDUCER							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-03	PROC. REF: AMM 32-41-03							
324610-1	LEFT INBOARD BRAKE SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324610-2	LEFT OUTBOARD BRAKE SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324611-1	RIGHT INBOARD BRAKE SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							
324611-2	RIGHT OUTBOARD BRAKE SWIVEL							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-01	PROC. REF: AMM 32-41-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324701	NO. 1 BRAKE HYDRAULIC FUSE							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-09	PROC. REF: AMM 32-41-09							
324702	NO. 2 BRAKE HYDRAULIC FUSE							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-09	PROC. REF: AMM 32-41-09							
324703	NO. 3 BRAKE HYDRAULIC FUSE							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-09	PROC. REF: AMM 32-41-09							
324704	NO. 4 BRAKE HYDRAULIC FUSE							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-09	PROC. REF: AMM 32-41-09							
324711	NO. 1 WHEEL SPEED TRANSDUCER							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-10	PROC. REF: AMM 32-41-10							
324712	NO. 2 WHEEL SPEED TRANSDUCER							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-10	PROC. REF: AMM 32-41-10							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324713	NO. 3 WHEEL SPEED TRANSDUCER							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-10	PROC. REF: AMM 32-41-10							
324714	NO. 4 WHEEL SPEED TRANSDUCER							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-10	PROC. REF: AMM 32-41-10							
324721	(MT56) BRAKE PRESSURE TRANSDUCER							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-08	PROC. REF: AMM 32-41-08							
324722	(MT57) BRAKE PRESSURE TRANSDUCER							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-08	PROC. REF: AMM 32-41-08							
324723	(MT58) BRAKE PRESSURE TRANSDUCER							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-08	PROC. REF: AMM 32-41-08							
324724	(MT59) BRAKE PRESSURE TRANSDUCER							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-08	PROC. REF: AMM 32-41-08							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324801	EMERGENCY/PARKING BRAKE FUSE							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-07	PROC. REF: AMM 32-42-07							
324805	EMERGENCY/PARKING BRAKE ACCUMULATOR							Component ATA:32
PN:88744-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:581	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-42-02	PROC. REF: AMM 32-42-02							
325007	NOSE WHEEL STEERING FILTER BOX (P41)							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-06	PROC. REF: AMM 32-50-06							
325011	NOSE LANDING GEAR STEERING SERVO ACTUATOR							Component ATA:32
PN:JR5208C	MOS/MSC	04-Feb-11	O/C	TSR 0				
SN:A0432	HRS	463.7		TSR 0				
	AFL	401		TSR 0				
PROC. REF: AMM 32-50-02	PROC. REF: AMM 32-50-02							
325021	NOSE LANDING GEAR STEERING GEARBOX							Component ATA:32
PN:2W3201D	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:C0597	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-03	PROC. REF: AMM 32-50-03							
325031	NOSE LANDING GEAR STEERING COMPUTER							Component ATA:32
PN:498000-03-03	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:00721	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-01	PROC. REF: AMM 32-50-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
325035	NOSE LANDING GEAR STEERING POWER SUPPLY							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
325041	LEFT NOSE LANDING GEAR STEERING TRANSDUCER							Component ATA:32
PN:19710 / 3A1-279A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A1016	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-04PROC. REF: AMM 32-50-04								
325042	RIGHT NOSE LANDING GEAR STEERING TRANSDUCER							Component ATA:32
PN:19710 / 3A1-279A	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A1149	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-04PROC. REF: AMM 32-50-04								
325051 S	NOSE LANDING GEAR ACTUATOR UPPER PIN							Component ATA:32
PN:4532302043-007	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:807	HRS	0		TSN 0				
	AFL	0	20000	TSN 0				
PROC. REF: AMM 32-32-01PROC. REF: AMM 32-32-01								
326000	NOSE LANDING GEAR WIRE HARNESS							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
326104	NOSE LANDING GEAR LIMIT SWITCH (S178)							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-50-09PROC. REF: AMM 32-50-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
326105	NO. 1 MAIN GEAR SQUAT SWITCH							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-60-09	PROC. REF: AMM 32-60-09							
326106	NO. 2 MAIN GEAR SQUAT SWITCH							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-60-09	PROC. REF: AMM 32-60-09							
326107	NO. 3 MAIN GEAR SQUAT SWITCH							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-60-09	PROC. REF: AMM 32-60-09							
326108	NO. 4 MAIN GEAR SQUAT SWITCH							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-60-09	PROC. REF: AMM 32-60-09							
326115	LANDING GEAR SQUAT SWITCH RELAY BOX P21							Component ATA:32
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-60-08	PROC. REF: AMM 32-60-08							
5-19-00-P3220007 U	BOROSCOPE MAIN LANDING GEAR AXLES - PERFORM MAIN LANDING GEAR AXLE BEAM ASSEMBLY (P/N 200-203-001) BORESCOPE INSPECTION. (REFER TO 32-10-01.)							Service ATA:32
	MOS	07-May-26	48		07-May-30		1314 d	
	HRS	3510.2						
	AFL	3178						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
5-19-01-D3220046	U	REPLACE REPLACE MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY (P/N 200-300-001 & -002). (*IRN D3220046)						Service ATA:32
	MOS/MSC	29-Apr-09	N/A					NOT INSTALLED
	HRS	0						
	AFL	0						
5-19-01-L3231024	U	REPLACE INBOARD LEFT AND RIGHT MAIN LANDING GEAR DOOR ACTUATOR (P/N 7469-1) CAP SCREWS. EFFECTIVE ON AIRCRAFT 45-005 THRU 45-276 MODIFIED PER SB 45-32-19, "MAIN LANDING GEAR DOOR ACTUATOR IMPROVEMENT/SADDLE INSTALLATION" AND 45-277 AND SUBSEQUENT. (ZONE/ACCESS 720/730 *IRN L3231024)						Service ATA:32
	MOS	20-May-19						AIRWORTHINESS
	HRS	2376	2400		4776		1163.2	
	AFL	2099						
5-19-01-N3220041	U	REPLACE MAIN LANDING GEAR FORWARD TRUNNION SHEAR PIN (P/N 4532103015 AND 4532103132). (ZONE/ACCESS 720/730 *IRN N3220041)						Service ATA:32
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
5-19-01-N3220042	U	REPLACE MAIN LANDING GEAR AFT TRUNNION SHEAR PIN (P/N 4532103025 AND 4532103133). (ZONE/ACCESS 720/730 *IRN #N3220042)						Service ATA:32
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
5-19-01-N3220043	U	REPLACE MAIN LANDING GEAR AFT LOWER TRUNNION SHEAR PIN (P/N 4532103026 AND 4532103134). (ZONE/ACCESS 720/730 *IRN N3220043)						Service ATA:32
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
5-19-01-N3220139	U	REPLACE MAIN LANDING GEAR FORWARD TRUNNION SHEAR PIN (P/N 4532103201) (ZONE/ACCESS 720/730) (IRN #N3220139)						Service ATA:32
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0						
	AFL	0	5000		5000		1739	
5-19-01-N3220140	U	REPLACE MAIN LANDING GEAR AFT TRUNNION UPPER SHEAR PIN (P/N 4532203202) (ZONE/ACCESS 720/730) (IRN # N3220140)						Service ATA:32
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0						
	AFL	0	5000		5000		1739	
5-19-01-N3220141	U	REPLACE MAIN LANDING GEAR AFT TRUNNION LOWER SHEAR PIN (P/N 4532103203) (ZONE/ACCESS 720/730) (IRN # N3220141)						Service ATA:32
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0						
	AFL	0	5000		5000		1739	
5-19-01-O3220009	U	REPLACE NOSE LANDING GEAR STRUT ASSEMBLY (P/N 2342100) (ZONE/ACCESS 710 *IRN # O3220009)						Service ATA:32
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0						
	AFL	0	20000		20000		16739	
5-19-01-O3220010	U	REPLACE NOSE LANDING GEAR ACTUATOR ASSEMBLY (P/N 6632201000) (ZONE/ACCESS 710 *IRN # O3220010)						Service ATA:32
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0						
	AFL	0	20000		20000		16739	
5-19-01-O3220011	U	REPLACE NOSE LANDING GEAR ACTUATOR UPPER PIN (P/N 4532302043) (ZONE/ACCESS 710 *IRN # O3220011)						Service ATA:32
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0						
	AFL	0	20000		20000		16739	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
5-19-01-O3220028 U		REPLACE NOSE LANDING GEAR TRUNNION PINS (P/N 2342108) (ZONE/ACCESS 710 *IRN # O3220028)						Service ATA:32
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0						
	AFL	0	20000		20000		16739	
5-19-01-O3220029 U		REPLACEMENT NOSE LANDING GEAR TRUNNION AXLE (P/N 2342110). (ZONE/ACCESS 710 *IRN O3220029)						Service ATA:32
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0						
	AFL	0	20000		20000		16739	
A3230001 S		** LANDING GEAR - PERFORM EMERGENCY GEAR EXTENSION FUNCTIONAL TEST						Service ATA:32
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:11
PROC. REF: AMM 32-33-00PROC. REF: AMM 32-33-00								
A3240005 S		** BRAKE HYDRAULIC FUSES - PERFORM FUNCTIONAL TEST						Service ATA:32
	MOS	05-Sep-25	48 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:17
PROC. REF: AMM 32-41-09PROC. REF: AMM 32-41-09								
A3240006 S		** BRAKE SHUTTLE MODULE - PERFORM FUNCTIONAL TEST						Service ATA:32
	MOS	05-Sep-25	48 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:17
PROC. REF: AMM 32-41-04PROC. REF: AMM 32-41-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
A3240007 S	** BRAKE SHUTTLE VALVES - PERFORM FUNCTIONAL TEST							Service ATA:32
	MOS	05-Sep-25	96 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:23
PROC. REF: AMM 32-42-04PROC. REF: AMM 32-42-04								
A3240009 S	** BRAKE PRESSURE TRANSDUCERS - PERFORM FUNCTIONAL TEST							Service ATA:32
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800 (+25/-25)					
	AFL	0						
								PKG:25
PROC. REF: AMM 32-41-08PROC. REF: AMM 32-41-08								
AA3220018	LEFT MAIN LANDING GEAR STRUT - PERFORM SPECIAL DETAILED INSPECTION							Service ATA:32
PN:200-0200-013	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
SN:H0548	HRS	3327						
	AFL	3014	6600 (+25/-25)		9614	9639	6353 (+25)	
	APH							
PROC. REF: NDT PART 7/32-10-01, NDT PART 7/32-10-03, NDT PART 7/32-10-04, NDT PART 8/32-10-02, NDT PART 7/32-10-05, NDT PART 7/32-10-06, NDT PART 8/32-10-01, NDT PART 8/32-10-03PROC. REF: NDT PART 7/32-10-01, NDT PART 7/32-10-03, NDT PART 7/32-10-04, NDT PART 8/32-10-02, NDT PART 7/32-10-05, NDT PART 7/32-10-06, NDT PART 8/32-10-01, NDT PART 8/32-10-03								
AA3220018	RIGHT MAIN LANDING GEAR STRUT - PERFORM SPECIAL DETAILED INSPECTION							Service ATA:32
PN:200-0200-014	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
SN:H1554	HRS	3327						
	AFL	3014	6600 (+25/-25)		9614	9639	6353 (+25)	
	APH							
PROC. REF: NDT PART 7/32-10-01, NDT PART 7/32-10-03, NDT PART 7/32-10-04, NDT PART 8/32-10-02, NDT PART 7/32-10-05, NDT PART 7/32-10-06, NDT PART 8/32-10-01, NDT PART 8/32-10-03PROC. REF: NDT PART 7/32-10-01, NDT PART 7/32-10-03, NDT PART 7/32-10-04, NDT PART 8/32-10-02, NDT PART 7/32-10-05, NDT PART 7/32-10-06, NDT PART 8/32-10-01, NDT PART 8/32-10-03								
AA3220111	LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - DISASSEMBLE ACTUATOR AND PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
PN:200-0300-005	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
SN:H0585	HRS	3327						
	AFL	3014	10000 (+25/-25)		13014	13039	9753 (+25)	
	APH							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
AA3220111	RIGHT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - DISASSEMBLE ACTUATOR AND PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
PN:200-0300-006	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
SN:H1577	HRS	3327						
	AFL	3014	10000 (+25/-25)		13014	13039	9753 (+25)	
	APH							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
AB3220016 S	NOSE LANDING GEAR STRUT ASSEMBLY - PERFORM SPECIAL DETAILED INSPECTION							Service ATA:32
	MOS	29-Apr-09						
	HRS	0						
	AFL	0	10000 (+25/-25)					
								PKG:27
PROC. REF: NDT PART 7/32-20-01, NDT PART 7/32-20-02, NDT PART 7/32-20-03, NDT PART 7/32-20-04, NDT PART 8/32-20-01, NDT PART 8/32-20-02, NDT PART 8/32-20-03, NDT PART 8/32-20-04, NDT PART 8/32-20-05PROC. REF: NDT PART 7/32-20-01, NDT PART 7/32-20-02, NDT PART 7/32-20-03, NDT PART 7/32-20-04, NDT PART 8/32-20-01, NDT PART 8/32-20-02, NDT PART 8/32-20-03, NDT PART 8/32-20-04, NDT PART 8/32-20-05								
AE3220151	LEFT MAIN LANDING GEAR STRUT ASSEMBLY REBOUND RING - REPLACE							Service ATA:32
	MOS	EFF	96		05-Sep-33 * (M)		2531 d	LIFE LIMIT
	HRS							
	AFL							
PROC. REF: AMM 32-31-02PROC. REF: AMM 32-31-02								
AE3220151	RIGHT MAIN LANDING GEAR STRUT ASSEMBLY REBOUND RING - REPLACE							Service ATA:32
	MOS	EFF	96		05-Sep-33 * (M)		2531 d	LIFE LIMIT
	HRS							
	AFL							
PROC. REF: AMM 32-31-02PROC. REF: AMM 32-31-02								
D3260006	NOSE LANDING GEAR SQUAT SWITCH ROTATING DISK ASSEMBLY - LUBRICATE							Service ATA:32
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
F3220045	NOSE LANDING GEAR ACTUATOR ATTACHMENT FITTING - REPLACE							Service ATA:32
	MOS/MSC	29-Apr-09	N/A					NOT INSTALLED
	HRS	0						
	AFL	0						
PROC. REF: AMM 32-32-01PROC. REF: AMM 32-32-01								
H3220017 S	NOSE LANDING GEAR TRUNNION AXLE - PERFORM VISUAL INSPECTION. IF CORROSION IS FOUND, REMOVE AXLE FROM CYLINDER AND PERFORM FLUORESCENT PENETRANT INSPECTION OF LUG AREA AND MAGNETIC PARTICLE INSPECTION OF AXLE. IF CORROSION IS NOT FOUND, CONDUCT FLUORESCENT PENETRANT INSPECTION OF AXLE PORTION THAT IS EXPOSED FROM CYLINDER.							Service ATA:32
	MOS	29-Apr-09						
	HRS	0						
	AFL	0	10000 (+25/-25)					
								PKG:27
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
J3220120	* MAIN LANDING GEAR TRUNNION SHEAR PIN BUSHING - PERFORM DETAILED VISUAL INSPECTION FOR BUSHING MIGRATION							Service ATA:32
	MOS/MSC	29-Apr-09	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 57-10-05PROC. REF: AMM 57-10-05								
L3220019 S	NOSE LANDING GEAR ACTUATOR ATTACHMENT PIN - REMOVE PIN AND PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:32
	MOS	29-Apr-09						
	HRS	0						
	AFL	0	10000 (+25/-25)					
								PKG:27
PROC. REF: NDT PART 7/32-30-02PROC. REF: NDT PART 7/32-30-02								
L3220020	* MAIN LANDING GEAR TRUNNION FITTINGS ON MID AND REAR SPAR - PERFORM EDDY CURRENT INSPECTION							Service ATA:32
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0						
	AFL	0	T:10000		10000		6739	
PROC. REF: NDT PART 6/32-11-00PROC. REF: NDT PART 6/32-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
L3220109 S	NOSE LANDING GEAR ACTUATOR ASSEMBLY - DISASSEMBLE ACTUATOR AND PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
	MOS	29-Apr-09						
	HRS	0						
	AFL	0	10000 (+25/-25)					
								PKG:27
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
L3220118	* LEFT MAIN LANDING GEAR SHOCK STRUT CYLINDER - PERFORM ULTRASONIC INSPECTION OF THE LOWER SERVICE PORT AND FORGING PARTING LINE							Service ATA:32
PN:200-0201-109	MOS/MSC	29-Apr-09	N/A					
SN:H0486	HRS	0						
	AFL	0						
L3220118	* RIGHT MAIN LANDING GEAR SHOCK STRUT CYLINDER - PERFORM ULTRASONIC INSPECTION OF THE LOWER SERVICE PORT AND FORGING PARTING LINE							Service ATA:32
PN:200-0201-110	MOS/MSC	29-Apr-09	N/A					
SN:H0532	HRS	0						
	AFL	0						
L3220122	* LEFT MAIN LANDING GEAR SHOCK STRUT CYLINDER - PERFORM ULTRASONIC INSPECTION OF THE LOWER SERVICE PORT AND FORGING PARTING LINE							Service ATA:32
PN:200-0201-109	MOS/MSC	29-Apr-09	N/A					
SN:H0486	HRS	0						
	AFL	0						
PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00								
L3220122	* RIGHT MAIN LANDING GEAR SHOCK STRUT CYLINDER - PERFORM ULTRASONIC INSPECTION OF THE LOWER SERVICE PORT AND FORGING PARTING LINE							Service ATA:32
PN:200-0201-110	MOS/MSC	29-Apr-09	N/A					
SN:H0532	HRS	0						
	AFL	0						
PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
M3220136	* LEFT MAIN LANDING GEAR SHOCK STRUT CYLINDER - PERFORM ULTRASONIC INSPECTION OF THE LOWER SERVICE PORT AND FORGING PARTING LINE							Service ATA:32
PN:200-0201-109	MOS/MSC	29-Apr-09	N/A					
SN:H0486	HRS	0						
	AFL	0						
M3220136	* RIGHT MAIN LANDING GEAR SHOCK STRUT CYLINDER - PERFORM ULTRASONIC INSPECTION OF THE LOWER SERVICE PORT AND FORGING PARTING LINE							Service ATA:32
PN:200-0201-110	MOS/MSC	29-Apr-09	N/A					
SN:H0532	HRS	0						
	AFL	0						
N3220036	* LEFT MAIN LANDING GEAR AXLE BEAM - REPLACE							Service ATA:32
PN:200-0203-001	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:H1036	HRS	0		TAC 0				
	AFL	0	10000	TAC 0	10000		6739	
N3220036	* RIGHT MAIN LANDING GEAR AXLE BEAM - REPLACE							Service ATA:32
PN:200-0203-001	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:H1270	HRS	0		TAC 0				
	AFL	0	10000	TAC 0	10000		6739	
N3220041	* LEFT FORWARD LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1763	HRS	1612						
	AFL	1486						
N3220041	* LEFT FORWARD UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1814	HRS	1612						
	AFL	1486						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
N3220041	* RIGHT FORWARD LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1835	HRS	1612						
	AFL	1486						
N3220041	* RIGHT FORWARD UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1978	HRS	1612						
	AFL	1486						
N3220042	* LEFT AFT UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103202-001	MOS/MSC	29-Apr-09	N/A					
SN:CMI-1156	HRS	0						
	AFL	0						
N3220042	* RIGHT AFT UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103202-001	MOS/MSC	29-Apr-09	N/A					
SN:CMI-1067	HRS	0						
	AFL	0						
N3220043	* LEFT AFT LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103203-001	MOS/MSC	29-Apr-09	N/A					
SN:CMI-1098	HRS	0						
	AFL	0						
N3220043	* RIGHT AFT LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103203-001	MOS/MSC	29-Apr-09	N/A					
SN:CMI-1203	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
N3220103	* LEFT MAIN LANDING GEAR ACTUATOR PISTON - REPLACE							Service ATA:32
PN:200-0301-103	MOS	29-Apr-09						LIFE LIMIT
SN:H2081	HRS	0						
	AFL	0	17000		17000		13739	
N3220103	* RIGHT MAIN LANDING GEAR ACTUATOR PISTON - REPLACE							Service ATA:32
PN:200-0301-103	MOS	29-Apr-09						LIFE LIMIT
SN:H2042	HRS	0						
	AFL	0	17000		17000		13739	
N3220104	* LEFT MAIN LANDING GEAR ACTUATOR CYLINDER - REPLACE							Service ATA:32
PN:200-0302-101	MOS	29-Apr-09						LIFE LIMIT
SN:H1587	HRS	0						
	AFL	0	17000		17000		13739	
N3220104	* RIGHT MAIN LANDING GEAR ACTUATOR CYLINDER - REPLACE							Service ATA:32
PN:200-0302-101	MOS	29-Apr-09						LIFE LIMIT
SN:H1607	HRS	0						
	AFL	0	17000		17000		13739	
N3220106	* LEFT MAIN LANDING GEAR ACTUATOR HOUSING - REPLACE							Service ATA:32
PN:200-0304-001	MOS	29-Apr-09						LIFE LIMIT
SN:H1613	HRS	0						
	AFL	0	17000		17000		13739	
N3220106	* RIGHT MAIN LANDING GEAR ACTUATOR HOUSING - REPLACE							Service ATA:32
PN:200-0304-001	MOS	29-Apr-09						LIFE LIMIT
SN:H1603	HRS	0						
	AFL	0	17000		17000		13739	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
N3220116	* LEFT MAIN LANDING GEAR SHOCK STRUT CYLINDER - REPLACE							Service ATA:32
PN:200-0201-109	MOS	29-Apr-09						LIFE LIMIT
SN:H0486	HRS	0						
	AFL	0	10000		10000		6739	
N3220116	* RIGHT MAIN LANDING GEAR SHOCK STRUT CYLINDER - REPLACE							Service ATA:32
PN:200-0201-110	MOS	29-Apr-09						LIFE LIMIT
SN:H0532	HRS	0						
	AFL	0	10000		10000		6739	
N3220139	* LEFT FORWARD LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS	30-Jul-14						LIFE LIMIT
SN:CMI1763	HRS	1612						
	AFL	1486	5000		6486		3225	
N3220139	* LEFT FORWARD UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS	30-Jul-14						LIFE LIMIT
SN:CMI1814	HRS	1612						
	AFL	1486	5000		6486		3225	
N3220139	* RIGHT FORWARD LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS	30-Jul-14						LIFE LIMIT
SN:CMI1835	HRS	1612						
	AFL	1486	5000		6486		3225	
N3220139	* RIGHT FORWARD UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS	30-Jul-14						LIFE LIMIT
SN:CMI1978	HRS	1612						
	AFL	1486	5000		6486		3225	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
N3220140	* LEFT AFT UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103202-001	MOS	29-Apr-09						LIFE LIMIT
SN:CMI-1156	HRS	0						
	AFL	0	5000		5000		1739	
N3220140	* RIGHT AFT UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103202-001	MOS	29-Apr-09						LIFE LIMIT
SN:CMI-1067	HRS	0						
	AFL	0	5000		5000		1739	
N3220141	* LEFT AFT LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103203-001	MOS	29-Apr-09						LIFE LIMIT
SN:CMI-1098	HRS	0						
	AFL	0	5000		5000		1739	
N3220141	* RIGHT AFT LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103203-001	MOS	29-Apr-09						LIFE LIMIT
SN:CMI-1203	HRS	0						
	AFL	0	5000		5000		1739	
P3220146	* LEFT MAIN LANDING GEAR SHOCK STRUT CYLINDER - PERFORM ULTRASONIC INSPECTION OF THE FORGING PARTING LINE							Service ATA:32
PN:200-0201-109	MOS	29-Apr-09						AIRWORTHINESS
SN:H0486	HRS	0						
	AFL	0	T:4800		4800		1539	
PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00								
P3220146	* RIGHT MAIN LANDING GEAR SHOCK STRUT CYLINDER - PERFORM ULTRASONIC INSPECTION OF THE FORGING PARTING LINE							Service ATA:32
PN:200-0201-110	MOS	29-Apr-09						AIRWORTHINESS
SN:H0532	HRS	0						
	AFL	0	T:4800		4800		1539	
PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00PROC. REF: NDT PART 4/32-10-01, NDT PART 4/32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
P3231020	LEFT MAIN LANDING GEAR DOOR ACTUATOR GIMBAL ASSEMBLY - PERFORM EDDY CURRENT INSPECTION							Service ATA:32
	MOS/MSC	27-Sep-10	N/A					
	HRS	324.9						
	AFL	284						
PROC. REF: NDT PART 6/32-13-00PROC. REF: NDT PART 6/32-13-00								
P3231021	LEFT MAIN LANDING GEAR DOOR ACTUATOR GIMBAL SHAFT - PERFORM FLUORESCENT PENETRANT INSPECTION							Service ATA:32
	MOS/MSC	27-Sep-10	N/A					
	HRS	324.9						
	AFL	284						
PROC. REF: NDT PART 8/32-13-02PROC. REF: NDT PART 8/32-13-02								
Q3220065	* LEFT MAIN LANDING GEAR ACTUATOR PISTON - REPLACE							Service ATA:32
PN:200-0301-103	MOS/MSC	29-Apr-09	N/A					
SN:H2081	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q3220065	* RIGHT MAIN LANDING GEAR ACTUATOR PISTON - REPLACE							Service ATA:32
PN:200-0301-103	MOS/MSC	29-Apr-09	N/A					
SN:H2042	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q3220066	* LEFT MAIN LANDING GEAR ACTUATOR CYLINDER - REPLACE							Service ATA:32
PN:200-0302-101	MOS/MSC	29-Apr-09	N/A					
SN:H1587	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q3220066	* RIGHT MAIN LANDING GEAR ACTUATOR CYLINDER - REPLACE							Service ATA:32
PN:200-0302-101	MOS/MSC	29-Apr-09	N/A					
SN:H1607	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
Q3220068	* LEFT MAIN LANDING GEAR ACTUATOR HOUSING - REPLACE							Service ATA:32
PN:200-0304-001	MOS/MSC	29-Apr-09	N/A					
SN:H1613	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q3220068	* RIGHT MAIN LANDING GEAR ACTUATOR HOUSING - REPLACE							Service ATA:32
PN:200-0304-001	MOS/MSC	29-Apr-09	N/A					
SN:H1603	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q3220128	* LEFT MAIN LANDING GEAR SHOCK STRUT CYLINDER - REPLACE							Service ATA:32
PN:200-0201-109	MOS/MSC	29-Apr-09	N/A					
SN:H0486	HRS	0						
	AFL	0						
Q3220128	* RIGHT MAIN LANDING GEAR SHOCK STRUT CYLINDER - REPLACE							Service ATA:32
PN:200-0201-110	MOS/MSC	29-Apr-09	N/A					
SN:H0532	HRS	0						
	AFL	0						
Q3220137	* LEFT MAIN LANDING GEAR SHOCK STRUT CYLINDER - REPLACE							Service ATA:32
PN:200-0201-109	MOS/MSC	29-Apr-09	N/A					
SN:H0486	HRS	0						
	AFL	0						
Q3220137	* RIGHT MAIN LANDING GEAR SHOCK STRUT CYLINDER - REPLACE							Service ATA:32
PN:200-0201-110	MOS/MSC	29-Apr-09	N/A					
SN:H0532	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
Q3220142	* LEFT FORWARD LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1763	HRS	1612						
	AFL	1486						
Q3220142	* LEFT FORWARD UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1814	HRS	1612						
	AFL	1486						
Q3220142	* RIGHT FORWARD LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1835	HRS	1612						
	AFL	1486						
Q3220142	* RIGHT FORWARD UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1978	HRS	1612						
	AFL	1486						
Q3220143	* LEFT AFT UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103202-001	MOS/MSC	29-Apr-09	N/A					
SN:CMI-1156	HRS	0						
	AFL	0						
Q3220143	* RIGHT AFT UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103202-001	MOS/MSC	29-Apr-09	N/A					
SN:CMI-1067	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
Q3220144	* LEFT AFT LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103203-001	MOS/MSC	29-Apr-09	N/A					
SN:CMI-1098	HRS	0						
	AFL	0						
Q3220144	* RIGHT AFT LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - REPLACE							Service ATA:32
PN:4532103203-001	MOS/MSC	29-Apr-09	N/A					
SN:CMI-1203	HRS	0						
	AFL	0						
T3220007	* LEFT MAIN LANDING GEAR AXLE BEAM - PERFORM MAIN LANDING GEAR AXLE BEAM ASSEMBLY BORESCOPE INSPECTION							Service ATA:32
PN:200-0203-001	MOS	07-May-26	48		07-May-30		1314 d	AIRWORTHINESS
SN:H1036	HRS	3510.2						
	AFL	3178						
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
T3220007	* RIGHT MAIN LANDING GEAR AXLE BEAM - PERFORM MAIN LANDING GEAR AXLE BEAM ASSEMBLY BORESCOPE INSPECTION							Service ATA:32
PN:200-0203-001	MOS	07-May-26	48		07-May-30		1314 d	AIRWORTHINESS
SN:H1270	HRS	3510.2						
	AFL	3178						
	APH							
PROC. REF: AMM 32-10-01	PROC. REF: AMM 32-10-01							
T3220013	* LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - REPLACE							Service ATA:32
PN:200-0300-005	MOS/MSC	01-Oct-21	N/A					
SN:H0585	HRS	2659.7						
	AFL	2365						
T3220013	* RIGHT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - REPLACE							Service ATA:32
PN:200-0300-006	MOS/MSC	01-Oct-21	N/A					
SN:H1577	HRS	2659.7						
	AFL	2365						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
T3220014	* LEFT MAIN LANDING GEAR ACTUATOR UPPER PIN - REPLACE							Service ATA:32
PN:200-0325-101	MOS	05-Jun-23	96	TAC 0	05-Jun-31		1708 d	LIFE LIMIT
SN:TUR16811	HRS	3006.7		TAC 0				
	AFL	2677		TAC 0				
PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01								
T3220014	* RIGHT MAIN LANDING GEAR ACTUATOR UPPER PIN - REPLACE							Service ATA:32
PN:200-0325-101	MOS	05-Jun-23	96	TAC 0	05-Jun-31		1708 d	LIFE LIMIT
SN:TUR16813	HRS	3006.7		TAC 0				
	AFL	2677		TAC 0				
PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01								
T3220024	* LEFT MAIN LANDING GEAR ACTUATOR LOWER PIN - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:32
PN:200-0217-101	MOS	05-Jun-23	48		05-Jun-27		247 d	AIRWORTHINESS
SN:CPS01C-4036	HRS	3006.7						
	AFL	2677						
PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01								
T3220024	* LEFT MAIN LANDING GEAR ACTUATOR UPPER PIN - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:32
PN:200-0325-101	MOS	05-Jun-23	48		05-Jun-27		247 d	AIRWORTHINESS
SN:TUR16811	HRS	3006.7						
	AFL	2677						
PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01								
T3220024	* RIGHT MAIN LANDING GEAR ACTUATOR LOWER PIN - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:32
PN:200-0217-101	MOS	05-Jun-23	48		05-Jun-27		247 d	AIRWORTHINESS
SN:CPS01C-4037	HRS	3006.7						
	AFL	2677						
PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01								
T3220024	* RIGHT MAIN LANDING GEAR ACTUATOR UPPER PIN - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:32
PN:200-0325-101	MOS	05-Jun-23	48		05-Jun-27		247 d	AIRWORTHINESS
SN:TUR16813	HRS	3006.7						
	AFL	2677						
PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
T3220038	* LEFT MAIN LANDING GEAR ACTUATOR LOWER PIN - REPLACE							Service ATA:32
PN:200-0217-101	MOS	05-Jun-23	96	TAC 0	05-Jun-31		1708 d	LIFE LIMIT
SN:CPS01C-4036	HRS	3006.7		TAC 0				
	AFL	2677		TAC 0				
PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01								
T3220038	* RIGHT MAIN LANDING GEAR ACTUATOR LOWER PIN - REPLACE							Service ATA:32
PN:200-0217-101	MOS	05-Jun-23	96	TAC 0	05-Jun-31		1708 d	LIFE LIMIT
SN:CPS01C-4037	HRS	3006.7		TAC 0				
	AFL	2677		TAC 0				
PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01PROC. REF: NDT PART 7/32-10-02, NDT PART 7/32-30-01								
T3220046	* LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - REPLACE							Service ATA:32
PN:200-0300-005	MOS/MSC	01-Oct-21	N/A					
SN:H0585	HRS	2659.7						
	AFL	2365						
T3220046	* RIGHT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - REPLACE							Service ATA:32
PN:200-0300-006	MOS/MSC	01-Oct-21	N/A					
SN:H1577	HRS	2659.7						
	AFL	2365						
T3220063	* LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY, EXCLUDING THE END CAP - REPLACE							Service ATA:32
PN:200-0300-005	MOS/MSC	01-Oct-21	N/A					
SN:H0585	HRS	2659.7						
	AFL	2365						
T3220063	* RIGHT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY, EXCLUDING THE END CAP - REPLACE							Service ATA:32
PN:200-0300-006	MOS/MSC	01-Oct-21	N/A					
SN:H1577	HRS	2659.7						
	AFL	2365						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
T3220064	* LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY, EXCLUDING THE END CAP - REPLACE							Service ATA:32
PN:200-0300-005	MOS/MSC	01-Oct-21	N/A					
SN:H0585	HRS	2659.7						
	AFL	2365						
T3220064	* LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY, EXCLUDING THE END CAP - REPLACE							Service ATA:32
PN:200-0300-006	MOS/MSC	01-Oct-21	N/A					
SN:H1577	HRS	2659.7						
	AFL	2365						
T3220067	* LEFT MAIN LANDING GEAR ACTUATOR END CAP - REPLACE							Service ATA:32
PN:200-0072-001	MOS/MSC	01-Oct-21	N/A					
SN:PRE13C-0763	HRS	2659.7						
	AFL	2365						
T3220067	* RIGHT MAIN LANDING GEAR ACTUATOR END CAP - REPLACE							Service ATA:32
PN:200-0072-001	MOS/MSC	01-Oct-21	N/A					
SN:PRE13C-0779	HRS	2659.7						
	AFL	2365						
T3220105	* LEFT MAIN LANDING GEAR ACTUATOR END CAP - REPLACE							Service ATA:32
PN:200-0072-001	MOS/MSC	01-Oct-21	N/A					
SN:PRE13C-0763	HRS	2659.7						
	AFL	2365						
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
T3220105	* RIGHT MAIN LANDING GEAR ACTUATOR END CAP - REPLACE							Service ATA:32
PN:200-0072-001	MOS/MSC	01-Oct-21	N/A					
SN:PRE13C-0779	HRS	2659.7						
	AFL	2365						
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
T3220135	* LEFT MAIN LANDING GEAR ACTUATOR LOWER PIN - PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
PN:200-0217-101	MOS	05-Jun-23	48		05-Jun-27		247 d	AIRWORTHINESS
SN:CPS01C-4036	HRS	3006.7						
	AFL	2677						
PROC. REF: AMM 05-10-00	PROC. REF: AMM 05-10-00							
T3220135	* LEFT MAIN LANDING GEAR ACTUATOR UPPER PIN - PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
PN:200-0325-101	MOS	05-Jun-23	48		05-Jun-27		247 d	AIRWORTHINESS
SN:TUR16811	HRS	3006.7						
	AFL	2677						
PROC. REF: AMM 05-10-00	PROC. REF: AMM 05-10-00							
T3220135	* RIGHT MAIN LANDING GEAR ACTUATOR LOWER PIN - PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
PN:200-0217-101	MOS	05-Jun-23	48		05-Jun-27		247 d	AIRWORTHINESS
SN:CPS01C-4037	HRS	3006.7						
	AFL	2677						
PROC. REF: AMM 05-10-00	PROC. REF: AMM 05-10-00							
T3220135	* RIGHT MAIN LANDING GEAR ACTUATOR UPPER PIN - PERFORM DETAILED VISUAL INSPECTION							Service ATA:32
PN:200-0325-101	MOS	05-Jun-23	48		05-Jun-27		247 d	AIRWORTHINESS
SN:TUR16813	HRS	3006.7						
	AFL	2677						
PROC. REF: AMM 05-10-00	PROC. REF: AMM 05-10-00							
T3220147	* LEFT AFT LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - PERFORM VISUAL INSPECTION FOR PIN MIGRATION							Service ATA:32
	MOS/MSC		N/A					
	HRS							
	AFL							
T3220147	* LEFT AFT UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - PERFORM VISUAL INSPECTION FOR PIN MIGRATION							Service ATA:32
	MOS/MSC		N/A					
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
T3220147	* LEFT FORWARD LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - PERFORM VISUAL INSPECTION FOR PIN MIGRATION							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1763	HRS	1612						
	AFL	1486						
T3220147	* LEFT FORWARD UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - PERFORM VISUAL INSPECTION FOR PIN MIGRATION							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1814	HRS	1612						
	AFL	1486						
T3220147	* RIGHT AFT LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - PERFORM VISUAL INSPECTION FOR PIN MIGRATION							Service ATA:32
	MOS/MSC		N/A					
	HRS							
	AFL							
T3220147	* RIGHT AFT UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - PERFORM VISUAL INSPECTION FOR PIN MIGRATION							Service ATA:32
	MOS/MSC		N/A					
	HRS							
	AFL							
T3220147	* RIGHT FORWARD LOWER MAIN LANDING GEAR TRUNNION SHEAR PIN - PERFORM VISUAL INSPECTION FOR PIN MIGRATION							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1835	HRS	1612						
	AFL	1486						
T3220147	* RIGHT FORWARD UPPER MAIN LANDING GEAR TRUNNION SHEAR PIN - PERFORM VISUAL INSPECTION FOR PIN MIGRATION							Service ATA:32
PN:4532103201-001	MOS/MSC	30-Jul-14	N/A					
SN:CMI1978	HRS	1612						
	AFL	1486						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
V3220022		LEFT AFT MAIN LANDING GEAR TRUNNION PIN - PERFORM MAGNETIC PARTICLE INSPECTION						Service ATA:32
PN:200-0213-103	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
SN:H1108	HRS	3327						
	AFL	3014						
	APH							
PROC. REF: NDT PART 7/32-10-07, NDT PART 7/32-10-08PROC. REF: NDT PART 7/32-10-07, NDT PART 7/32-10-08								
V3220022		LEFT FORWARD MAIN LANDING GEAR TRUNNION PIN - PERFORM MAGNETIC PARTICLE INSPECTION						Service ATA:32
PN:200-0212-103	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
SN:H1303	HRS	3327						
	AFL	3014						
	APH							
PROC. REF: NDT PART 7/32-10-07, NDT PART 7/32-10-08PROC. REF: NDT PART 7/32-10-07, NDT PART 7/32-10-08								
V3220022		RIGHT AFT MAIN LANDING GEAR TRUNNION PIN - PERFORM MAGNETIC PARTICLE INSPECTION						Service ATA:32
PN:200-0213-103	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
SN:H1109	HRS	3327						
	AFL	3014						
	APH							
PROC. REF: NDT PART 7/32-10-07, NDT PART 7/32-10-08PROC. REF: NDT PART 7/32-10-07, NDT PART 7/32-10-08								
V3220022		RIGHT FORWARD MAIN LANDING GEAR TRUNNION PIN - PERFORM MAGNETIC PARTICLE INSPECTION						Service ATA:32
PN:200-0212-103	MOS	05-Sep-25	96 (+14d/-14d)		05-Sep-33	19-Sep-33	2531 d (+14)	
SN:H1324	HRS	3327						
	AFL	3014						
	APH							
PROC. REF: NDT PART 7/32-10-07, NDT PART 7/32-10-08PROC. REF: NDT PART 7/32-10-07, NDT PART 7/32-10-08								
V3240004 S		** EMERGENCY/PARKING BRAKE SWITCH - VERIFY THAT “EMERGENCY/PARKING BRAKE” MESSAGE ILLUMINATES ON EICAS WHEN PARKING BRAKE IS SET AND THROTTLES ARE MOVED ABOVE MCR DETENT.						Service ATA:32
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:11
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
V3240008 S	** EMERGENCY/PARKING BRAKE CONTROL SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:32
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:11
PROC. REF: AMM 32-42-02PROC. REF: AMM 32-42-02								
W3220149	* LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - REPLACE							Service ATA:32
PN:200-0300-005	MOS	01-Oct-21						LIFE LIMIT
SN:H0585	HRS	2659.7		TAC 2659.7				
	AFL	2365	17000	TAC 2365	17000		13739	
W3220149	* RIGHT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - REPLACE							Service ATA:32
PN:200-0300-006	MOS	01-Oct-21						LIFE LIMIT
SN:H1577	HRS	2659.7		TAC 2659.7				
	AFL	2365	17000	TAC 2365	17000		13739	
W3220150	* LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - REPLACE							Service ATA:32
PN:200-0300-005	MOS/MSC	01-Oct-21	N/A					
SN:H0585	HRS	2659.7						
	AFL	2365						
W3220150	* RIGHT MAIN LANDING GEAR SIDE BRACE ACTUATOR ASSEMBLY - REPLACE							Service ATA:32
PN:200-0300-006	MOS/MSC	01-Oct-21	N/A					
SN:H1577	HRS	2659.7						
	AFL	2365						
W3231022	LEFT MAIN LANDING GEAR INBOARD DOOR GIMBAL BRACKET - PERFORM EDDY CURRENT INSPECTION							Service ATA:32
	MOS/MSC	27-Sep-10	N/A					
	HRS	324.9						
	AFL	284						
PROC. REF: NDT PART 6/32-13-01PROC. REF: NDT PART 6/32-13-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
Y3220000 S	NOSE LANDING GEAR ASSEMBLY - PERFORM VISUAL INSPECTION							Service ATA:32
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:11
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y3220001 S	MAIN LANDING GEAR ASSEMBLY - PERFORM VISUAL INSPECTION. INSPECTION TO INCLUDE ACTUATOR, FASTENERS, SUPPORT STRUCTURE, AND SQUAT SWITCHES.							Service ATA:32
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:11
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y3220002 S	NOSE LANDING GEAR ACTUATOR PRESSURE AND RETURN LINES - PERFORM VISUAL INSPECTION. LOWER ACTUATOR DUST BOOT TO INSPECT LINES.							Service ATA:32
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:11
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y3220003 S	NOSE GEAR SHOCK STRUT - REMOVE AND REPLACE RETAINER RING LOCKSCREW							Service ATA:32
	MOS	05-Sep-25	24					
	HRS	3327	600					
	AFL	3014						
								PKG:11
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Y3220004 S	MAIN LANDING GEAR ACTUATOR AND GEAR INBOARD DOOR ACTUATOR ATTACH POINTS - PERFORM VISUAL INSPECTION							Service ATA:32
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:11
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
Y3220006 S	LANDING GEAR ELECTRICAL WIRING - PERFORM VISUAL INSPECTION (THAT PORTION VISIBLE INSIDE WHEEL WELL)							Service ATA:32
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:11
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y3220008 S	NOSE LANDING GEAR AXLE - REMOVE NOSE LANDING GEAR WHEEL AND PERFORM INSPECTION. INSPECT BOTH INSIDE AND OUTSIDE OF AXLE.							Service ATA:32
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:17
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01								
Y3220124 S	NOSE LANDING GEAR - PERFORM DETAILED VISUAL INSPECTION OF THE NOSE LANDING GEAR UPLOCK ROLLER BRACKET							Service ATA:32
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:11
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y3230002 S	MAIN LANDING GEAR FREE FALL ROLLER - PERFORM VISUAL INSPECTION. PAY PARTICULAR ATTENTION TO BINDING OF ROLLERS.							Service ATA:32
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y3231023 S	MAIN LANDING GEAR INBOARD DOOR ACTUATOR (PART NUMBER 7469) END CAP SCREWS - PERFORM DETAILED INSPECTION							Service ATA:32
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 32-31-02PROC. REF: AMM 32-31-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
Y3240000 S	NOSE AND MAIN TIRES - PERFORM VISUAL INSPECTION							Service ATA:32
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-10-04PROC. REF: AMM 12-10-04								
Y3240001 S	BRAKE LINES - PERFORM VISUAL INSPECTION. INSPECT ALL BRAKE LINES VISIBLE IN WHEEL WELLS AND ON STRUTS.							Service ATA:32
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:11
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y3240002 S	BRAKE ASSEMBLIES - PERFORM VISUAL INSPECTION WITH PARKING BRAKE SET. WORN BRAKES ARE VISUALLY INDICATED WHEN THE WEAR INDICATOR PINS BECOME EVEN WITH THE OUTER SURFACE OF THE WEAR INDICATOR SLEEVE.							Service ATA:32
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01								
Y3240003 S	BRAKE CONTROL SYSTEM LINEAR VARIABLE DIFFERENTIAL TRANSFORMER (LVDT) - PERFORM VISUAL INSPECTION							Service ATA:32
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y3260005 S	NOSE LANDING GEAR SQUAT SWITCH ROTATING DISK ASSEMBLY - LUBRICATE							Service ATA:32
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:5
PROC. REF: AMM 12-21-01PROC. REF: AMM 12-21-01								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330000	MODIFIED PULSE CONTROLLER							Component ATA:33
PN:2401S	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:AR01391	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
331001	NO. 1 COCKPIT LIGHTING CONTROL UNIT							Component ATA:33
PN:RDC4-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1112	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-06PROC. REF: AMM 33-10-06								
331002	NO. 2 COCKPIT LIGHTING CONTROL UNIT							Component ATA:33
PN:RDC4-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-06PROC. REF: AMM 33-10-06								
331010	PILOT FORWARD SWITCH PANEL OVERLAY							Component ATA:33
PN:7624608502-017	MOS/MSC	14-Sep-09	O/C	TSR 0				
SN:UNKNOWN	HRS	80.7		TSR 0				
	AFL	64		TSR 0				
PROC. REF: AMM 33-10-05PROC. REF: AMM 33-10-05								
331011	PILOT SWITCH PANEL							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
331012	COPILOT FORWARD SWITCH PANEL OVERLAY							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-05PROC. REF: AMM 33-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
331013	COPILOT FORWARD SWITCH PANEL							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
331015	CENTER SWITCH PANEL (P5)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
331016	CENTER SWITCH PANEL (P5) OVERLAY							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-05PROC. REF: AMM 33-10-05								
331017	THROTTLE QUADRANT OVERLAY PANEL							Component ATA:33
PN:7676108500-007	MOS/MSC	21-Jul-21	O/C	TSN 0				
SN:1500	HRS	2635.7		TSN 0				
	AFL	2343		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
331018	PILOT AFT CIRCUIT BREAKER PANEL OVERLAY							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-05PROC. REF: AMM 33-10-05								
331019	COPILOT AFT CIRCUIT BREAKER PANEL OVERLAY							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-05PROC. REF: AMM 33-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
331020	DIMMER CONTROL BOX							Component ATA:33
PN:LT-48(G)	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:2392	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-10PROC. REF: AMM 33-10-10								
331023	GLARESHIELD FLOOR FLOODLIGHTS INVERTER							Component ATA:33
PN:6900135-001	MOS/MSC	08-Apr-16	O/C	TSN 0				
SN:785	HRS	2014.2		TSN 0				
	AFL	1825		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
331025	COCKPIT MISCELLANEOUS RELAY BOX							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-07PROC. REF: AMM 33-10-07								
331030	CENTER SWITCH PANEL DIODE BOX (P12)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-08PROC. REF: AMM 33-10-08								
331033	GLARESHIELD FLOODLIGHT POWER SUPPLY							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
331040	PILOT REVERSION PANEL OVERLAY (DS55)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
331101	P35 FUSE PANEL							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-09	PROC. REF: AMM 33-10-09							
331401-1	NO. 1 LEFT POWER SUPPLY INVERTER (PS5009)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							
331401-10	NO. 5 RIGHT POWER SUPPLY INVERTER (PS5006)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							
331401-11	NO. 6 LEFT POWER SUPPLY INVERTER (LAVATORY) (PS5010)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							
331401-2	NO. 1 RIGHT POWER SUPPLY INVERTER (PS5003)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							
331401-3	NO. 2 LEFT POWER SUPPLY INVERTER (PS5008)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
331401-4	NO. 2 RIGHT POWER SUPPLY INVERTER (PS5004)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							
331401-5	NO. 3 LEFT POWER SUPPLY INVERTER (PS5007)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							
331401-6	NO. 3 RIGHT POWER SUPPLY INVERTER (PS5005)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							
331401-7	NO. 4 LEFT POWER SUPPLY INVERTER (PS5006)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							
331401-8	NO. 4 RIGHT POWER SUPPLY INVERTER (LAVATORY) (PS5010)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							
331401-9	NO. 5 LEFT POWER SUPPLY INVERTER (LAVATORY) (PS5011)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-10	PROC. REF: AMM 33-20-10							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
332001	RIGHT NO. 1 PASSENGER LIGHTING CONTROL UNIT							Component ATA:33
PN:SP-45-53-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:020900167	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-05	PROC. REF: AMM 33-20-05							
332002	RIGHT NO. 2 PASSENGER LIGHTING CONTROL UNIT							Component ATA:33
PN:SP-45-53-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:020900166	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-05	PROC. REF: AMM 33-20-05							
332003	RIGHT NO. 3 PASSENGER LIGHTING CONTROL UNIT							Component ATA:33
PN:SP-45-53-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:020900165	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-05	PROC. REF: AMM 33-20-05							
332004	RIGHT NO. 4 PASSENGER LIGHTING CONTROL UNIT							Component ATA:33
PN:SP-45-53-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:010800053	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-05	PROC. REF: AMM 33-20-05							
332005	LEFT NO. 1 PASSENGER LIGHTING CONTROL UNIT							Component ATA:33
PN:SP-45-53-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:020900168	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-05	PROC. REF: AMM 33-20-05							
332006	LEFT NO. 2 PASSENGER LIGHTING CONTROL UNIT							Component ATA:33
PN:SP-45-53-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:020800338	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-05	PROC. REF: AMM 33-20-05							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
332007	LEFT NO. 3 PASSENGER LIGHTING CONTROL UNIT							Component ATA:33
PN:SP-45-53-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:020800631	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-05	PROC. REF: AMM 33-20-05							
332008	LEFT NO. 4 PASSENGER LIGHTING CONTROL UNIT							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-05	PROC. REF: AMM 33-20-05							
332030	LAVATORY NO SMOKING / RETURN TO SEAT SIGN CONTROL UNIT (DS138)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-11	PROC. REF: AMM 33-20-11							
332068	COPILOT LIGHTING CONTROL MODULE							Component ATA:33
PN:SP-45-01-6767	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:020900101	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-02	PROC. REF: AMM 33-20-02							
332404	ENTRYWAY CONTROL LIGHT PANEL							Component ATA:33
PN:SP-45-32	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:120800424	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-20-01	PROC. REF: AMM 33-20-01							
333004	TAIL CONE MAINTENANCE LIGHT CHANGE							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-30-01	PROC. REF: AMM 33-30-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334011	LEFT LANDING AND TAXI LIGHT							Component ATA:33
PN:PN-UNKNOWN	MOS/MSC	15-Sep-10	O/C	TSN 0				
SN:UNKNOWN	HRS	308.4		TSN 0				
	AFL	268		TSN 0				
PROC. REF: AMM 33-40-04	PROC. REF: AMM 33-40-04							
334012	RIGHT LANDING AND TAXI LIGHT							Component ATA:33
PN:8GH410764-28	MOS/MSC	20-Nov-24	O/C	TSN 0				
SN:N/A	HRS	3234.5		TSN 0				
	AFL	2926		TSN 0				
PROC. REF: AMM 33-40-04	PROC. REF: AMM 33-40-04							
334021	LEFT NAVIGATION LIGHT (DS37)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-02	PROC. REF: AMM 33-40-02							
334022	RIGHT NAVIGATION LIGHT (DS38)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-02	PROC. REF: AMM 33-40-02							
334023	TAIL NAVIGATION LIGHT (DS39)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-02	PROC. REF: AMM 33-40-02							
334041	COPILOT REVERSION PANEL OVERLAY (DS56)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334175	RELAY OPTIONS PANEL							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334332	UPPER ANTI-COLLISION LIGHT							Component ATA:33
PN:GE16386-12-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1467698	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01PROC. REF: AMM 33-40-01								
334333	LOWER ANTI-COLLISION LIGHT							Component ATA:33
PN:GE16386-12-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1467695	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01PROC. REF: AMM 33-40-01								
335005	FORWARD ELS ACTIVATION MODULE (A81)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-50-01PROC. REF: AMM 33-50-01								
335006	AFT ELS ACTIVATION MODULE (A82)							Component ATA:33
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-50-01PROC. REF: AMM 33-50-01								
336001	PILOT CHART HOLDER							Component ATA:33
PN:10-62-01	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:5772	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
336002	COPILOT CHART HOLDER							Component ATA:33
PN:10-62-01	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:6300	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
336003	PILOT MAP LIGHT							Component ATA:33
PN:0204327-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:543838	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-01PROC. REF: AMM 33-10-01								
336004	COPILOT MAP LIGHT							Component ATA:33
PN:0204327-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:543832	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-10-01PROC. REF: AMM 33-10-01								
Y3310000 S	FLIGHT COMPARTMENT LIGHTING - PERFORM OPERATIONAL CHECK OF THE FOLLOWING: A. MAP LIGHTS. B. INSTRUMENT PANEL FLUORESCENT LIGHTS. C. INSTRUMENT/INDICATOR LIGHTS. D. LIGHT DIMMING SWITCHES. E. CREW WARNING PANEL. F. PANEL OVERLAYS.							Service ATA:33
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 33-10-00PROC. REF: AMM 33-10-00								
Y3340000 S	EXTERIOR LIGHTING SYSTEMS - PERFORM OPERATION CHECK OF THE FOLLOWING: A. TAXI LIGHTS. B. ANTI-COLLISION BEACONS. C. NAVIGATION LIGHTS. D. STROBE LIGHTS. E. LANDING/RECOGNITION LIGHTS. F. WING ICE INSPECTION LIGHTS. G. EMERGENCY DOOR EGRESS LIGHTS.							Service ATA:33
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 33-40-00, AMM 33-41-00PROC. REF: AMM 33-40-00, AMM 33-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
Y3350003 S	EMERGENCY LIGHTING SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:33
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
ATA 34 - NAVIGATION								
34-00-FAR-91.171	CHECK VOR EQUIPMENT FOR IFR OPERATIONS FAR 91.171							Service ATA:34
	MOS/MSC	28-Apr-09	O/C					
	HRS	10.2						
	AFL							
PROC. REF: GENERIC NO REF, FAR FAR 91.171PROC. REF: GENERIC NO REF, FAR FAR 91.171								
340001-RVSM	CHECK RVSM HEIGHT MONITORING							Service ATA:34
	MOS	30-Oct-23						CUSTOMER OPTION
	HRS	3117.4	1000		4117.4		504.6	
	AFL							
	APH							
PROC. REF: GENERIC NO REF, FAR AGHMEPROC. REF: GENERIC NO REF, FAR AGHME								
340002-RVSM U	RENEW RVSM LETTER OF AUTORIZATION							Service ATA:34
	MOS/MSC	29-Apr-09	O/C					
	HRS	0						
	AFL	0						
341001	NO. 1 AIR DATA COMPUTER							Component ATA:34
PN:7030700-71704	MOS/MSC	12-Dec-24	O/C					
SN:08112143	HRS	3258.5						
	AFL	2945						
PROC. REF: AMM 34-17-01PROC. REF: AMM 34-17-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341001A	TEST/INSPECT NO. 1 AIR DATA COMPUTER							Service ATA:34
PN:7030700-71704	MOS	12-Dec-24	24		12-Dec-26		72 d	
SN:08112143	HRS	3258.5						
	AFL	2945						
		Test Date: : 12-Dec-24						
PROC. REF: FAR FAR 91.411, AMM 34-17-00, CFR 14 CFR PART 43 APP EPROC. REF: FAR FAR 91.411, AMM 34-17-00, CFR 14 CFR PART 43 APP E								
341002	NO. 2 AIR DATA COMPUTER							Component ATA:34
PN:7030700-71704	MOS/MSC	12-Dec-24	O/C					
SN:08112144	HRS	3258.5						
	AFL	2945						
PROC. REF: AMM 34-17-01PROC. REF: AMM 34-17-01								
341002A	TEST/INSPECT NO. 2 AIR DATA COMPUTER							Service ATA:34
PN:7030700-71704	MOS	12-Dec-24	24		12-Dec-26		72 d	
SN:08112144	HRS	3258.5						
	AFL	2945						
		Test Date: : 12-Dec-24						
PROC. REF: FAR FAR 91.411, AMM 34-17-00, CFR 14 CFR PART 43 APP EPROC. REF: FAR FAR 91.411, AMM 34-17-00, CFR 14 CFR PART 43 APP E								
341013	STANDBY AIRSPEED INDICATOR							Component ATA:34
PN:26240-1129	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:292530	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-18-01PROC. REF: AMM 34-18-01								
341025	STANDBY ALTIMETER							Component ATA:34
PN:16650-1142	MOS/MSC	12-Dec-24	O/C					
SN:167843	HRS	3258.5						
	AFL	2944						
PROC. REF: AMM 34-15-01PROC. REF: AMM 34-15-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341025A	TEST/INSPECT STANDBY ALTIMETER							Service ATA:34
PN:16650-1142	MOS	12-Dec-24	24		12-Dec-26		72 d	
SN:167843	HRS	3258.5						
	AFL	2944						
		Test Date: : 12-Dec-24						
PROC. REF: FAR FAR 91.411, AMM 34-15-01, CFR 14 CFR PART 43 APP EPROC. REF: FAR FAR 91.411, AMM 34-15-01, CFR 14 CFR PART 43 APP E								
341037	LEFT PRIMARY PITOT/STATIC PROBE							Component ATA:34
PN:0856TJ1	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:256862	HRS	0	15000 (+25/-25)	TSN 0	15000	15025	11387.2 (+25)	
	AFL	0		TSN 0				
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
341037A	LEFT PRIMARY PITOT/STATIC PROBE - PERFORM NATIONALLY REQUIRED EQUIPMENT TESTS AND INSPECTIONS							Service ATA:34
PN:0856TJ1	MOS	12-Dec-24	24		12-Dec-26		72 d	
SN:256862	HRS	3258.5						
	AFL	2945						
		Test Date: : 12-Dec-24						
PROC. REF: GENERIC NO REF, FAR FAR 91.411, CFR 14 CFR PART 43 APP EPROC. REF: GENERIC NO REF, FAR FAR 91.411, CFR 14 CFR PART 43 APP E								
341038	RIGHT PRIMARY PITOT/STATIC PROBE							Component ATA:34
PN:0856TJ2	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:256525	HRS	0	15000 (+25/-25)	TSN 0	15000	15025	11387.2 (+25)	
	AFL	0		TSN 0				
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
341038A	RIGHT PRIMARY PITOT/STATIC PROBE - PERFORM NATIONALLY REQUIRED EQUIPMENT TESTS AND INSPECTIONS							Service ATA:34
PN:0856TJ2	MOS	12-Dec-24	24		12-Dec-26		72 d	
SN:256525	HRS	3258.5						
	AFL	2945						
		Test Date: : 12-Dec-24						
PROC. REF: FAR FAR 91.411, AMM 34-11-00, CFR 14 CFR PART 43 APP EPROC. REF: FAR FAR 91.411, AMM 34-11-00, CFR 14 CFR PART 43 APP E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341049	STANDBY PITOT/STATIC PROBE							Component ATA:34
PN:0856TJ4	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:256519	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
341049A	TEST/INSPECT STANDBY PITOT/STATIC PROBE							Service ATA:34
	MOS	12-Dec-24	24		12-Dec-26		72 d	
	HRS	3258.5						
	AFL	2945						
PROC. REF: FAR FAR 91.411, AMM 34-11-00, CFR 14 CFR PART 43 APP EPROC. REF: FAR FAR 91.411, AMM 34-11-00, CFR 14 CFR PART 43 APP E								
341061	RADAR ALTIMETER RECEIVER							Component ATA:34
PN:7001840-936	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0811F375	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-14-01PROC. REF: AMM 34-14-01								
341073	FORWARD RADAR ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002-4	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:552-16304	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-14-02PROC. REF: AMM 34-14-02								
341074	AFT RADAR ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002-4	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:552-16303	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-14-02PROC. REF: AMM 34-14-02								
3413-RVSM	FLIGHT CHECK ALTITUDE ALERTER FUNCTION. RVSM COMPLIANT AIRCRAFT.							Service ATA:34
	MOS/MSC	29-Apr-09	N/R					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341901	TOTAL AIR TEMPERATURE PROBE (TAT)							Component ATA:34
PN:102AU1AG	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A81111	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-17-02	PROC. REF: AMM 34-17-02							
342001	NO. 1 ATTITUDE HEADING REFERENCE COMPUTER (AHRS)							Component ATA:34
PN:145130-6000	MOS/MSC	05-Jan-16	O/C	TSN 81				
SN:1770	HRS	1951.3		TSN 1951.3				
	AFL	1776		TSN 1776				
PROC. REF: AMM 34-26-01	PROC. REF: AMM 34-26-01							
342002	NO. 2 ATTITUDE HEADING REFERENCE COMPUTER (AHRS)							Component ATA:34
PN:145130-6000	MOS/MSC	05-Jan-16	O/C	TSN 81				
SN:1315	HRS	1951.3		TSN 1951.3				
	AFL	1776		TSN 1776				
PROC. REF: AMM 34-26-01	PROC. REF: AMM 34-26-01							
342003	NO. 1 ATTITUDE HEADING REFERENCE COMPUTER FAN (AHRS)							Component ATA:34
PN:140691-0000	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:5265	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-26-03	PROC. REF: AMM 34-26-03							
342004	NO. 2 ATTITUDE HEADING REFERENCE COMPUTER FAN (AHRS)							Component ATA:34
PN:140691-0000	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:5324	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-26-03	PROC. REF: AMM 34-26-03							
342037	LEFT FLUX VALVE							Component ATA:34
PN:7010133	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0810J172	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-26-02	PROC. REF: AMM 34-26-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342038	RIGHT FLUX VALVE							Component ATA:34
PN:7010133	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0811J184	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-26-02PROC. REF: AMM 34-26-02								
342101	DUAL ANGLE OF ATTACK INDICATOR							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342103	STANDBY COMPASS							Component ATA:34
PN:PAI700-5V	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:69007	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01								
342103A	CALIBRATION CHECK STANDBY COMPASS							Service ATA:34
PN:PAI700-5V	MOS/MSC	29-Apr-09	A/R					CUSTOMER CODE
SN:69007	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342701	LEFT ATTITUDE HEADING REFERENCE SYSTEM MEMORY MODULE (AHRS)							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-26-01PROC. REF: AMM 34-26-01								
342702	RIGHT ATTITUDE HEADING REFERENCE SYSTEM MEMORY MODULE (AHRS)							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-26-01PROC. REF: AMM 34-26-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342801	STANDBY ATTITUDE INDICATOR							Component ATA:34
PN:501-1648-02	MOS/MSC	27-Apr-13	O/C					
SN:1258	HRS	1197.2						
	AFL	1122						
PROC. REF: AMM 34-23-01	PROC. REF: AMM 34-23-01							
343005	MARKER BEACON ANTENNA							Component ATA:34
PN:DMN27-3	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:16856	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-30-01	PROC. REF: AMM 34-30-01							
343008	UPPER GLIDESCOPE ANTENNA (E11)							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-30-02	PROC. REF: AMM 34-30-02							
343009	LOWER GLIDESCOPE ANTENNA (E12)							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-30-02	PROC. REF: AMM 34-30-02							
343030	MARKER BEACON ANTENNA SPLITTER							Component ATA:34
PN:DMH21-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:46006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-30-03	PROC. REF: AMM 34-30-03							
344101	AIRSERVE COMPUTER CHANGE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344102	RS-232 CONVERTER CHANGE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344111	UPPER TCAS ANTENNA							Component ATA:34
PN:7514081-913	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:ANE30242	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-02PROC. REF: AMM 34-43-02								
344112	LOWER TCAS ANTENNA							Component ATA:34
PN:7514081-913	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:ANE29042	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-02PROC. REF: AMM 34-43-02								
344143	TCAS PROCESSOR							Component ATA:34
PN:7517900-55004	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:20009613	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-01PROC. REF: AMM 34-43-01								
344155	TCAS RELAY BOX ASSEMBLY							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-43-03PROC. REF: AMM 34-43-03								
344167	TCAS CONFIGURATION MODULE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344171	NO. 1 TCAS UPPER ANTENNA CABLE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344172	NO. 2 TCAS UPPER ANTENNA CABLE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344173	NO. 3 TCAS UPPER ANTENNA CABLE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344174	NO. 4 TCAS UPPER ANTENNA CABLE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344176	UPPER TCAS ADAPTER ASSEMBLY							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344177	LOWER TCAS ADAPTER ASSEMBLY							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344181	NO. 1 TCAS LOWER ANTENNA CABLE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344182	NO. 2 TCAS LOWER ANTENNA CABLE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344183	NO. 3 TCAS LOWER ANTENNA CABLE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344184	NO. 4 TCAS LOWER ANTENNA CABLE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344201	GPS / XM WEATHER ANTENNA							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								
344205	WEATHER RADAR RECEIVER/TRANSMITTER/ANTENNA							Component ATA:34
PN:7021450-601	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08129217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-42-01PROC. REF: AMM 34-42-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344207	WEATHER RADAR TRANSCEIVER							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-42-01PROC. REF: AMM 34-42-01								
344209	WEATHER RADAR LIGHTNING SENSOR ANTENNA							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344221	WEATHER RADAR CONTROLLER							Component ATA:34
PN:7008471-667	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0812A971	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-42-02PROC. REF: AMM 34-42-02								
344223	LIGHTNING DETECTION PROCESSOR							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344513	TERRAIN AWARENESS WARNING (TAWS) COMPUTER							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344514	TERRAIN AWARNESS WARNING (TAWS) CONFIGURATION MODULE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344515	TAWS RELAY BOX							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345001	NO. 1 INTEGRATED NAVIGATION UNIT							Component ATA:34
PN:7510100-631	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0810B967	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345002	NO. 2 INTEGRATED NAVIGATION UNIT							Component ATA:34
PN:7510100-633	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0811B981	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345011	NO. 1 NAVIGATION RECEIVER MODULE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345012	NO. 2 NAVIGATION RECEIVER MODULE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345013	NO. 1 ADF ANTENNA							Component ATA:34
PN:7510300-901	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0808F009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-57-01PROC. REF: AMM 34-57-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345014	NO. 2 ADF ANTENNA							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-57-01PROC. REF: AMM 34-57-01								
345024	GPWS CONTROL PANEL							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345025	ENHANCED GROUND PROXIMITY WARNING (EGPWS) COMPUTER							Component ATA:34
PN:965-0976-040-226-226	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:EMK5-29412	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-45-01PROC. REF: AMM 34-45-01								
345037	FORWARD ATC ANTENNA							Component ATA:34
PN:DMN150-2-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:122895	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345038	AFT ATC ANTENNA							Component ATA:34
PN:DMN150-2-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:123042	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345049	AFT (NO. 1) DME ANTENNA							Component ATA:34
PN:DMN150-2-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:122943	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-55-01PROC. REF: AMM 34-55-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345050	FORWARD (NO. 2) DME ANTENNA							Component ATA:34
PN:DMN150-9-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:11285	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-55-01	PROC. REF: AMM 34-55-01							
345083	LEFT VOR/LOCALIZER ANTENNA							Component ATA:34
PN:DMN4-17-1/N	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:27100	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-02	PROC. REF: AMM 34-51-02							
345084	RIGHT VOR/LOCALIZER ANTENNA							Component ATA:34
PN:DMN4-17-1/N	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:27099	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-02	PROC. REF: AMM 34-51-02							
345201	NAV VHF (A42) DUPLEXER							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-04	PROC. REF: AMM 34-51-04							
345260	PHASING COUPLER							Component ATA:34
PN:DMN4-17-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:21402	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-03	PROC. REF: AMM 34-51-03							
345501	DME INDICATOR							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345605	LEFT UPPER MODE S ATC ANTENNA							Component ATA:34
PN:DMN150-2-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:123050	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345606	RIGHT UPPER MODE S ATC ANTENNA							Component ATA:34
PN:DMN150-2-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:122943	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
346001	PILOT FLIGHT MANAGEMENT CONTROL DISPLAY CDU							Component ATA:34
PN:3017-41-221	MOS/MSC	24-Jun-21	O/C	TSR 0				
SN:216	HRS	2634.2		TSR 0				
	AFL	2341		TSR 0				
PROC. REF: AMM 34-60-01PROC. REF: AMM 34-60-01								
346001A	NO.1 FMS BATTERY REPLACE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
346002	COPILOT FLIGHT MANAGEMENT CONTROL DISPLAY CDU							Component ATA:34
PN:3017-41-221	MOS/MSC	09-Nov-15	O/C	TSO 0				
SN:212	HRS	1906.6		TSO 0				
	AFL	1746		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
346002A	NO.2 FMS BATTERY REPLACE							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
346021	FMS DATA (DTU) TRANSFER UNIT							Component ATA:34
PN:1408-00-1	MOS/MSC	20-Oct-17	O/C	TSN 1				
SN:3894	HRS	2170.3		TSN 0				
	AFL	1942		TSN 0				
PROC. REF: AMM 34-60-02PROC. REF: AMM 34-60-02								
346025	NO. 1 FLIGHT MANAGEMENT CONFIGURATION MODULE							Component ATA:34
PN:30171	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:174	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
346026	NO. 2 FLIGHT MANAGEMENT CONFIGURATION MODULE							Component ATA:34
PN:30171	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:175	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
346031	NO. 1 FMS ANTENNA							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
346032	NO. 2 FMS ANTENNA							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
346037 U	NO. 1 FMS CONTROL UNIT							Component ATA:34
PN:3017-41-221	MOS/MSC	05-Sep-25	O/C					
SN:216	HRS	3327						
	AFL	3014						
	APH							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
346038 U	NO. 2 FMS CONTROL UNIT							Component ATA:34
PN:3017-41-221	MOS/MSC	16-Aug-24	O/C					
SN:212	HRS	3187						
	AFL	2876						
	APH							
346090	AFIS DATA MANAGEMENT UNIT							Component ATA:34
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
347510	NO. 1 GPS ANTENNA							Component ATA:34
PN:AT2300-326LJ	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:5011	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								
347511	NO. 2 GPS ANTENNA							Component ATA:34
PN:AT2300-326LJ	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:5012	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								
A3400000 S	** NAVIGATION SYSTEMS - PERFORM OPERATIONAL CHECK							Service ATA:34
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 34-00-00PROC. REF: AMM 34-00-00								
L3411062	LEFT PRIMARY PITOT/STATIC PROBE - PERFORM DETAILED VISUAL INSPECTION							Service ATA:34
PN:0856TJ1	MOS	12-Dec-24	24 (+14d/-14d)		12-Dec-26	26-Dec-26	72 d (+14)	
SN:256862	HRS							
	AFL							
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
M3411052	LEFT PRIMARY PITOT/STATIC PROBE - VERIFY PITCH, ROLL, AND YAW ALIGNMENT							Service ATA:34
PN:0856TJ1	MOS	09-Jan-25	24 (+14d/-14d)		09-Jan-27	23-Jan-27	100 d (+14)	
SN:256862	HRS	3262.1						
	AFL	2948						
PROC. REF: AMM 34-11-01	PROC. REF: AMM 34-11-01							
ST01509WI-D	INSTALL UPDATED HONEYWELL MARK V ENHANCED GROUND PROXIMITY WARNING SYSTEM (EGPWS W/RAAS)							Service ATA:34
	MOS/MSC	29-Apr-09	O/C					STC-SUPPLEMENTAL TYPE CERTIFICATE
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
U3411060	AIR DATA SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:34
	MOS	12-Dec-24	24 (+14d/-14d)		12-Dec-26	26-Dec-26	72 d (+14)	
	HRS	3258.5						
	AFL	2945						
PROC. REF: AMM 34-17-00	PROC. REF: AMM 34-17-00							
V3420000 S	ATTITUDE HEADING REFERENCE UNIT (AHRU) MOUNTING TRAY FAN FILTER - PERFORM VISUAL INSPECTION. ENSURE FILTER IS FREE OF OBSTRUCTIONS.							Service ATA:34
	MOS/MSC	05-Sep-25	N/A					NOT APPLICABLE
	HRS	3327						
	AFL	3014						
								PKG:7
PROC. REF: AMM 05-10-00	PROC. REF: AMM 05-10-00							
Y3411000 S	PITOT-STATIC PROBES - PERFORM VISUAL INSPECTION. ENSURE DRAIN HOLES ARE CLEAR OF OBSTRUCTIONS							Service ATA:34
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 34-11-01	PROC. REF: AMM 34-11-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
Y3440000 S	RADOME STRUCTURE AND ANTENNA INSTALLATION - PERFORM VISUAL INSPECTION							Service ATA:34
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
ATA 35 - OXYGEN								
256030	PILOTS PROTECTIVE BREATHING EQUIPMENT							Component ATA:35
PN:PN	MOS/MSC	29-Apr-09	N/A	TSN 0				NOT INSTALLED
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256032	COPILOTS PROTECTIVE BREATHING EQUIPMENT							Component ATA:35
PN:PN	MOS/MSC	29-Apr-09	N/A	TSN 0				NOT INSTALLED
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350001	OXYGEN CYLINDER							Component ATA:35
PN:N23D-21507-01	MOS/MSC	31-Jan-25	H/T	TSN 23				
SN:ALT280-9778	HRS	3262.2						
	AFL	2949						
PROC. REF: AMM 35-00-01PROC. REF: AMM 35-00-01								
350013	OXYGEN CYLINDER LOW PRESSURE RELIEF VALVE							Component ATA:35
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350201	TEMP/PRESSURE TRANSDUCER							Component ATA:35
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-00-03PROC. REF: AMM 35-00-03								
350225	OXYGEN FILL VALVE (POST SB 45-12-1)							Component ATA:35
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350230	REMOTE OXYGEN PRESSURE INDICATOR							Component ATA:35
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-00-05PROC. REF: AMM 35-00-05								
351001	PILOTS OXYGEN MASK							Component ATA:35
PN:MC10-15-166	MOS/MSC	30-Jun-26	O/C	TSO 0				
SN:84004	HRS	3569.1		TSO 0				
	AFL	3234		TSO 0				
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
351002	COPILOTS OXYGEN MASK							Component ATA:35
PN:MC10-15-166	MOS/MSC	26-May-22	O/C	TSO 0				
SN:SE12755	HRS	2816.2		TSO 0				
	AFL	2499		TSO 0				
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
351003	PASSENGER OXYGEN MASK (OVHL/SCRAP) - 289 SERIES PAX OXYGEN MASK (REFER ZODIAC / AVOX MANUAL 833-35-01) REPLACE							Component ATA:35
PN:289-601-228	MOS	09-Apr-21	72	TSN 0	09-Apr-27		190 d	VENDOR RECOMMENDATION
SN:N/A	HRS	2612		TSN 0				
	AFL	2321		TSN 0				
PROC. REF: SI 833-35-01, AMM 35-20-03PROC. REF: SI 833-35-01, AMM 35-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351003A	INSPECTION PASSENGER OXYGEN MASK (INSPECTION) - PERFORM VISUAL INSPECTION OF 289 SERIES PAX OXYGEN MASK (REFER ZODIAC / AVOX MANUAL 833-35-01).							Service ATA:35
	MOS	12-Jul-24	36 (+14d/-14d)		12-Jul-27	26-Jul-27	284 d (+14)	VENDOR RECOMMENDATION
	HRS	3187						
	AFL	2876						
	APH							
PROC. REF: GENERIC NO REF, SI 833-35-01PROC. REF: GENERIC NO REF, SI 833-35-01								
351005	PILOT CREW OXYGEN OUTLET							Component ATA:35
PN:6635000000-047	MOS/MSC	02-Oct-17	O/C	TSN 0				
SN:N/A	HRS	2168.9		TSN 0				
	AFL	1941		TSN 0				
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
351006	COPILOT CREW-OXYGEN OUTLET							Component ATA:35
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
352002	ALTITUDE COMPENSATING REGULATOR							Component ATA:35
PN:112053-16	MOS/MSC	11-Aug-11	O/C	TSO 0				
SN:00486	HRS	616.5		TSO 0				
	AFL	551		TSO 0				
PROC. REF: AMM 35-20-06PROC. REF: AMM 35-20-06								
352007-1 U	PASSENGER (#1 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY							Component ATA:35
PN:289-601-228	MOS	09-Apr-21	72	TSN 0	09-Apr-27		190 d	
SN:N/A	HRS	2612		TSN 0				
	AFL	2321		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
352007-1A U		VISUAL INSPECTION PASSENGER (#1 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY PASSENGER (#1 LEFT & RIGHT) DUEL OXYGEN MASK						Service ATA:35
PN:289-601-228	MOS	12-Jul-24	36		12-Jul-27		284 d	
SN:N/A	HRS	3187						
	AFL	2876						
	APH							
352007-2 U		PASSENGER (#2 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY						Component ATA:35
PN:289-601-228	MOS	09-Apr-21	72	TSN 0	09-Apr-27		190 d	
SN:N/A	HRS	2612		TSN 0				
	AFL	2321		TSN 0				
352007-2A U		VISUAL INSPECTION PASSENGER (#2 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY PASSENGER (#2 LEFT & RIGHT) DUAL OXYGEN MASK						Service ATA:35
PN:289-601-228	MOS	12-Jul-24	36		12-Jul-27		284 d	
SN:N/A	HRS	3187						
	AFL	2876						
	APH							
352007-3 U		PASSENGER (#3 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY						Component ATA:35
PN:289-601-228	MOS	09-Apr-21	72	TSN 0	09-Apr-27		190 d	
SN:N/A	HRS	2612		TSN 0				
	AFL	2321		TSN 0				
352007-3A U		VISUAL INSPECTION PASSENGER (#3 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY PASSENGER (#3 LEFT & RIGHT) DUAL OXYGEN MASK						Service ATA:35
PN:289-601-228	MOS	12-Jul-24	36		12-Jul-27		284 d	
SN:N/A	HRS	3187						
	AFL	2876						
	APH							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
352007-4 U		PASSENGER (#4 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY						Component ATA:35
PN:289-601-228	MOS	09-Apr-21	72	TSN 0	09-Apr-27		190 d	
SN:N/A	HRS	2612		TSN 0				
	AFL	2321		TSN 0				
352007-4A U		VISUAL INSPECTION PASSENGER (#4 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY PASSENGER (#4 LEFT & RIGHT) DUAL OXYGEN MASK						Service ATA:35
PN:289-601-228	MOS	12-Jul-24	36		12-Jul-27		284 d	
SN:N/A	HRS	3187						
	AFL	2876						
	APH							
352007-5 U		PASSENGER (#5 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY						Component ATA:35
PN:289-601-228	MOS	09-Apr-21	72	TSN 0	09-Apr-27		190 d	
SN:N/A	HRS	2612		TSN 0				
	AFL	2321		TSN 0				
352007-5A U		VISUAL INSPECTION PASSENGER (#5 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY PASSENGER (#5 LEFT & RIGHT) DUAL OXYGEN MASK						Service ATA:35
PN:289-601-228	MOS	12-Jul-24	36		12-Jul-27		284 d	
SN:N/A	HRS	3187						
	AFL	2876						
	APH							
352007-6 U		PASSENGER (#6 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY						Component ATA:35
PN:289-601-228	MOS	09-Apr-21	72	TSN 0	09-Apr-27		190 d	
SN:N/A	HRS	2612		TSN 0				
	AFL	2321		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
352007-6A U	VISUAL INSPECTION PASSENGER (#6 LEFT AND RIGHT) DUAL OXYGEN MASK BOX ASSEMBLY PASSENGER (#6 LEFT & RIGHT) DUAL OXYGEN MASK							Service ATA:35
PN:289-601-228	MOS	12-Jul-24	36		12-Jul-27		284 d	
SN:N/A	HRS	3187						
	AFL	2876						
	APH							
352011	OXYGEN CONTROL VALVE							Component ATA:35
PN:P21081	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0604	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
352025 U	OXYGEN CYLINDER REGULATOR							Component ATA:35
PN:806370-07	MOS/MSC	31-Jan-25	O/C	TSO 0				
SN:2107	HRS	3262.2		TSO 0				
	AFL	2949		TSO 0				
353001	PORTABLE OXYGEN CYLINDER							Component ATA:35
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 35-00-01PROC. REF: AMM 35-00-01								
355111	OXYGEN PRESSURE INDICATOR							Component ATA:35
PN:P24071-3	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:592	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-00-05PROC. REF: AMM 35-00-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
5-19-00-Q3510018 U		PERFORM OXYGEN CYLINDER (COMPOSITE) AND LOW PRESSURE RELIEF VALVE - PERFORM ICC HYDROSTATIC TEST ON CYLINDER (PER DOT EXEMPTION E8162) AND FUNCTIONALY TEST OXYGEN CYLINDER LOW PRESSURE RELIEF VALVE. EFFECTIVE ON AIRCRAFT EQUIPPED WITH INCREASED CAPACITY OXYGEN SYSTEM. ZONE 230. IRN Q3510018						Service ATA:35
	MOS	31-Jan-25	60		30-Jan-30		1217 d	
	HRS	3262.2	5000		8262.2		4649.4	
	AFL	2949						
		HydroCheck Date: : 30-Jan-25						
K3500021		** OXYGEN SYSTEM LOW PRESSURE SUPPLY HOSES - PERFORM OPERATIONAL CHECK. ENSURE THAT HOSES ARE FREE OF OBSTRUCTIONS						Service ATA:35
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 35-00-00	PROC. REF: AMM 35-00-00							
N3510013		** OXYGEN CYLINDER AND REMOTE OXYGEN FILL VALVES - PERFORM PERIODIC CHECK						Service ATA:35
	MOS	07-Jan-20						AIRWORTHINESS
	HRS	2484.5	1500 (+25/-25)		3984.5	4009.5	371.7 (+25)	
	AFL	2202						
PROC. REF: AMM 35-00-01	PROC. REF: AMM 35-00-01							
N3510019		** OXYGEN CYLINDER AND REMOTE OXYGEN FILL VALVES - PERFORM PERIODIC CHECK						Service ATA:35
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 35-00-01	PROC. REF: AMM 35-00-01							
O3510003 S		** CABIN LOW PRESSURE OXYGEN DISTRIBUTION FLEX HOSES - PERFORM FUNCTIONAL TEST						Service ATA:35
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 35-20-00	PROC. REF: AMM 35-20-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
O3510006		COPILOTS OXYGEN MASK - E.R.O.S. CREW OXYGEN MASKS - COMPLY WITH FACTORY OVERHAUL						Service ATA:35
PN:MC10-15-166	MOS	24-May-22	72 (+14d/-14d)		24-May-28	07-Jun-28	601 d (+14)	
SN:SE12755	HRS							
	AFL							
			OverHaul Date:: 24-May-22					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
O3510006		PILOTS OXYGEN MASK - E.R.O.S. CREW OXYGEN MASKS - COMPLY WITH FACTORY OVERHAUL						Service ATA:35
PN:MC10-15-166	MOS	30-Jun-26	72 (+14d/-14d)		?		?	
SN:84004	HRS	3569.1						
	AFL	3234						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
O3510007		OXYGEN CYLINDER (COMPOSITE) - SCRAP						Service ATA:35
	MOS	29-Apr-09	180 (+14d/-14d)		28-Feb-38 (M)	14-Mar-38	4168 d (+14)	LIFE LIMIT
	HRS	0						
	AFL	0						
Q3510005		** OXYGEN CYLINDER (COMPOSITE) AND LOW PRESSURE RELIEF VALVE - PERFORM ICC HYDROSTATIC TEST ON CYLINDER (PER DOT EXEMPTION E8162) AND FUNCTIONALLY TEST OXYGEN CYLINDER LOW PRESSURE RELIEF VALVE.						Service ATA:35
PN:N23D-21507-01	MOS	31-Jan-25	60 (+14d/-14d)		01-Jan-30	15-Jan-30	1188 d (+14)	
SN:ALT280-9778	HRS	3262.2	5000 (+25/-25)		8262.2	8287.2	4649.4 (+25)	
	AFL	2949						
			HydroCheck Date: : 01-Jan-25					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q3510018		** OXYGEN CYLINDER (COMPOSITE) AND LOW PRESSURE RELIEF VALVE - PERFORM ICC HYDROSTATIC TEST ON CYLINDER (PER DOT EXEMPTION E8162) AND FUNCTIONALLY TEST OXYGEN CYLINDER LOW PRESSURE RELIEF VALVE						Service ATA:35
PN:N23D-21507-01	MOS	01-Jan-25	60 (+14d/-14d)		01-Jan-30	15-Jan-30	1188 d (+14)	
SN:ALT280-9778	HRS	3262.2	5000 (+25/-25)		8262.2	8287.2	4649.4 (+25)	
	AFL	2949						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
Q3510022	OXYGEN CYLINDER REGULATOR - PERFORM OVERHAUL							Service ATA:35
	MOS	31-Jan-25	60		31-Jan-30		1218 d	
	HRS	3262.2	5000		8262.2		4649.4	
	AFL	2949						
	APH							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q3510023	OXYGEN CYLINDER REGULATOR - PERFORM OVERHAUL							Service ATA:35
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
S3510014 S	** OXYGEN SYSTEM ALTITUDE COMPENSATING REGULATOR - PERFORM FUNCTIONAL TEST							Service ATA:35
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00								
W3510002 S	** OXYGEN SYSTEM - PERFORM OPERATIONAL CHECK							Service ATA:35
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								
Y3510000 S	OXYGEN CYLINDER INSTALLATION - PERFORM VISUAL INSPECTION. CHECK PLUMBING FOR ROUTING, SECURITY, AND CONDITION.							Service ATA:35
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
Y3510001 S	CREW SEAT OXYGEN HOSES - PERFORM VISUAL INSPECTION. PAY PARTICULAR ATTENTION TO AREA WHERE OXYGEN HOSES ENTER CREW SEATS ABOVE COCKPIT FLOOR.							Service ATA:35
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y3510017 S	OXYGEN CYLINDER INSTALLATION - PERFORM VISUAL INSPECTION. CHECK PLUMBING FOR ROUTING, SECURITY, AND CONDITION							Service ATA:35
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
ATA 36 - PNEUMATIC								
050505 U	RH OVER TEMP. SENSOR							Component ATA:36
PN:641179-4	MOS/MSC		0 / -					
SN:1527	HRS		0					
	AFL		0					
361001	LEFT OUTBOARD HIGH PRESSURE TAILCONE MANIFOLD							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361002	LEFT OUTBOARD ANTI-ICE MANIFOLD							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-07PROC. REF: AMM 30-10-07								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361004	LEFT INBOARD HIGH-PRESSURE BLEED AIR MANIFOLD							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-07	PROC. REF: AMM 36-10-07							
361005	RIGHT INBOARD HIGH-PRESSURE BLEED AIR MANIFOLD							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-07	PROC. REF: AMM 36-10-07							
361016	RIGHT OUTBOARD ANTI-ICE MANIFOLD							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-10-07	PROC. REF: AMM 30-10-07							
361017	RIGHT OUTBOARD HIGH PRESSURE TAILCONE MANIFOLD							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
361020	LEFT HIGH PRESSURE OVER-TEMP SWITCH							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-20-03	PROC. REF: AMM 36-20-03							
361021	RIGHT HIGH PRESSURE OVER-TEMP SWITCH							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-20-03	PROC. REF: AMM 36-20-03							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361031	ECS CONTROLLER							Component ATA:36
PN:1165-1-6	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:366MC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-01	PROC. REF: AMM 36-10-01							
361040	APU BLEED AIR CHECK VALVE							Component ATA:36
PN:4011-14	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0317	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-09	PROC. REF: AMM 36-10-09							
361050	LOAD CONTROL SHUTOFF VALVE (L5003)							Component ATA:36
PN:3876322-1	MOS/MSC	07-Mar-19	O/C					
SN:0406	HRS	2345.2						
	AFL	2078						
PROC. REF: AMM 36-10-10	PROC. REF: AMM 36-10-10							
361053	NO. 1 ECS SHUTOFF (L37) VALVE							Component ATA:36
PN:3215468-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1175	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-03	PROC. REF: AMM 36-10-03							
361054	NO. 2 ECS SHUTOFF (L38) VALVE							Component ATA:36
PN:3215468-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1174	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-03	PROC. REF: AMM 36-10-03							
361065	LEFT TAILCONE HIGH PRESSURE SHUT-OFF VALVE (L39)							Component ATA:36
PN:3291216-3	MOS/MSC	27-Apr-13	O/C	TSR 0				
SN:920C	HRS	1197.2		TSR 0				
	AFL	1122		TSR 0				
PROC. REF: AMM 36-10-02	PROC. REF: AMM 36-10-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361066	RIGHT TAILCONE HIGH PRESSURE SHUT-OFF VALVE (L40)							Component ATA:36
PN:3291216-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1276	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-02PROC. REF: AMM 36-10-02								
361120	NO. 1 PRESSURE SWITCH (S79)							Component ATA:36
PN:642019-5	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0596	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-06PROC. REF: AMM 36-10-06								
361121	NO. 2 PRESSURE SWITCH (S88)							Component ATA:36
PN:642019-5	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0568	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-06PROC. REF: AMM 36-10-06								
361122	LEFT HIGH PRESSURE BLEED AIR TUBE							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361123	RIGHT HIGH PRESSURE BLEED AIR TUBE							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361125	LEFT PYLON LOW PRESSURE TEMPERATURE SENSOR							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361126	RIGHT PYLON LOW PRESSURE TEMPERATURE SENSOR							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361127	LEFT TAILCONE LOW PRESSURE (2.0 DIAMETER) CHECK VALVE							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361128	RIGHT TAILCONE LOW PRESSURE (2.0 DIAMETER) CHECK VALVE							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361215	LEFT HIGH PRESSURE BLEED AIR MANIFOLD							Component ATA:36
PN:LJ01212-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:171108-001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-07PROC. REF: AMM 36-10-07								
361216	RIGHT HIGH PRESSURE BLEED AIR MANIFOLD							Component ATA:36
PN:LJ01212-002	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:221108-001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-07PROC. REF: AMM 36-10-07								
361301	APU SERVO AIR CHECK VALVE							Component ATA:36
PN:6C1005	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:3630	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-15-02PROC. REF: AMM 36-15-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361302	NO. 1 ENGINE SERVO AIR CHECK VALVE							Component ATA:36
PN:6C1005	MOS/MSC	20-May-19	O/C	TSN 0				
SN:4753	HRS	2376		TSN 0				
	AFL	2099		TSN 0				
PROC. REF: AMM 36-15-02	PROC. REF: AMM 36-15-02							
361303	NO. 2 ENGINE SERVO AIR CHECK VALVE							Component ATA:36
PN:6C1005	MOS/MSC	20-May-19	O/C	TSN 0				
SN:4752	HRS	2376		TSN 0				
	AFL	2099		TSN 0				
PROC. REF: AMM 36-15-02	PROC. REF: AMM 36-15-02							
362005	LEFT FORWARD TAILCONE OVERHEAT THERMOSTAT SWITCH (S145)							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-20-02	PROC. REF: AMM 36-20-02							
362006	RIGHT FORWARD TAILCONE OVERHEAT THERMOSTAT SWITCH (S146)							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-20-02	PROC. REF: AMM 36-20-02							
362007	LEFT AFT TAILCONE OVERHEAT THERMOSTAT SWITCH (S147)							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-20-02	PROC. REF: AMM 36-20-02							
362008	RIGHT AFT TAILCONE OVERHEAT THERMOSTAT SWITCH (S148)							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-20-02	PROC. REF: AMM 36-20-02							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
364925	LEFT ECS CHECK VALVE							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-04PROC. REF: AMM 36-10-04								
364926	RIGHT ECS CHECK VALVE							Component ATA:36
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-10-04PROC. REF: AMM 36-10-04								
5-19-00-D3610002	BORESCOPE INSPECTION HP BLEED AIR MANIFOLD ASSEMBLY ATTACH BRACKET ASSEMBLY FOR CRACKS AT WELD.(IRN D3610002)							Service ATA:36
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
5-19-01-K3610012 U	REPLACE ENGINE SERVO AIR CHECK VALVE (6608295-3). (ZONE/ACCESS 310HL, 310JL, 310QR, 310RR IRN # K3610012)							Service ATA:36
	MOS/MSC	20-May-19	A/R					
	HRS	2376						
	AFL	2099						
5-19-01-K3610013 U	REPLACE APU SERVO CHECK VALVE (6608295-3). EFFECTIVE ON CHECK VALVE S/N 001 THRU 1486. (ZONE/ACCESS 310HL, 310JL, 310QR, 310RR IRN # K3610013)							Service ATA:36
	MOS/MSC	29-Apr-13	N/A					
	HRS	1197.2						
	AFL	1122						
A3610000 S	** BLEED AIR SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:36
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
A3610001 S	** PYLON OVERHEAT THERMOSTAT AND ELECTRICAL SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:36
	MOS	05-Sep-25	24 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:8
PROC. REF: AMM 36-20-01PROC. REF: AMM 36-20-01								
D3610002	LEFT HIGH PRESSURE BLEED AIR MANIFOLD - PERFORM BORESCOPE INSPECTION OF ATTACH BRACKET ASSEMBLY FOR CRACKS AT WELD							Service ATA:36
PN:LJ01212-001	MOS/MSC	29-Apr-09	O/C					
SN:171108-001	HRS	0						
	AFL	0						
PROC. REF: AMM 36-10-07PROC. REF: AMM 36-10-07								
D3610002	RIGHT HIGH PRESSURE BLEED AIR MANIFOLD - PERFORM BORESCOPE INSPECTION OF ATTACH BRACKET ASSEMBLY FOR CRACKS AT WELD							Service ATA:36
PN:LJ01212-002	MOS/MSC	29-Apr-09	O/C					
SN:221108-001	HRS	0						
	AFL	0						
PROC. REF: AMM 36-10-07PROC. REF: AMM 36-10-07								
P3610048	LEFT HIGH PRESSURE BLEED AIR MANIFOLD - PERFORM VISUAL INSPECTION							Service ATA:36
PN:LJ01212-001	MOS	29-Apr-09						
SN:171108-001	HRS	0	3500 (+100/-100)		3500	3600	OVD	
	AFL	0						
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
P3610048	RIGHT HIGH PRESSURE BLEED AIR MANIFOLD - PERFORM VISUAL INSPECTION							Service ATA:36
PN:LJ01212-002	MOS	29-Apr-09						
SN:221108-001	HRS	0	3500 (+100/-100)		3500	3600	OVD	
	AFL	0						
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
U3610075 S	ECS BLEED AIR "Y" MANIFOLD - PERFORM BORESCOPE INSPECTION							Service ATA:36
	MOS	29-Apr-09						
	HRS	0	4800 (+25/-25)					
	AFL	0						
								PKG:25
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								
Y3610061 S	HIGH PRESSURE BLEED AIR SHUT-OFF VALVE IN-LINE FILTER - PERFORM CLEANING PROCEDURES							Service ATA:36
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:8
PROC. REF: AMM 36-10-02PROC. REF: AMM 36-10-02								
ATA 38 - WATER/WASTE								
380001	TOILET SERVICE PANEL							Component ATA:38
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-30-05PROC. REF: AMM 38-30-05								
381009	TOILET HEATED DRAIN MAST							Component ATA:38
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
383001	TOILET --							Component ATA:38
PN:9600-1B	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:U4019	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 38-30-01PROC. REF: AMM 38-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
383002	TOILET TIMER							Component ATA:38
PN:7638303002-009	MOS/MSC	13-Apr-17	O/C	TSN 62				
SN:T6755	HRS	2143.8		TSN 0				
	AFL	1921		TSN 0				
PROC. REF: AMM 38-30-02PROC. REF: AMM 38-30-02								
383005	TOILET WATER TANK							Component ATA:38
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
383010	TOILET TANK FLOAT SWITCH							Component ATA:38
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				CUSTOMER CODE
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
383011	LAVATORY SINK SHUT OFF VALVE							Component ATA:38
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
384025	TOILET PUMP							Component ATA:38
PN:5250-11A	MOS/MSC	27-Feb-26	O/C	TSN 0				
SN:UNKNOWN	HRS	3457.5		TSN 0				
	AFL	3136		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
384051	TOILET MACERATOR							Component ATA:38
PN:5300-1	MOS/MSC	03-Nov-21	O/C	TSN 0				
SN:M7084	HRS	2681.6		TSN 0				
	AFL	2386		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
389050	TOILET CLEAN WATER PUMP							Component ATA:38
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 49 - AIRBORNE AUXILIARY POWER								
490060	APU ELECTRONIC CONTROL UNIT (ECU)							Component ATA:49
PN:2119560-3	MOS/MSC	07-Sep-10	O/C					
SN:16-G0163	HRS	298.9						
	AFL	259						
PROC. REF: AMM 49-60-04PROC. REF: AMM 49-60-04								
491000	APU - DOWNLOAD APU ECU (TIMES/CYCLES)							Service ATA:49
	MOS/MSC	11-Aug-11	A/R					
	HRS							
	APUS							
PROC. REF: AMM 49-60-04PROC. REF: AMM 49-60-04								
491011	APU MAINTENANCE CONTROL PANEL							Component ATA:49
PN:7088001-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:DC420	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-60-02PROC. REF: AMM 49-60-02								
491020	APU COCKPIT CONTROL PANEL							Component ATA:49
PN:7088000-2	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:DB397	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-60-01PROC. REF: AMM 49-60-01								
492001	APU - AUXILIARY POWER UNIT (APU) COMPRESSOR ROTOR. (P/N 3822523-2 - IRN H4900019) (P/N 3822523-003 OR 70722359-1 - IRN AE4900020) - REPLACE							Component ATA:49
PN:3822523-003	MOS	10-Mar-25						LIFE LIMIT
SN:080350113713	HRS	1747.93						
	APUS	3011	9000	TSN 3011	12000 (M)		8679	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
PROC. REF: AMM 49-10-01PROC. REF: AMM 49-10-01								
492005	APU - AUXILIARY POWER UNIT (APU) TURBINE ROTOR (P/N 3842340 OR 70722360-1)(IRN AE4900018) - CHANGE							Component ATA:49
PN:3842340-2	MOS	10-Mar-25						LIFE LIMIT
SN:14-156101-11750	HRS	1747.93						
	APUS	3011	4000	TSN 3011	6928 (M)		3607	
PROC. REF: AMM 49-10-01PROC. REF: AMM 49-10-01								
493011	APU - APU PRESSURIZING VALVE							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493013	APU - BEARING, ROLLER, CYLINDRICAL							Component ATA:49
PN:70722450-1	MOS/MSC	26-Jun-24	O/C	TSN 1				
SN:23-162111-07935	HRS	1713.68		TSN 0				
	APUS	2928		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493021	APU - APU FILTER BYPASS VALVE							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493031	APU - APU PRESSURE RELIEF VALVE							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493041	APU - APU DIFFERENTIAL PRESSURE VALVE							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493051	APU - APU FUEL PUMP							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-04PROC. REF: AMM 49-30-04								
493061	APU - APU DIFFERENTIAL PRESSURE INDICATOR							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
493071	APU - APU ASSEMBLY, FUEL CONTROL							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-04PROC. REF: AMM 49-30-04								
494011	APU - APU IGNITION EXCITER							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-40-04PROC. REF: AMM 49-40-04								
494021	APU - APU LOW VOLTAGE IGNITER PLUG							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-40-02PROC. REF: AMM 49-40-02								
494031	APU - APU IGNITION LEAD							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
PROC. REF: AMM 49-40-03PROC. REF: AMM 49-40-03								
494050 U	APU - APU IGNITION (LOW VOLTAGE) UNIT							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
494050	APU IGNITION UNIT							Component ATA:49
PN:3888000-7	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:080218091867	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-40-04PROC. REF: AMM 49-40-04								
495001	APU - APU ISOLATION VALVE							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-50-01, AMM 49-50-01PROC. REF: AMM 49-50-01, AMM 49-50-01								
495001	TAILCONE APU COOLING FAN							Component ATA:49
PN:011809500	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:108355371	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-50-01PROC. REF: AMM 49-50-01								
495002	TAILCONE ACCESS DOOR COOLING (B30) FAN							Component ATA:49
PN:011809500	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:108438286	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
495040	APU THERMOSTAT (S175) SWITCH							Component ATA:49
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
495041	APU THERMOSTAT (S176) SWITCH							Component ATA:49
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
495201	STRUT SUPPORT ASSEMBLY							Component ATA:49
PN:7630102001-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0023	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
495202	STRUT SUPPORT ASSEMBLY							Component ATA:49
PN:7630102001-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:0026	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
496001	APU - APU REMOTELY LOCATED (ECU) CONTROLLER							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-60-04PROC. REF: AMM 49-60-04								
496003	APU - BALL, ANNULAR BEARING							Component ATA:49
PN:3822570-1	MOS/MSC	26-Jun-24	O/C	TSN 1				
SN:24-162255-07022	HRS	1713.68		TSN 0				
	APUS	2928		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
496011	APU - APU FUEL SHUTOFF VALVE							Component ATA:49
PN:3876322-1	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:0406	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
496021	APU - APU FLOW DIVIDER VALVE							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-06PROC. REF: AMM 49-30-06								
496031	APU - APU FUEL SOLENOID VALVE							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-01PROC. REF: AMM 49-30-01								
497001	APU - APU SPEED SENSOR							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-70-04PROC. REF: AMM 49-70-04								
497001	APU BITE INDICATOR							Component ATA:49
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 49-70-04PROC. REF: AMM 49-70-04								
497011	APU - APU EGT THERMOCOUPLE							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-70-07PROC. REF: AMM 49-70-07								
499025	APU - APU ASSEMBLY, LUBE OIL-PUMP							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
PROC. REF: AMM 49-90-03PROC. REF: AMM 49-90-03								
499037	APU - APU LOW OIL PRESSURE SENSOR							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-90-02PROC. REF: AMM 49-90-02								
499049	APU - APU OIL TEMPERATURE BULB							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
499061	APU - APU OIL LEVEL SENSOR							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-90-01PROC. REF: AMM 49-90-01								
499071	APU - APU ULTIMATE RELIEF VALVE							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
499081	APU - APU MANIFOLD AND PRIMARY ATOMIZER							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: AMM 49-30-05PROC. REF: AMM 49-30-05								
499082	APU - APU MANIFOLD AND SECONDARY ATOMIZER							Component ATA:49
PN:PN	MOS/MSC	25-Nov-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
PROC. REF: AMM 49-30-05PROC. REF: AMM 49-30-05								
499110	APU - SOAP CHECK OIL							Service ATA:49
	MOS/MSC		O/C					
	HRS							
	APUS							
PROC. REF: SIL SIL-49, SIL SIL-49PROC. REF: SIL SIL-49, SIL SIL-49								
49APU1	APU							Component ATA:49
PN:3800726-1	MOS/MSC	12-Jul-24	E/C					
SN:P-436	HRS	3187						
	AFL	2876						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
H4900011 S	** APU GENERATOR - PERFORM OVERVOLTAGE PROTECTION CHECK							Service ATA:49
	MOS	05-Sep-25	48 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 49-40-01PROC. REF: AMM 49-40-01								
K4900005	APU - APU ENGINE FUEL FILTER - REPLACE							Service ATA:49
	MOS	26-Jun-24						
	HRS	1713.68	750 (+25/-25)		2463.68	2488.68	543.3 (+25)	
	APUS	2928						
PROC. REF: AMM 49-30-03PROC. REF: AMM 49-30-03								
L4900015.S	APU ENGINE FIRE EXTINGUISHER CONTAINER CARTRIDGE - SERVICE LIFE LIMIT							Service ATA:49
PN:30600-22	MOS	12-Jul-24	144		12-Jul-36		3572 d	SERVICE LIFE LIMIT
SN:LOT 130	HRS	3187						
	AFL	2876						
			Installation Date: : 12-Jul-24					
PROC. REF: AMM 26-21-02PROC. REF: AMM 26-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
L4900015.T	APU ENGINE FIRE EXTINGUISHER CONTAINER CARTRIDGE - TOTAL LIFE LIMIT							Service ATA:49
	MOS	12-Jul-24	180		01-Dec-38		4444 d	LIFE LIMIT
	HRS	3187						
	AFL	2876						
			Manufacture Date:: 01-Dec-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
O4900006	APU STARTER/GENERATOR - APU ENGINE STARTER/GENERATOR GEAR BOX DRIVE SPLINES - PERFORM VISUAL INSPECTION							Service ATA:49
PN:6608458-010	MOS	12-Jul-24						
SN:P1266	HRS	3187						
	AFL	2876						
	APH	1713.68	600 (+25/-25)		2313.68	2338.68	393.3 (+25)	
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
O4900008	APU - APU ENGINE CHIP DETECTOR - INSPECT FOR CONTAMINATION							Service ATA:49
	MOS	02-Mar-20						
	HRS	1413.97	750		2163.97		243.6	
	APUS	2245						
PROC. REF: AMM 49-90-05PROC. REF: AMM 49-90-05								
P4900009	APU - APU ENGINE - PERFORM OIL CHANGE							Service ATA:49
	MOS	04-Apr-25						
	HRS	1747.93	750		2497.93		577.6	
	APUS	3011						
PROC. REF: AMM 12-10-10PROC. REF: AMM 12-10-10								
T4900004	APU - APU ENGINE OIL FILTER - REPLACE							Service ATA:49
	MOS	26-Jun-24						
	HRS	1713.68	750		2463.68		543.3	
	APUS	2928						
PROC. REF: AMM 49-90-04PROC. REF: AMM 49-90-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
V4900003		APU STARTER/GENERATOR - PERFORM OVERHAUL REPLACE STARTER/ GENERATOR BRUSHES						Service ATA:49
PN:6608458-010	MOS	12-Jul-24						
SN:P1266	HRS	3187						
	AFL	2876						
	APH	1713.68	600 (+25/-25)		2313.68	2338.68	393.3 (+25)	
PROC. REF: AMM 49-40-01PROC. REF: AMM 49-40-01								
Y4900000 S		AUXILIARY POWER UNIT - PERFORM VISUAL INSPECTION OF EXTERNAL FIREBOX INSTALLATION AND ATTACHING COMPONENTS						Service ATA:49
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y4900002 S		AUXILIARY POWER UNIT FIRE EXTINGUISHER CONTAINER - PERFORM FUNCTIONAL TEST OF WIRING						Service ATA:49
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								
Y4900010 S		APU ENGINE FIRE EXTINGUISHER CONTAINER - CHECK CONTAINER PRESSURE GAGE FOR PROPER PRESSURE						Service ATA:49
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00								
Y4900012 S		APU INLET SCREEN AND OPENING - PERFORM VISUAL INSPECTION						Service ATA:49
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
Y4900013 S	APU EXHAUST DUCT AREA, INCLUDING FORWARD AND AFT APU EXHAUST FAIRINGS - PERFORM VISUAL INSPECTION							Service ATA:49
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:2
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
ATA 52 - DOORS								
521001	UPPER CABIN DOOR							Component ATA:52
PN:4552101000-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:W525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
521002	LOWER CABIN DOOR							Component ATA:52
PN:4552100050V107-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:W510	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
521010	LOWER ENTRY DOOR FORWARD GAS DAMPER ASSEMBLY							Component ATA:52
PN:6652102002-003	MOS/MSC	24-Sep-15	O/C	TSN 0				
SN:UNKNOWN	HRS	1874.3		TSN 0				
	AFL	1721		TSN 0				
PROC. REF: AMM 52-10-11PROC. REF: AMM 52-10-11								
521011	LOWER ENTRY DOOR AFT GAS DAMPER ASSEMBLY							Component ATA:52
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-10-11PROC. REF: AMM 52-10-11								
521310 U	LWR ASSY DOOR CABLE							Component ATA:52
PN:4552100224-001	MOS/MSC	20-May-19	O/C	TSN 0				
SN:N/A	HRS	2376		TSN 0				
	AFL	2099		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
522001	EMERGENCY EXIT DOOR ASSEMBLY							Component ATA:52
PN:4552200076-V43-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:L400	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-20-01	PROC. REF: AMM 52-20-01							
522010	EMERGENCY EXIT DOOR WINDOW							Component ATA:52
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-20-06	PROC. REF: AMM 52-20-06							
523001	TAILCONE BAGGAGE DOOR ASSEMBLY							Component ATA:52
PN:12045-558V2-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:543	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
524001	TAILCONE ACCESS DOOR							Component ATA:52
PN:4552405151-009	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:550	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-40-02	PROC. REF: AMM 52-40-02							
524010	SPPR DOOR ASSY							Component ATA:52
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 52-40-03	PROC. REF: AMM 52-40-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
A5210009 S	* EMERGENCY EXIT DOOR RETAINERS - PERFORM VISUAL INSPECTION. INSPECT DOOR STOP FITTINGS ON EMERGENCY EXIT DOOR FRAMES IN FLANGE RADII. (F.S. 374 AND 394).							Service ATA:52
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
A5210012 S	* LOWER PASSENGER DOOR HINGE - PERFORM VISUAL INSPECTION. INSPECT PIANO HINGE LUGS AND FASTENERS.							Service ATA:52
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
A5210014 S	* UPPER PASSENGER DOOR TENSION FITTINGS - PERFORM VISUAL INSPECTION. INSPECT THE FOLLOWING: A. TENSION STUDS AT RETAINING FLANGES. B. RADII AROUND FLANGE PERIPHERY.							Service ATA:52
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
AA5210055 S	CABIN DOOR HANDLE RAMP ROLLER WHEEL - LUBRICATE							Service ATA:52
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:18
PROC. REF: AMM 12-21-02PROC. REF: AMM 12-21-02								
D5210015 S	* EMERGENCY EXIT DOOR - PERFORM VISUAL INSPECTION. PAY PARTICULAR ATTENTION TO FLANGES AND FASTENER HOLES OF DOOR STOP FITTINGS.							Service ATA:52
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
E5210013 S	* UPPER AND LOWER PASSENGER DOOR LATCH ARMS AND DOOR ATTACHMENTS - PERFORM VISUAL INSPECTION							Service ATA:52
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
F5210016 S	* UPPER PASSENGER DOOR HINGE - PERFORM VISUAL INSPECTION. INSPECT UPPER SURFACE OF HINGE FINGERS AT BASE OF LUG.							Service ATA:52
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
M5240004	AVIONIC ACCESS DOORS - PERFORM AVIONICS DOOR GAP AND MISMATCH INSPECTION							Service ATA:52
	MOS	09-Jan-25	24 (+14d/-14d)		09-Jan-27	23-Jan-27	100 d (+14)	
	HRS	3262.1						
	AFL	2948						
PROC. REF: AMM 52-40-01PROC. REF: AMM 52-40-01								
N5210010 S	* LOWER PASSENGER DOOR TENSION BOLTS, BOLT RETAINERS, TENSION FITTINGS, AND DOOR ATTACHMENTS - PERFORM VISUAL INSPECTION							Service ATA:52
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:24
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
N5210011 S	* UPPER AND LOWER PASSENGER DOOR LATCH PINS - PERFORM VISUAL INSPECTION. INSPECT BOLTS AND DOOR END RIB STRUCTURE AT LOCK PINS.							Service ATA:52
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:24
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
N5210017 S	* UPPER PASSENGER DOOR TENSION BOLTS, BOLT RETAINERS, TENSION FITTINGS, AND DOOR ATTACHMENTS - PERFORM VISUAL INSPECTION							Service ATA:52
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:24
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
T5210003 S	EXTERNAL LOWER PASSENGER/CREW DOOR CABLES - PERFORM VISUAL INSPECTION OF VISIBLE PORTION OF CABLES AND HANDLE AREA.							Service ATA:52
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:18
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5210000 S	AVIONICS COMPARTMENT ACCESS DOORS AND SEALS - PERFORM VISUAL INSPECTION							Service ATA:52
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5210001 S	TAILCONE ACCESS DOOR AND SEAL - PERFORM VISUAL INSPECTION OF DOOR, SEALS, AND LATCHES							Service ATA:52
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:12
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5210002 S	BAGGAGE COMPARTMENT DOOR - PERFORM VISUAL INSPECTION OF DOORS, SEALS, AND LATCHES							Service ATA:52
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:12
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
Y5210004 S	UPPER AND LOWER PASSENGER/CREW DOOR - PERFORM VISUAL INSPECTION OF DOOR STRUCTURE, TENSION FITTINGS, AND HINGE AREA FOR CRACKS AND CORROSION.							Service ATA:52
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:18
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5210005 S	INTERNAL LOWER PASSENGER/CREW DOOR CABLES - PERFORM VISUAL INSPECTION. REMOVE STEP SKIN TO GAIN ACCESS TO CABLES.							Service ATA:52
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:18
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5210006 S	UPPER PASSENGER/CREW DOOR VENT DOOR SPRINGS - PERFORM VISUAL INSPECTION							Service ATA:52
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:12
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5210008 S	EMERGENCY EXIT DOOR INTERNAL AND EXTERNAL HANDLE LATCHING MECHANISM. - PERFORM OPERATIONAL CHECK							Service ATA:52
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:12
PROC. REF: AMM 52-20-07PROC. REF: AMM 52-20-07								
Y5240000 S	OXYGEN SYSTEM SERVICING DOOR AND LATCHES - PERFORM VISUAL INSPECTION FOR CONDITION AND SECURITY. CHECK DECAL FOR CONDITION AND LEGIBILITY.							Service ATA:52
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
Y5240003 S		SINGLE POINT REFUELING ACCESS DOOR - PERFORM VISUAL INSPECTION						Service ATA:52
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Z5210053		CABIN MAIN ENTRY DOOR HANDLE - REPLACE						Service ATA:52
	MOS	21-Jul-21	144 (+14d/-14d)		21-Jul-33	04-Aug-33	2485 d (+14)	
	HRS	2635.7						
	AFL	2343	6000 (+25/-25)		8343	8368	5082 (+25)	
PROC. REF: AMM 52-10-08, AMM 52-10-13PROC. REF: AMM 52-10-08, AMM 52-10-13								
ATA 53 - FUSELAGE								
5-19-00-N5310023 U		VISUAL INSPECTION FORWARD AND AFT FUEL CELL BAY STRUCTURE, ANGLE REINFORCEMENT, STRINGER 1, LH & RH - PERFORM DETAILED VISUAL INSPECTION OF HI-LITE COLLARS. (IRN # N5310023) (EFFECTIVE ON AIRCRAFT 45 005 THRU 45 031 NOT MODIFIED PER SB 45-53-27)						Service ATA:53
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
5-19-00-N5310025 U		DETAILED VISUAL INSPECTION AFT FUSELAGE KEELBEAM LONGERON (LH & RH, BL 5.15, FS 466.30-495.12) AND AFT FUSELAGE KEELBEAM LOWER FRAME (FS 466.30, BL 9.55LH THRU BL 9.55 RH). PERFORM DETAILED VISUAL INSPECTION OF HI-LITE COLLARS. (REFER TO LEARJET DOCUMENT RISP-HST79-104-3.). (EFFECTIVE ON AIRCRAFT 45-005 THRU 45-031 NOT MODIFIED PER SB 45-53-28.). (IRN # N5310025)						Service ATA:53
	MOS/MSC	12-Apr-10	N/A					
	HRS	186						
	AFL	169						
530001		FUSELAGE ASSEMBLY						Component ATA:53
PN:4553000010-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:L400	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
531040	LEFT TIE ROD END							Component ATA:53
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-10-04	PROC. REF: AMM 53-10-04							
531041	RIGHT TIE ROD END							Component ATA:53
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-10-04	PROC. REF: AMM 53-10-04							
531044	LEFT LOWER COUPE RAIL							Component ATA:53
PN:453002003V13-001	MOS/MSC	EFF	-	TSN 0				N/A BY PART NUMBER
SN:UNKNOWN	HRS	EFF		TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 53-10-04	PROC. REF: AMM 53-10-04							
531045	RIGHT LOWER COUPE RAIL							Component ATA:53
PN:453002003V13-002	MOS/MSC	EFF	-	TSN 0				N/A BY PART NUMBER
SN:UNKNOWN	HRS	EFF		TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 53-10-04	PROC. REF: AMM 53-10-04							
535001	RADOME							Component ATA:53
PN:LJ6634408000-005	MOS/MSC	30-Jul-18	O/C	TSR 0				
SN:0604	HRS	2237		TSR 0				
	AFL	2000		TSR 0				
PROC. REF: AMM 53-50-01	PROC. REF: AMM 53-50-01							
535601	LEFT DELTA FIN							Component ATA:53
PN:4555501000-015	MOS/MSC	08-Jun-12	O/C	TSR 0				
SN:S7549A0290	HRS	878.9		TSR 0				
	AFL	823		TSR 0				
PROC. REF: AMM 53-56-01	PROC. REF: AMM 53-56-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
535602	RIGHT DELTA FIN							Component ATA:53
PN:4555501000-016	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A3055	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 53-56-01PROC. REF: AMM 53-56-01								
545019	NO. 1 ENGINE AFT BEAM TO FRAME ATTACHMENT BOLT							Component ATA:53
PN:PN	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
A5310005 S	* FUSELAGE FUEL CELL CANTED BULKHEAD (F.S. 495) - PERFORM VISUAL INSPECTION, PAYING PARTICULAR ATTENTION TO MAIN CROSS MEMBER. INSPECT FLANGES AND ATTACHMENTS FOR CRACKING.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
A5310007 S	* AFT PRESSURE BULKHEAD BOTTOM SHEAR DIAPHRAGM - PERFORM DETAILED VISUAL INSPECTION. INSPECT BULKHEAD POST ATTACHMENT FASTENER HOLES AND CONTROL CABLE SLOT.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
A5323022 S	* NOSE LANDING GEAR AFT WHEELBOX CLOSING STRUCTURE (F.S. 150 TO F.S.162) - PERFORM VISUAL INSPECTION. INSPECT THE FOLLOWING: A. PANEL. B. CHANNEL STIFFENERS. C. SUPPORT ANGLE. D. ANGLE STIFFENER. E. ZEE STIFFENER							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
A5323023 S	* DRAG LINK ATTACHMENT LUG - PERFORM VISUAL INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
A5360001 S	DELTA FINS - WITH DELTA FINS REMOVED, VISUALLY INSPECT THE FOLLOWING: A. DELTA FIN AFT SPAR. B. DELTA FIN SUPPORT ANGLE. C. INSPECT STIFFENERS CONNECTING TO ATTACH FITTINGS.							Service ATA:53
	MOS	29-Apr-09						
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
D5323039 S	* MACHINED FUSELAGE FRAME AT FS 466 - PERFORM DETAILED VISUAL INSPECTION BETWEEN STRINGER 13 LEFT AND RIGHT, PAYING PARTICULAR ATTENTION TO THE BL 10 SPLICES. CONFIRM ANY CRACK INDICATIONS WITH EDDY CURRENT PROCEDURES.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
E5310001 S	* LONGERON, INTERNAL (BETWEEN FS 384 AND FS 433) - PERFORM VISUAL INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5310002 S	* FLIGHT DECK LONGERON - PERFORM VISUAL INSPECTION (FS 149 - FS 196). INSPECT FLIGHT DECK LONGERON STIFFENERS, WEBS, AND CUTOUTS							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
E5310017 S	* AFT PRESSURE BULKHEAD BOTTOM CROSSMEMBER (FS 457) - PERFORM DETAILED VISUAL INSPECTION. INSPECT TEE-SECTION AT FS 457 FLANGE AT ATTACHMENT OF PRESSURE FLOOR.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5310018 S	* AFT PRESSURE BULKHEAD PANEL FACING SHEETS (FS 457) - PERFORM VISUAL INSPECTION. INSPECT BOTH FRONT AND AFT OF FACING SHEETS.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5323025 S	* FORWARD/AFT WHEELBOX JOINT (FS 150) - PERFORM VISUAL INSPECTION. INSPECT SPLICE STRAP AFT OF FORWARD PRESSURE BULKHEAD AT INTERSECTION OF ATTACHMENT ANGLE AND FLIGHT DECK LONGERON.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5323050 S	* AFT POST/WINDSHIELD RETAINER ATTACHMENT - PERFORM EDDY CURRENT INSPECTION. INSPECT WINDSHIELD AFT POST AT WINDSHIELD RETAINER FASTENER HOLES.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-04PROC. REF: NDT PART 6/53-30-04								
E5323053 S	* FRAME ATTACHMENTS TO UPPER AND LOWER COUPE RAILS (FS 171 TO FS 204) - PERFORM VISUAL INSPECTION. INSPECT THE FOLLOWING: A. FRAME ATTACHMENTS TO LOWER COUPE RAILS AT FS 171, FS 182, FS 196, AND FS 204. B. FRAME ATTACHMENTS TO UPPER COUPE RAILS AT FS 196 AND FS 204. C. GUSSETS AT FASTENER HOLES.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5323054 S	* TIE-ROD ASSEMBLY (FS 162) (ALUMINUM ENDS) - PERFORM VISUAL INSPECTION. INSPECT TIE-ROD ENDS, TIE-ROD TUBES, AND TIE-ROD BOLTS.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
E5323055 S	* TIE-ROD ASSEMBLY (FS 162) (TITANIUM ENDS) - PERFORM VISUAL INSPECTION. INSPECT TIE-ROD ENDS, TIE-ROD TUBES, AND TIE-ROD BOLTS.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5323068 S	* STRINGER 1RH BETWEEN F.S. 533 AND F.S. 543 - PERFORM VISUAL INSPECTION. INSPECT STRINGER 1 FLANGE AND SKIN ALONG STRINGER 1 BETWEEN F.S. 533 AND F.S. 543.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5323073 S	* FUSELAGE BOTTOM SKIN PANEL - PERFORM VISUAL INSPECTION. INSPECT CORNER RADIUS AT JUNCTION OF EXTERNAL LONGERON AND MID SPAR FRAME (F.S. 435).							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
E5323074 S	* AUXILIARY SKIN PANEL - PERFORM VISUAL INSPECTION. INSPECT CORNER RADIUS AT JUNCTION OF KEEL BEAM AND REAR SPAR FRAME (F.S. 466).							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5350000 S	* BOTTOM KEEL BEAM END PADS (F.S. 384 - F.S. 486) - PERFORM VISUAL INSPECTION. INSPECT END PADS AROUND BOLT HOLES AND IN RADII AT F.S. 433.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
F5323056 S	* TIE-ROD FORK ENDS (ALUMINUM) - PERFORM FLUORESCENT PENETRANT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 8/53-10-01PROC. REF: NDT PART 8/53-10-01								
F5323081 S	* TIE-ROD FORK ENDS - PERFORM FLUORESCENT PENETRANT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 8/53-10-01PROC. REF: NDT PART 8/53-10-01								
F5331021 S	* FORWARD CANTED BULKHEAD (F.S. 630) - PERFORM VISUAL INSPECTION. INSPECT AT FRONT SPAR UPPER ATTACHMENT FASTENERS.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
F5331022 S	* MID CANTED BULKHEAD (F.S. 657) - PERFORM VISUAL INSPECTION AT MID SPAR UPPER ATTACHMENT FASTENERS							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
F5331023 S	* AFT CANTED BULKHEAD (F.S. 682) - PERFORM VISUAL INSPECTION. INSPECT AT REAR SPAR ATTACHMENT FASTENERS.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
F5331024 S	* VERTICAL STABILIZER FRONT SPAR ROOT BULKHEAD ATTACHMENT (F.S. 630) - PERFORM VISUAL INSPECTION. INSPECT FRONT SPAR ROOT BULKHEAD ATTACHMENT AT FASTENER HOLES.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
F5331025 S	* VERTICAL STABILIZER MID SPAR ROOT BULKHEAD ATTACHMENT (F.S. 657) - PERFORM VISUAL INSPECTION. INSPECT MID SPAR ROOT BULKHEAD ATTACHMENT AT FASTENER HOLES.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
F5331026 S	* VERTICAL STABILIZER REAR SPAR ROOT BULKHEAD ATTACHMENT (F.S. 682) - PERFORM VISUAL INSPECTION. INSPECT REAR SPAR ROOT BULKHEAD ATTACHMENT AT FASTENER HOLES.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
H5323032	* EXTERIOR CABIN WINDOW COAMINGS (UNPAINTED) - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	11-Nov-24	24		11-Nov-26		41 d	AIRWORTHINESS
	HRS	3235.5	2400		5635.5		2022.7	
	AFL							
PROC. REF: NDT PART 6/56-20-01PROC. REF: NDT PART 6/56-20-01								
H5323092	* EXTERIOR CABIN WINDOW COAMINGS (PAINTED) - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 6/56-20-01PROC. REF: NDT PART 6/56-20-01								
L5311002 S	* NOSE LANDING GEAR ACTUATOR ATTACHMENT ON FORWARD PRESSURE BULKHEAD - PERFORM EDDY CURRENT INSPECTION. INSPECT ACTUATOR ATTACHMENT BRACKET LUGS, RADII, AND FASTENER HOLES.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0						
	AFL	0	10000					
								PKG:27
PROC. REF: NDT PART 6/32-12-00PROC. REF: NDT PART 6/32-12-00								
L5311004 S	* NOSE LANDING GEAR TRUNNION FITTINGS - PERFORM VISUAL INSPECTION OF THE TRUNNION FITTINGS AND ATTACHMENT BOLTS							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0						
	AFL	0	10000					
								PKG:27
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
L5311005 S	* NOSE LANDING GEAR TRUNNION FITTINGS AND SUPPORT STRUCTURE - PERFORM EDDY CURRENT INSPECTION OF THE TRUNNION SUPPORT STRUCTURE AT THE FORWARD PRESSURE BULKHEAD FLANGE							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0						
	AFL	0	10000					
								PKG:27
PROC. REF: NDT PART 6/32-12-05PROC. REF: NDT PART 6/32-12-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
M5313001	FORWARD FUSELAGE SKIN - PERFORM PITOT-STATIC PROBE ZONE SKIN CONTOUR CHECK							Service ATA:53
	MOS	09-Jan-25	24 (+14d/-14d)		09-Jan-27	23-Jan-27	100 d (+14)	
	HRS	3262.1						
	AFL	2948						
PROC. REF: AMM 53-00-01PROC. REF: AMM 53-00-01								
M5323021 S	* EXTERNAL LONGERON, FASTENER LOCATIONS, AND AREA AROUND WING ATTACHMENTS - PERFORM VISUAL INSPECTION. INSPECT LONGERON BETWEEN FS 398 AND FS 486, STRINGER 13 LEFT AND RIGHT							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
M5323034 S	* UPPER AND LOWER COUPE RAIL AND CENTER POST/WINDSHIELD RETAINER ATTACHMENT - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-30-03PROC. REF: NDT PART 6/53-30-03								
N5314000 S	* EMERGENCY EXIT DOOR SKIN CUTOUT CORNERS AND DOUBLERS (F.S. 370 - F.S. 398) - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:19
PROC. REF: NDT PART 6/53-30-01PROC. REF: NDT PART 6/53-30-01								
N5323026 S	* UPPER AND LOWER PASSENGER/CREW DOOR SKIN CUTOUT CORNERS (FS 224 - FS 256) - PERFORM EDDY CURRENT INSPECTION. INSPECT SKIN AT CORNERS OF PASSENGER/ CREW DOOR CUTOUT.							Service ATA:53
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:19
PROC. REF: NDT PART 6/53-30-02PROC. REF: NDT PART 6/53-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
P5310003 S	* AFT PRESSURE BULKHEAD SUPPORT POST (FS 457) - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-30-18PROC. REF: NDT PART 6/53-30-18								
P5310004 S	* AFT PRESSURE BULKHEAD FRAME PERIPHERY - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-21PROC. REF: NDT PART 6/53-30-21								
P5310006 S	* FORWARD PRESSURE BULKHEAD - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-30-07PROC. REF: NDT PART 6/53-30-07								
P5320001 S	* FUSELAGE PRESSURE FLOOR STEP (FS 433 - FS 457) - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-20-01PROC. REF: NDT PART 6/53-20-01								
P5323024 S	* FUSELAGE SKIN CUT-OUTS ABOVE FUEL CELL - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-12PROC. REF: NDT PART 6/53-30-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
P5323027 S	* FUSELAGE FRAME AT FS 412 - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-20PROC. REF: NDT PART 6/53-30-20								
P5323029 S	* MACHINED SPAR FRAMES SYSTEMS CUTOUTS (FS 398, FS 412, FS 432, FS 466) - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-15PROC. REF: NDT PART 6/53-30-15								
P5323033 S	* FUSELAGE SKIN AT EMERGENCY DOOR EGRESS-LIGHT AND WING INSPECTION LIGHT - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-40-02PROC. REF: NDT PART 6/53-40-02								
P5323037 S	* WINDSHIELD COUPE RAIL TIE ROD BRACKET - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-30-09PROC. REF: NDT PART 6/53-30-09								
P5323038 S	* WINDSHIELD CENTER POST TO UPPER COUPE RAIL JOINT ATTACHMENT - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-22PROC. REF: NDT PART 6/53-30-22								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
P5323047 S	* PRESSURE CABIN FUSELAGE CROWN SKIN - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:19
PROC. REF: NDT PART 6/53-10-04PROC. REF: NDT PART 6/53-10-04								
P5323049 S	* FUSELAGE SKIN AT UPPER AND LOWER COUPE RAIL RUN-OUT JOINTS - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-30-11PROC. REF: NDT PART 6/53-30-11								
P5323057 S	* PRESSURE CABIN SKIN AT FUSELAGE STATION 451 - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:19
PROC. REF: NDT PART 6/53-30-06PROC. REF: NDT PART 6/53-30-06								
P5323058 S	* FUSELAGE SKIN AT F.S. 504 - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-13PROC. REF: NDT PART 6/53-30-13								
P5323069 S	* CIRCUMFERENTIAL SKIN JOINT AT FORWARD PRESSURE BULKHEAD - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-30-08PROC. REF: NDT PART 6/53-30-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
P5323164 S	* PERFORM FUSELAGE SKIN AND DOUBLER AROUND ECS DUCT CUTOUT - EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-40-01PROC. REF: NDT PART 6/53-40-01								
P5323165 S	* WINDSHIELD CENTER POST TO LOWER COUPE RAIL JOINT ATTACHMENT - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-30-10PROC. REF: NDT PART 6/53-30-10								
P5360006 S	DELTA FIN ATTACH BOLT - PERFORM LIQUID PENETRANT INSPECTION							Service ATA:53
	MOS	29-Apr-09						
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 8/53-10-02PROC. REF: NDT PART 8/53-10-02								
Q5310023 S	FORWARD AND AFT FUEL CELL BAY STRUCTURE, ANGLE REINFORCEMENT, STRINGER 1, LEFT AND RIGHT - PERFORM DETAILED VISUAL INSPECTION OF HI-LITE COLLARS							Service ATA:53
	MOS	29-Apr-09						
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q5310025 S	AFT FUSELAGE KEELBEAM LONGERON (LEFT AND RIGHT, BL 5.15, FS 466.30 - 495.12) AND AFT FUSELAGE KEELBEAM LOWER FRAME (FS 466.30, BL 9.55 LEFT THROUGH BL 9.55 RIGHT) - PERFORM DETAILED VISUAL INSPECTION OF HI-LITE COLLARS.							Service ATA:53
	MOS	29-Apr-09						
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
Q5323048 S	* FUSELAGE (PRESSURE CABIN) - PERFORM EDDY CURRENT INSPECTION INSPECT PRESSURE CABIN SKIN (LONGITUDINAL SKIN CRACKING)							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-05PROC. REF: NDT PART 6/53-30-05								
Q5323051 S	* LONGITUDINAL JOINTS INSIDE PRESSURE CABIN (FS 220 - FS 457) AND SKIN WITHIN ONE STRINGER BAY OF JOINT - PERFORM EDDY CURRENT INSPECTION. INSPECT SKIN FASTENER HOLES ALONG JOINTS AT STRINGER 10 LEFT AND RH, STRINGER 2 RIGHT, AND STRINGER 18 RIGHT							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-05PROC. REF: NDT PART 6/53-30-05								
Q5323059 S	* STRINGER TO FRAME JOINTS (FS 162 TO FS 213) - PERFORM EDDY CURRENT INSPECTION. INSPECT SKIN, STRINGERS, AND FRAMES AT JOINTS.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-30-05PROC. REF: NDT PART 6/53-30-05								
T5310027 S	* AFT PRESSURE BULKHEAD TOP MOUNTING STRUCTURE - PERFORM EDDY CURRENT INSPECTION.							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/53-30-17PROC. REF: NDT PART 6/53-30-17								
T5321089 S	SEAT RAILS - PERFORM DETAILED INSPECTION OF SEAT RAIL (TRACK) SHEAR WEBS FOR CRACKING							Service ATA:53
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 53-20-01PROC. REF: AMM 53-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
T5323028 S	* FUSELAGE TO WING ATTACH FITTINGS - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-16PROC. REF: NDT PART 6/53-30-16								
T5323166	* EXTERNAL SKIN CUT-OUTS/PENETRATIONS (PRESSURE CABIN) - PERFORM DETAILED VISUAL INSPECTION. INSPECT SKIN AND DOUBLERS AT ANTENNAS, ELECTRICAL COMPONENTS, AND ACCESS PANELS (EXCLUDING PITOT/STATIC PROBES, AOA STALL VANES, AND WING INSPECTION LIGHT).							Service ATA:53
	MOS	19-Apr-21	144		19-Apr-33		2392 d	MANDATORY
	HRS	2613.5	9600		12213.5		8600.7	
	AFL	2323						
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
V5323168	* LOWER COUPE RAIL RADIUS/WINDSCREEN RETAINER ATTACH - PERFORM EDDY CURRENT INSPECTION							Service ATA:53
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:5000		5000		1387.2	
	AFL	0						
PROC. REF: NDT PART 6/53-30-23, NDT PART 6/53-30-24PROC. REF: NDT PART 6/53-30-23, NDT PART 6/53-30-24								
Y5311001 S	NOSE LANDING GEAR ACTUATOR ATTACH FITTING AND SURROUNDING STRUCTURE - PERFORM VISUAL INSPECTION							Service ATA:53
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:17
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5311003 S	NOSE LANDING GEAR TRUNNION FITTING AND SURROUNDING STRUCTURE - PERFORM VISUAL INSPECTION							Service ATA:53
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:17
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
Y5320000 S	CENTER PEDESTAL - PERFORM VISUAL INSPECTION							Service ATA:53
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5321010 S	FLOORBOARDS AROUND GALLEY, LAVATORY, AND WATER TANK - PERFORM VISUAL INSPECTION							Service ATA:53
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 53-20-01PROC. REF: AMM 53-20-01								
Y5321011 S	TAILCONE BAGGAGE COMPARTMENT - PERFORM VISUAL INSPECTION							Service ATA:53
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:8
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5321088 S	SEAT RAILS - REMOVE FLOORBOARD 230AL AND PERFORM VISUAL INSPECTION OF SEAT RAILS.							Service ATA:53
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Y5323020 S	EXTERNAL FUSELAGE (PRESSURE CABIN) - PERFORM VISUAL INSPECTION OF ALL CABIN SKINS FROM F.S. 100 TO F.S.458. PAY PARTICULAR ATTENTION TO ALL CUTOUTS AND SKIN JOINTS. NO FAIRING ACCESS REQUIRED.							Service ATA:53
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
Y5323031 S		EXTERIOR CABIN WINDOW COAMINGS AND SURROUNDING FUSELAGE SKIN - PERFORM VISUAL INSPECTION USING 10X MAGNIFICATION AND ADEQUATE LIGHTING.						Service ATA:53
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:13
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5340007 S		WING ATTACH FITTINGS - PERFORM VISUAL INSPECTION						Service ATA:53
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:19
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5360000 S		DELTA FINS - PERFORM VISUAL INSPECTION						Service ATA:53
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:8
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Z5323172		*SKIN CUT-OUT FOR IRIDIUM ANTENNAS FS283.88 TO FS308.39 - PERFORM EDDY CURRENT INSPECTION						Service ATA:53
	MOS/MSC	29-Apr-09	N/A					AIRWORTHINESS
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 6/53-10-05PROC. REF: NDT PART 6/53-10-05								
ATA 54 - NACELLES/PYLONS								
5-19-01-A5450022 U		REPLACEMENT AFT ENGINE MOUNT TO END FITTING ATTACH BOLT. (*IRN # A5450022)						Service ATA:54
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0	9600		9600		5987.2	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
5-19-01-A5450022-LEFT U	LEFT AFT ENGINE MOUNT TO END FITTING ATTACH BOLT. IRN A5450022 CHANGE							Component ATA:54
PN:PN	MOS	29-Apr-09		TSN 0				MANDATORY
SN:UNKNOWN	HRS	0	9600	TSN 0	9600		5987.2	
	AFL	0		TSN 0				
5-19-01-A5450022-RIGH U	RIGHT AFT ENGINE MOUNT TO END FITTING ATTACH BOLT. IRN A5450022 CHANGE							Component ATA:54
PN:PN	MOS	29-Apr-09		TSN 0				MANDATORY
SN:UNKNOWN	HRS	0	9600	TSN 0	9600		5987.2	
	AFL	0		TSN 0				
5-19-01-P5450020 U	REPLACEMENT AFT ENGINE BEAM TO FRAME ATTACHMENT BOLT. IRN P5450020							Service ATA:54
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0	9600		9600		5987.2	
	AFL	0						
5-19-01-P5450020-LEFT U	LEFT AFT ENGINE BEAM TO FRAME ATTACHMENT BOLT. IRN P5450020 REPLACE							Component ATA:54
PN:PN	MOS	29-Apr-09		TSN 0				MANDATORY
SN:UNKNOWN	HRS	0	9600	TSN 0	9600		5987.2	
	AFL	0		TSN 0				
5-19-01-P5450020-RIGH U	RIGHT AFT ENGINE BEAM TO FRAME ATTACHMENT BOLT. IRN P5450020 REPLACEMENT							Component ATA:54
PN:PN	MOS	29-Apr-09		TSN 0				MANDATORY
SN:UNKNOWN	HRS	0	9600	TSN 0	9600		5987.2	
	AFL	0		TSN 0				
5-19-01-P5450023 U	REPLACE ENGINE TO AFT ENGINE MOUNT ATTACH BOLT. IRN P5450023							Service ATA:54
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0	9600		9600		5987.2	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
5-19-01-P5450023-LEFT U	LEFT ENGINE TO AFT ENGINE MOUNT ATTACH BOLT. IRN P5450023 CHANGE							Component ATA:54
PN:PN	MOS	29-Apr-09		TSN 0				MANDATORY
SN:UNKNOWN	HRS	0	9600	TSN 0	9600		5987.2	
	AFL	0		TSN 0				
5-19-01-P5450023-RIGH U	RIGHT ENGINE TO AFT ENGINE MOUNT ATTACH BOLT. IRN P5450023 CHANGE							Component ATA:54
PN:PN	MOS	29-Apr-09		TSN 0				MANDATORY
SN:UNKNOWN	HRS	0	9600	TSN 0	9600		5987.2	
	AFL	0		TSN 0				
545020	NO. 2 ENGINE AFT BEAM TO FRAME ATTACHMENT BOLT							Component ATA:54
PN:PN	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
545021	NO. 1 ENGINE AFT MOUNT TO END FITTING ATTACH BOLT							Component ATA:54
PN:PN	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
545022	NO. 2 ENGINE AFT MOUNT TO END FITTING ATTACH BOLT							Component ATA:54
PN:PN	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
545023	NO. 1 ENGINE TO AFT ENGINE MOUNT ATTACH BOLTS							Component ATA:54
PN:PN	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
545024	NO. 2 ENGINE TO AFT ENGINE MOUNT ATTACH BOLTS							Component ATA:54
PN:PN	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
A5450022	* NO. 1 ENGINE AFT MOUNT TO END FITTING ATTACH BOLT - REPLACE OR PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:54
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0	9600		9600		5987.2	
	AFL	0						
A5450022	* NO. 2 ENGINE AFT MOUNT TO END FITTING ATTACH BOLT - REPLACE OR PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:54
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0	9600		9600		5987.2	
	AFL	0						
A5450026 S	* ENGINE DRAG STRUT - PERFORM EDDY CURRENT INSPECTION							Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/54-50-01PROC. REF: NDT PART 6/54-50-01								
A5450028	NO. 1 ENGINE AFT ENGINE BEAM END FITTING - REPLACE							Service ATA:54
	MOS/MSC	29-Apr-09	N/A					N/A BY SERIAL NUMBER
	HRS	0						
	AFL	0						
PROC. REF: AMM 53-40-02PROC. REF: AMM 53-40-02								
AB5450054	LEFT FORWARD ENGINE BEAM AND BEAM FITTING - PERFORM VISUAL INSPECTION, PAYING PARTICULAR ATTENTION OF THE FOLLOWING: A. UPPER CAPPING PLATE AT FASTENER HOLES, AND CHANNEL FLANGE AT FASTENER HOLES. B. BOLT HOLES, ESPECIALLY UPPER BOLT HOLE ON AFT FLANGE.							Service ATA:54
	MOS	29-Apr-09						
	HRS	0	7000 (+100/-100)		7000	7100	3387.2 (+100)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
AB5450054		RIGHT FORWARD ENGINE BEAM AND BEAM FITTING - PERFORM VISUAL INSPECTION, PAYING PARTICULAR ATTENTION OF THE FOLLOWING: A. UPPER CAPPING PLATE AT FASTENER HOLES, AND CHANNEL FLANGE AT FASTENER HOLES. B. BOLT HOLES, ESPECIALLY UPPER BOLT HOLE ON AFT FLANGE.						Service ATA:54
	MOS	29-Apr-09						
	HRS	0	7000 (+100/-100)		7000	7100	3387.2 (+100)	
	AFL	0						
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
E5450029 S		* AFT ENGINE BEAM - PERFORM VISUAL INSPECTION INSPECT UPPER CAPPING PLATE, AROUND FASTENER HOLES IN THE CAPPING PLATE, AND CHANNEL FLANGE.						Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
F5450019 S		* AFT ENGINE BEAM ATTACHMENT TO FRAMES - PERFORM VISUAL INSPECTION. INSPECT AFT ENGINE BEAM ATTACHMENT TO FRAMES.						Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
H5450012 S		* FRAMES 39/40 (F.S. 512/518) AT ENGINE BEAM ATTACHMENT - PERFORM EDDY CURRENT INSPECTION. INSPECT OUTER FLANGE AND FRAME WEB AT ENGINE BEAM ATTACHMENT.						Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/54-50-03PROC. REF: NDT PART 6/54-50-03								
M5450015 S		* FORWARD ENGINE BEAM, SPAR CAP, AND WEB - PERFORM EDDY CURRENT INSPECTION						Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
PROC. REF: NDT PART 6/54-50-05PROC. REF: NDT PART 6/54-50-05								
M5450018 S	* FORWARD ENGINE MOUNT ATTACHMENT BOLTS - PERFORM FLUORESCENT LIQUID PENETRANT INSPECTION							Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 8/71-20-01PROC. REF: NDT PART 8/71-20-01								
M5450027	NO. 1 ENGINE FORWARD ENGINE BEAM END FITTING - REPLACE							Service ATA:54
	MOS	29-Apr-09						
	HRS	0	10000 (+25/-25)		10000	10025	6387.2 (+25)	
	AFL	0						
PROC. REF: AMM 53-40-02, AMM 53-40-02PROC. REF: AMM 53-40-02, AMM 53-40-02								
P5450011 S	* DRAG STRUT ATTACHMENT FITTINGS - PERFORM EDDY CURRENT INSPECTION							Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-10-03PROC. REF: NDT PART 6/53-10-03								
P5450016 S	* FORWARD ENGINE BEAM END FITTING - PERFORM EDDY CURRENT INSPECTION							Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/54-50-02PROC. REF: NDT PART 6/54-50-02								
P5450017 S	* FORWARD ENGINE BEAM TO FRAME ATTACH BOLT - PERFORM LIQUID PENETRANT INSPECTION							Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 8/53-40-01PROC. REF: NDT PART 8/53-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
P5450020	* NO. 1 ENGINE AFT BEAM TO FRAME ATTACHMENT BOLT - REPLACE OR PERFORM LIQUID PENETRANT INSPECTION							Service ATA:54
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0	9600		9600		5987.2	
	AFL	0						
P5450020	* NO. 2 ENGINE AFT BEAM TO FRAME ATTACHMENT BOLT - REPLACE OR PERFORM LIQUID PENETRANT INSPECTION							Service ATA:54
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0	9600		9600		5987.2	
	AFL	0						
P5450021 S	* ENGINE AFT ISOLATOR MOUNT FITTINGS - PERFORM LIQUID PENETRANT INSPECTION							Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 8/71-20-03PROC. REF: NDT PART 8/71-20-03								
P5450023	* NO. 1 ENGINE TO AFT ENGINE MOUNT ATTACH BOLTS - REPLACE OR PERFORM LIQUID PENETRANT INSPECTION							Service ATA:54
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0	9600		9600		5987.2	
	AFL	0						
P5450023	* NO. 2 ENGINE TO AFT ENGINE MOUNT ATTACH BOLTS - REPLACE OR PERFORM LIQUID PENETRANT INSPECTION							Service ATA:54
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0	9600		9600		5987.2	
	AFL	0						
P5450024 S	* FUSELAGE FRAMES AT FS 543.55 AND 546.15 TO AFT ENGINE BEAM ATTACHMENT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/53-30-14PROC. REF: NDT PART 6/53-30-14								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
P5450025 S	* FORWARD ENGINE BEAM AND FRAMES AT ATTACH HOLES - PERFORM EDDY CURRENT INSPECTION							Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/54-50-03PROC. REF: NDT PART 6/54-50-03								
P5450030 S	* AFT ENGINE BEAM END FITTING - PERFORM EDDY CURRENT INSPECTION							Service ATA:54
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/54-50-04PROC. REF: NDT PART 6/54-50-04								
Y5410002 S	PYLONS - PERFORM VISUAL INSPECTION. INSPECT HILITE COLLARS COMMON TO MAIN ENGINE BEAM EXTERNAL TO FUSELAGE.							Service ATA:54
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 54-00-01PROC. REF: AMM 54-00-01								
ATA 55 - STABILIZERS								
551005	HORIZONTAL STABILIZER ASSEMBLY							Component ATA:55
PN:4555101001V46-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:S7549A0268	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-40-01PROC. REF: AMM 27-40-01								
552031	LEFT ELEVATOR ASSEMBLY							Component ATA:55
PN:4555201005-007	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:S7549A0274	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-01PROC. REF: AMM 27-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
552032	RIGHT ELEVATOR ASSEMBLY							Component ATA:55
PN:4555201005-008	MOS/MSC	08-Jun-12	O/C	TSN 38, TSR 0				
SN:S7549A0274	HRS	878.9		TSN 878.9, TSR 0				
	AFL	823		TSN 823, TSR 0				
PROC. REF: AMM 27-30-01PROC. REF: AMM 27-30-01								
553000	TAILCONE/VERTICAL STABILIZER ASSEMBLY							Component ATA:55
PN:4555301001-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A0265	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
554005	RUDDER ASSEMBLY							Component ATA:55
PN:4555401000-021	MOS/MSC	15-May-15	O/C	TSN 73, TSR 0				
SN:S7549A0280	HRS	1807.1		TSN 1807.1, TSR 0				
	AFL	1655		TSN 1655, TSR 0				
PROC. REF: AMM 27-20-01PROC. REF: AMM 27-20-01								
A5510014 S	* VERTICAL STABILIZER PIVOT FITTING BOTTOM PLATE - PERFORM DETAILED VISUAL INSPECTION. INSPECT AFT PORTION OF BOTTOM PLATE THROUGH LIGHTENING HOLE IN TOP PLATE, FORWARD PORTION OF BOTTOM PLATE THROUGH TOP PLATE CUTOUTS, AND BOTTOM OF OUTSIDE EXPOSED SURFACE OF PIVOT FITTING							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
A5510021 S	* HORIZONTAL MID SPAR FROM CANTED RIB NUMBER 2 TO CANTED RIB NUMBER 3 - PERFORM DETAILED VISUAL INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
A5540000 S	* RUDDER RIB CAP (F.S. 698) - PERFORM VISUAL INSPECTION. INSPECT AROUND FASTENER HOLES AND LIGHTENING HOLES.							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
AA5510034	HORIZONTAL STABILIZER PRIMARY AND SECONDARY BOLTS AND BUSHINGS - PERFORM DETAILED INSPECTION							Service ATA:55
	MOS							
	HRS	EFF	4800 (+25/-25)		4800 *	4825	1187.2 (+25)	
	AFL							
PROC. REF: AMM 05-10-00, AMM 55-10-00PROC. REF: AMM 05-10-00, AMM 55-10-00								
E5510074 S	* HORIZONTAL STABILIZER REAR SPAR FROM CANTED RIB NUMBER 2 TO CANTED RIB NUMBER 3 - PERFORM VISUAL INSPECTION. INSPECT REAR SPAR CAP AND FASTENERS.							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5510075 S	* HORIZONTAL STABILIZER OUTBOARD SPARS AND SKINS OUTBOARD OF CANTED RIB NUMBER 3 - PERFORM VISUAL INSPECTION. INSPECT SPAR CAPS AND FASTENERS							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5510076 S	* HORIZONTAL STABILIZER FRONT SPAR FROM CANTED RIB NO. 2 TO CANTED RIB NO. 3 - PERFORM VISUAL INSPECTION. INSPECT FRONT SPAR CAP AND FASTENERS.							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
E5520003 S	* ELEVATOR FRONT SPAR - PERFORM VISUAL INSPECTION. INSPECT SPAR CAP AT FASTENER HOLES							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5520004 S	* ELEVATOR RIB NO. 1 CAP - PERFORM VISUAL INSPECTION OF RIB NO. 1 CAP CROSS SECTION AND RIB CAP FLANGES AT TORQUE TUBE							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
G5510000 S	* HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTING - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/55-10-01PROC. REF: NDT PART 6/55-10-01								
G5510023 S	* HORIZONTAL STABILIZER ACTUATOR VERTICAL TAIL ATTACHMENT - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/55-30-01PROC. REF: NDT PART 6/55-30-01								
H5510033 S	* HORIZONTAL STABILIZER ACTUATOR ATTACHMENT BOLTS - PERFORM LIQUID PENETRANT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 8/27-40-01PROC. REF: NDT PART 8/27-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
M5510010	* HORIZONTAL STABILIZER AFT ROOT RIB - PERFORM EDDY CURRENT INSPECTION. INSPECT AFT ROOT RIB INTERNAL BETWEEN MID SPAR AND AFT SPAR AND UPPER AND LOWER SKINS EXTERNAL AT ATTACHMENT FASTENERS.							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:4800		4800		1187.2	
	AFL	0						
PROC. REF: NDT PART 6/55-10-03	PROC. REF: NDT PART 6/55-10-03							
M5540022	RUDDER TORQUE TUBE - PERFORM BORESCOPE INSPECTION							Service ATA:55
	MOS/MSC	06-May-11	N/A					
	HRS	527.4						
	AFL	469						
PROC. REF: AMM 05-10-00	PROC. REF: AMM 05-10-00							
N5510005 S	* HORIZONTAL STABILIZER REAR SPAR CAP - PERFORM EDDY CURRENT INSPECTION. INSPECT REAR SPAR CAP AND WEB AT CENTER SPLICE							Service ATA:55
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:20
PROC. REF: NDT PART 6/55-10-05	PROC. REF: NDT PART 6/55-10-05							
N5510015 S	* VERTICAL STABILIZER PIVOT FITTING TOP PLATE - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:20
PROC. REF: NDT PART 6/55-30-02	PROC. REF: NDT PART 6/55-30-02							
N5510016 S	* VERTICAL STABILIZER PIVOT FITTING TOWER SECTION FORWARD RADIUS - PERFORM EDDY CURRENT INSPECTION. INSPECT PIVOT FITTING AT TOWER SECTION RADIUS, PIVOT FITTING AND TOP PLATE AROUND ADJACENT FASTENERS, AND PIVOT FITTING SIDES AT TOWER SECTION RADIUS.							Service ATA:55
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:20
PROC. REF: NDT PART 6/55-30-03	PROC. REF: NDT PART 6/55-30-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
N5510069 S	* HORIZONTAL STABILIZER MID SPAR FLANGE ROOT RIB ATTACHMENT - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:20
PROC. REF: NDT PART 6/55-10-02PROC. REF: NDT PART 6/55-10-02								
N5510082 S	* HORIZONTAL STABILIZER REAR SPAR FLANGE ROOT RIB ATTACHMENT - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:20
PROC. REF: NDT PART 6/55-10-04PROC. REF: NDT PART 6/55-10-04								
P5510006 S	* VERTICAL STABILIZER FRONT SPAR AND MID SPAR - PERFORM RADIOGRAPHIC INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 2/55-30-01PROC. REF: NDT PART 2/55-30-01								
P5510008 S	* HORIZONTAL STABILIZER PRIMARY AND SECONDARY ATTACH BOLTS - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 7/55-30-02, NDT PART 7/55-30-03PROC. REF: NDT PART 7/55-30-02, NDT PART 7/55-30-03								
P5510009 S	* HORIZONTAL STABILIZER MID SPAR UPPER CAP BL 0.0 TO BL 4.0 - PERFORM X-RAY INSPECTION							Service ATA:55
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:20
PROC. REF: NDT PART 2/55-10-03PROC. REF: NDT PART 2/55-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
P5510011 S	* HORIZONTAL STABILIZER MID SPAR AND REAR SPAR UPPER FLANGE AT ROOT RIB - PERFORM RADIOGRAPHIC INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 2/55-10-01PROC. REF: NDT PART 2/55-10-01								
P5510017 S	* VERTICAL STABILIZER PIVOT FITTING TOWER SECTION - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:20
PROC. REF: NDT PART 6/55-30-05PROC. REF: NDT PART 6/55-30-05								
P5510018 S	* VERTICAL STABILIZER PIVOT FITTING LUGS - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/55-30-04PROC. REF: NDT PART 6/55-30-04								
P5510019 S	* ELEVATOR HINGES ON HORIZONTAL STABILIZER - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/55-20-02PROC. REF: NDT PART 6/55-20-02								
P5510020 S	* HORIZONTAL MID SPAR UPPER CAP - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/55-10-07PROC. REF: NDT PART 6/55-10-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
P5510024 S	* ELEVATOR CONTROL HORN - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/55-20-01PROC. REF: NDT PART 6/55-20-01								
P5510070 S	* HORIZONTAL STABILIZER FRONT SPAR - PERFORM RADIOGRAPHIC INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 2/55-10-02PROC. REF: NDT PART 2/55-10-02								
P5510073 S	* HORIZONTAL REAR SPAR UPPER CAP - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/55-10-07PROC. REF: NDT PART 6/55-10-07								
P5510092 S	* HORIZONTAL STABILIZER UPPER SPAR SPLICE DOUBLER - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:20
PROC. REF: NDT PART 6/55-10-06PROC. REF: NDT PART 6/55-10-06								
P5520001 S	* ELEVATOR HINGE ATTACH BOLT - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 7/27-30-01PROC. REF: NDT PART 7/27-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
P5520002 S	* ELEVATOR HINGE PIN - PERFORM LIQUID PENETRANT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 8/55-30-01PROC. REF: NDT PART 8/55-30-01								
P5520021 S	* ELEVATOR HINGE FITTINGS - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/55-30-07PROC. REF: NDT PART 6/55-30-07								
P5520022 S	* ELEVATOR HINGE PRIMARY AND SECONDARY ATTACH BOLTS - PERFORM LIQUID PENETRANT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 8/27-30-01, NDT PART 8/27-30-02PROC. REF: NDT PART 8/27-30-01, NDT PART 8/27-30-02								
P5540001 S	* RUDDER SPAR - PERFORM DETAILED VISUAL INSPECTION. INSPECT SPAR CAPS AND FASTENERS							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
P5540002 S	* RUDDER ATTACH BOLT - PERFORM LIQUID PENETRANT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 8/55-30-02PROC. REF: NDT PART 8/55-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
Q5510007 S	* VERTICAL STABILIZER SKIN AND LOWER AFT SPAR CAP - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/55-30-06PROC. REF: NDT PART 6/55-30-06								
Q5530011 S	* VERTICAL STABILIZER SKIN AND UPPER AFT SPAR CAP - PERFORM EDDY CURRENT INSPECTION							Service ATA:55
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:20
PROC. REF: NDT PART 6/55-30-06PROC. REF: NDT PART 6/55-30-06								
T5510004 S	* RUDDER HINGE FITTINGS - PERFORM VISUAL INSPECTION. CONTROL SURFACE REMOVAL NOT REQUIRED.							Service ATA:55
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
W5510091	* HORIZONTAL STABILIZER HINGE PRIMARY AND SECONDARY PIVOT PIN INSTALLATION AND ATTACHING HARDWARE - PERFORM DETAILED VISUAL INSPECTION							Service ATA:55
	MOS	05-Jan-24						MANDATORY
	HRS	3148.1	625		3773.1		160.3	
	AFL	2831						
	APH							
PROC. REF: AMM 05-10-00, AMM 55-10-00PROC. REF: AMM 05-10-00, AMM 55-10-00								
Y5510001 S	HORIZONTAL STABILIZER - PERFORM EXTERNAL VISUAL INSPECTION							Service ATA:55
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
Y5510002 S		ELEVATOR HINGES ON HORIZONTAL STABILIZER - PERFORM VISUAL INSPECTION. INSPECT HINGE LUGS ON HORIZONTAL TAIL SIDE OF JOINT. INSPECT HILITE COLLARS AT BL 0.0 AND OUTBOARD ELEVATOR HINGE.						Service ATA:55
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Y5510003 S		VERTICAL STABILIZER PIVOT FITTING - PERFORM VISUAL INSPECTION. INSPECT HI-LITE COLLARS COMMON TO THE PIVOT FITTING (MID SPAR, AFT SPAR, TOP PLATE, AND UP/DOWN SPRING BRACKET).						Service ATA:55
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 55-00-01PROC. REF: AMM 55-00-01								
Y5510093 S		HORIZONTAL STABILIZER - PERFORM VISUAL INSPECTION OF HI-LITE COLLARS IN THE FOLLOWING AREAS: - FORWARD SPAR TO BL 0.0 RIB - CENTER SPAR TO BL 0.0 RIB - CENTER SPAR SPLICE PLATE - AFT SPAR SPLICE PLATE - ROOT RIBS AT BL 3.70 (RIGHT AND LEFT) - UPPER DOUBLER SPAR SPLICE, BL 0.0 - HSTA UPPER ATTACH FITTING STRUCTURE						Service ATA:55
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 55-00-01PROC. REF: AMM 55-00-01								
Y5510094 S		LOWER BRACKET, HORIZONTAL STABILIZER TRIM ACTUATOR - PERFORM BORESCOPE INSPECTION OF HI-LITE COLLARS COMMON TO RIB NO. 6 AND MID SPAR.						Service ATA:55
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:14
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								
Y5540012 S		RUDDER TORQUE TUBE - LOOSEN TORQUE TUBE BONDING CLAMP AND PERFORM DETAILED VISUAL INSPECTION OF AREA AROUND BONDING CLAMP FOR CORROSION.						Service ATA:55
	MOS/MSC	05-Sep-25	N/A					NOT APPLICABLE
	HRS	3327						
	AFL	3014						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: AMM 27-20-01PROC. REF: AMM 27-20-01								
ATA 56 - WINDOWS								
561001	LEFT WINDSHIELD							Component ATA:56
PN:6656100001-001	MOS/MSC	23-Nov-13	O/C					
SN:1765	HRS	1395.9						
	AFL	1288						
PROC. REF: AMM 56-10-01, AMM 56-10-01PROC. REF: AMM 56-10-01, AMM 56-10-01								
561002	RIGHT WINDSHIELD							Component ATA:56
PN:6656100001-002	MOS/MSC	23-Nov-13	O/C					
SN:1726	HRS	1395.9						
	AFL	1288						
PROC. REF: AMM 56-10-01, AMM 56-10-01PROC. REF: AMM 56-10-01, AMM 56-10-01								
562010-1	LEFT NO.1 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01PROC. REF: AMM 56-20-01								
562010-10	RIGHT NO.5 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01PROC. REF: AMM 56-20-01								
562010-11	LEFT NO.6 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01PROC. REF: AMM 56-20-01								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562010-12	RIGHT NO.6 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							
562010-13	LEFT NO.7 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							
562010-14	RIGHT NO.7 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							
562010-15	LEFT NO.8 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							
562010-16	EMERGENCY EXIT WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 52-20-06	PROC. REF: AMM 52-20-06							
562010-2	RIGHT NO.1 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562010-3	LEFT NO.2 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							
562010-4	RIGHT NO.2 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							
562010-5	LEFT NO.3 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							
562010-6	RIGHT NO.3 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							
562010-7	LEFT NO.4 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							
562010-8	RIGHT NO.4 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01	PROC. REF: AMM 56-20-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
562010-9	LEFT NO.5 CABIN WINDOW							Component ATA:56
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-20-01PROC. REF: AMM 56-20-01								
L5600010 S	* CABIN WINDOWS (INCLUDING THE EMERGENCY EXIT WINDOW) - PERFORM DETAILED VISUAL INSPECTION							Service ATA:56
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
N5600003	* LEFT WINDSHIELD - PERFORM ULTRASONIC INSPECTION OF STRUCTURAL PLIES							Service ATA:56
PN:6656100001-001	MOS/MSC	23-Nov-13	N/A					
SN:1765	HRS	1395.9						
	AFL	1288						
PROC. REF: NDT PART 4/56-10-01PROC. REF: NDT PART 4/56-10-01								
N5600003	* RIGHT WINDSHIELD - PERFORM ULTRASONIC INSPECTION OF STRUCTURAL PLIES							Service ATA:56
PN:6656100001-002	MOS/MSC	23-Nov-13	N/A					
SN:1726	HRS	1395.9						
	AFL	1288						
PROC. REF: NDT PART 4/56-10-01PROC. REF: NDT PART 4/56-10-01								
N5600012	* LEFT WINDSHIELD - PERFORM BOLT HOLE INSPECTION							Service ATA:56
PN:6656100001-001	MOS	23-Nov-13						AIRWORTHINESS
SN:1765	HRS	1395.9	4800		6195.9		2583.1	
	AFL	1288						
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01								
N5600012	* RIGHT WINDSHIELD - PERFORM BOLT HOLE INSPECTION							Service ATA:56
PN:6656100001-002	MOS	23-Nov-13						AIRWORTHINESS
SN:1726	HRS	1395.9	4800		6195.9		2583.1	
	AFL	1288						
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
W5600002	** WINDSHIELD - PERFORM RAIN REMOVAL COATING EFFECTIVENESS TEST							Service ATA:56
	MOS	05-Sep-25	12 (+14d/-14d)		05-Sep-26	19-Sep-26	OVD	AIRWORTHINESS
	HRS	3327						
	AFL	3014						
	APH							
PROC. REF: AMM 56-10-01, AMM 56-10-01PROC. REF: AMM 56-10-01, AMM 56-10-01								
Y5600000 S	WINDSHIELDS - PERFORM VISUAL INSPECTION (INTERIOR AND EXTERIOR)							Service ATA:56
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5600001 S	CABIN WINDOWS - PERFORM VISUAL INSPECTION							Service ATA:56
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:7
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5600013 S	WINDSHIELDS - PERFORM VISUAL INSPECTION OF THE AERODYNAMIC SEAL							Service ATA:56
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:1
PROC. REF: AMM 56-10-01, AMM 56-10-01PROC. REF: AMM 56-10-01, AMM 56-10-01								
ATA 57 - WINGS								
571001	WING ASSEMBLY							Component ATA:57
PN:4557000004-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:267302600522	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
571010	LEFT MAIN LANDING GEAR ACTUATOR FITTING							Component ATA:57
PN:4532103041-010PP	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:18694/6-05	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		16739	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
571011	RIGHT MAIN LANDING GEAR ACTUATOR FITTING							Component ATA:57
PN:4532103041-009PP	MOS	29-Apr-09		TSN 0				LIFE LIMIT
SN:18692/6-01	HRS	0		TSN 0				
	AFL	0	20000	TSN 0	20000		16739	
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01								
573001	LEFT WINGLET FILLER							Component ATA:57
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
573002	RIGHT WINGLET FILLER							Component ATA:57
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
573090	LEFT WING WINGLET							Component ATA:57
PN:4557300006-001/00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:241859900522	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-30-01PROC. REF: AMM 57-30-01								
573091	LEFT WINGLET LEADING EDGE ASSEMBLY							Component ATA:57
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-30-01PROC. REF: AMM 57-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
573092	RIGHT WING WINGLET							Component ATA:57
PN:4557300006-002/00	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:774995100522	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-30-01	PROC. REF: AMM 57-30-01							
573093	RIGHT WINGLET LEADING EDGE ASSEMBLY							Component ATA:57
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-30-01	PROC. REF: AMM 57-30-01							
574005	LEFT INBOARD LEADING EDGE							Component ATA:57
PN:4557400005-039	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:946287700526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01	PROC. REF: AMM 57-40-01							
574007	RIGHT INBOARD LEADING EDGE							Component ATA:57
PN:4557400005-040	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:946273300526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01	PROC. REF: AMM 57-40-01							
574011	LEFT INBOARD LEADING EDGE ACCESS SECTION							Component ATA:57
PN:4557400005-037	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:946309000526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01	PROC. REF: AMM 57-40-01							
574013	RIGHT INBOARD LEADING EDGE ACCESS SECTION							Component ATA:57
PN:4557400005-038	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:946293800526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01	PROC. REF: AMM 57-40-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
574033	LEFT CENTER LEADING EDGE							Component ATA:57
PN:4557400005-041	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:832686800525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01	PROC. REF: AMM 57-40-01							
574035	RIGHT CENTER LEADING EDGE							Component ATA:57
PN:4557400005-042	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:946143900526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01	PROC. REF: AMM 57-40-01							
574039	LEFT OUTBOARD LEADING EDGE ACCESS SECTION							Component ATA:57
PN:4557400005-045	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:946092100523	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01	PROC. REF: AMM 57-40-01							
574041	RIGHT OUTBOARD LEADING EDGE ACCESS SECTION							Component ATA:57
PN:4557400005-044	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:695301700527	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01	PROC. REF: AMM 57-40-01							
574050	LEFT OUTBOARD LEADING EDGE							Component ATA:57
PN:4557400005-043	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:988025100522	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01	PROC. REF: AMM 57-40-01							
574051	RIGHT OUTBOARD LEADING EDGE							Component ATA:57
PN:4557400005-046	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:946082200527	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 57-40-01	PROC. REF: AMM 57-40-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
575001	LEFT FLAP ASSEMBLY							Component ATA:57
PN:4557500006-009	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:267291500525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-01	PROC. REF: AMM 27-50-01							
575002	RIGHT FLAP ASSEMBLY							Component ATA:57
PN:4557500006-010	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:267293500525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-50-01	PROC. REF: AMM 27-50-01							
576001	LEFT AILERON							Component ATA:57
PN:4557600003-001	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:286134500525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-02	PROC. REF: AMM 27-10-02							
576002	RIGHT AILERON							Component ATA:57
PN:4557600003-002	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:221173400525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-02	PROC. REF: AMM 27-10-02							
576003	UPPER AILERON QUADRANT ASSEMBLY							Component ATA:57
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-07	PROC. REF: AMM 27-10-07							
576004	LOWER AILERON QUADRANT ASSEMBLY							Component ATA:57
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-07	PROC. REF: AMM 27-10-07							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
576037	LEFT AILERON BOLTS (X3)							Component ATA:57
PN:PN	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-02	PROC. REF: AMM 27-10-02							
576038	RIGHT AILERON BOLTS (X3)							Component ATA:57
PN:PN	MOS/MSC	29-Apr-09	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-02	PROC. REF: AMM 27-10-02							
577001	LEFT SPOILER --							Component ATA:57
PN:4557700003-043	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:753024100522	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-01	PROC. REF: AMM 27-60-01							
577002	RIGHT SPOILER --							Component ATA:57
PN:4557700003-044	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:736850300524	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-60-01	PROC. REF: AMM 27-60-01							
A5760004	* LEFT AILERON BOLTS (X3) - PERFORM MAGNETIC PARTICLE INSPECTION OR REPLACE							Service ATA:57
PN:PN	MOS	29-Apr-09						AIRWORTHINESS
SN:UNKNOWN	HRS	0	9600		9600		5987.2	
	AFL	0						
A5760004	* RIGHT AILERON BOLTS (X3) - PERFORM MAGNETIC PARTICLE INSPECTION OR REPLACE							Service ATA:57
PN:PN	MOS	29-Apr-09						AIRWORTHINESS
SN:UNKNOWN	HRS	0	9600		9600		5987.2	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
AC5710190	* LEFT WING CENTER SECTION (PANELS 510AC, 510BC, 510BL AND 610BR REMOVED AND PANELS 510AL, 610AR, 720BL, AND 730BR LOWERED) - PERFORM VISUAL INSPECTION. INSPECT STRUCTURE FOR CORROSION OR DETERIORATION OF PROTECTIVE TREATMENT.							Service ATA:57
	MOS	20-Feb-20	96 (+14d/-14d)		20-Feb-28	05-Mar-28	507 d (+14)	
	HRS	2500.3						
	AFL	2220						
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
AC5710190	* RIGHT WING CENTER SECTION (PANELS 510AC, 510BC, 510BL AND 610BR REMOVED AND PANELS 510AL, 610AR, 720BL, AND 730BR LOWERED) - PERFORM VISUAL INSPECTION. INSPECT STRUCTURE FOR CORROSION OR DETERIORATION OF PROTECTIVE TREATMENT.							Service ATA:57
	MOS	20-Feb-20	96 (+14d/-14d)		20-Feb-28	05-Mar-28	507 d (+14)	
	HRS	2500.3						
	AFL	2220						
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00								
AE5710035 S	* WING LOWER SKIN AT DRAIN HOLE (4 LOCATIONS) - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-30-02PROC. REF: NDT PART 6/57-30-02								
AE5710187	* LOWER WING FUEL DRAIN HOLES (4 LOCATIONS) - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	EFF	72		11-Dec-31 *		1897 d	AIRWORTHINESS
	HRS							
	AFL							
PROC. REF: NDT PART 6/57-30-03PROC. REF: NDT PART 6/57-30-03								
E5710005 S	* WING CENTER SECTION SPAR UPPER CAPS - PERFORM VISUAL INSPECTION. INSPECT FRONT, MID, AND REAR SPAR UPPER CAPS FROM CENTERLINE TO SKIN TERMINATION AT WS 33.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
E5710019 S	* WING BOX, UPPER SKIN, SKIN/STRINGER AND SPAR CAPS - PERFORM VISUAL INSPECTION. INSPECT UPPER WING SPAR CAPS, SKIN PANEL, AND STRINGERS OF OUTER WING							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5710020 S	* WING BOX RIBS - PERFORM VISUAL INSPECTION. INSPECT ALL WING BOX RIBS EXCEPT CLOSING RIB BETWEEN FRONT AND MID SPARS AND CLOSING RIB BETWEEN MID AND REAR SPAR.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E5750051	* FLAP MAIN TRACK ROLLERS - PERFORM VISUAL INSPECTION WITH FLAPS REMOVED							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:10000		10000		6387.2	
	AFL	0						
PROC. REF: AMM 05-10-00, AMM 27-50-01PROC. REF: AMM 05-10-00, AMM 27-50-01								
E5750052	* FLAP NOSE ROLLERS - PERFORM VISUAL INSPECTION WITH FLAPS REMOVED							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:7200		7200		3587.2	
	AFL	0						
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
E5760006 S	* AILERON BASIC STRUCTURE - PERFORM VISUAL INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
L5710124 S	* AILERON DRIVE SUPPORT - PERFORM ULTRASONIC INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	4800					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 4/27-10-01PROC. REF: NDT PART 4/27-10-01								
N5710002	* WING BOX MID SPAR LOWER CAP, OUTBOARD OF JOINT AT WS 137 BETWEEN RIB NO. 7 AND 8 - PERFORM DIRECTED VISUAL INSPECTION. INSPECT MID SPAR LOWER CAP AND LOWER SKIN PANELS.							Service ATA:57
	MOS/MSC	12-Apr-10	N/A					
	HRS	186						
	AFL	169						
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
N5710004 S	* WING CENTER SECTION REAR SPAR - PERFORM EDDY CURRENT INSPECTION. INSPECT REAR SPAR LOWER CAP FROM CENTERLINE TO WS 33.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-20-02PROC. REF: NDT PART 6/57-20-02								
N5710006 S	* WING CENTER SECTION FORWARD AND AFT RIBS AT WS 6 AND FORWARD RIBS AT WS 17 - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-06PROC. REF: NDT PART 6/57-10-06								
N5710008	* WING BOX MID SPAR LOWER CAP - PERFORM ULTRASONIC INSPECTION. INSPECT MID SPAR LOWER CAP AND LOWER SKIN PANELS BETWEEN WS 99 AND WS 137							Service ATA:57
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 4/57-30-03PROC. REF: NDT PART 4/57-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
N5710009	* WING BOX MID SPAR LOWER CAP JOINT AT WS 137 - PERFORM X-RAY INSPECTION. INSPECT MID SPAR CENTER/OUTER JOINT							Service ATA:57
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 2/57-10-02PROC. REF: NDT PART 2/57-10-02								
N5710010	* WING BOX REAR SPAR LOWER CAP INBOARD OF JOINT AT WS 81 - PERFORM ULTRASONIC INSPECTION. INSPECT REAR SPAR LOWER CAP BETWEEN SKIN TERMINATION AT WS 48 AND CLOSING RIB AT WS 60.							Service ATA:57
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 4/57-30-01PROC. REF: NDT PART 4/57-30-01								
N5710011 S	* WING BOX REAR SPAR LOWER CAP JOINT AT WS 81 - PERFORM X-RAY INSPECTION. INSPECT CENTER AND OUTER REAR SPARS, LOWER SPLICE PLATE, AND LOWER SKIN BETWEEN WS 60 AND WS 90.							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 2/57-10-03PROC. REF: NDT PART 2/57-10-03								
N5710012	* WING BOX REAR SPAR LOWER CAP OUTBOARD OF JOINT AT WS 81 TO RIB NUMBER 6 - PERFORM DETAILED VISUAL INSPECTION. INSPECT OUTER REAR SPAR LOWER CAP AND AFT LOWER SKIN PANEL OUTBOARD OF REAR SPLICE AT WS 90.							Service ATA:57
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
N5710013	* WING BOX REAR SPAR LOWER CAP SKIN TERMINATION AT MS 48 - PERFORM EDDY CURRENT INSPECTION. INSPECT REAR SPAR LOWER CAP BETWEEN WS 33 AND WS 48.							Service ATA:57
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 6/57-20-04PROC. REF: NDT PART 6/57-20-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
N5710014 S	* WING BOX REAR SPAR FLAP TRACK CUTOUTS - PERFORM EDDY CURRENT INSPECTION. INSPECT FLAP TRACK CUTOUTS AT WS 65, WS 126, AND WS 184 ON REAR SPAR.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-20-01PROC. REF: NDT PART 6/57-20-01								
N5710016 S	* WING BOX BASIC SKIN/STRINGER, LOWER SKIN - PERFORM VISUAL INSPECTION. INSPECT OUTBOARD WING FORWARD AND AFT LOWER SKIN PANELS AND STRINGERS.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
N5710017 S	* WING BOX BASIC SKIN/STRINGER AT STRINGER RUN-OUT, LOWER SKIN - PERFORM VISUAL INSPECTION. INSPECT STRINGER RUN-OUTS IN FORWARD AND AFT LOWER SKIN PANELS.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
N5710021 S	* CENTER SECTION MID SPAR LOWER CAP - PERFORM EDDY CURRENT INSPECTION. INSPECT MID SPAR FROM CENTERLINE SPLICE PLATE TO SKIN TERMINATION AT MS 33.							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 6/57-10-02PROC. REF: NDT PART 6/57-10-02								
N5710022 S	* CENTER SECTION MID SPAR CENTERLINE JOINT - PERFORM EDDY CURRENT INSPECTION. INSPECT CENTER MID SPAR (CENTERLINE TO WS 17), LOWER SPLICE PLATE, AND CENTER MID SPAR JOINT FITTING LOWER CAP.							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 6/57-10-08, NDT PART 6/57-10-10PROC. REF: NDT PART 6/57-10-08, NDT PART 6/57-10-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
N5710023 S	* CENTER SECTION FRONT SPAR LOWER CAP - PERFORM EDDY CURRENT INSPECTION. INSPECT CENTER WING FRONT SPAR LOWER CAP BETWEEN SKIN TERMINATIONS (WS 31 LEFT TO WS 31 RIGHT).							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 6/57-10-03	PROC. REF: NDT PART 6/57-10-03							
N5710026	* WING BOX MID SPAR LOWER CAP - PERFORM ULTRASONIC INSPECTION. INSPECT MID SPAR LOWER CAP OUTBOARD OF ROOT RIB AT WS 33 TO WS 99.							Service ATA:57
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: NDT PART 4/57-30-03	PROC. REF: NDT PART 4/57-30-03							
N5710028 S	* WING BOX MID SPAR LOWER CAP, SKIN TERMINATION AT WS 33 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION. INSPECT MID SPAR LOWER CAP UNDERNEATH ROOT RIB (WS 33) AT POINT OF SKIN TERMINATION.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-11	PROC. REF: NDT PART 6/57-10-11							
N5710031 S	* WING BOX SKIN ACCESS COVER HOLES - PERFORM EDDY CURRENT INSPECTION. INSPECT ACCESS HOLES IN FORWARD AND AFT LOWER SKIN PANELS.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-30-01	PROC. REF: NDT PART 6/57-30-01							
N5710037 S	* WING BOX FRONT SPAR LOWER CAP - PERFORM VISUAL INSPECTION. INSPECT FRONT SPAR LOWER CAP AND LOWER FORWARD SKIN OUTBOARD OF MID-SPAR STATION (MS) 55.							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
N5710084 S	SPOILER, CENTER HINGE SPOILER SIDE - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 6/57-40-01PROC. REF: NDT PART 6/57-40-01								
N5710121 S	* WING BOX MID SPAR, OUTBOARD OF RIB NUMBER 8 - PERFORM VISUAL INSPECTION AT WS 156 AND OUTBOARD TO WS 260							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
N5710122 S	* WING BOX REAR SPAR, OUTBOARD OF RIB NUMBER 6 - PERFORM VISUAL INSPECTION AT WS 118 AND OUTBOARD TO WS 260							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
N5710123	* WING BOX MID SPAR LOWER CAP - PERFORM EDDY CURRENT INSPECTION AT TRUNNION FITTING							Service ATA:57
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 6/57-10-01PROC. REF: NDT PART 6/57-10-01								
N5710137 S	* MID SPAR AT RIB NO. 2 NEAR WS 48 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-11APROC. REF: NDT PART 6/57-10-11A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
N5710138 S	* MID SPAR AT RIB NO. 3 NEAR WS 60 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-11A	PROC. REF: NDT PART 6/57-10-11A							
N5710139 S	* FORWARD FLANGE FASTENERS AT REAR SPAR BETWEEN WS 52 AND WS 60 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 6/57-20-03	PROC. REF: NDT PART 6/57-20-03							
N5710148	* WING CENTER SECTION REAR SPAR - PERFORM EDDY CURRENT INSPECTION. INSPECT REAR SPAR LOWER CAP FROM CENTERLINE TO WS 33.							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:9500		9500		5887.2	
	AFL	0						
PROC. REF: NDT PART 6/57-20-02	PROC. REF: NDT PART 6/57-20-02							
N5710149	* WING CENTER SECTION FORWARD AND AFT RIBS AT WS 6 AND FORWARD RIBS AT WS 17 - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:10000		10000		6387.2	
	AFL	0						
PROC. REF: NDT PART 6/57-10-06	PROC. REF: NDT PART 6/57-10-06							
N5710150	* WING BOX MID SPAR LOWER CAP - PERFORM ULTRASONIC INSPECTION. INSPECT MID SPAR LOWER CAP AND LOWER SKIN PANELS BETWEEN WS 99 AND WS 137.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:6500		6500		2887.2	
	AFL	0						
PROC. REF: NDT PART 4/57-30-03	PROC. REF: NDT PART 4/57-30-03							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
N5710151	* WING BOX MID SPAR LOWER CAP JOINT AT WS 137 - PERFORM X-RAY INSPECTION. INSPECT MID SPAR CENTER/OUTER JOINT.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:6500		6500		2887.2	
	AFL	0						
PROC. REF: NDT PART 2/57-10-02	PROC. REF: NDT PART 2/57-10-02							
N5710152	* WING BOX REAR SPAR LOWER CAP INBOARD OF JOINT AT WS 81 - PERFORM ULTRASONIC INSPECTION. INSPECT REAR SPAR LOWER CAP BETWEEN SKIN TERMINATION AT WS 48 AND CLOSING RIB AT WS 60.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:6500		6500		2887.2	
	AFL	0						
PROC. REF: NDT PART 4/57-30-01	PROC. REF: NDT PART 4/57-30-01							
N5710153	* WING BOX REAR SPAR LOWER CAP JOINT AT WS 81 - PERFORM X-RAY INSPECTION. INSPECT CENTER AND OUTER REAR SPARS, LOWER SPLICE PLATE, AND LOWER SKIN BETWEEN WS 60 AND WS 90.							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:10000		10000		6387.2	
	AFL	0						
PROC. REF: NDT PART 2/57-10-03	PROC. REF: NDT PART 2/57-10-03							
N5710155	* WING BOX REAR SPAR LOWER CAP SKIN TERMINATION AT MS 48 - PERFORM EDDY CURRENT INSPECTION. INSPECT REAR SPAR LOWER CAP BETWEEN WS 33 AND WS 48.							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:6900		6900		3287.2	
	AFL	0						
PROC. REF: NDT PART 6/57-20-04	PROC. REF: NDT PART 6/57-20-04							
N5710157 S	* WING BOX BASIC SKIN/STRINGER AT STRINGER RUN-OUT, LOWER SKIN - PERFORM VISUAL INSPECTION. INSPECT STRINGER RUN-OUTS IN FORWARD AND AFT LOWER SKIN PANELS.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: AMM 05-10-00	PROC. REF: AMM 05-10-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
N5710158	* CENTER SECTION FRONT SPAR LOWER CAP - PERFORM EDDY CURRENT INSPECTION. INSPECT CENTER WING FRONT SPAR LOWER CAP BETWEEN SKIN TERMINATIONS (WS 31 LEFT TO WS 31 RIGHT).							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:10000		10000		6387.2	
	AFL	0						
PROC. REF: NDT PART 6/57-10-03	PROC. REF: NDT PART 6/57-10-03							
N5710159	* WING BOX MID SPAR LOWER CAP - PERFORM ULTRASONIC INSPECTION. INSPECT MID SPAR LOWER CAP OUTBOARD OF ROOT RIB AT WS 33 TO WS 99.							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:6800		6800		3187.2	
	AFL	0						
PROC. REF: NDT PART 4/57-30-03	PROC. REF: NDT PART 4/57-30-03							
N5710160	* WING BOX MID SPAR LOWER CAP, SKIN TERMINATION AT WS 33 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION. INSPECT MID SPAR LOWER CAP UNDERNEATH ROOT RIB (WS 33) AT POINT OF SKIN TERMINATION.							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:6800		6800		3187.2	
	AFL	0						
PROC. REF: NDT PART 6/57-10-11	PROC. REF: NDT PART 6/57-10-11							
N5710161 S	* WING BOX SKIN ACCESS COVER HOLES - PERFORM EDDY CURRENT INSPECTION. INSPECT ACCESS HOLES IN FORWARD AND AFT LOWER SKIN PANELS.							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 6/57-30-01	PROC. REF: NDT PART 6/57-30-01							
N5710163	* CENTER SECTION MID SPAR CENTERLINE JOINT - PERFORM EDDY CURRENT INSPECTION. INSPECT CENTER MID SPAR (CENTERLINE TO WS 17), LOWER SPLICE PLATE, AND CENTER MID SPAR JOINT FITTING LOWER CAP.							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:6800		6800		3187.2	
	AFL	0						
PROC. REF: NDT PART 6/57-10-08, NDT PART 6/57-10-10	PROC. REF: NDT PART 6/57-10-08, NDT PART 6/57-10-10							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
N5710164	* CENTER SECTION MID SPAR LOWER CAP - PERFORM EDDY CURRENT INSPECTION. INSPECT MID SPAR FROM CENTERLINE SPLICE PLATE TO SKIN TERMINATION AT MS 33.							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:10000		10000		6387.2	
	AFL	0						
PROC. REF: NDT PART 6/57-10-02	PROC. REF: NDT PART 6/57-10-02							
N5710165	* WING BOX REAR SPAR FLAP TRACK CUT-OUTS - PERFORM EDDY CURRENT INSPECTION. INSPECT FLAP TRACK CUT-OUTS AT WS 65, WS 126, AND WS 184 ON REAR SPAR.							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:9300		9300		5687.2	
	AFL	0						
PROC. REF: NDT PART 6/57-20-01	PROC. REF: NDT PART 6/57-20-01							
N5710168	* WING BOX MID SPAR LOWER CAP - PERFORM EDDY CURRENT INSPECTION AT TRUNNION FITTING							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:6500		6500		2887.2	
	AFL	0						
PROC. REF: NDT PART 6/57-10-01	PROC. REF: NDT PART 6/57-10-01							
N5710169	* MID SPAR AT RIB NO. 2 NEAR WS 48 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:7700		7700		4087.2	
	AFL	0						
PROC. REF: NDT PART 6/57-10-11A	PROC. REF: NDT PART 6/57-10-11A							
N5710170	* MID SPAR AT RIB NO. 3 NEAR WS 60 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:7700		7700		4087.2	
	AFL	0						
PROC. REF: NDT PART 6/57-10-11A	PROC. REF: NDT PART 6/57-10-11A							
N5710171	* FORWARD FLANGE FASTENERS AT REAR SPAR BETWEEN WS 52 AND WS 60 - PERFORM BOLT HOLE EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:6500		6500		2887.2	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: NDT PART 6/57-20-03PROC. REF: NDT PART 6/57-20-03								
N5710172	* WING BOX MID SPAR LOWER CAP - PERFORM ULTRASONIC INSPECTION AT TRUNNION FITTING							Service ATA:57
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 4/57-10-00PROC. REF: NDT PART 4/57-10-00								
N5710173	* WING BOX MID SPAR LOWER CAP - PERFORM ULTRASONIC INSPECTION AT TRUNNION FITTING							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:6500		6500		2887.2	
	AFL	0						
PROC. REF: NDT PART 4/57-10-00PROC. REF: NDT PART 4/57-10-00								
N5710174	* WING BOX REAR SPAR LOWER CAP SKIN TERMINATION AT MS 48 - PERFORM ULTRASONIC INSPECTION. INSPECT REAR SPAR LOWER CAP BETWEEN WS 33 AND WS 48.							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:10000		10000		6387.2	
	AFL	0						
PROC. REF: NDT PART 4/57-30-04PROC. REF: NDT PART 4/57-30-04								
N5710175	* WING BOX REAR SPAR LOWER CAP SKIN TERMINATION AT WS 48 - PERFORM ULTRASONIC INSPECTION. INSPECT REAR SPAR LOWER CAP BETWEEN WS 33 AND WS 48.							Service ATA:57
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
PROC. REF: NDT PART 4/57-30-04PROC. REF: NDT PART 4/57-30-04								
N5710176 S	* WING MID SPAR (CENTER SECTION) LOWER CAP AND CENTER JOINT FITTING - PERFORM ULTRASONIC INSPECTION							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 4/57-30-05PROC. REF: NDT PART 4/57-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
N5710177	* WING MID SPAR (CENTER SECTION) LOWER CAP AND CENTER JOINT FITTING - PERFORM ULTRASONIC INSPECTION							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:6800		6800		3187.2	
	AFL	0						
PROC. REF: NDT PART 4/57-30-05PROC. REF: NDT PART 4/57-30-05								
N5750005 S	* FLAP MAIN TRACK HINGE FITTINGS, TRACK, AND FLAP BOX SIDES - PERFORM VISUAL INSPECTION. INSPECT MAIN TRACK HINGE FITTINGS ON TRACK AND FLAP BOX SIDES.							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
P5710001 S	* WING DRAG LINK ATTACH FITTING - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 7/57-30-02PROC. REF: NDT PART 7/57-30-02								
P5710007 S	* WING TO FUSELAGE ATTACH FITTINGS AND LINKS - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-12PROC. REF: NDT PART 6/57-10-12								
P5710015 S	* WING BOX REAR SPAR AT AILERON HINGE - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-20PROC. REF: NDT PART 6/57-10-20								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
P5710018 S	* WING LOWER SKIN AT MID SPAR SPAN WISE JOINT - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/57-10-09PROC. REF: NDT PART 6/57-10-09								
P5710024 S	* WING REAR SPAR SIDE STAY FITTING SUPPORT STRUCTURE - PERFORM EDDY CURRENT INSPECTION.							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-20-06PROC. REF: NDT PART 6/57-20-06								
P5710025 S	* WING FRONT SPAR LOWER CAP FROM WS 33.0 TO WS 60.0 - PERFORM RADIOGRAPHIC INSPECTION							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 2/57-10-01PROC. REF: NDT PART 2/57-10-01								
P5710029 S	* WING MID-SPAR VERTICAL WEB - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/57-10-07PROC. REF: NDT PART 6/57-10-07								
P5710030 S	* WING REAR SPAR VERTICAL WEB - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600 (+25/-25)					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/57-20-05PROC. REF: NDT PART 6/57-20-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
P5710032 S	* WING RIB UPPER AFT FLANGE FILLET RADIUS AT WS 33.0 - PERFORM ULTRASONIC INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 4/57-30-02PROC. REF: NDT PART 4/57-30-02								
P5710033 S	* WING ACCESS HOLE IN CLOSING RIB BETWEEN MID AND REAR SPAR - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-05PROC. REF: NDT PART 6/57-10-05								
P5710034 S	* WING BOX JOINT TO WINGLET - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-13PROC. REF: NDT PART 6/57-10-13								
P5710083 S	* FLAP BOX BASIC STRUCTURE - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-40-02PROC. REF: NDT PART 6/57-40-02								
P5710085 S	SPOILER UPPER SKIN - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:9600 (+25/-25)					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-16PROC. REF: NDT PART 6/57-10-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
P5710086 S	SPOILER BOLTS AND HINGE PINS - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:9600 (+25/-25)					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 7/27-10-01PROC. REF: NDT PART 7/27-10-01								
P5710181 S	* WING DRAG LINK TUBE - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 7/57-30-01PROC. REF: NDT PART 7/57-30-01								
P5710182 S	* WING DRAG LINK ATTACH BOLTS - PERFORM LIQUID PENETRANT INSPECTION							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 8/57-10-01PROC. REF: NDT PART 8/57-10-01								
P5710183 S	* WING DRAG LINK ATTACH CLEVIS - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 7/57-10-01PROC. REF: NDT PART 7/57-10-01								
P5710184 S	* WING ATTACH BOLTS - PERFORM FLUORESCENT PENETRANT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 8/57-10-02PROC. REF: NDT PART 8/57-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
P5710185 S	* WING ATTACH LINKS - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 7/57-10-03PROC. REF: NDT PART 7/57-10-03								
P5710186 S	* WING ATTACH FITTINGS AT MID SPAR AND REAR SPAR - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 7/57-10-02PROC. REF: NDT PART 7/57-10-02								
P5750002 S	* FLAP FRONT SPAR CUTOUTS - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 6/57-10-15PROC. REF: NDT PART 6/57-10-15								
P5750003 S	* FLAP NOSE ROLLER RIBS - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-14PROC. REF: NDT PART 6/57-10-14								
P5750004 S	* FLAP ACTUATOR SUPPORT RIBS - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/57-10-21PROC. REF: NDT PART 6/57-10-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
P5750048 S	* FLAP TRACKS - PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 7/57-71-01PROC. REF: NDT PART 7/57-71-01								
P5750049 S	* FLAP NOSE ROLLER TRACKS - PERFORM MAGNETIC PARTICLE INSPECTION WITH FLAPS REMOVED							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 7/57-10-04PROC. REF: NDT PART 7/57-10-04								
P5750053 S	* FLAP TRACK SUPPORT RIBS - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/57-10-17PROC. REF: NDT PART 6/57-10-17								
P5750068 S	* FLAP FRONT-SPAR RIB SUPPORT STRUCTURE - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-26PROC. REF: NDT PART 6/57-10-26								
P5760000 S	* AILERON ACTUATOR HINGE FITTING - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/57-10-25PROC. REF: NDT PART 6/57-10-25								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
P5760001 S	* AILERON SKIN - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/57-10-19PROC. REF: NDT PART 6/57-10-19								
P5760002 S	* AILERON BALANCE TAB HINGE FITTINGS - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	05-Sep-25	96					AIRWORTHINESS
	HRS	3327	2400					
	AFL	3014						
								PKG:22
PROC. REF: NDT PART 6/57-60-01PROC. REF: NDT PART 6/57-60-01								
P5760003 S	* AILERON TRIM AND BALANCE TAB FRONT SPARS - PERFORM RADIOGRAPHIC INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 2/57-60-01PROC. REF: NDT PART 2/57-60-01								
P5760005 S	* AILERON HINGE LUGS AND FITTINGS - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/57-10-24PROC. REF: NDT PART 6/57-10-24								
P5760014 S	* AILERON HINGE SUPPORT STRUCTURE - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	9600					
	AFL	0						
								PKG:26
PROC. REF: NDT PART 6/57-10-23PROC. REF: NDT PART 6/57-10-23								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
P5770000 S	SPOILER HINGE ASSEMBLIES AND ACTUATOR FITTING - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						
	HRS	0	T:9600 (+25/-25)					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-22PROC. REF: NDT PART 6/57-10-22								
Q5710156 S	* WING BOX BASIC SKIN/STRINGER, LOWER SKIN - PERFORM VISUAL INSPECTION. INSPECT OUTBOARD WING FORWARD AND AFT LOWER SKIN PANELS AND STRINGERS.							Service ATA:57
	MOS	05-Sep-25	96 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:22
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
Q5710162 S	* WING BOX FRONT SPAR LOWER CAP - PERFORM VISUAL INSPECTION. INSPECT FRONT SPAR LOWER CAP AND LOWER FORWARD SKIN OUTBOARD OF MID-SPAR STATION (MS) 55.							Service ATA:57
	MOS	05-Sep-25	96 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:22
Q5710166 S	* WING BOX MID SPAR, OUTBOARD OF RIB NO. 8 - PERFORM VISUAL INSPECTION AT WS 156 AND OUTBOARD TO WS 260							Service ATA:57
	MOS	05-Sep-25	96 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:22
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Q5710167 S	* WING BOX REAR SPAR, OUTBOARD OF RIB NO. 6 - PERFORM VISUAL INSPECTION AT WS 118 AND OUTBOARD TO WS 260							Service ATA:57
	MOS	05-Sep-25	96 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:22
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
U5710147 S	* WING BOX MID SPAR LOWER CAP, OUTBOARD OF JOINT AT WS 137 BETWEEN RIB NO. 7 AND NO. 8 - PERFORM DETAILED VISUAL INSPECTION. INSPECT MID SPAR LOWER CAP AND LOWER SKIN PANELS.							Service ATA:57
	MOS	05-Sep-25	24					AIRWORTHINESS
	HRS	3327	600					
	AFL	3014						
								PKG:10
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
U5710154 S	* WING BOX REAR SPAR LOWER CAP OUTBOARD OF JOINT AT WS 81 TO RIB NO. 6 - PERFORM DETAILED VISUAL INSPECTION. INSPECT OUTER REAR SPAR LOWER CAP AND AFT LOWER SKIN PANEL OUTBOARD OF REAR SPLICE AT WS 90.							Service ATA:57
	MOS	05-Sep-25	24					AIRWORTHINESS
	HRS	3327	600					
	AFL	3014						
								PKG:10
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
V5710039 S	WINGLET SKIN - PERFORM EDDY CURRENT INSPECTION							Service ATA:57
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/57-10-18PROC. REF: NDT PART 6/57-10-18								
Y5700001 S	WINGLET - PERFORM VISUAL INSPECTION							Service ATA:57
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:4
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5700002 S	FLUX VALVE BRACKET - VISUALLY INSPECT FOR CRACKS							Service ATA:57
	MOS/MSC	05-Sep-25	N/A					NOT APPLICABLE
	HRS	3327						
	AFL	3014						
								PKG:4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
Y5710000 S	WING - PERFORM EXTERNAL VISUAL INSPECTION FROM BL 0.00 TO WS 260							Service ATA:57
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:16
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5710180 S	EXTERNAL LOWER WING SKIN - PERFORM VISUAL INSPECTION							Service ATA:57
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:10
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5730013 S	AILERON BRUSH SEALS - PERFORM DETAILED INSPECTION							Service ATA:57
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:4
PROC. REF: AMM 57-60-01PROC. REF: AMM 57-60-01								
Y5750067 S	FLAP BRACKETS - PERFORM DETAILED VISUAL INSPECTION							Service ATA:57
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:22
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y5750069 S	FLAPS - PERFORM VISUAL INSPECTION OF FLAP NOSE ROLLERS, FLAP TRACKS, FLAP NOSE ROLLER TRACKS, AND FLAP MAIN TRACK ROLLERS.							Service ATA:57
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:4
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
Y5750071 S	FLAPS - WITH FLAPS REMOVED, PERFORM DETAILED VISUAL INSPECTION OF FLAP NOSE ROLLERS, FLAP TRACKS, FLAP NOSE ROLLER TRACKS, AND FLAP MAIN TRACK ROLLERS.							Service ATA:57
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:16
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
ATA 71 - POWER PLANT								
710001 U	NO. 1 ASSEMBLY ENGINE							Component ATA:71
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
710002 U	NO. 2 ASSEMBLY ENGINE							Component ATA:71
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
710100	NO. 1 ENGINE - MAIN ENGINE WIRING HARNESS ASSEMBLY							Component ATA:71
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-02, LMM 72-00-02PROC. REF: LMM 72-00-02, LMM 72-00-02								
710100	NO. 2 ENGINE - MAIN ENGINE WIRING HARNESS ASSEMBLY							Component ATA:71
PN:3060757-3	MOS/MSC	03-Apr-13	O/C	TSN 0				
SN:12-150262-31762	HRS	1187.4		TSN 0				
	ENC	1112		TSN 0				
PROC. REF: LMM 72-00-02, LMM 72-00-02PROC. REF: LMM 72-00-02, LMM 72-00-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710130 S	NO. 1 ENGINE - INSPECT TAILPIPE/LPT3 ROTOR ASSEMBLY-VISUALLY INSPECT FOR FOREIGN OBJECT DAMAGE, THERMAL DISTRESS, AND LEAKS.							Service	ATA:71
	MOS	12-Jul-24							
	HRS	3187	800 (+50/-300)						
	ENC	2876							
									PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
710130 S	NO. 2 ENGINE - INSPECT TAILPIPE/LPT3 ROTOR ASSEMBLY-VISUALLY INSPECT FOR FOREIGN OBJECT DAMAGE, THERMAL DISTRESS, AND LEAKS.							Service	ATA:71
	MOS	12-Jul-24							
	HRS	3187	800 (+50/-300)						
	ENC	2876							
									PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
710140 S	NO. 1 ENGINE - INSPECT INLET/FAN AREA - INSPECT FOR FOREIGN OBJECT DAMAGE AND LEAKAGE (REFER TO PARAGRAPH 4.B)							Service	ATA:71
	MOS	12-Jul-24							
	HRS	3187	800 (+50/-300)						
	ENC	2876							
									PKG:0
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00									
710140 S	NO. 2 ENGINE - INSPECT INLET/FAN AREA - INSPECT FOR FOREIGN OBJECT DAMAGE AND LEAKAGE (REFER TO PARAGRAPH 4.B)							Service	ATA:71
	MOS	12-Jul-24							
	HRS	3187	800 (+50/-300)						
	ENC	2876							
									PKG:0
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00									
711001	NO. 1 ENGINE FORWARD MOUNT							Component	ATA:71
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
711002	NO. 2 ENGINE FORWARD MOUNT							Component ATA:71
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
7120006	REPLACE NO. 1 ENGINE ALL ENGINE MOUNT ISOLATOR FORWARD BONDED MOUNTING							Service ATA:71
	MOS	29-Apr-09		TAC 0				LIFE LIMIT
	HRS	0	3500	TAC 0, Ext 100	3600		OVD	
	AFL	0		TAC 0				
7120006 U	REPLACE NO. 2 ENGINE AFT ENGINE MOUNT ISOLATOR BONDED MOUNTING							Service ATA:71
PN:LM-833-SA18	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK1802	HRS	0	3500 (+100/-100)	TAC 0	3500	3600	OVD	
	AFL	0		TAC 0				
7120006 U	REPLACE NO. 2 ENGINE ALL ENGINE MOUNT ISOLATOR FORWARD BONDED MOUNTING							Service ATA:71
	MOS	29-Apr-09		TAC 0				LIFE LIMIT
	HRS	0	3500	TAC 0, Ext 100	3600		OVD	
	AFL	0		TAC 0				
712005	NO. 1 ENGINE - AFT ENGINE MOUNT - ISOLATOR ASSEMBLY							Component ATA:71
PN:LM-833-SA18	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:LK1801	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712006	NO. 2 ENGINE - AFT ENGINE MOUNT - ISOLATOR ASSEMBLY							Component ATA:71
PN:LM-833-SA18	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:LK1802	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
712007	NO. 1 ENGINE - FORWARD ENGINE MOUNT - UPPER ISOLATOR ASSEMBLY							Component ATA:71
PN:LM-833-45	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:LK6683	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712008	NO. 2 ENGINE - FORWARD ENGINE MOUNT - UPPER ISOLATOR ASSEMBLY							Component ATA:71
PN:LM-833-45	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:LK6677	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712009	NO. 1 ENGINE - FORWARD ENGINE MOUNT - LOWER ISOLATOR ASSEMBLY							Component ATA:71
PN:LM-833-45	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:LK6672	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712010	NO. 2 ENGINE - FORWARD ENGINE MOUNT - LOWER ISOLATOR ASSEMBLY							Component ATA:71
PN:LM-833-45	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:LK6686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: NDT PART 7/32-10-08, NDT PART 7/32-10-03, NDT PART 7/32-10-04, NDT PART 8/32-10-02, NDT PART 8/54-30-01, NDT PART 8/54-30-02, AMM 71-20-00PROC. REF: NDT PART 7/32-10-08, NDT PART 7/32-10-03, NDT PART 7/32-10-04, NDT PART 8/32-10-02, NDT PART 8/54-30-01, NDT PART 8/54-30-02, AMM 71-20-00								
712045	NO. 1 ENGINE AFT MOUNT							Component ATA:71
PN:4571200011-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:CDF1343	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712046	NO. 2 ENGINE AFT MOUNT							Component ATA:71
PN:4571200011-003	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:CDF-1344	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
712078	NO. 1 ENGINE AFT MOUNT BOLT							Component ATA:71
PN:PN	MOS/MSC	29-Apr-09	E/C	TSN 0				AIRWORTHINESS
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712079	NO. 2 ENGINE AFT MOUNT BOLT							Component ATA:71
PN:PN	MOS/MSC	29-Apr-09	E/C	TSN 0				AIRWORTHINESS
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
714010 S	NO. 1 ENGINE - CHECK ELECTRICAL WIRES AND CONNECTIONS - VISUALLY INSPECT FOR SECURITY AND DAMAGE							Service ATA:71
	MOS	12-Jul-24						
	HRS	3187	800 (+50/-300)					
	ENC	2876						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
714010 S	NO. 2 ENGINE - CHECK ELECTRICAL WIRES AND CONNECTIONS - VISUALLY INSPECT FOR SECURITY AND DAMAGE							Service ATA:71
	MOS	12-Jul-24						
	HRS	3187	800 (+50/-300)					
	ENC	2876						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
715010 S	NO. 1 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS - VISUALLY INSPECT FOR SECURITY, LOOSE OR BROKEN CLAMPS OR BRACKETS, LEAKS, CRACKS, CUTS, OR RUBBING							Service ATA:71
	MOS	12-Jul-24						
	HRS	3187	800 (+50/-300)					
	ENC	2876						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
715010 S	NO. 2 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS - VISUALLY INSPECT FOR SECURITY, LOOSE OR BROKEN CLAMPS OR BRACKETS, LEAKS, CRACKS, CUTS, OR RUBBING							Service ATA:71
	MOS	12-Jul-24						
	HRS	3187	800 (+50/-300)					
	ENC	2876						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
716005	NO. 1 ENGINE INLET NACELLE							Component ATA:71
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-01PROC. REF: AMM 71-10-01								
716006	NO. 2 ENGINE INLET NACELLE							Component ATA:71
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-01PROC. REF: AMM 71-10-01								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:3060084-1	MOS/MSC		E/C					
SN:P-132158C	HRS							
	AFL							
PROC. REF: SIL F731-88, AMM 71-00-01PROC. REF: SIL F731-88, AMM 71-00-01								
71EN2	NO. 2 ENGINE							Component ATA:71
PN:3060084-1	MOS/MSC		E/C					
SN:P-132157C	HRS							
	AFL							
PROC. REF: SIL F731-88, AMM 71-00-01PROC. REF: SIL F731-88, AMM 71-00-01								
AD7120006	NO. 1 ENGINE - FORWARD ENGINE MOUNT - LOWER ISOLATOR ASSEMBLY - REPLACE BONDED MOUNTING							Service ATA:71
PN:LM-833-45	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK6672	HRS	0	3500	TAC 0, Ext 100	3600		OVD	
	AFL	0		TAC 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
AD7120006	NO. 1 ENGINE - FORWARD ENGINE MOUNT - UPPER ISOLATOR ASSEMBLY - REPLACE BONDED MOUNTING							Service ATA:71
PN:LM-833-45	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK6683	HRS	0	3500 (+100/-100)	TAC 0	3500	3600	OVD	
	AFL	0		TAC 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
AD7120006	NO. 2 ENGINE - FORWARD ENGINE MOUNT - LOWER ISOLATOR ASSEMBLY - REPLACE BONDED MOUNTING							Service ATA:71
PN:LM-833-45	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK6686	HRS	0	3500 (+100/-100)	TAC 0	3500	3600	OVD	
	AFL	0		TAC 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
AD7120006	NO. 2 ENGINE - FORWARD ENGINE MOUNT - UPPER ISOLATOR ASSEMBLY - REPLACE BONDED MOUNTING							Service ATA:71
PN:LM-833-45	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK6677	HRS	0	3500 (+100/-100)	TAC 0	3500	3600	OVD	
	AFL	0		TAC 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
AD7120006 U	REPLACE NO. 1 ENGINE AFT ENGINE MOUNT ISOLATOR BONDED MOUNTING							Service ATA:71
PN:LM-833-SA18	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK1801	HRS	0	3500 (+100/-100)	TAC 0	3500	3600	OVD	
	AFL	0		TAC 0				
AD7120075	NO. 1 ENGINE - AFT ENGINE MOUNT - ISOLATOR ASSEMBLY - PERFORM DETAILED INSPECTION OF AFT ISOLATOR ASSEMBLY AND ASSOCIATED PARTS							Service ATA:71
	MOS							
	HRS	0	3500	Ext 100	3600		OVD	
	AFL							
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
AD7120075	NO. 2 ENGINE - AFT ENGINE MOUNT - ISOLATOR ASSEMBLY - PERFORM DETAILED INSPECTION OF AFT ISOLATOR ASSEMBLY AND ASSOCIATED PARTS							Service ATA:71
	MOS							
	HRS	0	3500	Ext 100	3600		OVD	
	AFL							
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
K7120004	NO. 1 ENGINE - AFT ENGINE MOUNT - ISOLATOR ASSEMBLY - REPLACE HOUSING							Service ATA:71
PN:LM-833-SA18	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK1801	HRS	0	15000	TAC 0	15000		11387.2	
	AFL	0		TAC 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
K7120004	NO. 1 ENGINE - FORWARD ENGINE MOUNT - LOWER ISOLATOR ASSEMBLY - REPLACE HOUSING							Service ATA:71
PN:LM-833-45	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK6672	HRS	0	15000	TAC 0	15000		11387.2	
	AFL	0		TAC 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
K7120004	NO. 1 ENGINE - FORWARD ENGINE MOUNT - UPPER ISOLATOR ASSEMBLY - REPLACE HOUSING							Service ATA:71
PN:LM-833-45	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK6683	HRS	0	15000	TAC 0	15000		11387.2	
	AFL	0		TAC 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
K7120004	NO. 2 ENGINE - AFT ENGINE MOUNT - ISOLATOR ASSEMBLY - REPLACE HOUSING							Service ATA:71
PN:LM-833-SA18	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK1802	HRS	0	15000	TAC 0	15000		11387.2	
	AFL	0		TAC 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							
K7120004	NO. 2 ENGINE - FORWARD ENGINE MOUNT - LOWER ISOLATOR ASSEMBLY - REPLACE HOUSING							Service ATA:71
PN:LM-833-45	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK6686	HRS	0	15000	TAC 0	15000		11387.2	
	AFL	0		TAC 0				
PROC. REF: AMM 71-20-00	PROC. REF: AMM 71-20-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
K7120004	NO. 2 ENGINE - FORWARD ENGINE MOUNT - UPPER ISOLATOR ASSEMBLY - REPLACE HOUSING							Service ATA:71
PN:LM-833-45	MOS	29-Apr-09		TAC 0				LIFE LIMIT
SN:LK6677	HRS	0	15000	TAC 0	15000		11387.2	
	AFL	0		TAC 0				
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
K7120004 U	REPLACE ALL FORWARD AND AFT ENGINE MOUNT ISOLATOR HOUSINGS							Service ATA:71
	MOS	29-Apr-09						LIFE LIMIT
	HRS	0	15000 (+25/-25)		15000	15025	11387.2 (+25)	
	AFL	0						
P7120001 S	* FORWARD ENGINE MOUNT - PERFORM EDDY CURRENT INSPECTION							Service ATA:71
	MOS	29-Apr-09						AIRWORTHINESS
	HRS	0	T:9600					
	AFL	0						
								PKG:25
PROC. REF: NDT PART 6/71-10-01PROC. REF: NDT PART 6/71-10-01								
Q7110004	NO. 1 ENGINE INLET - PERFORM TAP TEST							Service ATA:71
	MOS	27-Apr-13						
	HRS	1197	3500 (+100/-100)		3500 (M)	3600	OVD	
	AFL	1122						
PROC. REF: AMM 71-10-01PROC. REF: AMM 71-10-01								
Q7110004	NO. 2 ENGINE INLET - PERFORM TAP TEST							Service ATA:71
	MOS	27-Apr-13						
	HRS	1197	3500 (+100/-100)		3500 (M)	3600	OVD	
	AFL	1122						
PROC. REF: AMM 71-10-01PROC. REF: AMM 71-10-01								
R7100032	LEFT ENGINE NACELLE TUBES - PERFORM DETAILED VISUAL INSPECTION							Service ATA:71
	MOS/MSC	23-Jan-10	N/A					NOT APPLICABLE
	HRS	142.3						
	AFL	128						
PROC. REF: AMM 71-10-03PROC. REF: AMM 71-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
Y7100002 S		LOWER ENGINE COWLING - VISUALLY INSPECT LATCH CHANNELS FOR CHAFING						Service ATA:71
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:9
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y7110000 S		ENGINE NACELLE - PERFORM VISUAL INSPECTION. INSPECT INLET BULKHEAD, STRUCTURE, PLUMBING, SKIN SPOT WELDS, ANTI-ICE OUTLET SCREEN, AND FASTENERS FOR SECURITY, CRACKS, AND GENERAL CONDITION.						Service ATA:71
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:9
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y7110001 S		ENGINE INLET LIP AND DUCT - PERFORM VISUAL INSPECTION						Service ATA:71
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:9
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y7110002 S		ENGINE STARTER/GENERATOR INLET AND EXHAUST DUCT AND SEALS - PERFORM VISUAL INSPECTION						Service ATA:71
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:9
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y7110003 S		ENGINE ALTERNATOR EXHAUST DUCT AND SEALS - PERFORM VISUAL INSPECTION						Service ATA:71
	MOS	05-Sep-25	24 (+14d/-14d)					
	HRS	3327	600 (+25/-25)					
	AFL	3014						
								PKG:9
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
Y7120000 S	FORWARD ENGINE MOUNTS - PERFORM VISUAL INSPECTION							Service ATA:71
	MOS	05-Sep-25	12 (+14d/-14d)					
	HRS	3327	300 (+25/-25)					
	AFL	3014						
								PKG:3
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
ATA 72 - ENGINE								
72-AS-720005	NO. 1 ENGINE - INSPECT MAJOR PERIODIC PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	19-Dec-08						
	HRS	0	3500 (+100)		(3500) 3500	3600	OVD	
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-AS-720005	NO. 2 ENGINE - INSPECT MAJOR PERIODIC PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	18-Dec-08						
	HRS	0	3500 (+100)		(3500) 3500	3600	OVD	
	ENC	0						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-AS-720006 S	NO. 1 ENGINE - INSPECT COMB CHAMBER PLENUM CASE INSP PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	19-Dec-08						
	HRS	0	3500 (+100/-100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-AS-720006 S	NO. 2 ENGINE - INSPECT COMB CHAMBER PLENUM CASE INSP PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	18-Dec-08						
	HRS	0	3500 (+100/-100)					
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-AS-720007	NO. 1 ENGINE - INSPECT COMPRESSOR ZONE PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	19-Dec-08						
	HRS	0	7000 (+200)		(7000) 7000	7200	3387.2 (+200)	
	ENC	0						
PROC. REF: LMM 72-00-00	PROC. REF: LMM 72-00-00							
72-AS-720007	NO. 2 ENGINE - INSPECT COMPRESSOR ZONE PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	18-Dec-08						
	HRS	0	7000 (+200)		(7000) 7000	7200	3387.2 (+200)	
	ENC	0						
PROC. REF: LMM 72-00-00	PROC. REF: LMM 72-00-00							
72-AS-720008 S	NO. 1 ENGINE - INSPECT AGB PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	19-Dec-08						
	HRS	0	7000 (+200/-200)					
	ENC	0						
PROC. REF: LMM 72-60-02	PROC. REF: LMM 72-60-02							
72-AS-720008 S	NO. 2 ENGINE - INSPECT AGB PER MANUFACTURERS INSTRUCTIONS							Service ATA:72
	MOS	18-Dec-08						
	HRS	0	7000 (+200/-200)					
	ENC	0						
PROC. REF: LMM 72-60-02	PROC. REF: LMM 72-60-02							
72-AS-720010	NO. 1 ENGINE - ANALYSIS OIL AND FILTER (BASELINE/SPECIAL REQUIREMENT) (SOAP)							Service ATA:72
	MOS/MSC	15-Mar-21	A/R					
	HRS	2610.6						
	ENC	2319						
PROC. REF: LMM 72-00-00	PROC. REF: LMM 72-00-00							
72-AS-720010	NO. 2 ENGINE - ANALYSIS OIL AND FILTER (BASELINE/SPECIAL REQUIREMENT) (SOAP)							Service ATA:72
	MOS/MSC	29-Apr-09	A/R					
	HRS	10.7						
	ENC	8						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
72-AS-720011	NO. 1 ENGINE - REPLACE FUEL FILTER ELEMENT (25-HR INITIAL)							Service ATA:72
	MOS/MSC	29-Apr-09	A/R					
	HRS	10.7						
	ENC	8						
PROC. REF: LMM 73-21-02PROC. REF: LMM 73-21-02								
72-AS-720011	NO. 2 ENGINE - REPLACE FUEL FILTER ELEMENT (25-HR INITIAL)							Service ATA:72
	MOS/MSC	29-Apr-09	A/R					
	HRS	10.7						
	ENC	8						
PROC. REF: LMM 73-21-02PROC. REF: LMM 73-21-02								
720110	NO. 1 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:3060827-2	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:S-3168	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-60-02, LMM 72-60-02PROC. REF: LMM 72-60-02, LMM 72-60-02								
720110	NO. 2 ENGINE - ACCESSORY GEARBOX							Component ATA:72
PN:3060827-2	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:S-3172	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-60-02, LMM 72-60-02PROC. REF: LMM 72-60-02, LMM 72-60-02								
720244	NO. 1 ENGINE - NO. 6 CARBON SEAL ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720244	NO. 2 ENGINE - NO. 6 CARBON SEAL ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720245	NO. 1 ENGINE - NO. 6 BEARING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720245	NO. 2 ENGINE - NO. 6 BEARING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
722001	NO. 1 ENGINE - FAN INLET HOUSING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722001	NO. 2 ENGINE - FAN INLET HOUSING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723002	NO. 1 ENGINE - NO. 3 CARBON SEAL ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-01, LMM 72-30-01PROC. REF: LMM 72-30-01, LMM 72-30-01								
723002	NO. 2 ENGINE - NO. 3 CARBON SEAL ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-01, LMM 72-30-01PROC. REF: LMM 72-30-01, LMM 72-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723010	NO. 1 ENGINE - CHECK CARBON SEAL HEALTH							Service ATA:72
	MOS	12-Jul-24						
	HRS	3187	1600 (+50/-100)		(4787) 4787	4837	1174.2 (+50)	
	ENC	2876						
								PKG:0
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								
723010	NO. 2 ENGINE - CHECK CARBON SEAL HEALTH							Service ATA:72
	MOS	12-Jul-24						
	HRS	3187	1600 (+50/-100)		(4787) 4787	4837	1174.2 (+50)	
	ENC	2876						
								PKG:0
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								
723011	NO. 1 ENGINE - NO. 4 CARBON SEAL RUNNER							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723011	NO. 2 ENGINE - NO. 4 CARBON SEAL RUNNER							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723012	NO. 1 ENGINE - NO. 4 CARBON SEAL ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723012	NO. 2 ENGINE - NO. 4 CARBON SEAL ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723013	NO. 1 ENGINE - NO. 5 CARBON SEAL RUNNER							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723013	NO. 2 ENGINE - NO. 5 CARBON SEAL RUNNER							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723014	NO. 1 ENGINE - NO. 5 CARBON SEAL ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723014	NO. 2 ENGINE - NO. 5 CARBON SEAL ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723081	NO. 1 ENGINE - ROTATING, AIR 2ND STAGE SEAL							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723081	NO. 2 ENGINE - ROTATING, AIR 2ND STAGE SEAL							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725007	NO. 1 ENGINE - HIGH PRESSURE TURBINE (HPT) NOZZLE ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 72.500	ENC	0		TSN 0				
PROC. REF: LMM 72-50-07, LMM 72-50-07PROC. REF: LMM 72-50-07, LMM 72-50-07								
725007	NO. 2 ENGINE - HIGH PRESSURE TURBINE (HPT) NOZZLE ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 72.500	ENC	0		TSN 0				
PROC. REF: LMM 72-50-07, LMM 72-50-07PROC. REF: LMM 72-50-07, LMM 72-50-07								
725010	NO. 1 ENGINE - 1ST-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060625-1	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:080322902093	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11999		8738	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725010	NO. 2 ENGINE - 1ST-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060625-1	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:080322902094	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11999		8738	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725020	NO. 1 ENGINE - 2ND-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060611-1	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:070322905413	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11999		8738	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725020	NO. 2 ENGINE - 2ND-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060611-1	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:070322905411	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11999		8738	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725030	NO. 1 ENGINE - 3RD-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060671-2	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:080322903684	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11999		8738	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725030	NO. 2 ENGINE - 3RD-STAGE LOW PRESSURE TURBINE (LPT) DISC							Component ATA:72
PN:3060671-2	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:080322903461	HRS	0		TSN 0				
	ENC	0	12000	TSN 0	(12000) 11999		8738	
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725040	NO. 1 ENGINE - HIGH PRESSURE TURBINE (HPT) DISC							Component ATA:72
PN:3060841-1	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:081217200235	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: LMM 72-50-07, LMM 72-50-07PROC. REF: LMM 72-50-07, LMM 72-50-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725040	NO. 2 ENGINE - HIGH PRESSURE TURBINE (HPT) DISC							Component ATA:72
PN:3060841-1	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:081217200220	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: LMM 72-50-07, LMM 72-50-07PROC. REF: LMM 72-50-07, LMM 72-50-07								
725045	NO. 1 ENGINE - HIGH PRESSURE TURBINE (HPT) ASSY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
725045	NO. 2 ENGINE - HIGH PRESSURE TURBINE (HPT) ASSY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
725050	NO. 1 ENGINE - FAN DISC							Component ATA:72
PN:3060287-2	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:08-13651-04210	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19999		16738	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 2 ENGINE - FAN DISC							Component ATA:72
PN:3060287-2	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:071365104362	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19999		16738	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725060	NO. 1 ENGINE - 1ST-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3060372-1	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:08-03160-02184	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725060	NO. 2 ENGINE - 1ST-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3060372-1	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:08-03160-02881	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725070	NO. 1 ENGINE - 2ND-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3075839-1	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:070316005290	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725070	NO. 2 ENGINE - 2ND-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3075839-1	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:08-03160-02487	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725071	NO. 1 ENGINE - COMBUSTION LINER							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-03, LMM 72-40-03PROC. REF: LMM 72-40-03, LMM 72-40-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725071	NO. 2 ENGINE - COMBUSTION LINER							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-03, LMM 72-40-03PROC. REF: LMM 72-40-03, LMM 72-40-03								
725080	NO. 1 ENGINE - 3RD-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3060374-1	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:08-03160-02624	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725080	NO. 2 ENGINE - 3RD-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3060374-1	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:08-03160-02595	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725081	NO. 1 ENGINE - OUTER TRANSITION LINER							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-03, LMM 72-40-03PROC. REF: LMM 72-40-03, LMM 72-40-03								
725081	NO. 2 ENGINE - OUTER TRANSITION LINER							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-03, LMM 72-40-03PROC. REF: LMM 72-40-03, LMM 72-40-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725090	NO. 1 ENGINE - 4TH-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3075326-5	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:08-13651-17617	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725090	NO. 2 ENGINE - 4TH-STAGE LOW PRESSURE COMPRESSOR (LPC) DISC							Component ATA:72
PN:3075326-5	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:08-03501-17618	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: LMM 72-30-04PROC. REF: LMM 72-30-04								
725110	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component ATA:72
PN:3074744-1	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08P21293	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-10, LMM 72-30-10PROC. REF: LMM 72-30-10, LMM 72-30-10								
725110	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component ATA:72
PN:3074744-1	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08P21277	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-10, LMM 72-30-10PROC. REF: LMM 72-30-10, LMM 72-30-10								
725120	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR ROTOR IMPELLER							Component ATA:72
PN:3060371-1	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:08-03229-02186	HRS	0		TSN 0				
	ENC	0	8000	TSN 0	(8000) 7999		4738	
PROC. REF: LMM 72-50-06, LMM 72-50-06PROC. REF: LMM 72-50-06, LMM 72-50-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725120	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR ROTOR IMPELLER							Component ATA:72
PN:3060371-1	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:08-13651-03718	HRS	0		TSN 0				
	ENC	0	8000	TSN 0	(8000) 7999		4738	
PROC. REF: LMM 72-50-06, LMM 72-50-06PROC. REF: LMM 72-50-06, LMM 72-50-06								
725130	NO. 1 ENGINE - FAN SPINNER							Component ATA:72
PN:3060156-2	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:08-27843-00463	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19999		16738	
PROC. REF: LMM 72-70-01, LMM 72-70-01PROC. REF: LMM 72-70-01, LMM 72-70-01								
725130	NO. 2 ENGINE - FAN SPINNER							Component ATA:72
PN:3060156-2	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:08-27843-00493	HRS	0		TSN 0				
	ENC	0	20000	TSN 0	(20000) 19999		16738	
PROC. REF: LMM 72-70-01, LMM 72-70-01PROC. REF: LMM 72-70-01, LMM 72-70-01								
725140	NO. 1 ENGINE - FAN DRIVE SHAFT							Component ATA:72
PN:3060180-2	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:071366305647	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725140	NO. 2 ENGINE - FAN DRIVE SHAFT							Component ATA:72
PN:3060180-2	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:081366306400	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725160	NO. 1 ENGINE - FORWARD ROTOR HIGH PRESSURE SEAL							Component ATA:72
PN:3060698-1	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:08-03501-15861	HRS	0		TSN 0				
	ENC	0	7000	TSN 0	(7000) 6999		3738	
PROC. REF: LMM 72-70-03, LMM 72-70-03PROC. REF: LMM 72-70-03, LMM 72-70-03								
725160	NO. 2 ENGINE - FORWARD ROTOR HIGH PRESSURE SEAL							Component ATA:72
PN:3060698-1	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:08-03501-15857	HRS	0		TSN 0				
	ENC	0	7000	TSN 0	(7000) 6999		3738	
PROC. REF: LMM 72-70-03, LMM 72-70-03PROC. REF: LMM 72-70-03, LMM 72-70-03								
725170	NO. 1 ENGINE - HIGH PRESSURE SHOULDERED SHAFT							Component ATA:72
PN:3060366-3	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08P25631	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725170	NO. 2 ENGINE - HIGH PRESSURE SHOULDERED SHAFT							Component ATA:72
PN:3060366-3	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08P31127	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725180	NO. 1 ENGINE - COMBUSTION PLENUM CASE							Component ATA:72
PN:3060534-4	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08P30292	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-40-04, LMM 72-40-04PROC. REF: LMM 72-40-04, LMM 72-40-04								
725180	NO. 2 ENGINE - COMBUSTION PLENUM CASE							Component ATA:72
PN:3060534-4	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08P27654	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: LMM 72-40-04, LMM 72-40-04PROC. REF: LMM 72-40-04, LMM 72-40-04								
725210	NO. 1 ENGINE - HIGH PRESSURE TURBINE FORWARD SEAL PLATE							Component ATA:72
PN:3060514-1	MOS	19-Dec-08		TSN 0				LIFE LIMIT
SN:08-03229-04211	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725210	NO. 2 ENGINE - HIGH PRESSURE TURBINE FORWARD SEAL PLATE							Component ATA:72
PN:3060514-1	MOS	18-Dec-08		TSN 0				LIFE LIMIT
SN:08-03229-04217	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 9999		6738	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725220	NO. 1 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component ATA:72
PN:3060694-6	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08P26130	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725220	NO. 2 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component ATA:72
PN:3060694-6	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08P26132	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725230	NO. 1 ENGINE - LOW PRESSURE TURBINE (LPT) 1 NOZZLE SEAL SUPPORT							Component ATA:72
PN:3060693-1	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08-17565-05365	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725230	NO. 2 ENGINE - LOW PRESSURE TURBINE (LPT) 1 NOZZLE SEAL SUPPORT							Component ATA:72
PN:3060693-1	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08-17565-05534	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725240	NO. 1 ENGINE - LOW PRESSURE TURBINE (LPT) 1 NOZZLE ASSEMBLY							Component ATA:72
PN:3060666-7	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08P27678	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725240	NO. 2 ENGINE - LOW PRESSURE TURBINE (LPT) 1 NOZZLE ASSEMBLY							Component ATA:72
PN:3060666-7	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08P14779	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-50-04, LMM 72-50-04PROC. REF: LMM 72-50-04, LMM 72-50-04								
725250	NO. 1 ENGINE - FORWARD SHAFT HIGH PRESSURE TURBINE (HPT) COUPLING							Component ATA:72
PN:3060502-2	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08P22454	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725250	NO. 2 ENGINE - FORWARD SHAFT HIGH PRESSURE TURBINE (HPT) COUPLING							Component ATA:72
PN:3060502-2	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08P28107	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725260	NO. 1 ENGINE - AFT HIGH PRESSURE TURBINE (HPT) SHAFT COUPLING							Component ATA:72
PN:3060599-2	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08P31459	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725260	NO. 2 ENGINE - AFT HIGH PRESSURE TURBINE (HPT) SHAFT COUPLING							Component ATA:72
PN:3060599-2	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08P31463	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725270	NO. 1 ENGINE - NOZZLE LOW PRESSURE TURBINE (LPT) (A5) SEAL							Component ATA:72
PN:3073765-12	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08-17565-04948	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725270	NO. 2 ENGINE - NOZZLE LOW PRESSURE TURBINE (LPT) (A5) SEAL							Component ATA:72
PN:3073765-12	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08-17565-05767	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726005	NO. 1 ENGINE - TRANSFER GEARBOX ASSEMBLY							Component ATA:72
PN:3070093-16	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08P32777	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-60-03, LMM 72-60-03PROC. REF: LMM 72-60-03, LMM 72-60-03								
726005	NO. 2 ENGINE - TRANSFER GEARBOX ASSEMBLY							Component ATA:72
PN:3070093-16	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08P32776	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-60-03, LMM 72-60-03PROC. REF: LMM 72-60-03, LMM 72-60-03								
726010	NO. 1 ENGINE - FORWARD OIL PUMP SPUR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726010	NO. 2 ENGINE - FORWARD OIL PUMP SPUR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
726011	NO. 1 ENGINE - AFT OIL PUMP SPUR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726011	NO. 2 ENGINE - AFT OIL PUMP SPUR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726012	NO. 1 ENGINE - FORWARD ALTERNATOR SPU ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726012	NO. 2 ENGINE - FORWARD ALTERNATOR SPU ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726013	NO. 1 ENGINE - AFT ALTERNATOR SPU ANNULAR BEARING							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726013	NO. 2 ENGINE - AFT ALTERNATOR SPU ANNULAR BEARING							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726014	NO. 1 ENGINE - FORWARD AIR-OIL SEPARATOR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726014	NO. 2 ENGINE - FORWARD AIR-OIL SEPARATOR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726015	NO. 1 ENGINE - AFT AIR-OIL SEPARATOR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726015	NO. 2 ENGINE - AFT AIR-OIL SEPARATOR ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726016	NO. 1 ENGINE - FORWARD STARTER/GENERATOR SPU ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726016	NO. 2 ENGINE - FORWARD STARTER/GENERATOR SPU ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726017	NO. 1 ENGINE - AFT STARTER/GENERATOR SPU ANNULAR BEARING							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726017	NO. 2 ENGINE - AFT STARTER/GENERATOR SPU ANNULAR BEARING							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727001	NO. 1 ENGINE - BYPASS FAN STATOR							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-04, LMM 72-70-04PROC. REF: LMM 72-70-04, LMM 72-70-04								
727001	NO. 2 ENGINE - BYPASS FAN STATOR							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-04, LMM 72-70-04PROC. REF: LMM 72-70-04, LMM 72-70-04								
727005	NO. 1 ENGINE - UPPER FAN DUCT ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727005	NO. 2 ENGINE - UPPER FAN DUCT ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05								
727006	NO. 1 ENGINE - LOWER FAN DUCT ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05								
727006	NO. 2 ENGINE - LOWER FAN DUCT ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05PROC. REF: LMM 72-70-05, LMM 72-70-05								
727010 S	NO. 1 ENGINE - INSPECT BYPASS STATOR VANE ASSEMBLY.							Service ATA:72
	MOS	16-Jul-19						
	HRS	2419.3	1200 (+100/-200)					
	ENC	2132						
								PKG:0
PROC. REF: LMM 72-70-04, LMM 72-70-04, LMM 72-70-04PROC. REF: LMM 72-70-04, LMM 72-70-04, LMM 72-70-04								
727010 S	NO. 2 ENGINE - INSPECT BYPASS STATOR VANE ASSEMBLY.							Service ATA:72
	MOS	16-Jul-19						
	HRS	2419.3	1200 (+100/-200)					
	ENC	2132						
								PKG:0
PROC. REF: LMM 72-70-04, LMM 72-70-04, LMM 72-70-04PROC. REF: LMM 72-70-04, LMM 72-70-04, LMM 72-70-04								
727101	NO. 1 ENGINE - NO. 1 CARBON SEAL ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727101	NO. 2 ENGINE - NO. 1 CARBON SEAL ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727102	NO. 1 ENGINE - NO. 1 CARBON SEAL RUNNER							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727102	NO. 2 ENGINE - NO. 1 CARBON SEAL RUNNER							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727103	NO. 1 ENGINE - NO. 1 BEARING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727103	NO. 2 ENGINE - NO. 1 BEARING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727105	NO. 1 ENGINE - HELICAL RING GEAR							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727105	NO. 2 ENGINE - HELICAL RING GEAR							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
727203	NO. 1 ENGINE - NO. 3 BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-01, LMM 72-30-01PROC. REF: LMM 72-30-01, LMM 72-30-01								
727203	NO. 2 ENGINE - NO. 3 BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-30-01, LMM 72-30-01PROC. REF: LMM 72-30-01, LMM 72-30-01								
727210	NO. 1 ENGINE - PLANET HOUSING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210	NO. 2 ENGINE - PLANET HOUSING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-1	NO. 1 ENGINE - NO. 1 PLANET GEAR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727210-1	NO. 2 ENGINE - NO. 1 PLANET GEAR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-2	NO. 1 ENGINE - NO. 2 PLANET GEAR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-2	NO. 2 ENGINE - NO. 2 PLANET GEAR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-3	NO. 1 ENGINE - NO. 3 PLANET GEAR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-3	NO. 2 ENGINE - NO. 3 PLANET GEAR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-4	NO. 1 ENGINE - NO. 4 PLANET GEAR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727210-4	NO. 2 ENGINE - NO. 4 PLANET GEAR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-5	NO. 1 ENGINE - NO. 5 PLANET GEAR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
727210-5	NO. 2 ENGINE - NO. 5 PLANET GEAR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-72-03, LMM 72-72-03PROC. REF: LMM 72-72-03, LMM 72-72-03								
ATA 73 - ENGINE FUEL AND CONTROL								
730110	NO. 1 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:3070800-37	MOS/MSC	27-Mar-14	O/C					
SN:17963	HRS	1497.6						
	ENC	1376						
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
730110	NO. 2 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:3070800-47	MOS/MSC	24-Dec-19	O/C	TSR 0				
SN:17947	HRS	2483.1		TSR 0				
	ENC	2200		TSR 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
730120 S	NO. 1 ENGINE - REPLACE FUEL FILTER ELEMENT							Service ATA:73
	MOS	05-Jun-23						
	HRS	3006.7	600 (+50/-100)					
	ENC	2677						

PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02								
730120 S	NO. 2 ENGINE - REPLACE FUEL FILTER ELEMENT							Service ATA:73
	MOS	05-Jun-23						
	HRS	3006.7	600 (+50/-100)					
	ENC	2677						
								PKG:0
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02								
730130	NO. 1 ENGINE - ENGINE FUEL PUMP ASSEMBLY							Component ATA:73
PN:3060760-4	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:2936	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01, LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01, LMM 73-20-01, LMM 73-20-01								
730130	NO. 2 ENGINE - ENGINE FUEL PUMP ASSEMBLY							Component ATA:73
PN:3060760-4	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:3126	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01, LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01, LMM 73-20-01, LMM 73-20-01								
731001	NO. 1 ENGINE - MOTIVE FLOW FUEL PUMP ASSEMBLY							Component ATA:73
PN:3060759-1	MOS/MSC	03-Apr-13	O/C					
SN:0601	HRS	1187.4		TSR 0				
	ENC	1112		TSR 0				
PROC. REF: LMM 73-21-02PROC. REF: LMM 73-21-02								
731001	NO. 2 ENGINE - MOTIVE FLOW FUEL PUMP ASSEMBLY							Component ATA:73
PN:3060759-1	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:1595	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-21-02PROC. REF: LMM 73-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731005-1	NO. 1 ENGINE - NO. 1 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-1	NO. 2 ENGINE - NO. 1 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-10	NO. 1 ENGINE - NO. 10 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-10	NO. 2 ENGINE - NO. 10 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-11	NO. 1 ENGINE - NO. 11 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-11	NO. 2 ENGINE - NO. 11 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731005-12	NO. 1 ENGINE - NO. 12 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-12	NO. 2 ENGINE - NO. 12 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-2	NO. 1 ENGINE - NO. 2 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-2	NO. 2 ENGINE - NO. 2 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-3	NO. 1 ENGINE - NO. 3 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-3	NO. 2 ENGINE - NO. 3 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731005-4	NO. 1 ENGINE - NO. 4 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-4	NO. 2 ENGINE - NO. 4 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-5	NO. 1 ENGINE - NO. 5 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-5	NO. 2 ENGINE - NO. 5 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-6	NO. 1 ENGINE - NO. 6 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-6	NO. 2 ENGINE - NO. 6 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731005-7	NO. 1 ENGINE - NO. 7 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-7	NO. 2 ENGINE - NO. 7 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-8	NO. 1 ENGINE - NO. 8 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-8	NO. 2 ENGINE - NO. 8 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-9	NO. 1 ENGINE - NO. 9 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								
731005-9	NO. 2 ENGINE - NO. 9 FUEL MANIFOLD NOZZLE ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-01, LMM 73-10-01PROC. REF: LMM 73-10-01, LMM 73-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731015	NO. 1 ENGINE - FUEL PUMP PRESSURE DIFFERENTIAL INDICATOR							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
731015	NO. 2 ENGINE - FUEL PUMP PRESSURE DIFFERENTIAL INDICATOR							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
731110	NO. 1 ENGINE - PRESSURE LIMITER (PCD) VALVE							Component ATA:73
PN:3070685-11	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:18206	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
731110	NO. 2 ENGINE - PRESSURE LIMITER (PCD) VALVE							Component ATA:73
PN:3070685-11	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:18231	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01PROC. REF: LMM 73-20-01, LMM 73-20-01								
731120	NO. 1 ENGINE - FUEL FLOW DIVIDER/DRAIN VALVE							Component ATA:73
PN:394476-2	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:2823	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731120	NO. 2 ENGINE - FUEL FLOW DIVIDER/DRAIN VALVE							Component ATA:73
PN:394476-2	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:3087	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732102	NO. 1 ENGINE - RELIEF VALVE							Component ATA:73
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732102	NO. 2 ENGINE - RELIEF VALVE							Component ATA:73
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732120 S	NO. 1 ENGINE - INSPECT MOTIVE FLOW FUEL PUMP DRIVE SPLINE							Service ATA:73
	MOS	05-Jun-23						
	HRS	3006.7	600 (+50/-100)					
	ENC	2677						
								PKG:0
PROC. REF: LMM 72-00-00, LMM 73-21-04PROC. REF: LMM 72-00-00, LMM 73-21-04								
732120 S	NO. 2 ENGINE - INSPECT MOTIVE FLOW FUEL PUMP DRIVE SPLINE							Service ATA:73
	MOS	05-Jun-23						
	HRS	3006.7	600 (+50/-100)					
	ENC	2677						
								PKG:0
PROC. REF: LMM 72-00-00, LMM 73-21-04PROC. REF: LMM 72-00-00, LMM 73-21-04								
733001	NO. 1 ENGINE FUEL FLOW TRANSDUCER							Component ATA:73
PN:7600021-1	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:603615	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-31-01PROC. REF: AMM 73-31-01								
733002	NO. 2 ENGINE FUEL FLOW TRANSDUCER							Component ATA:73
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-31-01PROC. REF: AMM 73-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733013	DUAL FUEL FLOW CONVERTER (DFFC)							Component ATA:73
PN:10540B08F07	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:08101168A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-31-02	PROC. REF: AMM 73-31-02							
733031	LEFT ENGINE FUEL TEMPERATURE BULB							Component ATA:73
PN:MS28034-3	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:40541	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-31-03	PROC. REF: AMM 73-31-03							
733032	RIGHT ENGINE FUEL TEMPERATURE BULB							Component ATA:73
PN:MS28034-3	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:U1604	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-31-03	PROC. REF: AMM 73-31-03							
ATA 74 - IGNITION								
740110	NO. 1 ENGINE - IGNITION UNIT							Component ATA:74
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01	PROC. REF: LMM 74-00-01, LMM 74-00-01							
740110	NO. 2 ENGINE - IGNITION UNIT							Component ATA:74
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01	PROC. REF: LMM 74-00-01, LMM 74-00-01							
740130	NO. 1 ENGINE - 5 O'CLOCK IGNITER (#1 POSITION) PLUG							Component ATA:74
PN:3074541-4	MOS/MSC	15-Jul-14	O/C	TSN 0				
SN:UNKNOWN	HRS	1600.2		TSN 0				
	ENC	1478		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
740130	NO. 2 ENGINE - 5 O'CLOCK IGNITER (#1 POSITION) PLUG							Component ATA:74
PN:3074541-4	MOS/MSC	12-Jul-24	O/C	TSN 179				
SN:UNKNOWN	HRS	3187		TSN 0				
	ENC	2876						
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
740140 S	NO. 1 ENGINE - REMOVE AND INSPECT 5 O'CLOCK IGNITER PLUG AND LEAD							Service ATA:74
	MOS	12-Jul-24						
	HRS	3187	1600 (+50/-100)					
	ENC	2876						
								PKG:0
740140 S	NO. 2 ENGINE - REMOVE AND INSPECT 5 O'CLOCK IGNITER PLUG AND LEAD							Service ATA:74
	MOS	12-Jul-24						
	HRS	3187	1600 (+50/-100)					
	ENC	2876						
								PKG:0
740150	NO. 1 ENGINE - 7 O'CLOCK IGNITER (#2 POSITION) PLUG							Component ATA:74
PN:3074541-4	MOS/MSC	15-Jul-14	O/C	TSN 0				
SN:UNKNOWN	HRS	1600.2		TSN 0				
	ENC	1478		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
740150	NO. 2 ENGINE - 7 O'CLOCK IGNITER (#2 POSITION) PLUG							Component ATA:74
PN:3074541-4	MOS/MSC	15-Jul-14	O/C	TSN 0				
SN:UNKNOWN	HRS	1600.2		TSN 0				
	ENC	1478		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
740160 S	NO. 1 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEAD							Service ATA:74
	MOS	12-Jul-24						
	HRS	3187	1600 (+50/-100)					
	ENC	2876						
								PKG:0
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
740160 S	NO. 2 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEAD							Service ATA:74
	MOS	12-Jul-24						
	HRS	3187	1600 (+50/-100)					
	ENC	2876						
								PKG:0
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								
742011	NO. 1 ENGINE - NO. 1 IGNITION (IPC 20 REFERENCE) LEAD							Component ATA:74
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
742011	NO. 2 ENGINE - NO. 1 IGNITION (IPC 20 REFERENCE) LEAD							Component ATA:74
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
742012	NO. 1 ENGINE - NO. 2 IGNITION (IPC 25 REFERENCE) LEAD							Component ATA:74
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								
742012	NO. 2 ENGINE - NO. 2 IGNITION (IPC 25 REFERENCE) LEAD							Component ATA:74
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-00-01, LMM 74-00-01PROC. REF: LMM 74-00-01, LMM 74-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
743001	TAIL CONE RELAY (P13) PANEL							Component ATA:74
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 74-30-01PROC. REF: AMM 74-30-01								
743001-1	EMERGENCY LIGHTING (P-51) RELAY							Component ATA:74
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
743005-1	K22 RELAY							Component ATA:74
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
743005-2	K61 RELAY							Component ATA:74
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 75 - AIR								
754210	NO. 1 ENGINE - INLET PRESSURE AND TEMPERATURE SENSOR							Component ATA:75
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 75-40-01, LMM 75-40-01, LMM 75-40-01, LMM 75-40-01PROC. REF: LMM 75-40-01, LMM 75-40-01, LMM 75-40-01, LMM 75-40-01								
754210	NO. 2 ENGINE - INLET PRESSURE AND TEMPERATURE SENSOR							Component ATA:75
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
PROC. REF: LMM 75-40-01, LMM 75-40-01, LMM 75-40-01, LMM 75-40-01PROC. REF: LMM 75-40-01, LMM 75-40-01, LMM 75-40-01, LMM 75-40-01								
ATA 76 - ENGINE CONTROLS								
761013	THROTTLE CONTROL MODULE							Component ATA:76
PN:69011-17	MOS/MSC	01-Oct-21	O/C	TSR 0				
SN:1061107	HRS	2659.7		TSR 0				
	AFL	2365		TSR 0				
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02								
761201	AFT LEFT THROTTLE CABLE							Component ATA:76
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 76-10-01PROC. REF: AMM 76-10-01								
761202	AFT RIGHT THROTTLE CABLE							Component ATA:76
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 76-10-01PROC. REF: AMM 76-10-01								
761203	LEFT FORWARD THROTTLE CABLE							Component ATA:76
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 76-10-01PROC. REF: AMM 76-10-01								
761204	RIGHT FORWARD THROTTLE CABLE							Component ATA:76
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 76-10-01PROC. REF: AMM 76-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
761310	NO. 1 ENGINE - SURGE BLEED VALVE							Component ATA:76
PN:978812-7-1	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:13608	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
761310	NO. 2 ENGINE - SURGE BLEED VALVE							Component ATA:76
PN:978812-7-1	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:13998	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
761320	NO. 1 ENGINE - SOLENOID CONTROLLER VALVE							Component ATA:76
PN:109696-6-1	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:13084	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
761320	NO. 2 ENGINE - SOLENOID CONTROLLER VALVE							Component ATA:76
PN:109696-6-1	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:13085	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
761330	NO. 1 ENGINE - ENGINE (DEEC) COMPUTER							Component ATA:76
PN:2118882-1008	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:128-AW0540	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-02, LMM 76-10-02, LMM 76-10-02, LMM 76-10-02PROC. REF: LMM 76-10-02, LMM 76-10-02, LMM 76-10-02, LMM 76-10-02								
761330	NO. 2 ENGINE - ENGINE (DEEC) COMPUTER							Component ATA:76
PN:2118882-1008	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:128-AW0541	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-02, LMM 76-10-02, LMM 76-10-02, LMM 76-10-02PROC. REF: LMM 76-10-02, LMM 76-10-02, LMM 76-10-02, LMM 76-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
761330A	NO. 1 ENGINE - DOWNLOAD ENGINE (DEEC) COMPUTER ECTM							Service	ATA:76
PN:2118882-1008	MOS/MSC	27-Feb-26	A/R						
SN:128-AW0540	HRS	3457.5							
	ENC	3136							
PROC. REF: MSC CAMP EHM ADENDUMPROC. REF: MSC CAMP EHM ADENDUM									
761330A	NO. 2 ENGINE - DOWNLOAD ENGINE (DEEC) COMPUTER ECTM							Service	ATA:76
PN:2118882-1008	MOS/MSC	27-Feb-26	A/R						
SN:128-AW0541	HRS	3457.5							
	ENC	3136							
PROC. REF: MSC CAMP EHM ADENDUMPROC. REF: MSC CAMP EHM ADENDUM									
Y7600000 S	ENGINE DEEC WIRE HARNESS SHIELD OVERBRAIDS AND SHIELD TERMINATIONS - PERFORM VISUAL INSPECTION							Service	ATA:76
	MOS	05-Sep-25	48 (+14d/-14d)						
	HRS	3327	1200 (+25/-25)						
	AFL	3014							
									PKG:15
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00									
Y7600001 S	THRUST LEVER CONTROL MODULE - PERFORM FUNCTIONAL TEST							Service	ATA:76
	MOS	05-Sep-25	48 (+14d/-14d)						
	HRS	3327	1200 (+25/-25)						
	AFL	3014							
									PKG:13
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
Y7610007 S	ENGINE CONTROL CABLES - PERFORM VISUAL INSPECTION OF FORWARD AND AFT CABLE CONNECTIONS							Service	ATA:76
	MOS	05-Sep-25	48 (+14d/-14d)						
	HRS	3327	1200 (+25/-25)						
	AFL	3014							
									PKG:14
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00									
ATA 77 - ENGINE INDICATING									
5-19-00-F7720002 U	PERFORM ENGINE TEMPERATURE INDICATING SYSTEM - PERFORM ITT MARGIN CHECK. (EFFECTIVE ON AIRCRAFT 45-080 THRU 45-169 NOT MODIFIED BY SB 45-22-4.) (ZONE/ACCESS 410/420 **IRN # F7720002)							Service	ATA:77
	MOS/MSC	29-Apr-09	N/A						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
	HRS	0						
	AFL	0						
5-19-00-F7720003 U	PERFORM ENGINE TEMPERATURE INDICATING SYSTEM - PERFORM HARDWARE VALIDATION CHECK. (EFFECTIVE ON AIRCRAFT 45-080 THRU 45-169 NOT MODIFIED BY SB 45-22-4.) (ZONE/ACCESS 410/420 IRN # F7720003)							Service ATA:77
	MOS/MSC	29-Apr-09	N/A					
	HRS	0						
	AFL	0						
770101	NO. 1 ENGINE - N1 MONOPOLE							Component ATA:77
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-02PROC. REF: LMM 77-10-02								
770101	NO. 2 ENGINE - N1 MONOPOLE							Component ATA:77
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-02PROC. REF: LMM 77-10-02								
770110	NO. 1 ENGINE - N1 LEAD MONOPOLE							Component ATA:77
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-02PROC. REF: LMM 77-10-02								
770110	NO. 2 ENGINE - N1 LEAD MONOPOLE							Component ATA:77
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-02PROC. REF: LMM 77-10-02								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771210	NO. 1 ENGINE - N1 COMPENSATOR							Component ATA:77
PN:3060735-4	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:071309701224	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03, LMM 77-10-03, LMM 77-10-03, LMM 77-10-03PROC. REF: LMM 77-10-03, LMM 77-10-03, LMM 77-10-03, LMM 77-10-03								
771210	NO. 2 ENGINE - N1 COMPENSATOR							Component ATA:77
PN:3060735-2	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:061309700264	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03, LMM 77-10-03, LMM 77-10-03, LMM 77-10-03PROC. REF: LMM 77-10-03, LMM 77-10-03, LMM 77-10-03, LMM 77-10-03								
771220	NO. 1 ENGINE - N2 MONOPOLE							Component ATA:77
PN:3070722-8	MOS/MSC	13-Feb-25	O/C	TSN 0				
SN:24910301300	HRS	3263		TSN 0				
	ENC	2950		TSN 0				
PROC. REF: LMM 77-10-05, LMM 77-10-05, LMM 77-10-05, LMM 77-10-05PROC. REF: LMM 77-10-05, LMM 77-10-05, LMM 77-10-05, LMM 77-10-05								
771220	NO. 2 ENGINE - N2 MONOPOLE							Component ATA:77
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05, LMM 77-10-05, LMM 77-10-05, LMM 77-10-05PROC. REF: LMM 77-10-05, LMM 77-10-05, LMM 77-10-05, LMM 77-10-05								
772210	NO. 1 ENGINE - ITT HARNESS ASSEMBLY							Component ATA:77
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01, LMM 77-20-01, LMM 77-20-01PROC. REF: LMM 77-20-01, LMM 77-20-01, LMM 77-20-01, LMM 77-20-01								
772210	NO. 2 ENGINE - ITT HARNESS ASSEMBLY							Component ATA:77
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01, LMM 77-20-01, LMM 77-20-01PROC. REF: LMM 77-20-01, LMM 77-20-01, LMM 77-20-01, LMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
774001	ENGINE VIBRATION MONITOR BOX							Component ATA:77
PN:241-241-000-501	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:AD65595	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-41-01	PROC. REF: AMM 77-41-01							
774010	P36 RELAY BOX							Component ATA:77
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-41-03	PROC. REF: AMM 77-41-03							
774011	LEFT ENGINE VIBRATION ACCELEROMETER							Component ATA:77
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-41-02	PROC. REF: AMM 77-41-02							
774012	RIGHT ENGINE VIBRATION ACCELEROMETER							Component ATA:77
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-41-02	PROC. REF: AMM 77-41-02							
Y7741000 S	ENGINE VIBRATION MONITORING SYSTEM - PERFORM FUNCTIONAL TEST							Service ATA:77
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:21
PROC. REF: AMM 77-41-00	PROC. REF: AMM 77-41-00							
ATA 78 - EXHAUST								
783001	LEFT LOWER THRUST REVERSER							Component ATA:78
PN:LJ7830101-5	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A30040533	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								
783002	RIGHT LOWER THRUST REVERSER							Component ATA:78
PN:LJ7830101-6	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:A30040533	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-31-00PROC. REF: AMM 78-31-00								
783025	TRANSFORMER/RECTIFIER ELECTRONIC CONTROL UNIT							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
783037	NO. 1 GPM HYDRAULIC CONTROL VALVE							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-10PROC. REF: AMM 78-32-10								
783038	NO. 2 GPM HYDRAULIC CONTROL VALVE							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-10PROC. REF: AMM 78-32-10								
783051	LEFT OUTBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-20PROC. REF: AMM 78-32-20								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783052	LEFT INBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:LJ7833100-4	MOS/MSC	05-Jun-23	O/C	TSO 0				
SN:A30041997	HRS	3006.7		TSO 0				
	AFL	2677		TSO 0				
	APH							
PROC. REF: AMM 78-32-20	PROC. REF: AMM 78-32-20							
783053	RIGHT INBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-20	PROC. REF: AMM 78-32-20							
783054	RIGHT OUTBOARD THRUST REVERSER ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-20	PROC. REF: AMM 78-32-20							
783061	NO. 1 CONTROL, THRUST REVERSER HYDRAULIC VALVE							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-10	PROC. REF: AMM 78-32-10							
783062	NO. 2 CONTROL, THRUST REVERSER HYDRAULIC VALVE							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-10	PROC. REF: AMM 78-32-10							
783101	LEFT THRUST REVERSER HYDRAULIC ISOLATION VALVE							Component ATA:78
PN:R-9045-9	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1205	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-30-02	PROC. REF: AMM 78-30-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783102	RIGHT THRUST REVERSER HYDRAULIC ISOLATION VALVE							Component ATA:78
PN:R-9045-9	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:1207	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-30-02PROC. REF: AMM 78-30-02								
783150	LEFT HAND INBOARD LATCHBOX ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-30PROC. REF: AMM 78-32-30								
783151	RIGHT HAND INBOARD LATCHBOX ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-30PROC. REF: AMM 78-32-30								
783210	LEFT THRUST REVERSER CONTROL VALVE							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
783211	RIGHT THRUST REVERSER CONTROL VALVE							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
783220	NO. 1 ENGINE THROTTLE RETARD ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-40PROC. REF: AMM 78-32-40								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783221	NO. 2 ENGINE THROTTLE RETARD ACTUATOR							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-32-40	PROC. REF: AMM 78-32-40							
783301	LEFT THRUST REVERSER CONTROL BOX							Component ATA:78
PN:LJ7836706-3	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:00677	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-33-10	PROC. REF: AMM 78-33-10							
783302	RIGHT THRUST REVERSER CONTROL BOX							Component ATA:78
PN:LJ7836706-3	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:00685	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-33-10	PROC. REF: AMM 78-33-10							
783320	LEFT OUTBOARD THRUST REVERSER WIRE HARNESS							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	C/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-33-20	PROC. REF: AMM 78-33-20							
783321	LEFT INBOARD THRUST REVERSER WIRE HARNESS							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	C/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-33-20	PROC. REF: AMM 78-33-20							
783322	RIGHT INBOARD THRUST REVERSER WIRE HARNESS							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	C/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-33-20	PROC. REF: AMM 78-33-20							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783323	RIGHT OUTBOARD THRUST REVERSER WIRE HARNESS							Component ATA:78
PN:PN	MOS/MSC	29-Apr-09	C/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 78-33-20PROC. REF: AMM 78-33-20								
D7830078 S	** THRUST REVERSER SYSTEM THROTTLE RETARD ACTUATOR - PERFORM OPERATIONAL CHECK							Service ATA:78
	MOS	05-Sep-25	96 (+14d/-14d)					AIRWORTHINESS
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:21
PROC. REF: AMM 78-32-40PROC. REF: AMM 78-32-40								
H7830081 S	THRUST REVERSERS - REMOVE LINK ROD ASSEMBLIES AND PERFORM MAGNETIC PARTICLE INSPECTION							Service ATA:78
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:21
PROC. REF: NDT PART 7/78-30-01PROC. REF: NDT PART 7/78-30-01								
H7830082 S	THRUST REVERSERS - REMOVE THRUST REVERSER DOOR ASSEMBLIES AND PERFORM EDDY CURRENT INSPECTION OF PIVOT FITTING AND DOOR HINGES							Service ATA:78
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:21
PROC. REF: NDT PART 6/78-30-02, NDT PART 6/78-30-03PROC. REF: NDT PART 6/78-30-02, NDT PART 6/78-30-03								
R7830007	THRUST REVERSER - PERFORM CONDUCTIVITY CHECK OF RIGHT THRUST REVERSER DOOR SKIN AND COWL ADJACENT TO APU EXHAUST							Service ATA:78
	MOS	09-Sep-15						
	HRS	1860.7						
	AFL	1711						
	APH	1199.18	1200		2399.18		478.8	
PROC. REF: NDT PART 6/78-30-01PROC. REF: NDT PART 6/78-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
Y7830000 S	EXHAUST NOZZLE - PERFORM VISUAL INSPECTION							Service ATA:78
	MOS	05-Sep-25	96 (+14d/-14d)					
	HRS	3327	2400 (+25/-25)					
	AFL	3014						
								PKG:21
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y7830001 S	THRUST REVERSER INNER FAN DUCT ASSEMBLY - PERFORM VISUAL INSPECTION. INSPECT FROM EXHAUST END ONLY.							Service ATA:78
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:15
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y7830002 S	THRUST REVERSER DOOR AND HINGE FITTINGS - PERFORM VISUAL INSPECTION							Service ATA:78
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:15
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y7830003 S	THRUST REVERSER PRIMARY ACTUATOR AND LATCH ASSEMBLY - PERFORM VISUAL INSPECTION							Service ATA:78
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:15
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y7830004 S	THRUST REVERSER HYDRAULIC CONTROL VALVE (HCV), THROTTLE RETARD ACTUATOR, AND ASSOCIATED PLUMBING - PERFORM VISUAL INSPECTION							Service ATA:78
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:15
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
Y7830005 S	THRUST REVERSER DOOR SEALS AND RETAINERS - PERFORM VISUAL INSPECTION							Service ATA:78
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:15
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
Y7830006 S	THRUST REVERSER WIRE HARNESS - PERFORM VISUAL INSPECTION							Service ATA:78
	MOS	05-Sep-25	48 (+14d/-14d)					
	HRS	3327	1200 (+25/-25)					
	AFL	3014						
								PKG:15
PROC. REF: AMM 05-10-00PROC. REF: AMM 05-10-00								
ATA 79 - OIL								
790110	NO. 1 ENGINE - OIL PUMP							Component ATA:79
PN:3060785-2	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:081405700898	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03PROC. REF: LMM 79-20-03, LMM 79-20-03								
790110	NO. 2 ENGINE - OIL PUMP							Component ATA:79
PN:3060785-3	MOS/MSC	24-Aug-23	O/C	TSO 0				
SN:041405700494	HRS	3039.4		TSO 0				
	ENC	2713						
PROC. REF: LMM 79-20-03, LMM 79-20-03PROC. REF: LMM 79-20-03, LMM 79-20-03								
790130 S	NO. 1 ENGINE - ANALYSIS OIL AND FILTER (SOAP)							Service ATA:79
	MOS	05-Sep-25						
	HRS	3327	150 (+100)					
	ENC	3014						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790130 S	NO. 2 ENGINE - ANALYSIS OIL AND FILTER (SOAP)							Service ATA:79
	MOS	05-Sep-25						
	HRS	3327	150 (+100)					
	ENC	3014						
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
790140 S	NO. 1 ENGINE - PERFORM OIL CHANGE							Service ATA:79
	MOS	20-May-19						
	HRS	2376	1200 (+100/-200)					
	ENC							
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
790140 S	NO. 2 ENGINE - PERFORM OIL CHANGE							Service ATA:79
	MOS	20-May-19						
	HRS	2376	1200 (+100/-200)					
	ENC							
								PKG:0
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
790150 S	NO. 1 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION AND PERFORM RESISTANCE CHECK							Service ATA:79
	MOS	05-Jun-23						
	HRS	3006.7	600 (+50/-100)					
	ENC	2677						
								PKG:0
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01								
790150 S	NO. 2 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION AND PERFORM RESISTANCE CHECK							Service ATA:79
	MOS	05-Jun-23						
	HRS	3006.7	600 (+50/-100)					
	ENC	2677						
								PKG:0
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790160 S	NO. 1 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION							Service ATA:79
	MOS	05-Sep-25						
	HRS	3327	150 (+100)					
	ENC	3014						
								PKG:0
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01								
790160 S	NO. 2 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION							Service ATA:79
	MOS	05-Sep-25						
	HRS	3327	150 (+100)					
	ENC	3014						
								PKG:0
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01								
791001	NO. 1 ENGINE - ENGINE OIL CHIP DETECTOR							Component ATA:79
PN:277-5501-9005	MOS/MSC	16-Mar-21	O/C					
SN:NSN	HRS	2610.6		TSN 1423.2				
	ENC	2319		TSN 1207				
PROC. REF: LMM 79-10-01, LMM 79-10-01PROC. REF: LMM 79-10-01, LMM 79-10-01								
791001	NO. 2 ENGINE - ENGINE OIL CHIP DETECTOR							Component ATA:79
PN:277-5501-9005	MOS/MSC	05-Jun-23	O/C	TSN 0				
SN:NSN	HRS	3006.7		TSN 0				
	ENC	2677						
PROC. REF: LMM 79-10-01, LMM 79-10-01PROC. REF: LMM 79-10-01, LMM 79-10-01								
792002	NO. 1 ENGINE - AIR BREATHER VALVE ASSEMBLY CHANGE							Component ATA:79
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-02, LMM 79-20-02PROC. REF: LMM 79-20-02, LMM 79-20-02								
792002	NO. 2 ENGINE - AIR BREATHER VALVE ASSEMBLY CHANGE							Component ATA:79
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-02, LMM 79-20-02PROC. REF: LMM 79-20-02, LMM 79-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792008	NO. 1 ENGINE - OIL FLOW REDUCTION VALVE							Component ATA:79
PN:3060769-1	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:08-06451-09908	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-08, LMM 79-20-08PROC. REF: LMM 79-20-08, LMM 79-20-08								
792008	NO. 2 ENGINE - OIL FLOW REDUCTION VALVE							Component ATA:79
PN:3060769-1	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:08-06451-09904	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-08, LMM 79-20-08PROC. REF: LMM 79-20-08, LMM 79-20-08								
792011	NO. 1 ENGINE - FUEL/OIL VALVE							Component ATA:79
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
792011	NO. 2 ENGINE - FUEL/OIL VALVE							Component ATA:79
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
792012	NO. 1 ENGINE - OIL TEMPERATURE REGULATOR							Component ATA:79
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03PROC. REF: LMM 79-20-03, LMM 79-20-03								
792012	NO. 2 ENGINE - OIL TEMPERATURE REGULATOR							Component ATA:79
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-03, LMM 79-20-03PROC. REF: LMM 79-20-03, LMM 79-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792037	NO. 1 OIL PRESSURE SWITCH							Component ATA:79
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-02PROC. REF: AMM 79-30-02								
792038	NO. 2 OIL PRESSURE SWITCH							Component ATA:79
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-02PROC. REF: AMM 79-30-02								
792220	NO. 1 ENGINE - UPPER OIL COOLER ASSEMBLY							Component ATA:79
PN:160552-3	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:1963	HRS	0		TSN 0				
	ENC	0		TSN 0				
792220	NO. 2 ENGINE - UPPER OIL COOLER ASSEMBLY							Component ATA:79
PN:160552-3	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:1959	HRS	0		TSN 0				
	ENC	0		TSN 0				
792230	NO. 1 ENGINE - LOWER LEFT OIL COOLER ASSEMBLY							Component ATA:79
PN:160554-5	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:3074	HRS	0		TSN 0				
	ENC	0		TSN 0				
792230	NO. 2 ENGINE - LOWER LEFT OIL COOLER ASSEMBLY							Component ATA:79
PN:160554-5	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:3089	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792240	NO. 1 ENGINE - LOWER RIGHT OIL COOLER ASSEMBLY							Component ATA:79
PN:160554-6	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:3032	HRS	0		TSN 0				
	ENC	0		TSN 0				
792240	NO. 2 ENGINE - LOWER RIGHT OIL COOLER ASSEMBLY							Component ATA:79
PN:160554-6	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:3030	HRS	0		TSN 0				
	ENC	0		TSN 0				
792250	NO. 1 ENGINE - PRESSURE BREATHER VALVE							Component ATA:79
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-02, LMM 79-20-02PROC. REF: LMM 79-20-02, LMM 79-20-02								
792250	NO. 2 ENGINE - PRESSURE BREATHER VALVE							Component ATA:79
PN:3075323-3	MOS/MSC	26-May-22	O/C	TSN 0				
SN:21P39091	HRS	2816.2		TSN 0				
	AFL			TSN 0				
	ENC	2499						
PROC. REF: LMM 79-20-02, LMM 79-20-02PROC. REF: LMM 79-20-02, LMM 79-20-02								
792260	NO. 1 ENGINE - OIL TEMPERATURE CONTROL VALVE							Component ATA:79
PN:158465-6	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:13373	HRS	0		TSN 0				
	ENC	0		TSN 0				
792260	NO. 2 ENGINE - OIL TEMPERATURE CONTROL VALVE							Component ATA:79
PN:158465-6	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:13421	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793001	NO. 1 ENGINE OIL PRESSURE TRANSDUCER							Component ATA:79
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-01	PROC. REF: AMM 79-30-01							
793002	NO. 2 ENGINE OIL PRESSURE TRANSDUCER							Component ATA:79
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-01	PROC. REF: AMM 79-30-01							
793011	LEFT TEMPERATURE OIL BULB							Component ATA:79
PN:MS28034-3	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:40549	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-03	PROC. REF: AMM 79-30-03							
793012	RIGHT TEMPERATURE OIL BULB							Component ATA:79
PN:MS28034-3	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:U0543	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-03	PROC. REF: AMM 79-30-03							
793013	APU TEMPERATURE OIL BULB							Component ATA:79
PN:PN	MOS/MSC	29-Apr-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-03	PROC. REF: AMM 79-30-03							
793064	NO. 1 ENGINE - TEMP BULB							Component ATA:79
PN:PN	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793064	NO. 2 ENGINE - TEMP BULB							Component ATA:79
PN:PN	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
793310	NO. 1 ENGINE - OIL FILTER BYPASS VALVE							Component ATA:79
PN:3060782-2	MOS/MSC	05-Jun-23	O/C	TSN 0				
SN:R35766	HRS	3006.7		TSN 0				
	ENC	2677						
793310	NO. 2 ENGINE - OIL FILTER BYPASS VALVE							Component ATA:79
PN:3060782-2	MOS/MSC	05-Jun-23	O/C	TSN 0				
SN:R35768	HRS	3006.7		TSN 0				
	ENC	2677		TSN 0				
793315 S	NO. 1 ENGINE - CHECK OIL FILTER BYPASS VALVE CIRCUIT/THERMAL LOCKOUT SWITCH							Service ATA:79
	MOS	16-Jul-19						
	HRS	2419.3	1200 (+100/-200)					
	ENC	2132						
								PKG:0
793315 S	NO. 2 ENGINE - CHECK OIL FILTER BYPASS VALVE CIRCUIT/THERMAL LOCKOUT SWITCH							Service ATA:79
	MOS	16-Jul-19						
	HRS	2419.3	1200 (+100/-200)					
	ENC	2132						
								PKG:0
793320	NO. 1 ENGINE - FUEL HEATER / OIL COOLER ASSEMBLY							Component ATA:79
PN:3060709-4	MOS/MSC	19-Dec-08	O/C	TSN 0				
SN:2986	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-07, LMM 79-20-07PROC. REF: LMM 79-20-07, LMM 79-20-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

Status Report

Model: LEARJET 45 Serial: 45-400 RegNo: N145MW HRS: 3612.8 AFL: 3261 As Of: 02-Aug-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793320	NO. 2 ENGINE - FUEL HEATER / OIL COOLER ASSEMBLY							Component ATA:79
PN:3060709-4	MOS/MSC	18-Dec-08	O/C	TSN 0				
SN:3126	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-07, LMM 79-20-07PROC. REF: LMM 79-20-07, LMM 79-20-07								
ATA 85 - FUEL CELL SYSTEMS								
859000	SUBMIT LOGBOOK ENTRIES FOR ELOGBOOK							Service ATA:85
	MOS/MSC	29-Apr-09	A/R					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS