



Mod. 600, key - key with anti-pull cam



Characteristics

- Brass cylinder with key.
- Designed on the basis of the third intrinsic security class according with the regulation EN 1303.
- 4 or 5 pins in brass for the coding. **1**
- Anti-pull cam in sintered steel (23° inclination). **2**
- 3 profiled brass keys. **3**



Cylinder classification



EN 1303:2015 - ICIM 0039CS							
1	6	0	B	0	C	3	0

ANTI-PICKING: Pass

Note. The product certifications ICIM are available at the website www.agb.it

Note. For further information, see the introduction called "Comparative table of cylinders according with the regulations EN 1303 and EN 1627" in the cylinders technical catalogue.

Cylinder choice guide

Antiburglar						
Systems						
Durability						
Finish						

Note. For further information, see the introduction called "Cylinder choice guide" in the cylinders technical catalogue.

Plain brass - anti pull, key - key


Article	Pins	B	C
C60301.XX.XX	4-5	XX	XX

Plain brass - anti pull, key - key, version with ground lever

Article	B	C
C61901.XX.XX	XX	XX


Note. Refer to the price list in force to check the availability of measures and special finishes on demand.

Mod. 600, knob - key



Characteristics

- Brass cylinder with knob and key.
- Designed on the basis of the third intrinsic security class according with the regulation EN 1303.
- 4 or 5 pins in brass for the coding. **1**
- Anti-pull cam in sintered steel (23° inclination). **2**
- 3 profiled brass keys. **3**



Note. The image is indicative only.

Cylinder classification



EN 1303:2015 - ICIM 0039CS								
1	6	0	B	0	C	3	0	

ANTI-PICKING: Pass

Note. The product certifications ICIM are available at the website www.agb.it

Note. For further information, see the introduction called "Comparative table of cylinders according with the regulations EN 1303 and EN 1627" in the cylinders technical catalogue.

Cylinder choice guide

Antiburglar						
Systems						
Durability						
Finish						

Note. For further information, see the introduction called "Cylinder choice guide" in the cylinders technical catalogue.

Plain brass - knob - key


Article	Pins	B	C
C62001.XX.XX	4-5	XX	XX

Plain brass - knob - key, version with ground lever

Article	B	C
C62601.XX.XX	XX	XX


Note. Refer to the price list in force to check the availability of measures and special finishes on demand.

Mod. 600, 63 mm tang - key



Characteristics

- Brass cylinder with 63 mm trimmable tang and key.
- Designed on the basis of the third intrinsic security class according with the regulation EN 1303.
- 5 pins in brass for the coding. 1
- Anti-pull cam in sintered steel (23° inclination). 2
- 3 profiled brass keys. 3
- Used with the turn knob with dowel art. C00645.00.XX.



Note. The image is indicative only.

Cylinder classification

EN 1303:2015 - ICIM 0039CS								
1	6	0	B	0	C	3	0	

ANTI-PICKING: Pass

Note. The product certifications ICIM are available at the website www.agb.it

Note. For further information, see the introduction called "Comparative table of cylinders according with the regulations EN 1303 and EN 1627" in the cylinders technical catalogue.

Cylinder choice guide

Antiburglar						
Systems						
Durability						
Finish						


Note. For further information, see the introduction called "Cylinder choice guide" in the cylinders technical catalogue.

Plain brass

Article	Pins	B	C
C62301.XX.XX	5	XX	XX


Note. Refer to the price list in force to check the availability of measures and special finishes on demand.

Mod. 600, 18 mm tang - key



Characteristics

- Brass cylinder with 18 mm tang and key.
- Designed on the basis of the third intrinsic security class according with the regulation EN 1303.
- 5 pins in brass for the coding. 1
- Anti-pull cam in sintered steel (23° inclination). 2
- 3 profiled brass keys. 3
- Used with the turn knob with dowel art. C00645.00.XX.



Note. The image is indicative only.

Cylinder classification



EN 1303:2015 - ICIM 0039CS								
1	6	0	B	0	C	3	0	

ANTI-PICKING: Pass

Note. The product certifications ICIM are available at the website www.agb.it

Note. For further information, see the introduction called "Comparative table of cylinders according with the regulations EN 1303 and EN 1627" in the cylinders technical catalogue.

Cylinder choice guide

Antiburglar						
Systems						
Durability						
Finish						


Note. For further information, see the introduction called "Cylinder choice guide" in the cylinders technical catalogue.

Plain brass

Article	Pins	B	C
C62401.XX.XX	5	XX	XX


Note. Refer to the price list in force to check the availability of measures and special finishes on demand.

Mod. 600, half cylinders



Characteristics

- Brass half cylinder with key.
- Designed on the basis of the third intrinsic security class according with the regulation EN 1303.
- 4 or 5 pins in brass for the coding. **1**
- Anti-pull cam in sintered steel (23° inclination). **2**
- 3 profiled brass keys. **3**



Note. The image is indicative only.

Cylinder classification



EN 1303:2015 - ICIM 0039CS								
1	6	0	B	0	C	3	0	

ANTI-PICKING: Pass

Note. The product certifications ICIM are available at the website www.agb.it

Note. For further information, see the introduction called "Comparative table of cylinders according with the regulations EN 1303 and EN 1627" in the cylinders technical catalogue.

Cylinder choice guide

Antiburglar						
Systems						
Durability						
Finish						

Note. For further information, see the introduction called "Cylinder choice guide" in the cylinders technical catalogue.

Plain brass - half cylinders

Article	Pins	B	C
C63001.05.XX	4-5	XX	XX

Plain brass - half cylinders, version with ground lever

Article	B	C
C63601.XX.XX	XX	XX

Note. Refer to the price list in force to check the availability of measures and special finishes on demand.