





Created on	2017/9/12				
Edit date	2018/4/17	by (short name)		Number of pages	39


					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO. , LTD.	COVER	2017-10-21		=	
			ED.								+	
Modification		Name	Original		Placement of	Replace by			Remake:AC460V	Tot. PG	39	




					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	Main Power	2017-10-21		=	
			ED.								+	
Modification	Name	Original			Placement of	Replace by				Remake: AC460V	Page Tot. PG	1 39




					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	DC power supply 1	2017-10-21		=	
			ED.	+								
Modification		Name	Original		Placement of	Replace by			Remake:AC460V		Tot. PG	39




					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	Start the loop	2017-10-21		=	
			ED.								+	
										Remake : AC460V	Page 3	
Modification		Name	Original		Placement of	Replace by					Tot. PG	39



					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	DC power supply 2	2017-10-21		=	
			ED.	+								
Modification		Name	Original		Placement of	Replace by			Remake:AC460V		Tot. PG	39






Remark:
-SB5 is From robot Pendant
Emergency stop


Remark:
-SB4 is Guard fence
Emergency stop

Remark:
-SB5 is from IMM


Injection molding machine
emergency stop feedback
to the robot




					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	Safety relay	2017-10-21		=	
			ED.								+	
										Remake:AC460V	Page	12
Modification		Name	Original		Placement of	Replace by					Tot. PG	39




					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	Intermediate relay	2017-10-21		=	
			ED.								+	
											Page	16
Modification		Name	Original		Placement of	Replace by				Remake: AC460V	Tot. PG	39





					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	Relay	2017-10-21		=
			ED.								+
Modification		Name	Original		Placement of	Replace by				Remake: AC460V	Page 17 Tot. PG 39




					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	X Inductive sensors	2017-10-21		=	
			ED.							+		
												Page 20
Modification		Name	Original		Placement of	Replace by			Remake:AC460V		Tot. PG 39	













					MaxA/MaxAW/MaxB/MaxBW/MaxC	NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	Solenoid valve output	2017-10-21		=
			ED.							+
Modification		Name	Original						Remake: AC460V	Page 27 Tot. PG 39







					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	Hand Control Lead Definition	2017-10-21		=	
			ED.	+								
Modification		Name	Original		Placement of	Replace by			Remake:AC460V		Tot. PG	39

EUROMAP 67 Robot output signal



					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	EUROMAP 67	2017-10-21		=	
			ED.								+	
Modification		Name	Original		Placement of	Replace by			Remake: AC460V		Page	31
											Tot. PG	39



					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	External connector	2017-10-21		=	
			ED.	+								
Modification		Name	Original		Placement of	Replace by			Remake:AC460V		Tot. PG	39

67 to 12 interface adaptor


EUROMAP 67 SOCKET

European regulations 67
connector corresponding
to the shell

EUROMAP 12 PLUS


European regulations 12
connector corresponding
to the shell

32 core wire number



					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	67 to 12 interface adaptor	2017-10-21		=	
			ED.	+								
Modification		Name	Original		Placement of	Replace by			Remake:AC460V	Tot. PG	39	

67 to 12 interface adaptor



					MaxA/MaxAW/MaxB/MaxBW/MaxC		NINGBO WELL-LIH ROBOTS TECHNOLOGY CO., LTD.	67 to 12 interface adaptor	2017-10-21		=	
			ED.								+	
Modification		Name	Original		Placement of	Replace by			Remake: AC460V		Page	36
											Tot. PG	39