

AVALON CHANDELIER MEDIUM CEILING MOUNTING PLATE

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)

WEIGHT

20kg (44.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 325 mm

maximum on request 5080 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 38w - 2700k

110-130v - integrated LED - 38w - 2700k

LED driver to be installed in the ceiling cavity

drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)

0/1-10v (220-240v or 110-130v) - on request



CEILING ROSE / PLATE

round ceiling plate - ø 160 x 10 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



LED driver dimensions



*Diagrams are not to scale.

AVALON CHANDELIER MEDIUM CEILING ROSE

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)

WEIGHT

20kg (44.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 380 mm

maximum on request 5135 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 38w - 2700k

110-130v - integrated LED - 38w - 2700k

LED driver to be installed in the ceiling rose

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)

0/1-10v (220-240v or 110-130v) - on request



CEILING ROSE / PLATE

round ceiling rose - ø 240 x 65 mm (dia x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

AVALON CHANDELIER MEDIUM CEILING MOUNTING PLATE - DALI A

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)

WEIGHT

20kg (44.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 325 mm

maximum on request 5080 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 38w - 2700k

DALI LED driver to be installed in the ceiling cavity

drivers must be installed up to 20 meters from the body of the light

DIMMING

DALI compatible



CEILING ROSE / PLATE

round ceiling plate - ø 160 x 10 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



LED driver dimensions



*Diagrams are not to scale.

AVALON CHANDELIER MEDIUM CEILING ROSE - DALI A

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)

WEIGHT

20kg (44.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 380 mm

maximum on request 5135 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 38w - 2700k

DALI LED driver to be installed in the ceiling rose

DIMMING

DALI compatible



CEILING ROSE / PLATE

round ceiling rose - ø 240 x 65 mm (dia x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

AVALON CHANDELIER MEDIUM

AVALON CHANDELIER MEDIUM - CEILING MOUNTING PLATE

| SKU NUMBER | FINISH DESCRIPTION | VOLTAGE |
|-------------------|----------------------------------|------------|
| AVACHMBZHA-CM-240 | bronze with honed alabaster | 220 - 240V |
| AVACHMSBHA-CM-240 | satın brass with honed alabaster | 220 - 240V |
| AVACHMBZHA-CM-110 | bronze with honed alabaster | 110 - 130V |
| AVACHMSBHA-CM-110 | satın brass with honed alabaster | 110 - 130V |

AVALON CHANDELIER MEDIUM - CEILING ROSE

| SKU NUMBER | FINISH DESCRIPTION | VOLTAGE |
|-------------------|----------------------------------|------------|
| AVACHMBZHA-CR-240 | bronze with honed alabaster | 220 - 240V |
| AVACHMSBHA-CR-240 | satın brass with honed alabaster | 220 - 240V |
| AVACHMBZHA-CR-110 | bronze with honed alabaster | 110 - 130V |
| AVACHMSBHA-CR-110 | satın brass with honed alabaster | 110 - 130V |

AVALON CHANDELIER MEDIUM - CEILING MOUNTING PLATE - DALI-A

| SKU NUMBER | FINISH DESCRIPTION | TYPE OF DALI | VOLTAGE |
|-------------------------|----------------------------------|---|------------|
| AVACHMBZHA-CM-DALIA-240 | bronze with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity | 220 - 240V |
| AVACHMSBHA-CM-DALIA-240 | satın brass with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity | 220 - 240V |

AVALON CHANDELIER MEDIUM - CEILING ROSE - DALI-A

| SKU NUMBER | FINISH DESCRIPTION | TYPE OF DALI | VOLTAGE |
|-------------------------|----------------------------------|--|------------|
| AVACHMBZHA-CR-DALIA-240 | bronze with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |
| AVACHMSBHA-CR-DALIBA240 | satın brass with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |

AVALON CHANDELIER LARGE CEILING MOUNTING PLATE

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 1010 x 70 mm (dia x h)

WEIGHT

30kg (66.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 430 mm

maximum on request 5080 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 67w - 2700k

110-130v - integrated LED - 67w - 2700k

LED driver to be installed in the ceiling cavity

drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)

0/1-10v (220-240v or 110-130v) - on request



CEILING ROSE / PLATE

round ceiling plate - ø 160 x 10 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



LED driver dimensions



*Diagrams are not to scale.

AVALON CHANDELIER LARGE CEILING ROSE

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 1010 x 70 mm (dia x h)

WEIGHT

30kg (66.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 485 mm

maximum on request 5135 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 67w - 2700k

110-130v - integrated LED - 67w - 2700k

LED driver to be installed in the ceiling rose

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)

0/1-10v (220-240v or 110-130v) - on request



CEILING ROSE / PLATE

round ceiling rose - ø 240 x 65 mm (dia x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

AVALON CHANDELIER LARGE CEILING MOUNTING PLATE - DALI A

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 1010 x 70 mm (dia x h)

WEIGHT

30kg (66.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 430 mm

maximum on request 5080 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 67w - 2700k

DALI LED driver to be installed in the ceiling cavity

drivers must be installed up to 20 meters from the body of the light

DIMMING

DALI compatible



CEILING ROSE / PLATE

round ceiling plate - ø 160 x 10 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



LED driver dimensions



*Diagrams are not to scale.

AVALON CHANDELIER LARGE CEILING ROSE - DALI A

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø1010 x 70 mm (dia x h)

WEIGHT

30kg (66.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 485 mm

maximum on request 5135 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 67w - 2700k

DALI LED driver to be installed in the ceiling rose

DIMMING

DALI compatible



CEILING ROSE / PLATE

round ceiling rose - ø 240 x 65 mm (dia x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

AVALON CHANDELIER LARGE

AVALON CHANDELIER LARGE - CEILING MOUNTING PLATE

| SKU NUMBER | FINISH DESCRIPTION | VOLTAGE |
|-------------------|----------------------------------|------------|
| AVACHLBZHA-CM-240 | bronze with honed alabaster | 220 - 240V |
| AVACHLSBHA-CM-240 | satın brass with honed alabaster | 220 - 240V |
| AVACHLBZHA-CM-110 | bronze with honed alabaster | 110 - 130V |
| AVACHLSBHA-CM-110 | satın brass with honed alabaster | 110 - 130V |

AVALON CHANDELIER LARGE - CEILING ROSE

| SKU NUMBER | FINISH DESCRIPTION | VOLTAGE |
|-------------------|----------------------------------|------------|
| AVACHLBZHA-CR-240 | bronze with honed alabaster | 220 - 240V |
| AVACHLSBHA-CR-240 | satın brass with honed alabaster | 220 - 240V |
| AVACHLBZHA-CR-110 | bronze with honed alabaster | 110 - 130V |
| AVACHLSBHA-CR-110 | satın brass with honed alabaster | 110 - 130V |

AVALON CHANDELIER LARGE - CEILING MOUNTING PLATE - DALI-A

| SKU NUMBER | FINISH DESCRIPTION | TYPE OF DALI | VOLTAGE |
|-------------------------|----------------------------------|---|------------|
| AVACHLBZHA-CM-DALIA-240 | bronze with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity | 220 - 240V |
| AVACHLSBHA-CM-DALIA-240 | satın brass with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity | 220 - 240V |

AVALON CHANDELIER LARGE - CEILING ROSE - DALI-A

| SKU NUMBER | FINISH DESCRIPTION | TYPE OF DALI | VOLTAGE |
|-------------------------|----------------------------------|--|------------|
| AVACHLBZHA-CR-DALIA-240 | bronze with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |
| AVACHLSBHA-CR-DALIBA240 | satın brass with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |

AVALON CHANDELIER X-LARGE CEILING MOUNTING PLATE

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 1300 x 70 mm (dia x h)

WEIGHT

45kg (99.2lbs)
please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 615 mm
maximum on request 5080 mm
supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 89w - 2700k
110-130v - integrated LED - 89w - 2700k
LED driver to be installed in the ceiling cavity
drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)
0/1-10v (220-240v or 110-130v) - on request



CEILING ROSE / PLATE

round ceiling plate - ø 160 x 10 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



LED driver dimensions



*Diagrams are not to scale.

AVALON CHANDELIER X-LARGE CEILING ROSE

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 1300 x 70 mm (dia x h)

WEIGHT

45kg (99.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 670 mm

maximum on request 5135 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 89w - 2700k

110-130v - integrated LED - 89w - 2700k

LED driver to be installed in the ceiling rose

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)

0/1-10v (220-240v or 110-130v) - on request



CEILING ROSE / PLATE

round ceiling rose - ø 240 x 65 mm (dia x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

AVALON CHANDELIER X-LARGE CEILING MOUNTING PLATE - DALI A

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 1300 x 70 mm (dia x h)

WEIGHT

45kg (99.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 615 mm

maximum on request 5080 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 89w - 2700k

DALI LED driver to be installed in the ceiling cavity

drivers must be installed up to 20 meters from the body of the light

DIMMING

DALI compatible



CEILING ROSE / PLATE

round ceiling plate - ø 160 x 10 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



LED driver dimensions



*Diagrams are not to scale.

AVALON CHANDELIER X-LARGE CEILING ROSE - DALI A

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 1300 x 70 mm (dia x h)

WEIGHT

45kg (99.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 670 mm

maximum on request 5135 mm

supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 89w - 2700k

DALI LED driver to be installed in the ceiling rose

DIMMING

DALI compatible



CEILING ROSE / PLATE

round ceiling rose - ø 240 x 65 mm (dia x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

AVALON CHANDELIER X-LARGE

AVALON CHANDELIER X-LARGE - CEILING MOUNTING PLATE

| SKU NUMBER | FINISH DESCRIPTION | VOLTAGE |
|-------------------|----------------------------------|------------|
| AVACH1BZHA-CM-240 | bronze with honed alabaster | 220 - 240V |
| AVACH1SBHA-CM-240 | satın brass with honed alabaster | 220 - 240V |
| AVACH1BZHA-CM-110 | bronze with honed alabaster | 110 - 130V |
| AVACH1SBHA-CM-110 | satın brass with honed alabaster | 110 - 130V |

AVALON CHANDELIER X-LARGE - CEILING ROSE

| SKU NUMBER | FINISH DESCRIPTION | VOLTAGE |
|-------------------|----------------------------------|------------|
| AVACH1BZHA-CR-240 | bronze with honed alabaster | 220 - 240V |
| AVACH1SBHA-CR-240 | satın brass with honed alabaster | 220 - 240V |
| AVACH1BZHA-CR-110 | bronze with honed alabaster | 110 - 130V |
| AVACH1SBHA-CR-110 | satın brass with honed alabaster | 110 - 130V |

AVALON CHANDELIER X-LARGE - CEILING MOUNTING PLATE - DALI-A

| SKU NUMBER | FINISH DESCRIPTION | TYPE OF DALI | VOLTAGE |
|-------------------------|----------------------------------|---|------------|
| AVACH1BZHA-CM-DALIA-240 | bronze with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity | 220 - 240V |
| AVACH1SBHA-CM-DALIA-240 | satın brass with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity | 220 - 240V |

AVALON CHANDELIER X-LARGE - CEILING ROSE - DALI-A

| SKU NUMBER | FINISH DESCRIPTION | TYPE OF DALI | VOLTAGE |
|-------------------------|----------------------------------|--|------------|
| AVACH1BZHA-CR-DALIA-240 | bronze with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |
| AVACH1SBHA-CR-DALIBA240 | satın brass with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |