



Aegis LIC-SLM

LARGE MESSAGE INDICATOR BORED LOCK



The TownSteel Promise

We have built our company around the promise of creating durable hardware solutions for your projects. Our complete product line is the result of decades of determined engineering. This allows TownSteel to provide you with the right product to meet your exacting specifications. With end-to-end customer support, you will find that TownSteel is the ideal company for you to partner with. Check us out at townsteel.com for more information!

The Aegis Bored Lock features a heavy-duty stainless-steel escutcheon with a large message indicator on both sides of the lock. This important feature is critically important when safety is compromised. Occupants inside the room or personnel in the hallway can identify the lock's status in an instant!

Aegis LIC-SLM



CONTENTS	PAGE
Features	4
Specifications	5
Finishes	6
Lock Profile	7
Dimensions	8
Levers	9
Cylinders	10
Strikes	11
Functions	12
How to Order	14

Cover and Table of Contents features Aegis LIC-SLM bored lock with F48T (Classroom) function in Satin Stainless Steel finish.

Features

The Aegis Bored Lock is well suited for either new construction or retrofit projects, but it really shines in a retrofit application. It has been designed to perfectly fit into existing cylindrical lock preps making this security upgrade fast and easy. Any minor modifications can easily be done in the field without voiding warranty or fire-label.




Features	Benefits
ANSI / BHMA A156.2	Grade 1 certified
UL10C	Certified UL10(C) 3-hour fire rating
ADA compliant	Meets requirements of the Americans with Disabilities Act
Fast and easy upgrade	Designed to perfectly fit into existing cylindrical 161 door preps, making installation fast and easy.
High visibility status indicator	Single large message indicator on both sides of the opening allows occupants or personnel in the hallway to identify a lock's status in an instant
Indicator labels	Indicator labels used are dependent on the function*. See Functions and Message on pages 12-13
Heavy duty stainless steel trim	Cast and machined trim provides a barrier to most adverse conditions
Cylinder configurations	Available with a cylinder on the outside and a thumb turn on the inside or in a double cylinder configuration

*For other message options please consult factory


Specifications

Backsets	2-3/4", standard
Door Thickness	1-3/4", standard *Others available upon request
Door Prep	Standard 161 prep with through holes
Handing	LH / RH *LH to LHR and RH to RHR are field adjusted
Lockbody	Rigid
Latch Bolt	Stainless Steel, Anti-Pick, 1/2" projection
Cylinder	Schlage® "C" keyway, standard For other cylinder options, see Cylinders on page 10
Faceplate	Stainless Steel, 1-1/8" wide, standard Stainless Steel, 1" wide, optional
Escutcheon	Stainless Steel, 10-3/16" x 3-5/32" x 5/8"
Strike	ASA Strike, 1-1/4" x 4-7/8", standard T-strike, 1-1/8" x 2-3/4", optional
Mounting Screws	Security TORX® screws
Keying	KD standard; KA, MK, GMK, GGMK, and Construction keys are also available upon request.

Finishes



Satin Stainless Steel
(630)




Flat Black
(622)

Other finishes available upon request


Finishes are for illustration only and may vary
from actual product provided

Lock Profile



F84T (Classroom) function, left hand shown

Dimensions




F84T (Classroom) function, right hand shown


Levers



Sentinel
(S)



Quest
(Q)



Cylinders

SC	6-pin with Schlage® "C" keyway, standard
SFIC6	6-pin small format IC, less core
SFIC7	7-pin small format IC, less core
IC6	6-pin small format housing core with Best® "A" keyway
IC7	7-pin small format housing core with Best® "A" keyway
CLFIC	Corbin® large format IC, less core
SLFIC	Schlage® large format IC, less core
SALFIC	Sargent® large format IC, less core
YLFIC	Yale® large format IC, less core
HS6	High security 6-pin IC core with TownSteel "L" keyway
HS7	High security 7-pin IC core with TownSteel "L" keyway
LC	Less Cylinder*


*If using your own cylinder, please consult factory.

KIK Cylinder Housings


KSC	Classic Schlage® conventional KIK cylinder housing, less KIK cylinder
------------	---

Strikes




ASA Strike



T Strike






Functions

Out	In	Series / Function	Type	ANSI No.	Message / Color*	Description
		SLM-F75	Passage	F75	UNLOCKED (GREEN)	Latch bolt operated by lever either side. Status indicator always displays "UNLOCKED".
		SLM-F76	Privacy	F76	OCCUPIED (RED) / VACANT (GREEN)	Latch bolt operated by lever from either side, except when outside lever is made inoperable by inside thumb turn, this also changes indicator to "OCCUPIED". Outside lever is made operable by rotating inside turn, rotating inside lever, or outside emergency release. This also changes indicator to "VACANT". Inside lever is always operable.
		SLM-F84T	Classroom	N/A	LOCKED (RED) / UNLOCKED (GREEN)	Latch bolt operated by lever from either side, except when outside lever is made inoperable by inside thumbturn or outside key cylinder, this also changes indicator to "LOCKED". Outside lever is made operable by rotating inside turn, or outside key cylinder. This also changes indicator to "UNLOCKED". Inside lever always has free egress without affecting status of outside lever or indicator.

*For custom request of status indicator, message, or color, please consult factory.

Functions

Out	In	Series / Function	Type	ANSI No.	Message / Color*	Description
		SLM-F86	Storeroom	F86	LOCKED (RED)	Outside lever normally rigid, latch bolt operated by lever outside when key is in use. Inside lever always has free egress. Status indicator always displays "LOCKED".
		SLM-F110	Classroom Intruder	F110	LOCKED (RED) / UNLOCKED (GREEN)	Latch bolt operated by lever from either side, except when outside lever is made inoperable by key cylinder inside or outside. This also changes the indicator to "LOCKED". Outside lever is made operable by key cylinder inside or outside. This also changes indicator to "UNLOCKED". Inside lever always has free egress without affecting status of outside lever or indicator.
		SLM-F115	Faculty Privacy	N/A	OCCUPIED (RED) / UNOCCUPIED (GREEN)	Outside lever normally rigid and requires key to retract latch bolt. Inside lever always operable. Inside thumbturn disables outside key cylinder and changes indicator to "OCCUPIED". Outside key cylinder can be re-enabled by operating inside lever, rotating inside thumb turn, or outside emergency release. This also changes indicator to "UNOCCUPIED".

*For custom request of status indicator, message, or color, please consult factory.

How to Order

Aegis LIC-SLM Bored Lock

Trim

SLM	Sentinel
-----	----------

Indicator

[Leave Blank]	Indicator Outside/Indicator Inside
B	No Indicator Outside/No Indicator Inside
BI	Indicator Outside/No Indicator Inside
BO	No Indicator Outside/Indicator Inside

Function (Message)

See Functions and Message on pages 12-13

Lever

S	Sentinel
Q	Quest

Handing*

LH	Left Hand
RH	Right Hand

*LH to LHR and RH to RHR are field adjusted

Finish

630	Stainless Steel
622	Flat Black

Cylinder

See Cylinders on page 10

How to Order

Aegis LIC-SLM Bored Lock

Strike	
[Leave Blank]	T-Strike
A	ASA-Strike

Pick one item from each category when ordering.

Example order: SLM-F84T-S-LH-630-SC-A



17901 Railroad Street
City of Industry, CA
91748

877-858-0888
info@townsteel.com

townsteel.com