



CE-R / CEC-R

GRADE 1 HEAVY DUTY CYLINDRICAL LOCKSET



The TownSteel Promise

We have built our company around the promise of creating durable hardware solutions for your projects. Our complete product line is the result of decades of determined engineering. This allows TownSteel to provide you with the right product to meet your exacting specifications. With end-to-end customer support, you will find that TownSteel is the ideal company for you to partner with. Check us out at townsteel.com for more information!

The CE-R is a heavy-duty ANSI Grade 1 cylindrical lock engineered for busy commercial facilities and purpose-built for retrofit upgrades. It allows facilities to upgrade aging hardware without the cost and disruption of full-door replacements, giving schools, offices, and industrial spaces a smoother path to improved security. It features an enhanced internal spring mechanism that reduces lever sag and a low-projection rose that maintains a modern, polished look.

CE-R / CEC-R



CONTENTS	PAGE
Features	4
Specifications	5
Finishes	6
Lock Profile	7
Levers	8
Cylinders	10
Strikes	11
Functions	12
How to Order	14

Cover and Table of Contents features CE-R with Quest lever in Satin Chrome finish.

Features

TownSteel's CE-R/CEC-R Series Cylindrical Lock is ANSI Grade 1 certified and UL 10(C) 3-hour rated. Designed and tested for durability and high cycle life it is ideal for high traffic commercial areas. The internal spring design mitigates lever sag, increases cycle life and allows for a low projection rose.




Features	Benefits
ANSI / BHMA A156.2	Grade 1 certified cylindrical lockset
UL 10(C)	UL 10(C) 3-hour fire rating
ADA compliant	Meets requirements of the Americans with Disabilities Act
Fast and easy installation	Quick installation with standard 161 door prep and adjustable through-bolts, saving time and labor
Flexible retrofit compatability	Compatible with Schlage® ND Series, Sargent® 10/10X, Corbin® CLX3300, PDQ® XGT, and Accentra (Yale)® 5400LN Door Templates.
Internal spring design	Internal spring design reduces lever sag and extends product life cycle, ensuring long-term durability with minimal maintenance
Heavy gauge mounting plates and roses	Heavy-gauge mounting plates and roses for added strength
Clutched design	Optional clutched lever for high-abuse environments


Specifications

Backsets	2-3/4", standard 2-3/8", optional 5", optional
Door Thickness	1-3/4"
Door Prep	2-1/8" bore hole with adjustable through-bolt posts for 2-5/8" or 2-3/4" CTC
Handing	Non-handed
Lockbodies	CE-R - Rigid (Outside lever rigid when locked) CEC-R - Clutched (Outside lever free wheeling when locked)
Cylinder	6-pin with Schlage® "C" Keyway, standard For other cylinder options, see Cylinders on page 10
Faceplate	1-1/8" x 2-1/4" with square corners
Strike	ASA Strike, 1-1/4" x 4-7/8", standard T-strike, 1-1/8" x 2-3/4", optional
Latch Bolt	1/2" throw, stainless steel
Rose	19/32" projection, 3-3/4" diameter
Inside Collar/Bearing	7/16" projection, 1-15/32" diameter
Outside Collar/Bearing	13/32" projection, 1-15/32" diameter

Finishes



Flat Black
(622)




Satin Chrome
(626)

Other finishes available upon request

Finishes are for illustration only and may vary
from actual product provided

Lock Profile




CE-R with Sentinel lever shown


Levers




Gala
(G)



Quest
(Q)




Sentinel
(S)




Levers




Essen
(E)



Essen Return
(ER)



Wolfsburg
(W)




Cylinders


Blank	6-pin KIK with Schlage® “C” keyway, standard
K6	6-pin KIK with Kwikset® “KW” keyway
SF6	6-pin IC core with Best® “A” Keyway
SF7	7-pin IC core with Best “A” Keyway
HS6	High security 6-pin KIK with TownSteel “L” keyway
HS7	High security 7-pin IC core with TownSteel “L” keyway
CLF	Corbin® large format IC, less core
SLF	Schlage® large format IC, less core
SF	Small format IC, less core

Strikes







ASA Strike






T Strike



Functions

Out	In	Series / Function	Type	ANSI No.	Description
		CE-R-75	Passage	F75	Latchbolt operated by lever from either side at all times.
		CE-R-76 CEC-R-76	Privacy	F76	Latchbolt operated by lever from either side. Outside lever is locked by push button inside and unlocked by emergency release outside, rotating inside lever or closing door.
		CE-R-82 CEC-R-82	Entry / Office	F82	Dead locking latch bolt operated by lever from either side except when outside lever is locked by push button on inside. When outside lever is locked, operating key in outside lever or operating inside lever unlocks push button and retract latch bolt. Closing door does not release push button.
		CE-R-84 CEC-R-84	Classroom	F84	Deadlocking latchbolt operated by lever from either side except when outside lever is locked from outside by key. When outside lever is locked, latchbolt is operated by key in outside lever or by rotating inside lever.
		CE-R-86 CEC-R-86	Storeroom	F86	Deadlocking latchbolt operated by key in outside lever or rotating inside lever. Outside lever is always inoperable.
		CE-R-87	Asylum	F87	Deadlocking latchbolt operated by key in lever from either side. Both levers are always inoperable.

Functions

Out	In	Series / Function	Type	ANSI No.	Description
		CE-R-89 CEC-R-89	Exit Latch	F89	Deadlocking latch bolt operated by lever from inside at all times. Outside lever is always inoperable.
		CE-R-109 CEC-R-109	Entry / Office	F109	Deadlocking latchbolt operated by lever from either side except when outside lever is locked by the turn button on inside. Key outside or operating inside lever releases turn button unlocking outside lever except when turn button has been rotated to keep outside lever locked. Inside turn button must be manually operated to unlock outside lever. Inside lever always operates latch bolt.
		CE-R-110 CEC-R-110	Classroom Intruder	F110	Dead locking latch bolt operated by lever from either side. Key either inside or outside locks or unlocks outside lever. Inside lever always operates latch bolt.

How to Order

CE-R / CEC-R Cylindrical Lockset

Series

CE-R	Rigid trim
CEC-R	Clutched trim

Function

See Functions on page 12

Lever

G	Gala
Q	Quest
S	Sentinel
E	Essen
ER	Essen Return
W	Wolfsburg

Finishes

622	Flat Black
626	Satin Chrome

Cylinder

See Cylinders on page 10

Backset

[Leave Blank]	2-3/4"
R	2-3/8"
E	5"

How to Order

CE-R / CEC-R Cylindrical Lockset

Strike

[Leave Blank]

ASA Strike

T

T-Strike

Pick one item from each category when ordering.

Example order: CE-R-82-E-626

Example order: CEC-R-109-S-626-SF-R-T



17901 Railroad Street
City of Industry, CA
91748

877-858-0888
info@townsteel.com

townsteel.com