

SAFETY DATA SHEET



UPHOLSTERY PLUS

ACTICHEM PTY LTD

Catalogue number: CS468

Version No: 3.1.1

Issue date: 08/04/2025

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	UPHOLSTERY PLUS
Product code	CS468
Pack sizes	5L & 20L

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Premium upholstery prespray for synthetic fabrics
--------------------------	---

Details of the supplier of the safety data sheet

Registered company name	ACTICHEM PTY LTD	CLEANING SYSTEMS LIMITED
Address	11 Gamma Close, Beresfield 2322 NSW Australia	331A East Tamaki Road, East Tamaki, Auckland, 2013, NZ
Telephone	(02) 4966 5516	+64 9579 4114, 0800 100 117
Website	www.actichem.com.au	www.cleaningsystems.co.nz
Email	info@actichem.com.au	sales@cleaningsystems.co.nz

Emergency telephone number

Association / Organisation	National Poisons Centre
Emergency telephone numbers	0800-764-766 (0800 POISON)
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the criteria of New Zealand HSNO Hazardous Substances (Hazard Classification) Notice 2020 and New Zealand NZS5433.

Hazard Classification	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1, Skin Sensitizer Category 1, Hazardous to the aquatic environment short-term (Acute) Category 3, Hazardous to the aquatic environment long-term (Chronic) Category 2
	Classification drawn from HCIS, ECHA C&L Inventory and HSNO CCID.

Label elements

Hazard pictograms	  
SIGNAL WORD	DANGER

Hazard statement(s)

H315	Causes skin irritation
H318	Causes serious eye damage
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects

Precautionary statement(s) Prevention

P280	Wear protective gloves and eye protection.
P261	Avoid breathing mist / vapours / spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash exposed skin thoroughly after handling.
P273	Avoid release to the environment

Precautionary statement(s) Response

P305+P310+P351+P338	IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P362+P352+P333+P313	IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. If skin irritation or rash occurs, get medical advice / attention.

Precautionary statement(s) Storage

Not applicable

Precautionary statement(s) Disposal

Not applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
7320-34-5	<10	<u>potassium pyrophosphate</u>
5989-27-5	<10	<u>d-limonene</u>
9016-45-9	<10	<u>nonylphenol ethoxylated</u>
111-76-2	10-<30	<u>ethylene glycol monobutyl ether</u>
151-21-3	<10	<u>sodium lauryl sulphate</u>
Trade secret	<10	<u>proprietary surfactant</u>
1300-72-7	<10	<u>sodium xylene sulfonate</u>

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Obtain medical advice / attention without delay. Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If necessary, transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media	The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.
---------------------	--

Special hazards arising from the substrate or mixture.

Fire incompatibility	None known
----------------------	------------

Advice for firefighters

Fire fighting	<p>Alert Fire Brigade and tell them location and nature of hazard.</p> <p>Wear breathing apparatus plus protective gloves in the event of a fire.</p> <p>Prevent, by any means available, spillage from entering drains or water courses</p> <p>Use firefighting procedures suitable for surrounding area.</p> <p>DO NOT approach containers suspected to be hot.</p> <p>Cool fire exposed containers with water spray from a protected location.</p> <p>If safe to do so, remove containers from path of fire.</p> <p>Equipment should be thoroughly decontaminated after use.</p> <p>Slight hazard when exposed to heat, flame and oxidisers.</p>
Fire/Explosion Hazard	<p>Non-combustible.</p> <p>Not considered to be a significant fire risk.</p> <p>Expansion or decomposition on heating may lead to violent rupture of containers.</p> <p>Decomposes on heating and may produce toxic fumes of carbon monoxide (CO), carbon dioxide (CO₂) and other pyrolysis products typical of burning organic material.</p> <p>May emit corrosive fumes.</p>

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	<p>Minor environmental hazard - contain spillage.</p> <p>Clean up all spills immediately.</p> <p>Avoid contact with skin and eyes.</p> <p>Control personal contact with the substance, by using protective equipment.</p> <p>Contain and absorb spill with sand, earth, inert material or vermiculite.</p> <p>Wipe up.</p> <p>Place in a suitable, labelled container for waste disposal.</p>
Major Spills	<p>Minor environmental hazard - contain spillage.</p> <p>Control personal contact with the substance, by using protective equipment as required.</p> <p>Prevent spillage from entering drains or water ways.</p> <p>Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.</p> <p>Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.</p>
PPE	<p>Personal Protective Equipment advice is contained in Section 8 of the SDS.</p>

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	<p>Avoid all personal contact, including inhalation.</p> <p>Wear protective clothing when risk of exposure occurs.</p> <p>Use in a well-ventilated area.</p> <p>DO NOT allow material to contact humans, exposed food or food utensils.</p> <p>Avoid contact with incompatible materials.</p> <p>When handling, DO NOT eat, drink or smoke.</p> <p>Keep containers securely sealed when not in use.</p> <p>Avoid physical damage to containers.</p>
Other information	<p>Store away from incompatible materials.</p>

Conditions for safe storage, including any incompatibilities.

Suitable container	<p>Polyethylene or polypropylene container.</p> <p>Packing as recommended by manufacturer.</p> <p>Check all containers are clearly labelled and free from leaks.</p>
Storage incompatibility	<p>d-Limonene:</p> <p>forms unstable peroxides in storage, unless inhibited; may polymerise</p> <p>reacts with strong oxidisers and may explode or combust</p> <p>is incompatible with strong acids, including acidic clays, peroxides, halogens, vinyl chloride and iodine pentafluoride</p> <p>flow or agitation may generate electrostatic charges due to low conductivity.</p>



SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

Source	Ingredient	Material name	TWA	STEL	Notes
EH40/2005 Workplace Exposure Limits	ethylene glycol monobutyl ether	2-Butoxyethanol	96.9 mg/m ³ / 20 ppm	242 mg/m ³ / 50 ppm	Sk

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	 
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. - Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, e.g. PVC. NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.
Body protection	See Other protection below
Other protection	Overalls. P.V.C. apron. Barrier cream. Skin cleansing cream. Eye wash unit.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear yellow liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Lemon citrus	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	9.8	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition. Skin contact is not thought to have harmful <u>health</u> effects (as classified under EC Directives). Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	This material can cause eye irritation and damage in some persons.
Chronic	Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population.

Toxicological effects of ingredients

tetrapotassium pyrophosphate	Acute toxicity	Oral LD50 (rabbit) >1000 mg/kg Dermal LD50 (rabbit) >4640 mg/kg
	Skin corrosion/irritation	Causes skin irritation. Irritation is likely to be more severe if the skin is moist or wet
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	EU/CLP • Classification criteria not met
	Germ cell mutagenicity	EU/CLP • Classification criteria not met
	Carcinogenicity	Does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens
	Reproductive toxicity	EU/CLP • Classification criteria not met
	STOT (single exposure)	EU/CLP • Classification criteria not met
	STOT (repeated exposure)	EU/CLP • Classification criteria not met
	Aspiration toxicity	EU/CLP • Classification criteria not met
d-limonene	Acute toxicity	Oral LD50 (rat) 4400 mg/kg Dermal LD50 (rabbit) >5000 mg/kg
	Skin corrosion/irritation	Causes skin irritation
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	May cause an allergic skin reaction
	Germ cell mutagenicity	No data available
	Carcinogenicity	No data available
	Reproductive toxicity	No data available
	STOT (single exposure)	No data available
	STOT (repeated exposure)	No data available
	Aspiration toxicity	May be fatal if swallowed and enters airways
nonylphenol ethoxylated	Acute toxicity	Oral LD50 (mouse) 4290 mg/kg
	Skin corrosion/irritation	moderate to severe irritation.
	Eye damage/irritation	moderate to severe irritation
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Not genotoxic
	Carcinogenicity	No Data Available
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
ethylene glycol monobutyl ether	Acute toxicity	Oral LD50 (guinea pig) 1414 mg/kg Dermal LD50 (guinea pig) >2000 mg/kg Inhalation LC0 >3.1 mg/l>641 ppm 1h
	Skin corrosion/irritation	Causes skin irritation.
	Eye damage/irritation	Causes serious eye irritation.
	Respiratory/skin sensitization	Not classified No study available.
	Germ cell mutagenicity	Not classified
	Carcinogenicity	Not classified
	Reproductive toxicity	Not classified
	STOT (single exposure)	High concentrations may cause central nervous system depression
	STOT (repeated exposure)	Based on repeated exposure toxicity values, not classified
	Aspiration toxicity	Based on physico-chemical values or lack of human evidence. Not classified
sodium lauryl sulphate	Acute toxicity	Oral LD50 (rat) 977 mg/kg Dermal LD50 (rabbit) 580 mg/kg
	Skin corrosion/irritation	Rabbit, 4 hour patch test, 25%: Strong erythema and edema (Data on sodium dodecyl sulfate)(48)
	Eye damage/irritation	Rabbit, Draize test, 20%: Strongly irritating (Data on sodium dodecyl sulfate)(48)
	Respiratory/skin sensitization	Guinea pig, Buehler Test: Negative (Data on sodium dodecyl sulfate)(48)
	Germ cell mutagenicity	Ames test (TA98, TA100, WP2try-): Negative / Rec-assay (H17, M45): Negative
	Carcinogenicity	AS (Alcohol Sulphates) are not carcinogenic
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available

proprietary surfactant	Acute toxicity	Oral LD50 (rat) 2546 mg/kg Dermal LD50 (rat) 1844 mg/kg
	Skin corrosion/irritation	Causes skin irritation
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	Not a skin sensitizer based on components
	Germ cell mutagenicity	There is no data available
	Carcinogenicity	No components are listed as carcinogens by IARC, ACGIH, OSHA or NTP above the threshold of 0.1%
	Reproductive toxicity	There is no data available
	STOT (single exposure)	There is no data available
	STOT (repeated exposure)	There is no data available
	Aspiration toxicity	There is no data available
sodium xylenesulfonate	Acute toxicity	Oral LD50 (rat) 1000 mg/kg
	Skin corrosion/irritation	May be irritating to skin
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	Prolonged or repeated skin contact may lead to allergic contact dermatitis and sensitization in some individuals
	Germ cell mutagenicity	Not considered to be a mutagenic hazard
	Carcinogenicity	Not considered to be a carcinogenic hazard
	Reproductive toxicity	Not considered to be toxic to reproduction
	STOT (single exposure)	Not expected to cause toxicity to a specific organ
	STOT (repeated exposure)	Not expected to cause toxicity to a specific organ
	Aspiration toxicity	Not expected to be a aspiration hazard

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	Endpoint	Duration (Hr.)	Species	Value
potassium pyrophosphate	LC50	96	Fish	>100mg/L
	EC50	48	Crustacea	>100mg/L
	EC50	72	Algae or other aquatic plants	>100mg/L
	NOEC	72	Algae or other aquatic plants	>100mg/L
d-limonene	LC50	96	Fish	0.46mg/L
	EC50	48	Crustacea	0.307mg/L
	EC50	72	Algae or other aquatic plants	0.214mg/L
	NOEC	0	Algae or other aquatic plants	<0.05-1.5mg/L
nonylphenol ethoxylated	NOEC	36.5	Fish	0.0001-mg/L
ethylene glycol monobutyl ether	LC50	96	Fish	1-250mg/L
	EC50	48	Crustacea	>1-mg/L
	EC50	96	Algae or other aquatic plants	>1-mg/L
	NOEC	24	Crustacea	>1-mg/L
sodium lauryl sulphate	LC50	96	Fish	0.59-mg/L
	EC50	48	Crustacea	=0.939mg/L
	EC50	96	Algae or other aquatic plants	-0.4-3.7mg/L
	BCF	1	Fish	0.85-mg/L
	EC15	Not coded	Not Available	-0.05-0.25mg/L
	NOEC	0.08	Fish	0.000013-mg/L
proprietary surfactant	LC50	96	Rainbow trout	32.15 mg/L
sodium xylenesulfonate	LC50	96	Fish	>1-mg/L
	EC50	48	Crustacea	>1-mg/L
	EC50	96	Algae or other aquatic plants	>=230mg/L
	NOEC	504	Crustacea	<30mg/L

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems.
Harmful to aquatic organisms.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
d-limonene	HIGH	HIGH
nonylphenol, ethoxylated	LOW	LOW
ethylene glycol monobutyl ether	LOW (Half-life = 56 days)	LOW (Half-life = 1.37 days)
sodium lauryl sulfate	HIGH	HIGH

Bio accumulative potential

Ingredient	Bioaccumulation
d-limonene	HIGH (LogKOW = 4.8275)
nonylphenol, ethoxylated	LOW (BCF = 16)
ethylene glycol monobutyl ether	LOW (BCF = 2.51)
sodium lauryl sulfate	LOW (BCF = 7.15)

Mobility in soil

Ingredient	Mobility
d-limonene	LOW (KOC = 1324)
nonylphenol, ethoxylated	LOW (KOC = 940)
ethylene glycol monobutyl ether	HIGH (KOC = 1)
sodium lauryl sulfate	LOW (KOC = 10220)

SECTION 13 DISPOSAL CONSIDERATIONS**Waste treatment methods**

Product / packaging disposal	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations.
------------------------------	---

SECTION 14 TRANSPORT INFORMATION**Labels Required**

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

SECTION 15 REGULATORY INFORMATION**Safety, health and environmental regulations / legislation specific for the substance or mixture****POTASSIUM PYROPHOSPHATE IS FOUND ON THE FOLLOWING REGULATORY LISTS**

New Zealand Inventory of Chemicals (NZIoC)

D-LIMONENE IS FOUND ON THE FOLLOWING REGULATORY LISTS

New Zealand Inventory of Chemicals (NZIoC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
Chemical Classification and Information Database (CCID)**NONYLPHENOL, ETHOXYLATED IS FOUND ON THE FOLLOWING REGULATORY LISTS**

New Zealand Inventory of Chemicals (NZIoC)

Chemical Classification and Information Database (CCID)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

ETHYLENE GLYCOL MONOBUTYL ETHER IS FOUND ON THE FOLLOWING REGULATORY LISTS

New Zealand Inventory of Chemicals (NZIoC)

Chemical Classification and Information Database (CCID)

Approved hazardous substances with controls

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

International Agency for Research on Cancer (IARC) – Agents classified by AIRC monographs

SODIUM LAURYL SULFATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

New Zealand Inventory of Chemicals (NZIoC)

Chemical Classification and Information Database (CCID)

SODIUM XYLENESULFONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

New Zealand Inventory of Chemicals (NZIoC)

Chemical Classification and Information Database (CCID)

NEW ZEALAND HSNO ACT 1996

Substance approval - Cleaning Products (Subsidiary Hazard) Group Standard | HSR002530 | October 2020

SECTION 16 OTHER INFORMATION**Revision Schedule**

Revision Date	08/04/2025
Initial Date	08/12/2016

SDS Version Summary

Version	Issue Date	Sections Updated
2.1	06/07/2021	Sections 2, 3, 11, 12, 15, 16 have been updated or corrected
3.1	08/12/2021	Sections 1, 2, 3, 8, 15.
3.1.1	08/04/2025	Section 1

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of ACTICHEM PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes.

Definitions and abbreviations

PC-TWA:	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit Of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright act, no part may be reproduced by any process without written permission from ACTICHEM PTY LTD.

End of SDS