

## Woods FL

#### FINISH YOUR PROJECTS ON TIME AND UNDER BUDGET.

Woods FL is designed for multi-level flooring projects featuring a crossover color selection across multiple flooring types. On lower levels, Woods Glue Down helps keep your projects under budget without compromising style or durability. On upper levels, Woods FL Floating Floor installs quickly and matches the same high-quality styles and long-lasting performance while also working to reduce the amount of sound transferred to floors below.



Finish Your Projects On Time And Under Budget. Multi-level projects will never be the same.

Every color in the Woods line is available in GlueDown and Floating Floor formats. Woods FL also offers an unprecedented selection of moldings and stair treads to finish every project with a refined and unified look.

# 12 Curated Designer Colors

A focused selection of premium colors and textures to ensure the perfect floor for your designer vision.



## Multi-Format Flooring

No need to compromise on style, budget or schedule. Each color is available in both GlueDown and Floating Floor formats to help you finish on time and under budget.



Provide a clean finish with the vast selection of moldings in matching colors. Transition between flooring and finish to any wall, fixture or vertical edge.



Highly abrasion-resistant coating provide shine and increases the lifespan of your floor.



Pet Friendly

Messes stay on the surface and do not penetrate or go under the floor.



Build Responsibly

All products have been independently certified by SCS to comply with the volatile organic compound emissions criteria of the California Sections 01350 standard. Any product that has met these stringent standards is a product that will contribute to good IAQ.



## Woods FL Floating Floor

ENHANCED
POLYURETHANE SYSTEM
Highly Stain Resistant

12MIL SCRATCHGUARD

WEAR LAYER
Extra Wear Protection

NATURAL WOOD TEXTURE Ultra Realistic Look Wide Color selection

SOUND REDUCING



100% WATERPROOF 4MM HIGH DENSITY CORE

Engineered For Structural Stability
Waterproof SPC Limestone Base
1MM SOUND-REDUCING
UNDERLAYMENT

Surpasses STC and IIC Sound Requirements Provides Extra Comfort




HIGH TRAFFIC DURABILITY



EASY TO CLEAN

Core	Stone Polymer Composite
Plank Size	7" x 48"
Thickness	5mm
Wear Layer	12mil ScratchGuard
Edge Profile	Beveled
Installation	Floating
LEED Scorecard	EQ 4.3 - 1 Point



### **WARRANTIES**

Residential \_\_\_\_\_\_ 20 Years Light Commercial \_\_\_\_\_\_ 10 Years

**GUARANTEED PHTHALATE FREE** 

Pearl - 2901 It's a quiet, neutral shade. Pearl gives you the charm of wood with a whisper not a shout.





Bristol Harbor - 2907
Also available in GlueDown 2107





Whispering Pines - 2908

Also available in GlueDown 2108

Bedford Creek - 2910 Also available in GlueDown 2110





Sandpiper Spring - 2909
Also available in GlueDown 2109

























Hidden Acres - 2913


Also available in GlueDown 2913






## CUT DOWN INSTALLATION

Installing Sound-Tec and Studio 12 is faster and easier than ever before, thanks to it's innovative Rapidlock clip system. Rapidlock





1 ANGLE

angle.

Start by engaging the plank on the long side at a 45°

2 SLIDE

Slide the plank to the left until the sides align.

3 | DROP

Gently drop the plank to engage the locking system.

4 | SECURE


To secure the locking system and make flush, gently tap

Check out UrbanSurfaces.com for the full guide on Rapidlock.

#### THE **BEAUTY** IN **DETAILS**

Easily transition the flooring to a variety of different settings. The different molding options deliver several variations, when fitting the floor to any room, and any situation. Pick the best molding for your desired look.

Easily transition the flooring in a variety of different settings.



#### **AVAILABLE MOLDING & TRANSITIONS OPTIONS**

Moldings available for all Floating Floor colors. For the most up to date information on moldings specifications check out: urbansurfaces.com



Waterproof WPC

#### SQUARE EDGE STAIR TREAD & SQUARE EDGE STAIR NOSE

**PVC** Material

11-6/8" wide x 1/2" Tall Dimensions

52" Long Length



#### METAL STAIR NOSE

Aluminum Material

Dimensions 9/32" wide x 9/32" Tall

Length 96" Long



#### SLT MOLDING

Material **PVC** 

Dimensions 2" wide x 1/4" Tall

Length 94" Long



Dimensions 3/4" wide x 3/4" Tall

96" Long

#### **STAIRNOSE**

Material PVC

**OUARTER ROUND** 

Material

Length

Dimensions 2" wide x 1" Tall

Length 94" Long



#### REDUCER

Material **PVC** 

Dimensions 1-3/8" wide x 1/2" Tall

Length 94" Long



#### T-MOLDING

Material **PVC** 

Dimensions 1-1/2" wide x 1/8" Tall

Length 94" Long



#### LOW PROFILE END CAP

Material PVC.

Dimensions 1" wide x 1/2" Tall

Length 94" Lona



#### **END CAP**

**PVC** Material

1-3/8" wide x 1/2" Tall Dimensions


Length 94" Long

# CREATE INSPIRING SPACES.


Addpersonalityand stylebycombiningdifferent colors or mix installation pattern types.




GlueDown flooring can be installed in many different variations and combinations. When designing your project, add personality and style by combining different colors or mix installation pattern types. Your floor is what you make it with Urban Surfaces' Luxury Vinyl Plank.




Random Pattern




45° Random




Subway Pattern



Single Herringbone



Square Herringbone



**Double Herringbone** 


# CREATE INSPIRING SPACES.

## Why hard surface flooring?

Hard surface floors are easy to clean and maintain because they provide a one-dimensional surface that doesn't absorb odors, spills, dust, or soil. They also don't retain moisture, which can lead to microorganisms such as dust mites and mold.

## What are you breathing?

Research by the RFCI shows that on average a person will spend 90% of their life indoors. Whether it be in your working environment, your home, or sitting in a movie theater, you will spend a majority of your time inside. When this is realized, you may want to know how healthy the air quality is, and rightly so. A recent study done by the Environmental Protection Agency (EPA) found that indoor air was deemed two to five times more harmful than outdoor air. This is due to many harmful pollutants including radon, mold, and carbon dioxide found indoors. Healthy air contributes to better learning in schools, improved productivity in offices, and more comfortable homes. Poor indoor air quality (IAQ) can be a factor in a variety of health problems, such as headaches, dizziness, and more serious long-term effects.









# BUILD RESPONSIBLY.

### Why FloorScore?

When it comes to indoor air quality, a primary concern is the emission level of specific volatile organic compounds (VOCs). FloorScore® IAQ Certification means that a flooring product is independently certified by SCS Global Services to comply with the volatile organic compound emissions criteria of the California Section 01350 Program. Hundreds of resilient flooring materials and their adhesives bear the FloorScore® seal. This seal tells you that the products have been independently certified by SCS to comply with the volatile organic compound emissions criteria of the California Section 01350 standard. Any product that has met these stringent standards is a product that will contribute to good IAQ.

### FloorScore Requirements?

To earn the FloorScore® seal, a flooring product must satisfy the requirements of the SCS-EC-10.2-2007 Environmental Certification Program – Indoor Air Quality Performance.

#### Which Includes:

- Testing demonstrating compliance with emission concentrations for listed VOCs under California Section 01350
- · Manufacturing facility on-site audits and yearly surveillance audits
- · Annual product re-testing
- Product record keeping
- A documented quality control plan

