



H O M E



# “IT’S TIME TO TAKE RESPONSIBILITY”

With the introduction of Home, MILE®stone has confirmed and strengthened its commitment to **achieving 100% carbon neutral manufacturing, through a collection with zero carbon dioxide emissions.**

The collection pays tribute to the most loved hardwoods by using locally sourced, carbon-free inorganic raw materials as a base for production. This dramatically reduces transportation related carbon emissions, and emphasizes the steps we take to remain environmentally conscious.

Home is a perfect representation of our achievements and a symbol of the future. It is a new and tangible demonstration of the fact that sustainability is more than simply a buzzword for MILE®stone, but an action.

Take part in the change and preserve the future with Home.



**Home draws on roots of natural inspiration. As a carbon neutral wood-inspired tile**, it pays tribute to some of the finest natural woods and combines an eco-conscious design that is both aesthetically pleasing and innovative. **Based on the principles of sustainability**, Home extracts the organic beauty of wood, to present a style that satisfies traditional, modern, and futuristic flooring tastes.

## Home

# 6 COLORS



**PINE**  
1103297 - 8"x48"




**BIRCH**  
1103295 - 8"x48"



**TEAK**  
1103293 - 8"x48"



**WHITE OAK**  
1103296 - 8"x48"




**CHESTNUT**  
1103294 - 8"x48"



**POPLAR**  
1103292 - 8"x48"

# 1 ECO FRIENDLY SIZE



# 1 FINISH



Finish Matte Pressed. Thickness 10mm

**Six color variations** reproduce with faithfulness of detail the linear and clean graphics of wood to create beautiful interior settings. The result is a union of sinuous veins, nodes, and the typical nuances of the natural material. Emphasized by the **8"x48" pressed** size, which reduces the energy consumption necessary for its production, enhancing further the **eco-friendly** vocation of the collection.






Shower Floor and Wall: 8"x48" Chestnut  
Wall and Floor: 8"x48" Pine





Floor: 8"x48" Chestnut


 Embodied carbon is the sum of all greenhouse gas emissions (mostly carbon dioxide) resulting from the mining, harvesting, processing, manufacturing, transportation, and installation of building materials.



Floor and Wall: 8"x48" Pine



Floor: 8"x48" Birch

 When looking at total greenhouse gas emissions for new buildings built over the next ten years — the critical period for action to address the global climate emergency — it is estimated that 80% will come from embodied emissions.

# BIRCH



Floor: 8"x48" Teak

 Lowering embodied carbon emissions is now even more urgent than lowering operating emissions which comprise the remaining 20%.




Floor: 8"x48" White Oak




# WHITE OAK



Floor: 8"x48" White Oak



Floor: 8"x48" Birch

 Thoughtful selection of MILE<sup>®</sup>stone's Home collection for your project exhibits an eco-conscious mentality, necessary for combating the global climate crisis.





Floor: 8"x48" Chestnut

# CHESTNUT



Floor: 8"x48" Chestnut


 Home is a carbon neutral tile, meaning that no additional embodied carbon emissions are produced in the creation of Home tiles.



Floor: 8"x48" Teak



Floor: 8"x48" Poplar, Teak

 MILE<sup>®</sup>stone has pledged to become fully carbon neutral, with Home serving as a vital step in the process of creating a more sustainable world because **it is time to take responsibility.**

# POPLAR

# Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1 & A137.3.  
 Este producto cumple o excede todos los estándares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET OUTDOOR >0.55 WET	≥0.42 WET >0.55 WET 2CM & GRIP	
	STAIN RESISTANCE	ASTM C137.8	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN	ASTM C1505	≥175 lbf	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	

• Due to the inherent nature of fired porcelain tile, it is important to note that the coefficient of friction may vary within and between product runs.

# Green Certifications

 <b>Human Health</b>	 Declare Red List Free	 HPD measured down to 100ppm	 Greenguard Gold Certified (Inherently Non-Emitting)
 <b>Ecosystem Health</b>	 As much as 64% post-consumer recycled content.	 Green Squared Certified	 Contains no PFAS, PVC, or VOCs
 <b>Climate Health</b>	 Third Party verified EPD GWP 6mm - 16.09 kg/m <sup>2</sup> GWP 8mm - 22.8 kg/m <sup>2</sup> GWP 2CM - 56.25 kg/m <sup>2</sup>	 100% of the raw material used in the body of our tile is regionally sourced, supporting sustainable practices and local industries.	
 <b>Social Health &amp; Equity</b>	 Certified B Corp (as of 2025)	 Registered Benefit Corporation in the state of TN (as of 2022)	 ISO 9001 Certified ISO 14001 Certified

# Cleaning & Maintenance / Routine Care Instructions



Scan the QR code with your smartphone.

## Progress that invests in the entire society

As an active member of the U.S. Green Building Council, MILEstone spreads awareness to the community and encourages the use of building solutions through environmentally friendly practices. Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

## A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 64% recycled content.
- Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- 100% regionally sourced raw materials used in the production of the body of our tile, supporting local industries and sustainable practices.

MILE<sup>®</sup>stone is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that we reach full carbon neutrality.



MADE IN THE USA

