

Fructosamine Levels Chart

Medical Institution Details

Name: _____

Address: _____

Phone Number: _____

Website: _____

Patient Details

Full Name: _____

Date of Birth: ____/____/____

Gender: _____

Patient ID: _____

Contact Number: _____

Email Address: _____

Referred by Dr./Physician: _____

Test Details

Date Sample Collected: ____/____/____

Date of Analysis: ____/____/____

Lab Technician: _____

Lab ID or Location: _____

Fructosamine Levels Interpretation Chart

Parameter	Result	Reference Range	Interpretation
Fructosamine (μmol/L)		Typically 205-285 μmol/L	

Symptoms Reported by Patient

- ☐ Fatigue or tiredness
- ☐ Increased thirst
- ☐ Frequent urination
- ☐ Blurred vision
- ☐ Slow-healing sores or frequent infections
- ☐ Unexplained weight loss
- ☐ Other: _____

Related Tests and Results

Test Name	Result	Reference Range
HbA1c (%)		4.0-5.6% (Non-diabetic)
Fasting Blood Glucose (mg/dL)		70-100 mg/dL (Normal)
Postprandial Blood Glucose (mg/dL)		<140 mg/dL (Normal)

Interpretation Guide

Normal:

Indicates good glucose control over the past 2-3 weeks.

Elevated:

Suggests poor glucose control over the past 2-3 weeks, which might indicate the need for adjustments in diabetes management.

Low:

Can suggest overly aggressive glucose control, which might increase the risk of hypoglycemic episodes.

Comments

Recommendations (if any)

- 1.
- 2.
- 3.

Disclaimer

The Fructosamine Levels Chart provides insights into average blood glucose levels over the past 2-3 weeks. It's essential to interpret the results in conjunction with clinical observations and other diagnostic evaluations. Any concerns or anomalies should be discussed with a healthcare professional.

Signature of Lab Technician:		Date:	
Signature of Supervising Pathologist:		Date:	