

## WAVE 320

### Aluminum Profile - Self Locking




High-quality 6063 differing from the aluminum basic profile, it has a shallower shape and symmetric protruding tracks inside to discreetly fit the notched Wave 320. With it, the beauty of Wave 320 lights can be displayed from all sides to the fullest extent, while the reliable clamping force can be expected even for the upsidedown applications. Please refer to install manual for proper installation practices.





#### ORDER CODE

MOUNTING PROFILE TYPE	STANDARD LENGTH	PROFILE	COLOR
A6 = Aluminum Self-Locking	1 = 0.79in (20mm) 3 = 19.68in (500mm) 5 = 39.37in (1000mm) 6 = 78.74in (2000mm)	H = Wave 320	1 = Standard


#### DIMENSIONS



Tolerance:  $\pm 0.01in$  (0.3mm)



NOTES: 1. 2-L1 refers to two of symmetric L1 in each piece of profile.  
 2. (N-1)-L2 refers to (N minus one) of symmetric L2 in each piece of profile.  
 "N" hereby stands for its corresponding "Hole Number" in the below table



ORDER CODE	LEGACY CODE	STANDARD LENGTH	L1	L2	SLOTTED HOLE	HOLE #
A6-1-H-1	CL16RAL2C0LP	0.79in (20mm)	N/A	N/A	0.16*0.39in (4*10mm)	1
A6-3-H-1	CH16RAL0M5LP	19.68in (500mm)	1.97in (50mm)	7.87in (200mm)	0.16*0.39in (4*10mm)	3
A6-5-H-1	CH16RAL01MLP	39.37in (1000mm)	3.93in (100mm)	7.87in (200mm)	0.16*0.39in (4*10mm)	5
A6-6-H-1	CH16RAL02MLP	78.74in (2000mm)	3.93in (100mm)	7.87in (200mm)	0.16*0.39in (4*10mm)	10