



Vitrina Experience grupo incorporado / Plug in refrigerated display case Experience / Vitrine Experience groupe incorporé

CRISTAL RECTO / FLAT GLASS / VITRE DROITE							
MODELO MODELE MODÈLE							
Precio Price Prix						NEW	NEW
MOD.	VEX09 IU CP	VEX12 IU CP	VEX15 IU CP	VEX18 IU CP	VEX25 IU CP	VEX31 IU CP	VEX37 IU CP
Precio PLANO INOX Price STAINL. STEEL SURF. Prix PLAN INOX						NEW	NEW
CRISTAL CURVO / CURVED GLASS / VITRE BOMBÉE							
MODELO MODELE MODÈLE							
Precio Price Prix						NEW	NEW
MOD.	VEX09 IU	VEX12 IU	VEX15 IU	VEX18 IU	VEX25 IU	VEX31 IU	VEX37 IU
Precio PLANO INOX Price STAINL. STEEL SURF. Prix PLAN INOX						NEW	NEW
Medidas Measures Mesures	938 x 1295 x 1220 mm.	1250 x 1295 x 1220 mm.	1562 x 1295 x 1220 mm.	1875 x 1295 x 1220 mm.	2500 x 1295 x 1220 mm.	3125 x 1295 x 1220 mm.	3750 x 1295 x 1220 mm.
Temperatura Temperature Température	-1°C/+5°C						
Clase Climática Climatic class Classe climatique	3 / 25°C						
Tensión/Frecuencia Electrical data Tension électrique	230V/1ph/50Hz						
Controlador Controller Régulateur	Digital						
Material Material Matériel	Ext: acero plastificado / Plastified stainless steel / Acier plastifié Encimera / Worktop / Dessous: Inox Aisi 304 Plano exposición / Exhibition plan / Plan d'exposition: Inox Aisi 304						
Aislamiento Isolation Isolation	40kg/m³ / Free CFC's / Zero ODP-GWP						
Capacidad Capacity Capacité	215	285	358	430	572	705	845
Superficie exposición Surface exhibition Surface d'exposition	0,86	1,14	1,43	1,72	2,29	2,82	3,38
Compresor Compressor Compresseur	1/3	1/2	3/4	3/4	1 1/4	1 1/4	1 1/4
Costados (2) Sides (2) Joues (2)	30 + 30						
Sistema de frío Cooling System Système de froid	Ventilado / Ventilated / Ventilé						
Desescarche Defrost Dégivrage	Automático / Automatic / Automatique						
Evaporación Evaporation Évaporation	Forzada / Forced / Ventilé						
Potencia Power Puissance	484	650	714	810	1264	2461	2493
Potencia frig. Cooling capacity Puissance Frig.	-						
Consumo Consumption Consommation	6,9	9,4	10,3	11,7	18,2	35,4	35,9
Refrigerante Refrigerant Gaz	R-290						
Opcional Optional Options	Puertas correderas traseras / Rear sliding doors / Portes coulissantes arrière						
	Doble Plano / Double surface / Double plan						
	Doble plano Inox / Stainless steel double surface / Double plan Inox						
	Control de Condensación SSC / SCC Condensing Control / Contrôle de la Condensation SCC						

Serie / Series / Série **VEX - EXPERIENCE**+Info: www.infrico.com**VEX37UCP****VEX37U****Decoración Exterior Standard / Exterior Standar Decorations / Décoration Extérieure Standard**

Ral 9016 Blanco White Blanc	Ral 1015 Beige Beige Beige	Ral 1018 Amarillo Yellow Jaune	Ral 2003 Naranja Orange Orange	Ral 3003 Granate Maroon Grenat	Ral 3020 Rojo Red Rouge	Ral 5015 Azul Blue Bleu	Ral 5017 Azul Oscuro Dark Blue Bleu foncé	Ral 5011 Azul Acero Steel Blue Bleu acier	Ral 6002 Verde oscuro Dark green Vert foncé	Ral 6018 Verde Green Vert
Ral 6019 Verde blanquecino Pastel green Vert clair	Ral 7016 Gris antracita Anthracite Gris anthracite	Ral 7035 Gris luminoso Light grey Gris lumineux	Ral 7037 Gris polvo Dusty grey Gris poudre	Ral 7042 Gris tráfico Traffic grey Gris circulation	Negro Black Noir	Decor. Interior / Interior Decor./ Décor. Intérieure		Blanco White Blanc	Negro Black Noir	INOX

Colores fuera de carta / Colors outside of letter / Couleurs spéciales, hors palette

Color / Color / Couleur	Tipo / Type / Type	Incremento plazo de entrega Increase delivery time Allongement du délai de livraison	Suplemento PVP [x pedido] PVP supplement [x order] Supplément PVP [par vitrine commandée]
RAL	Epoxi	+10 días laborables +10 work days +10 jours ouvrés	
	Líquida/Liquid/Liquide		
NO RAL	Epoxi	Consultar / Consulter / Consulter	Consultar / Consulter / Consulter
	Líquida/Liquid/Liquide		Consultar / Consulter / Consulter

Vitrina Experience grupo incorporado / Plug in refrigerated display case Experience / Vitrine Experience groupe incorporé


MODELO MODELE MODÈLE					
Precio Price Prix					
MOD.	VEX09 IU CB	VEX12 IU CB	VEX15 IU CB	VEX18 IU CB	VEX25 IU CB
Precio PLANO INOX Price STAINL. STEEL SURF. Prix PLAN INOX					
Medidas Measures (mm) Mesures	938 x 1225 x 875 mm.	1250 x 1225 x 875 mm.	1562 x 1225 x 875 mm.	1875 x 1225 x 875 mm.	2500 x 1225 x 875 mm.
Temperatura Temperature (°C) Température	-1°C/+5°C				
Clase Climática Climatic class (°C) Classe climatique	3 / 25°C				
Tensión/Frecuencia Electrical data Tension électrique	230V/1ph/50Hz				
Controlador Controller Régulateur	Digital				
Material Material [EXT/INT] Matériel	Ext: acero plastificado / Plastified stainless steel / Acier plastifié Encimera / Worktop / Dessous: Inox Aisi 304 Plano exposición / Exhibition plan / Plan d'exposition: Inox Aisi 304				
Aislamiento Isolation (mm) Isolation	40kg/m³ / Free CFC's / Zero ODP-GWP				
Capacidad Capacity (L) Capacité	215	285	358	430	572
Superficie exposición Surface exhibition (m²) Surface d'exposition	0,86	1,14	1,43	1,72	2,29
Compresor Compressor (HP) Compresseur	3/4	3/4	1	1	1 1/4
Costados [2] Sides [2] Joints [2]	30 + 30				
Sistema de frío Cooling System Système de froid	Ventilado / Ventilated / Ventilé				
Desescarche Defrost Dégivrage	Automático / Automatic / Automatique				
Evaporación Evaporation Évaporation	Forzada / Forced / Ventilé				
Potencia Power (W) Puissance	-	678	746	780	1147
Potencia frig. Cooling capacity (W A -10°C) Puissance Frig.	-				
Consumo Consumption (kWh/24h) Consommation	6,34	10,6	11,7	12,2	19,1
Refrigerante Refrigerant Gaz	R-290				
Opcional Optional Options	Doble Plano / Double surface / Double plan	Doble Plano / Double surface / Double plan	Doble Plano / Double surface / Double plan	Doble Plano / Double surface / Double plan	Doble Plano / Double surface / Double plan
	Doble plano Inox / Stainl. steel double surface / Double plan Inox	Doble plano Inox / Stainl. steel double surface / Double plan Inox	Doble plano Inox / Stainl. steel double surface / Double plan Inox	Doble plano Inox / Stainl. steel double surface / Double plan Inox	Doble plano Inox / Stainl. steel double surface / Double plan Inox
	Control de Condensación SSC / SCC Condensing Control / Contrôle de la Condensation SCC				

Serie / Series / Série **VEX - EXPERIENCE**+Info: www.infrico.com

VEX25UCB



VEX25UCB

**Decoración Exterior Standard / Exterior Standar Decorations / Décoration Extérieure Standard**







Ral 9016 Blanco White Blanc	Ral 1015 Beige Beige Beige	Ral 1018 Amarillo Yellow Jaune	Ral 2003 Naranja Orange Orange	Ral 3003 Granate Maroon Grenat	Ral 3020 Rojo Red Rouge	Ral 5015 Azul Blue Bleu	Ral 5017 Azul Oscuro Dark Blue Bleu foncé	Ral 5011 Azul Acero Steel Blue Bleu acier	Ral 6002 Verde oscuro Dark green Vert foncé	Ral 6018 Verde Green Vert
Ral 6019 Verde blanquecino Pastel green Vert clair	Ral 7016 Gris antracita Anthracite Gris anthracite	Ral 7035 Gris luminoso Light grey Gris lumineux	Ral 7037 Gris polvo Dusty grey Gris poudre	Ral 7042 Gris tráfico Traffic grey Gris circulation	Negro Black Noir	Decor. Interior / Interior Decor. / Décor. Intérieure		Blanco White Blanc	Negro Black Noir	INOX

Colores fuera de carta / Colors outside of letter / Couleurs spéciales, hors palette

Color / Color / Couleur	Tipo / Type / Type	Incremento plazo de entrega Increase delivery time Allongement du délai de livraison	Suplemento PVP [x pedido] PVP supplement [x order] Supplément PVP [par vitrine commandée]
RAL	Epoxi	+10 días laborables +10 work days +10 jours ouvrés	
	Líquida/Liquid/Liquide		
NO RAL	Epoxi	Consultar / Consulter / Consulter	Consultar / Consulter / Consulter
	Líquida/Liquid/Liquide		Consultar / Consulter / Consulter

Vitrina Experience grupo incorporado / Plug in refrigerated display case Experience / Vitrine Experience groupe incorporé

MODELO MODELE MODÈLE	ÁNGULOS / ANGLES / ANGLES					
						
Precio Price Prix				NEUTRO/NEUTRAL/NEUTRE		
MOD.	VEX 90 AC IU	VEX 90 AA IU	VEX 45 AC IU	VEX 45 AA IU	VEX 90 AC IUCP	VEX 90 AA IUCP
Precio PLANO INOX Price STAINL.STEEL SURF. Prix PLAN INOX				NEUTRO/NEUTRAL/NEUTRE		
Medidas Measures Mesures (mm)	2769 x 1225 x 1220 mm.	1882 x 1225 x 1220 mm.	1531 x 1225 x 1220 mm.	1050 x 1225 x 1220 mm.	2769 x 1225 x 1220 mm.	1882 x 1225 x 1220 mm.
Temperatura Temperature Température (°C)	-1°C/+7°C					
Clase Climática Climatic class Classe climatique (°C)	3 / 25°C					
Tensión/Frecuencia Electrical data Tension électrique	230V/1ph/50Hz					
Controlador Controller Régulateur	Digital					
Material Material Matériel (EXT/INT)	Ext: acero plastificado / Plastified stainless steel / Acier plastifié Encimera / Worktop / Dessous: Inox Aisi 304 Plano exposición / Exhibition plan / Plan d'exposition: Inox Aisi 304					
Aislamiento Isolation Isolation (mm)	40kg/m³ / Free CFC's / Zero ODP-GWP					
Capacidad Capacity Capacité (L)	456	205	-	-	456	205
Superficie exposición Surface exhibition Surface d'exposition (m²)	1,85	1,10	0,92	0,60	1,85	1,10
Compresor Compressor Compresseur (HP)	1/2	1/2	-	Sin unidad Without unity Sans unité	1/2	1/2
Estantes Shelving Étagères	1 [+ 1 OPCIONAL/OPTIONAL/OPTION]					
Costados [2] Sides [2] Joues [2] (mm)	30+30					
Sistema de frío Cooling System Système de froid	Ventilado / Ventilated / Ventilé					
Desescarche Defrost Dégivrage	Automático / Automatic / Automatique					
Evaporación Evaporation Évaporation	Forzada / Forced / Ventilé					
Potencia Power Puissance (W)	830	768	663	35	830	768
Potencia frig. Cooling capacity Puissance Frig. (W A -10°C)	-	-	-	Sin unidad Without unity Sans unité	-	-
Consumo Consumption Consommation (kWh/24h)	1,1	1,3	0,5	0,5	1,1	1,3
Refrigerante Refrigerant Gaz	R-290					
Opcional Optional Options	Doble plano Inox / Stainless steel double surface / Double plan Inox					
	Puertas correderas traseras / Rear sliding doors / Portes coulissantes arrière					
	Control de Condensación SSC / SCC Condensing Control / Contrôle de la Condensation SCC					
				-		

Serie / Series / Série **VEX - EXPERIENCE**+Info: www.infrico.com**Decoración Exterior Standard / Exterior Standar Decorations / Décoration Extérieure Standard**

Ral 9016 Blanco White Blanc	Ral 1015 Beige Beige Beige	Ral 1018 Amarillo Yellow Jaune	Ral 2003 Naranja Orange Orange	Ral 3003 Granate Maroon Grenat	Ral 3020 Rojo Red Rouge	Ral 5015 Azul Blue Bleu	Ral 5017 Azul Oscuro Dark Blue Bleu foncé	Ral 5011 Azul Acero Steel Blue Bleu acier	Ral 6002 Verde oscuro Dark green Vert foncé	Ral 6018 Verde Green Vert
Ral 6019 Verde blanquecino Pastel green Vert clair	Ral 7016 Gris antracita Anthracite Gris anthracite	Ral 7035 Gris luminoso Light grey Gris lumineux	Ral 7037 Gris polvo Dusty grey Gris poudre	Ral 7042 Gris tráfico Traffic grey Gris circulation	Negro Black Noir	Decor. Interior / Interior Decor. / Décor. Intérieure		Blanco White Blanc	Negro Black Noir	INOX

Colores fuera de carta / Colors outside of letter / Couleurs spéciales, hors palette

Color / Color / Couleur	Tipo / Type / Type	Incremento plazo de entrega Increase delivery time Allongement du délai de livraison	Suplemento PVP [x pedido] PVP supplement [x order] Supplément PVP [par vitrine commandée]
RAL	Epoxi	+10 días laborables +10 work days +10 jours ouvrés	
	Líquida/Liquid/Liquide		
NO RAL	Epoxi	Consultar / Consuler / Consuler	Consultar / Consuler / Consuler
	Líquida/Liquid/Liquide		Consultar / Consuler / Consuler