

VITRA 6411-XL (-2 / +15°C)



REFRIGERATION
VENTILATED



DEFROSTING
AUTOMATIC

Capacity (lt)	600
Size (cm)	65 x 65 x 230
Weight (kg)	169
Power (kw)	0,6
Package size (cm)	76 x 73 x 250
Package weight (kg)	194

Model



Colors for this line: Silver Quartz
Optional color: Black Opal | White Pearl | Brown Rusty

STANDARD ACCESSORIES



led light (2 barre led)



glass shelf 50x40 (x7)



touchscreen telethermostat ()

OPTIONALS



220v./60hz. - 115v./60hz.



Special Colours: Black Opal/White Pearl/Brown Rusty ()



Energy saving compressor



Condenser H₂O ()



Led Light (1 barra extra)



Coupling Kit ()



Remote condensing unit



Self closing door



Pralines temperature: +15/+18 °C u.r. 40/60% ()



RC 24h (connettività controllo remoto 365 giorni)



Door lock



Tropicalization ()



Thermostatic Valve ()



Cabinets installed over 900 mt above sea level
()

VITRA 6412-XL (-2 / +15°C)



REFRIGERATION
VENTILATED



DEFROSTING
AUTOMATIC

Capacity (lt)	600
Size (cm)	65 x 65 x 230
Weight (kg)	186
Power (kw)	0,6
Package size (cm)	76 x 73 x 250
Package weight (kg)	211

Model



Colors for this line: Silver Quartz

Optional color: Black Opal | White Pearl | Brown Rusty

STANDARD ACCESSORIES



led light (2 barre led)



glass shelf 50x40 (x7)



touchscreen telethermostat ()

OPTIONALS



220v./60hz. - 115v./60hz.



Special Colours: Black Opal/White Pearl/Brown Rusty ()



Energy saving compressor



Condenser H₂O ()



Led Light (1 barra extra)



Coupling Kit ()



Remote condensing unit



Self closing door



Pralines temperature: +15/+18 °C u.r. 40/60% ()



RC 24h (connettività controllo remoto 365 giorni)



Door lock



Tropicalization ()



Thermostatic Valve ()



Cabinets installed over 900 mt above sea level
()

VITRA 6413-XL (-2 / +15°C)



REFRIGERATION
VENTILATED



DEFROSTING
AUTOMATIC

Capacity (lt)	600
Size (cm)	65 x 65 x 230
Weight (kg)	203
Power (kw)	0,6
Package size (cm)	76 x 73 x 250
Package weight (kg)	228

Model



Colors for this line: Silver Quartz
Optional color: Black Opal | White Pearl | Brown Rusty

STANDARD ACCESSORIES



led light (2 barre led)



glass shelf 50x40 (x7)



touchscreen telethermostat ()

OPTIONALS



220v./60hz. - 115v./60hz.



Special Colours: Black Opal/White Pearl/Brown Rusty ()



Energy saving compressor



Condenser H₂O ()



Led Light (1 barra extra)



Coupling Kit ()



Remote condensing unit



Self closing door



Pralines temperature: +15/+18 °C u.r. 40/60% ()



RC 24h (connettività controllo remoto 365 giorni)



Door lock



Tropicalization ()



Thermostatic Valve ()



Cabinets installed over 900 mt above sea level
()

VITRA 6414-XL (-2 / +15°C)



REFRIGERATION
VENTILATED



DEFROSTING
AUTOMATIC

Capacity (lt)	600
Size (cm)	65 x 65 x 230
Weight (kg)	220
Power (kw)	0,6
Package size (cm)	76 x 73 x 250
Package weight (kg)	245

Model



Colors for this line: Silver Quartz

Optional color: Black Opal | White Pearl | Brown Rusty

STANDARD ACCESSORIES



led light (2 barre led)



glass shelf 50x40 (x7)



touchscreen telethermostat ()

OPTIONALS



220v./60hz. - 115v./60hz.



Special Colours: Black Opal/White Pearl/Brown Rusty ()



Energy saving compressor



Condenser H₂O ()



Led Light (1 barra extra)



Coupling Kit ()



Remote condensing unit



Self closing door



Pralines temperature: +15/+18 °C u.r. 40/60% ()



RC 24h (connettività controllo remoto 365 giorni)



Door lock



Tropicalization ()




Thermostatic Valve ()



Cabinets installed over 900 mt above sea level
()

VITRA 6415-XL (-2 / +15°C)



REFRIGERATION
VENTILATED



DEFROSTING
AUTOMATIC

Capacity (lt)	600
Size (cm)	65 x 65 x 230
Weight (kg)	225
Power (kw)	0,65
Package size (cm)	76 x 73 x 250
Package weight (kg)	250

Model



Colors for this line: SILVER QUARTZ

Optional color: BLACK OPAL | WHITE PEARL | BROWN RUSTY

STANDARD ACCESSORIES



led light (2 barre led)



rotating glass shelf 46 (x8)



touchscreen telethermostat ()

OPTIONALS



220v./60hz. - 115v./60hz.



Special Colours: Black Opal/White Pearl/Brown Rusty ()



Energy saving compressor



Condenser H₂O ()



Led Light (1 barra extra)



Coupling Kit ()



Remote condensing unit



Self closing door



Pralines temperature: +15/+18 °C u.r. 40/60% ()



RC 24h (connettività controllo remoto 365 giorni)



Door lock



Tropicalization ()



Thermostatic Valve ()



Cabinets installed over 900 mt above sea level
()