

VITRA 6211-L (+2 / +10°C)



REFRIGERATION
STATIC



DEFROSTING
AUTOMATIC

Capacity (lt)	450
Size (cm)	65 x 65 x 190
Weight (kg)	145
Power (kw)	0,5
Package size (cm)	76 x 73 x 215
Package weight (kg)	159

Model



Colors for this line: Silver Quartz

Optional color: Black Opal | White Pearl | Brown Rusty

STANDARD ACCESSORIES



led light (2 barre led)



glass shelf 51x45 (x5)



touchscreen telethermostat ()

OPTIONALS



220v./60hz. - 115v./60hz.



Special Colours: Black Opal/White Pearl/Brown Rusty ()



Energy saving compressor



Condenser H₂O ()



Led Light (1 barra extra)



Coupling Kit ()



Remote condensing unit



Cream Temperature: -2/+4 °C ()



Self closing door



RC 24h (connettività controllo remoto 365 giorni)



Door lock



Tropicalization ()



Thermostatic Valve ()



Cabinets installed over 900 mt above sea level
()

VITRA 6212-L (+2 / +10°C)



REFRIGERATION
STATIC



DEFROSTING
AUTOMATIC

Capacity (lt)	450
Size (cm)	65 x 65 x 190
Weight (kg)	157
Power (kw)	0,55
Package size (cm)	76 x 73 x 215
Package weight (kg)	171

Model



Colors for this line: Silver Quartz
Optional color: Black Opal | White Pearl | Brown Rusty

STANDARD ACCESSORIES



led light (2 barre led)



glass shelf 51x45 (x5)



touchscreen telethermostat ()

OPTIONALS



220v./60hz. - 115v./60hz.



Special Colours: Black Opal/White Pearl/Brown Rusty ()



Energy saving compressor



Condenser H₂O ()



Led Light (1 barra extra)



Coupling Kit ()



Remote condensing unit



Cream Temperature: -2/+4 °C ()



Self closing door



RC 24h (connettività controllo remoto 365 giorni)



Door lock



Tropicalization ()



Thermostatic Valve ()



Cabinets installed over 900 mt above sea level
()

VITRA 6213-L (+2 / +10°C)



REFRIGERATION
STATIC



DEFROSTING
AUTOMATIC

Capacity (lt)	450
Size (cm)	65 x 65 x 190
Weight (kg)	169
Power (kw)	0,55
Package size (cm)	76 x 73 x 215
Package weight (kg)	183

Model



Colors for this line: Silver Quartz
Optional color: Black Opal | White Pearl | Brown Rusty

STANDARD ACCESSORIES



led light (2 barre led)



glass shelf 51x45 (x5)



touchscreen telethermostat ()

OPTIONALS



220v./60hz. - 115v./60hz.



Special Colours: Black Opal/White Pearl/Brown Rusty ()



Energy saving compressor



Condenser H₂O ()



Led Light (1 barra extra)



Coupling Kit ()



Remote condensing unit



Cream Temperature: -2/+4 °C ()



Self closing door



RC 24h (connettività controllo remoto 365 giorni)



Door lock



Tropicalization ()



Thermostatic Valve ()



Cabinets installed over 900 mt above sea level
()

VITRA 6214-L (+2 / +10°C)



REFRIGERATION
STATIC



DEFROSTING
AUTOMATIC

Capacity (lt)	450
Size (cm)	65 x 65 x 190
Weight (kg)	181
Power (kw)	0,55
Package size (cm)	76 x 73 x 215
Package weight (kg)	195

Model



Colors for this line: Silver Quartz

Optional color: Black Opal | White Pearl | Brown Rusty

STANDARD ACCESSORIES



led light (2 barre led)



glass shelf 51x45 (x5)



touchscreen telethermostat ()

OPTIONALS



220v./60hz. - 115v./60hz.



Special Colours: Black Opal/White Pearl/Brown Rusty ()



Energy saving compressor



Condenser H₂O ()



Led Light (1 barra extra)



Coupling Kit ()



Remote condensing unit



Cream Temperature: -2/+4 °C ()



Self closing door



RC 24h (connettività controllo remoto 365 giorni)



Door lock



Tropicalization ()



Thermostatic Valve ()



Cabinets installed over 900 mt above sea level
()

VITRA 6215-L (+2 / +10°C)



REFRIGERATION
STATIC



DEFROSTING
AUTOMATIC

Capacity (lt)	450
Size (cm)	65 x 65 x 190
Weight (kg)	183
Power (kw)	0,58
Package size (cm)	76 x 73 x 215
Package weight (kg)	197

Model



Colors for this line: Silver Quartz
Optional color: Black Opal | White Pearl | Brown Rusty

STANDARD ACCESSORIES



led light (2 barre led)



rotating glass shelf 46 (x6)



touchscreen telethermostat ()

OPTIONALS



220v./60hz. - 115v./60hz.



Special Colours: Black Opal/White Pearl/Brown Rusty ()



Energy saving compressor



Condenser H₂O ()



Led Light (1 barra extra)



Coupling Kit ()



Remote condensing unit



Cream Temperature: -2/+4 °C ()



Self closing door



RC 24h (connettività controllo remoto 365 giorni)



Door lock



Tropicalization ()



Thermostatic Valve ()



Cabinets installed over 900 mt above sea level
()