

# ERHS-250-LI

## BACK-BAR DISPLAY COOLER

### CARACTERÍSTICAS

- Stainless steel exterior.
- Interior gray plastic coated steel.
- Double glass on sliding frame with optional lock.
- Designed for beverages and packaged products.
- Steel wire shelves adjustable plastic height.
- Hermetic compressor higher starting torque.
- Forced draft evaporator system with anticorrosion coating.
- Digital temperature control, optimized defrost, high-temperature condensation alarm.  
Efficient management of energy consumption.
- Ventilated condensing unit (free condenser maintenance).
- Isolation of polyurethane, density 40 Kg/m<sup>3</sup>, zero ODP and GWP.
- Automatic evaporation of defrost water.






| Largo<br>(mm) | Fondo<br>(mm) | Alto<br>(mm) | Capacidad<br>Latas<br>(33cl) | Potencia<br>frigorífica<br>(W) | Rango     | Clase<br>climática | Refrigerante |
|---------------|---------------|--------------|------------------------------|--------------------------------|-----------|--------------------|--------------|
| 925           | 550           | 850          | 225                          | 488                            | +2°C +8°C | 4 (30°C 55%HR)     | R-290        |

We reserve the right to change specifications without prior notice, all photos must be considered as a reference

# ERHS-250-LI

## BACK-BAR DISPLAY COOLER

|                            |                                                             |
|----------------------------|-------------------------------------------------------------|
| Temperature control        | Digital                                                     |
| Evaporator                 | Bloque aleteado epoxi                                       |
| Condenser                  | Static                                                      |
| Voltage / Frequency        | 230V / 50Hz                                                 |
| Nominal power              | 358,20 W                                                    |
| Insulation material        | Poliuretano, densidad 40 kg/m <sup>3</sup> , cero ODP y GWP |
| Foaming agent              | HFO                                                         |
| Insulation thickness       | 40 mm                                                       |
| Exterior                   | Stainless steel                                             |
| Exterior rear side         | Galvanized steel                                            |
| Interior                   | gray plastic coated steel                                   |
| Lighting                   | Led                                                         |
| Number of shelves supplied | 2                                                           |
| Shelf dimensions (W x D)   | 815 mm x 324 mm (2 Uds.)                                    |



We reserve the right to change specifications without prior notice, all photos must be considered as a reference

# ERHS-350-LI

## BACK-BAR DISPLAY COOLER

### CARACTERÍSTICAS

- Stainless steel exterior.
- Interior gray plastic coated steel.
- Double glass on sliding frame with optional lock.
- Designed for beverages and packaged products.
- Steel wire shelves adjustable plastic height.
- Hermetic compressor higher starting torque.
- Forced draft evaporator system with anticorrosion coating.
- Digital temperature control, optimized defrost, high-temperature condensation alarm.  
Efficient management of energy consumption.
- Ventilated condensing unit (free condenser maintenance).
- Isolation of polyurethane, density 40 Kg/m<sup>3</sup>, zero ODP and GWP.
- Automatic evaporation of defrost water.






| Largo<br>(mm) | Fondo<br>(mm) | Alto<br>(mm) | Capacidad<br>Latas<br>(33cl) | Potencia<br>frigorífica<br>(W) | Rango     | Clase<br>climática | Refrigerante |
|---------------|---------------|--------------|------------------------------|--------------------------------|-----------|--------------------|--------------|
| 1375          | 550           | 850          | 320                          | 488                            | +2°C +8°C | 4 (30°C 55%HR)     | R-290        |

We reserve the right to change specifications without prior notice, all photos must be considered as a reference

# ERHS-350-LI

## BACK-BAR DISPLAY COOLER

|                            |                                                             |
|----------------------------|-------------------------------------------------------------|
| Temperature control        | Digital                                                     |
| Evaporator                 | Bloque aleteado epoxi                                       |
| Condenser                  | Static                                                      |
| Voltage / Frequency        | 230V / 50Hz                                                 |
| Nominal power              | 386,52 W                                                    |
| Insulation material        | Poliuretano, densidad 40 kg/m <sup>3</sup> , cero ODP y GWP |
| Foaming agent              | HFO                                                         |
| Insulation thickness       | 40 mm                                                       |
| Exterior                   | Stainless steel                                             |
| Exterior rear side         | Galvanized steel                                            |
| Interior                   | gray plastic coated steel                                   |
| Lighting                   | Led                                                         |
| Number of shelves supplied | 2                                                           |
| Shelf dimensions (W x D)   | 1226 mm x 324 mm (2 Uds.)                                   |



SECCIÓN SIN ENCIMERA

We reserve the right to change specifications without prior notice, all photos must be considered as a reference