

VJU9C – VJU12C – VJU15C – VJU18C – VJU25C



VJU15C

STRENGTHS

- ✓ Greater precision in temperature control.
- ✓ Incorporation of LED lighting, reducing energy consumption between 80% and 90%.
- ✓ Larger capacity.
- ✓ Frameless panoramic glass for greater product visibility.

Rev: 01 Fecha/Date: 11/06/2024 FT_VSUAP_6P_8P

VJU9C – VJU12C – VJU15C – VJU18C – VJU25C

VJU9C – VJU12C – VJU15C – VJU18C – VJU25C			
Operating temp	-3°C / +6°C		
CClimate class	4 (38°C, 55%HR)		
Capacity (l)	200, 262, 324, 387, 512		
Overall dimensions LxDxH (mm)	968 x 979 x 1.323 1.280 x 979 x 1.323 1.592 x 979 x 1.323 1.905 x 979 x 1.323 2.530 x 979 x 1.323		
Cabinet Construction			
Exterior Material		Anodized aluminium	
Interior Material		Inox AISI 304	
Interior Construction		Flat base	
Drain	✓		
IILED lighting	✓		
Insulation		Polyurethane with high density 40kg/m3, CFCs free, zero ODP and low GWP	
Insulation thickness (mm)	50		
Blowing Agent	HFO		
Features			
Doors	1 2 2 3 4		
Door construction		Sliding glass door.	
Shelving	-		
Shelves dimensions LxD (mm)	-		
Refrigeration			
Thermostat		Digital controller	
Defrost		Manual	
Expansion Device		Capillary	
Electronic fans	✓		
Condensation		Ventilated	
Evaporation		Static evaporation, evaporator withanti corrosion epoxy coating	

www.infrico.com
info@infrico.com
 Ctra. de Aguilar A-318 por Moriles Km. 15,5 – A-3132 - 14900, Lucena (Córdoba)

Características técnicas y constructivas sujetas a variación sin previo aviso
 We reserve the right to change specifications without prior notice
 Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis



Technical Features			
Refrigerant	R290		
	100		
	120		
	130		
	140		
Ref amount (gr)	150		
Power Supply	230V / 1 / 50 Hz		
Refrigeration Capacity (W)	VJU9 C (370) VJU12 C - VJU15 C (687) VJU18 C - VJU25 C (951)		
Power (W)	VJU9 C (280) VJU 12 C - VJU15 C (460) VJU18 C (650) VJU25 C (650)		
Energy Consumption (kWh/24h)	-		
	1,39		
	2,67		
	2,67		
	3,19		
Amps (A)	3,36		
Palettisation			
Crated dimensions L x l x H (mm)	1.085 x 1.055 x 1.140 1.420 x 1.055 x 1.140 1.735 x 1.055 x 1.140 2.055 x 1.055 x 1.140 2.645 x 1.055 x 1.140		
Crated volume (l)	1.223 1.627 2.031 2.436 3.246		
Net Weight (kg)	154 182 243 251 285		
Crated Weight (kg)	190 209 220 268 310		
Options			
		115 V / 1 ph / 60Hz	
		220 V / 1 ph / 60 Hz	

Rev: 01 Fecha/Date: 11/06/2024 FT_VSU4P_6P_8P

www.infrico.com
info@infrico.com

Ctra. de Aguilar A-318 por Moriles Km. 15,5 – A-3132 - 14900, Lucena (Córdoba)

Características técnicas y constructivas sujetas a variación sin previo aviso
We reserve the right to change specifications without prior notice
Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis






VJU9C – VJU12C – VJU15C – VJU18C – VJU25C




ALZADO/ ELEVATION/VUE LATÉRAL

PERFIL /RIGHTVIEW/ VUE EN PLAN

PLANTA/PLANVIEW/DESSUS/VUE DE PROFIL



VJU9C



VJU12C


www.infrico.com
info@infrico.com
Ctra. de Aguilar A-318 por Moriles Km. 15,5 – A-3132 - 14900, Lucena (Córdoba)

Características técnicas y constructivas sujetas a variación sin previo aviso
We reserve the right to change specifications without prior notice
Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis




VJU9C – VJU12C – VJU15C – VJU18C – VJU25C


ALZADO/ ELEVATION/ VUE LATÉRAL



PERFIL / RIGHT VIEW/ VUE EN PLAN



PLANTA/PLAN VIEW/DESSUS/VUE DE PROFIL



VJU15C

www.infrico.com
info@infrico.com
Ctra. de Aguilar A-318 por Moriles Km. 15,5 – A-3132 - 14900, Lucena (Córdoba)



Características técnicas y constructivas sujetas a variación sin previo aviso
We reserve the right to change specifications without prior notice
Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis




VJU9C - VJU12C- VJU15C - VJU18C- VJU25C

ALZADO/ ELEVATION/ VUE LATÉRAL

PERFIL / RIGHT VIEW/ VUE EN PLAN



PLANTA/PLAN VIEW/DESSUS/VUE DE PROFIL



VJU18C

www.infrico.com
info@infrico.com
Ctra. de Aguilar A-318 por Moriles Km. 15,5 – A-3132 - 14900, Lucena (Córdoba)



Características técnicas y constructivas sujetas a variación sin previo aviso
We reserve the right to change specifications without prior notice
Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis




VJU9C - VJU12C- VJU15C - VJU18C- VJU25C

ALZADO/ ELEVATION/ VUE LATÉRAL

PERFIL / RIGHT VIEW/ VUE EN PLAN



PLANTA/PLAN VIEW/DESSUS/VUE DE PROFIL



VJU25C

www.infrico.com
info@infrico.com
Ctra. de Aguilar A-318 por Moriles Km. 15,5 – A-3132 - 14900, Lucena (Córdoba)

Características técnicas y constructivas sujetas a variación sin previo aviso
We reserve the right to change specifications without prior notice
Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis

