

VJU9P - VJU12P - VJU15P - VJU18P - VJU25P



VJU15P

STRENGTHS

- ✓ Greater precision in temperature control.
- ✓ Incorporation of LED lighting, reducing energy consumption between 80% and 90%.
- ✓ Larger capacity.
- ✓ Frameless panoramic glass for greater product visibility.

Rev: 01 Fecha/Date: 20/12/2023 FT_VJU9_12_15_18_25

VJU9P - VJU12P - VJU15P - VJU18P - VJU25P

	VJU9P - VJU12P - VJU15P - VJU18P - VJU25P		
Operating temp	+4°C / +8°C		
Climate class	3 (25°C, 55%HR)		
Capacity (l)	163 216 271 327 430		
Overall dimensions LxDxH (mm)	998 x 985 x 1.345 1.310 x 985 x 1.345 1.622 x 985 x 1.345 1.935 x 985 x 1.345 2.560 x 985 x 1.345		
Cabinet Construction			
Exterior Material		Galvanized steel	
Interior Material		PVC	
Interior Construction		Flat base	
Drain	✓		
LED lighting	✓		
Insulation		Polyurethane with high density 40kg/m3, CFCs free, zero ODP and low GWP	
Insulation thickness (mm)	50		
Blowing Agent	HFO		
Features			
Doors	1 2 2 3 4		
Door construction		Doors with integrated handle and opening lock.	
Shelving	1		
Shelves dimensions LxD (mm)	630x400		
Legs, casters		Levellers	
Refrigeration			
Thermostat		Digital controller	
Defrost		Automatic	
Expansion Device		Capillary	

Electronic fans	√		
Condensation		Ventilated	
Evaporation		Static evaporation, evaporator with anti corrosion epoxy coating	
Technical Features			
Refrigerant	R290		
Ref amount (gr)	100		
	120		
	130		
	140		
	150		
Power Supply	230V / 1 / 50 Hz		
Refrigeration Capacity (W)	VJU9 P (370) VJU12 P - VJU15 P (687) VJU18 P - VJU25 P (951)		
Power (W)	VJU9 P (243) VJU 12 P - VJU15 P (412) VJU18 P (535)		
	VJU25 P (575)		
	1,39 2,67 2,67 3,19 3,36		
Amps (A)			
Crating / Palettisation			
Crated dimensions / Dimensions palettisation L x l x H (mm)	1085 x 1055 x 1140 1420 x 1055 x 1140 1735 x 1055 x 1140 2055 x 1055 x 1140 2645 x 1055 x 1140		
Crated volume (l)	1.223 1.627 2.031 2.436 3.246		
Net Weight (kg)	154 182 243 251 285		
Crated Weight (kg)	190 209 220 268 310		
Options			
		115 V / 1 ph / 60Hz	
		220 V / 1 ph / 60 Hz	




Rev: 01 Fecha/Date: 20/12/2023 FT_VJU9_12_15_18_25

VJU9P - VJU12P - VJU15P - VJU18P - VJU25P




ELEVATION

RIGHT VIEW

PLAN VIEW



VJU9P



VJU12P

www.infrico.com
info@infrico.com
Ctra. de Aguilar A-318 por Moriles Km. 15,5 - A-3132 - 14900, Lucena (Córdoba)

Características técnicas y constructivas sujetas a variación sin previo aviso
We reserve the right to change specifications without prior notice
Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis




Rev: 01 Fecha/Date: 20/12/2023 FT_VJU9_12_15_18_25


VJU9P - VJU12P - VJU15P - VJU18P - VJU25P

Rev: 20/12/2023


ELEVATION



RIGHT VIEW



PLAN VIEW



VJU15P

www.infrico.com
info@infrico.com
Ctra. de Aguilar A-318 por Moriles Km. 15,5 – A-3132 - 14900, Lucena (Córdoba)

Características técnicas y constructivas sujetas a variación sin previo aviso
We reserve the right to change specifications without prior notice
Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis




Rev: 01 Fecha/Date: 20/12/2023 FT_VJU9_12_15_18_25

VJU9P - VJU12P - VJU15P - VJU18P - VJU25P


ELEVATION



RIGHT VIEW



PLAN VIEW



VJU18P


www.infrico.com
info@infrico.com
Ctra. de Aguilar A-318 por Moriles Km. 15,5 – A-3132 - 14900, Lucena (Córdoba)

Características técnicas y constructivas sujetas a variación sin previo aviso
We reserve the right to change specifications without prior notice
Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis




VJU9 - VJU12 - VJU15 - VJU18 - VJU25


ELEVATION



RIGHT VIEW



PLAN VIEW



VJU25P

www.infrico.com
info@infrico.com
Ctra. de Aguilar A-318 por Moriles Km. 15,5 – A-3132 - 14900, Lucena (Córdoba)

Características técnicas y constructivas sujetas a variación sin previo aviso
We reserve the right to change specifications without prior notice
Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis

