



Before & After
Treatment Cases

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Chin	1 Month

Indication
Double chin reduction

new 2.0

doublo™

Double Effect, Double Safety






Before



After 1st Procedure



After 2nd Procedure

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Spacing (mm)	Length (mm)	Shot	SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5 / 3.0	Dot	1.2 J / 0.4 J	1.7 / 1.5	25	200		4.5 / 3.0	1.2 J / 0.4 J	9	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Chin	1 Month

Indication
Double chin reduction



Before



After 1st Procedure



After 2nd Procedure

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Spacing (mm)	Length (mm)	Shot	SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5 / 3.0	Dot	1.2 J / 0.4 J	1.7 / 1.5	25	200		4.5 / 3.0	1.2 J / 0.4 J	9	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Chin	1 Month

Indication
Double chin reduction

new 2.0

dōublo™

Double Effect, Double Safety





FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Spacing (mm)	Length (mm)	Shot	SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5 / 3.0	Dot	1.2 J / 0.4 J	1.7 / 1.5	25	200		4.5 / 3.0	1.2 J / 0.4 J	9	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	30s	Eye	1-2 Weeks

Indication
Lower eyelid fat bulging, Dark circles



Before




After 4th Procedure

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	3.0 / 1.5	Line	0.5 J / 0.25 J	25	200

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	1.5	0.2 J	8	5	2000

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	30s	Eye	1-2 Weeks

Indication
Lower eyelid fat bulging, Dark circles



FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	3.0 / 1.5	Line	0.5 J / 0.25 J	25	200

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	1.5	0.2 J	8	5	2000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Cheeks, Neck	1 Month

Indication
Double chin lifting



Before



After

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	4.5 / 3.0	Line	1.3 J / 0.4 J	25	300

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5	1.1 J	9	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Cheeks, Neck	1 Month

Indication
Double chin lifting



Before



After

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	4.5 / 3.0	Line	1.3 J / 0.4 J	25	300

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5	1.1 J	9	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Cheeks, Neck	1 Month

Indication
Double chin lifting



Before



After

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	4.5 / 3.0	Line	1.3 J / 0.4 J	25	300

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5	1.1 J	9	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Cheeks, Neck	1 Month

Indication
Double chin lifting



Before



After

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	4.5 / 3.0	Line	1.3 J / 0.4 J	25	300

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5	1.1 J	9	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Cheeks, Neck	1 Month

Indication
Double chin lifting



Before



After

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	4.5 / 3.0	Line	1.3 J / 0.4 J	25	300

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5	1.1 J	9	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Cheeks, Double chin	1 Month

Indication
Double chin lifting

new 2.0

dōublo™

Double Effect, Double Safety



FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	4.5 / 3.0	Line	1.1 J / 0.4 J	25	300

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5	1.1 J	7	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Cheeks, Double chin	1 Month

Indication
Double chin lifting



Before



After

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	4.5 / 3.0	Line	1.1 J / 0.4 J	25	300

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5	1.1 J	7	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	50s	Full face	1 Month

Indication
Double chin lifting



FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	4.5 / 3.0	Line	1.1 J / 0.4 J	25	300

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5	1.1J	7	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	50s	Full face	1 Month

Indication
Double chin lifting



Before



After

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	4.5 / 3.0	Line	1.1 J / 0.4 J	25	300

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5	1.1J	7	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	50s	Full face	1 Month

Indication
Double chin lifting



Before



After

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Length (mm)	Shot
	4.5 / 3.0	Line	1.1 J / 0.4 J	25	300

SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	4.5	1.1J	7	7	4000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Neck	1 Month

Indication
Neck wrinkles



FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Spacing (mm)	Length (mm)	Shot	SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	3.0 / 2.0	Dot	0.4 J / 0.2 J	1.5 / 1.2	25	200		1.5	0.2	9	7	2000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Neck	1 Month

Indication
Neck wrinkles

new 2.0

dōublo™



Double Effect, Double Safety



Before



After

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Spacing (mm)	Length (mm)	Shot	SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	3.0 / 2.0	Dot	0.4 J / 0.2 J	1.5 / 1.2	25	200		1.5	0.2	9	7	2000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	30s	Neck	1 Month

Indication
Neck wrinkles

new 2.0

dōublo™

Double Effect, Double Safety





Before



After

FL	Cartridge	Mode (Line or Dot)	MFU Power (J)	Spacing (mm)	Length (mm)	Shot	SD	Cartridge	MFU Power (J)	RF Power (Lv)	Hz	Dot
	3.0 / 2.0	Dot	0.4 J / 0.2 J	1.5 / 1.2	25	200		1.5	0.2	9	7	2000

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	20s	Cheeks	1 Month

Indication
Acne



Before



After

RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 49	1.2	2	15	70	120	1	0.2	350

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	20s	Cheeks	1 Month

Indication
Acne



RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 49	1.2	2	15	70	120	1	0.2	350

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	20s	Cheeks	1 Month

Indication
Acne



RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 49	1.2	2	15	70	120	1	0.2	350

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	20s	Cheeks	1 Month

Indication
Acne



RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 49	1.2	2	15	70	120	1	0.2	350

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	20s	Cheeks	1 Month

Indication
Acne, Redness



RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 49	1.7	2	15	80	130	1	0.2	350

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	20s	Cheeks	1 Month

Indication
Acne, Redness



RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 49	1.7	2	15	80	130	1	0.2	350

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	20s	Cheeks	1 Month

Indication
Acne, Redness

new 2.0

doubling

Double Effect, Double Safety





Before



After

RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 49	1.7	2	15	80	130	1	0.2	350

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	20s	Calf	1 Week

Indication
Scar, Pigmentation



RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 25	0.5	0.5	2	20	10	5	0.2	100

Patient	Gender	Age	Treatment Area	Procedure Interval
	F	20대	Full face	4 Weeks

Indication
Acne, Scars



RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 25	0.5~1.3	1	10	10	50	3	0.2	300

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	30s	Full face	4 Weeks

Indication
Acne, Scars



RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 25	0.5~1.3	1	10	10	50	3	0.2	400

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	30s	Full face	4 Weeks

Indication
Acne, Scars



RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 25	0.5~1.3	1	10	10	50	3	0.2	400

Patient	Gender	Age	Treatment Area	Procedure Interval
	M	30s	Full face	4 Weeks

Indication
Acne, Scars



RM	Tip	Depth (mm)	Frequency (MHz)	RF Power (W)	On Time(ms)	Off Time(ms)	Pulse	Repetition(s)	Shot
	I 25	0.5~1.3	1	10	10	50	3	0.2	400