



# AGUSTA AW139

## FOR SALE

SERIAL NUMBER	MANUFACTURED	LOCATION
41266	2011	USA
PRICE	TOTAL TIME	AVAILABLE
Make an offer	10,335 HRS	Immediately

### EQUIPMENT

- |                                       |                                    |                                      |
|---------------------------------------|------------------------------------|--------------------------------------|
| • Pulselights                         | • Belly mounted searchlight        | • Two (2) life rafts                 |
| • Cargo hook provisions               | • Hinged storm window - LH         | • Forced air heating                 |
| • Two (2) portable fire extinguishers | • HiVis main rotor blades          | • Air conditioning                   |
| • Auxiliary fuel tanks                | • Dual external hoist provisions   | • Two (2) first aid kits             |
| • Winglet strobe light                | • HEELS                            | • Tail rotor shaft reinforcement mod |
| • Anti-collision lights               | • Windshield washing system        | • Rotor brake                        |
| • Double layered cabin windows        | • Increased tail rotor pitch angle | • Emergency floats                   |

### HIGHLIGHTS

- Offshore configuration
- 6,800 kg MTOW

### INTERIOR

- Twelve (12) passenger seats
- 4-Point harness



**AVIONICS**

• Dual AHRS	
• Dual radar altimeter	<i>Honeywell RT-300</i>
• VHF/UHF FM Transceiver	<i>Technisonic TFM 550</i>
• Satellite communication	<i>Outerlink Iris</i>
• Intercom system	
• TCAS I	<i>Bendix King KTA 970</i>
• ADELTA	
• Avionics suite	<i>Honeywell Primus Epic Phase 7</i>
• Dual VHF NAV/COMM/VOR/ILS/MB/GS	<i>Honeywell Primus Epic system</i>
• Dual GPS	<i>FreeFlight With FMS and ADS-B out</i>
• HUMS	
• MPFR	
• QAR	
• EGPWS	
• Weather radar	<i>Honeywell Primus 660</i>
• Public address	<i>With briefing system</i>
• SAR transponder	
• ADF	

**MAJOR COMPONENTS**

	<b>LIMIT</b>	<b>REMAINING</b>	<b>%</b>
Main rotor hub assembly	46,000	37,904.2	82.4%
Main rotor blade	50,200	43,205.0	86.1%
Main rotor blade	50,200	33,819.0	67.4%
Main rotor blade	50,200	34,412.0	68.5%
Main rotor blade	50,200	33,819.0	67.4%
Main rotor blade	50,200	35,395.0	70.5%
Main rotor rotating swashplate	4,800	4,425.7	92.2%
Main gearbox	5,000	4,909.8	98.2%
Intermediate gearbox	7,500	6,142.8	81.9%
Tail gearbox	7,500	3,890.3	51.9%
Tail rotor hub assembly	34,500	28,773.7	83.4%
Power section #1	5,000	4,801.1	96.0%
Power section #2	5,000	3,048.4	61.0%

\* Aircraft details are based on the information provided and subject to verification during the purchase process

