



BELL 206B3

FOR SALE

SERIAL NUMBER
2382

MANUFACTURED
1978

LOCATION
Canada

PRICE
\$550,000 USD

TOTAL TIME
19,529.6 HRS

AVAILABLE
Immediately

EQUIPMENT

- | | | |
|-------------------------------|-----------------------------------|----------------------------------|
| • Wire strike protection | • Windshield defog kit | • Dart Cargo mirror |
| • AAI collective safety cover | • Whelen LED landing lights | • Crew sliding storm window - LH |
| • AAI Cyclic safety cover | • AAI Hat rack safety net | • AAI Tail rotor pedal lockout |
| • AAI Flitesteps | • Tech Tool bubble windows | • AAI Rain gutter kit |
| • AAI range extender | • Whelen LED anti-collision light | • AAI Baggage bay extension |
| • Cargo hook | • Fixed floats | • Cold weather preheat kit |
| • Concorde lead acid battery | • Dart bear paws | • Dual controls |
| • Particle separator | • Snow deflectors | • Fact oil filter |
| • Survival kit | • First aid kit | • High skid gear |

HIGHLIGHTS

- Utility configuration
- Van Horn tail rotor blades

INTERIOR

- Four (4) passenger seats
- Bleed air heating
- Cabin floor protectors

AVIONICS

• ELT	<i>Kannad Integra 406AF (ER)</i>
• VHF COMM	<i>Garmin GTR 225</i>
• Transponder	<i>Garmin GTX 335</i>
• VHF FM Transceiver	<i>Technisonic TFM 138B</i>
• Satellite communication	<i>Skytrac ISAT200A</i>
• Encoding altimeter	<i>Garmin GAE 12</i>
• Audio controller	<i>NAT AMS 42</i>

MAJOR COMPONENTS

	LIMIT	REMAINING	%
Main rotor hub assembly	1,200	960.2	80.0%
Main rotor blade	5,000	4,158.0	83.2%
Main rotor blade	5,000	260.5	5.2%
Swashplate assembly	4,800	275.4	5.7%
Mast assembly	3,000	2,842.6	94.8%
Transmission assembly	4,500	4,342.6	96.5%
Freewheel assembly	3,000	2,627.7	87.6%
Tail rotor gearbox	6,000	1,800.1	30.0%
Tail rotor assembly	2,500	363.4	14.5%



Engine - 250 C20B	LIMIT	REMAINING	%
Compressor assembly	3,500	1775.0	50.7%
Impeller	3,550	1,825.0	51.4%
Turbine assembly	3,500	3,453.0	98.7%



* Aircraft details are based on the information provided and subject to verification during the purchase process