
KOMATSU PC138


Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -150mm



MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 150mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -150mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 150mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -150mm




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -50mm




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 150mm




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -150mm




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138


Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -50mm



MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 150mm




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138


Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 50mm - Tandem Lift



MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138


Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -150mm - Tandem Lift



MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -150mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 150mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	67.0%
COMMENT:			

KOMATSU PC138


Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -150mm



MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138


Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -50mm



MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 150mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	90.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138


Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 150mm - Tandem Lift



MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	44.0%
COMMENT:			

KOMATSU PC138


Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -150mm - Tandem Lift



MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			

KOMATSU PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12 13

MACHINE & MODEL:	KOMATSU PC138	**REFERENCE:**	ZZ709 911485-9
SERIAL No:	F70215	**DATE OF CHART:**	24-Mar-2026
EQUIPMENT:	1.96m+3.23m+2.5m	**SAFETY FACTOR:**	59.0%
COMMENT:			