

INSPINIA INS-SB24

Intercom - Datasheet




Product Side Views




Product Dimensions

Front and side view (mm)



168mm

88
mm



32.5
mm

INSPINIA INS-SB24

Intercom - Datasheet



Product Specifications

Hardware / Software:	Operating System: Linux-based system Memory : 64MB RAM / 128MB ROM Front Panel: Aluminum
Camera and Video:	2MP, CMOS camera, 1280 x 720 (720p) Video Codec: H.264 Viewing Angle: 110°(H) / 60°(V) / 125°(D) Light Compensation: LED white light
Power Supply:	PoE (802.3af) or DC 12V/2A
Audio Features:	Audio Codec: G.711 Microphone: Built-in Speaker: Built-in with echo cancellation
Connectivity:	Ethernet port: 1x RJ45 10/100 Mbps adaptive Protocols: ONVIF, SIP, UDP, TCP, RTP, RTSP, NTP, DNS, HTTP, DHCP, IPV4, ARP, ICMP
Access Control:	Door Entry: IC (13.56MHz) & ID (125kHz) card 2 Relays Supported Tamper Alarm: Included for enhanced security
Working Temperature	Temperature: -40°C to +55°C Humidity: 10% to 90% (non-condensing) Protection Ratings: IP65 (Weatherproof), IK06 (Impact resistant)
Installation :	Mounting Options: Surface mounting Dimensions: 168 x 88 x 32,5 mm
Certificates:	CE


Order Code(s)

INS-SB24





PORTS & CONNECTIONS



- 1 LED Light
- 2 Camera
- 3 Phototransistor
- 4 Card Reader Area
- 5 Calling Indicator Light
- 6 Talking Indicator Light
- 7 Unlocking Indicator Light
- 8 Microphone
- 9 Call Button
- 10 Speaker


INSPINIA INS-SB24

Intercom - Datasheet




HOW TO MOUNT YOUR INSPINIA

Installation of Wiring Cover



Flush Mounting




Product size:
88 × 168 × 32.5 mm

Flush Mounting size:
120 × 210 × 48 mm


Hole-cutting size:
98 × 199 × 42 mm

Surface Mounting -86 Mounting Box



Product size:
88 × 168 × 32.5 mm
Surface Mounting size:
88 × 168 × 34 mm

Surface Mounting -118 Mounting Box



 SKY
THINGS