

June 2026 | Mitigation Monitoring and Reporting Program  
State Clearinghouse No. 2018081039

# CITY PARK REVITALIZATION PROJECT EIR ADDENDUM

City of Corona

*Prepared for:*

**City of Corona**

Contact: Rachel McLure, Senior Project Manager  
400 South Vicentia Avenue  
Corona, California 92882  
951.736.2400

*Prepared by:*

**PlaceWorks**

Contact: Malia Durand, Principal  
Emma Haines, Associate I  
3 MacArthur Place, Suite 1100  
Santa Ana, California 92707  
714.966.9220  
mdurand@placeworks.com  
www.placeworks.com



Table of Contents

<b>Section</b>	<b>Page</b>
<b>1. INTRODUCTION.....</b>	<b>1</b>
1.1 PURPOSE OF MITIGATION MONITORING AND REPORTING PROGRAM.....	1
1.2 PROJECT LOCATION .....	2
1.3 PROJECT DESCRIPTION.....	2
<b>2. MITIGATION MONITORING AND CONDITIONS OF APPROVAL REQUIREMENTS .....</b>	<b>5</b>
2.1 MITIGATION MEASURES MATRIX.....	5
2.2 CONDITIONS OF APPROVAL MATRIX .....	16
<b>3. REPORT PREPARATION .....</b>	<b>19</b>
3.1 LIST OF PREPARERS.....	19

List of Tables

<b>Table</b>	<b>Page</b>
Table 1 Mitigation Monitoring Requirements .....	6
Table 2 Conditions of Approval Requirements .....	17

## Table of Contents

*This page intentionally left blank.*

# 1. Introduction

---

## 1.1 PURPOSE OF MITIGATION MONITORING AND REPORTING PROGRAM

This Mitigation Monitoring and Reporting Program (MMRP) has been developed to provide a vehicle by which to monitor mitigation measures and conditions of approval outlined in the Addendum to the Draft Environmental Impact Report (DEIR), State Clearinghouse No. 2018081039. The Mitigation Monitoring and Reporting Program has been prepared in conformance with Section 21081.6 of the Public Resources Code and Corona Monitoring Requirements. Section 21081.6 states:

- (a) When making findings required by paragraph (1) of subdivision (a) of Section 21081 or when adopting a mitigated negative declaration pursuant to paragraph (2) of subdivision (c) of Section 21080, the following requirements shall apply:
  - (1) The public agency shall adopt a reporting or monitoring program for the changes made to the project or conditions of project approval, adopted in order to mitigate or avoid significant effects on the environment. The reporting or monitoring program shall be designed to ensure compliance during project implementation. For those changes which have been required or incorporated into the project at the request of a responsible agency or a public agency having jurisdiction by law over natural resources affected by the project, that agency shall, if so requested by the lead or responsible agency, prepare and submit a proposed reporting or monitoring program.
  - (2) The lead agency shall specify the location and custodian of the documents or other material which constitute the record of proceedings upon which its decision is based.
- (b) A public agency shall provide that measures to mitigate or avoid significant effects on the environment are fully enforceable through permit conditions, agreements, or other measures. Conditions of project approval may be set forth in referenced documents which address required mitigation measures or, in the case of the adoption of a plan, policy, regulation, or other public project, by incorporating the mitigation measures into the plan, policy, regulation, or project design.
- (c) Prior to the close of the public review period for a draft environmental impact report or mitigated negative declaration, a responsible agency, or a public agency having jurisdiction over natural resources affected by the project, shall either submit to the lead agency complete and detailed performance objectives for mitigation measures which would address the significant effects on the environment identified by the responsible agency or agency having jurisdiction over natural resources affected by the project, or refer the lead agency to appropriate, readily available guidelines or reference documents. Any mitigation measures submitted to a lead

## 1. Introduction

agency by a responsible agency or an agency having jurisdiction over natural resources affected by the project shall be limited to measures which mitigate impacts to resources which are subject to the statutory authority of, and definitions applicable to, that agency. Compliance or noncompliance by a responsible agency or agency having jurisdiction over natural resources affected by a project with that requirement shall not limit the authority of the responsible agency or agency having jurisdiction over natural resources affected by a project, or the authority of the lead agency, to approve, condition, or deny projects as provided by this division or any other provision of law.

CEQA requires that a reporting or monitoring program be adopted for the conditions of project approval that are necessary to mitigate or avoid significant effects on the environment (Public Resources Code 21081.6). The mitigation monitoring and reporting program is designed to ensure compliance with adopted mitigation measures during implementation of the Approved Project.

The mitigation measures presented below are applicable to the Corona City Park Revitalization Project (proposed project).

## 1.2 PROJECT LOCATION

Corona City Park (project site) is located at 930 East 6th Street in the City of Corona, which is in the northwestern corner of Riverside County. The project site is 19.6 acres and consists of two Assessor's Parcel Numbers (APNs): 117-310-001-2 and 117-301-010-2.

Regional access to the project site is provided by State Route (SR) 91 located 0.20 miles to the north and Interstate 15 (I-15) located approximately 0.40 miles to the east. The project site is bounded by Quarry Street, residential homes, and the Corona Community Veterinary Hospital to the north; Rimpau Avenue and the Municipal Plunge to the east; East 6th Street to the south; and Grand Boulevard, residential uses, vehicle-mechanic shops, and commercial uses to the west.

## 1.3 PROJECT DESCRIPTION

The Approved Project is described in the City of Corona's General Plan Technical Update EIR, which was certified on June 3, 2020. The General Plan is the City's policy and implementation framework that guides the long-term growth and improvement of Corona for the next 20 or more years. Under the Approved Project in the General Plan, the project site is zoned Parks with a land use designation as Open Space Recreational, which allows for park and recreational uses. Therefore, the Approved Project assumed that the project site would serve as a park and recreational use.

The project site encompasses approximately 19.6 acres and is located at the northwest corner of East 6th Street and Rimpau Avenue in the City of Corona. The project site currently operates as Corona City Park and includes open fields, basketball courts, paved play areas, playground structures, parking lots, internal circulation routes, a skate park, pool buildings, and a YMCA facility. The proposed project would redevelop Corona City Park with a new aquatics center in the northeastern portion of the site; a new parking lot in the southeastern portion

## 1. Introduction

of the site; a centrally located community lawn (“Community Canvas”) with a community center building to the east; a new playground structure replacing the existing playground and a new splash pad to the west of the community lawn; replacement restrooms and parking areas on the western portion of the site; and relocated basketball courts with a new pump track surrounding them. An additional parking lot would be located in the northwestern portion of the site. The proposed project would also include new walkways and ornamental landscaping throughout the project site.

## 1. Introduction

*This page intentionally left blank.*

## 2. Mitigation Monitoring and Conditions of Approval Requirements

---

### 2.1 MITIGATION MEASURES MATRIX

Project-specific mitigation measures have been categorized in matrix format, as shown in Table 1, *Mitigation Monitoring Requirements*. The matrix identifies the environmental factor, specific mitigation measures, schedule, and responsible monitor. The mitigation matrix will serve as the basis for scheduling the implementation of, and compliance with, all mitigation measures.

## 2. Mitigation Monitoring and Conditions of Approval Requirements

**Table 1 Mitigation Monitoring Requirements**

Mitigation Measure	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)	
<b>AIR QUALITY</b>					
AQ-1	The City of Corona shall require the following identified measures to be incorporated into all appropriate construction documents (e.g., construction management plans) submitted to the City and shall be verified by the City's Planning Division. Mitigation measures to reduce construction-related emissions shall include: <ul style="list-style-type: none"> <li>• Require fugitive-dust control measures that exceed SCAQMD's Rule 403:                             <ul style="list-style-type: none"> <li>– Use of nontoxic soil stabilizers to reduce wind erosion.</li> <li>– Apply water every two and a half hours to active soil-disturbing activities, or a minimum of three times per day.</li> <li>– Tarp and/or maintain a minimum of 24 inches of freeboard on trucks hauling dirt, sand, soil, or other loose materials.</li> </ul> </li> <li>• Use construction equipment rated by the United States Environmental Protection Agency as having Tier 4 (model year 2008 or newer). Interim or stricter emission limits for all off-road construction equipment, applicable for engines between 50 and 750 horsepower.</li> <li>• Ensure that construction equipment is properly serviced and maintained to the manufacturer's standards.</li> <li>• Limit nonessential idling of construction equipment to no more than five consecutive minutes.</li> <li>• Limit onsite vehicle travel speeds on unpaved roads to 25 miles per hour.</li> <li>• Install wheel washers for all exiting trucks or wash off all trucks and equipment leaving the project area.</li> </ul>	City of Corona and Construction Contractor	Technical Assessment: Prior to and During Construction Activities	City of Corona Planning Division	
<b>BIOLOGICAL RESOURCES</b>					
BIO-1	<b>Bat Habitat Assessment and Management Plan.</b> If tree removal and/or building demolition will occur as part of the Project, a focused bat habitat assessment will be conducted by	City of Corona Planning Division in consultation with a Qualified Biologist	Prior to and During Construction Activities	City of Corona Planning Division	

## 2. Mitigation Monitoring Requirements

**Table 1 Mitigation Monitoring Requirements**

Mitigation Measure	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)
<p>a bat biologist prior to commencement of tree removal and/or building demolition activities. If the bat biologist determines that only tree roosting habitat is present, then a Bat Management Plan will not be required. If the bat biologist determines that structure habitat is present, then a Bat Management Plan shall be prepared by a qualified bat biologist prior to the commencement of Project-related activities (including, but not limited to, structure removal or demolition, tree removal, grading, and vegetation removal) that will include specific avoidance and minimization measures to reduce impacts to roosting bats. The project-specific Bat Management Plan may include any of the following as necessary and appropriate: additional habitat assessments of inaccessible areas that would be directly or indirectly impacted during Project activities, emergence and/or acoustic surveys for bats during the maternity season (April 1 through August 31) to assess the potential for bat maternity roosts in the project site, and pre-construction surveys for roosting bats including acoustic monitoring. The Bat Management Plan shall also include recommendations to minimize impacts to roosting bats including the implementation of no-disturbance buffers, tree- and cliff-swallow nest removal protocols, passive exclusion of bats outside of the maternity and hibernation seasons (if impacts are unavoidable), and/or species-specific replacement alternative roosting habitat.</p> <p><b>Tree Avoidance and Removal Process.</b> If trees are scheduled to be removed (e.g., relocating) or modified (e.g., trimming) that were determined to be suitable for bat roosting as part of the Bat Habitat Assessment (BIO-1), these activities shall be scheduled during one of the seasonal periods of bat activity, listed below, and when evening temperatures are not below 45 °F and rain is not over 0.5 inch in 24 hours:</p> <ul style="list-style-type: none"> <li>September 1 to October 31 (preferred): This is after the maternity season but prior to winter torpor.</li> </ul>				

## 2. Mitigation Monitoring and Conditions of Approval Requirements

**Table 1 Mitigation Monitoring Requirements**

Mitigation Measure	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)
<ul style="list-style-type: none"> <li>• February 15 to March 31: After winter torpor but prior to the start of the maternity season.</li> </ul> <p>If trees with suitable bat roosting habitat are scheduled for removal or relocation outside of the maternity season, tree removal during the time periods and weather parameters described above using the two-step method shall be conducted:</p> <ul style="list-style-type: none"> <li>• Prior to the two-step method, as much as feasible, vegetation and trees within the area that are not suitable for roosting bats will be removed first to provide a disturbance that might reduce the likelihood of bats using the habitat.</li> <li>• Two-step tree removal will occur over two consecutive days under the supervision of a qualified bat biologist. On Day 1, small branches and small limbs containing no cavity, crevice or exfoliating bark habitat on habitat trees (or outer fronds in the case of palm trees), as identified by a qualified bat biologist are removed first, using chainsaws only (i.e., no dozers, backhoes). The following day (Day 2), the remainder of the tree is to be felled/removed. (The intention of this method is to disturb the tree with noise and vibration and branch removal on Day 1. This should cause any potentially present day-roosting bats to abandon the roost tree after they emerge for nighttime foraging. Removing the tree quickly the next consecutive day should avoid reoccupation of the tree by bats).</li> </ul> <p>If tree removal/modification must occur during the maternity season (April 1 to August 31), a qualified bat biologist shall conduct a focused emergence survey(s) of the tree(s) within 48 hours of scheduled work. If a maternity roost is located, whether solitary or colonial, that roost will remain undisturbed until after the maternity season or until a qualified biological monitor has determined the roost is no longer active.</p>				

## 2. Mitigation Monitoring Requirements

**Table 1 Mitigation Monitoring Requirements**

	Mitigation Measure	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)
BIO-2	If sensitive biological resources are identified within or adjacent to the proposed development project area, the construction limits shall be clearly flagged to ensure impacts to sensitive biological resources are avoided or minimized to the extent feasible. Prior to implementing construction activities, a qualified biologist shall verify that the flagging clearly delineates the construction limits and sensitive resources to be avoided.	Qualified Biologist in coordination with the Construction Contractor and the City of Corona Planning Division	Prior to Construction Activities	City of Corona Planning Division	
BIO-3	If sensitive biological resources are known to occur within or adjacent to the proposed development project area, a project-specific contractor training program shall be developed and implemented to educate project contractors on the sensitive biological resources within and adjacent to the proposed development project area and measures being implemented to avoid and/or minimize impacts to these species. A qualified biologist shall develop and implement the contractor training program.	Qualified Biologist in coordination with the Construction Contractor and the City of Corona Planning Division	Prior to Construction Activities	City of Corona Planning Division	
BIO-4	If sensitive biological resources are present within or adjacent to the proposed development project area and impacts may occur from implementation of construction activities, a qualified biological monitor may be required during a portion or all of the construction activities to ensure impacts to the sensitive biological resources are avoided or minimized to the extent feasible. The specific biological monitoring requirements shall be evaluated on a project-by-project basis. The qualified biological monitor shall be approved by the City on a project-by-project basis based on applicable experience with the sensitive biological resources that may be impacted.	Qualified Biologist in coordination with the Construction Contractor and the City of Corona Planning Division	During Construction Activities	City of Corona Planning Division	
BIO-7	The City of Corona shall require applicants for future development projects to contract with a qualified biologist to conduct a preconstruction general nesting bird survey within all suitable nesting habitats that may be impacted by active construction during general avian breeding season (February 1 through August 31). The preconstruction surveys shall be conducted no more than 7 days prior to initiation of construction.	Qualified Biologist in coordination with the Construction Contractor and the City of Corona Planning Division	Prior to and During Construction Activities	City of Corona Planning Division	

## 2. Mitigation Monitoring and Conditions of Approval Requirements

**Table 1 Mitigation Monitoring Requirements**

Mitigation Measure	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)	
<p>If no active avian nests are identified within the proposed development project area or within a 300-foot buffer of the proposed development project area, no further mitigation is necessary. If active nests of avian species covered by the Fish and Game Code are detected within the proposed development project area or within a 300-foot buffer of the proposed development project area, construction shall be halted until the young have fledged, until a qualified biologist has determined the nest is inactive, or until appropriate mitigation measures that respond to the specific situation have been developed and implemented in consultation with the regulatory agencies. Based on the discretion of the qualified biologist, the 300-foot buffer may be expanded as appropriate to the species.</p>					
<b>CULTURAL RESOURCES</b>					
CUL-5	<p>If subsurface deposits believed to be cultural or human in origin are discovered during construction, all work must halt within a 100-foot radius of the discovery. A qualified professional archaeologist, meeting the Secretary of the Interior's Professional Qualification Standards for prehistoric and historic archaeology, shall be retained to evaluate the significance of the find, and shall have the authority to modify the no-work radius as appropriate, using professional judgment. The following notifications shall apply, depending on the nature of the find:</p> <p>a. If the professional archaeologist determines that the find does not represent a cultural resource, work may resume immediately, and no City and NEPA lead agency (if applicable) notifications are required.</p> <p>b. If the professional archaeologist determines that the find does represent a cultural resource from any time period or cultural affiliation, the archaeologist shall immediately notify the City and NEPA lead agency (if applicable). The City, in consultation with the qualified archaeologist and other consulting parties as the City deems appropriate, shall consult on a finding of eligibility and implement appropriate treatment</p>	<p>Qualified Archaeologist, in coordination with the City of Corona Planning Division</p>	<p>Prior to and During Ground-Disturbing Activities</p>	<p>City of Corona Planning Division</p>	

## 2. Mitigation Monitoring Requirements

**Table 1 Mitigation Monitoring Requirements**

Mitigation Measure	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)	
<p>measures, if the find is determined to be a Historical Resource under CEQA, as defined by CEQA or a historic property under Section 106 NHPA, if applicable. Work may not resume within the no-work radius until the lead agencies, through consultation as appropriate, determine that the site either: 1) is not a Historical Resource under CEQA or a Historic Property under Section 106; or 2) that the treatment measures have been completed to their satisfaction.</p> <p>c. If the find includes human remains, or remains that are potentially human, the archaeologist shall notify the Riverside County Coroner (per § 7050.5 of the Health and Safety Code). The provisions of § 7050.5 of the California Health and Safety Code, § 5097.98 of the California PRC will be implemented. If the coroner determines the remains are Native American, the City shall follow the process outlined under Mitigation Measure TCR-2.</p>					
<b>GEOLOGY AND SOILS</b>					
GEO-1	<p><b>High and Low-to-High Sensitivity.</b> In areas designated as having "high" or "low-to-high" sensitivity for paleontological resources, the project applicant shall be required to submit a Paleontological Resources Monitoring and Mitigation Plan (PRMMP). The PRMMP shall be prepared by a Qualified Paleontologist meeting the standards of Society of Vertebrate Paleontology (2010). The plan shall address specifics of monitoring and mitigation based on the project area and project's construction plan, and shall take into account updated geologic mapping, geotechnical data, updated paleontological records searches, and changes to the regulatory framework at the time of analysis. The PRMMP shall be submitted to the City of Corona's Community Development Department prior to approval of a grading permit.</p>	Qualified Paleontologist in coordination with the City of Corona Planning Division	Prior to Approval of a Grading Permit	City of Corona Planning Division	
GEO-3	<p><b>Low-to-High Sensitivity.</b> Projects involving ground disturbance in previously undisturbed areas mapped with "low-to-high" paleontological sensitivity shall require monitoring if construction</p>	Qualified Paleontologist in coordination with the Construction Contractor	Prior to and During Ground-Disturbing Activities	City of Corona Planning Division	

## 2. Mitigation Monitoring and Conditions of Approval Requirements

**Table 1 Mitigation Monitoring Requirements**

	Mitigation Measure	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)
	activity exceeds the depth of the low-sensitivity surficial sediments. The underlying sediments may have high sensitivity; therefore, work in those units shall require paleontological monitoring, as designated by the Qualified Paleontologist in the Paleontological Resources Monitoring and Mitigation Plan (PRMMP).	and the City of Corona Planning Division			
GEO-6	<b>All Projects.</b> In the event of any fossil discovery, regardless of depth or geologic formation, construction work shall halt within a 50-foot radius of the find until its significance can be determined by a Qualified Paleontologist. Significant fossils shall be recovered, prepared to the point of curation, identified by qualified experts, listed in a database to facilitate analysis, and deposited in a designated paleontological curation facility in accordance with the standards of the Society of Vertebrate Paleontology (2010). The most likely repository is the Natural History Museum of Los Angeles County (NHMLA). The repository shall be identified, and a curatorial arrangement shall be signed, prior to collection of the fossils.	Qualified Paleontologist in coordination with the Construction Contractor and the City of Corona Planning Division	During Ground Disturbing Activities	City of Corona Planning Division	
<b>NOISE</b>					
N-1	Construction contractors shall implement the following measures for construction activities conducted in the City. Construction plans submitted to the City shall identify these measures on demolition, grading, and construction plans submitted to the City. The City Corona Public Works Department shall verify that grading, demolition, and/or construction plans submitted to the City include these notations prior to issuance of demolition, grading and/or building permits. <ul style="list-style-type: none"> <li>• During the active construction period, equipment and trucks used for project construction shall utilize the best available noise control techniques (e.g., improved mufflers, intake silencers, ducts, engine enclosures, and acoustically attenuating shields or shrouds), wherever feasible.</li> </ul>	Construction Contractor and the City of Corona Public Works Department	Prior to Approval of Demolition/Grading/Building Permits and During Construction Activities	City of Corona Public Works Department	

## 2. Mitigation Monitoring Requirements

**Table 1 Mitigation Monitoring Requirements**

Mitigation Measure	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)
<ul style="list-style-type: none"> <li>• Impact tools (e.g., jack hammers and hoe rams) shall be hydraulic- or electric-powered wherever feasible. Where the use of pneumatic tools is unavoidable, an exhaust muffler on the compressed air exhaust shall be used along with external noise jackets on the tools.</li> <li>• Stationary equipment such as generators and air compressors shall be located as far as feasible from noise-sensitive uses.</li> <li>• Stockpiling shall be located as far as feasible from noise-sensitive receptors.</li> <li>• Construction traffic shall be limited—to the extent feasible—to approved haul routes established by the City.</li> <li>• Prior to the start of construction activities, a sign shall be posted at the entrance(s) to the job site, clearly visible to the public, that includes permitted construction days and hours, as well as the contact information of the City's and contractor's authorized representatives that are assigned to respond in the event of a noise or vibration complaint. If the authorized contractor's representative receives a complaint, they shall investigate, take appropriate corrective action, and report the action to the City.</li> <li>• Signs shall be posted at the job site entrance(s), within the on-site construction zones, and along queueing lanes (if any) to reinforce the prohibition of unnecessary engine idling. All other equipment shall be turned off if not in use for more than 5 minutes.</li> <li>• During the entire active construction period and to the extent feasible, the use of noise-producing signals, including horns, whistles, alarms, and bells, shall be for safety warning purposes only. The construction manager shall be responsible for adjusting alarms based on the background</li> </ul>				

## 2. Mitigation Monitoring and Conditions of Approval Requirements

**Table 1 Mitigation Monitoring Requirements**

	Mitigation Measure	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)
	noise level, or to utilize human spotters when feasible and in compliance with all safety requirements and laws. <ul style="list-style-type: none"> <li>When construction noise is predicted to exceed established noise standards and when the anticipated construction duration is two years or more, contractors shall erect temporary noise barriers, where feasible.</li> </ul>				
<b>TRIBAL CULTURAL RESOURCES</b>					
TCR-1	<p><b>Tribal Cultural Resources Monitoring Prior to Commencement of Ground Disturbing Activities.</b></p> <p>A. The project applicant/lead agency shall retain a Native American Monitor from or approved by the Gabrieleño Band of Mission Indians – Kizh Nation ("Tribe"). The monitor shall be retained prior to the commencement of any "ground-disturbing activity" for the subject project at all project locations (i.e., both on-site and any off-site locations that are included in the project description/definition and/or required in connection with the project, such as public improvement work). "Ground-disturbing activity" shall include, but is not limited to, potholing, auguring, tree removal, boring, grading, excavation, drilling, and trenching.</p> <p>B. A copy of the monitoring agreement shall be submitted to the lead agency prior to the earlier of the commencement of any ground-disturbing activity, or the issuance of any permit necessary to commence a ground-disturbing activity.</p> <p>C. The monitor will complete daily monitoring logs that will provide descriptions of the relevant ground-disturbing activities, the type of construction activities performed, locations of ground-disturbing activities, soil types, cultural-related materials, and any other facts, conditions, materials, or discoveries of significance to the Tribe. Monitor logs will identify and describe any discovered TCRs, including but not limited to, Native American cultural and historical artifacts, places of significance, etc. as defined in Public Resources Code Section 21074, (collectively, tribal cultural</p>	City of Corona Planning Division, Construction Contractor in coordination with Native American Tribal Monitor	30-days Prior to Issuance of a Grading Permit and During Ground Disturbing Activities	City of Corona Planning Division	

## 2. Mitigation Monitoring Requirements

**Table 1 Mitigation Monitoring Requirements**

	Mitigation Measure	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)
	<p>resources, or "TCR"), as well as any discovered Native American human remains and associated grave goods. Copies of monitor logs will be provided to the project applicant/lead agency upon written request to the Tribe.</p> <p>D. On-site tribal monitoring shall conclude upon written confirmation to the Tribe from a designated point of contact for the project applicant/lead agency that all ground-disturbing activities and phases that may involve ground-disturbing activities on the project site or in connection with the project are complete.</p>				
TCR-2	<p><b>Unanticipated Discovery of Tribal Cultural Resources or Human Remains.</b></p> <p>A. Native American human remains are defined in PRC 5097.98 (d)(1) as an inhumation or cremation, and in any state of decomposition or skeletal completeness. Funerary objects, called associated grave goods in Public Resources Code Section 5097.98, are also to be treated according to this statute.</p> <p>B. Human remains and associated grave goods shall be treated alike per California Public Resources Code section 5097.98(d)(2).</p> <p>C. Any discovery of human remains/associated grave goods shall be kept confidential as required by state law.</p> <p>D. Upon discovery of any TCRs, all construction activities in the immediate vicinity of the discovery shall cease (i.e., not less than the surrounding 50 feet) and shall not resume until the discovered TCRs are removed in the form and/or manner the Tribe deems appropriate, in the Tribe's sole discretion, and for any purpose the Tribe deems appropriate, including for educational, cultural and/or historic purposes.</p> <p>E. In the event of a discovery of Native American human remains, the project applicant shall comply with PRC 5097.98.</p>	City of Corona Planning Division and the applicable Native American Tribe	During Ground Disturbing Activities	City of Corona Planning Division	

## 2. Mitigation Monitoring and Conditions of Approval Requirements

### 2.2 CONDITIONS OF APPROVAL MATRIX

Project-specific conditions of approval have been categorized in matrix format, as shown in Table 2, *Conditions of Approval Requirements*. The matrix identifies the environmental factor, specific conditions of approval, schedule, and responsible monitor. The conditions of approval matrix will serve as the basis for scheduling the implementation of, and compliance with, all conditions of approval.

## 2. Mitigation Monitoring Requirements

**Table 2 Conditions of Approval Requirements**

Condition of Approval	Responsibility for Implementation	Timing	Responsibility for Monitoring	Monitor (Signature Required) (Date of Compliance)	
<b>NOISE</b>					
COA-N-1	<p>The City shall implement measures to reduce amplified music or sound associated with live music concert and movie night events. The following measures shall be incorporated as conditions of approval for the proposed project:</p> <ul style="list-style-type: none"> <li>• Restrict amphitheater sound system output to an average of 90 dBA Leq, averaged over a 15-minute period, at a position located 100 feet from the central lawn or portable stage area and portable movie screen of the park.</li> <li>• Restrict instantaneous maximum sound levels allowed for live music concerts to 95 dBA Lmax at a position located 100 feet from the central lawn or portable stage area and portable movie screen of the park.</li> <li>• Noise monitoring will be conducted and monitored and reviewed throughout the event to provide sound technicians with noise data for appropriate sound system mixing board adjustments to ensure compliance with regulations.</li> <li>• Noise monitoring will be conducted with a handheld sound level meter. The meter shall satisfy the American National Standards Institute (ANSI) standard for Type I or II instrumentation.</li> </ul>	City of Corona Community Services Department	During Live Music Concerts and Movie Night Events at the Park	City of Corona Community Services Department	

## 2. Mitigation Monitoring and Conditions of Approval Requirements

*This page intentionally left blank.*

## 3. Report Preparation

---

### 3.1 LIST OF PREPARERS

#### City of Corona (Lead Agency)

Rachel McLure, Senior Project Manager

#### PlaceWorks (CEQA Consultant)

Malia Durand, Principal

Emma Haines, Associate I

### 3. Report Preparation

*This page intentionally left blank.*