

## Small Business Improvement Enhanced Program **Rebate Application for Virginia**

DEV-SBIE-6AM v0625

## INSTRUCTIONS TO APPLY

#### 1. CHECK PROJECT AND EQUIPMENT ELIGIBILITY

• Read all Terms and Conditions carefully to confirm your eligibility to participate in the Small Business Improvement Enhanced Program. Visit <u>DomSavings.com</u> to view the full list of qualifying measures and please note customer eligibility must be confirmed prior to the participating contractor performing work at any customer location.

#### 2. COMPLETE AN ENERGY ASSESSMENT

- A walk-through energy assessment completed by a participating contractor is required for all projects, detailing the recommended measures for installation.
- Some direct install measures may be installed immediately with minimal effort

#### 3. INSTALL EQUIPMENT OR PERFORM PROJECT WORK

Have the participating contractor install the equipment.

#### 4. SUBMIT A REBATE APPLICATION

Once the work has been completed your contractor will work with you to submit a rebate application for each eligible location.

- Submit a rebate application with a copy of the dated contractor invoice within 45 days of the service date and product invoice(s). Product specification sheets must also be submitted for applicable measures.
- · Submit the rebate application in one of three ways below:

► Email: <u>SBIrebateapps@honeywell.com</u>

eFax: 804-621-2241

Honeywell Smart Energy

3951 Westerre Parkway, Suite 350

Richmond, VA 23233

You may be contacted for a post-installation quality assurance inspection to verify that your application meets program guidelines.

### 5. RECEIVE INCENTIVE PAYMENT

When your rebate application is approved a rebate check will be mailed to you or the participating contactor.

## TERMS AND CONDITIONS FOR DOMINION ENERGY VIRGINIA

These terms and conditions apply to the Small Business Improvement Enhanced Program ("Program"). The Program was approved by the Virginia State Corporation Commission

Any reference in these documents to "Dominion," "Dominion Energy," or "Dominion Energy Virginia" should be read as a reference to Virginia Electric and Power Company d/b/a Dominion Energy Virginia, as well as its authorized agents and contractors.

## **ENROLLMENT QUALIFICATIONS AND** REQUIREMENTS FOR PARTICIPATION

- 1. Service must be performed on or after January 15, 2021.
- Program participant must be a Dominion non-residential customer of a privately-owned business that has not exceeded monthly demand of 100 kilowatts 3 or more times in the past 12 months, is responsible for the electric bill and is the owner of the facility or reasonably able to secure permission to complete measures ("Customer")
- 3. Customer is eligible for more than one rebate per location during the Program time period.
- Customer who has previously received a rebate for the Non-Residential Energy Audit Program, Duct Testing and Sealing Program, or Small Business Improvement Program is not eligible to receive another rebate for installing the same measure on the same unit as part of this Program, unless the measures life has expired per the program design.
- Work must be completed by a participating contractor in the Small Business Improvement Enhanced Program when the work begins.
- Dominion and/or its designees including program administrators and evaluation contractors reserve the right to review installations to verify completion and measure energy savings to ensure compliance with all Program requirements. Such reviews will be made at a time convenient to the Customer. Denial of such verification or misrepresentation of installation location or measure eligibility may result in forfeiture of the rebate.
- Service must be completed in accordance with all laws, codes and other requirements applicable under federal, state and local authority.
- The Customer understands that it may be contacted by Dominion via survey or questionnaire to provide feedback regarding Customer satisfaction with the program.
- The Customer understands that through participation in this energy conservation program and receiving a rebate, they are ineligible to opt out of energy efficiency riders for a period of three years following their year of participation.

## **PAYMENT**

- 1. Rebate application must be submitted within 45 days of the service date. Failure to provide any of the required information will delay processing of Customer's application and could result in nonpayment. It is the responsibility of the Customer to assure that all requirements for the rebate are met. Dominion retains the right to deny participation to Customer for failure to comply with the enrollment qualifications and requirements for participation.
- 2. Rebate payments are based on the date of service. Customers must abide by the rules and rebate levels in effect on the date of service
- Rebate payments will be capped at a maximum limit of 75% of Customer's total invoice amount based on the eligible incentives on Customer's rebate application.
- Payment will be issued to the account holder and mailing address on record with the utility unless the Customer has authorized in writing that payment be made to the contractor specified in this document.

- 5. Please allow up to 90 days from the date all required information is received
- Customer is urged to seek appropriate consultation concerning any tax liabilities that could be associated with the receipt of the rebate.

### **OTHER REQUIREMENTS**

- Program procedures, requirements and rebate levels are subject to change or cancellation without notice and are subject to Program funds being available and regulatory approval.
- Dominion, its parents, subsidiaries, employees, affiliates and agents assume no responsibility for, and make no representations (express or implied) about, the performance of the equipment or equipment warranty, for equipment supplied or serviced by, the quality of the work or, labor performed by, the quality of the materials supplied by, and/or the acts or omissions of, itself or any participating contractor.
- By participating in this Program, the Customer hereby agrees to indemnify, defend and hold harmless Dominion, its parents, subsidiaries, employees, affiliates, contractors, and agents from any and all liability associated with the Program. Dominion shall not be liable for loss or damage to any person or property whatsoever, resulting directly or indirectly from participation in this Program.
- Dominion retains all rights to energy and demand savings resulting from measures installed under this Program for a maximum of four years. Dominion has the exclusive right to enroll, nominate, or offer a bid for energy or demand reductions resulting from measures installed under this Program into load management programs, demand response programs, or auctions operated by PJM Interconnection, L.L.C. ("PJM"), the regional electric transmission organization of which the Company is a member. Customer's participation in this Program means that the Customer is consenting to Dominion sharing the Customer's pertinent information with PJM, Dominion's agents, and contractors, including, but not limited to, its implementing contractors and its measurement and verification vendor. Pertinent Customer information includes, but is not limited to, energy usage and billing information, account holder name, account number, address, other contact information, measures installed, period of installation, demand/energy reductions resulting from measures installed under this Program and the technical basis for such reductions, loss factors, coincidence factors, interactive factors, building type and other information necessary to implement and monitor the Program, including other information as required by PJM or any other regulatory authority.
- Customer understands and affirms that the installed measures associated with this rebate application have not been, and will not be, incentivized or otherwise financially supported by any other Dominion Energy-sponsored energy efficiency program. Under no circumstances may a program measure be incentivized twice except as otherwise noted in the Program Terms and Conditions regarding allowances for multiple rebate applications (when applicable).
- These Program specific terms and conditions are in addition to the terms and conditions of service currently on file with the Virginia State Corporation Commission and contained in any agreement between the Customer and a Program vendor. To the extent there is any conflict among such terms and conditions, these Program specific terms and conditions shall control.



	EBATE APPLICATION	inprove		IIIIai	icec	<i>J</i> F10	Jyrai	''			
APPLICATION CHECKLIST	Complete the checklist below and submit all Who is submitting this rebate application?  I (YOUR INITIALS) HAVE READ  Completed entire rebate application.  Attached a copy of the Energy Assessme  Attached a copy of the dated invoice from Included the Product Specification Sheet  Ensured Online Assessment entered for or Submit in one of three ways:	Customer  OTHE INSTR  Int Worksheet in the contract for the applic customer eliging 1. Email: Solution 2. eFax: 80 3. Mail: H	Contracto CUCTIONS A or ensured one or who performable measures	r ND TERM e has bee med the v s that requ ating Asse @honeyw art Energy	n previvork. uire a pessmer	iously s pre-apprint ID:	NDITIO	NS ON	PAGE		blank fields.
	Name on Dominion Energy Account:				Dom	ninion	Energy	Accou	nt Nun	nber:	
	Service Address:										
	City:	State:	Zip Code:		DEE	ATE	PAYM	ENIT	VIETU	IOD	
AILS	Key Contact Name:				NEE						hata
DETAILS	Email Address: (We will confirm receipt of your application)	ation via your e-m	nail address)			ntive in	ur Initials the amo he contra	unt of \$		will b	oe paid
	Phone Number:				and	recogni		have red	eived th	ne equiv	alent value
NO.	Please select one: I own lease this no	n-residential fa	cility.					-			nt to me.
CUSTOMER	The following question is optional:  Did the rebate incentive offered by Dominion Energy	ray haya any int	fluonoo in vour o	logicion to	have th	o work n	orformad	? ∏ Y∈	s $\square$ N	lo.	
O	By signing this application, I agree to the above terms an										described
	above, and that I am authorized to take action on the Dor	minion Energy acc	count listed above.								
	Customer Name (please print)	Custo	omer S	ignature	)			Da	te		
S	Company Name:	Technicia	n Name	e:							
ETAI	Company Street Address				Service	Date: (Mu	ıst match d	date on coi	ntractor invoice)		
OR D	City:						State:		Zip Cod	de:	
ACTO	Company Phone:	Email Address:									
CONTRACTOR DETAILS											
8	Technician Signature		Date								







Don	nini	on E	ner	gy A	cco	unt	Nun	nbei	r:		

Duct Testing and	d Sea	ling				
Rebate cannot be processed wit	h any mis	ssing information. Please	e use a new fo	orm for ea	ach addition	al unit.
BUILDING INFORMAT	ION					
No of Units: No of Floors: Structu	ureType (S ched [][		ne): Replace Broken	New In	stall New	/ Construction
UNIT INFORMATION						
Repair Required:	Location:		n Grade Med	chanical Equip	oment Room	
Manufacturer:		Coil Model:			Serial Num	ber:
Cooling Capacity (Tons):		Heating Capacity (Btu/h):			Conditioned	d Space (sq. ft.):
Primary Heating Fuel (Select one):	Ele	ctric Non-Electric No	ne	Phase (Se	elect one):	1 3
AC SystemType (Select one):	Air	skaged Terminal AC Cooled Chiller gle Packaged Heat Pump	Water-C	stem AC cooled Chiller ed Terminal H		☐ Single Packaged AC ☐ Split System Heat Pump ☐ Geothermal Heat Pump
Fan System Type (Select one):	=	Foil/Backward Incline ward Curved			cline with Inlet G h Inlet Guide Van	
SEER:	EER:		COP:			HSPF:
DUCT INFORMATION						
Duct Type (Select one): Rigid Sheet Metal, Rectangular Rigid Sheet Metal, Round Flex-Duct Duct Board	Aeroso	ng Method (Select one): ITest Equipment Duct Blas ad Blower Door Subtraction aakage Duct Blaster	ter Pre/Aerosol Pos	st	Insulation Le No Insulati R4 Insulati	on R6 Insulation
CFM25 Leakage Pre:	CFM25 L	eakage % Pre:	CFM25 Leaka	ige Post:		CFM25 Leakage % Post:
REBATE INFORMATIO	N					
Calculation		Rebate Amount				
\$115 / ton per unit x to	ins	\$				









	Powe	ring	Your	Every	/ Day.
--	------	------	------	-------	--------

Don	nini	on E	ner	gy A	cco	unt	Nun	nbei	r:		
											1

HVAC Tune-Up								
Rebate cannot be processed with any mis	ssing info	rmation. Pleas	se use a new f	form for ea	ach addition	al unit.		
CONTRACTOR CHECKLIST			✓ Checklist i	tems mar	ked as "N	O" have	been corre	ected —
Thermostat has been checked for proper operation		Thermostat is	operating proper	·ly			Yes	No
Air filter has been inspected		Existing filter	is clean or has r	ecently bee	en changed		Yes [	No
Primary and secondary condensate drains have been cleaned, inspected and tested		Plumbing cor Drains free fro	drains show no someonents and tropic on obstruction of biological grow	aps intact	age		Yes [ Yes [ Yes [ Yes [ Yes [	No No No No
Evaporator coil has been cleaned and inspected		Evaporator co	ntaminants that only and fins are clustering lines are clustering lines are clustering to the contains the contains are clustering lines are clustering to the contains are clustering to the clustering lines are clustering to the clustering lines are clustering to the clustering lines are clustering lines are clustering to the clustering lines are clustering lines	leaned and I	brushed	ir flow	Yes [ Yes [ Yes [	No No No
Evaporator fan and motor has been inspected		Fan can rotate Blower wheel	has tight connec freely is free of dust ar properly lubricated	nd debris		aft	Yes [ Yes [ Yes [ Yes [ Yes [	No No No No
All accessible refrigerant lines have been inspected	d 🗌	Line free of ar Proper insulati	ny leaks, kinks, cr ion in place	ushed section	ons or restrictions	ons	Yes Yes	No No
Condenser coil has been cleaned and inspected		Condenser co	il and fins are cle	aned and bru	ushed		Yes [	No
Condenser fan motor has been inspected		Fan can rotate	a tight connection freely Infricated (if app		ver motor sha	ft	Yes [ Yes [ Yes [	No No No
Inspect all electrical connections		•	ctrical connection and amp draws		capacitor and c	ompressor	Yes Yes	No No
Heat exchanger has been inspected (if applicable)		Heat exchange	er is operating pro	operly			Yes	No
Checked system for proper refrigerant charge level	· 🗆	System was p	roperly charged				Yes [	No
Refrigerant Type: R-22 R-410		Nameplate cha Amount of cha Amount of cha	arge added: arge removed:		_ lbs. (4 to 20 _ oz. (Up to 64 _ oz. (Up to 64	) )		
Outside temperature (°F):		(Pre) Record refrigerant pressures: High (150 to 450) Low (30 to 150)  (Post) Record refrigerant pressures: High (150 to 450) Low (30 to 150)						
UNIT INFORMATION								
Unit Type (Select one): Packaged Terminal AC Split System Heat Pump	= '	ystem AC Packaged Heat Pu	= 1	Packaged AC ed Terminal He	=	Air-Cooled Ch Geothermal H	_	ter-Cooled Chiller
Manufacturer: Unit Model Num	ber:	Serial Nu	mber:	SEE	R: EE	R:	COP:	HSPF:
Primary Heating Fuel: Cooling Ca	pacity Per U	Jnit: Heating C	Capacity (Btu/h):	IPLV Rating	g of Chiller:	Water Se	et Point of Chi	iller (30 to 70 °F):
Electric Non-Electric None								
Reason:	_		Location:		_			
Retrofit Replace Broken New Install	New Const	truction	Rooftop	Garage	Outdoors, on G	irade N	Mechanical Equip	ment Room
REBATE INFORMATION								
Measure	Calculat	ion			Rebate A	mount		
≥12 tons (≥135k Btu/h)	\$70 per	ton x	tons		\$			
<12 tons (<135k Btu/h)	\$80 per	ton x	tons		\$			





I	Don	ninio	on E	ner	ду А	ссо	unt	Nun	nbei	r:		
												1

#### DEV-SBIE-6AM\_v0625 **HVAC Upgrade** Rebate cannot be processed with any missing information. Please use a new line for each new product installed and request for additional sheet if required. **UNITARY AC SYSTEMS** Install Date: Location: Heating System Type: Item No. (on Rooftop Garage Outdoors, on Grade New Install Retrofit Electric Resistance or None Rebate Chart) Mechanical Equipment Room Replace All Other **New Cooling Unit Information** Size of Cooling System (tons): SEER (if system size is ≤5): IEER (if system size is >5): **Product Make** Outdoor Unit: Indoor Unit: Product Model No. Indoor Unit: **Outdoor Unit:** Fan: Product Serial No. Indoor Unit: Outdoor Unit: Fan: Old Cooling Unit Information Size of Cooling System (tons): Age of Unit: EER: SEER (if system size is ≤ 5): IEER (if system size is > 5): AFUE (if old unit is split/package AC with furnace heat): AC \_\_\_\_\_ Old Equipment Type (Please provide details in space provided): VFD\_\_\_\_\_ Heat Pump \_ Economizer Chiller Product Make Indoor Unit: Outdoor Unit: Fan: Product Model No. Indoor Unit: **Outdoor Unit:** Fan: Product Serial No. Indoor Unit: Outdoor Unit: Fan: Install Date: Reason: Location: Heating System Type: Item No. (on Rooftop Garage Outdoors, on Grade Retrofit New Install Electric Resistance or None Rebate Chart) Replace Mechanical Equipment Room All Other **New Cooling Unit Information** Size of Cooling System (tons): EER: **SEER** (if system size is $\leq$ 5): IEER (if system size is >5): **Product Make** Indoor Unit: Outdoor Unit: Fan: Fan: Product Model No. Indoor Unit: **Outdoor Unit:** Product Serial No. Outdoor Unit: Fan: Indoor Unit: Old Cooling Unit Information Size of Cooling System (tons): Age of Unit: EER: SEER (if system size is ≤ 5): | IEER (if system size is > 5): | AFUE (if old unit is split/package AC with furnace heat): AC \_\_\_\_\_ Old Equipment Type (Please provide details in space provided): Heat Pump VFD\_ Economizer\_ Chiller \_ **Product Make** Indoor Unit: Outdoor Unit: Product Model No. Indoor Unit: Outdoor Unit: Fan: Product Serial No. Indoor Unit: **Outdoor Unit:** Fan:





DEV-SBIE-6AM\_v0625

# HVAC Upgrade (Continued)

Rebate car additional			with	any miss	ing	informa	tion.	Please	e use a ne	ew	line	for ea	ach new p	roduct	installed and requ	iest for
HEAT I	PUMP	SYSTE	MS	S												
Item No. (on	Install Date	e:		Reason:		New Install	R	etrofit	Replace	Э		Heatir	ng System Ty	pe: E	Electric Resistance or None	All Other
Rebate Chart)				Location:		Rooftop	G	arage	Outdoo	ors, d	on Grade	е [	Mechanical	Equipment	Room	
	New Unit I	Information														
	Cooling Int	formation	Size	of Cooling S	Syste	m (tons):		EER:	SEE	ER (i	if syster	m size is	; ≤ 5):	IEER (if sy	ystem size is > 5):	
	Heating Int	formation		ting Capacity	(Btu/	h):		COP (if	heating capaci	ity is	s >65k E	Stu/h):		HSPF (if I	heating capacity is ≤ 65k Btu,	/h):
	Product Ma	ake	Indo	or Unit:					Outdoor U	nit:	:				Fan:	
	Product Mo	odel No.	Indo	or Unit:					Outdoor U	nit:	:				Fan:	
	Product Se	erial No.	Indo	or Unit:					Outdoor U	nit:	:				Fan:	
	Old Unit In	nformation														
	Age of	Old Equipr	nent T	ype (Please pr	ovide	details in spa	ce provi	ided):			AC_					
	Unit:	Heat Pur	mp							Ļ	VFD_					
	0 11 1 1	Econom					FED			Chille		=		LEED #		
	Cooling Int			of Cooling S				EER:					size is ≤ 5):		IEER (if system size is > 5	):
	Heating Int	formation		ting Capacity						CC	OP (if he	eating ca	apacity is >65k	Btu/h):		
			HSP	F (if heating cap	pacity	is ≤ 65k Btu/l	h):			AF	FUE (if	old unit	is split/package	AC with fur	rnace heat):	
	Product Ma	ake	Indo	or Unit:					Outdoor U	nit:	:				Fan:	
	Product Mo	odel No.	Indo	or Unit:					Outdoor U	nit:	:				Fan:	
1.	Product Se	erial No.	Indo	or Unit:					Outdoor U	nit:	:				Fan:	
Item No. (on	Install Date	e:		Reason:		New Install	R	etrofit	Replace	Э		Heatir	ng System Ty	pe: E	Electric Resistance or None	All Other
Rebate Chart)				Location:		Rooftop	G	arage	Outdoo	ors, d	on Grade	е [	Mechanical	Equipment	Room	
		Information														
	Cooling Int		Size	of Cooling S	Syste	m (tons):		EER:	SEE	ER (i	if syster	m size is	; ≤ 5):		ystem size is > 5):	
	Heating Int	formation	Heat	ting Capacity	/ (Btu/	h):		COP (if	heating capaci	ity is	s >65k E	Stu/h):		HSPF (if I	heating capacity is ≤ 65k Btu,	/h):
	Product Ma	ake	Indo	or Unit:					Outdoor U	nit:	:				Fan:	
	Product Mo	odel No.	Indo	or Unit:					Outdoor U	nit:	:				Fan:	
	Product Se	erial No.	Indo	or Unit:					Outdoor U	nit:	:				Fan:	
		nformation								_						
	Age of Unit:	_ ` `		ype (Please pr						=	AC					
	OTHE.									F						
	Cooling Inf	formation		of Cooling S				EER:		SE			size is ≤ 5):		IEER (if system size is > 5	
	Heating Inf	formation	Heat	ting Capacity	/ (Rtu/	'h):				CC	OP (if he	eating ca	apacity is >65k	Btu/h):		
				F (if heating car			h):						is split/package		rnaco hoatli	
	Product Ma	aka		or Unit:	pacity	IS ≥ OOK DIU/I	11/-		Outdoor U			oiu ufii(	ы эршураскаде	AC WITH TUR	Fan:	
	Product Mo			or Unit:					Outdoor U						Fan:	
2.	Product Se	erial No.	Indo	or Unit:					Outdoor U	nit:	:				Fan:	





Don	nini	on E	ner	gy A	ссо	unt	Nun	nbei	r:		

HVA	C Upgrade (	Continued)								
	nnot be processed with sheet if required.	any missing inforn	nation.	Please us	se a new	line fo	or each nev	v product insta	lled and requ	uest for
ECON	OMIZERS									
Item No. (on Rebate Chart)	Install Date:	Reason: New Insta		Retrofit Garage	Replace Outdoors, or		leating System	n Type: Electric Re	esistance or None	All Other
	New Product Information				<u></u>					
	Size of Cooling System (tons)	: Heating Capacity (Btu/	n):	Economize Fixed En		Different	tial Enthalpy	Fixed Temperature	Differential T	- emperature
	Product Make:		Product	Model No:				Product Serial No:		
	Old Product Information									
	Size of Cooling System (tons)	: Heating Capacity (Btu/h	n):	Economize	rType:	Ξ	Enthalpy Temperature	Differential Entha Differential Tempe		)
1.	Age of Unit:	Old Equipment Type: Packaged Unit with/with	nout Broker	n Economizer	Air Handl	ller with/w	vithout Economize	r		
Item No. (on	Install Date:	Reason: New Insta	all 🔲 f	Retrofit	Replace	Н	leating Systen	Type: Electric Re	esistance or None	All Other
Rebate Chart)		Location: Rooftop		Garage	Outdoors, or	n Grade	Mechan	nical Equipment Room		
	New Product Information									
	Size of Cooling System (tons)	: Heating Capacity (Btu/h	n):	Economize Fixed Ent		Different	tial Enthalpy	Fixed Temperature	Differential T	- emperature
	Product Make:		Product	Model No:				Product Serial No:		
	Old Product Information									
	Size of Cooling System (tons)	: Heating Capacity (Btu/h	n):	Economize	rType:	=	Enthalpy Temperature	Differential Entha		)
2.	Age of Unit:	Old Equipment Type:  Packaged Unit with/with	nout Broker	n Economizer	Air Handl	ller with/w	vithout Economize	r		
Item No. (on	Install Date:	Reason: New Insta	all 🔲 f	Retrofit	Replace	Н	leating Systen	Type: Electric Re	esistance or None	All Other
Rebate Chart)		Location: Rooftop		Garage	Outdoors, or	n Grade	Mechan	nical Equipment Room		
	New Product Information									
	Size of Cooling System (tons)	: Heating Capacity (Btu/h	n):	Economize Fixed Ent		Different	tial Enthalpy	Fixed Temperature	Differential T	- emperature
	Product Make:		Product	Model No:				Product Serial No:		
	Old Product Information									
	Size of Cooling System (tons)	: Heating Capacity (Btu/h	n):	Economize	rType:	Ξ	Enthalpy Temperature	Differential Entha		•
3.	Age of Unit:	Old Equipment Type: Packaged Unit with/with	nout Broker	n Economizer	Air Handl	ller with/w	vithout Economize	r		









Don	nini	on E	ner	gy A	cco	unt	Nun	nbei	r:		
											'

DEV-SBIE-6AM\_v0625

## HVAC Upgrade (Continued)

Rebate ca			th any mis	ssing infor	nation. F	Pleas	se use a	new line	e for	each n	ew product in	stalled	l and request for
VARIA	BLE FR	EQUEN	CY DRI	VES (VI	Ds)								
Item No. (on	Install Date		Reason:	New Inst		trofit	Repl	ace					
Rebate Chart)			Location:	Rooftop	Ga	rage	Out	loors, on Gra	ide	Mech	nanical Equipment Roo	m	
	New Produ	ct Information											
	Product Ma	ıke:			Product M	odel	No:				Product Serial N	No:	
	Motor Effici	iency per VFD (	%):	Motor Horse	epower:			Annual Ru	ın Hou	urs of VFE	) (0 – 8,760 hours):	Motor	Load Factor of VFD:
	Control Sig	nal Type:	=	ge Zone Temp U CHW/HHW Va	lve Position	=	an: Duct Statio ump: Loop Pre		ential		Outside Air Temperatui Jnknown	re 🔲	Pump: Average Zone Temperature
	Application	Туре:	Fan: Airfoi Pump: Ch			╡ ゚	an: Backward I				orward Curved Hot Water	=	Fan: Other/Unknown Pump: Other/Unknown
	Old Produc	t Information											
	Age of Unit:	Motor Horsepower:	Heat Pum	ent Type (Pleas per					_ _ _	AC VFD Chiller			
	Control Sig	nal Type:	Pump: Av	erage Zone Temp U CHW/HHW Va	erature		1	ide Air Temp Pressure Dit			Fan: Duct Static Press None	ure [	Fan: Average Zone Temp Other/Unknown
1.	Fan Control	Airflow Inlet Control: Damper Box  Airflow Inlet Control: Inlet Guide Vanes at FC, BI, AF Fan Types  Airflow Inlet Control: Inlet Vane Damper  Airflow Inlet Control: Inlet Vane Damper  Airflow Inlet Control: Other/Unknown  Airflow Inlet Control: Other/Unknown  Airflow Discharge Control: Unknown Fan Type  Duct Control: Static Pressure Controls, Med./High Pressure (≥1.0 inch w.g.)  Duct Control: Static Pressure Controls, Low Pressure (<1.0 inch w.g.)  Fan Motor Control: Eddy Current Drive  Unknown											
	Install Date	·	Reason:		" D.								
Item No. (on Rebate Chart)	motan Bato		Location:	New Inst		trofit	Repl	loors, on Gra	nde.	Med	nanical Equipment Rooi	m	
	New Produ	ct Information				- 5					44		
	Product Ma	ıke:			Product M	odel	No:				Product Serial N	No:	
	Motor Effici	iency per VFD (	%):	Motor Horse	epower:			Annual Ru	ın Hou	urs of VFD	) (0 – 8,760 hours):	Motor	Load Factor of VFD:
	Control Sig	nal Type:	=	ge Zone Temp U CHW/HHW Va	ļ	=	an: Duct Statio				Outside Air Temperatui Jnknown	re l	Pump: Average Zone Temperature
	Application	Туре:	Fan: Airfoi Pump: Ch		[	=	an: Backward I				orward Curved Hot Water	=	Fan: Other/Unknown Pump: Other/Unknown
	Old Produc	t Information											
	Age of	Motor	Old Equipm	ent Type (Pleas	se provide det	ails in	space provide	ed):		AC			
	Unit:	Horsepower:	=	p					-				
	Camtual Cim	mal Trumar		ererage Zone Temp			1	ide Air Temp	- <u>                                     </u>	Chiller	F D ! C ! . D		
	Control Sig	пагтуре.	= '	u CHW/HHW Va			i '	Pressure Dif		=	Fan: Duct Static Press None		Fan: Average Zone Temp Other/Unknown
2.	Fan Control	Strategy Type:	Airflow Inl Airflow Inl Airflow Inl	et Control: Damp et Control: Inlet ( et Control: Inlet \ et Control: Other scharge Control:	Guide Vanes at ⁄ane Damper /Unknown			s	Airflow Duct C	v Discharge Control: Stat Control: Stat	Control: Dampers at of Control: Unknown Fan ic Pressure Controls, N ic Pressure Controls, L I: Eddy Current Drive	Type Med./High	Pressure (≥1.0 inch w.g.)





Don	nini	on E	ner	gy A	ссо	unt	Nun	nbei	r:		

Progra	mmable The	rmostat											
	Rebate cannot be processed with any missing information. All fields marked with an asterisk (*) are optional.  Please use a new line for each new product installed and request for additional sheet if required.												
HVAC Outdoor Unit Model Number Indoor Unit Model Number Quantity System Category Outdoor Unit Model Number Indoor Unit Model Number Quantity Installed Tons/Unit Btu/h SEER EER IEER COP HSPF													
Category  I.													
1. 2.													
3.													
4.													
Primary Heating F	uel:	Location:			Was new	HVAC syste	m installed v	with thermo	stat replace	ment?*			
Electric	Non-Electric None	Mechanical Equipment Room	Garage		Yes	No							
Electric Resistanc	Heating System Type (Please select one):  Electric Resistance  Geothermal Heat Pump  Roof Top/Unitary Heart Pump  Non-Electric  None  Reason (Please select one):  Reason (Please select one):  Replace Broken  New Construction  New Install												







Powering	Your	Every	Day	/.
----------	------	-------	-----	----

Dominion Energy Account Number:													

	out Evoly Buy.				DEV-SBI	E-6AM_v0625
Light	ting Measures					
	annot be processed with any missing informa and new) and/or a different model number o					
T8s,T5	s and LEDs					
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture Type (Provide details)	New Quantity	New Wattage
	New Fixture Manufacturer:			New Fixture Model No:		
		ı .				
	Location (Indicate quantity in box): Garage	Exit Sign	Sta	irwell Interior Light (except exit light) Exteri	or Light (exce	ept garage)
	New Lights installed in Conditioned Space? Yes	∐ No		Primary Heating Fuel: Electric Non-Electric	None	
1.	Reason for Work Done: Retrofit Early Replacement	Retrofit Repl		New Construction: Light Power Density (0.01 to 3.00) –	Watt/so	
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New FixtureType (Provide details)	New Quantity	New Wattage
	New Fixture Manufacturer:			New Fixture Model No:		
	Location (Indicate quantity in box): Garage	Exit Sign	Sta	irwell Interior Light (except exit light) Exteri	or Light (exce	ept garage)
	New Lights installed in Conditioned Space?	No		Primary Heating Fuel: Electric Non-Electric	None	
2	Reason for Work Done: Retrofit Early Replacement	Retrofit Repl	ace Broken	New Construction: Light Power Density (0.01 to 3.00) –	Watt/so	q ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture Type (Provide details)	New Quantity	New Wattage
	New Fixture Manufacturer:			New Fixture Model No:		
	Location (Indicate quantity in box): Garage	Exit Sign	Sta	irwell Interior Light (except exit light) Exteri	or Light (exce	pt garage)
	New Lights installed in Conditioned Space?	No		Primary Heating Fuel: Electric Non-Electric	None	
3	Reason for Work Done: Retrofit Early Replacement	Retrofit Repl	ace Broken	New Construction: Light Power Density (0.01 to 3.00) –	Watt/so	q ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture Type (Provide details)	New Quantity	New Wattage
riebate chart,	( in the detaile)	Zuumity	Tranago	( ionas aciams)	Quartity	Trattago
	New Fixture Manufacturer:			New Fixture Model No:		
	Location (Indicate quantity in box): Garage	Exit Sign	Sta	irwell Interior Light (except exit light) Exteri	or Light (exce	ept garage)
	New Lights installed in Conditioned Space? Yes	No		Primary Heating Fuel: Electric Non-Electric	None	
4	Reason for Work Done: Retrofit Early Replacement	Retrofit Repl	ace Broken	New Construction: Light Power Density (0.01 to 3.00) –	Watt/so	q ft









Powering	Your	Every	Day	/.
----------	------	-------	-----	----

Dominion Energy Account Number:													

					DEV-SBI	E-6AM_v0625
Light	ting Measures (Continued)					
	annot be processed with any missing informa and new) and/or a different model number o					
T8s,T5	s and LEDs (Continued)					
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture Type (Provide details)	New Quantity	New Wattage
	New Fixture Manufacturer:			New Fixture Model No:		
	Location (Indicate quantity in box): Garage	Exit Sign	Sta	irwell Interior Light (except exit light) Exter	ior Light (exce	ept garage)
	New Lights installed in Conditioned Space?	No		Primary Heating Fuel: Electric Non-Electric	None	
5	Reason for Work Done: Retrofit Early Replacement	Retrofit Repl	ace Broken	New Construction: Light Power Density (0.01 to 3.00) –	Watt/se	q ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture Type (Provide details)	New Quantity	New Wattage
	New Fixture Manufacturer:			New Fixture Model No:		
	Location (Indicate quantity in box): Garage	Exit Sign	Sta	irwell Interior Light (except exit light) Exter	ior Light (exce	ept garage)
	New Lights installed in Conditioned Space? Yes	No		Primary Heating Fuel: Electric Non-Electric	None	
6	Reason for Work Done: Retrofit Early Replacement	Retrofit Repl	ace Broken	New Construction: Light Power Density (0.01 to 3.00) –	Watt/se	q ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New Fixture Type (Provide details)	New Quantity	New Wattage
	New Fixture Manufacturer:			New Fixture Model No:		
	Location (Indicate quantity in box): Garage	Exit Sign	Sta	irwell Interior Light (except exit light) Exter	ior Light (exce	ept garage)
	New Lights installed in Conditioned Space?	No		Primary Heating Fuel: Electric Non-Electric	None	
7	Reason for Work Done: Retrofit Early Replacement	Retrofit Repl	ace Broken	New Construction: Light Power Density (0.01 to 3.00) –	Watt/s	q ft
Item No. (on Rebate Chart)	Existing Fixture Type (Provide details)	Existing Quantity	Existing Wattage	New FixtureType (Provide details)	New Quantity	New Wattage
	New Fixture Manufacturer:			New Fixture Model No:		
	Location (Indicate quantity in box): Garage	Exit Sign	Sta	irwell Interior Light (except exit light) Exter	ior Light (exce	ept garage)
	New Lights installed in Conditioned Space?	No		Primary Heating Fuel: Electric Non-Electric	None	
8	Reason for Work Done: Retrofit Early Replacement	Retrofit Repl	ace Broken	New Construction: Light Power Density (0.01 to 3.00) –	Watt/s	q ft









Don	nini	on E	ner	gy A	cco	unt	Nun	nbei	r:		

											DEV-SBIE-6AM_v0625
Liab	tina	Мазеш	res (Contin	uod\							
Ligii	unig	ivicasui	Contin	ueu)							
Rebate c	annot b	e processed wi	th any missing in	nformation.							
occu	PANC	CY SENSOF	RS (Measur	es L42 to L4	<b>14</b> )						
Item No. (on Rebate Chart)	New Quantity	New Fixture Model No.	New Fixture Manufacturer	Occupancy Sensor Connected Load (0 to 1,000)		Item No. (on Rebate Chart)	New Quantity	New Fixture Model No.	New F Manuf	ixture facturer	Occupancy Sensor Connected Load (0 to 1,000)
1. <b>Item No.</b> (on		(Indicate quantity in box)  Barage Exit S  Interior Light (except exit exterior Light (except gar.)	Retrofit Earl Retrofit Rep light) New Constr	Watts ork Done: y Replacement lace Broken uction: Light ity (0.01 to 3.00) Watt/sq ft Occupancy Sensor		6. Item No. (on		(Indicate quantity in box)  Garage Exit S  Interior Light (except exit exterior Light (except gar)	Sign light)	Retrofit Rep New Constr Power Dens	y Replacement
Rebate Chart)	Quantity	Model No.	Manufacturer	Connected Load (0 to 1,000)		Rebate Chart)	Quantity	Model No.		facturer	Connected Load (0 to 1,000)
2.	lı	(Indicate quantity in box) Garage Exit S Interior Light (except exit Exterior Light (except gar.)	Retrofit Earl Retrofit Rep light) New Constr	y Replacement lace Broken uction: Light ity (0.01 to 3.00)		7.		(Indicate quantity in box) Garage Exit S Interior Light (except exit Exterior Light (except gar	Sign light)	Retrofit Rep  New Constr	y Replacement
Item No. (on	New	New Fixture	New Fixture	Occupancy Sensor		Item No. (on	New	New Fixture	New F	ixture	Occupancy Sensor
Rebate Chart)	Quantity	Model No.	Manufacturer	Connected Load (0 to 1,000)		Rebate Chart)	Quantity	Model No.	Manuf	facturer	Connected Load (0 to 1,000)
				Watts							Watts
3.	lı	(Indicate quantity in box) Garage Exit S  Interior Light (except exit exterior Light (except gar.)	Retrofit Earl Retrofit Rep light) New Constr	ork Done: y Replacement lace Broken ruction: Light sity (0.01 to 3.00) Watt/sq ft		8.		(Indicate quantity in box)  Garage Exit S  Interior Light (except exit sexterior Light (except gar	Sign light)	Retrofit Rep  New Constr	y Replacement
Item No. (on Rebate Chart)		New Fixture Model No.	New Fixture Manufacturer	Occupancy Sensor Connected Load		Item No. (on Rebate Chart)	New Quantity	New Fixture Model No.	New F Manuf	ixture facturer	Occupancy Sensor Connected Load
	lı	(Indicate quantity in box) Garage Exit S Interior Light (except exit	Retrofit Earl Retrofit Rep light) New Constr	Watts ork Done: y Replacement lace Broken uction: Light ity (0.01 to 3.00)				(Indicate quantity in box)  Garage Exit Senterior Light (except exit Exterior Light (except gar	Sign light)	Retrofit Rep	y Replacement
4.				Watt/sq ft		9.					Watt/sq ft
Item No. (on Rebate Chart)	New Quantity	New Fixture Model No.	New Fixture Manufacturer	Occupancy Sensor Connected Load (0 to 1,000)		Item No. (on Rebate Chart)	New Quantity	New Fixture Model No.	New F Manuf	ixture facturer	Occupancy Sensor Connected Load (0 to 1,000)
5.	lı	(Indicate quantity in box) Garage Exit S Interior Light (except exit	Retrofit Earl Retrofit Rep light) New Constr	Watts ork Done: y Replacement lace Broken ruction: Light sity (0.01 to 3.00) Watt/sq ft		10.		(Indicate quantity in box) Garage Exit S Interior Light (except exit	Sign light)	Retrofit Rep	y Replacement
						1	1		- 1		







Don	nini	on E	ner	gy A	cco	unt	Nun	nbei	r:		
											'

									DEV-3BIE-0AIVI_V0023
Light	ting Measu	res	(Con	tinued)					
Rebate ca	annot be processed w	/ith an	y missin	ıg inform	ation.				
OCCU	PANCY SENSO	RS (	Meas	ure L4	5)				
Item No. (on Rebate Chart)	Existing Fixture Type		Existing Quantity	Existing Wattage	New Quantity	New Wattage	New Low Power Wattage	New Fixture Model No.	Occupancy Sensor Connected Load (0 to 1,000)
									Watts
1.	Location: Stairwell		n for Work rofit Early Re	Done (Check		: Replace Brol	ken New Co	onstruction: Light Power Density (0.01 to	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type		Existing Quantity	Existing Wattage	New Quantity	New Wattage	New Low Power Wattage	New Fixture Model No.	Occupancy Sensor Connected Load (0 to 1,000)
									Watts
2.	Location: Stairwell		n for Work rofit Early Re	Done (Check eplacement		: Replace Brol	ken New Co	onstruction: Light Power Density (0.01 to	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type		Existing Quantity	Existing Wattage	New Quantity	New Wattage	New Low Power Wattage	New Fixture Model No.	Occupancy Sensor Connected Load (0 to 1,000)
									Watts
3.	Location: Stairwell		n for Work rofit Early Re	Done (Check eplacement		: Replace Brol	ken New Co	onstruction: Light Power Density (0.01 to	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type		Existing Quantity	Existing Wattage	New Quantity	New Wattage	New Low Power Wattage	New Fixture Model No.	Occupancy Sensor Connected Load (0 to 1,000)
									Watts
4.	Location: Stairwell		n for Work rofit Early Re	Done (Check		Replace Brol	ken New Co	onstruction: Light Power Density (0.01 to	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type		Existing Quantity	Existing Wattage	New Quantity	New Wattage	New Low Power Wattage	New Fixture Model No.	Occupancy Sensor Connected Load (0 to 1,000)
									Watts
ō.	Location: Stairwell		n for Work rofit Early Re	Done (Check		: Replace Brol	ken New Co	onstruction: Light Power Density (0.01 to	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type		Existing Quantity	Existing Wattage	New Quantity	New Wattage	New Low Power Wattage	New Fixture Model No.	Occupancy Sensor Connected Load (0 to 1,000)
									Watts
6.	Location: Stairwell		n for Work rofit Early Re	Done (Check		: Replace Brol	ken New Co	onstruction: Light Power Density (0.01 to	3.00) – Watt/sq ft
Item No. (on Rebate Chart)	Existing Fixture Type		Existing Quantity	Existing Wattage	New Quantity	New Wattage	New Low Power Wattage	New Fixture Model No.	Occupancy Sensor Connected Load (0 to 1,000)
									Watts
7.	Location: Stairwell		n for Work rofit Early Re	Done (Check eplacement		: Replace Brol	ken New Co	onstruction: Light Power Density (0.01 to	3.00) – Watt/sq ft









Don	nini	on E	ner	gy A	ссо	unt	Nun	nbei	r:		

													DEV-SB	IE-6AM_v0625
Re	frige	erat	ior	1										
					missing information Please use a new fo							onal. Each lin	e represe	nts
EVA	PORA	TOF	RFA	NS WITH	ECM									
Item No.	Quantity Installed	Refrige Door T	eration ype	Refrigeration S	system Information								Pre-ECM Load	Post-ECM Load
			ılk-in ach-in	Manufacturer:		Mode	el No:			Refrig. Syster	n Rated	d Capacity (Btu/h):		
					zer/Refrigerator:			Lo	cation:					
		Fan M	otor		Freezer (low or medium tempe Refrigerator/cooler (high temp				Outdoors, on gra	=	-	mer area of house		
		Size (h			Unrefrigerated				Rooftop penthou	_	,			
1.				Refrig. System Age:*	Compressor Type:*  Standard Reciprocating Discus Scroll		Standa		n Configuration Standalone with \ tiplex	1/-14		Compressor Amps:		
		Wa	lk-in	Manufacturer:		Mode				Refrig. Syster	n Rated	d Capacity (Btu/h):		
		Rea	ach-in	DI E	(D. f.:									
					zer/Refrigerator: Freezer (low or medium tempe	erature)			cation: ] Outdoors, on gra	de Stor	e, custoi	mer area		
		Fan M Size (h		3   1	erature	)		Outdoors, roofton Rooftop penthous	_	e, back o	of house			
				Refrig. System Age:*	CompressorType:*		mpress Standa	· —	n Configuration Standalone with \	Valtage		Compressor Amps:		
2.					Discus Scroll		Parallel	equal mult	tiplex					
NIG	HT CC	DVEF	RS											
Item No.	Length o Night Co		Refrig	eration System	Information									
	Trigit Co	ver (it.)	Manu	facturer:			Model	No:				Refrig. System I	Rated Capac	ity (Btu/h):
			Phase		frigerator: (low or medium temperature)		Lo	ocation:	, on grade		Co	mpressor Syster Standalone	n Configura	tion:*
			3		ator/cooler (high temperature)			╡	stomer area			Standalone with V	'SD	
				Unrefrig				Store, bad	ck of house			Parallel equal mul	•	
1.			Refrig.	. System Age:*	CompressorType*  Standard Reciprocating	П	iscus	Scroll	Compressor A	Amps:		Compressor V	oltage:	
			Manu	facturer:			Model		I			Refrig. System I	Rated Capac	ity (Btu/h):
			Phase	: Freezer/Re	frigerator:		14	ocation:			Co	ompressor Syster	n Configure	tion:*
			1 11030		(low or medium temperature)			_	, on grade			Standalone	ii comiguit	tion.
			3	Refriger: Unrefrig	ator/cooler (high temperature)	)		╡	stomer area			Standalone with V		
			Refrig	. System Age:*	CompressorType*			_ store, pad	Compressor A	Amps:		Parallel equal multiplex  Compressor Voltage:		
2.			3	. 5	Standard Reciprocating		iscus [	Scroll	,	•			ū	







Powering	Your	Every	Day	/
----------	------	-------	-----	---

									D	EV-SBIE-6AM_v0625
Ref	frigera	ation (C	Continue	d)						
		processed w space for eac		sing information. All fiel	ds marked with a	ın aster	risk (*) are opt	tional. Plea	ise use a	new form
ASD	H (ANT	I-SWEAT	DOOR	HEATER CONTR	OLS					
Item No.	No. of	Refrigeration S							ASD Heat	ASD Heat
	Refrig. Doors	Manufacturer:			Model No:				(Watts)	Control Type*
		Wandidotaror.			Wodel No.					None On/Off
			zer/Refrigerato	c: dium temperature)	Location: Outdoors, on grade	Stor	e, customer area			Micropulse
		3	Refrigerator/cooler	(high temperature)	Outdoors, rooftop	=	re, back of house			
		Refrig. System	Unrefrigerated Rated	Refrig. System	Rooftop penthouse  Compressor		Compressor			
1.		Capacity (Btu/h):		Age:*	Voltage:		Amps:			
		Manufacturer:			Model No:					None On/Off
			zer/Refrigerato		Location:					Micropulse
				dium temperature) (high temperature)	Outdoors, on grade Outdoors, rooftop	=	re, customer area re, back of house			
			Unrefrigerated	D. ( ) O .	Rooftop penthouse		0			
		Refrig. System Capacity (Btu/h):	Rated	Refrig. System Age:*	Compressor Voltage:		Compressor Amps:			
2.										
EVA	PORATO	OR FAN C	ONTRO	LS						
Item No.		aporator Fan otor Horsepower	MotorType	Refrigeration System Info	rmation					Forced Air Controller Type:*
			PSC Moto			Model I	No:			On/Off
			ECM Mot Unknown	Phase: Freezer/Refriger		Locatio				Multi-Speed Unknown
				3 Refrigerator/co	r medium temperature) poler (high temperature)		doors, on grade	Store, custom Store, back of		None
				Refrig. System Rated R	efrig. System	Compre	oftop penthouse	Compressor		
				, ,	ge:*	Voltage		Amps:		
				CompressorType:*			ressor System Co	¬ ~		
1.				Standard Reciprocating  Scroll	Discus		ndalone L_ ndalone with VSD	Parallel equal r	nultiplex	
			PSC Moto			Model I	No:			On/Off Multi-Speed
			Unknown	Phase: Freezer/Refriger	rator: r medium temperature)	Locatio	on: doors, on grade	Store, custom	er area	Unknown
					poler (high temperature)	Out	doors, rooftop	Store, back of		None
					efrig. System ge:*	Compre Voltage		Compressor Amps:		
				Compressor Type:*			ressor System Co	7		
2.				Standard Reciprocating  Scroll	Discus		ndalone L	Parallel equal r	multiplex	
			1							







Dominio	nion Ener	gy Acco	ount l	Nun	ıbeı	•	

Ref	rigeı	ation (	Continue	d)					
		oe processed v e space for ea			tion. All fields mark	ced with an asterisk	(*) are op	tional. Pleas	se use a new form
AUTO	CLO	SERS AN	D STRIP	CURTAIN	NS				
AUTO	CLOSEI	RS		Refrigeration Door Type	Refrigeration System II	nformation			
Item No.	Quantity			Walk-in Reach-in	Manufacturer:		Model N	o:	
						erator: or medium temperature) cooler (high temperature)		oors, on grade , customer area	
STRIP	CURTA	INS			Unrefrigerati	ed	Store	, back of house	
Item No.	Quantity Installed		Area of Curtain (sq. ft.)		Refrig. System Rated Capacity (Btu/h):	CompressorType:*  Standard Reciprocating  Scroll Discus	Compres Voltage:	ssor System	Compressor System Amps:
					Refrig. System Age:*	Compressor System Co Standalone Standa	nfiguration:*	Parallel equ	ıal multiplex
AUTO	CLOSE	RS		Refrigeration Door Type	Refrigeration System I	nformation			
Item No.	Quantity	No. of Doors:		Walk-in Reach-in	Manufacturer:		Model N	0:	
						erator: or medium temperature) cooler (high temperature)		oors, on grade , customer area	
STRIP	CURTA	INS			Unrefrigerate			, back of house	_
Item No.	Quantity Installed	No. of Doors:	Area of Curtain (sq. ft.)		Refrig. System Rated Capacity (Btu/h):	CompressorType:*  Standard Reciprocating  Scroll Discus	Voltage:	ssor System	Compressor System Amps:
					Refrig. System Age:*	Compressor System Co Standalone Standa	nfiguration:* lone with VSD	Parallel equ	ıal multiplex
VEND	DING I	MACHINE	CONTR	OLS					
Item No.	Installed	Existing/Old Vending Machine Power Draw (kW)	DoorType	Vending Machir	пе Туре		ocation Conditioned		
4			Reach-In	Non-refrigerate	everage vending machines ed snack vending machines rigerated coolers	Outdoors, on grade Store, customer area Store, back of house	Yes No	Manufacturer Model No:	:
1.			Reach-In	Non-refrigerate	everage vending machines ed snack vending machines	Outdoors, on grade Store, customer area	Yes No	Manufacturer	:
2.				Glass front ref	rigerated coolers	Store, back of house		Model No:	
0			Reach-In	Non-refrigerate	everage vending machines ed snack vending machines rigerated coolers	Outdoors, on grade Store, customer area Store, back of house	Yes No	Manufacturer Model No:	:
3. RFAS	SONE	OR WORK	( PEREQ	RMED _					
Check one:				Construction	New Install				
CHECK OHE:	☐ Helio	" neplace Bro	New I New	CONSTRUCTION	T ragan morqu				







Don	nini	on E	ner	gy A	cco	unt	Nun	nbei	r:		

Window	Film							
Rebate cannot be	e processed wit	h any mis	ssing in	formation.				
WINDOW [	DATA							
All NORTH-Fa	acing Window	vs			All EAST-Fac	ing Windows		
Window FilmType:	Low-E Neutral	Reflective Dual Reflecti		Spectrally Selective Outdoor Decorative	Window Film Type:	Low-E Neutral	Reflective Dual Reflective	Spectrally Selective Outdoor Decorative
WindowType:	Single	Double			WindowType:	Single	Double	
Window Frame Type:		Vinyl Composite	V	Vood Fiberglass	Window Frame Type:	Metal Aluminum	Vinyl Composite	Wood Fiberglass
Is Low-E present?	Yes	No			Is Low-E present?	Yes	No	
Total Sq Ft of Film Installed	SHGC Pre-Installation	SHGC Post-Install	ation	SHGC Improvement	Total Sq Ft of Film Installed	SHGC Pre-Installation	SHGC Post-Installation	SHGC n Improvement
Tillitilistalled	T Te-IIIstaliation	i Ost-ilistali	ation	Improvement	Tilli liistalleu	Tre-installation	i ost-iristaliatio	iii iiiipioveilielit
AU MEGT E-	: \A/:I				AU COUTU E	! <b>\A</b> /!!		
All WEST-Fac					All SOUTH-F		 	
Window Film Type:	Low-E Neutral	Reflective Dual Reflecti	=	Spectrally Selective  Outdoor Decorative	Window Film Type:	Low-E Neutral	Reflective Dual Reflective	Spectrally Selective Outdoor Decorative
WindowType:	Single	Double			WindowType:	Single	Double	
Window Frame Type:	$\overline{}$	Vinyl Composite	V	Vood Fiberglass	Window Frame Type:	MetalAluminum	Vinyl Composite	Wood Fiberglass
Is Low-E present?	Yes	No			Is Low-E present?	Yes	No	
Total Sq Ft of Film Installed	SHGC Pre-Installation	SHGC Post-Install	ation	SHGC Improvement	Total Sq Ft of Film Installed	SHGC Pre-Installation	SHGC Post-Installation	SHGC Improvement
BUILDING	DATA							
Year Structure was Bu	illt Total Sq Ft of Bu	uilding Re	ason					
			Retrofit	New Construction	Replace Deteriorat	red		
Old Cooling SystemTy	уре	Cooling Per Un		Capacity Old Heating	System Type	Heating Syster Per Unit (Btu/h		Primary Heating Fuel
Air-Cooled Chiller [ Rooftop DX [ Hydronic Heat Pum	Water-Cooled Chille PTAC PTHP	er		Boiler Heat Pu	Furnace PT/ mp Packaged PTI mp Split			Electric Non-Electric None
REBATE DA	ATA							
Final SHGC level	after film installati	on must b	e ≤ 0.5 i	n order to be eligible	for rebate.			
SHGC Improvement	Rebate Incentive							
≥ 0.2	\$1.00 per sq ft x		sqft =	\$				









Don	nini	on E	ner	gy A	cco	unt	Nun	nbei	r:		
											1

<b>Building Type</b>		
Rebate cannot be processed with an	y missing information.	
Please select one:		
Education – Elementary and Middle School	Food Service – Full Service	Office – Small (<40,000 sq ft)
Education – High School	Health Care – Inpatient	Public Assembly
Education – College and University	Health Care – Outpatient	Public Order and Safety – Police and Fire Station
Food Sales – Convenience Store	Lodging – Hotel, Motel and Dormitory	Religious Worship
Food Sales – Gas Station Convenience Store	Mercantile – Mall	Service – Beauty, Auto Repair Workshop
Food Sales – Grocery	Mercantile – Retail (not Mall)	Warehouse and Storage
Food Service – Fast Food	Office – Large (≥40,000 sq ft)	
Other		